

Supported Protocols for Configuration Management

Resource Manager Essentials (RME) 4.0.5, is a part of the CiscoWorks LMS 2.6. RME 4.0.6 is an incremental device support software released over RME 4.0.5. You can download LMS 2.6 from this location: <http://www.cisco.com/cgi-bin/tablebuild.pl/lms26>.

You can download RME 4.0.6 from this location: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-rme>. The Readme for RME 4.0.6 is also available at the same location.

The following table lists the protocols supported in the Configuration Management applications of RME 4.0.6.

- [Devices Supported in RME 4.0.6](#)

The following tables list the protocols supported in the Configuration Management applications of RME 4.0.5.

- [Access Servers Supported in RME 4.0.5](#)
- [Cable Products Supported in RME 4.0.5](#)
- [Content Networking Devices Supported in RME 4.0.5](#)
- [Interfaces and Modules Supported in RME 4.0.5](#)
- [Optical Platforms Supported in RME 4.0.5](#)
- [Routers Supported in RME 4.0.5](#)
- [Security and VPN Devices Supported in RME 4.0.5](#)
- [Switches Supported in RME 4.0.5](#)
- [Universal Gateways Supported in RME 4.0.5](#)
- [Voice Gateways Supported in RME 4.0.5](#)
- [Wireless LAN Products Supported in RME 4.0.5](#)

Notes:

- RME does not support End of Life (EoL) IOS image releases. For those devices that have EoL software images in them, upgrade to IOS supported software image versions which are not EoL images.
- It is not recommended to use SCP to transfer the .tar files in Cat2960, Cat3560, Cat3750 series switches.

This document is updated every time when a new device support is available for RME.

Devices Supported in RME 4.0.6

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco Catalyst 2960 Series Switches	Cisco Catalyst 2960-24-S Switch	1.3.6.1.4.1.9.1.929	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 2960-24TC-S Switch	1.3.6.1.4.1.9.1.928	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 2960-48TC-S Switch	1.3.6.1.4.1.9.1.927	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 2960-24PC-L Switch ²	1.3.6.1.4.1.9.1.950	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 2960-24LT-L Switch ²	1.3.6.1.4.1.9.1.951	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 2960PD-8TT-L Compact Switch ²	1.3.6.1.4.1.9.1.952	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 2960-48TT-S Switch (WS-C2960-48TT-S) ⁵	1.3.6.1.4.1.9.1.1005	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 2960-8TC-S Compact Switch (WS-C2960-8TC-S) ⁵	1.3.6.1.4.1.9.1.1006	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 2960-48TT-S Switch ⁵	1.3.6.1.4.1.9.1.1016	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
Cisco 2800 Series Integrated Services Routers	Cisco 2821 Integrated Services Router (NM-CUE card support)	—	—	—	—	—	—	—	—	—	—	—	—	—
Cisco Catalyst 6500 Series Switches	Cisco Catalyst 6509 Switch (WS-X6582-2PA)	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cisco Catalyst 6509-V-E Switch ²	1.3.6.1.4.1.9.1.832	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 7600 Series Routers	Cisco 7603-S Router	1.3.6.1.4.1.9.1.862	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7609-S Router ²	1.3.6.1.4.1.9.1.864	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7606-S Router ²	1.3.6.1.4.1.9.1.863	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Services Modules	Cisco WS-SVC-SAMI-BB with HA and BWG Software ²	1.3.6.1.4.1.9.1.744	Yes	Yes	No	Yes	No	No	Yes	Yes	No	Yes	No	No

	Cisco WS-SVC-SAMI-BB with GGSN ²														
	Cisco Catalyst 6500,7600 Series Wireless Services Module ^{2,5}	1.3.6.1.4.1.14179.1.1.4.4	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco 7200 Series Router	Cisco 7201 Router ^{5,2}	1.3.6.1.4.1.9.1.821	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco MDS9000 Series Multilayer Switches	Cisco MDS 9513 Multilayer Director Switch	1.3.6.1.4.1.9.12.3.1.3.377	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	Cisco MDS 9216i Multilayer Fabric Switch	1.3.6.1.4.1.9.12.3.1.3.472	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	Cisco MDS 9124 Multilayer Fabric Switch ²	1.3.6.1.4.1.9.12.3.1.3.587	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	Cisco MDS 9222i Multiservice Modular Switch ²	1.3.6.1.4.1.9.12.3.1.3.651	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	Cisco MDS 9124e Multiservice Modular Switch ^{2,5}	1.3.6.1.4.1.9.12.3.1.3.606	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Server Fabric Switches	Cisco SFS 3504 Multifabric Server Switch	1.3.6.1.4.1.6203.16	Yes	No	No	No	No	No	No	Yes	No	No	No	No	No
	IBM BladeCenter InfiniBand Switch	1.3.6.1.4.1.6203.15	Yes	No	No	No	No	No	No	Yes	No	No	No	No	No
Cisco Catalyst 3560-E Series Switches	Cisco Catalyst 3560E-12D-S Switch, Cisco Catalyst 3560E-12D-E Switch	1.3.6.1.4.1.9.1.930	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3560E-12SD-E Switch, Cisco Catalyst 3560E-12SD-S Switch ^{5,2}	1.3.6.1.4.1.9.1.956	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 3750 Series Switches	Cisco Catalyst 3750G-12S Switch	1.3.6.1.4.1.9.1.530	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750-24PS Switch	1.3.6.1.4.1.9.1.536	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750-48PS Switch ^{5,2}	1.3.6.1.4.1.9.1.535	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750-24TS Switch ^{5,2}	1.3.6.1.4.1.9.1.513	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-24PS Switch ^{5,2}	1.3.6.1.4.1.9.1.602	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-48PS Switch ^{5,2}	1.3.6.1.4.1.9.1.603	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-48TS Switch ^{5,2}	1.3.6.1.4.1.9.1.604	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-24TS-1U Switch ^{5,2}	1.3.6.1.4.1.9.1.624	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750-24FS Switch ^{5,2}	1.3.6.1.4.1.9.1.656	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-24 Switch ^{5,2}	1.3.6.1.4.1.9.1.511	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-48 Switch ^{5,2}	1.3.6.1.4.1.9.1.512	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-24T Switch ^{5,2}	1.3.6.1.4.1.9.1.514	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750G-24WS-S25 Switch ^{2,5}	1.3.6.1.4.1.9.1.778	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco Catalyst 3750G-24WS-S50 Switch ^{2,5}	1.3.6.1.4.1.9.1.779	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco Catalyst 3750V2-48PS Switch (WS-C3750V2-48PS) ²	1.3.6.1.4.1.9.1.1027	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750V2-24TS Switch (WS-C3750V2-24TS) ^{2,6}	1.3.6.1.4.1.9.1.1022	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 3750V2-48TS Switch (WS-C3750V2-48TS) ^{2,6}	1.3.6.1.4.1.9.1.1026	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 3750V2-24PS Switch (WS-C3750V2-24PS) ^{2,6}	1.3.6.1.4.1.9.1.1023	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
Cisco Wide Area Application Engine (WAE) Appliances	Cisco WAE-612 Wide Area Application Engine	1.3.6.1.4.1.9.1.761	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco OE-612 Optimization Engine ²	1.3.6.1.4.1.9.1.777	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco OE-512 Optimization Engine ²	1.3.6.1.4.1.9.1.776	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco OE-7326 Optimization Engine ²	1.3.6.1.4.1.9.1.787	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco OE-611 Optimization Engine ^{5,2}	1.3.6.1.4.1.9.1.786	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ME 3400 Series Ethernet	Cisco ME 3400G-2CS-A Switch	1.3.6.1.4.1.9.1.825	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 3400-24FS-A Switch ^{5,2}	1.3.6.1.4.1.9.1.873	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

Access Switches															
Cisco Network Modules	Cisco 2600,2800,3700,3800 Series 16-Port EtherSwitch Service Module (NME-16ES-1G) ²	1.3.6.1.4.1.9.1.702	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 2600,2800,3700,3800 Series 16-Port EtherSwitch Service Module (NME-16ES-1G-P) ²	1.3.6.1.4.1.9.1.663	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 2800,3800 Series 23-Port EtherSwitch Service Module (NME-X-23ES-1GP) ²	1.3.6.1.4.1.9.1.664	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 2851,3800 Series 24-Port EtherSwitch (with Stackwise Connectors) Service Module (NME-X-24ES-1GP) ^{5, 2}	1.3.6.1.4.1.9.1.665	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 2851,3800 Series 48-Port EtherSwitch Service Module (NME-XD-48ES-2S-P) ²	1.3.6.1.4.1.9.1.666	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Wide Area Application Services Network Module (NME-WAE-502-K9) ⁵	1.3.6.1.4.1.9.1.823	Yes	No	Yes	No	No	No	NA	Yes	No	Yes	No	No	NA
	Cisco 2800,3800 Series 23-Port EtherSwitch Service Module ⁵	1.3.6.1.4.1.9.1.703	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 600 Series Content Engines	Cisco 611 Content Engine ^{5, 2}	1.3.6.1.4.1.9.1.708	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Catalyst 4500 Series Switches	Cisco Catalyst 4506-E Switch ²	1.3.6.1.4.1.9.1.875	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 4510R-E Switch ²	1.3.6.1.4.1.9.1.877	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 4503-E Switch ^{5, 2}	1.3.6.1.4.1.9.1.874	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst 4507R-E Switch ^{5, 2}	1.3.6.1.4.1.9.1.876	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 4900 Series Switches	Cisco Catalyst 4900M Switch ^{5, 2}	1.3.6.1.4.1.9.1.917	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco ME 2400 Series Ethernet Switches	Cisco ME 2400-24TS-D Switch ²	1.3.6.1.4.1.9.1.735	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco PIX 500 Series Firewalls	Cisco PIX 535 Firewall Security Context ²	1.3.6.1.4.1.9.1.675	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco PIX 525 Firewall Security Context ²	1.3.6.1.4.1.9.1.676	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco PIX 515 Firewall Security Context ^{5, 2}	1.3.6.1.4.1.9.1.678	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Interface Cards	Cisco 3205 Wireless Mobile Interface Card (WMIC) ²	1.3.6.1.4.1.9.1.819	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 3202 Wireless Mobile Interface Card (WMIC) ^{5, 2}	1.3.6.1.4.1.9.1.667	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 3200 Series Mobile Access Routers	Cisco 3270 Rugged Router (C3271MARC-TP) ^{5, 2}	1.3.6.1.4.1.9.1.689	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 1800 Series Routers	Cisco 1805 Integrated Services Router ²	1.3.6.1.4.1.9.1.981	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861-UC-2BRI-K9) ^{2, 5}	1.3.6.1.4.1.9.1.902	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861-UC-4FXO-K9) ²	1.3.6.1.4.1.9.1.903	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861-SRST-B/K9) ²	1.3.6.1.4.1.9.1.904	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861-SRST-F/K9) ^{2, 5}	1.3.6.1.4.1.9.1.905	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861-SRST-C-B/K9) ^{2, 5}	1.3.6.1.4.1.9.1.939	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861-SRST-C-F/K9) ^{2, 5}	1.3.6.1.4.1.9.1.940	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861W-SRST-F/K9) ^{2, 5}	1.3.6.1.4.1.9.1.990	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router	1.3.6.1.4.1.9.1.991	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	Router (C1861W-SRST-B/K9) ^{2, 5}														
	Cisco 1861 Integrated Services Router (C1861W-SRST-C-F/K9) ^{2, 5}	1.3.6.1.4.1.9.1.992	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861W-SRST-C-B/K9) ^{2, 5}	1.3.6.1.4.1.9.1.993	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861W-UC-4FXO-K9) ^{2, 5}	1.3.6.1.4.1.9.1.994	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1861 Integrated Services Router (C1861W-UC-2BRI-K9) ^{2, 5}	1.3.6.1.4.1.9.1.995	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 1801 Integrated Services Router (CISCO1801-M, CISCO1801-M/K9) ⁵	1.3.6.1.4.1.9.1.783	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco ASR 1000 Series Aggregation Services Routers	Cisco ASR 1002 Router ^{2, 5}	1.3.6.1.4.1.9.1.923	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ASR 1004 Router ^{2, 5}	1.3.6.1.4.1.9.1.924	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ASR 1006 Router ²	1.3.6.1.4.1.9.1.925	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 4400 Series Wireless LAN Controllers	Cisco 4402,4404 Wireless LAN Controller ²	1.3.6.1.4.1.14179.1.1.4.3	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco 2100 Series Wireless LAN Controllers	Cisco 2106 Wireless LAN Controller ^{2, 5}	1.3.6.1.4.1.9.1.828	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Wireless LAN Controller Modules	Integrated service router series 2800,3800 with Wireless LAN Controller Network Module ^{2, 5}	1.3.6.1.4.1.9.1.818	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Application Content Engine (ACE)	ACE10K9 ⁵	1.3.6.1.4.1.9.1.730	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	ACE4710K9	1.3.6.1.4.1.9.1.824	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Aironet 1200 Series	Cisco Aironet 1250 Series Access Point ²	1.3.6.1.4.1.9.1.758	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco ASA 5500 Series Adaptive Security Appliances	Cisco ASA-5580 Adaptive Security Appliance (ASA 5580-20) ²	1.3.6.1.4.1.9.1.914	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5580 Adaptive Security Appliance Security Context (ASA 5580-40) ^{2, 5}	1.3.6.1.4.1.9.1.915	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Catalyst 4000 IOS Series Switch	Cisco ME 4924-10GE Switch ^{2, 5}	1.3.6.1.4.1.9.1.788	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst Blade Servers	Cisco Catalyst Switch Module 3110G for IBM BladeCenter (CBS3110G-S) ^{2, 5}	1.3.6.1.4.1.9.1.909	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Switch Module 3110G for IBM BladeCenter (CBS3110G-S-I) ^{2, 5}	1.3.6.1.4.1.9.1.910	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Switch Module 3110X for IBM BladeCenter (CBS3110X-S) ^{2, 5}	1.3.6.1.4.1.9.1.911	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Switch Module 3110X for IBM BladeCenter (CBS3110X-S-I) ^{2, 5}	1.3.6.1.4.1.9.1.912	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Switch Module 3012 for IBM BladeCenter (CBS3012-IBM) ^{2, 5}	1.3.6.1.4.1.9.1.999	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Switch Module 3012 for IBM BladeCenter (CBS3012-IBM-I) ^{2, 5}	1.3.6.1.4.1.9.1.1000	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3125G	1.3.6.1.4.1.9.1.1001	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	for HP (CBS3125G-S) ^{2, 5}														
	Cisco Catalyst Blade Switch 3120G for HP (CBS3120G-S) ^{2, 5}	1.3.6.1.4.1.9.1.918	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3125X for HP (CBS3125X-S) ^{2, 5}	1.3.6.1.4.1.9.1.1002	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3120X for HP (CBS3120X-S) ^{2, 5}	1.3.6.1.4.1.9.1.919	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3020 for HP (CBS3020-HPQ) ^{2, 5}	1.3.6.1.4.1.9.1.748	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3130G for Dell M1000E (CBS3130G-S) ^{2, 5}	1.3.6.1.4.1.9.1.921	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3130X for Dell M1000E (CBS3130X-S) ^{2, 5}	1.3.6.1.4.1.9.1.922	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3032 for Dell M1000E (CBS3032-DEL) ²	1.3.6.1.4.1.9.1.920	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Stack of CBS3100 Switch Modules ^{2, 5}	1.3.6.1.4.1.9.1.946	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Switch Module 3110X for IBM BladeCenter ^{2, 5}	1.3.6.1.4.1.9.1.947	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3120X for HP ²	1.3.6.1.4.1.9.1.948	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Catalyst Blade Switch 3130X for Dell M1000E ²	1.3.6.1.4.1.9.1.949	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco IE 3000 Series Switches	Cisco IE 3000-4TC Industrial Ethernet Switch ^{2, 5}	1.3.6.1.4.1.9.1.958	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco IE 3000-8TC Industrial Ethernet Switch ²	1.3.6.1.4.1.9.1.959	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 7800 Series Media Convergence Servers	Cisco 7815I Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.582	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7825H Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.583	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7835H Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.584	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7835I Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.585	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7845H Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.586	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7845I Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.587	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7855I Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.588	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7865I Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.589	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 7825I Media Convergence Server ^{2, 5}	1.3.6.1.4.1.9.1.746	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco MCS 7816-H3 ^{2, 5}	1.3.6.1.4.1.9.1.900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco MCS 7828-H3 Unified Communications Manager Business Edition Appliance ^{2, 5}	1.3.6.1.4.1.9.1.901	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco MCS 7816-I3	1.3.6.1.4.1.9.1.898	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco MCS 7828-I3 Unified Communications Manager Business Edition Appliance ^{2, 5}	1.3.6.1.4.1.9.1.899	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Cisco 800 Series Routers	Cisco 861/861W Integrated Services Router (CISCO861-K9, CISCO861W-GN-A-K9, CISCO861W-GN-E-K9, CISCO861W-GN-P-K9) ²	1.3.6.1.4.1.9.1.834	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Cisco 881/881W Integrated Services Router (CISCO881-K9, CISCO881W-GN-A-K9, CISCO881W-GN-E-K9, CISCO881W-GN-P-K9) ^{2, 5}		1.3.6.1.4.1.9.1.837	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 880 3G Integrated Services Router (CISCO881G-K9, CISCO881GW-GN-A-K9, CISCO881GW-GN-E-K9, CISCO881G-S-K9, CISCO881G-V-K9, CISCO881G-A-K9) ⁵		1.3.6.1.4.1.9.1.838	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 881SRST/881SRSTW Integrated Services Router		1.3.6.1.4.1.9.1.840	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	(C881SRST-K9, C881SRSTW-GN-A-K9, C881SRSTW-GN-E-K9) ^{2, 5}														
	Cisco 886 Integrated Services Router ^{2, 5}	1.3.6.1.4.1.9.1.842	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 886 Integrated Services Router (886G) ^{2, 5}	1.3.6.1.4.1.9.1.843	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 886 Integrated Services Router (886SRST) ^{2, 5}	1.3.6.1.4.1.9.1.846	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 887 Integrated Services Routers ^{2, 5}	1.3.6.1.4.1.9.1.847	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 887 Integrated Services Routers (887G) ^{2, 5}	1.3.6.1.4.1.9.1.848	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 887 Integrated Services Routers (887SRST) ^{2, 5}	1.3.6.1.4.1.9.1.851	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 888/888W Integrated Services Router (CISCO888-K9, CISCO888W-GN-A-K9, CISCO888W-GN-E-K9) ²	1.3.6.1.4.1.9.1.852	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 888G/888GW Integrated Services Router (CISCO888G-K9, CISCO888GW-G-AN-K9, CISCO888GW-G-EN-K9) ⁵	1.3.6.1.4.1.9.1.853	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 888SRST/888SRSTW Integrated Services Router (C888SRST-K9, C888SRSTW-GN-A-K9, C888SRSTW-GN-E-K9) ^{2, 5}	1.3.6.1.4.1.9.1.856	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 885 Integrated Services Router (885-D-3) ^{2, 5}	1.3.6.1.4.1.9.1.859	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 885 Integrated Services Router (885-E/J-3) ^{2, 5}	1.3.6.1.4.1.9.1.861	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 891/891W Integrated Services Router (CISCO891-K9, CISCO891W-AGN-A-K9, CISCO891W-AGN-C-K9, CISCO891W-AGN-N-K9) ⁵	1.3.6.1.4.1.9.1.857	Yes	No	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	No
	Cisco 892/892W Integrated Services Router (CISCO892-K9, CISCO892J-K9 CISCO892W-AGN-E-K9, CISCO892W-AGN-P-K9)	1.3.6.1.4.1.9.1.858	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 877 Integrated Services Router (877M) ^{2, 5}	1.3.6.1.4.1.9.1.782	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 12000 Series Routers	Cisco 12006 Router ²	1.3.6.1.4.1.9.1.590	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Nexus Series	Cisco Nexus 5020 Switch- AC (N5K-C5020P-BF) ²	1.3.6.1.4.1.9.12.3.1.3.719	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco Nexus 5020 Switch- DC ^{2, 5}	1.3.6.1.4.1.9.12.3.1.3.720	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Nexus 7000 10-Slot Switch ²	1.3.6.1.4.1.9.12.3.1.3.612	Yes	No	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	No
	Cisco Nexus 7000 18-Slot Switch (N7K-C7018) ⁶	1.3.6.1.4.1.9.12.3.1.3.777	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Optical Network Solutions Series	Cisco ONS 15305 Multiservice Customer Access Platform ^{2, 5}	1.3.6.1.4.1.7546.1.4.1.1.3	Yes	Yes	No	Yes	No	No	No	Yes	Yes	No	Yes	No	No
Cisco Wireless LAN Solution Engine	CiscoWorks 1132 for Wireless LAN Solution Engine ²	1.3.6.1.4.1.9.1.712	Yes	No	Yes	No	No	No	No	No	No	No	No	No	No
	Cisco Wireless LAN Solution Engine S20 ²	1.3.6.1.4.1.9.1.709	Yes	No	Yes	No	No	No	No	No	No	No	No	No	No
Data Center Switches	Cisco Nexus 1000V Series Switches ²	1.3.6.1.4.1.9.12.3.1.3.840	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ACE GSS 4400 Series Global Site Selector Appliances	Cisco GSS 4480/4490/4491/4492R Global Site Selector (GSS-4492-K9) ⁶	1.3.6.1.4.1.9.1.517	Yes	No	Yes	No	No	NA	Yes	No	Yes	No	No	No	NA

Cisco MWR 2900 Series Mobile Wireless Routers	Cisco MWR 2941-DC Mobile Wireless Router (MWR-2941-DC)	1.3.6.1.4.1.9.1.1014	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Wide Area Application Engine Appliances	Cisco WAE-7371 Wide Area Application Engine (WAE-7371) ²	1.3.6.1.4.1.9.1.908	Yes	No	Yes	No	No	NA	Yes	No	Yes	No	No	NA
	Cisco WAE-7341 Wide Area Application Engine (WAE-7341) ²	1.3.6.1.4.1.9.1.907	Yes	No	Yes	No	No	NA	Yes	No	Yes	No	No	NA
	Cisco WAE-674 Wide Area Application Engine (WAE-674)	1.3.6.1.4.1.9.1.957	Yes	No	Yes	No	No	NA	Yes	No	Yes	No	No	NA
Cisco NAM 2200 Series Appliances	Cisco NAM 2204 Appliance (NAM2204) ²	1.3.6.1.4.1.9.1.1032	Yes	No	Yes	No	NA	NA	Yes	No	Yes	No	NA	NA
	Cisco NAM 2220 Appliance (NAM2220)	1.3.6.1.4.1.9.1.1033	Yes	No	Yes	No	NA	NA	Yes	No	Yes	No	NA	NA
Cisco Catalyst 2975 Switch	Cisco Catalyst 2975 Switch (WS-C2975GS-48PS-L)	1.3.6.1.4.1.9.1.1067	Yes	Yes	Yes	Yes	Yes	NA	Yes	Yes	Yes	Yes	Yes	NA
	Cisco Catalyst 2975 Switch (WS-C2975GS-48PS-L Stack)	1.3.6.1.4.1.9.1.1068	Yes	Yes	Yes	Yes	Yes	NA	Yes	Yes	Yes	Yes	Yes	NA
Cisco 3800 Series Integrated Services Routers	Cisco 3825 NOVPN Integrated Services Router (3825-NOVPN) ²	1.3.6.1.4.1.9.1.1103	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 3845 NOVPN Integrated Services Router (3845-NOVPN)	1.3.6.1.4.1.9.1.1102	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco ME 3400E Series Ethernet Access Switches	Cisco ME 3400EG-2CS-A Switch (ME-3400EG-2CS-A) ²	1.3.6.1.4.1.9.1.1007	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 3400EG-12CS-M Switch (ME-3400EG-12CS-M) ²	1.3.6.1.4.1.9.1.1008	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 3400E-24TS-M Switch (ME-3400E-24TS-M) ²	1.3.6.1.4.1.9.1.1009	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 2350 Series Switches	Cisco Catalyst 2350-48TD-S Switch (WS-C2350-48TD-S)	1.3.6.1.4.1.9.1.1104	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 600 Series Content Engines	Cisco 674 Content Engine (WAE 674) ²	1.3.6.1.4.1.9.1.996	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Cisco Catalyst 3560 Series Switches	Cisco Catalyst 3560-12PC-S Compact Switch (WS-C3560-12PC-S) ²	1.3.6.1.4.1.9.1.1015	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco Catalyst 3560V2-24DC Switch (WS-C3560V2-24TS-SD) ^{2, 6}	1.3.6.1.4.1.9.1.1019	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco Catalyst 3560V2-24TS Switch (WS-C3560V2-24TS) ^{2, 6}	1.3.6.1.4.1.9.1.1020	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco Catalyst 3560V2-48TS Switch (WS-C3560V2-48TS) ^{2, 6}	1.3.6.1.4.1.9.1.1024	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco Catalyst 3560V2-24PS Switch (WS-C3560V2-24PS) ^{2, 6}	1.3.6.1.4.1.9.1.1021	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco Catalyst 3560V2-48PS Switch (WS-C3560V2-48PS) ^{2, 6}	1.3.6.1.4.1.9.1.1025	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Data Center Switches	Cisco Nexus 5010 Switch (N5K-C5010P-BF)	1.3.6.1.4.1.9.12.3.1.3.798	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

Access Servers Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco AS5200 Series Access Servers	AS5200	1.3.6.1.4.1.9.1.109	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 2500	2509RJ	1.3.6.1.4.1.9.1.153	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Series Access Servers	2510	1.3.6.1.4.1.9.1.26	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2511RJ	1.3.6.1.4.1.9.1.154	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2512	1.3.6.1.4.1.9.1.28	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
CiscoAccess Server 5400 Series	AS5400 HPX	1.3.6.1.4.1.9.1.274	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Cable Products Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Universal Broadband Routers (uBR)900 Series	uBR904	1.3.6.1.4.1.9.1.191	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	uBR905	1.3.6.1.4.1.9.1.351	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	uBR924	1.3.6.1.4.1.9.1.255	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Universal Broadband Routers (uBR) 7100 Series	7111	1.3.6.1.4.1.9.1.344	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7111E	1.3.6.1.4.1.9.1.345	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7114	1.3.6.1.4.1.9.1.346	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7114E	1.3.6.1.4.1.9.1.347	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Universal Broadband Routers (uBR) 7200 Series	7223	1.3.6.1.4.1.9.1.210	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7246	1.3.6.1.4.1.9.1.179	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7246-VXR	1.3.6.1.4.1.9.1.271	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Universal Broadband Routers (uBR) 10000 Series	10012	1.3.6.1.4.1.9.1.317	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Gigabit Ethernet Switching Module	371098-001	1.3.6.1.4.1.11.2.3.7.11.33.3.1.1	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Content Networking Devices Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco Content Service Switch (CSS) 11000 Series	CSS11050	1.3.6.1.4.1.2467.4.4	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11800	1.3.6.1.4.1.2467.4.2	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11150	1.3.6.1.4.1.2467.4.3	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11100	1.3.6.1.4.1.2467.4.1	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11501	1.3.6.1.4.1.9.9.368.4.7	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11503	1.3.6.1.4.1.2467.4.5	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11506	1.3.6.1.4.1.2467.4.6	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No	No
	CSS11503	1.3.6.1.4.1.9.9.368.4.5	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11506	1.3.6.1.4.1.9.9.368.4.6	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Content Engine-500 Series	CE-507	1.3.6.1.4.1.9.1.409	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-507AV-CDN	1.3.6.1.4.1.9.1.432	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE510	1.3.6.1.4.1.9.1.505	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE511/WAE 511 ²	1.3.6.1.4.1.9.1.595	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-560	1.3.6.1.4.1.9.1.410	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-560AV-CDN (Running in CDM mode)	1.3.6.1.4.1.9.1.433	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE565	1.3.6.1.4.1.9.1.491	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-590	1.3.6.1.4.1.9.1.411	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE 566 ³	1.3.6.1.4.1.9.1.596	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	WAE 512 ³	1.3.6.1.4.1.9.1.759	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Content Engine-7300 Series	CE7305	1.3.6.1.4.1.9.1.504	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-7320 (Running in CR mode)	1.3.6.1.4.1.9.1.412	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE7325	1.3.6.1.4.1.9.1.492	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Content Engine Network Module for Cisco 2600/3600 Series	NM-1CE, NM-2CE	1.3.6.1.4.1.9.1.454	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

Content Distribution Manager Series	CDM-4630	1.3.6.1.4.1.9.1.486	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CDM-4650	1.3.6.1.4.1.9.1.487	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

Interfaces and Modules Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Network Analysis Module on Cisco 6000 Series	WSX 6380 NAM	1.3.6.1.4.1.9.5.1.3.1.1.2.223	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	WS-SVC-NAM-1 (WS-SVC-NAM-1-250S)	1.3.6.1.4.1.9.5.1.3.1.1.2.914	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	WS-SVC-NAM-2 (WS-SVC-NAM-2-250S)	1.3.6.1.4.1.9.5.1.3.1.1.2.291	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Network Analysis Module	Network Analysis Module for Cisco 2600/3600 Series	1.3.6.1.4.1.9.1.562	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Network Analysis Module for Cisco 2600 Series	Cisco Branch Routers Series Network Analysis Module (NME-NAM for Cisco 2821)	1.3.6.1.4.1.9.1.826	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Catalyst 6000 module	WS-SVC-IPSEC-1	--	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst 6000 and 7600 (IOS) Modules	MWAM	1.3.6.1.4.1.9.12.3.1.9.17.39	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	CSM	--	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Catalyst 6000 Service Modules	FWSM	1.3.6.1.4.1.9.1.522	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	MWAM	1.3.6.1.4.1.9.12.3.1.9.17.39	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Cisco 3201 Wireless Mobile Interface Card	Cisco 3201 Wireless Mobile Interface Card	1.3.6.1.4.1.9.1.581	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Communication Media Module	WS-SVC-CMM	1.3.6.1.4.1.9.1.573	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Systems Intelligent Gigabit Ethernet Switch Module (IGESM) for IBM eServer BladeCenter	IGESM	1.3.6.1.4.1.9.1.592	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	OS-CIGESM-18SFP-1	1.3.6.1.4.1.9.1.660	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No

Optical Platforms Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco ONS Series	ONS 15530 ETSI	1.3.6.1.4.1.9.1.462	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS 15530 NEBS	1.3.6.1.4.1.9.1.461	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS 15540 ESP	1.3.6.1.4.1.9.1.406	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS 15540 ESPx	1.3.6.1.4.1.9.1.481	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS15454ETSI/ANSI/HD	1.3.6.1.4.1.3607.1.20.10.10	--	--	--	--	--	--	--	--	--	--	--	--
	ONS-RAN-SVC	1.3.6.1.4.1.9.1.772	Yes	Yes	No	Yes	No	No	Yes	Yes	No	Yes	No	No

Routers Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Gigabit Switch Router (GSR) 12000	12008 (GSR8/40)	1.3.6.1.4.1.9.1.182	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12010	1.3.6.1.4.1.9.1.348	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	12012 (GSR12/60)	1.3.6.1.4.1.9.1.173	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	12016 (GSR16/80-AC-8R)	1.3.6.1.4.1.9.1.273	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12000 PRP	Same as Gigabit Switch Router (GSR) 12000 Series sysObjectIDs.	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12816	1.3.6.1.4.1.9.1.477	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco12816 PRP with SIP 400	1.3.6.1.4.1.9.1.477	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco12816 PRP with SIP600	1.3.6.1.4.1.9.1.477	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 12810 Router with SIP601 ²	1.3.6.1.4.1.9.1.478	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Gigabit Switch Router (GSR) 12400	12404 (GSR4/80-AC)	1.3.6.1.4.1.9.1.423	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12406 (GSR6/120-AC)	1.3.6.1.4.1.9.1.388	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12410 (GSR10/200-AC)	1.3.6.1.4.1.9.1.394	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12416(GSR16/320-AC)	1.3.6.1.4.1.9.1.385	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 10700 Series	10720-AC-A	1.3.6.1.4.1.9.1.397	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Edge Services Router (ESR)	10005	1.3.6.1.4.1.9.1.437	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	10008	1.3.6.1.4.1.9.1.438	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 7000 Series	7000	1.3.6.1.4.1.9.1.8	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7010	1.3.6.1.4.1.9.1.12	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120 QuadT1	1.3.6.1.4.1.9.1.259	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140-2FE	1.3.6.1.4.1.9.1.277	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120T3	1.3.6.1.4.1.9.1.260	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120E3	1.3.6.1.4.1.9.1.261	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120AT3	1.3.6.1.4.1.9.1.262	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120AE3	1.3.6.1.4.1.9.1.263	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120SMI3	1.3.6.1.4.1.9.1.264	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualT3	1.3.6.1.4.1.9.1.26	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualE3	1.3.6.1.4.1.9.1.266	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualAT3	1.3.6.1.4.1.9.1.267	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualAE3	1.3.6.1.4.1.9.1.268	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualMM3	1.3.6.1.4.1.9.1.269	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140-8T	1.3.6.1.4.1.9.1.276	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco 7604 with SIP400	1.3.6.1.4.1.9.1.658	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7604 with SUP32	1.3.6.1.4.1.9.1.658	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7609 with WS-X6748-GE-TX	1.3.6.1.4.1.9.1.509	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7604 with sup720	1.3.6.1.4.1.9.1.658	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	SIP 200 on Cisco 7609 ²	—	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
SAMI(WS-SVC-SAMI-BB with CSG) ²	1.3.6.1.4.1.9.1.744	Yes	Yes	No	Yes	No	No	Yes	Yes	No	Yes	No	No	
Cisco 7200 Series	7202	1.3.6.1.4.1.9.1.194	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	7204	1.3.6.1.4.1.9.1.125	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	7204VXR	1.3.6.1.4.1.9.1.223	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	7206	1.3.6.1.4.1.9.1.108	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7206VXR with cevCpu7200Npeg ²	1.3.6.1.4.1.9.1.222	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	and cevC7200CCPA														
Cisco RPM Series Routers	RPM-XF	1.3.6.1.4.1.9.1.440	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	RPM Router	1.3.6.1.4.1.9.1.457	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	RPM-PR	1.3.6.1.4.1.9.1.199	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 7300 Series	7301	1.3.6.1.4.1.9.1.476	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	7304	1.3.6.1.4.1.9.1.439	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 7304 Router Shared Port Adapter (SPA)	spa-2p-ge-7304	—	—	—	—	—	—	—	—	—	—	—	—	—	
	spa-4p-fe-7304														
Cisco 7400 Series	7401	1.3.6.1.4.1.9.1.403	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 7500 Series	7505	1.3.6.1.4.1.9.1.48	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7506	1.3.6.1.4.1.9.1.47	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507	1.3.6.1.4.1.9.1.45	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/4	1.3.6.1.4.1.9.1.45	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/4X2	1.3.6.1.4.1.9.1.45	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/8-MX	1.3.6.1.4.1.9.1.290	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/8X2-MX	1.3.6.1.4.1.9.1.290	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513	1.3.6.1.4.1.9.1.46	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513/4	1.3.6.1.4.1.9.1.46	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513/8-MX	1.3.6.1.4.1.9.1.289	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513/8X2-MX	1.3.6.1.4.1.9.1.291	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7576	1.3.6.1.4.1.9.1.204	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
7507	1.3.6.1.4.1.9.1.288	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No		
Cisco 7600 Series	7603	1.3.6.1.4.1.9.1.401	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	7606	1.3.6.1.4.1.9.1.402	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	OSR 7609	1.3.6.1.4.1.9.1.509	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	7613 IOS	1.3.6.1.4.1.9.1.528	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 6400 Series	6400 - NSP	1.3.6.1.4.1.9.1.464	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	6400 - NRP	1.3.6.1.4.1.9.1.211	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	6400 - NRP1	1.3.6.1.4.1.9.1.211	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	6400 - NRP2	1.3.6.1.4.1.9.1.211	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco Catalyst 4224 Access Gateway Switch	C4224	1.3.6.1.4.1.9.1.399	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 4000 Series	4000	1.3.6.1.4.1.9.1.17	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	4500	1.3.6.1.4.1.9.1.14	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	Cisco Pro 4700	1.3.6.1.4.1.9.1.142	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	Cisco Distributed Director 4700M	1.3.6.1.4.1.9.1.50	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco MC3810 Multiservice Access	MC3810	1.3.6.1.4.1.9.1.157	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	MC3810V3	1.3.6.1.4.1.9.1.286	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 3800 Series Integrated Services	3825	1.3.6.1.4.1.9.1.543	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	3845	1.3.6.1.4.1.9.1.544	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	WIC-CABLE-D ²	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cisco 3700 Series	3725	1.3.6.1.4.1.9.1.414	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	3745	1.3.6.1.4.1.9.1.436	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 3600 Series	3620-DC	1.3.6.1.4.1.9.1.122	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	3631-DC-CO	1.3.6.1.4.1.9.1.425	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	

	3640-DC	1.3.6.1.4.1.9.1.110	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3640-RPS	1.3.6.1.4.1.9.1.189	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3660	1.3.6.1.4.1.9.1.205	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3661-AC	1.3.6.1.4.1.9.1.338	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3661-DC	1.3.6.1.4.1.9.1.339	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3662-AC	1.3.6.1.4.1.9.1.343	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3662-AC-CO	1.3.6.1.4.1.9.1.342	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3662-DC	1.3.6.1.4.1.9.1.340	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3662-DC-CO	1.3.6.1.4.1.9.1.341	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 3250 Series	3251	1.3.6.1.4.1.9.1.479	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3220	1.3.6.1.4.1.9.1.553	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 2800 Series Integrated Services	2801	1.3.6.1.4.1.9.1.619	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2811	1.3.6.1.4.1.9.1.576	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2821	1.3.6.1.4.1.9.1.577	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2851	1.3.6.1.4.1.9.1.578	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WIC-CABLE-D ²	—	—	—	—	—	—	—	—	—	—	—	—	—
Cisco 2600 Series	2610	1.3.6.1.4.1.9.1.185	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2611	1.3.6.1.4.1.9.1.186	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2612	1.3.6.1.4.1.9.1.187	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2613	1.3.6.1.4.1.9.1.195	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2620	1.3.6.1.4.1.9.1.208	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2621	1.3.6.1.4.1.9.1.209	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2650	1.3.6.1.4.1.9.1.319	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2651	1.3.6.1.4.1.9.1.320	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2691	1.3.6.1.4.1.9.1.413	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 2600XM Series	2610XM	1.3.6.1.4.1.9.1.466	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2610XM-DC	1.3.6.1.4.1.9.1.466	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2610XM-RPS	1.3.6.1.4.1.9.1.466	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2611XM	1.3.6.1.4.1.9.1.467	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2611XM-DC	1.3.6.1.4.1.9.1.467	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2611XM-RPS	1.3.6.1.4.1.9.1.467	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2620XM	1.3.6.1.4.1.9.1.468	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2620XM-DC	1.3.6.1.4.1.9.1.468	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2620XM-RPS	1.3.6.1.4.1.9.1.468	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2621XM	1.3.6.1.4.1.9.1.469	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2621XM-DC	1.3.6.1.4.1.9.1.469	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2621XM-RPS	1.3.6.1.4.1.9.1.469	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2650XM	1.3.6.1.4.1.9.1.470	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2650XM-DC	1.3.6.1.4.1.9.1.470	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2650XM-RPS	1.3.6.1.4.1.9.1.470	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2651XM	1.3.6.1.4.1.9.1.471	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2651XM-DC	1.3.6.1.4.1.9.1.471	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
2651XM-RPS	1.3.6.1.4.1.9.1.471	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
Integrated Access Device (IAD)	IAD 2420	1.3.6.1.4.1.9.1.362	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD 2430	1.3.6.1.4.1.9.1.545	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2431-8FXS	1.3.6.1.4.1.9.1.546	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2431-16FXS	1.3.6.1.4.1.9.1.547	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2431-1T1E1	1.3.6.1.4.1.9.1.548	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2432-24FXS	1.3.6.1.4.1.9.1.549	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 2500	2500	1.3.6.1.4.1.9.1.13	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

	1602	1.3.6.1.4.1.9.1.114	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1603	1.3.6.1.4.1.9.1.115	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1604	1.3.6.1.4.1.9.1.116	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1605	1.3.6.1.4.1.9.1.172	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 800 Series	801	1.3.6.1.4.1.9.1.212	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	802 IDSL	1.3.6.1.4.1.9.1.213	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	803	1.3.6.1.4.1.9.1.214	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	804-IDSL	1.3.6.1.4.1.9.1.215	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	805	1.3.6.1.4.1.9.1.245	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	811	1.3.6.1.4.1.9.1.395	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	813	1.3.6.1.4.1.9.1.396	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	826	1.3.6.1.4.1.9.1.321	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	827-4V	1.3.6.1.4.1.9.1.270	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	827-H	1.3.6.1.4.1.9.1.446	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	806	1.3.6.1.4.1.9.1.384	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	828	1.3.6.1.4.1.9.1.382	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	831	1.3.6.1.4.1.9.1.497	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	836	1.3.6.1.4.1.9.1.499	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	837	1.3.6.1.4.1.9.1.495	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	857	1.3.6.1.4.1.9.1.567	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	877	1.3.6.1.4.1.9.1.569	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	851	1.3.6.1.4.1.9.1.566	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	871	1.3.6.1.4.1.9.1.571	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	876	1.3.6.1.4.1.9.1.568	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
878	1.3.6.1.4.1.9.1.570	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco SOHO Series Routers	SOHO 71	1.3.6.1.4.1.9.1.463	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO-76	1.3.6.1.4.1.9.1.354	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO77	1.3.6.1.4.1.9.1.353	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO77H	1.3.6.1.4.1.9.1.447	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO78	1.3.6.1.4.1.9.1.383	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO91	1.3.6.1.4.1.9.1.498	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO96	1.3.6.1.4.1.9.1.500	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO97	1.3.6.1.4.1.9.1.496	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Small Business Routers	SB 101	1.3.6.1.4.1.9.1.627	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SB 106	1.3.6.1.4.1.9.1.628	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SB 107	1.3.6.1.4.1.9.1.629	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 3200 Series Mobile Access Routers	Cisco 3270 ²	1.3.6.1.4.1.9.1.690	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

Security and VPN Devices Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
PIX Firewall	PIX Firewall	1.3.6.1.4.1.9.1.227	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	501	1.3.6.1.4.1.9.1.417	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	506	1.3.6.1.4.1.9.1.389	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	515	1.3.6.1.4.1.9.1.390	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	520	1.3.6.1.4.1.9.1.391	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	525	1.3.6.1.4.1.9.1.392	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	535	1.3.6.1.4.1.9.1.393	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	506E	1.3.6.1.4.1.9.1.450	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	515E	1.3.6.1.4.1.9.1.451	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall Proxy	1.3.6.1.4.1.9.1.227	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall501 Proxy	1.3.6.1.4.1.9.1.417	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall506 Proxy	1.3.6.1.4.1.9.1.389	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

	PIX Firewall506E Proxy	.1.3.6.1.4.1.9.1.450	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall515 Proxy	.1.3.6.1.4.1.9.1.390	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall515E Proxy	.1.3.6.1.4.1.9.1.451	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall520 Proxy	.1.3.6.1.4.1.9.1.39	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall525 Proxy	.1.3.6.1.4.1.9.1.392	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall535 Proxy	.1.3.6.1.4.1.9.1.393	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco PIX515E ²	1.3.6.1.4.1.9.1.451	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco PIX 515E Firewall (Multiple Security Contexts) ^{4, 2}	1.3.6.1.4.1.9.1.677	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Cisco VPN 3000	C3005	1.3.6.1.4.1.3076.1.2.1.1.2.1	No	No	No	No	No	Yes	No	No	No	No	No	Yes
	C3015 C3030 C3060 C3080	1.3.6.1.4.1.3076.1.2.1.1.1.2	No	No	No	No	No	Yes	No	No	No	No	No	Yes
	C3015 C3030 C3060 C3080	1.3.6.1.4.1.3076.1.2.1.1.1.1	No	No	No	No	No	Yes	No	No	No	No	No	Yes
Cisco VPN 3002	VPN 3002 Hardware Client	1.3.6.1.4.1.3076.1.2.1.1.3.1	No	No	No	No	No	Yes	No	No	No	No	No	Yes
Cisco ASA 5500 Series Adaptive Security Appliances	Cisco ASA5520 ²	1.3.6.1.4.1.9.1.670	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA5520 (Multiple Security Contexts) ^{4, 2}	1.3.6.1.4.1.9.1.671	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5510 Adaptive Security Appliance (Multiple Security Contexts) ^{4, 2}	1.3.6.1.4.1.9.1.773	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5510 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.669	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5505 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.745	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5540 Adaptive Security Appliance (Multiple Security Contexts) ^{4, 2}	1.3.6.1.4.1.9.1.673	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5540 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.672	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5550 Adaptive Security Appliance (Multiple Security Contexts) ^{4, 2}	1.3.6.1.4.1.9.1.763	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco ASA-5550 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.753	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

Switches Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco MDS Multilayer Switches	DS-X9124 with MDS 9509	1.3.6.1.4.1.9.12.3.1.3.376	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No

Cisco Catalyst Blade Switch 3000 Series	WS-CBS3030-DEL	1.3.6.1.4.1.9.1.749	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-CBS3040-FSC2	1.3.6.1.4.1.9.1.784	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-CBS3020-HPQ2	1.3.6.1.4.1.9.1.748	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco MDS 9000 Series Switches	MDS 9120	1.3.6.1.4.1.9.12.3.1.3.414	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS 9140	1.3.6.1.4.1.9.12.3.1.3.411	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS 9216	1.3.6.1.4.1.9.12.3.1.3.380	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS9216A	1.3.6.1.4.1.9.12.3.1.3.442	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	MDS 9506	1.3.6.1.4.1.9.12.3.1.3.375	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS 9509	1.3.6.1.4.1.9.12.3.1.3.376	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Catalyst 8500 Multiservice Switch Router (MSR) Series	8510 MSR	1.3.6.1.4.1.9.1.230	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8515 MSR	1.3.6.1.4.1.9.1.231	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8540 MSR	1.3.6.1.4.1.9.1.202	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Catalyst 8500 Campus Switch Router (CSR) Series	8510 CSR	1.3.6.1.4.1.9.1.190	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8515 CSR	1.3.6.1.4.1.9.1.196	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8540 CSR	1.3.6.1.4.1.9.1.203	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco DSL Switches	6015 IP DSL	1.3.6.1.4.1.9.1.299	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	No	No	No
	6160 IP DSL	1.3.6.1.4.1.9.1.297	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	No	No	No
	6260 IP DSL	1.3.6.1.4.1.9.1.253	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	No	No	No
Catalyst 6000 Series	WS-C6513	1.3.6.1.4.1.9.5.50	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6006	1.3.6.1.4.1.9.5.38	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6009	1.3.6.1.4.1.9.5.39	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C6503	1.3.6.1.4.1.9.1.449	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6506	1.3.6.1.4.1.9.5.45	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6506 with 6 slots	1.3.6.1.4.1.9.1.282	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	6509SP	1.3.6.1.4.1.9.1.310	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6509	1.3.6.1.4.1.9.5.44	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C6509-NEB	1.3.6.1.4.1.9.5.47	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6509 with 9 slots	1.3.6.1.4.1.9.1.283	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	SUP 720	—	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-X6302MSM	1.3.6.1.4.1.9.1.256	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6503	1.3.6.1.4.1.9.5.56	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MSFC	1.3.6.1.4.1.9.1.258	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	MSFC2	1.3.6.1.4.1.9.1.301	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	MSFC3	1.3.6.1.4.1.9.1.557	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	6500 SSL	1.3.6.1.4.1.9.1.554	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	X-6380	1.3.6.1.4.1.9.5.1.3.1.1.2.223	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C6509-NEBA	1.3.6.1.4.1.9.1.534	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Catalyst 6000 Wireless Blade	1.3.6.1.4.1.9.1.599	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-SUP32-8GE with WS-6504-E	1.3.6.1.4.1.9.5.64	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-SUP32-10GE-3B with WS-6506-E	1.3.6.1.4.1.9.5.45	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No

Cisco Catalyst 6000 IOS Switch Series	WS-SUP32-10GE-3B with WS-C6509/Cat6509-E ²	1.3.6.1.4.1.9.1.283	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6506 and WS-C6504-E with MSFC2A	1.3.6.1.4.1.9.1.301	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6504-E ²	1.3.6.1.4.1.9.1.657	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	FWSM ² (Multiple Security Contexts) ⁴	1.3.6.1.4.1.9.1.674	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco Catalyst 6500 Series Service Modules	ACE10-6500-K9 ²	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cisco Catalyst 6500 Series Satellite Switches	6506	1.3.6.1.4.1.9.1.282	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 6500/7600 Series Supervisor Modules	SUP 720-3BXL	—	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	SUP 720-10G	—	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Catalyst 5000 Series	5000	1.3.6.1.4.1.9.5.7	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	5002	1.3.6.1.4.1.9.5.29	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
Catalyst 5500 Series	5500	1.3.6.1.4.1.9.5.17	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	5505	1.3.6.1.4.1.9.5.34	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	5509	1.3.6.1.4.1.9.5.36	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	5505 (RSM)	1.3.6.1.4.1.9.1.168	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst 4500 Series	4503	1.3.6.1.4.1.9.1.503	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	4506	1.3.6.1.4.1.9.1.502	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C4503 (SUP II, SUP III, SUP IV)	1.3.6.1.4.1.9.5.58	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C4506 (SUP II, SUP III, SUP IV)	1.3.6.1.4.1.9.5.59	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
Catalyst 4000 Series	WS-C4908-GL3	1.3.6.1.4.1.9.1.298	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	WS-4840-GL3	1.3.6.1.4.1.9.1.312	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	4003	1.3.6.1.4.1.9.5.40	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	4006	1.3.6.1.4.1.9.5.46	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	4912G	1.3.6.1.4.1.9.5.41	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C4006	1.3.6.1.4.1.9.1.448	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	WS-X4232-L3	1.3.6.1.4.1.9.1.300	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	4510R SUP V	1.3.6.1.4.1.9.1.537	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	WS-C4507	1.3.6.1.4.1.9.1.501	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	WS-C4507 (SUP IV)	1.3.6.1.4.1.9.1.501	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	WS-X4516-10GE on WS-C4507 ²	1.3.6.1.4.1.9.1.501	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C4948	1.3.6.1.4.1.9.1.626	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
4948-10GE	1.3.6.1.4.1.9.1.659	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No	
Catalyst 4000 Series Fixed Chassis	2948G	1.3.6.1.4.1.9.5.42	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
	2980G	1.3.6.1.4.1.9.5.49	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst G-L3 Series Switches	3750-48	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-24	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-24T	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-24TS	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-Stack	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	WS-C3750E (Stack Mode) ²	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 3750 Switches	3750-24FS	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750ME	1.3.6.1.4.1.9.1.574	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E-24TD ²	1.3.6.1.4.1.9.1.789	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E-48TD ²	1.3.6.1.4.1.9.1.790	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E-24PD ²	1.3.6.1.4.1.9.1.792	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E-48PD ²	1.3.6.1.4.1.9.1.791	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750G-12S-SD ²	1.3.6.1.4.1.9.1.688	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Catalyst 3500 XL Series	3508	1.3.6.1.4.1.9.1.246	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3512	1.3.6.1.4.1.9.1.247	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3524	1.3.6.1.4.1.9.1.248	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3548XL	1.3.6.1.4.1.9.1.278	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3524-PWR XL	1.3.6.1.4.1.9.1.287	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Catalyst 3550 Series Switches	3550-12T	1.3.6.1.4.1.9.1.368	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-24	1.3.6.1.4.1.9.1.366	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-48	1.3.6.1.4.1.9.1.367	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-12G	1.3.6.1.4.1.9.1.431	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-24-DC	1.3.6.1.4.1.9.1.452	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-24-FX	1.3.6.1.4.1.9.1.453	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-24PWR	1.3.6.1.4.1.9.1.485	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Catalyst 3560 Switches	Catalyst IOS 3560-24PS-S	1.3.6.1.4.1.9.1.563	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560-48PS	1.3.6.1.4.1.9.1.564	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-24PS	1.3.6.1.4.1.9.1.614	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-24TS	1.3.6.1.4.1.9.1.615	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-48PS	1.3.6.1.4.1.9.1.616	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-48TS	1.3.6.1.4.1.9.1.617	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3560-24TS	1.3.6.1.4.1.9.1.633	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3560-48TS	1.3.6.1.4.1.9.1.634	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WS-C3560-8PC ²	1.3.6.1.4.1.9.1.797	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-48PD ²	1.3.6.1.4.1.9.1.796	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-24PD ²	1.3.6.1.4.1.9.1.795	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-48TD ²	1.3.6.1.4.1.9.1.794	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-24TD ²	1.3.6.1.4.1.9.1.793	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Catalyst 2900 Series	2926	1.3.6.1.4.1.9.5.35	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	2980G/2980G-A	1.3.6.1.4.1.9.5.51	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	2948G-GE-TX	1.3.6.1.4.1.9.5.62	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C2960G-48TC-L	1.3.6.1.4.1.9.1.697	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Catalyst 2900XL Series	2908XL	1.3.6.1.4.1.9.1.170	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2916M-XL	1.3.6.1.4.1.9.1.171	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2924XL-V	1.3.6.1.4.1.9.1.217	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2912XL	1.3.6.1.4.1.9.1.219	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2924M-XL	1.3.6.1.4.1.9.1.220	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2912MF-XL	1.3.6.1.4.1.9.1.221	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

	WS-C2960G-8TC-L ²	1.3.6.1.4.1.9.1.799	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Metro Ethernet Access Switches	2440-ME	1.3.6.1.4.1.9.1.734	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3440-ME	1.3.6.1.4.1.9.1.736	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	ME-3400-24TS-D ²	1.3.6.1.4.1.9.1.737	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 3400G-12CS-D Switch ²	1.3.6.1.4.1.9.1.781	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 3400G-12CS-A Switch ²	1.3.6.1.4.1.9.1.780	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco ME 6500 Series Ethernet Switches	Cisco ME 6524GS-8S Ethernet Switch ²	1.3.6.1.4.1.9.1.719	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 6524GT-8S Ethernet Switch ²	1.3.6.1.4.1.9.1.720	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco SFS 7000 Series InfiniBand Server Switches	SFS-7008P ³	1.3.6.1.4.1.6203.18	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	SFS-7000P ³	1.3.6.1.4.1.6203.17	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	Cisco SFS 7000D ³	1.3.6.1.4.1.6203.19	Yes	No	No	No	No	No	No	Yes	No	No	No	No	No
	Cisco SFS 3012 ³	1.3.6.1.4.1.6203.20	Yes	No	No	No	No	No	No	Yes	No	No	No	No	No

Universal Gateways Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco AS5300 Universal Gateways	AS5300	1.3.6.1.4.1.9.1.162	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	AS5350	1.3.6.1.4.1.9.1.313	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco AS5350XM Universal Gateway ²	1.3.6.1.4.1.9.1.679	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco AS5400 Series Universal Gateways	AS5400	1.3.6.1.4.1.9.1.274	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco AS5400XM Universal Gateway ²	1.3.6.1.4.1.9.1.668	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco AS5800 Universal Gateways	AS5800	1.3.6.1.4.1.9.1.188	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	AS5850	1.3.6.1.4.1.9.1.308	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Voice Gateways Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco Voice Gateway	VG-200	1.3.6.1.4.1.9.1.279	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	VG224	1.3.6.1.4.1.9.1.558	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Wireless LAN Products Supported in RME 4.0.5

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco Aironet AP Series	340 VxWorks	1.3.6.1.4.1.9.1.379	No	No	No	No	No	No	No	No	No	No	No	No
	350 VxWorks	1.3.6.1.4.1.9.1.380	No	No	No	No	No	No	No	No	No	No	No	No
	350 IOS	1.3.6.1.4.1.9.1.552	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1100	1.3.6.1.4.1.9.1.507	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1200 VxWorks	1.3.6.1.4.1.9.1.474	No	No	No	No	No	No	No	No	No	No	No	No
	1210/12301	1.3.6.1.4.1.9.1.525	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1300	1.3.6.1.4.1.9.1.565	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

	AP 1130	1.3.6.1.4.1.9.1.618	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	AP 1231	1.3.6.1.4.1.9.1.525	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	No	Yes	No
	AP1242	1.3.6.1.4.1.9.1.685	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Aironet 1400 Series	BR1410	1.3.6.1.4.1.9.1.533	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Wireless LAN Solution Engine	WLSE 1133	1.3.6.1.4.1.9.1.752	Yes	No	Yes	No	No	No	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
	1030	For Image version 2.8: 1.3.6.1.4.1.9.1.459 For Image version 2.9: No. For Image version 2.11 and Later: 1.3.6.1.4.1.9.1.631	Yes	No	Yes	No	No	No	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
	1130	For Image version 2.8: No. For Image version 2.9: 1.3.6.1.4.1.9.1.459 For Image version 2.11 and Later: 1.3.6.1.4.1.9.1.630	Yes	No	Yes	No	No	No ¹	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported

1. HTTP/HTTPS protocols are supported in Configuration Management for image version 2.12 and later.

2. Support for this specific device is available at: <http://cisco.com/cgi-bin/tablebuild.pl/cw2000-rme>

3. Contact TAC (Technical Assistance Center) to access this support. You can also contact TAC at <http://www.cisco.com/public/support/tac/contacts.shtml>

4. After adding the device into the DCR, and whenever the device is switched between the Single and Multi Security Context Modes, the device should be deleted and added again into the DCR. This is due to change in the sysobjid and also because the number of configurations for the device varies when there is switching between the modes.

5. RME support for the device is untested. Support of this device category has already been tested in the earlier releases.

6. Config Management support for the device is untested. Support of this device category has already been tested in the earlier releases.