

Supported Protocols for Configuration Management

Resource Manager Essentials (RME) 4.1, is a part of the CiscoWorks LMS 3.0. To procure LMS 3.0, go to:
http://www.cisco.com/en/US/products/sw/cscowork/ps2425/prod_bulletin0900aecd8063aeca.html

The following tables list the protocols supported in the Configuration Management applications of RME 4.1.

- [Access Servers Supported in RME 4.1](#)
- [Cable Products Supported in RME 4.1](#)
- [Content Networking Devices Supported in RME 4.1](#)
- [Interfaces and Modules Supported in RME 4.1](#)
- [Optical Platforms Supported in RME 4.1](#)
- [Routers Supported in RME 4.1](#)
- [Security and VPN Devices Supported in RME 4.1](#)
- [Switches Supported in RME 4.1](#)
- [Universal Gateways Supported in RME 4.1](#)
- [Voice Gateways Supported in RME 4.1](#)
- [Wireless LAN Products Supported in RME 4.1](#)

Notes:

- RME does not support End of Life (EoL) IOS image releases. For those devices that have EoL software images in them, upgrade to IOS supported software image versions which are not EoL images.
- It is not recommended to use SCP to transfer the .tar files in Cat2960, Cat3560, Cat3750 series switches.

This document is updated every time new device support is available for RME.

Access Servers Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco AS5200 Series Access Servers	AS5200	1.3.6.1.4.1.9.1.109	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 2500 Series Access Servers	2509RJ	1.3.6.1.4.1.9.1.153	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2510	1.3.6.1.4.1.9.1.26	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2511RJ	1.3.6.1.4.1.9.1.154	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2512	1.3.6.1.4.1.9.1.28	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
CiscoAccess Server 5400 Series	AS5400 HPX	1.3.6.1.4.1.9.1.274	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Cable Products Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Universal Broadband Routers (uBR)900 Series	uBR904	1.3.6.1.4.1.9.1.191	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	uBR905	1.3.6.1.4.1.9.1.351	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	uBR924	1.3.6.1.4.1.9.1.255	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Universal Broadband Routers (uBR) 7100 Series	7111	1.3.6.1.4.1.9.1.344	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7111E	1.3.6.1.4.1.9.1.345	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7114	1.3.6.1.4.1.9.1.346	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7114E	1.3.6.1.4.1.9.1.347	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Universal Broadband Routers (uBR) 7200 Series	7223	1.3.6.1.4.1.9.1.210	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7246	1.3.6.1.4.1.9.1.179	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7246-VXR	1.3.6.1.4.1.9.1.271	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Universal Broadband Routers (uBR) 10000 Series	10012	1.3.6.1.4.1.9.1.317	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Gigabit Ethernet Switching Module	371098-001	1.3.6.1.4.1.11.2.3.7.11.33.3.1.1	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Content Networking Devices Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco Content Service Switch (CSS) 11000 Series	CSS11050	1.3.6.1.4.1.2467.4.4	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11800	1.3.6.1.4.1.2467.4.2	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11150	1.3.6.1.4.1.2467.4.3	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11100	1.3.6.1.4.1.2467.4.1	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11501	1.3.6.1.4.1.9.9.368.4.7	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11503	1.3.6.1.4.1.2467.4.5	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11506	1.3.6.1.4.1.2467.4.6	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No	No
	CSS11503	1.3.6.1.4.1.9.9.368.4.5	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	CSS11506	1.3.6.1.4.1.9.9.368.4.6	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Content Engine-500 Series	CE-507	1.3.6.1.4.1.9.1.409	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

	CE-507AV-CDN	1.3.6.1.4.1.9.1.432	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE510	1.3.6.1.4.1.9.1.505	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE511/WAE 511 ³	1.3.6.1.4.1.9.1.595	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-560	1.3.6.1.4.1.9.1.410	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-560AV- CDN (Running in CDM mode)	1.3.6.1.4.1.9.1.433	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE565	1.3.6.1.4.1.9.1.491	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-590	1.3.6.1.4.1.9.1.411	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE 566 ³	1.3.6.1.4.1.9.1.596	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	WAE 512 ³	1.3.6.1.4.1.9.1.759	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Content Engine- 7300 Series	CE7305	1.3.6.1.4.1.9.1.504	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE-7320 (Running in CR mode)	1.3.6.1.4.1.9.1.412	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CE7325	1.3.6.1.4.1.9.1.492	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Content Engine Network Module for Cisco 2600/3600 Series	NM-1CE, NM-2CE	1.3.6.1.4.1.9.1.454	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Content Distribution Manager Series	CDM-4630	1.3.6.1.4.1.9.1.486	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	CDM-4650	1.3.6.1.4.1.9.1.487	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

Interfaces and Modules Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Network Analysis Module on Cisco 6000 Series	WSX 6380 NAM	1.3.6.1.4.1.9.5.1.3.1. 1.2.223	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	NAM 1	1.3.6.1.4.1.9.5.1.3.1. 1.2.914	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	NAM 2	1.3.6.1.4.1.9.5.1.3.1. 1.2.291	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Network Analysis Module	Network Analysis Module for Cisco 2600/3600 Series	1.3.6.1.4.1.9.1.562	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

Network Analysis Module for Cisco 2600 Series	Cisco Branch Routers Series Network Analysis Module (NME-NAM for Cisco 2821) 2	1.3.6.1.4.1.9.1.826	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Catalyst 6000 module	WS-SVC-IPSEC-1	--	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst 6000 and 7600 (IOS) Modules	MWAM	1.3.6.1.4.1.9.12.3.1.9.17.39	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	CSM	--	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	CSG	--	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Catalyst 6000 Service Modules	FWSM	1.3.6.1.4.1.9.1.522	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
	MWAM	1.3.6.1.4.1.9.12.3.1.9.17.39	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco 3201 Wireless Mobile Interface Card	Cisco 3201 Wireless Mobile Interface Card	1.3.6.1.4.1.9.1.581	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Communication Media Module	WS-SVC-CMM	1.3.6.1.4.1.9.1.573	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Systems Intelligent Gigabit Ethernet Switch Module (IGESM) for IBM eServer BladeCenter	IGESM	1.3.6.1.4.1.9.1.592	Yes	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	No	No
	OS-CIGESM-18SFP-I	1.3.6.1.4.1.9.1.660	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst 6500 Series Service Modules	Cisco ACE Application Control Engine Module (ACE10-6500-K9) 2	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Optical Platforms Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco ONS Series	ONS 15530 ETSI	1.3.6.1.4.1.9.1.462	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS 15530 NEBS	1.3.6.1.4.1.9.1.461	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS 15540 ESP	1.3.6.1.4.1.9.1.406	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS 15540 ESPx	1.3.6.1.4.1.9.1.481	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	ONS15454ETSI/ANSI/HD	1.3.6.1.4.1.3607.1.20.10.10	--	--	--	--	--	--	--	--	--	--	--	--
	ONS-RAN-SVC	1.3.6.1.4.1.9.1.772	Yes	Yes	No	Yes	No	No	Yes	Yes	No	Yes	No	No

Routers Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS

			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Gigabit Switch Router (GSR) 12000	12008 (GSR8/40)	1.3.6.1.4.1.9.1.182	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12010	1.3.6.1.4.1.9.1.348	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	12012 (GSR12/60)	1.3.6.1.4.1.9.1.173	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12016 (GSR16/80-AC-8R)	1.3.6.1.4.1.9.1.273	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12000 PRP	Same as Gigabit Switch Router (GSR) 12000 Series sysObjectIDs.	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12816	1.3.6.1.4.1.9.1.477	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco12816 PRP with SIP400	1.3.6.1.4.1.9.1.477	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco12816 PRP with SIP600	1.3.6.1.4.1.9.1.477	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 12810 Router with SIP601	1.3.6.1.4.1.9.1.478	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Gigabit Switch Router (GSR) 12400	12404 (GSR4/80-AC)	1.3.6.1.4.1.9.1.423	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12406 (GSR6/120-AC)	1.3.6.1.4.1.9.1.388	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12410 (GSR10/200-AC)	1.3.6.1.4.1.9.1.394	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	12416(GSR16/320-AC)	1.3.6.1.4.1.9.1.385	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 10700 Series	10720-AC-A	1.3.6.1.4.1.9.1.397	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Edge Services Router (ESR)	10005	1.3.6.1.4.1.9.1.437	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	10008	1.3.6.1.4.1.9.1.438	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 7000 Series	7000	1.3.6.1.4.1.9.1.8	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7010	1.3.6.1.4.1.9.1.12	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120 QuadT1	1.3.6.1.4.1.9.1.259	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140-2FE	1.3.6.1.4.1.9.1.277	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120T3	1.3.6.1.4.1.9.1.260	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

	7120E3	1.3.6.1.4.1.9.1.261	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120AT3	1.3.6.1.4.1.9.1.262	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120AE3	1.3.6.1.4.1.9.1.263	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7120SMI3	1.3.6.1.4.1.9.1.264	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualT3	1.3.6.1.4.1.9.1.26	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualE3	1.3.6.1.4.1.9.1.266	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualAT3	1.3.6.1.4.1.9.1.267	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualAE3	1.3.6.1.4.1.9.1.268	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140DualMM3	1.3.6.1.4.1.9.1.269	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7140-8T	1.3.6.1.4.1.9.1.276	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco 7604 with S1P400	1.3.6.1.4.1.9.1.658	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7604 with SUP32	1.3.6.1.4.1.9.1.658	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7609 with WS-X6748-GE-TX	1.3.6.1.4.1.9.1.509	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7604 with sup720	1.3.6.1.4.1.9.1.658	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	SIP 200 on Cisco 7609	—	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco Service Application Module for IP (WS-SVC-SAMI-BB) ²	1.3.6.1.4.1.9.1.744	Yes	Yes	No	Yes	No	No	Yes	Yes	No	Yes	No	No
Cisco 7200 Series	7202	1.3.6.1.4.1.9.1.194	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	7204	1.3.6.1.4.1.9.1.125	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	7204VXR	1.3.6.1.4.1.9.1.223	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	7206	1.3.6.1.4.1.9.1.108	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 7206VXR with cevCpu7200Npeg2 and cevC7200CCPA	1.3.6.1.4.1.9.1.222	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco RPM Series Routers	RPM-XF	1.3.6.1.4.1.9.1.440	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	RPM Router	1.3.6.1.4.1.9.1.457	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	RPM-PR	1.3.6.1.4.1.9.1.199	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 7300 Series	7301	1.3.6.1.4.1.9.1.476	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	7304	1.3.6.1.4.1.9.1.439	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Cisco 7304 Router Shared Port Adapter (SPA)	spa-2p-ge-7304														
	spa-4p-fe-7304														
Cisco 7400 Series	7401	1.3.6.1.4.1.9.1.403	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 7500 Series	7505	1.3.6.1.4.1.9.1.48	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7506	1.3.6.1.4.1.9.1.47	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507	1.3.6.1.4.1.9.1.45	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/4	1.3.6.1.4.1.9.1.45	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/4X2	1.3.6.1.4.1.9.1.45	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/8-MX	1.3.6.1.4.1.9.1.290	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507/8X2-MX	1.3.6.1.4.1.9.1.290	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513	1.3.6.1.4.1.9.1.46	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513/4	1.3.6.1.4.1.9.1.46	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513/8-MX	1.3.6.1.4.1.9.1.289	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7513/8X2-MX	1.3.6.1.4.1.9.1.291	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7576	1.3.6.1.4.1.9.1.204	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
	7507	1.3.6.1.4.1.9.1.288	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
Cisco 7600 Series	7603	1.3.6.1.4.1.9.1.401	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	7606	1.3.6.1.4.1.9.1.402	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	OSR 7609	1.3.6.1.4.1.9.1.509	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	7613 IOS	1.3.6.1.4.1.9.1.528	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco 6400 Series	6400 - NSP	1.3.6.1.4.1.9.1.464	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	6400 - NRP	1.3.6.1.4.1.9.1.211	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	6400 - NRP1	1.3.6.1.4.1.9.1.211	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	6400 - NRP2	1.3.6.1.4.1.9.1.211	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Cisco Catalyst 4224 Access Gateway Switch	C4224	1.3.6.1.4.1.9.1.399	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	

Cisco 4000 Series	4000	1.3.6.1.4.1.9.1.17	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	4500	1.3.6.1.4.1.9.1.14	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco Pro 4700	1.3.6.1.4.1.9.1.142	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco Distributed Director 4700M	1.3.6.1.4.1.9.1.50	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco MC3810 Multiservice Access	MC3810	1.3.6.1.4.1.9.1.157	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	MC3810V3	1.3.6.1.4.1.9.1.286	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 3800 Series Integrated Services	3825	1.3.6.1.4.1.9.1.543	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3845	1.3.6.1.4.1.9.1.544	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WIC-CABLE-D	—	—	—	—	—	—	—	—	—	—	—	—	—
Cisco 3700 Series	3725	1.3.6.1.4.1.9.1.414	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3745	1.3.6.1.4.1.9.1.436	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 3600 Series	3620-DC	1.3.6.1.4.1.9.1.122	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3631-DC-CO	1.3.6.1.4.1.9.1.425	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3640-DC	1.3.6.1.4.1.9.1.110	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3640-RPS	1.3.6.1.4.1.9.1.189	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3660	1.3.6.1.4.1.9.1.205	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3661-AC	1.3.6.1.4.1.9.1.338	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3661-DC	1.3.6.1.4.1.9.1.339	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3662-AC	1.3.6.1.4.1.9.1.343	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3662-AC-CO	1.3.6.1.4.1.9.1.342	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3662-DC	1.3.6.1.4.1.9.1.340	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
3662-DC-CO	1.3.6.1.4.1.9.1.341	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
Cisco 3250 Series	3251	1.3.6.1.4.1.9.1.479	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3220	1.3.6.1.4.1.9.1.553	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 2800 Series Integrated Services	2801	1.3.6.1.4.1.9.1.619	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2811	1.3.6.1.4.1.9.1.576	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2821	1.3.6.1.4.1.9.1.577	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

	2851	1.3.6.1.4.1.9.1.578	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WIC-CABLE-D	—	—	—	—	—	—	—	—	—	—	—	—	—
Cisco 2600 Series	2610	1.3.6.1.4.1.9.1.185	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2611	1.3.6.1.4.1.9.1.186	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2612	1.3.6.1.4.1.9.1.187	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2613	1.3.6.1.4.1.9.1.195	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2620	1.3.6.1.4.1.9.1.208	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2621	1.3.6.1.4.1.9.1.209	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2650	1.3.6.1.4.1.9.1.319	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2651	1.3.6.1.4.1.9.1.320	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2691	1.3.6.1.4.1.9.1.413	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco 2600XM Series	2610XM	1.3.6.1.4.1.9.1.466	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
2610XM-DC		1.3.6.1.4.1.9.1.466	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2610XM-RPS		1.3.6.1.4.1.9.1.466	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2611XM		1.3.6.1.4.1.9.1.467	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2611XM-DC		1.3.6.1.4.1.9.1.467	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2611XM-RPS		1.3.6.1.4.1.9.1.467	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2620XM		1.3.6.1.4.1.9.1.468	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2620XM-DC		1.3.6.1.4.1.9.1.468	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2620XM-RPS		1.3.6.1.4.1.9.1.468	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2621XM		1.3.6.1.4.1.9.1.469	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2621XM-DC		1.3.6.1.4.1.9.1.469	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2621XM-RPS		1.3.6.1.4.1.9.1.469	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2650XM		1.3.6.1.4.1.9.1.470	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2650XM-DC		1.3.6.1.4.1.9.1.470	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
2650XM-RPS	1.3.6.1.4.1.9.1.470	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	

	2651XM	1.3.6.1.4.1.9.1.471	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2651XM-DC	1.3.6.1.4.1.9.1.471	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	2651XM-RPS	1.3.6.1.4.1.9.1.471	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Integrated Access Device (IAD)	IAD 2420	1.3.6.1.4.1.9.1.362	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD 2430	1.3.6.1.4.1.9.1.545	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2431-8FXS	1.3.6.1.4.1.9.1.546	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2431-16FXS	1.3.6.1.4.1.9.1.547	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2431-1T1E1	1.3.6.1.4.1.9.1.548	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	IAD2432-24FXS	1.3.6.1.4.1.9.1.549	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 2500 Series	2500	1.3.6.1.4.1.9.1.13	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2501	1.3.6.1.4.1.9.1.17	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2501CF	1.3.6.1.4.1.9.1.165	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2501LF	1.3.6.1.4.1.9.1.166	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2502	1.3.6.1.4.1.9.1.18	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2502LF	1.3.6.1.4.1.9.1.167	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2503	1.3.6.1.4.1.9.1.19	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2504	1.3.6.1.4.1.9.1.20	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2505	1.3.6.1.4.1.9.1.21	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2506	1.3.6.1.4.1.9.1.22	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2507	1.3.6.1.4.1.9.1.23	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2508	1.3.6.1.4.1.9.1.24	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2509	1.3.6.1.4.1.9.1.25	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2511	1.3.6.1.4.1.9.1.27	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2513	1.3.6.1.4.1.9.1.29	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
2514	1.3.6.1.4.1.9.1.30	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
2515	1.3.6.1.4.1.9.1.31	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	

	2516	1.3.6.1.4.1.9.1.42	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2517	1.3.6.1.4.1.9.1.67	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2518	1.3.6.1.4.1.9.1.68	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2519	1.3.6.1.4.1.9.1.69	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2520	1.3.6.1.4.1.9.1.70	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2521	1.3.6.1.4.1.9.1.71	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2522	1.3.6.1.4.1.9.1.72	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2523	1.3.6.1.4.1.9.1.73	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2524	1.3.6.1.4.1.9.1.74	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	2525	1.3.6.1.4.1.9.1.75	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 1900 Series	MWR-1900	1.3.6.1.4.1.9.1.398	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	MWR-1941	1.3.6.1.4.1.9.1.520	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco MWR 1941-DC-A Mobile Wireless Edge Router ²	1.3.6.1.4.1.9.1.732	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco 1800 Series Integrated Services	1801	1.3.6.1.4.1.9.1.638	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	1802	1.3.6.1.4.1.9.1.639	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	1803	1.3.6.1.4.1.9.1.640	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	1811	1.3.6.1.4.1.9.1.641	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	1812	1.3.6.1.4.1.9.1.642	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	1841	1.3.6.1.4.1.9.1.620	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WIC-CABLE-D	—	—	—	—	—	—	—	—	—	—	—	—	—
Cisco 1700 Series	1701	1.3.6.1.4.1.9.1.550	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1711	1.3.6.1.4.1.9.1.538	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1712	1.3.6.1.4.1.9.1.539	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1750	1.3.6.1.4.1.9.1.216	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1751	1.3.6.1.4.1.9.1.326	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

	1751--Digital voice capable Cisco 1700 platform with 2 WIC/VIC slots and 1 VIC-only slot	1.3.6.1.4.1.9.1.326	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1720-VPN	1.3.6.1.4.1.9.1.201	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1721	1.3.6.1.4.1.9.1.444	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1760-ADSL	1.3.6.1.4.1.9.1.416	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 1400 Series	1401	1.3.6.1.4.1.9.1.206	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 1600 Series	1601	1.3.6.1.4.1.9.1.113	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1602	1.3.6.1.4.1.9.1.114	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1603	1.3.6.1.4.1.9.1.115	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1604	1.3.6.1.4.1.9.1.116	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	1605	1.3.6.1.4.1.9.1.172	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 800 Series	801	1.3.6.1.4.1.9.1.212	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	802 IDSL	1.3.6.1.4.1.9.1.213	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	803	1.3.6.1.4.1.9.1.214	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	804-IDSL	1.3.6.1.4.1.9.1.215	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	805	1.3.6.1.4.1.9.1.245	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	811	1.3.6.1.4.1.9.1.395	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	813	1.3.6.1.4.1.9.1.396	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	826	1.3.6.1.4.1.9.1.321	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	827-4V	1.3.6.1.4.1.9.1.270	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	827-H	1.3.6.1.4.1.9.1.446	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	806	1.3.6.1.4.1.9.1.384	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	828	1.3.6.1.4.1.9.1.382	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	831	1.3.6.1.4.1.9.1.497	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
836	1.3.6.1.4.1.9.1.499	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	

	837	1.3.6.1.4.1.9.1.495	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	857	1.3.6.1.4.1.9.1.567	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	877	1.3.6.1.4.1.9.1.569	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	851	1.3.6.1.4.1.9.1.566	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	871	1.3.6.1.4.1.9.1.571	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	876	1.3.6.1.4.1.9.1.568	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	878	1.3.6.1.4.1.9.1.570	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco SOHO Series Routers	SOHO 71	1.3.6.1.4.1.9.1.463	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO-76	1.3.6.1.4.1.9.1.354	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO77	1.3.6.1.4.1.9.1.353	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO77H	1.3.6.1.4.1.9.1.447	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO78	1.3.6.1.4.1.9.1.383	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO91	1.3.6.1.4.1.9.1.498	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO96	1.3.6.1.4.1.9.1.500	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SOHO97	1.3.6.1.4.1.9.1.496	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Small Business Routers	SB 101	1.3.6.1.4.1.9.1.627	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SB 106	1.3.6.1.4.1.9.1.628	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	SB 107	1.3.6.1.4.1.9.1.629	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco 3200 Series Mobile Access Routers	Cisco 3270	1.3.6.1.4.1.9.1.690	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

Security and VPN Devices Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
PIX Firewall	PIX Firewall	1.3.6.1.4.1.9.1.227	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	501	1.3.6.1.4.1.9.1.417	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	506	1.3.6.1.4.1.9.1.389	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	515	1.3.6.1.4.1.9.1.390	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	520	1.3.6.1.4.1.9.1.391	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	525	1.3.6.1.4.1.9.1.392	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

	535	1.3.6.1.4.1.9.1.393	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	506E	1.3.6.1.4.1.9.1.450	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	515E	1.3.6.1.4.1.9.1.451	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall Proxy	1.3.6.1.4.1.9.1.227	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall501 Proxy	1.3.6.1.4.1.9.1.417	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall506 Proxy	1.3.6.1.4.1.9.1.389	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall506E Proxy	1.3.6.1.4.1.9.1.450	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall515 Proxy	1.3.6.1.4.1.9.1.390	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall515E Proxy	1.3.6.1.4.1.9.1.451	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall520 Proxy	1.3.6.1.4.1.9.1.39	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall525 Proxy	1.3.6.1.4.1.9.1.392	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	PIX Firewall535 Proxy	1.3.6.1.4.1.9.1.393	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco PIX515E	1.3.6.1.4.1.9.1.451	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco PIX 515E Firewall (Multiple Security Contexts) ^{2, 4}	1.3.6.1.4.1.9.1.677	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Cisco VPN 3000	C3005	1.3.6.1.4.1.3076.1.2.1.1.2.1	No	No	No	No	No	Yes	No	No	No	No	No	Yes
	C3015 C3030 C3060 C3080	1.3.6.1.4.1.3076.1.2.1.1.1.2	No	No	No	No	No	Yes	No	No	No	No	No	Yes
	C3015 C3030 C3060 C3080	1.3.6.1.4.1.3076.1.2.1.1.1.1	No	No	No	No	No	Yes	No	No	No	No	No	Yes
Cisco VPN 3002	VPN 3002 Hardware Client	1.3.6.1.4.1.3076.1.2.1.1.3.1	No	No	No	No	No	Yes	No	No	No	No	No	Yes
Cisco ASA 5500 Series Adaptive	Cisco ASA5520	1.3.6.1.4.1.9.1.670	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No

Security Appliances		sysObjectID	Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA5520 (Multiple Security Contexts) ⁴	1.3.6.1.4.1.9.1.671		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA-5510 Adaptive Security Appliance (Multiple Security Contexts) ^{2, 4}	1.3.6.1.4.1.9.1.773		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA-5510 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.669		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA-5505 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.745		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA-5540 Adaptive Security Appliance (Multiple Security Contexts) ^{2, 4}	1.3.6.1.4.1.9.1.673		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA-5540 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.672		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA-5550 Adaptive Security Appliance (Multiple Security Contexts) ^{2, 4}	1.3.6.1.4.1.9.1.763		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No
Cisco ASA-5550 Adaptive Security Appliance ²	1.3.6.1.4.1.9.1.753		Yes	No	Yes	No	No	No	No	Yes	No	Yes	No	No	No

Switches Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco MDS Multilayer Switches	DS-X9124 with MDS 9509	1.3.6.1.4.1.9.12.3.1.3.376	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst Blade Switch 3000 Series	WS-CBS3030-DEL	1.3.6.1.4.1.9.1.749	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-CBS3040-FSC	1.3.6.1.4.1.9.1.784	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-CBS3020-HPQ	1.3.6.1.4.1.9.1.748	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco MDS 9000 Series Switches	MDS 9120	1.3.6.1.4.1.9.12.3.1.3.414	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS 9140	1.3.6.1.4.1.9.12.3.1.3.411	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS 9216	1.3.6.1.4.1.9.12.3.1.3.380	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS9216A	1.3.6.1.4.1.9.12.3.1.3.442	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

	MDS 9506	1.3.6.1.4.1.9.12.3.1.3.375	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MDS 9509	1.3.6.1.4.1.9.12.3.1.3.376	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Catalyst 8500 Multiservice Switch Router (MSR) Series	8510 MSR	1.3.6.1.4.1.9.1.230	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8515 MSR	1.3.6.1.4.1.9.1.231	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8540 MSR	1.3.6.1.4.1.9.1.202	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Catalyst 8500 Campus Switch Router (CSR) Series	8510 CSR	1.3.6.1.4.1.9.1.190	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8515 CSR	1.3.6.1.4.1.9.1.196	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	8540 CSR	1.3.6.1.4.1.9.1.203	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco DSL Switches	6015 IP DSL	1.3.6.1.4.1.9.1.299	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	No	No	No
	6160 IP DSL	1.3.6.1.4.1.9.1.297	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	No	No	No
	6260 IP DSL	1.3.6.1.4.1.9.1.253	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	No	No	No
Catalyst 6000 Series	WS-C6513	1.3.6.1.4.1.9.5.50	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6006	1.3.6.1.4.1.9.5.38	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6009	1.3.6.1.4.1.9.5.39	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C6503	1.3.6.1.4.1.9.1.449	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6506	1.3.6.1.4.1.9.5.45	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6506 with 6 slots	1.3.6.1.4.1.9.1.282	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	6509SP	1.3.6.1.4.1.9.1.310	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6509	1.3.6.1.4.1.9.5.44	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C6509-NEB	1.3.6.1.4.1.9.5.47	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	6509 with 9 slots	1.3.6.1.4.1.9.1.283	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	SUP 720	1.3.6.1.4.1.9.1.400	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-X6302MSM	1.3.6.1.4.1.9.1.256	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6503	1.3.6.1.4.1.9.5.56	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	MSFC	1.3.6.1.4.1.9.1.258	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	MSFC2	1.3.6.1.4.1.9.1.301	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	MSFC3	1.3.6.1.4.1.9.1.557	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	6500 SSL	1.3.6.1.4.1.9.1.554	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	X-6380	1.3.6.1.4.1.9.5.1.3.1.1.2.223	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C6509-NEBA	1.3.6.1.4.1.9.1.534	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Catalyst 6000 Wireless Blade	1.3.6.1.4.1.9.1.599	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-SUP32-8GE with WS-6504-E	1.3.6.1.4.1.9.5.64	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-SUP32-10GE-3B with WS-6506-E	1.3.6.1.4.1.9.5.45	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst 6000 IOS Switch Series	WS-SUP32-10GE-3B with WS-C6509/Cat6509-E	1.3.6.1.4.1.9.1.283	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6506 and WS-C6504-E with MSFC2A	1.3.6.1.4.1.9.1.301	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C6504-E	1.3.6.1.4.1.9.1.657	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	FWSM(Multiple Security Contexts) ⁴	1.3.6.1.4.1.9.1.674	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
Cisco Catalyst 6500 Series Satellite Switches	6506	1.3.6.1.4.1.9.1.282	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 6500/7600 Series Supervisor Modules	SUP 720-3BXL	--	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Catalyst 5000 Series	5000	1.3.6.1.4.1.9.5.7	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	5002	1.3.6.1.4.1.9.5.29	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Catalyst 5500 Series	5500	1.3.6.1.4.1.9.5.17	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	5505	1.3.6.1.4.1.9.5.34	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	5509	1.3.6.1.4.1.9.5.36	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	5505 (RSM)	1.3.6.1.4.1.9.1.168	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst 4500 Series	4503	1.3.6.1.4.1.9.1.503	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	4506	1.3.6.1.4.1.9.1.502	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C4503 (SUP II, SUP III, SUP IV)	1.3.6.1.4.1.9.5.58	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No

	WS-C4506 (SUP II, SUP III, SUP IV)	1.3.6.1.4.1.9.5.59	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Catalyst 4000 Series	WS-C4908-GL3	1.3.6.1.4.1.9.1.298	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-4840-GL3	1.3.6.1.4.1.9.1.312	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	4003	1.3.6.1.4.1.9.5.40	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	4006	1.3.6.1.4.1.9.5.46	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	4912G	1.3.6.1.4.1.9.5.41	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-C4006	1.3.6.1.4.1.9.1.448	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WS-X4232-L3	1.3.6.1.4.1.9.1.300	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	4510R SUP V	1.3.6.1.4.1.9.1.537	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WS-C4507	1.3.6.1.4.1.9.1.501	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WS-C4507 (SUP IV)	1.3.6.1.4.1.9.1.501	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	WS-X4516-10GE on WS- C4507	1.3.6.1.4.1.9.1.501	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
WS-C4948	1.3.6.1.4.1.9.1.626	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No	No	
4948-10GE	1.3.6.1.4.1.9.1.659	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No	No	
Catalyst 4000 Series Fixed Chassis	2948G	1.3.6.1.4.1.9.5.42	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
	2980G	1.3.6.1.4.1.9.5.49	Yes	Yes	Yes	No	No	No	Yes	Yes	Yes	No	No	No
Cisco Catalyst G-L3 Series Switches	3750-48	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-24	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-24T	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-24TS	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750-Stack	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E (Stack Mode)	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Catalyst 3750 Switches	3750-24FS	1.3.6.1.4.1.9.1.516	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3750ME	1.3.6.1.4.1.9.1.574	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E-24TD	1.3.6.1.4.1.9.1.789	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E-48TD	1.3.6.1.4.1.9.1.790	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750E-24PD	1.3.6.1.4.1.9.1.792	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	WS-C3750E-48PD	1.3.6.1.4.1.9.1.791	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3750G-12S-SD	1.3.6.1.4.1.9.1.688	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Catalyst 3500 XL Series	3508	1.3.6.1.4.1.9.1.246	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3512	1.3.6.1.4.1.9.1.247	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3524	1.3.6.1.4.1.9.1.248	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3548XL	1.3.6.1.4.1.9.1.278	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3524-PWR XL	1.3.6.1.4.1.9.1.287	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Catalyst 3550 Series Switches	3550-12T	1.3.6.1.4.1.9.1.368	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-24	1.3.6.1.4.1.9.1.366	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-48	1.3.6.1.4.1.9.1.367	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-12G	1.3.6.1.4.1.9.1.431	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-24-DC	1.3.6.1.4.1.9.1.452	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3550-24-FX	1.3.6.1.4.1.9.1.453	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
Cisco Catalyst 3560 Switches	Catalyst IOS 3560-24PS-S	1.3.6.1.4.1.9.1.563	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560-48PS	1.3.6.1.4.1.9.1.564	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-24PS	1.3.6.1.4.1.9.1.614	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-24TS	1.3.6.1.4.1.9.1.615	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-48PS	1.3.6.1.4.1.9.1.616	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Catalyst IOS 3560G-48TS	1.3.6.1.4.1.9.1.617	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3560-24TS	1.3.6.1.4.1.9.1.633	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	3560-48TS	1.3.6.1.4.1.9.1.634	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	WS-C3560-8PC	1.3.6.1.4.1.9.1.797	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-48PD	1.3.6.1.4.1.9.1.796	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-24PD	1.3.6.1.4.1.9.1.795	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-48TD	1.3.6.1.4.1.9.1.794	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	WS-C3560E-24TD	1.3.6.1.4.1.9.1.793	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No

	WS-C2960G-8TC-L	1.3.6.1.4.1.9.1.799	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco Metro Ethernet Access Switches	2440-ME	1.3.6.1.4.1.9.1.734	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	3440-ME	1.3.6.1.4.1.9.1.736	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	ME-3400-24TS-D	1.3.6.1.4.1.9.1.737	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 3400G-12CS-D Switch ²	1.3.6.1.4.1.9.1.781	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 3400G-12CS-A Switch ²	1.3.6.1.4.1.9.1.780	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco ME 6500 Series Ethernet Switches	Cisco ME 6524GS-8S Ethernet Switch ²	1.3.6.1.4.1.9.1.719	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
	Cisco ME 6524GT-8S Ethernet Switch ²	1.3.6.1.4.1.9.1.720	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco SFS 7000 Series InfiniBand Server Switches	SFS-7008P ³	1.3.6.1.4.1.6203.18	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	SFS-7000P ³	1.3.6.1.4.1.6203.17	Yes	No	Yes	No	No	No	Yes	No	Yes	No	No	No
	Cisco SFS 7000D ³	1.3.6.1.4.1.6203.19	Yes	No	No	No	No	No	Yes	No	No	No	No	No
	Cisco SFS 3012 ³	1.3.6.1.4.1.6203.20	Yes	No	No	No	No	No	Yes	No	No	No	No	No

Universal Gateways Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco AS5300 Universal Gateways	AS5300	1.3.6.1.4.1.9.1.162	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	AS5350	1.3.6.1.4.1.9.1.313	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco AS5350XM Universal Gateway ²	1.3.6.1.4.1.9.1.679	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco AS5400 Series Universal Gateways	AS5400	1.3.6.1.4.1.9.1.274	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	Cisco AS5400XM Universal Gateway ²	1.3.6.1.4.1.9.1.668	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No
Cisco AS5800 Universal Gateways	AS5800	1.3.6.1.4.1.9.1.188	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	AS5850	1.3.6.1.4.1.9.1.308	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Voice Gateways Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy					
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS
Cisco Voice Gateway	VG-200	1.3.6.1.4.1.9.1.279	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No
	VG224	1.3.6.1.4.1.9.1.558	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No

Wireless LAN Products Supported in RME 4.1

Device Type	Devices/Modules Supported	sysObjectID	Configuration Fetch						Configuration Deploy						
			Telnet	TFTP	SSH	RCP	SCP	HTTPS	Telnet	TFTP	SSH	RCP	SCP	HTTPS	
Cisco Aironet AP Series	340 VxWorks	1.3.6.1.4.1.9.1.379	No	No	No	No	No	No	No	No	No	No	No	No	No
	350 VxWorks	1.3.6.1.4.1.9.1.380	No	No	No	No	No	No	No	No	No	No	No	No	No
	350 IOS	1.3.6.1.4.1.9.1.552	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	1100	1.3.6.1.4.1.9.1.507	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	1200 VxWorks	1.3.6.1.4.1.9.1.474	No	No	No	No	No	No	No	No	No	No	No	No	No
	1210/12301	1.3.6.1.4.1.9.1.525	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	1300	1.3.6.1.4.1.9.1.565	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	AP 1130	1.3.6.1.4.1.9.1.618	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
	AP 1231	1.3.6.1.4.1.9.1.525	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	No	Yes	No	
	AP1242	1.3.6.1.4.1.9.1.685	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
Cisco Aironet 1400 Series	BR1410	1.3.6.1.4.1.9.1.533	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	No	No	
Wireless LAN Solution Engine	WLSE 1133	1.3.6.1.4.1.9.1.752	Yes	No	Yes	No	No	No	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	
	1030	For Image version 2.8: 1.3.6.1.4.1.9.1.459 For Image version 2.9: No. For Image version 2.11 and Later: 1.3.6.1.4.1.9.1.631	Yes	No	Yes	No	No	No	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	
	1130	For Image version 2.8: No. For Image version 2.9: 1.3.6.1.4.1.9.1.459 For Image version 2.11 and Later: 1.3.6.1.4.1.9.1.630	Yes	No	Yes	No	No	No ¹	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	

1. HTTP/HTTPS protocols are supported in Configuration Management for image version 2.12 and later.

2. Support for this specific device is available at: <http://cisco.com/cgi-bin/tablebuild.pl/cw2000-rme>

3. Contact TAC (Technical Assistance Center) to access this support. You can also contact TAC at <http://www.cisco.com/public/support/tac/contacts.shtml>

4. After adding the device into the DCR, and whenever the device is switched between the Single and Multi Security Context Modes, the device should be deleted and added again into the DCR. This is due to change in the sysobjid and also because the number of configurations for the device varies when there is switching between the modes.