White Paper Public IIIIII CISCO The bridge to possible

Epic ODB Data Protection with Cohesity on the Cisco UCS X-Series Modular System

Contents

Executive summary	3
Introduction	4
Solution deployment details	7
Performance test	12
For more information	19

This performance study is the outcome of an Epic operational database (ODB) data protection proof-of-concept (PoC) implementation conducted for a large healthcare customer using Cohesity on a Cisco[®] system.

Executive summary

As cyber-attacks continue to be common and ransomware attackers target healthcare organizations, the ability to effectively defend against threats and recover rapidly from a data breach has become critical. Keeping patient information available to healthcare practitioners and preventing data loss is imperative, especially when millions of patients can be affected in the event of a disaster or cyber-attack. To mitigate risk from an outage, healthcare organizations need to ensure secure backup of data and systems and the ability to access a clean copy of data for rapid recovery. With patient data residing across many data centers that may be in different states and countries, the migration of data also needs to be seamless to prevent emergency outages.

This white paper documents the outcome of a proof-of-concept (PoC) implementation undertaken for a healthcare customer using Cohesity on the Cisco UCS[®] X-Series Modular System. The PoC demonstrated that the joint solution can perform backup and recovery of patient data in record-breaking time. The organization stores and manages patient data using Epic electronic health record (EHR) software running on InterSystems operational databases. Because these databases are rapidly growing and vary in size from 30 to 80 terabytes (TB), speed crucial when protecting and restoring them. Designed with multilayered protection to safeguard data against cyber-attacks, Cohesity on the Cisco UCS X-Series Modular System radically simplifies backup and recovery across a broad set of data sources including network-attached storage (NAS) and offsite data centers.

Epic deployments use operational database (ODB) products from InterSystems. Many InterSystems customers have migrated or will be migrating from InterSystems Cache' to the InterSystems IRIS platform product. Additionally, many customers and vendors opt to consolidate these products under the generic term "Epic ODB." In this document, we simply refer to "ODB," using this term to refer to either product. We feel this is a fair approach because nothing, in terms of our findings, is substantively different whether using an underlying InterSystems Cache' or InterSystems IRIS database.

Cisco UCS X-Series Modular System cloud-managed with the Cisco Intersight[™] platform is built to meet the high demands of modern applications and improve operational efficiency, agility, and scalability.

The healthcare customer is the PoC study wanted to achieve backup and restore performance for a 60-TB ODB in about 12 hours. The primary database was provisioned from a high-performing all-flash storage subsystem. Cohesity Data Cloud and the backup host (Cohesity Linux Agent) were deployed across four to five nodes of all-Non-Volatile Memory Express (NVMe) Cisco UCS X210c Compute Nodes installed in the latest Cisco UCS X-Series Modular System. The main results of this study are summarized here:

- With the ease of provisioning and managing X210c nodes in a Cisco UCS X-Series Modular System through the Cisco Intersight platform and with automation playbooks available from Cisco DevNet Code Exchange, the Cohesity cluster was operational in just a few hours.
- A four-node Cohesity cluster deployed across four all-NVMe X210c nodes was provisioned. A Cohesity Linux Agent was also installed in another X210c node deployed in the same Cisco UCS X-Series Modular System.
- A 20-tebibyte (TiB) ODB data set was generated, and a full backup of the entire data set was completed in 2 hours and 11 minutes, achieving backup performance of 10 TB per hour (TB/hr),

twice the required backup performance. The addition of a fifth X210c node to the Cohesity cluster increased backup performance to 11.24 TB/hr.

- The same 20-TiB data set was restored in just 2 hours and 5 minutes, achieving restore performance of 10.5 TB/hr, again twice the required restore performance. The addition of a fifth X210c node to the Cohesity cluster increased backup performance to 11 TB/hr.
- The solution was tested for the resiliency of the restore process during failure of one of the nodes in the Cohesity cluster. The Cohesity cluster was expanded to five nodes deployed across five X210c nodes. During the restore process, a node was caused to fail. This study showed that the restore process still was successful without any increase in restoration time, demonstrating the a customer's data would be resilient in the event of mishaps and continuously available when needed, especially in an emergency.
- The Cohesity Linux Agent installed in one of the X210c nodes in the Cisco UCS X-Series system demonstrated read-write network throughput of from 3.1 to 3.5 GBps, as measured during the backup and restore process.
- The Fibre Channel logical unit number (LUN) storage mounted on the backup host (Cohesity Linux Agent) was identified as the primary bottleneck that restricted performance beyond about 11 TB/hr.

This document helps demonstrate to Cisco[®] customers and business partners an all-in-one data management solution with Cohesity. In partnership, Cisco and Cohesity have captured data to show how easy data management can be, as well as how fast data can be backed up, restored, scaled out, and secured. The detailed test procedure and results are presented in the following sections.

Audience

The intended audience for this document includes sales engineers, field consultants, professional services, IT managers, IT engineers, partners, and customers who are interested in learning about the process of backup, recovery, and data protection. Overall, anyone looking for data protection in a timely manner should look at the performance achieved described at the end of this document.

Introduction

Year over year, the accumulation of data is increasing, and data protection across backup and recovery is more critical than ever. This document shows that with Cisco and Cohesity systems, an Epic customer can back up and restore data in a timely manner no matter how big the database currently is or will become in decades to come. A typical customer's database is between 30 and 80 TB and can grow substantially when consolidated with other sites as a result of business consolidation, new site build-outs, etc. To keep up with demand, organizations must have a simple way to manage data, and with Cohesity and Cisco UCS X-Series systems, the solution is clear.

Cisco UCS X-Series for Cohesity Data Cloud

The Cisco UCS X-Series with the Cisco Intersight platform is a modular system managed from the cloud. It is designed to be shaped to meet the needs of modern applications and improve operational efficiency, agility, and scale through an adaptable, future-ready, modular design. The Cisco UCS X-Series Modular System supports both blade and rack servers by offering computing density, storage capacity, and expandability in a single system.

The Cisco UCS X-Series Modular System is certified with Cohesity Data Cloud. The solution uses all-NVMe X-Series nodes (X210C) equipped with two third-generation (3rd Gen) Intel[®] Xeon[®] Scalable processors and 91.8 TB of all-NVMe storage per node, providing both computing and storage resources with exceptional backup and recovery performance (Figure 1).




Figure 1.

Cisco UCS X-Series Modular System with Cohesity Data Cloud

Epic operational database protection

Epic is the leading provider of electronic health record (EHR) software. Hundreds of millions of patients have a current electronic record in Epic. This technology supports the entire end-to-end patient care experience: registration and scheduling systems, clinical systems for medical personnel, systems for pharmacists and radiologists, and billing systems for insurers.

The main components of an Epic EHR system are a database server, an Epic reporting server, a read-only server, and an Epic disaster-recovery server. Each of these components uses the ODB. The storage for this database is hosted on a high-performing storage array.

Epic EMR workloads create and use ODBs with:

- A limited number of data files
- Data files often over 1 TB in size
- Files that often may change daily
- Files that are highly compressible, in the range of 12 to 20x.

Two main methods are used to back up the InterSystems ODBs used by Epic:

- Mount the host or backup host using agents from backup software vendors.
- Integrate the storage array and use an API and snapshot differences to find changes blocks.

In this solution, the ODB is protected through the mount host or backup host installed with the Cohesity Linux Agent. Database backup and recovery is conducted by exposing the volume of the associated databases from the disaster-recovery site to a Linux proxy server or AIX server. Subsequently, the file system hosted on the agent server is backed up through certified data protection software such as Cohesity Data Cloud.

In the present solution, the backup host server (Cohesity Linux Agent) was deployed on a high-performing Cisco UCS X210c node hosted on a Cisco UCS X-Series modular chassis.

Figure 2 shows the backup and recovery process for an ODB using the Cisco UCS X-Series with Cohesity Data Cloud.




Figure 2.

ODB backup and recovery using Cisco UCS X-Series with Cohesity Data Cloud

Solution deployment details

Figure 3 shows the main hardware and software components deployed to test backup and recovery performance for the ODB.




Figure 3.

The main aspects of the deployment configuration are described in the following sections.

- Cohesity Data Cloud was deployed across five all-NVME X210c nodes. Each node was equipped with two 3rd Gen Intel Xeon Scalable processors, 384 GB of memory, and 91.8 TB (6 x 15.3-TB NVMe) of storage per node, providing both computing and storage resources.
- The X-Series modular system was deployed through the Cisco Intersight platform, a software-as-aservice (SaaS) infrastructure lifecycle management solution delivering simplified configuration, deployment, maintenance, and support services with ease of management across a hybrid cloud environment.
- The backup host (Cohesity Linux Agent) was deployed on an X210c node deployed in the same Cisco UCS X-Series chassis hosting Cohesity Data Cloud.
- The all-flash storage array hosting the ODB was directly attached to Fibre Channel ports configured on the Cisco UCS 6454 Fabric Interconnect.
- Epic EMR data was generated to populate the associated ODB through the Epic iO simulator, a propriety data-generation tool used by Epic.

Main solution components

Cisco UCS X-Series configuration

The Cisco UCS X-Series Modular System was deployed through the Cisco Intersight platform, a SaaS infrastructure lifecycle management solution that delivers simplified configuration, deployment, maintenance, and support services with ease of management across a hybrid cloud environment.

Figure 4 illustrates the Cisco UCS X-Series Modular System deployed and managed through the Cisco Intersight platform.

≡	cisco Intersight	📲 Infrastructure Service 🗸) Search		<u>م</u> ۞
:@:	Overview	Servers					
(0)	Operate	^					
	Servers	★ All Servers ② +					
	Chassis	··· 🧷 🔍 Add Filter			🕒 Export 13 items f	found 10 v per page 1	of 2 > >
	Fabric Interconnects	Health	Power HCL Status	Models	Contract Status	Profile Status	R
	HyperFlex Clusters	• Critical 5	Off 3 Off 3	• UCSX 210C-M6 8	⊘ Active 8	• Not Assigned 2	\rightarrow
	Integrated Systems	13 Healthy 8	© On 10 △ Not Listed 2	13 • HX240C M4SX 3 • B200 M3 2	Not Covered 5	0 OK 8	м ←
.0	Configure	^					
	Profiles	Name Healt			S Domain 🌐 Server Profile 🗘	Firmware V	÷ \$
	Templates	UCS-1-1	itical UCSX-210C-M6	92.8 384.0 UC	S COHESITY-N1 @	5.0(2b) FCH2626717	Ά ···
	remplates	UCS-1-2	UCSX-210C-M6	92.8 384.0 UC	S COHESITY-N2 @	5.0(2b) FCH26137Q9	94 •••
	Policies	UCS-1-3	UCSX-210C-M6	92.8 384.0 UC	S COHESITY-N3 Ø	5.0(2b) FCH2626717	7X
	Pools	UCS-1-4	UCSX-210C-M6	92.8 384.0 UC	S COHESITY-N4 @	5.0(2b) FCH262670L	UJ •••
		□ (⁰) UCS-1-5 (⁰) He	UCSX-210C-M6	92.8 384.0 UC	S Linux-ProxyServer1	5.0(2b) FCH262770R	RX

Figure 4.

Cisco UCS X-Series Modular System managed through the Cisco Intersight platform

Cohesity Data Cloud was deployed across four all-NVME X210c nodes. Each node was equipped with four all-NVMe X210c nodes with two 3rd Gen Intel Xeon Scalable processors and 91.8 TB of storage per node, providing both computing and storage resources.

Figure 5 shows the X210c node configured through the Cisco Intersight platform and managed through a server policy-based model.




Figure 5.

Cisco UCS X210c node configured through the Cisco Intersight platform

The all-flash storage array hosting the ODB was directly attached to Fibre Channel ports configured on the Cisco UCS 6454 Fabric Interconnect.

Figure 6 shows the Fibre Channel ports configured on the Cisco UCS 6454 and directly attached to an allflash storage array.

≡ "listo" Intersight 🎝	📽 Infrastructure Service 🗸			Q Search		⊘ ⊄1 💷	Q 0 45 A 26	0
Overview Operate	← Fabric Interconnects UCS FI-A ● Healthy General Inventory Con	y nnections UCS Domain Profile						Actions
Chassis Fabric Interconnects	Ports & Port Channels Fan Modules	Ports & Port Channels						
HyperFlex Clusters Integrated Systems	PSUs Local Storage	Ethernet FC Ethernet Port Chan	nels FC Port Channels					
Configure ^								
Templates								
Templates Policies Pools						● F	C Storage 🛛 Uncor	figured
Policies Pools		Q, Add Filter			4 items found	● Fi 4 · v per page 💽 💽		figured
Policies Pools New Command Palette ×		Q. Add Filter	WWN :	Role :	4 items found Admin State		1 of 1 > >	
Policies Pools New Command Palette * avigate Intersight with %+K or go			WWN : 20:01:00:08:31:00:98:40	Role : FC Storage		4 v per page 💽 🖸	1 of 1 > >	0
Policies Pools New Command Palette * avigate Intersight with %+K or go		Name			Admin State	4 v per page 2 1	1 of 1 > >	© Ş
Policies		Name Port 1/1	20:01:00:08:31:0c:98:40	FC Storage	Admin State	4 v per page 0 11 2 OperState Up Up Down (SF	1 of 1 > >	© &

Figure 6.

Fibre Channel ports configured on the Cisco UCS 6454 and directly attached to an all-flash storage array

The backup host (Cohesity Linux Agent) was deployed on an X210c node deployed in the same X-Series chassis hosting Cohesity Data Cloud. The backup host was mapped with eight 5-GB LUNs carved on the all-flash storage array.

Figure 7 shows the Fibre Channel LUNs carved on an all-flash storage array.

Array Hosts	Volumes	Pods	File	Systems	6 Policie	es		
🚯 > Hosts > 📷	proxy >	ne proxy						
		Snapshots 0.00	Shared -		Total 1.58 T			
Connected Volume	es ^						1-9 of 9	:
Name						Shared	LUN	
C Linux-proxy						False	1	×
S Proxy-01						True	249	×
CProxy-02						True	252	×
CProxy-03						True	248	×
CProxy-04						True	251	×
CProxy-05						True	247	×
CProxy-06						True	250	×
CProxy-07						True	253	×
C Proxy-08						True	254	×

Figure 7.

Fibre Channel LUNs carved on an all-flash storage array

Figure 8 shows the logical volume created across the eight Fibre Channel LUNs hosted on the Cisco UCS X210c proxy node with the Linux OS.

[root@proxy ~]# lvm	
lvm> pvs	
PV	VG Fmt Attr PSize PFree
/dev/mapper/3624a937072d6942b333f4aa3000117d0	
/dev/mapper/3624a937072d6942b333f4aa3000117d1	data-vg lvm2 a <5.00t 12.79g
/dev/mapper/3624a937072d6942b333f4aa3000117d2	data-vg lvm2 a <5.00t 12.79g
/dev/mapper/3624a937072d6942b333f4aa3000117d3	data-vg lvm2 a <5.00t 12.79g
/dev/mapper/3624a937072d6942b333f4aa3000117d4	data-vg lvm2 a <5.00t 12.79g
/dev/mapper/3624a937072d6942b333f4aa3000117d5	data-vg lvm2 a <5.00t 12.79g
/dev/mapper/3624a937072d6942b333f4aa3000117d6	data-vg lvm2 a <5.00t 12.79g
/dev/mapper/3624a937072d6942b333f4aa3000117d7	data-vg lvm2 a <5.00t 12.79g
/dev/sda3	rhel lvm2 a <222.31g 0
lvm> lvs	
LV VG Attr LSize Pool Origin	Data% Meta% Move Log Cpy%Sync Convert
tst01 data-vg -wi-ao 39.90t	

Figure 8.

Logical volume created across eight Fibre Channel LUNs hosted on the Cisco UCS X210c proxy node

Cohesity Data Cloud

Cohesity enables a Health Insurance Portability and Accountability Act (HIPAA)-compliant platform for Epic EHR environments on ODBs.

Figure 9 shows Cohesity Data Cloud deployed on the Cisco UCS X-Series Modular System.

COHESITY	م s	earch			
SmartFiles >	Clus	ter			
Security Tools >	Summa	ry Storage Domains Nodes Key Management System	em Syslog		
🌯 Test & Dev	1		Active	69.7 TiB	
🛱 Marketplace >	-				
System >	1		🗳 Active	69.7 TiB	
Reporting	-				
🛱 Settings 🗸 🗸	=				
Summary	1		🗳 Active	69.7 TiB	
Access Management	=				
Networking	1		Act	69.7 TiB	
SNMP					
Software Update					
License	1		🗅 Inactive	83.6 TiB	

Figure 9.

Cohesity Data Cloud deployed on Cisco UCS X-Series Modular System

The Cohesity Agent for backup of the ODB was deployed on the Linux proxy server hosting the ODB backup data.

Figure 10 shows the deployment of Cohesity Agent.

<pre>[root@proxy dir01]# /home/cohesityagent/cohesityagent/software/crux/bin/cohesity_linux_agent.sh status • cohesity-agent.service - Cohesity Linux Agent Loaded: loaded (/usr/lib/system/cohesity-agent.service; enabled; vendor preset: disabled) Active: active (running) since Wed 2022-11-02 13:34:04 EDT; 1 day 5h ago Process: 30617 ExecStop=/etc/init.d/cohesity-agent stop (code=exited, status=0/SUCCESS) Process: 37168 ExecStart=/etc/init.d/cohesity-agent start (code=exited, status=0/SUCCESS) Process: 37168 ExecStart=re=/bin/own -R cohesityagent:cohesityagent /var/run/cohesity-agent (code=exited, status=0/SUCCESS) Process: 37163 ExecStartPre=/bin/mkdir -p /var/run/cohesity-agent (code=exited, status=0/SUCCESS)</pre>
Main PID: 37623 (linux agent exe)
CGroup: /cohesity.slice/cohesity-agent.service 37623 /home/cohesityagent/cohesityagent/software/crux/bin/linux_agent_execlog_dir=/home/cohesityagent/cohesityagent/data/logs
Nov 02 13:34:02 proxy.poc.com cohesity-agent[37168]: Starting linux agent exec Nov 02 13:34:02 proxy.poc.com cohesity-agent[37168]: GNU coreutils version = 8.22 Nov 02 13:34:02 proxy.poc.com cohesity-agent[37168]: Timeout command: /usr/bin/timeout does supportkill-after option Nov 02 13:34:02 proxy.poc.com cohesity-agent[37168]: Sting coredump limit to unlimited for ga build
Nov 02 13:34:02 proxy.poc.com cohesity-agent[37168]: COHESITY USER : cohesityagent
Nov 02 13:34:02 proxy.poc.com cohesity-agent[37168]: Init system is systemd, will run linux_agent_exec in background Nov 02 13:34:02 proxy.poc.com su[37606]: (to cohesityagent) root on none
Nov 62 13:34:04 proxy.poc.com cohesity-agent[37:68]: Parent process pid=37623
Nov 02 13:34:04 proxy.poc.com cohesity-agent[37168]: 37627 37623
Nov 02 13:34:04 proxy.poc.com systemd[1]: Started Cohesity Linux Agent. [root@proxy dir01]#

Figure 10. Cohesity Agent deployment

Epic iO simulator

The Epic iO simulator is a proprietary Epic data-set generation tool that creates the data files that simulate ODB files. It generates data in a format very similar to that of the real ODBs and creates files stored within a set of directories. In the present test, a total data set of about 20 TB was generated through this tool.

Figure 11 shows the ODB data generated through the Epic iO simulator tool.

-			01]# cd	tst01									
dir01 dir02 dir03 dir04 dir05	dir06 dir07 dir08 dir09 dir10												
[root@ total -rw-r-	proxy d 4946319	lir01]# 56 root ro	ls -1	4 Oct	4 14:19	random	_testda	ta_4830	39M				

Figure 11.

ODB data generated through the Epic iO simulator

Performance test

This section describes the performance results achieved for backup and restoration of the ODB with the Cohesity Linux Agent installed on an X210c Linux node and Cohesity Cloud Edition deployed across four all-NVMe X210c nodes, all installed on a Cisco UCS X-Series modular chassis.

The ODB was generated through the Epic iO simulator with a total size of 20 TiB, or about 22 TB.

Backup performance

Table 1 shows the full backup results for the ODB on a four-node all-NVMe X210c.

Table 1.Backup results for the ODB on a four-node all-NVMe X210c

Full backup of 20-TiB (22-TB) ODB	2 hours and 11 minutes (10 TB/hr) with 4-node Cohesity cluster

Figure 12 shows the successful full backup captured from the Cohesity dashboard.

Ps Grou Policy: e	p Details: e ^{bic-data}	pic-db-back	up						:
Runs Aud	t Trail Settings	Consumption	Trend						= =
Start Tim	e ↑	Duration	Backup Type	Data Read	Data Written	Success/Error	SLA	Status	
Oct 12, 2	022 3:44pm	2h 10m 51s	Full	19.9 TiB	15.3 GiB	1/0 objects	É	ی	:

Figure 12.

Cohesity dashboard showing successful backup

During full backup of the ODB, all the read operations occur through the Cohesity Linux Agent installed on a Cisco UCS X210c node. The read operations are spread across multiple Cohesity Agent child processes, and the data is compressed, deduplicated, and written on Cohesity Data Cloud installed on a four-node all-NVMe X210c cluster.

Figure 13 shows average read operations of about 3.2 GBps on the Linux agent.

		1	oot@p	roxy:~		\mathbf{x}
File Edit View Search	Terminal Tabs Help					
damien@ub-mate: ~			8	root@proxy:~		
Total DISK READ :	3.25 G/s Total DISK W	TE : 0.00 B/s		USOU 10ten Provisioning Suz		
Actual DISK READ:	3.16 G/s Actual DISK	RITE: 0.00 B/				
TID PRIO USER	DISK READ DISK WRITE SW					
48992 be/4 cohesity				log_dir=/home/cohesityage~eads=3grpc_server_cq_control_		
48975 be/4 cohesity	195.17 M/s 0.00 B/s 0.) % 0.78 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48972 be/4 cohesity	195.38 M/s 0.00 B/s 0.) % 0.70 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48983 be/4 cohesity	134.34 M/s 0.00 B/s 0.) % 0.61 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48974 be/4 cohesity	88.67 M/s 0.00 B/s 0.) % 0.30 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18985 be/4 cohesity	190.11 M/s ^{atenc} 0.00 B/s 0.)% 0.23 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48979 be/4 cohesity) % 0.17 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18976 be/4 cohesity	121.67 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
8993 be/4 cohesity				log_dir=/home/cohesityage~eads=3grpc_server_cq_control_		
8968 be/4 cohesity	182.50 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	<pre>log_dir=/home/cohesityage~eads=3grpc_server_cq_control_</pre>	threads=2	
8969 be/4 cohesity	121.67 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18970 be/4 cohesity	182.50 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18971 be/4 cohesity) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18973 be/4 cohesity	60.83 M/sips 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48977 be/4 cohesity	60.83 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18978 be/4 cohesity	261.09 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control	threads=2	
48980 be/4 cohesity	182.50 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18981 be/4 cohesity	60.83 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	<pre>log_dir=/home/cohesityage~eads=3grpc_server_cq_control_</pre>	threads=2	
18984 be/4 cohesity	121.67 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48987 be/4 cohesity) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48988 be/4 cohesity	60.83 M/s 0.00 B/s 0.)% 0.00% glinux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48989 be/4 cohesity	60.83 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
18990 be/4 cohesity				log_dir=/home/cohesityage~eads=3grpc_server_cq_control_		
18994 be/4 cohesity	60.83 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
8995 be/4 cohesity	121.67 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control_	threads=2	
48997 be/4 cohesity	60.83 M/s 0.00 B/s 0.) % 0.00 % linux_agen	t_exec	log_dir=/home/cohesityage~eads=3grpc_server_cq_control	threads=2	

Figure 13. Average read operations per second

Restore performance

Table 2 shows the full restore process results for the ODB from a four-node all-NVMe X210c.

Table 2.	Restore process res	ults for the ODB from a	a four-node all-NVMe X210c
	1000000100		

4-node Cohesity cluster	Full restoration of 20-TiB (22-TB) ODB	2 hours and 5 minutes (10.5 TB/hr)

Figure 14 shows the successful full restoration captured from the Cohesity dashboard.

Recovery Task	Start Time 🕹	Status	Duration	
Physical_File_20TB 1 Objects	Oct 13, 2022 7:10am	Succeeded	2h 4m 30s	• •

Figure 14.

Cohesity dashboard showing successful restoration

During a full restoration of the ODB, all the write operations occur in the Cohesity Linux Agent installed on the Cisco UCS X210c node. The write operations are spread across multiple Linux agent child processes and read from the Cohesity Data Cloud installed on a four-node all-NVMe X210c cluster.

Figure 15 shows average write operations of about 3.2 GBps on the Linux agent.

						root@pi	гоху:/	data-tst01					
File Edit View Search	Terminal Tabs	Help											
root@proxy:/data-tst01							8	root@proxy:/data-tst01/dir01					
Fotal DISK READ : Actual DISK READ:	0.00 B/s 0.00 B/s				3.79 G/s 3.17 G/s								
TID PRIO USER		DISK WRITE S		10>	COMMAND			Ť.					
37833 be/4 cohesity								g_dir=/home/cohesityager					
37834 be/4 cohesity								g_dir=/home/cohesityager					
37826 be/4 cohesity								g_dir=/home/cohesityager					
37813 be/4 cohesity								g_dir=/home/cohesityager					
37819 be/4 cohesity	0.00 B/s							g_dir=/home/cohesityager					
37812 be/4 cohesity	0.00 B/s							g_dir=/home/cohesityager					
37805 be/4 cohesity	0.00 B/s					t_exec	lo	g_dir=/home/cohesityager	nt/co~r_threads=3	max_	concurrent_	_streams_	per_http_con
350 be/4 root	0.00 B/s	0.00 B/s 0											
1239 rt/4 root	0.00 B/s	0.00 B/s 0											
37808 be/4 cohesity								g_dir=/home/cohesityager					
37810 be/4 cohesity								g_dir=/home/cohesityager					
37811 be/4 cohesity								g_dir=/home/cohesityager					
37814 be/4 cohesity								g_dir=/home/cohesityager					
37815 be/4 cohesity								g_dir=/home/cohesityager					
37818 be/4 cohesity	0.00 B/s							g_dir=/home/cohesityager					
37821 be/4 cohesity								g_dir=/home/cohesityager					
37822 be/4 cohesity								g_dir=/home/cohesityager					
37824 be/4 cohesity								g_dir=/home/cohesityager					
37825 be/4 cohesity								g_dir=/home/cohesityager					
37828 be/4 cohesity	0.00 B/s							g_dir=/home/cohesityager					
37829 be/4 cohesity	0.00 B/s							g_dir=/home/cohesityager					
37830 be/4 cohesity								g_dir=/home/cohesityager					
37831 be/4 cohesity								g_dir=/home/cohesityager					
37832 be/4 cohesity								g_dir=/home/cohesityager					
37835 be/4 cohesity	0.00 B/s							g_dir=/home/cohesityager					
37836 be/4 cohesity								g_dir=/home/cohesityager					
37817 be/4 cohesity								g_dir=/home/cohesityager					
37806 be/4 cohesity								g_dir=/home/cohesityager					
37809 be/4 cohesity								g_dir=/home/cohesityager					
37816 be/4 cohesity								g_dir=/home/cohesityager					
37820 be/4 cohesity								g_dir=/home/cohesityager					
37827 be/4 cohesity	0.00 B/s	148.37 M/s 0	9.00 % 0.	.00 % 1	inux aden	t exec	lo	g dir=/home/cohesityager	nt/co~r threads=3	max	concurrent	streams	per http con

Figure 15.

Average write operations per second

Scalability

The backup and restore performance of workloads protected with Cohesity Data Cloud on Cisco UCS X-Series Modular Systems and the capacity of the Cohesity cluster scale with the addition of nodes to the existing cluster. In the present solution for protection of ODBs, a Cohesity Agent was installed on the backup host deployed on a Cisco UCS X210c node.

The performance of the backup and restore process depends primarily on three aspects of the deployed architecture protecting the database:

- How quickly can the data be read or written from the storage array? In the present setup, the speed is directly proportional to the Fibre Channel bandwidth between the host and the SAN storage array.
- How quickly can the data be transferred from the backup host (Cohesity Agent) to the Cohesity cluster? This speed is proportional to the network bandwidth between the backup host (Cohesity Agent) and the Cohesity cluster.
- How quickly can the data be written or read from the Cohesity cluster? This speed is proportional to the write and read throughput of the Cohesity cluster and on how the cluster manages the large multi-terabyte files.

Figure 16 shows these three aspects of the architecture.

Figure 16.

Read-write throughput (I/O)

In summary, to scale the performance of the backup and restore process, you need to scale the Fibre Channel bandwidth of the LUNs mounted on the backup host (Cohesity Linux Agent) or the network bandwidth of the backup host, or you need to add more nodes to the existing Cohesity cluster.

In the present setup, backup and restore performance was analyzed with the addition of a fifth node to the existing four-node Cohesity cluster deployed on the Cisco UCS X-Series all NVMe modular system.

Table 3 shows the main results.

Table 3. Main backup and restore performance results

Database size (TiB)	Number of nodes in Cohesity cluster	Backup performance	Restore performance
20 TiB (about 22 TB)	4 x X210c all-NVMe nodes	10 TB/hour	10.5 TB/hour
20 TiB (about 22 TB)	5 x X210c all-NVMe nodes	11.24 TB/hour	11 TB/hour

The main findings from the scalability testing are listed here:

- The Fibre Channel connectivity for the backup host (Cohesity Linux Agent) to the all-flash storage array was configured with two 16 Gbps from each side of the storage array controller (A and B). This connection was the primary bottleneck that restricted backup and restore performance to about 11 TB/hour (31.3 GBps).
- The Cohesity cluster configured in the Cisco UCS X-Series was easily scalable. Because X210c nodes provide both computing and all-NVMe storage resources, the existing Cohesity cluster is scaled simultaneously with the addition of a node. Just add an X210c node to the existing X-Series system, derive a server profile, and install the Cohesity OS through the Cisco Intersight platform. Thereafter, expand the Cohesity cluster through Cohesity Helios. No cabling or network configuration is required.
- The Cisco UCS X-Series Modular System is ready for the future and easily resolves the bottleneck caused by network limitations in the backup host (Cohesity Linux Agent). The present study uses 25-GB Cisco UCS X-Series Intelligent Fabric Modules (IFMs), providing 2 x 50-GB network bandwidth to each X210c node. Customers can use a 100-GB IFM without changing any of the configurations in the existing X210c node deployed for the Cohesity cluster. The X-Series Modular System can be upgraded to a 100-GB IFM with a 100-GB Cisco virtual interface card (VIC) installed in the X210c backup host (Cohesity Linux Agent). The Cohesity nodes on the X210c configured with 4 x 25-GB Cisco VICs and Cohesity Linux Agent with 2 x 100-GB Cisco VICs can be placed in the same X-Series Modular System. This placement would lead to twice the network bandwidth for the backup host (Cohesity Linux Agent), overcoming the network contention without any alteration in the existing Cohesity cluster deployed on the Cisco UCS X-Series Modular System.
- The Cohesity Linux Agent could completely saturate and use the Fibre Channel bandwidth between the SAN storage and the backup host by performing multithreaded and parallel read and write operations across single or multiple files. The main aspects of the Cohesity Linux Agent that enabled high backup and restore performance are listed here:
 - Use of Fibre Channel bandwidth: The Cohesity Linux Agent can completely saturate and use the Fibre Channel bandwidth between the SAN storage and the backup host by performing multithreaded and parallel read and write operations across single or multiple files. The Cohesity MegaFile feature breaks any file larger than 64 GB into chunks of 16 GB to increase the parallelism and thereby reduce backup and recovery times to use the complete infrastructure fully.
 - Reduced network bandwidth utilization: The Cohesity Linux Agent reduces the use of network bandwidth by computing SHA1 fingerprints and transferring the data to the backup system during incremental backup only if those fingerprints are not present. Typically, a 4 to 5x reduction is observed in the data sent over the network during incremental backups. The backup daily window and overall network consumption are reduced without increasing the resources on the backup host, such as its CPU or memory requirements, because the SHA1 fingerprinting process is scalable and lightweight.

 Read and write throughput: The Cohesity file system performs variable block-level deduplication and reduces the data even further and checks across the entire data set in the cluster. Because Cohesity has a scale-out architecture, you can seamlessly scale the number of nodes on the cluster as your needs dictate. The Cohesity MegaFile feature provides similar read and write throughput regardless of whether you have a single large multi-terabyte file or multiple files.

Failure testing

Another important aspect of a data protection solution is the resiliency of the configured system. To test the resiliency of the solution, customers should know the effects on backup and restore operations during failure of a node configured across a distributed Cohesity cluster on a Cisco UCS X-Series Modular System. Because restoration is crucial to data protection, the following steps were performed to test a failure during restoration of ODBs:

- The four-node Cohesity cluster on the Cisco UCS X-Series system was expanded to five nodes. The
 process was simple: insert another X210c node in the Cisco UCS X-Series system, clone the node,
 attach a server profile, install the Cohesity OS through the Cisco Intersight platform, and add the new
 node to the existing cluster. Because a single Cisco UCS X-Series system supports up to eight all-NVMe
 nodes, no cabling was required. Moreover, to expand beyond eight nodes, customers could install a new
 Cisco UCS X-Series system under the same fabric interconnect domain.
- 2. A restore job for the ODB was started.
- 3. After the restore process was in a steady state, one of the nodes was shut down.

4. After the node shutdown, performance and any failure of the restore process were monitored.

Figure 17 shows a five-node Cohesity cluster on the Cisco UCS X-Series Modular System.

			(i	Enable Multi-Factor Authentication for Linux support	user to improve system secu	urity. Go to !	Setup MFA		×	
:0	HESITY		Q Sea	arch				NYUL-POC	\$ @	
38	Dashboards	Î	Clust	er						
9	Data Protection	>	Summary	y Storage Domains Nodes Key Management	System Syslog					
8	Infrastructure	>	1	161961607176 POC-fch26137 FCH26137C UCS-X210CM65N15 q94-node-1 FCH26137C	94 🗳 Active	69.7 TiB	10.128.82.3	6.8.1_release-20220 807_6c9115ef	Q	5 SS
È	SmartFiles	>								
	Security Tools	>		Chassis: FCH262670UJ						
Z	Test & Dev	- 1	1	161961607178 POC-fch26267 FCH262670 UCS-X210CM6SN15 Ouj-node-1 FCH262670	UJ 🕑 Active	69.7 TiB	10.128.82.4	6.8.1_release-20220 807_6c9115ef	0	5 SS
Ā	Marketplace	>		Chassis: FCH2626717A						
])	System	>	1	161961607175 POC-fch26267 FCH262671 UCS-X210CM6SN15 17a-node-1 FCH262671	7A 🗳 Active	69.7 TiB	10.128.82.5	6.8.1_release-20220 807_6c9115ef	ø	5 S
	Reporting			CONFIGNIONIS TO RECE				007_00011000		
z	Settings	~		Chassis: FCH2626717X						
	Summary		1	161961607177 POC-fch26267 UCS-X210CM6SN15 17x-node-1 FCH262671	7X 🗳 Active	69.7 TiB	10.128.82.6	6.8.1_release-20220 807_6c9115ef	ø	5 S
	Access Management		-	Chassis: FCH262670R6						
	Networking		1	161961607181 POC-fch26267 FCH262670 UCS-X210CM6SN15 0r6-node-1 FCH262670	R6 🗳 Active	83.6 TiB	10.128.82.7	Activate V 6.8.1_release 2022019 807 6c9115ef		

Figure 17.

Five-node Cohesity cluster on the Cisco UCS X-Series Modular System

Figures 18 and 19 show the shutdown of one of the X210c nodes in the Cohesity cluster.




Figure 18.

Shutdown of one of the X210c nodes in the Cohesity cluster




Figure 19.

One of the nodes is shut down

The Cohesity Linux Agent writes the restored data to the Fibre Channel LUNs mounted from the storage array. The write operations during the node failure process were monitored on this storage array.

No write failures were seen during the entire restore process before or after the node was shut down in the Cohesity cluster.

Figure 20 shows the write operations during the node failure as measured on the storage array.



Figure 20.

Write operations during node failure

For more information

For additional information, see the following resources:

- Cisco Intersight Help Center: <u>https://intersight.com/help/saas/home</u>
- Cisco UCS X-Series product installation guide: <u>https://www.cisco.com/c/en/us/support/servers-unified-computing/ucs-x-series-modular-system/products-installation-guides-list.html</u>
- Cohesity on Cisco
 - https://www.cisco.com/c/en/us/solutions/global-partners/cohesity.html
 - https://www.cohesity.com/solutions/technology-partners/cisco/
- Cohesity on Cisco UCS X-Series installation guide: <u>https://docs.cohesity.com/hardware/PDFs/SetupGuideCiscoXseries.pdf</u>
- Ansible automation for Cohesity server profile for Cisco UCS X-Series: <u>https://developer.cisco.com/codeexchange/github/repo/ucs-compute-</u> solutions/cohesity_xseries_ansible

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA