



# Hardware and Software Interoperability Matrix

This document provides interoperability matrices for Cisco Unified Computing System components and configurations that have been tested and validated by Cisco, by Cisco partners, or both. Use this document as a reference for supported hardware and software.

This document contains the following sections:

- [Audience, page 1](#)
- [Operating System Interoperability Matrix, page 1](#)
- [Converged Network Adapter Interoperability Matrix, page 5](#)
- [Host Bus Adapter Interoperability Matrix, page 22](#)
- [LAN on Motherboard Interoperability Matrix, page 48](#)
- [Network Interface Card Interoperability Matrix, page 64](#)
- [RAID Controller on Motherboard or PCIe Adapter Interoperability Matrix, page 90](#)
- [Storage Controller Interoperability Matrix, page 122](#)
- [PCIe Flash Storage Interoperability Matrix, page 123](#)
- [Graphics Processing Unit Interoperability Matrix, page 125](#)
- [Related Documentation, page 126](#)
- [Obtaining Documentation and Submitting a Service Request, page 126](#)

## **Audience**

This document is designed for use by Cisco TAC, sales, support engineers, professional service partners, and systems administrators responsible for the design and deployment of the Unified Computing System in the data center environment.

The content of this document is updated on a regular basis. The current version of this document applies to the C Series Servers in Cisco Unified Computing System Release 1.4(2).

## **Operating System Interoperability Matrix**

Table 1 lists the operating systems that the Unified Computing System C Series Servers support.

**Table 1: Operating System**

<b>UCS Server</b>	<b>Vendor</b>	<b>Operating System Version</b>	<b>Notes</b>
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Microsoft	Windows Server 2008 R2 x64 w/Hyper-V SP1	1, 21
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Microsoft	Windows Server 2008 x64 w/Hyper-V SP2	1, 21
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Novell	SUSE Linux Enterprise Server 10 SP3 64bit	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Novell	SUSE Linux Enterprise Server 10 SP4 64bit	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Novell	SUSE Linux Enterprise Server 11.1 64bit	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Oracle	Solaris 10 Update 9	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Oracle	Solaris 10 Update 10	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Oracle	Oracle Linux 4.9 64bit (Redhat Compatible Kernel)	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Oracle	Oracle Linux 5.4 64bit (Redhat Compatible Kernel)	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 5.5 64bit (Redhat Compatible Kernel)	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1	Oracle	Oracle Linux 5.6 64bit (Redhat Compatible Kernel)	

UCS Server	Vendor	Operating System Version	Notes
& M2, C260 M2, C460 M1 & M2			
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 5.6 64bit (Unbreakable Enterprise Kernel)	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 5.7 64bit (Redhat Compatible Kernel)	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 6.0 64bit (Redhat Compatible Kernel)	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 6.0 64bit (Unbreakable Enterprise Kernel)	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 6.1 64bit (Redhat Compatible Kernel)	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Oracle	Oracle VM 3.0 64bit	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Redhat	Enterprise Linux 4.9 64bit	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Redhat	Enterprise Linux 5.4 64bit	9
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Redhat	Enterprise Linux 5.5 64bit	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1	Redhat	Enterprise Linux 5.6 64bit	

UCS Server	Vendor	Operating System Version	Notes
& M2, C260 M2, C460 M1 & M2			
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Redhat	Enterprise Linux 5.7 64bit	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Redhat	Enterprise Linux 6.0 64bit	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Redhat	Enterprise Linux 6.1 64bit	
C200/C210 M1, C250 M1	VMware	vSphere 4.0	8
C200/C210 M1, C250 M1	VMware	vSphere 4.0i	8
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0i U1	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0 U1	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0 U2	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0i U2	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0 U3	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0i U3	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.1	

UCS Server	Vendor	Operating System Version	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.1i	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	VMware	vSphere 4.1 U1	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	VMware	vSphere 4.1i U1	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	VMware	vSphere 4.1 U2	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	VMware	vSphere 4.1i U2	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	VMware	vSphere 5.0i	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Citrix	Citrix XenServer 6.0 Boston	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Citrix	Citrix XenServer 5.6 FP1 SP2	

### Converged Network Adapter Interoperability Matrix

Table 2 lists the converged network adapters that the Unified Computing System C Series Servers support.

**Table 2: Converged Network Adapters**

<b>UCS Server</b>	<b>Vendor</b>	<b>Adapter Model</b>	<b>Operating System</b>	<b>Adapter Driver</b>	<b>Adapter Firmware</b>	<b>Adapter Boot Code / BIOS</b>	<b>Notes</b>
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	SUSE Linux Enterprise Server 11.1 64bit	1.5.0.1/2.1.1.24 (NIC)	1.6(1c)	00.10.10	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.5 64bit	1.5.0.1/2.1.1.24 (NIC)	1.6(1c)	00.10.10	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.6 64bit	1.5.0.1/2.1.1.24 (NIC)	1.6(1c)	00.10.10	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.7 64bit	1.5.0.1/2.1.1.24 (NIC)	1.6(1c)	00.10.10	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.0 64bit	1.5.0.1/2.1.1.24 (NIC)	1.6(1c)	00.10.10	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.1 64bit	1.5.0.1/2.1.1.24 (NIC)	1.6(1c)	00.10.10	
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0 U1	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0i U1	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0 U2	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0i U2	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF),	Cisco	P81E Dual Port 10-Gbps	vSphere 4.0 U3	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2, C460 M1		Ethernet to PCIe Virtual Interface Card					
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0i U3	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1i	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1 U1	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2,	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual	vSphere 4.1i U1	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2		Interface Card					
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1 U2	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1i U2	1.4.0.201/2.1.2.20	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 5.0i	1.5.0.6/2.1.2.22	1.6(1c)	00.10.10	10
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Windows Server 2008 x64 w/Hyper-V SP2	2.1.0.11/2.1.0.9	1.6(1c)	00.10.10	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Windows Server 2008 R2 x64 w/Hyper-V SP1	2.1.0.11/2.1.0.9	1.6(1c)	00.10.10	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Citrix XenServer 6.0 Boston	1.4.1.2-1 / 1.4.0.145	1.6(0.52)	00.10.10	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Citrix XenServer 5.6 FP1 SP2	1.1.0.100/1.4.0.145	1.6(0.52)	00.10.10	20
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCel10102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.4 64bit	0:8.2.0.96/ 2.103.397.0 (NIC)	2.103.397.3403	4.02a9	2, 14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel10102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.5 64bit	0:8.2.0.96/ 2.103.397.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel10102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.6 64bit	0:8.2.0.96/ 2.103.397.0 (NIC)	2.103.397.3403	4.02a9	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.7 64bit	0:8.2.0.96.2p/ 4.0.100r (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.0 64bit	0:8.3.5.35/ 2.103.397.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.1 64bit	0:8.3.5.30.1p/ 2.103.298r (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1, C460 M1	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	0:8.2.0.96/ 2.103.397.0 (NIC)	2.103.397.3403	4.02a9	14,19
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged	SUSE Linux Enterprise Server 10 SP4 64bit	0:8.2.0.92.1p/ 2.102.453s (NIC)	2.103.397.3403	4.02a9	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Network Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 11.1 64bit	0:8.3.5.35/ 2.103.397.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Solaris 10 Update 9	2.50o/1.10f2 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Solaris 10 Update 10	2.60k/1.20e (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1, C250 M1	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1, C250 M1	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to	vSphere 4.0i	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		PCIe Converged Network Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCel10102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U1	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCel10102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U1	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCel10102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U2	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCel10102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U2	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200	Emulex	OneConnect OCel10102FX Dual Port	vSphere 4.0 U3	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C460 M1		10-Gbps Ethernet to PCIe Converged Network Adapter					
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10i02FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U3	0:8.2.0.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10i02FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1	0:8.2.1.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10i02FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i	0:8.2.1.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10i02FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U1	0:8.2.1.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U1	0:8.2.1.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U2	0:8.2.1.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U2	0:8.2.1.90.28/ 2.103.377.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i	0:8.2.2.1-18vmw/ 4.0.88.0	2.103.397.3403	4.02a9	14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged	Windows Server 2008 R2 x64 w/Hyper-V SP1	7.2.41.2/2.103.389.0 (NIC)	2.103.397.3403	4.02a9	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2		Network Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 x64 w/Hyper-V SP2	7.2.41.2/2.103.389.0 (NIC)	2.103.397.3403	4.02a9	14
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0 Boston	0:8.3.5.39.1P/2.104.277.1	2.103.397.3401	4.02a9	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Emulex	OneConnect OCel0102FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 5.6 FP1 SP2	0:8.3.5.25/2.103.269.2	2.103.397.3401	4.02a9	20
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.4 64bit	8.03.03.15.05.06-k/1.00.00.23 (NIC)	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged	Enterprise Linux 5.5 64bit	8.03.03.15.05.06-k/1.00.00.23 (NIC)	5.04.01	3.00	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2		Network Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.6 64bit	8.03.01.05.05.06-k/ 1.00.00.25 (NIC)	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.7 64bit	8.03.07.03.05.07-k/ 1.00.00.25 (NIC)	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.0 64bit	8.03.04.12.06.0-k0/ v1.00.00.23.00.00-01 (NIC)	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.1 64bit	8.03.07.03.06.1-k/ v1.00.00.27.00.00-01 (NIC)	5.04.01	3.00	
C200/C210 M1 & M2, C200	QLogic	QLE8152 Dual Port 10-Gbps	SUSE Linux Enterprise	8.03.01.13.10.3-k4/ 1.00.00.23 (NIC)	5.04.01	3.00	19

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C460 M1		Ethernet to PCIe Converged Network Adapter	Server 10 SP3 64bit				
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	8.03.01.12.10.3-k4/1.00.00.23 (NIC)	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 11.1 64bit	8.03.04.14.11.1-k0/v1.00.00.23.00.00-01 (NIC)	5.04.01	3.00	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Solaris 10 Update 9	3.00/1.05	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe	vSphere 4.0i	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Converged Network Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U1	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U1	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U2	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U2	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U3	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U3	832.k1.27.1-1VMW/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1	832.k1.27.1-1vmw/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i	832.k1.27.1-1vmw/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U1	832.k1.27.1-1vmw/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U1	832.k1.27.1-1vmw/v1.0.0.43	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U2	832.k1.27.1-1vmw/v1.0.0.43	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U2	832.k1.27.1-1vmw/v1.0.0.43	5.04.01	3.00	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i	901.k1.1-14vmw/v1.00.00.47-051711	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	9.1.8.27/1.0.1.12	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 x64 w/Hyper-V SP2	9.1.8.27/1.0.1.12	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0 Boston	8.03.07.03.55.6-k2/v1.00.00.28.00-01	5.04.01	3.00	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	QLogic	QLE8152 Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 5.6 FP1 SP2	8.03.01.57.04.00.00.28.00-01	5.04.01	3.00	20

### Host Bus Adapter Interoperability Matrix

Table 3 lists the host bus adapters that the Unified Computing System C Series Servers support.

**Table 3: Host Bus Adapters**

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	0:8.0.16.47	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.4 64bit	0:8.2.0.96	ZS2.82A4	ZB2.12a6	2

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.5 64bit	0:8.2.0.96	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.6 64bit	0:8.2.0.96	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	0:8.2.0.96.2p	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	0:8.3.5.35	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express	Enterprise Linux 6.1 64bit	0:8.3.5.30.1p	ZS2.82A4	ZB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2		Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	0:8.2.0.96	ZS2.82A4	ZB2.12a6	19
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	0:8.2.0.92.1p	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.1 64bit	0:8.3.5.35	ZS2.82A4	ZB2.12a6	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Solaris 10 Update 9	2.50o	ZS2.82A4	ZB2.12a6	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel	Solaris 10 Update 10	2.60k	ZS2.82A4	ZB2.12a6	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		PCI Express Host Bus Adapter					
C200/C210 M1, C250 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1, C250 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U1	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U1	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200	Emulex	LightPulse LPe11002 4-Gbps	vSphere 4.0 U2	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C460 M1		Fibre Channel PCI Express Host Bus Adapter					
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U2	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U3	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U3	0:8.2.0.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1	0:8.2.1.90.28	ZS2.82A4	ZB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i	0:8.2.1.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1 U1	0:8.2.1.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i U1	0:8.2.1.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1 U2	0:8.2.1.90.28	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express	vSphere 4.1i U2	0:8.2.1.90.28	ZS2.82A4	ZB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2		Host Bus Adapter					
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 5.0i	0:8.2.2.1-18vmw	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	7.2.41.2	ZS2.82A4	ZB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2008 x64 w/Hyper-V SP2	7.2.41.2	ZS2.82A4	ZB2.12a6	
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 6.0 Boston	0:8.3.5.39.1P	ZS2.82A4	ZB2.12a6	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Emulex	LightPulse LPe11002 4-Gbps Fibre Channel	Citrix XenServer 5.6 FP1 SP2	0:8.3.5.25	ZS2.82A4	ZB2.12a6	20

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		PCI Express Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF)	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	0:8.0.16.47	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.4 64bit	0:8.2.0.96	US2.00a4	UB2.12a6	2
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.5 64bit	0:8.2.0.96	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.6 64bit	0:8.2.0.96	US2.00a4	UB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	0:8.2.0.96.2p	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	0:8.3.5.35	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.1 64bit	0:8.3.5.30.1p	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	0:8.2.0.96	US2.00a4	UB2.12a6	19
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express	SUSE Linux Enterprise Server 10 SP4 64bit	0:8.2.0.92.1p	US2.00a4	UB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.1 64bit	0:8.3.5.35	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Solaris10 Update 9	2.50o	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Solaris10 Update 10	2.60k	US2.00a4	UB2.12a6	
C200/C210 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0	0:8.2.0.90.28	US2.00a4	UB2.12a6	
C200/C210 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel	vSphere 4.0i	0:8.2.0.90.28	US2.00a4	UB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		PCI Express Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U1	0:8.2.0.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U1	0:8.2.0.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U2	0:8.2.0.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U2	0:8.2.0.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200	Emulex	LightPulse LPe12002 8-Gbps	vSphere 4.0 U3	0:8.2.0.90.28	US2.00a4	UB2.12a6	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C460 M1		Fibre Channel PCI Express Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U3	0:8.2.0.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1	0:8.2.1.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i	0:8.2.1.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1U1	0:8.2.1.90.28	US2.00a4	UB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1iU1	0:8.2.1.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1 U2	0:8.2.1.90.28	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i U2	0:8.2.1.90.28	US2.00a4	UB2.12a6	
C200/C210 M2, C200 M2(SFF), C260 M2, C460 M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 5.0i	0:8.2.2.1-18vmw	US2.00a4	UB2.12a6	
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express	Windows Server 2008 R2 x64 w/Hyper-V SP1	7.2.41.2	US2.00a4	UB2.12a6	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2008 x64 w/Hyper-V SP2	7.2.41.2	US2.00a4	UB2.12a6	
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 6.0 Boston	0:8.3.5.39.1P	US2.00a4	UB2.12a6	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Emulex	LightPulse LPe12002 8-Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 5.6 FP1 SP2	0:8.3.5.25	US2.00a4	UB2.12a6	20
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	8.02.10.01.04.09-d	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to	Enterprise Linux 5.4 64bit	8.03.03.15.05.06-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C460 M1		PCI Express Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.5 64bit	8.03.03.15.05.06-k	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.6 64bit	8.03.01.05.05.06-k	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	8.03.07.03.05.07-k	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	8.03.04.12.06.0-k0	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.1 64bit	8.03.07.03.06.1-k	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	8.03.01.13.10.3-k4	5.04.01	3.00	19
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	8.03.01.12.10.3-k4	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.1 64bit	8.03.04.14.11.1-k0	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express	Solaris10 Update 9	3.00	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris10 Update 10	3.05	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U1	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to	vSphere 4.0i U1	832.k1.27.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C460 M1		PCI Express Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U2	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U2	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U3	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U3	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200	QLogic	SANblade QLE2462 4-Gbps	vSphere 4.1	832.k1.27.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C460 M1		Fibre Channel to PCI Express Host Bus Adapter					
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1 U1	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U1	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1 U2	832.k1.27.1-1vmw	5.04.01	3.00	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U2	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 5.0i	901.k1.1-14vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	9.1.9.25	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2008 x64 w/Hyper-V SP2	9.1.9.25	5.04.01	3.00	
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express	Citrix XenServer 6.0 Boston	8.03.07.03.55.6-k2	5.04.01	3.00	20

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	QLogic	SANblade QLE2462 4-Gbps Fibre Channel to PCI Express Host Bus Adapter	Citrix XenServer 5.6 FP1 SP2	8.03.03.11.5.7-k0	5.04.01	3.00	20
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	8.02.10.01.04.09-d	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.4 64bit	8.03.03.15.05.06-k	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.5 64bit	8.03.03.15.05.06-k	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to	Enterprise Linux 5.6 64bit	8.03.01.05.05.06-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C260 M2, C460 M1 & M2		PCI Express Host Bus Adapter					
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	8.03.07.03.05.07-k	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	8.03.04.12.06.0-k0	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.1 64bit	8.03.07.03.06.1-k	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	8.03.01.13.10.3-k4	5.04.01	3.00	19
C200/C210 M1 & M2,C200	QLogic	SANblade QLE2562 8-Gbps	SUSE Linux Enterprise	8.03.01.12.10.3-k4	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C460 M1		Fibre Channel to PCI Express Host Bus Adapter	Server 10 SP4 64bit				
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.1 64bit	8.03.04.14.11.1-k0	5.04.01	3.00	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris 10 Update 9	3.00	5.04.01	3.00	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris 10 Update 10	3.05	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0	832.k1.27.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1, C250 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U1	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U1	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U2	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express	vSphere 4.0i U2	832.k1.27.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U3	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U3	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to	vSphere 4.1 U1	832.k1.27.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C260 M2, C460 M1 & M2		PCI Express Host Bus Adapter					
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U1	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1 U2	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U2	832.k1.27.1-1vmw	5.04.01	3.00	
C200/C210 M2,C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 5.0i	901.k1.1-14vmw	5.04.01	3.00	
C200/C210 M1 & M2,C200	QLogic	SANblade QLE2562 8-Gbps	Windows Server 2008 R2	9.1.9.25	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2		Fibre Channel to PCI Express Host Bus Adapter	x64 w/Hyper-V SP1				
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2008 x64 w/Hyper-V SP2	9.1.9.25	5.04.01	3.00	
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Citrix XenServer 6.0 Boston	8.03.07.03.55.6-k2	5.04.01	3.00	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	QLogic	SANblade QLE2562 8-Gbps Fibre Channel to PCI Express Host Bus Adapter	Citrix XenServer 5.6 FP1 SP2	8.03.03.11.5.7-k0	5.04.01	3.00	20

### LAN on Motherboard Interoperability Matrix

Table 4 lists the LAN on motherboard adapters that the Unified Computing System C Series Servers support.



**Table 4: LAN on Motherboard**

<b>UCS Server</b>	<b>Vendor</b>	<b>Adapter Model</b>	<b>Operating System</b>	<b>Adapter Driver</b>	<b>Adapter Firmware</b>	<b>Adapter Boot Code / BIOS</b>	<b>Notes</b>
C250 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 4.9 64bit	1.7.9-2	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.4 64bit	2.0.8e	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.5 64bit	2.1.6b	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.6 64bit	2.1.6b	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.7 64bit	2.0.21	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet	Enterprise Linux 6.0 64bit	2.1.6b	6.0.0	6.0.12	11,13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 6.1 64bit	2.1.6	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP3 64bit	2.0.8e	6.0.0	6.0.12	11,13,19
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP4 64bit	2.0.18-suse	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.1 64bit	2.1.6b	6.0.0	6.0.12	11,13
C250 M2, C260 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Solaris 10 Update 9	6.0.3	6.0.0	6.0.12	11,13,18
C250 M2, C260 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet	Solaris 10 Update 10	6.0.3	6.0.0	6.0.12	11,13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C250 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13
C250 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0 U1	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i U1	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0 U2	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet	vSphere 4.0i U2	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0 U3	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i U3	2.0.15g.8.v40.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1	2.0.15g.8.v41.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1i	2.0.15g.8.v41.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1 U1	2.0.15g.8.v41.1	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet	vSphere 4.1i U1	2.0.15g.8.v41.1	6.0.0	6.0.12	11,13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1 U2	2.1.6b.v41.4	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1i U2	2.1.6b.v41.4	6.0.0	6.0.12	11,13
C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 5.0i	2.0.15g.v50.11-5vmw	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	6.4.13.0/6.4.10.0	6.0.0	6.0.12	11,13
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Windows Server 2008 x64 w/Hyper-V SP2	6.4.13.0/6.4.10.0	6.0.0	6.0.12	11,13
C250 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet	Citrix XenServer 6.0 Boston	2.0.24b	6.0.0	6.0.11	20

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C250 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Citrix XenServer 5.6 FP1 SP2	2.0.8e	6.0.0	6.0.11	20
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.4 64bit	1.52.17	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.5 64bit	1.64.32	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.6 64bit	1.64.32	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.7 64bit	1.62.00-6	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet	Enterprise Linux 6.0 64bit	1.64.32	6.0.35	6.0.40	12

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.1 64bit	1.62.00-6	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.1 64bit	1.64.32	6.0.35	6.0.40	12
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0 U1	1.62.11.v40.1	6.0.35	6.0.40	12
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0i U1	1.62.11.v40.1	6.0.35	6.0.40	12
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0 U2	1.62.11.v40.1	6.0.35	6.0.40	12
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet	vSphere 4.0i U2	1.62.11.v40.1	6.0.35	6.0.40	12

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0 U3	1.62.11.v40.1	6.0.35	6.0.40	12
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0i U3	1.62.11.v40.1	6.0.35	6.0.40	12
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1	1.64.32.v41.1	6.0.35	6.0.40	12
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1i	1.64.32.v41.1	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1 U1	1.64.32.v41.1	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet	vSphere 4.1i U1	1.64.32.v41.1	6.0.35	6.0.40	12



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1 U2	1.64.32.v41.1	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1i U2	1.64.32.v41.1	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 5.0i	1.61.15.v50.1	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	6.4.13.0/6.4.10.0	6.0.35	6.0.40	12
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Windows Server 2008 x64 w/Hyper-V SP2	6.4.13.0/6.4.10.0	6.0.35	6.0.40	12
C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet	Citrix XenServer 6.0 Boston	1.62.17	6.0.35	6.0.40	20

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Onboard Controller					
C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Citrix XenServer 5.6 FP1 SP2	1.52.15	6.0.35	6.0.40	20
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 5.5 64bit	1.64.32 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 5.6 64bit	1.64.32 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 5.7 64bit	1.62.00-6 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 6.0 64bit	0.9.5/1.64.32	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 6.1 64bit	1.62.00-6 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM	SUSE Linux	0.9.5/1.64.32 (NIC)	6.4.18	6.4.22	13,14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Server 11.1 64bit				
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Solaris 10 Update 9	6.2.4	6.4.18	6.4.22	13,18
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Solaris 10 Update 10	6.2.4	6.4.18	6.4.22	13,18
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1 U1	1.64.32.v41.1 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1i U1	1.64.32.v41.1 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1 U2	1.64.32.v41.1 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1i U2	1.64.32.v41.1 (NIC)	6.4.18	6.4.22	13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 5.0i	1.61.15.v50.1 (NIC)	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Windows Server 2008 R2 x64 w/Hyper-V SP1	6.4.20.0/6.4.13.0	6.4.18	6.4.22	13
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Windows Server 2008 x64 w/Hyper-V SP2	6.4.20.0/6.4.13.0	6.4.18	6.4.22	13
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 4.9 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.4 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.5 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.6 64bit	3.0.22	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.7 64bit	3.0.6-k2-1	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.0 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.1 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP3 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP4 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.1 64bit	3.0.22	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Solaris10 Update 9	1.1.14	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Solaris10 Update 10	1.1.18	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0	2.4.10	1.4-3	1.3.35	5
C200/C210 M1	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i	2.4.10	1.4-3	1.3.35	7
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0 U1	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i U1	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0 U2	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i U2	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0 U3	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i U3	2.4.10	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1i	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1 U1	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1i U1	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1 U2	2.4.10	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1i U2	2.4.10	1.4-3	1.3.35	
C200/C210 M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 5.0i	2.1.11.1	1.4-3	1.3.35	
C200/C210 M1 & M2,C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	11.7.32.0	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Windows Server 2008 x64 w/Hyper-V SP2	11.7.32.0	1.4-3	1.3.35	
C200/C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Citrix XenServer 6.0 Boston	2.4.13	1.4-3	1.3.35	20
C200/C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Citrix XenServer 5.6 FP1 SP2	2.3.4	1.4-3	1.3.35	20

### Network Interface Card Interoperability Matrix

Table 5 lists the network interface cards that the Unified Computing System C Series Servers support.

**Table 5: Network Interface Cards**

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2	Mellanox	ConnectX-2 EN 10 Gigabit Ethernet	SUSE Linux Enterprise Server 11.1 64bit	1.5.6	2.7.8.100	1.5.5	
C200/C210 M1 & M2, C200 M2(SFF), C460 M1	Mellanox	ConnectX-2 EN 10 Gigabit Ethernet	SUSE Linux Enterprise Server 10 SP3 64bit	1.5.6	2.7.8.100	1.5.5	19
C200/C210 M1 & M2, C200 M2(SFF), C260 M2	Mellanox	ConnectX-2 EN 10 Gigabit Ethernet	Enterprise Linux 5.6 64bit	1.5.6	2.7.8.100	1.5.5	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Mellanox	ConnectX-2 EN MNPH29D-XTR 10 Gigabit Ethernet	Enterprise Linux 5.6 64bit	1.5.6	2.9.1000	3.3.400	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Mellanox	ConnectX-2 EN MNPH29D-XTR 10 Gigabit Ethernet	SUSE Linux Enterprise Server 11.1 64bit	1.5.6	2.9.1000	3.3.400	
C460 M1	SolarFlare	SFN5122F Dual-Port 10G SFP	SUSE Linux Enterprise Server 10 SP3 64bit	3.0.11.2248	3.0.10.2236	1.3.2d.0	19
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 4.9 64bit	1.7.9-2	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	2.0.8e	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF),	Broadcom	NetXtreme II 5709 Dual and Quad Port	Enterprise Linux 5.5 64bit	2.1.6b	5.2.3	5.2.7	13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C260 M2, C460 M1 & M2		Gigabit Ethernet PCIe Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	2.1.6b	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	2.0.21	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	2.1.6b	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	2.1.6	5.2.3	5.2.7	13
C200/C210 M1 &	Broadcom	NetXtreme II 5709	SUSE Linux	2.0.8e	5.2.3	5.2.7	13,19

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2,C200 M2(SFF), C250 M1 & M2, C460 M1		Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Server 10 SP3 64bit				
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	2.0.18-suse	5.2.3	5.2.7	13
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	2.1.6b	5.2.3	5.2.7	13
C200/C210 M2,C200 M2(SFF), C250 M2, C260 M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 9	6.0.3	5.2.3	5.2.7	13, 18
C200/C210 M2,C200 M2(SFF), C250 M2, C260 M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	6.0.3	5.2.3	5.2.7	13
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port	vSphere 4.0	2.0.15g.8.v40.1	5.2.3	5.2.7	13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Gigabit Ethernet PCIe Adapter					
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i	2.0.15g.8.v40.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	2.0.15g.8.v40.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	2.0.15g.8.v40.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U2	2.0.15g.8.v40.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet	vSphere 4.0i U2	2.0.15g.8.v40.1	5.2.3	5.2.7	13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		PCIe Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	2.0.15g.8.v40.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	2.0.15g.8.v40.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1	2.0.15g.8.v41.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i	2.0.15g.8.v41.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	2.0.15g.8.v41.1	5.2.3	5.2.7	13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	2.0.15g.8.v41.1	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	2.1.6b.v41.4	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	2.1.6b.v41.4	5.2.3	5.2.7	13
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 5.0i	2.0.15g.v50.11-5vmw	5.2.3	5.2.7	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	6.4.13.0/6.4.10.0	5.2.3	5.2.7	13

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/Hyper-V SP2	6.4.13.0/6.4.10.0	5.2.3	5.2.7	13
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	2.0.24b	5.2.3	5.2.7	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	2.0.8e	5.2.3	5.2.7	20
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 4.9 64bit	1.45.23-1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	1.52.17	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF),	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit	Enterprise Linux 5.5 64bit	1.64.32	5.2.51	5.2.15	13,15

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C260 M2, C460 M1 & M2		Ethernet PCIe Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	1.64.32	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	1.62.00-6	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	1.64.32	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	1.62.00-6	5.2.51	5.2.15	13,15
C200/C210 M1 &	Broadcom	NetXtreme II 57711	SUSE Linux	1.52.17	5.2.51	5.2.15	13,15,19



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2,C200 M2(SFF), C250 M1 & M2, C460 M1		Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Server 10 SP3 64bit				
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	1.62.00-3	5.2.51	5.2.15	13,15
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	1.64.32	5.2.51	5.2.15	13,15
C200/C210 M2,C200 M2(SFF), C250 M2, C260 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris 10 Update 9	6.2.4	5.2.51	5.2.15	13,15, 18
C200/C210 M2,C200 M2(SFF), C250 M2, C260 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	6.2.4	5.2.51	5.2.15	13,15, 18
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0	1.62.11.v40.1	5.2.51	5.2.15	13,15

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i	1.62.11.v40.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	1.62.11.v40.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	1.62.11.v40.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U2	1.62.11.v40.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U2	1.62.11.v40.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	1.62.11.v40.1	5.2.51	5.2.15	13,15

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	1.62.11.v40.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1	1.64.32.v41.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i	1.64.32.v41.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	1.64.32.v41.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	1.64.32.v41.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF),	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit	vSphere 4.1 U2	1.64.32.v41.1	5.2.51	5.2.15	13,15

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C260 M2, C460 M1 & M2		Ethernet PCIe Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	1.64.32.v41.1	5.2.51	5.2.15	13,15
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C46 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 5.0i	1.61.15.v50.1	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	6.4.13.0/ 6.4.10.0	5.2.51	5.2.15	13,15
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/Hyper-V SP2	6.4.13.0/ 6.4.10.0	5.2.51	5.2.15	13,15
C200/C210 M2, C200 M2(SFF), C250	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit	Citrix XenServer 6.0 Boston	1.62.17	5.2.51	5.2.15	20

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2, C460 M2		Ethernet PCIe Adapter					
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	1.52.15	5.2.51	5.2.15	20
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	0.9.5/1.64.32, FCOE is supported	6.4.17	6.4.23	13
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	0.9.5/ 1.64.32 (NIC), FCOE is supported	6.4.17	6.4.23	13,14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris10 Update 9	6.2.4	6.4.17	6.4.23	13,14, 18
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris10 Update 10	6.2.4	6.4.17	6.4.23	13,14, 18

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	6.4.13.0 (NIC)	6.4.17	6.4.23	13,14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	6.4.13.0 (NIC)	6.4.17	6.4.23	13,14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	6.4.20.0/6.4.13.0, FCOE is supported	6.4.17	6.4.23	13,14
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/Hyper-V SP2	6.4.20.0/6.4.13.0, FCOE is supported	6.4.17	6.4.23	13,14
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	1.62.17	6.4.17	6.4.23	20

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 57712 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	1.52.15	6.4.17	6.4.23	20
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 4.9 64bit	1.2.45-k2	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	3.0.22	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.5 64bit	3.0.22	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	3.0.22	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF),	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	3.0.6-k2-1	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C260 M2, C460 M1 & M2		Ethernet PCIe Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	3.0.22	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	3.0.22	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	3.0.22	1.7-3	1.3.50	19
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	3.0.22	1.7-3	1.3.50	
C200/C210 M1 & M2, C200	Intel	82576 based Quad Port Gigabit Ethernet	SUSE Linux Enterprise Server 11.1 64bit	3.0.22	1.7-3	1.3.50	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2		PCIe Adapter					
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 9	1.1.14	1.7-3	1.3.50	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	1.1.18	1.7-3	1.3.50	
C200/C210 M1, C250 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0	2.4.10	1.7-3	1.3.50	5
C200/C210 M1, C250 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i	2.4.10	1.7-3	1.3.50	5
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	2.4.10	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U2	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U2	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1	2.4.10	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	2.4.10	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	2.4.10	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 5.0i	2.1.11.1	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	11.7.32.0	1.7-3	1.3.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/Hyper-V SP2	11.7.32.0	1.7-3	1.3.50	
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	2.4.13	1.7-3	1.3.50	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	2.3.4	1.7-3	1.3.50	20
C200/C210 M1 & M2, C200 M2(SFF),	Intel	X520 Dual Port 10 Gigabit Ethernet	Enterprise Linux 4.9 64bit	3.2.9-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2		PCIe Adapter					
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	3.2.9-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.5 64bit	3.2.9-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	3.2.9-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	3.2.9-K2	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	3.2.9-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2							
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	3.2.9-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	3.2.9-NAPI	0.9-3	2.1.50	19
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	3.2.9-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	3.2.9-NAPI	0.9-3	2.1.50	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris 10 Update 9	1.0.12	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	1.0.18	0.9-3	2.1.50	
C200/C210 M1, C250 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1, C250 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U2	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200	Intel	X520 Dual Port 10 Gigabit	vSphere 4.0i U2	3.1.17.1-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C460 M1		Ethernet PCIe Adapter					
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	3.1.17.1-NAPI	0.9-3	2.1.50	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	3.1.17.1-NAPI	0.9-3	2.1.50	
C200/C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 5.0i	2.084.82-10vmw-NAPI	0.9-3	2.1.50	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	2.7.28.0	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/Hyper-V SP2	2.7.28.0	0.9-3	2.1.50	
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	1.0.135-k2-NAPI	0.9-3	2.1.50	20
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	2.1.4-NAPI	0.9-3	2.1.50	20

#### RAID Controller on Motherboard or PCIe Adapter Interoperability Matrix

Table 6 lists the RAID controller on motherboard or PCIe adapters that the Unified Computing System C Series Servers support.

**Table 6: RAID Controller on Motherboard or PCIe Adapters**

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2, C200 M2(SFF)	Intel	I/O Controller Hub 10 RAID (ICH10R)	Enterprise Linux 5.4 64bit	13.17.0421.2010			6
C200/C210 M1 & M2, C200 M2(SFF)	Intel	I/O Controller Hub 10 RAID (ICH10R)	Enterprise Linux 5.5 64bit	13.17.0421.2010			6
C200/C210 M1 &	Intel	I/O Controller	SUSE Linux	13.17.0421.2010			6,19

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2,C200 M2(SFF)		Hub 10 RAID (ICH10R)	Enterprise Server 10 SP3 64bit				
C200/C210 M1 & M2,C200 M2(SFF)	Intel	I/O Controller Hub 10 RAID (ICH10R)	Windows Server 2008 R2 x64 w/Hyper-V SP1	13.21.614.2010			6
C200/C210 M1 & M2,C200 M2(SFF)	Intel	I/O Controller Hub 10 RAID (ICH10R)	Windows Server 2008 x64 w/Hyper-V SP2	13.21.614.2010			6
C200/C210 M2, C200 M2(SFF)	Intel	I/O Controller Hub 10 RAID (ICH10R)	Citrix XenServer 6.0 Boston	No Driver	1.40.272-1225	2.07.00	20
C200/C210 M2, C200 M2(SFF)	Intel	I/O Controller Hub 10 RAID (ICH10R)	Citrix XenServer 5.6 FP1 SP2	No Driver	1.40.272-1225	2.07.00	20
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 4.9 64bit	00.00.05.25-RH1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.4 64bit	00.00.04.37	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.5 64bit	00.00.04.37	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.6 64bit	00.00.04.31-RH1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.7 64bit	00.00.05.38-rh1	1.40.272-1225	2.07.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 6.0 64bit	00.00.04.28-RH1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 6.1 64bit	00.00.05.34-rc1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.04.37	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.05.25-SL1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	SUSE Linux Enterprise Server 11.1 64bit	00.00.04.37	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0	00.00.03.21.11vmw	1.40.272-1225	2.07.00	4
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i	00.00.03.21.11vmw	1.40.272-1225	2.07.00	4
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0 U1	00.00.04.12.15vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i U1	00.00.04.12.15vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0 U2	00.00.04.12.15vmw	1.40.272-1225	2.07.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i U2	00.00.04.12.15vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0 U3	00.00.04.12.16vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i U3	00.00.04.12.16vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1i	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1 U1	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1i U1	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.40.272-1225	2.07.00	
C200 M2	LSI	MegaRAID SAS 8708EM2	vSphere 5.0i	00.00.04.32.1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Windows Server 2008 R2 x64 w/Hyper-V SP1	4.32.0.64	1.40.272-1225	2.07.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M1	LSI	MegaRAID SAS 8708EM2	Windows Server 2008 x64 w/Hyper-V SP2	4.32.0.64	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.93-1268	3.22.00	20
C200 M1	LSI	MegaRAID SAS 8708EM2	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.93-1268	3.22.00	20
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.04.01-4.27-RH1	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.04.37	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.04.37	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.04.31-RH1	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.05.38-rh1	2.120.133.1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.04.28-RH1	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.05.34-rc1	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.04.37	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.05.25-SL1	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.04.37	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120.133.1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120.133.1322	3.22.00	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	vSphere 5.0i	00.00.04.32.1vmw	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	4.32.0.64	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Windows Server 2008 x64 w/Hyper-V SP2	4.32.0.64	2.120.133.1322	3.22.00	
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.93-1268	3.22.00	20
C200 M2	LSI	MegaRAID 9260-4i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.93-1268	3.22.00	20
C200 M2(SFF)	LSI	MegaRAID 9260-8i PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.04.01-4.27-RH1	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.04.37	2.120.133.1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.04.37	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.04.31-RH1	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.05.38-rh1	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.04.28-RH1	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.05.34-rc1	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.04.37	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.04.37	2.120.133.1322	3.22.00	19
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.05.25-SL1	2.120.133.1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	MegaRAID 9260-8i PCIe RAID Controller	Solaris 10 Update 9	2.4	2.120.133.1322	3.22.00	
C200 M2(SFF)	LSI	MegaRAID 9260-8i PCIe RAID Controller	Solaris 10 Update 10	2.9	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120.133.1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	vSphere 5.0i	00.00.04.32.1vmw	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	4.32.0.64	2.120.133.1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Windows Server 2008 x64 w/Hyper-V SP2	4.32.0.64	2.120.133.1322	3.22.00	
C200 M2(SFF), C460 M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.93-1268	3.22.00	20
C200 M2(SFF), C460 M2	LSI	MegaRAID 9260-8i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.93-1268	3.22.00	20
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.04.01-4.27-RH1	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.04.37	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.04.37	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.04.31-RH1	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.05.38-rh1	2.120.133-1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.04.28-RH1	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.05.34-rc1	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.04.37	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.05.25-SL1	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.04.37	2.120.133-1322	3.22.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Solaris 10 Update 9	2.4	2.120.133-1322	3.22.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Solaris 10 Update 10	2.9	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.133-1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120.133-1322	3.22.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120.133-1322	3.22.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	vSphere 5.0i	00.00.04.32.1vmw	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	4.32.0.64	2.120.133-1322	3.22.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Windows Server 2008 x64 w/Hyper-V SP2	4.32.0.64	2.120.133-1322	3.22.00	
C210 M2, C250 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.93-1268	3.22.00	20
C210 M2, C250 M2	LSI	MegaRAID 9261-8i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.93-1268	3.22.00	20



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.4 64bit	4.26.00.00	1.32.04.00	6.34.00.00	2
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.5 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.6 64bit	3.04.15rh	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.7 64bit	3.04.18rh	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 6.0 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	3.04.17-suse	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	4.26.00.00	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2	LSI	SAS308IER PCIe RAID Controller	Solaris 10 Update 9	1.100	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS308IER PCIe RAID Controller	Solaris 10 Update 10	1.109	1.32.04.00	6.34.00.00	
C250 M1	LSI	SAS308IER PCIe RAID Controller	vSphere 4.0	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C250 M1	LSI	SAS308IER PCIe RAID Controller	vSphere 4.0i	4.21.00.01.1-5vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS308IER PCIe RAID Controller	vSphere 4.0 U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS308IER PCIe RAID Controller	vSphere 4.0i U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS308IER PCIe RAID Controller	vSphere 4.0 U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS308IER PCIe RAID Controller	vSphere 4.0i U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS308IER PCIe RAID Controller	vSphere 4.0 U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0i U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1	4.21.00.01.1-5vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1i	4.21.00.01.1-5vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1 U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1i U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 5.0i	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	1.34.2.0	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2	LSI	SAS308IER PCIe RAID Controller	Windows Server 2008 x64 w/Hyper-V SP2	1.34.2.0	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS308IER PCIe RAID Controller	Citrix XenServer 6.0 Boston	4.22.00.00	1.32.00.00-IR	6.34.00.00	20
C250 M2	LSI	SAS308IER PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	4.22.00.00	1.32.00.00-IR	6.34.00.00	20
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 4.9 64bit	3.12.29.00rh	1.32.04.00	6.34.00.00	2
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.4 64bit	4.26.00.00	1.32.04.00	6.34.00.00	2
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.5 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.6 64bit	3.04.15rh	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.7 64bit	3.04.18rh	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 6.0 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	3.04.17_suse	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 11.1 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Solaris 10 Update 9	1.100	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Solaris 10 Update 10	1.109	1.32.04.00	6.34.00.00	
C200/C210 M1	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0 U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0 U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0 U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1i	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1 U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1i U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 5.0i	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	1.34.2.0	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Windows Server 2008 x64 w/Hyper-V SP2	1.34.2.0	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Citrix XenServer 6.0 Boston	4.22.00.00	1.32.04.00	6.34.00.00	20
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Citrix XenServer 5.6 FP1 SP2	4.22.00.00	1.32.04.00	6.34.00.00	20
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 4.9 64bit	3.12.29.00rh	1.32.04.00-IR	6.34.00.00	2
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.4 64bit	4.26.00.00	1.32.04.00-IR	6.34.00.00	2
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.5 64bit	4.26.00.00	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.6 64bit	3.04.15rh	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.7 64bit	3.04.18rh	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 6.0 64bit	4.26.00.00	1.32.04.00-IR	6.34.00.00	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 6.1 64bit	3.04.18	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	4.26.00.00	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	3.04.17-suse	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 11.1 64bit	4.26.00.00	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Solaris 10 Update 9	1.100	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Solaris 10 Update 10	1.109	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0	4.00.37.00.27vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i	4.00.37.00.27vmw	1.32.04.00-IR	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0 U1	4.00.37.00.27vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i U1	4.00.37.00.27vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0 U2	4.00.37.00.29vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i U2	4.00.37.00.29vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0 U3	4.00.37.00.30vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i U3	4.00.37.00.30vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1	4.00.37.00.23vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1i	4.00.37.00.23vmw	1.32.04.00-IR	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1 U1	4.21.00.01.1-6vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1i U1	4.21.00.01.1-6vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 5.0i	4.23.01.00-5vmw	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Windows Server 2008 R2 x64 w/Hyper-V SP1	1.34.2.0	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Windows Server 2008 x64 w/Hyper-V SP2	1.34.2.0	1.32.04.00-IR	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Citrix XenServer 6.0 Boston	4.22.00.00	1.32.04.00-IR	6.34.00.00	20

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Citrix XenServer 5.6 FP1 SP2	4.22.00.00	1.32.04.00-IR	6.34.00.00	20
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.04.37	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.04.37	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.04.37	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.04.31-RH1	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.05.38-rh1	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.04.28-RH1	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.05.34-rc1	2.120.13-1133	3.20.000	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.04.37	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.05.25-SL1	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.04.37	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Solaris 10 Update 9	2.4	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Solaris 10 Update 10	2.9	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120.13-1133	3.20.000	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120.13-1133	3.20.000	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	vSphere 5.0i	00.00.04.32.1vmw	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	4.32.0.64	2.120.13-1133	3.20.000	
C200/C210 M2 ,C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Windows Server 2008 x64 w/Hyper-V SP2	4.32.0.64	2.120.13-1133	3.20.000	
C200/C210 M2, C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.13-1133	3.20.000	20
C200/C210 M2, C200 M2(SFF)	LSI	MegaRAID 9280-4i/4e PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.13-1133	3.20.000	20
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.04.37	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.04.37	2.120.14-1122	4.20.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.04.31-RH1	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.05.38-rh1	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.04.28-RH1	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.05.34-rc1	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.04.37	2.120.14-1122	4.20.00	
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.14-1122	4.20.00	
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.14-1122	4.20.00	
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120.14-1122	4.20.00	



UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120.14-1122	4.20.00	
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120.14-1122	4.20.00	
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120.14-1122	4.20.00	
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120.14-1122	4.20.00	
C460 M1	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.1i U1	Not able to install OS. Refer :CSCtq32318	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120.14-1122	4.20.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120.14-1122	4.20.00	
C460 M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	vSphere 5.0i	00.00.04.32.1vmw	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	4.32.0.64	2.120.14-1122	4.20.00	
C460 M1 & M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Windows Server 2008 x64 w/Hyper-V SP2	4.32.0.64	2.120.14-1122	4.20.00	
C460 M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.14-1122	4.20.00	20
C460 M2	LSI	MegaRAID 9240-8i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.14-1122	4.20.00	20

### Storage Controller Interoperability Matrix

Table 7 lists the storage controllers that the Unified Computing System C Series Servers support.

**Table 7: Storage Controllers**

UCS Server	Vendor	Storage Controller Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS
C210 M2	LSI	LSI 9201 Mass Storage Controller	Enterprise Linux 5.6 64bit	11.00.01.00	11.00.00.00-IT	v7.21.00.00
C210 M2	LSI	LSI 9201 Mass Storage Controller	Enterprise Linux 6.1 64bit	11.00.01.00	11.00.00.00-IT	v7.21.00.00
C210 M2	LSI	LSI 9201 Mass Storage Controller	SUSE Linux Enterprise Server 11.1 64bit	11.00.01.00	11.00.00.00-IT	v7.21.00.00
C210 M2	LSI	LSI 9201 Mass Storage Controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	2.0.49.0	11.00.00.00-IT	v7.21.00.00
C210 M2	LSI	LSI 9201 Mass Storage Controller	Windows Server 2008 x64 w/Hyper-V SP2	2.0.49.0	11.00.00.00-IT	v7.21.00.00

**PCIe Flash Storage Interoperability Matrix**

Table 8 lists the PCIe flash storage devices that the Unified Computing System C Series Servers support.

**Table 8: PCIe Flash Storage Devices**

UCS Server	Vendor	Flash Device Model	Operating System	Adapter Driver	Adapter Firmware
C460 M2	Fusion IO	Fusion-io MLC ioDrive -1.28TB	Enterprise Linux 5.5 64bit	2.3.1	v5.0.7
C460 M2	Fusion IO	Fusion-io MLC ioDrive -1.28TB	Enterprise Linux 5.6 64bit	2.3.1	v5.0.7

UCS Server	Vendor	Flash Device Model	Operating System	Adapter Driver	Adapter Firmware
C460 M2	Fusion IO	Fusion-io MLC ioDrive -1.28TB	SUSE Linux Enterprise Server 11.1 64bit	2.3.1	v5.0.7
C460 M2	Fusion IO	Fusion-io MLC ioDrive -1.28TB	Windows Server 2008 R2 x64 w/Hyper-V SP1	2.3.1	v5.0.7
C460 M2	Fusion IO	Fusion-io MLC ioDrive -1.28TB	Windows Server 2008 x64 w/Hyper-V SP2	2.3.1	v5.0.7
C460 M2	Fusion IO	Fusion-io MLC ioDrive -1.28TB	vSphere 4.1i	2.3.1	v5.0.7
C460 M2	Fusion IO	Fusion-io MLC ioDrive -1.28TB	vSphere 4.1i U1	2.3.1	v5.0.7
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion-io MLC ioDrive - 640GB/320GB	Enterprise Linux 5.5 64bit	2.3.1	v5.0.7
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion-io MLC ioDrive - 640GB/320GB	Enterprise Linux 5.6 64bit	2.3.1	v5.0.7
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion-io MLC ioDrive - 640GB/320GB	SUSE Linux Enterprise Server 11.1 64bit	2.3.1	v5.0.7
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion-io MLC ioDrive - 640GB/320GB	Windows Server 2008 R2 x64 w/Hyper-V SP1	2.3.1	v5.0.7

UCS Server	Vendor	Flash Device Model	Operating System	Adapter Driver	Adapter Firmware
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion-io MLC ioDrive - 640GB/320GB	Windows Server 2008 x64 w/Hyper-V SP2	2.3.1	v5.0.7
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion-io MLC ioDrive - 640GB/320GB	vSphere 4.1i	2.3.1	v5.0.7
C200/C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion-io MLC ioDrive - 640GB/320GB	vSphere 4.1i U1	2.3.1	v5.0.7

#### Graphics Processing Unit Interoperability Matrix

Table 9 lists the graphics processing units that the Unified Computing System C Series Servers support.

**Table 9: Graphics Processing Units**

UCS Server	Vendor	GPU Model	Operating System	Adapter Driver	Adapter Firmware
C460 M2	NVIDIA	NVIDIA Display controller	Windows Server 2008 R2 x64 w/Hyper-V SP1	270.90	70.00.2b.00.02
C460 M2	NVIDIA	NVIDIA Display controller	Enterprise Linux 5.5 64bit	270.41.19	70.00.2b.00.02
C460 M2	NVIDIA	NVIDIA Display controller	Enterprise Linux 6.0 64bit	270.41.19	70.00.2b.00.02
C460 M2	NVIDIA	NVIDIA Display controller	SUSE Linux Enterprise Server 11.1 64bit	270.41.19	70.00.2b.00.02

## Notes

- 1 Requires Intel 55xx chipset drivers from [download.intel.com](http://download.intel.com)
- 2 Requires reboot after driver installation
- 3 In an iSCSI Boot environment, Microsoft KB943295 must be installed
- 4 Requires firmware: 1.10.02-0197. This requires a driver CD whose ISO is available at: <http://www.vmware.com/support/vi3/doc/drivercd/esx301-cciss-2.4.66.html>
- 5 Netqueue not supported
- 6 Driver version is for Software RAID
- 7 Only supported with device ID 10C9, update available
- 8 55xx processor family supported, this OS version does not support the 56xx processor family
- 9 The 2.6.18-164.9.1 errata kernel (or newer) is required to run Red Hat Enterprise Linux 5.4 on a Cisco UCS C460 M1
- 10 Certification is pending for supported driver
- 11 The NVRAM version of BCM5709 obtained from hostupdate utility is C250T6045-2.0
- 12 The NVRAM version of BCM57711 obtained from hostupdate utility is C460T6045-2.0/3.3-aa0.5ad
- 13 Reconfigure manually the iSCSI settings for Broadcomm adapter after the FW upgrade using hostupdate utility
- 14 SAN boot is not supported
- 15 iSCSI boot is not supported
- 16 FCOE is not supported
- 17 CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+ is certified with outbox driver bnx2 v2.1.6b ,bnx2x v1.64.32
- 18 Inbox Driver versions may not be supported, download from device vendor site and install driver to enable device access
- 19 C460 M1 supports only SLES10.3 errata kernel, not the GA release
- 20 Supports inbox drivers only
- 21 Requires Enterprise Edition or better; Core Edition is not supported

## Related Documentation

Links to the latest versions of related Cisco documentation are available in the *Cisco UCS Rack-Mount Servers Documentation Roadmap*, located at:

<http://www.cisco.com/go/unifiedcomputing/c-series-doc>

## Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.