



Supported Cisco MDS NX-OS Software Nondisruptive Upgrade Paths

This section provides information on nondisruptive upgrade paths that are supported for Cisco MDS NX-OS software Release 9.x. It includes the following topics:

- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(4\), on page 1](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(3b\), on page 3](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(3a\), on page 4](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(3\), on page 5](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(2a\), on page 6](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(2\), on page 7](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(1a\), on page 8](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(1\), on page 9](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.3\(2a\), on page 9](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.3\(2\), on page 10](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.3\(1\), on page 10](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.2\(2\), on page 11](#)
- [Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.2\(1\), on page 12](#)
- [FICON Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(3b\), on page 12](#)
- [FICON Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4\(1a\), on page 13](#)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(4)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(3b)	Upgrade directly to MDS NX-OS Release 9.4(4)
9.4(3a)	Upgrade directly to MDS NX-OS Release 9.4(4)
9.4(3)	Upgrade directly to MDS NX-OS Release 9.4(4)
9.4(2a)	Upgrade directly to MDS NX-OS Release 9.4(4)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(2)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(2a) 2. Upgrade to MDS NX-OS Release 9.4(4)
9.4(1a)	Upgrade directly to MDS NX-OS Release 9.4(4)
9.4(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(4)
9.3(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(4)
9.2(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(4)
8.5(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(4)
8.4(2c), 8.4(2d), 8.4(2e), 8.4(2f)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(4)
Any 8.x prior to 8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) or 8.4(2e) or 8.4(2f) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(4)
7.3(1)DY	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(c) 3. Upgrade to MDS NX-OS Release 9.4(1a) 4. Upgrade to MDS NX-OS Release 9.4(4)
6.2(29), 6.2(31), 6.2(33)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(4)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(3b)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(3a)	Upgrade directly to MDS NX-OS Release 9.4(3b)
9.4(3)	Upgrade directly to MDS NX-OS Release 9.4(3b)
9.4(2a)	Upgrade directly to MDS NX-OS Release 9.4(3b)
9.4(2)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(2a) 2. Upgrade to MDS NX-OS Release 9.4(3b)
9.4(1a)	Upgrade directly to MDS NX-OS Release 9.4(3b)
9.4(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3b)
9.3(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3b)
9.2(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3b)
8.5(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3b)
8.4(2c), 8.4(2d), 8.4(2e), 8.4(2f)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3b)
Any 8.x prior to 8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) or 8.4(2e) or 8.4(2f) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3b)
7.3(1)DY	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(c) 3. Upgrade to MDS NX-OS Release 9.4(1a) 4. Upgrade to MDS NX-OS Release 9.4(3b)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
6.2(29), 6.2(31), 6.2(33)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3b)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(3a)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(3)	Upgrade directly to MDS NX-OS Release 9.4(3a)
9.4(2a)	Upgrade directly to MDS NX-OS Release 9.4(3a)
9.4(2)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(2a) 2. Upgrade to MDS NX-OS Release 9.4(3a)
9.4(1a)	Upgrade directly to MDS NX-OS Release 9.4(3a)
9.4(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3a)
9.3(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3a)
9.2(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3a)
8.5(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3a)
8.4(2c), 8.4(2d), 8.4(2e), 8.4(2f)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3a)
Any 8.x prior to 8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) or 8.4(2e) or 8.4(2f) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3a)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
7.3(1)DY	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(c) 3. Upgrade to MDS NX-OS Release 9.4(1a) 4. Upgrade to MDS NX-OS Release 9.4(3a)
6.2(29), 6.2(31), 6.2(33)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3a)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(3)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(2a)	Upgrade directly to MDS NX-OS Release 9.4(3)
9.4(2)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(2a) 2. Upgrade to MDS NX-OS Release 9.4(3)
9.4(1a)	Upgrade directly to MDS NX-OS Release 9.4(3)
9.4(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3)
9.3(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3)
9.2(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3)
8.5(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3)
8.4(2c), 8.4(2d), 8.4(2e), 8.4(2f)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
Any 8.x prior to 8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) or 8.4(2e) or 8.4(2f). 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3)
7.3(1)DY	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(c) 3. Upgrade to MDS NX-OS Release 9.4(1a) 4. Upgrade to MDS NX-OS Release 9.4(3)
6.2(29), 6.2(31), 6.2(33)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(2a)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(2)	Upgrade directly to MDS NX-OS Release 9.4(2a)
9.4(1a)	Upgrade directly to MDS NX-OS Release 9.4(2a)
9.4(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2a)
9.3(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2a)
9.2(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2a)
8.5(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2a)
8.4(2c), 8.4(2d), 8.4(2e), 8.4(2f)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2a)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
Any 8.x prior to 8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) or 8.4(2e) or 8.4(2f). 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(2a)
7.3(1)DY	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(c) 3. Upgrade to MDS NX-OS Release 9.4(1a) 4. Upgrade to MDS NX-OS Release 9.4(2a)
6.2(29), 6.2(31), 6.2(33)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(2a)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(2)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(1a)	Upgrade directly to MDS NX-OS Release 9.4(2)
9.4(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2)
9.3(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2)
9.2(x)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2)
8.5(1)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2)
8.4(2c), 8.4(2d), 8.4(2e), 8.4(2f)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(2)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
Any 8.x prior to 8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) or 8.4(2e) or 8.4(2f). 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(2)
7.3(1)DY	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(c) 3. Upgrade to MDS NX-OS Release 9.4(1a) 4. Upgrade to MDS NX-OS Release 9.4(2)
6.2(29), 6.2(31), 6.2(33)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(2)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(1a)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.4(1)	Upgrade directly to MDS NX-OS Release 9.4(1a)
9.3(x)	Upgrade directly to MDS NX-OS Release 9.4(1a)
9.2(x)	Upgrade directly to MDS NX-OS Release 9.4(1a)
8.5(1)	Upgrade directly to MDS NX-OS Release 9.4(1a)
8.4(2c), 8.4(2d), 8.4(2e), 8.4(2f)	Upgrade directly to MDS NX-OS Release 9.4(1a)
Any 8.x prior to 8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) or 8.4(2e) or 8.4(2f) 2. Upgrade to MDS NX-OS Release 9.4(1a)
7.3(1)DY	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(c) 3. Upgrade to MDS NX-OS Release 9.4(1a)
6.2(29), 6.2(31), 6.2(33)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.4(2d) 2. Upgrade to MDS NX-OS Release 9.4(1a)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(1)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.(x)	Upgrade directly to MDS NX-OS Release 9.4(1)
8.5(1)	Upgrade directly to MDS NX-OS Release 9.4(1)
8.4(2f), 8.4(2e), 8.4(2d), and 8.4(2c)	Upgrade directly to MDS NX-OS Release 9.4(1)
8.4(2b) and prior releases	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c), 8.4(2d), 8.4(2e) and 8.4(2f) 2. Upgrade to MDS NX-OS Release 9.4(1)
All 7.3(x) releases	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.1(1b) 2. Upgrade to MDS NX-OS Release 9.4(1)
6.2(29) and above releases	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) or 8.1(1b) 2. Upgrade to MDS NX-OS Release 9.4(1)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.3(2a)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.3(x)	Upgrade directly to MDS NX-OS Release 9.3(2a)
9.2(x)	Upgrade directly to MDS NX-OS Release 9.3(2a)
8.1(x) and above releases	Upgrade directly to MDS NX-OS Release 9.3(2a)
All 7.3(x) releases	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 9.3(2a)
6.2(29) and above releases	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.3(2a)
6.2(13a) until 6.2(27)	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 6.2(29) 2. Upgrade directly to MDS NX-OS Release 8.4(2c) 3. Upgrade to MDS NX-OS Release 9.3(2a)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
All 6.2(x) releases prior to 6.2(13a)	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 6.2(13a) 2. Upgrade directly to MDS NX-OS Release 6.2(29) 3. Upgrade to MDS NX-OS Release 8.4(2c) 4. Upgrade to MDS NX-OS Release 9.3(2a)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.3(2)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.3(1)	Upgrade directly to MDS NX-OS Release 9.3(2)
9.2(x)	Upgrade directly to MDS NX-OS Release 9.3(2)
8.1(x) and above releases	Upgrade directly to MDS NX-OS Release 9.3(2)
All 7.3(x) releases	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 9.3(2)
6.2(29) and above releases	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.3(2)
6.2(13a) until 6.2(27)	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 6.2(29) 2. Upgrade directly to MDS NX-OS Release 8.4(2c) 3. Upgrade to MDS NX-OS Release 9.3(2)
All 6.2(x) releases prior to 6.2(13a)	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 6.2(13a) 2. Upgrade directly to MDS NX-OS Release 6.2(29) 3. Upgrade to MDS NX-OS Release 8.4(2c) 4. Upgrade to MDS NX-OS Release 9.3(2)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.3(1)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.2(x)	Upgrade directly to MDS NX-OS Release 9.3(1)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
8.1(x) and above releases	Upgrade directly to MDS NX-OS Release 9.3(1)
All 7.3(x) releases	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 9.3(1)
6.2(29) and above releases	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.3(1)
6.2(13a) until 6.2(27)	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 6.2(29) 2. Upgrade directly to MDS NX-OS Release 8.4(2c) 3. Upgrade to MDS NX-OS Release 9.3(1)
All 6.2(x) releases prior to 6.2(13a)	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 6.2(13a) 2. Upgrade directly to MDS NX-OS Release 6.2(29) 3. Upgrade to MDS NX-OS Release 8.4(2c) 4. Upgrade to MDS NX-OS Release 9.3(1)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.2(2)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
9.2(1)	Upgrade directly to MDS NX-OS Release 9.2(2)
8.1(x) and above releases	Upgrade directly to MDS NX-OS Release 9.2(2)
All 7.3(x) releases	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 9.2(2)
6.2(29) and above releases	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.2(2)
6.2(13a) until 6.2(27)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 6.2(29) 2. Upgrade to MDS NX-OS Release 8.4(2c) 3. Upgrade to MDS NX-OS Release 9.2(2)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
All 6.2(x) releases prior to 6.2(13a)	<ol style="list-style-type: none"> 1. Upgrade directly to MDS NX-OS Release 6.2(13a) 2. Upgrade directly to MDS NX-OS Release 6.2(29) 3. Upgrade to MDS NX-OS Release 8.4(2c) 4. Upgrade to MDS NX-OS Release 9.2(2)

Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.2(1)

Current Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
8.1(x) and above releases	Upgrade to MDS NX-OS Release 9.2(1)
All 7.3(x) releases	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 9.2(1)
6.2(29) and above releases	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.2(1)
6.2(13a) until 6.2(27)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 6.2(29) 2. Upgrade to MDS NX-OS Release 8.4(2c) 3. Upgrade to MDS NX-OS Release 9.2(1)
All 6.2(x) releases prior to 6.2(13a)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 6.2(13a) 2. Upgrade to MDS NX-OS Release 6.2(29) 3. Upgrade to MDS NX-OS Release 8.4(2c) 4. Upgrade to MDS NX-OS Release 9.2(1)

FICON Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(3b)

Current FICON-qualified Release	Nondisruptive Upgrade Paths
9.4(1a)	Upgrade directly to MDS NX-OS Release 9.4(3b)
8.4(2e)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3b)

Current FICON-qualified Release	Nondisruptive Upgrade Paths
8.4(2c)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 9.4(1a) 2. Upgrade to MDS NX-OS Release 9.4(3b)
8.4(2b)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3b)
8.4(1a)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3b)
8.1(1b)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.4(1a) 3. Upgrade to MDS NX-OS Release 9.4(3b)
8.1(1a)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.1(1b) 2. Upgrade to MDS NX-OS Release 8.4(2c) 3. Upgrade to MDS NX-OS Release 9.4(1a) 4. Upgrade to MDS NX-OS Release 9.4(3b)

FICON Nondisruptive Upgrade Paths to Cisco MDS NX-OS Release 9.4(1a)

Current FICON-qualified Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
8.4(2e)	Upgrade directly to MDS NX-OS Release 9.4(1a)
8.4(2c)	Upgrade directly to MDS NX-OS Release 9.4(1a)
8.4(2b)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.4(1a)
8.4(1a)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.4(1a)
8.1(1b)	<ol style="list-style-type: none"> 1. Upgrade to MDS NX-OS Release 8.4(2c) 2. Upgrade to MDS NX-OS Release 9.4(1a)

Current FICON-qualified Release	Nondisruptive Upgrade Path and Ordered Upgrade Steps
8.1(1a)	<ol style="list-style-type: none">1. Upgrade to MDS NX-OS Release 8.1(1b)2. Upgrade to MDS NX-OS Release 8.4(2c)3. Upgrade to MDS NX-OS Release 9.4(1a)
6.2(11e)	<ol style="list-style-type: none">1. Upgrade to MDS NX-OS Release 8.1(1a)2. Upgrade to MDS NX-OS Release 8.1(1b)3. Upgrade to MDS NX-OS Release 8.4(2c)4. Upgrade to MDS NX-OS Release 9.4(1a)