



Northbound Trap Examples

CISCO-EPM-NOTIFICATION MIB Traps

The following examples show some CISCO-EPM-NOTIFICATION-MIB traps that were generated by MWTM.

- [Example 1 — New Event, page G-1](#)
- [Example 2 — Updated Event Count, page G-3](#)
- [Example 3 — Acknowledged Event, page G-5](#)
- [Example 4 — Clear Event, page G-7](#)
- [Example 5 — Deleted Event, page G-9](#)

Example 1 — New Event

```
No.      Time      Source      Destination      Protocol Info
      2 104.900222 172.18.126.237 172.18.175.72    SNMP    TRAP-V1
CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0
CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0 CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0 CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0
```

Frame 2 (1031 bytes on wire, 1031 bytes captured)

```

Ethernet II, Src: Cisco_10:ac:0a (00:07:ec:10:ac:0a), Dst: SunMicro_ec:e9:c1
(00:03:ba:ec:e9:c1)
Internet Protocol, Src: 172.18.126.237 (172.18.126.237), Dst: 172.18.175.72
(172.18.175.72)
User Datagram Protocol, Src Port: 48750 (48750), Dst Port: 45010 (45010)
Simple Network Management Protocol
  Version: 1 (0)
  Community: public
  PDU type: TRAP-V1 (4)
  Enterprise: 1.3.6.1.4.1.9.9.311 (CISCO-EPM-NOTIFICATION-MIB::ciscoEpmNotificationMIB)
  Agent address: 172.18.126.237 (172.18.126.237)
  Trap type: ENTERPRISE SPECIFIC (6)
  Specific trap type: 2
  Timestamp: 58789
  Object identifier 1: 1.3.6.1.4.1.9.9.311.1.1.2.1.2.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0)
  Value: STRING:
  Object identifier 2: 1.3.6.1.4.1.9.9.311.1.1.2.1.3.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0)
  Value: Timeticks: (58789) 0:09:47.89
  Object identifier 3: 1.3.6.1.4.1.9.9.311.1.1.2.1.4.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0)
  Value: Timeticks: (58789) 0:09:47.89
  Object identifier 4: 1.3.6.1.4.1.9.9.311.1.1.2.1.5.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0)
  Value: STRING: 1409
  Object identifier 5: 1.3.6.1.4.1.9.9.311.1.1.2.1.6.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0)
  Value: INTEGER: 0
  Object identifier 6: 1.3.6.1.4.1.9.9.311.1.1.2.1.7.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0)
  Value: STRING: 0, New
  Object identifier 7: 1.3.6.1.4.1.9.9.311.1.1.2.1.8.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0)
  Value: INTEGER: unknown(1)
  Object identifier 8: 1.3.6.1.4.1.9.9.311.1.1.2.1.9.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0)
  Value: INTEGER: 1
  Object identifier 9: 1.3.6.1.4.1.9.9.311.1.1.2.1.10.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0)
  Value: STRING: 1,Trap
  Object identifier 10: 1.3.6.1.4.1.9.9.311.1.1.2.1.11.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0)
  Value: INTEGER: ipv4(1)
  Object identifier 11: 1.3.6.1.4.1.9.9.311.1.1.2.1.12.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0)
  Value: STRING: "172.18.126.237"
  Object identifier 12: 1.3.6.1.4.1.9.9.311.1.1.2.1.13.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0)
  Value: STRING: ITP Node
  Object identifier 13: 1.3.6.1.4.1.9.9.311.1.1.2.1.14.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0)
  Value: INTEGER: ipv4(1)
  Object identifier 14: 1.3.6.1.4.1.9.9.311.1.1.2.1.15.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0)
  Value: STRING: "172.18.17.16"
  Object identifier 15: 1.3.6.1.4.1.9.9.311.1.1.2.1.16.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0)
  Value: STRING: "sgm-76-91a.cisco.com (clli_7691a) - Reported Fan state Warning on
Internal Chassis Fan."
  Object identifier 16: 1.3.6.1.4.1.9.9.311.1.1.2.1.17.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0)
  Value: INTEGER: 5

```

```

Object identifier 17: 1.3.6.1.4.1.9.9.311.1.1.2.1.18.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0)
Value: STRING: 5, Major
Object identifier 18: 1.3.6.1.4.1.9.9.311.1.1.2.1.19.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0)
Value: INTEGER: 0
Object identifier 19: 1.3.6.1.4.1.9.9.311.1.1.2.1.20.0
(CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0)
Value: STRING: "1409"
Object identifier 20: 1.3.6.1.4.1.9.9.311.1.1.2.1.21.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0)
Value: STRING: FanAlarm
Object identifier 21: 1.3.6.1.4.1.9.9.311.1.1.2.1.22.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0)
Value: STRING: 2007-01-17,10:35:55.617,-0500
Object identifier 22: 1.3.6.1.4.1.9.9.311.1.1.2.1.23.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0)
Value: STRING: 2007-01-17,10:35:55.617,-0500
Object identifier 23: 1.3.6.1.4.1.9.9.311.1.1.2.1.24.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0)
Value: INTEGER: alert(2)
Object identifier 24: 1.3.6.1.4.1.9.9.311.1.1.2.1.25.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0)
Value: Gauge32: 1
Object identifier 25: 1.3.6.1.4.1.9.9.311.1.1.2.1.26.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0)
Value: STRING: Node=sgm-76-91a.cisco.com-FanAlarm-1
Object identifier 26: 1.3.6.1.4.1.9.9.311.1.1.2.1.27.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0)
Value: STRING: Node=sgm-76-91a.cisco.com
Object identifier 27: 1.3.6.1.4.1.9.9.311.1.1.2.1.28.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0)
Value: STRING:
Object identifier 28: 1.3.6.1.4.1.9.9.311.1.1.2.1.29.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0)
Value: STRING: 1409

```

Example 2 — Updated Event Count

| No. | Time | Source | Destination | Protocol | Info |
|--|------------|----------------|---------------|----------|---------|
| 3 | 143.147726 | 172.18.126.237 | 172.18.175.72 | SNMP | TRAP-V1 |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0 CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0 | | | | | |

```

CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0 CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0

Frame 3 (1034 bytes on wire, 1034 bytes captured)
Ethernet II, Src: Cisco_10:ac:0a (00:07:ec:10:ac:0a), Dst: SunMicro_ec:e9:c1
(00:03:ba:ec:e9:c1)
Internet Protocol, Src: 172.18.126.237 (172.18.126.237), Dst: 172.18.175.72
(172.18.175.72)
User Datagram Protocol, Src Port: 48750 (48750), Dst Port: 45010 (45010)
Simple Network Management Protocol
  Version: 1 (0)
  Community: public
  PDU type: TRAP-V1 (4)
  Enterprise: 1.3.6.1.4.1.9.9.311 (CISCO-EPM-NOTIFICATION-MIB::ciscoEpmNotificationMIB)
  Agent address: 172.18.126.237 (172.18.126.237)
  Trap type: ENTERPRISE SPECIFIC (6)
  Specific trap type: 2
  Timestamp: 62614
  Object identifier 1: 1.3.6.1.4.1.9.9.311.1.1.2.1.2.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0)
  Value: STRING:
  Object identifier 2: 1.3.6.1.4.1.9.9.311.1.1.2.1.3.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0)
  Value: Timeticks: (62614) 0:10:26.14
  Object identifier 3: 1.3.6.1.4.1.9.9.311.1.1.2.1.4.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0)
  Value: Timeticks: (62614) 0:10:26.14
  Object identifier 4: 1.3.6.1.4.1.9.9.311.1.1.2.1.5.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0)
  Value: STRING: 1409
  Object identifier 5: 1.3.6.1.4.1.9.9.311.1.1.2.1.6.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0)
  Value: INTEGER: 1
  Object identifier 6: 1.3.6.1.4.1.9.9.311.1.1.2.1.7.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0)
  Value: STRING: 1, Update
  Object identifier 7: 1.3.6.1.4.1.9.9.311.1.1.2.1.8.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0)
  Value: INTEGER: unknown(1)
  Object identifier 8: 1.3.6.1.4.1.9.9.311.1.1.2.1.9.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0)
  Value: INTEGER: 1
  Object identifier 9: 1.3.6.1.4.1.9.9.311.1.1.2.1.10.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0)
  Value: STRING: 1,Trap
  Object identifier 10: 1.3.6.1.4.1.9.9.311.1.1.2.1.11.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0)
  Value: INTEGER: ipv4(1)
  Object identifier 11: 1.3.6.1.4.1.9.9.311.1.1.2.1.12.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0)
  Value: STRING: "172.18.126.237"
  Object identifier 12: 1.3.6.1.4.1.9.9.311.1.1.2.1.13.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0)
  Value: STRING: ITP Node
  Object identifier 13: 1.3.6.1.4.1.9.9.311.1.1.2.1.14.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0)
  Value: INTEGER: ipv4(1)
  Object identifier 14: 1.3.6.1.4.1.9.9.311.1.1.2.1.15.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0)
  Value: STRING: "172.18.17.16"
  Object identifier 15: 1.3.6.1.4.1.9.9.311.1.1.2.1.16.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0)

```

```

Value: STRING: "sgm-76-91a.cisco.com (clli_7691a) - Reported Fan state Warning on
Internal Chassis Fan."
Object identifier 16: 1.3.6.1.4.1.9.9.311.1.1.2.1.17.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0)
Value: INTEGER: 5
Object identifier 17: 1.3.6.1.4.1.9.9.311.1.1.2.1.18.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0)
Value: STRING: 5,Major
Object identifier 18: 1.3.6.1.4.1.9.9.311.1.1.2.1.19.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0)
Value: INTEGER: 0
Object identifier 19: 1.3.6.1.4.1.9.9.311.1.1.2.1.20.0
(CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0)
Value: STRING: "1409"
Object identifier 20: 1.3.6.1.4.1.9.9.311.1.1.2.1.21.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0)
Value: STRING: FanAlarm
Object identifier 21: 1.3.6.1.4.1.9.9.311.1.1.2.1.22.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0)
Value: STRING: 2007-01-17,10:35:55.617,-0500
Object identifier 22: 1.3.6.1.4.1.9.9.311.1.1.2.1.23.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0)
Value: STRING: 2007-01-17,10:36:33.848,-0500
Object identifier 23: 1.3.6.1.4.1.9.9.311.1.1.2.1.24.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0)
Value: INTEGER: alert(2)
Object identifier 24: 1.3.6.1.4.1.9.9.311.1.1.2.1.25.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0)
Value: Gauge32: 2
Object identifier 25: 1.3.6.1.4.1.9.9.311.1.1.2.1.26.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0)
Value: STRING: Node=sgm-76-91a.cisco.com-FanAlarm-1
Object identifier 26: 1.3.6.1.4.1.9.9.311.1.1.2.1.27.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0)
Value: STRING: Node=sgm-76-91a.cisco.com
Object identifier 27: 1.3.6.1.4.1.9.9.311.1.1.2.1.28.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0)
Value: STRING:
Object identifier 28: 1.3.6.1.4.1.9.9.311.1.1.2.1.29.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0)
Value: STRING: 1409

```

Example 3 — Acknowledged Event

| No. | Time | Source | Destination | Protocol | Info |
|---|------------|----------------|---------------|----------|---------|
| 4 | 148.624134 | 172.18.126.237 | 172.18.175.72 | SNMP | TRAP-V1 |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0 | | | | | |

```

CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0
CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0 CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0 CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0

```

```

Frame 4 (1044 bytes on wire, 1044 bytes captured)
Ethernet II, Src: Cisco_10:ac:0a (00:07:ec:10:ac:0a), Dst: SunMicro_ec:e9:c1
(00:03:ba:ec:e9:c1)
Internet Protocol, Src: 172.18.126.237 (172.18.126.237), Dst: 172.18.175.72
(172.18.175.72)
User Datagram Protocol, Src Port: 48750 (48750), Dst Port: 45010 (45010)
Simple Network Management Protocol
  Version: 1 (0)
  Community: public
  PDU type: TRAP-V1 (4)
  Enterprise: 1.3.6.1.4.1.9.9.311 (CISCO-EPM-NOTIFICATION-MIB::ciscoEpmNotificationMIB)
  Agent address: 172.18.126.237 (172.18.126.237)
  Trap type: ENTERPRISE SPECIFIC (6)
  Specific trap type: 2
  Timestamp: 63162
  Object identifier 1: 1.3.6.1.4.1.9.9.311.1.1.2.1.2.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0)
  Value: STRING:
  Object identifier 2: 1.3.6.1.4.1.9.9.311.1.1.2.1.3.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0)
  Value: Timeticks: (63162) 0:10:31.62
  Object identifier 3: 1.3.6.1.4.1.9.9.311.1.1.2.1.4.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0)
  Value: Timeticks: (63162) 0:10:31.62
  Object identifier 4: 1.3.6.1.4.1.9.9.311.1.1.2.1.5.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0)
  Value: STRING: 1409
  Object identifier 5: 1.3.6.1.4.1.9.9.311.1.1.2.1.6.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0)
  Value: INTEGER: 1
  Object identifier 6: 1.3.6.1.4.1.9.9.311.1.1.2.1.7.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0)
  Value: STRING: 1, Update
  Object identifier 7: 1.3.6.1.4.1.9.9.311.1.1.2.1.8.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0)
  Value: INTEGER: unknown(1)
  Object identifier 8: 1.3.6.1.4.1.9.9.311.1.1.2.1.9.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0)
  Value: INTEGER: 1
  Object identifier 9: 1.3.6.1.4.1.9.9.311.1.1.2.1.10.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0)
  Value: STRING: 1, Trap
  Object identifier 10: 1.3.6.1.4.1.9.9.311.1.1.2.1.11.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0)
  Value: INTEGER: ipv4(1)
  Object identifier 11: 1.3.6.1.4.1.9.9.311.1.1.2.1.12.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0)
  Value: STRING: "172.18.126.237"
  Object identifier 12: 1.3.6.1.4.1.9.9.311.1.1.2.1.13.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0)
  Value: STRING: ITP Node
  Object identifier 13: 1.3.6.1.4.1.9.9.311.1.1.2.1.14.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0)
  Value: INTEGER: ipv4(1)

```

```

Object identifier 14: 1.3.6.1.4.1.9.9.311.1.1.2.1.15.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0)
Value: STRING: "172.18.17.16"
Object identifier 15: 1.3.6.1.4.1.9.9.311.1.1.2.1.16.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0)
Value: STRING: "sgm-76-91a.cisco.com (cli_7691a) - Reported Fan state Warning on
Internal Chassis Fan."
Object identifier 16: 1.3.6.1.4.1.9.9.311.1.1.2.1.17.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0)
Value: INTEGER: 5
Object identifier 17: 1.3.6.1.4.1.9.9.311.1.1.2.1.18.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0)
Value: STRING: 5,Major
Object identifier 18: 1.3.6.1.4.1.9.9.311.1.1.2.1.19.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0)
Value: INTEGER: 0
Object identifier 19: 1.3.6.1.4.1.9.9.311.1.1.2.1.20.0
(CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0)
Value: STRING: "1409"
Object identifier 20: 1.3.6.1.4.1.9.9.311.1.1.2.1.21.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0)
Value: STRING: FanAlarm
Object identifier 21: 1.3.6.1.4.1.9.9.311.1.1.2.1.22.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0)
Value: STRING: 2007-01-17,10:35:55.617,-0500
Object identifier 22: 1.3.6.1.4.1.9.9.311.1.1.2.1.23.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0)
Value: STRING: 2007-01-17,10:36:41.331,-0500
Object identifier 23: 1.3.6.1.4.1.9.9.311.1.1.2.1.24.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0)
Value: INTEGER: alert(2)
Object identifier 24: 1.3.6.1.4.1.9.9.311.1.1.2.1.25.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0)
Value: Gauge32: 2
Object identifier 25: 1.3.6.1.4.1.9.9.311.1.1.2.1.26.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0)
Value: STRING: Node=sgm-76-91a.cisco.com-FanAlarm-1
Object identifier 26: 1.3.6.1.4.1.9.9.311.1.1.2.1.27.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0)
Value: STRING: Node=sgm-76-91a.cisco.com
Object identifier 27: 1.3.6.1.4.1.9.9.311.1.1.2.1.28.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0)
Value: STRING: ems-svr453
Object identifier 28: 1.3.6.1.4.1.9.9.311.1.1.2.1.29.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0)
Value: STRING: 1409

```

Example 4 — Clear Event

| No. | Time | Source | Destination | Protocol | Info |
|---|------------|----------------|---------------|----------|---------|
| 5 | 160.493700 | 172.18.126.237 | 172.18.175.72 | SNMP | TRAP-V1 |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0 | | | | | |

```

CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0
CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0 CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0 CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0

```

```

Frame 5 (1031 bytes on wire, 1031 bytes captured)
Ethernet II, Src: Cisco_10:ac:0a (00:07:ec:10:ac:0a), Dst: SunMicro_ec:e9:c1
(00:03:ba:ec:e9:c1)
Internet Protocol, Src: 172.18.126.237 (172.18.126.237), Dst: 172.18.175.72
(172.18.175.72)
User Datagram Protocol, Src Port: 48750 (48750), Dst Port: 45010 (45010)
Simple Network Management Protocol
  Version: 1 (0)
  Community: public
  PDU type: TRAP-V1 (4)
  Enterprise: 1.3.6.1.4.1.9.9.311 (CISCO-EPM-NOTIFICATION-MIB::ciscoEpmNotificationMIB)
  Agent address: 172.18.126.237 (172.18.126.237)
  Trap type: ENTERPRISE SPECIFIC (6)
  Specific trap type: 2
  Timestamp: 64349
  Object identifier 1: 1.3.6.1.4.1.9.9.311.1.1.2.1.2.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0)
  Value: STRING:
  Object identifier 2: 1.3.6.1.4.1.9.9.311.1.1.2.1.3.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0)
  Value: Timeticks: (64349) 0:10:43.49
  Object identifier 3: 1.3.6.1.4.1.9.9.311.1.1.2.1.4.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0)
  Value: Timeticks: (64349) 0:10:43.49
  Object identifier 4: 1.3.6.1.4.1.9.9.311.1.1.2.1.5.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0)
  Value: STRING: 1409
  Object identifier 5: 1.3.6.1.4.1.9.9.311.1.1.2.1.6.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0)
  Value: INTEGER: 1
  Object identifier 6: 1.3.6.1.4.1.9.9.311.1.1.2.1.7.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0)
  Value: STRING: 1, Update
  Object identifier 7: 1.3.6.1.4.1.9.9.311.1.1.2.1.8.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0)
  Value: INTEGER: unknown(1)
  Object identifier 8: 1.3.6.1.4.1.9.9.311.1.1.2.1.9.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0)
  Value: INTEGER: 1
  Object identifier 9: 1.3.6.1.4.1.9.9.311.1.1.2.1.10.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0)
  Value: STRING: 1, Trap
  Object identifier 10: 1.3.6.1.4.1.9.9.311.1.1.2.1.11.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0)
  Value: INTEGER: ipv4(1)
  Object identifier 11: 1.3.6.1.4.1.9.9.311.1.1.2.1.12.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0)
  Value: STRING: "172.18.126.237"

```



```

Object identifier 12: 1.3.6.1.4.1.9.9.311.1.1.2.1.13.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0)
Value: STRING: ITP Node
Object identifier 13: 1.3.6.1.4.1.9.9.311.1.1.2.1.14.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0)
Value: INTEGER: ipv4(1)
Object identifier 14: 1.3.6.1.4.1.9.9.311.1.1.2.1.15.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0)
Value: STRING: "172.18.17.16"
Object identifier 15: 1.3.6.1.4.1.9.9.311.1.1.2.1.16.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0)
Value: STRING: "sgm-76-91a.cisco.com - Reported Fan state Normal on Internal Chassis
Fan."
Object identifier 16: 1.3.6.1.4.1.9.9.311.1.1.2.1.17.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0)
Value: INTEGER: 0
Object identifier 17: 1.3.6.1.4.1.9.9.311.1.1.2.1.18.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0)
Value: STRING: 0,Normal
Object identifier 18: 1.3.6.1.4.1.9.9.311.1.1.2.1.19.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0)
Value: INTEGER: 0
Object identifier 19: 1.3.6.1.4.1.9.9.311.1.1.2.1.20.0
(CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0)
Value: STRING: "1409"
Object identifier 20: 1.3.6.1.4.1.9.9.311.1.1.2.1.21.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0)
Value: STRING: FanAlarm
Object identifier 21: 1.3.6.1.4.1.9.9.311.1.1.2.1.22.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0)
Value: STRING: 2007-01-17,10:35:55.617,-0500
Object identifier 22: 1.3.6.1.4.1.9.9.311.1.1.2.1.23.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0)
Value: STRING: 2007-01-17,10:36:51.205,-0500
Object identifier 23: 1.3.6.1.4.1.9.9.311.1.1.2.1.24.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0)
Value: INTEGER: alert(2)
Object identifier 24: 1.3.6.1.4.1.9.9.311.1.1.2.1.25.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0)
Value: Gauge32: 3
Object identifier 25: 1.3.6.1.4.1.9.9.311.1.1.2.1.26.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0)
Value: STRING: Node=sgm-76-91a.cisco.com-FanAlarm-1
Object identifier 26: 1.3.6.1.4.1.9.9.311.1.1.2.1.27.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0)
Value: STRING: Node=sgm-76-91a.cisco.com
Object identifier 27: 1.3.6.1.4.1.9.9.311.1.1.2.1.28.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0)
Value: STRING: ems-svr453
Object identifier 28: 1.3.6.1.4.1.9.9.311.1.1.2.1.29.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0)
Value: STRING: 1409

```

Example 5 — Deleted Event

| No. | Time | Source | Destination | Protocol | Info |
|--|------------|----------------|---------------|----------|---------|
| 6 | 223.839602 | 172.18.126.237 | 172.18.175.72 | SNMP | TRAP-V1 |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0 | | | | | |
| CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0 | | | | | |

```

CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0
CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0
CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0 CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0
CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0 CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0
CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0
CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0 CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0

```

```

Frame 6 (1031 bytes on wire, 1031 bytes captured)
Ethernet II, Src: Cisco_10:ac:0a (00:07:ec:10:ac:0a), Dst: SunMicro_ec:e9:c1
(00:03:ba:ec:e9:c1)
Internet Protocol, Src: 172.18.126.237 (172.18.126.237), Dst: 172.18.175.72
(172.18.175.72)
User Datagram Protocol, Src Port: 48750 (48750), Dst Port: 45010 (45010)
Simple Network Management Protocol
  Version: 1 (0)
  Community: public
  PDU type: TRAP-V1 (4)
  Enterprise: 1.3.6.1.4.1.9.9.311 (CISCO-EPM-NOTIFICATION-MIB::ciscoEpmNotificationMIB)
  Agent address: 172.18.126.237 (172.18.126.237)
  Trap type: ENTERPRISE SPECIFIC (6)
  Specific trap type: 2
  Timestamp: 70684
  Object identifier 1: 1.3.6.1.4.1.9.9.311.1.1.2.1.2.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmVersion.0)
  Value: STRING:
  Object identifier 2: 1.3.6.1.4.1.9.9.311.1.1.2.1.3.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTimestamp.0)
  Value: Timeticks: (70684) 0:11:46.84
  Object identifier 3: 1.3.6.1.4.1.9.9.311.1.1.2.1.4.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmUpdatedTimestamp.0)
  Value: Timeticks: (70684) 0:11:46.84
  Object identifier 4: 1.3.6.1.4.1.9.9.311.1.1.2.1.5.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmInstanceID.0)
  Value: STRING: 1409
  Object identifier 5: 1.3.6.1.4.1.9.9.311.1.1.2.1.6.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatus.0)
  Value: INTEGER: 2
  Object identifier 6: 1.3.6.1.4.1.9.9.311.1.1.2.1.7.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmStatusDefinition.0)
  Value: STRING: 2, Delete
  Object identifier 7: 1.3.6.1.4.1.9.9.311.1.1.2.1.8.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmType.0)
  Value: INTEGER: unknown(1)
  Object identifier 8: 1.3.6.1.4.1.9.9.311.1.1.2.1.9.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategory.0)
  Value: INTEGER: 1
  Object identifier 9: 1.3.6.1.4.1.9.9.311.1.1.2.1.10.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmCategoryDefinition.0)
  Value: STRING: 1,Trap

```

```

Object identifier 10: 1.3.6.1.4.1.9.9.311.1.1.2.1.11.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddressType.0)
Value: INTEGER: ipv4(1)
Object identifier 11: 1.3.6.1.4.1.9.9.311.1.1.2.1.12.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmServerAddress.0)
Value: STRING: "172.18.126.237"
Object identifier 12: 1.3.6.1.4.1.9.9.311.1.1.2.1.13.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectClass.0)
Value: STRING: ITP Node
Object identifier 13: 1.3.6.1.4.1.9.9.311.1.1.2.1.14.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddressType.0)
Value: INTEGER: ipv4(1)
Object identifier 14: 1.3.6.1.4.1.9.9.311.1.1.2.1.15.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmManagedObjectAddress.0)
Value: STRING: "172.18.17.16"
Object identifier 15: 1.3.6.1.4.1.9.9.311.1.1.2.1.16.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmDescription.0)
Value: STRING: "sgm-76-91a.cisco.com - Reported Fan state Normal on Internal Chassis
Fan."
Object identifier 16: 1.3.6.1.4.1.9.9.311.1.1.2.1.17.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverity.0)
Value: INTEGER: 0
Object identifier 17: 1.3.6.1.4.1.9.9.311.1.1.2.1.18.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmSeverityDefinition.0)
Value: STRING: 0,Normal
Object identifier 18: 1.3.6.1.4.1.9.9.311.1.1.2.1.19.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmTriageValue.0)
Value: INTEGER: 0
Object identifier 19: 1.3.6.1.4.1.9.9.311.1.1.2.1.20.0
(CISCO-EPM-NOTIFICATION-MIB::cenEventIDList.0)
Value: STRING: "1409"
Object identifier 20: 1.3.6.1.4.1.9.9.311.1.1.2.1.21.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage1.0)
Value: STRING: FanAlarm
Object identifier 21: 1.3.6.1.4.1.9.9.311.1.1.2.1.22.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage2.0)
Value: STRING: 2007-01-17,10:35:55.617,-0500
Object identifier 22: 1.3.6.1.4.1.9.9.311.1.1.2.1.23.0
(CISCO-EPM-NOTIFICATION-MIB::cenUserMessage3.0)
Value: STRING: 2007-01-17,10:36:51.205,-0500
Object identifier 23: 1.3.6.1.4.1.9.9.311.1.1.2.1.24.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlarmMode.0)
Value: INTEGER: alert(2)
Object identifier 24: 1.3.6.1.4.1.9.9.311.1.1.2.1.25.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionNumber.0)
Value: Gauge32: 3
Object identifier 25: 1.3.6.1.4.1.9.9.311.1.1.2.1.26.0
(CISCO-EPM-NOTIFICATION-MIB::cenPartitionName.0)
Value: STRING: Node=sgm-76-91a.cisco.com-FanAlarm-1
Object identifier 26: 1.3.6.1.4.1.9.9.311.1.1.2.1.27.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerIdentification.0)
Value: STRING: Node=sgm-76-91a.cisco.com
Object identifier 27: 1.3.6.1.4.1.9.9.311.1.1.2.1.28.0
(CISCO-EPM-NOTIFICATION-MIB::cenCustomerRevision.0)
Value: STRING: ems-svr453
Object identifier 28: 1.3.6.1.4.1.9.9.311.1.1.2.1.29.0
(CISCO-EPM-NOTIFICATION-MIB::cenAlertID.0)
Value: STRING: 1409

```

