



## I Show Commands

---

- [show ieth-header-decode, on page 12](#)
- [show imp client, on page 13](#)
- [show imp client sa, on page 14](#)
- [show incompatibility-all system, on page 15](#)
- [show incompatibility system, on page 16](#)
- [show install, on page 17](#)
- [show install all failed-standby, on page 18](#)
- [show install all failure-reason, on page 19](#)
- [show install all impact, on page 20](#)
- [show install all impact epld, on page 21](#)
- [show install all status, on page 22](#)
- [show install epld status, on page 23](#)
- [show install impact, on page 24](#)
- [show install impact, on page 25](#)
- [show install impact detail, on page 26](#)
- [show install log, on page 27](#)
- [show install packages, on page 28](#)
- [show install patches, on page 29](#)
- [show interface, on page 30](#)
- [show interface, on page 36](#)
- [show interface, on page 44](#)
- [show interface, on page 48](#)
- [show interface, on page 60](#)
- [show interface, on page 64](#)
- [show interface, on page 66](#)
- [show interface, on page 68](#)
- [show interface brief, on page 72](#)
- [show interface brief, on page 73](#)
- [show interface brief, on page 74](#)
- [show interface brief, on page 76](#)
- [show interface brief, on page 77](#)
- [show interface brief, on page 79](#)
- [show interface brief, on page 80](#)

- [show interface brief](#), on page 81
- [show interface cable-diagnostics-tdr](#), on page 82
- [show interface capabilities](#), on page 83
- [show interface capabilities](#), on page 85
- [show interface counters](#), on page 87
- [show interface counters](#), on page 89
- [show interface counters](#), on page 90
- [show interface counters](#), on page 92
- [show interface counters](#), on page 94
- [show interface counters](#), on page 96
- [show interface counters brief](#), on page 97
- [show interface counters brief](#), on page 99
- [show interface counters detailed](#), on page 101
- [show interface counters detailed](#), on page 111
- [show interface counters detailed](#), on page 114
- [show interface counters detailed](#), on page 116
- [show interface counters detailed all](#), on page 122
- [show interface counters detailed all](#), on page 130
- [show interface counters detailed all](#), on page 131
- [show interface counters detailed all](#), on page 134
- [show interface counters detailed all](#), on page 136
- [show interface counters detailed cached](#), on page 137
- [show interface counters errors](#), on page 145
- [show interface counters errors](#), on page 147
- [show interface counters errors](#), on page 149
- [show interface counters errors fex](#), on page 150
- [show interface counters fex](#), on page 152
- [show interface counters snmp](#), on page 153
- [show interface counters snmp fex](#), on page 155
- [show interface counters storm-control](#), on page 156
- [show interface counters storm-control](#), on page 157
- [show interface counters table](#), on page 158
- [show interface counters trunk](#), on page 159
- [show interface debounce](#), on page 160
- [show interface debounce](#), on page 161
- [show interface description](#), on page 162
- [show interface description](#), on page 163
- [show interface description](#), on page 164
- [show interface description](#), on page 165
- [show interface description](#), on page 166
- [show interface description](#), on page 167
- [show interface description](#), on page 168
- [show interface fcoe](#), on page 169
- [show interface fex-conf](#), on page 170
- [show interface fex-fabric](#), on page 171
- [show interface fex-intf](#), on page 172

- [show interface flowcontrol](#), on page 173
- [show interface flowcontrol](#), on page 174
- [show interface flowcontrol fex](#), on page 175
- [show interface hardware-mappings](#), on page 176
- [show interface mac-address](#), on page 177
- [show interface mac-address](#), on page 178
- [show interface priority-flow-control](#), on page 179
- [show interface private-vlan mapping](#), on page 180
- [show interface pruning](#), on page 181
- [show interface snmp-ifindex](#), on page 182
- [show interface status](#), on page 183
- [show interface status](#), on page 184
- [show interface status](#), on page 185
- [show interface status](#), on page 186
- [show interface status](#), on page 187
- [show interface status](#), on page 188
- [show interface status](#), on page 189
- [show interface status err-disabled](#), on page 190
- [show interface status err-disabled](#), on page 191
- [show interface status err-vlans](#), on page 192
- [show interface status err-vlans](#), on page 193
- [show interface status fex](#), on page 194
- [show interface switchport](#), on page 195
- [show interface switchport](#), on page 197
- [show interface transceiver](#), on page 199
- [show interface transceiver](#), on page 207
- [show interface transceiver fex-fabric](#), on page 214
- [show interface transceiver fex-fabric](#), on page 216
- [show interface trunk](#), on page 223
- [show interface trunk](#), on page 224
- [show interface untagged-cos](#), on page 226
- [show interface vlan mapping](#), on page 227
- [show inventory](#), on page 228
- [show inventory fex](#), on page 229
- [show ip adjacency](#), on page 230
- [show ip amt relay](#), on page 233
- [show ip amt route](#), on page 234
- [show ip amt tunnel](#), on page 235
- [show ip arp](#), on page 237
- [show ip arp anycast topo-info](#), on page 239
- [show ip arp cache](#), on page 240
- [show ip arp client](#), on page 241
- [show ip arp controller-statistics](#), on page 242
- [show ip arp esi](#), on page 243
- [show ip arp inspection](#), on page 244
- [show ip arp inspection interfaces](#), on page 245

- [show ip arp inspection log, on page 246](#)
- [show ip arp inspection statistics, on page 247](#)
- [show ip arp inspection vlan, on page 248](#)
- [show ip arp multihoming-statistics, on page 249](#)
- [show ip arp off-list, on page 251](#)
- [show ip arp open-flow error-statistics, on page 252](#)
- [show ip arp snmp ptree, on page 254](#)
- [show ip arp statistics, on page 255](#)
- [show ip arp suppression-cache, on page 259](#)
- [show ip arp suppression topo-info, on page 262](#)
- [show ip arp tunnel-statistics, on page 263](#)
- [show ip arp vaddr, on page 265](#)
- [show ip arp vpc-statistics, on page 266](#)
- [show ip as-path-access-list, on page 269](#)
- [show ip bgp, on page 270](#)
- [show ip cache, on page 271](#)
- [show ip client, on page 272](#)
- [show ip community-list, on page 273](#)
- [show ip debug, on page 274](#)
- [show ip dhcp global statistics, on page 275](#)
- [show ip dhcp relay, on page 277](#)
- [show ip dhcp relay address, on page 279](#)
- [show ip dhcp relay information trusted-sources, on page 280](#)
- [show ip dhcp relay statistics, on page 281](#)
- [show ip dhcp snooping, on page 284](#)
- [show ip dhcp snooping binding, on page 285](#)
- [show ip dhcp snooping statistics, on page 286](#)
- [show ip dhcpc status, on page 287](#)
- [show ip dns source-interface, on page 288](#)
- [show ip dns source-interface vrf all, on page 289](#)
- [show ip eigrp, on page 290](#)
- [show ip eigrp accounting, on page 292](#)
- [show ip eigrp event-history, on page 294](#)
- [show ip eigrp event-history bfd, on page 295](#)
- [show ip eigrp event, on page 296](#)
- [show ip eigrp interfaces, on page 297](#)
- [show ip eigrp metric, on page 299](#)
- [show ip eigrp neighbors, on page 300](#)
- [show ip eigrp route-map statistics, on page 304](#)
- [show ip eigrp sia-event, on page 306](#)
- [show ip eigrp sia-statistics, on page 307](#)
- [show ip eigrp timers, on page 308](#)
- [show ip eigrp topology route, on page 309](#)
- [show ip eigrp traffic, on page 313](#)
- [show ip extcommunity-list, on page 315](#)
- [show ip fib adjacency, on page 316](#)

- [show ip fib distribution, on page 317](#)
- [show ip fib distribution capture, on page 318](#)
- [show ip fib distribution clients, on page 319](#)
- [show ip fib distribution mroute, on page 320](#)
- [show ip fib distribution multicast, on page 322](#)
- [show ip fib distribution multicast outgoing-interface-list, on page 323](#)
- [show ip fib distribution state, on page 324](#)
- [show ip fib interfaces, on page 325](#)
- [show ip fib mroute, on page 326](#)
- [show ip fib mroute, on page 328](#)
- [show ip fib mroute txlist, on page 330](#)
- [show ip fib route, on page 331](#)
- [show ip fib route, on page 333](#)
- [show ip fib route recovered, on page 335](#)
- [show ip ftm statistics, on page 336](#)
- [show ip ftp source-interface, on page 337](#)
- [show ip ftp source-interface vrf all, on page 338](#)
- [show ip http source-interface, on page 339](#)
- [show ip http source-interface vrf all, on page 340](#)
- [show ip igmp event-history, on page 341](#)
- [show ip igmp groups, on page 342](#)
- [show ip igmp interface, on page 344](#)
- [show ip igmp local-groups, on page 348](#)
- [show ip igmp policy statistics reports, on page 350](#)
- [show ip igmp snooping, on page 351](#)
- [show ip igmp snooping event-history, on page 353](#)
- [show ip igmp snooping explicit-tracking, on page 354](#)
- [show ip igmp snooping filter details, on page 356](#)
- [show ip igmp snooping groups, on page 357](#)
- [show ip igmp snooping lookup-mode, on page 360](#)
- [show ip igmp snooping mac-oif, on page 361](#)
- [show ip igmp snooping mrouter, on page 362](#)
- [show ip igmp snooping pw vlan brief, on page 364](#)
- [show ip igmp snooping querier, on page 365](#)
- [show ip igmp snooping report statistics, on page 367](#)
- [show ip igmp snooping snmp mib adminMode, on page 368](#)
- [show ip igmp snooping snmp mib aliasingMode, on page 369](#)
- [show ip igmp snooping snmp mib cisV3ProcessEnableOperStatus, on page 370](#)
- [show ip igmp snooping snmp mib explicitTrackingTable, on page 371](#)
- [show ip igmp snooping snmp mib fallBackTime, on page 372](#)
- [show ip igmp snooping snmp mib fastBlockEnabled, on page 373](#)
- [show ip igmp snooping snmp mib fastLeaveEnabled, on page 374](#)
- [show ip igmp snooping snmp mib filterStatsTable, on page 375](#)
- [show ip igmp snooping snmp mib ifAccessGroupTable, on page 376](#)
- [show ip igmp snooping snmp mib ifConfigTable, on page 377](#)
- [show ip igmp snooping snmp mib ifLimitTable, on page 378](#)

- [show ip igmp snooping snmp mib ifLimitTotalTable](#), on page 379
- [show ip igmp snooping snmp mib igmpsnoopingenabled](#), on page 380
- [show ip igmp snooping snmp mib interfaceStatsTable](#), on page 381
- [show ip igmp snooping snmp mib lastMemeberQueryCount](#), on page 383
- [show ip igmp snooping snmp mib lastMemeberQueryInterval](#), on page 384
- [show ip igmp snooping snmp mib leaveQueryType](#), on page 385
- [show ip igmp snooping snmp mib mcastGroupTable](#), on page 386
- [show ip igmp snooping snmp mib mcastRouterCfgTable](#), on page 387
- [show ip igmp snooping snmp mib mcastRouterConfigTable](#), on page 388
- [show ip igmp snooping snmp mib multicastGroupConfigTable](#), on page 389
- [show ip igmp snooping snmp mib multicastGroupPortListTable](#), on page 391
- [show ip igmp snooping snmp mib multicastGroupTable](#), on page 393
- [show ip igmp snooping snmp mib operMode](#), on page 395
- [show ip igmp snooping snmp mib querierTable](#), on page 396
- [show ip igmp snooping snmp mib reportsuppressionenabled](#), on page 398
- [show ip igmp snooping snmp mib robustnessVariable](#), on page 399
- [show ip igmp snooping snmp mib routerAlertCheckEnabled](#), on page 400
- [show ip igmp snooping snmp mib sourceOnlyEntryAgingTime](#), on page 401
- [show ip igmp snooping snmp mib sourceOnlyLearningEnabled](#), on page 402
- [show ip igmp snooping snmp mib tenFloodQueryCount](#), on page 403
- [show ip igmp snooping snmp mib timeToLiveCheckEnabled](#), on page 404
- [show ip igmp snooping snmp mib topoChangeQuerySolicitEnabled](#), on page 405
- [show ip igmp snooping snmp mib v3ProcessEnabledAdminStatus](#), on page 406
- [show ip igmp snooping snmp mib v3SnoopingSupport](#), on page 407
- [show ip igmp snooping snmp mib vlanFilterConfigTable](#), on page 408
- [show ip igmp snooping snmp mib vlanconfigtable](#), on page 409
- [show ip igmp snooping statistics](#), on page 411
- [show ip igmp vrf all](#), on page 414
- [show ip interface](#), on page 415
- [show ip lisp](#), on page 419
- [show ip lisp data-cache](#), on page 420
- [show ip lisp locator-hash](#), on page 421
- [show ip lisp map-cache](#), on page 422
- [show ip lisp statistics](#), on page 423
- [show ip lisp translate-cache](#), on page 424
- [show ip lisp version-hash](#), on page 425
- [show ip load-sharing](#), on page 426
- [show ip local-pt](#), on page 427
- [show ip local policy](#), on page 428
- [show ip logging](#), on page 429
- [show ip mbgp](#), on page 430
- [show ip mbgp](#), on page 432
- [show ip mbgp community](#), on page 433
- [show ip mbgp dampening](#), on page 434
- [show ip mbgp extcommunity](#), on page 435
- [show ip mbgp flap-statistics](#), on page 436

- [show ip mbgp neighbors](#), on page 437
- [show ip mbgp nexthop-database](#), on page 439
- [show ip mbgp nexthop](#), on page 440
- [show ip mbgp prefix-list](#), on page 441
- [show ip mbgp received-paths](#), on page 442
- [show ip mroute](#), on page 443
- [show ip msdp count](#), on page 447
- [show ip msdp event-history](#), on page 448
- [show ip msdp mesh-group](#), on page 449
- [show ip msdp peer](#), on page 450
- [show ip msdp policy statistics sa-policy in](#), on page 452
- [show ip msdp rpf](#), on page 454
- [show ip msdp sa](#), on page 455
- [show ip msdp sources](#), on page 457
- [show ip msdp statistics](#), on page 458
- [show ip msdp summary](#), on page 460
- [show ip multicast vrf](#), on page 462
- [show ip nat max](#), on page 463
- [show ip nat statistics](#), on page 464
- [show ip nat timeout](#), on page 465
- [show ip nat translations](#), on page 466
- [show ip ospf](#), on page 467
- [show ip ospf border-routers](#), on page 472
- [show ip ospf database](#), on page 474
- [show ip ospf database database-summary](#), on page 476
- [show ip ospf database detail](#), on page 478
- [show ip ospf event-history](#), on page 483
- [show ip ospf event-history detail](#), on page 485
- [show ip ospf ha](#), on page 486
- [show ip ospf interface](#), on page 487
- [show ip ospf interface brief](#), on page 490
- [show ip ospf lsa-content-changed-list](#), on page 492
- [show ip ospf memory](#), on page 494
- [show ip ospf neighbors](#), on page 496
- [show ip ospf neighbors detail](#), on page 498
- [show ip ospf neighbors summary](#), on page 501
- [show ip ospf policy statistics](#), on page 503
- [show ip ospf request-list](#), on page 505
- [show ip ospf retransmission-list](#), on page 507
- [show ip ospf route](#), on page 509
- [show ip ospf route summary](#), on page 511
- [show ip ospf sham-links](#), on page 513
- [show ip ospf statistics](#), on page 517
- [show ip ospf summary-address](#), on page 521
- [show ip ospf traffic](#), on page 522
- [show ip ospf traps-queue](#), on page 526

- [show ip ospf virtual-links](#), on page 527
- [show ip ospf virtual-links brief](#), on page 531
- [show ip overlay-traffic](#), on page 532
- [show ip pim bitfield](#), on page 533
- [show ip pim config-sanity](#), on page 534
- [show ip pim df](#), on page 536
- [show ip pim event-history](#), on page 538
- [show ip pim fabric info](#), on page 539
- [show ip pim fabric legacy-vlans](#), on page 540
- [show ip pim group-range](#), on page 541
- [show ip pim interface](#), on page 542
- [show ip pim mdt](#), on page 546
- [show ip pim mdt bgp](#), on page 548
- [show ip pim mdt history interval](#), on page 549
- [show ip pim mdt receive](#), on page 550
- [show ip pim mdt send](#), on page 551
- [show ip pim neighbor](#), on page 552
- [show ip pim oif-list](#), on page 553
- [show ip pim policy statistics](#), on page 555
- [show ip pim policy statistics jp](#), on page 557
- [show ip pim route](#), on page 558
- [show ip pim rp-hash](#), on page 562
- [show ip pim rp](#), on page 563
- [show ip pim statistics](#), on page 566
- [show ip pim vrf](#), on page 568
- [show ip ping source-interface](#), on page 569
- [show ip ping source-interface vrf all](#), on page 570
- [show ip policy](#), on page 571
- [show ip prefix-list](#), on page 572
- [show ip process](#), on page 573
- [show ip rip](#), on page 575
- [show ip rip interface](#), on page 577
- [show ip rip memory](#), on page 579
- [show ip rip neighbor](#), on page 580
- [show ip rip policy statistics redistribute](#), on page 582
- [show ip rip route](#), on page 583
- [show ip rip statistics](#), on page 585
- [show ip route](#), on page 587
- [show ip router-id](#), on page 590
- [show ip rsvp](#), on page 591
- [show ip sla application](#), on page 593
- [show ip sla configuration](#), on page 594
- [show ip sla enhanced-history collection-statistics](#), on page 598
- [show ip sla enhanced-history distribution-statistics](#), on page 599
- [show ip sla group schedule](#), on page 600
- [show ip sla history](#), on page 601

- show ip sla reaction-configuration, on page 602
- show ip sla reaction-trigger, on page 603
- show ip sla responder, on page 604
- show ip sla statistics, on page 605
- show ip ssh source-interface, on page 610
- show ip ssh source-interface vrf all, on page 611
- show ip static-route, on page 612
- show ip stats, on page 614
- show ip telnet source-interface, on page 615
- show ip telnet source-interface vrf all, on page 616
- show ip tftp source-interface, on page 617
- show ip tftp source-interface vrf all, on page 618
- show ip traceroute source-interface, on page 619
- show ip traceroute source-interface vrf all, on page 620
- show ip traffic, on page 621
- show ip txlist list, on page 626
- show ip verify source, on page 627
- show ipv6 adjacency, on page 628
- show ipv6 amt tunnel, on page 631
- show ipv6 bgp, on page 633
- show ipv6 bgp, on page 634
- show ipv6 bgp, on page 635
- show ipv6 bgp community, on page 636
- show ipv6 bgp dampening, on page 637
- show ipv6 bgp extcommunity, on page 638
- show ipv6 bgp flap-statistics, on page 639
- show ipv6 bgp neighbors, on page 640
- show ipv6 bgp nexthop-database, on page 641
- show ipv6 bgp nexthop, on page 642
- show ipv6 bgp received-paths, on page 643
- show ipv6 bgp regexp, on page 644
- show ipv6 bgp summary, on page 645
- show ipv6 cache, on page 646
- show ipv6 client, on page 647
- show ipv6 dhcp relay, on page 649
- show ipv6 dhcp relay statistics, on page 650
- show ipv6 eigrp route-map statistics, on page 652
- show ipv6 fragments, on page 654
- show ipv6 icmp, on page 655
- show ipv6 icmp global traffic, on page 657
- show ipv6 icmp interface, on page 660
- show ipv6 icmp ndp, on page 665
- show ipv6 icmp off-list, on page 666
- show ipv6 icmp process sdb, on page 667
- show ipv6 icmp vaddr, on page 668
- show ipv6 icmp vpc-statistics, on page 672

- [show ipv6 interface](#), on page 675
- [show ipv6 interface global](#), on page 679
- [show ipv6 lisp data-cache](#), on page 680
- [show ipv6 local-pt](#), on page 681
- [show ipv6 local policy](#), on page 682
- [show ipv6 mld groups](#), on page 683
- [show ipv6 mld local-groups](#), on page 685
- [show ipv6 mld vrf all](#), on page 686
- [show ipv6 mroute](#), on page 687
- [show ipv6 mtu](#), on page 690
- [show ipv6 multicast vrf](#), on page 692
- [show ipv6 nd ra dns search-list](#), on page 693
- [show ipv6 nd ra dns server](#), on page 694
- [show ipv6 nd rt-pref global pt](#), on page 695
- [show ipv6 ndp](#), on page 696
- [show ipv6 neighbor static](#), on page 697
- [show ipv6 pim bitfield](#), on page 698
- [show ipv6 pim df](#), on page 699
- [show ipv6 pim embed-rp](#), on page 701
- [show ipv6 pim event-history](#), on page 702
- [show ipv6 pim fabric info](#), on page 703
- [show ipv6 pim fabric legacy-vlans](#), on page 704
- [show ipv6 pim group-range](#), on page 705
- [show ipv6 pim interface show ipv6 pim interface](#), on page 706
- [show ipv6 pim neighbor](#), on page 709
- [show ipv6 pim oif-list](#), on page 710
- [show ipv6 pim policy statistics jp](#), on page 712
- [show ipv6 pim route](#), on page 713
- [show ipv6 pim rp-hash](#), on page 715
- [show ipv6 pim rp](#), on page 716
- [show ipv6 pim statistics](#), on page 719
- [show ipv6 pim vrf](#), on page 721
- [show ipv6 policy](#), on page 722
- [show ipv6 prefix-list](#), on page 723
- [show ipv6 process](#), on page 724
- [show ipv6 process sdb](#), on page 726
- [show ipv6 raguard statistics](#), on page 727
- [show ipv6 rip policy statistics redistribute](#), on page 728
- [show ipv6 routers](#), on page 729
- [show ipv6 static-route](#), on page 731
- [show ipv6 statistics](#), on page 732
- [show ipv6 traffic](#), on page 733
- [show isis](#), on page 735
- [show isis adjacency](#), on page 739
- [show isis csnp](#), on page 742
- [show isis database](#), on page 744

- show isis event-history, on page 748
- show isis hostname, on page 749
- show isis interface, on page 750
- show isis ipv6 redistribute route, on page 755
- show isis ipv6 route-map statistics, on page 757
- show isis ipv6 route, on page 759
- show isis lsp free-list, on page 763
- show isis mesh-group, on page 764
- show isis non tlv overflow-list, on page 765
- show isis redistribute route, on page 766
- show isis route-map statistics, on page 768
- show isis route, on page 770
- show isis route is, on page 774
- show isis rrm, on page 775
- show isis spf-adjacency, on page 777
- show isis spf-log, on page 779
- show isis srm, on page 781
- show isis ssn, on page 782
- show isis statistics, on page 783
- show isis summary-address show isis ipv6 summary-address, on page 784
- show isis topology, on page 786
- show isis traffic, on page 788
- show itd, on page 790
- show itd, on page 794
- show itd, on page 797
- show itd, on page 800
- show itd session device-group, on page 804
- show itd statistics, on page 805
- show itd statistics, on page 807
- show itd vrf, on page 809
- show itd vrf, on page 810

**show ieth-header-decode**

# show ieth-header-decode

show ieth-header-decode <ieth>

## Syntax Description

show	Show running system information
ieth-header-decode	Show decode of ieth header
<i>ieth</i>	ieth header in hex (0xFF...) or string (FF..) form

## Command Mode

- /exec

# show imp client

show imp client

## Syntax Description

show	Show running system information
imp	ipsec management process
client	Show ipsec clients name

## Command Mode

- /exec

```
show imp client sa
```

## show imp client sa

show imp client sa

### Syntax Description

show	Show running system information
imp	IPSec management process
client	IMP clinet
sa	Display all SAs

### Command Mode

- /exec

# show incompatibility-all system

```
show incompatibility-all { system <uri0> | nxos <uri1> } [ __readonly__ { [ TABLE_incompat_all <Str1> [ <Serv> ] [ <Cap> ] [ <Desc> ] [ <Req> ] [ <Enable> ] ] [ <Dynamic> ] } ]
```

## Syntax Description

show	Show running system information
incompatibility-all	Show incompatible configurations for the entire system
system	show incompatibilities with an image
<i>uri0</i>	Enter image uri
nxos	show incompatibilities with an image
<i>uri1</i>	Enter image uri
__readonly__	(Optional)
TABLE_incompat_all	(Optional) Show incompatibility system table
<i>Str1</i>	(Optional)
<i>Serv</i>	(Optional)
<i>Cap</i>	(Optional)
<i>Desc</i>	(Optional)
<i>Req</i>	(Optional)
<i>Enable</i>	(Optional)
<i>Dynamic</i>	(Optional)

## Command Mode

- /exec

**show incompatibility system**

# show incompatibility system

```
show incompatibility { system <uri0> | nxos <uri1> } [ __readonly__ { [ TABLE_incompat <Str1> [ <Serv> ] [ <Cap> ] [ <Desc> ] [ <Req> ] [ <Enable> ] ] [ <Dynamic> ] } ]
```

## Syntax Description

show	Show running system information
incompatibility	Show incompatible configurations
system	show incompatibilities with an image
<i>uri0</i>	Enter image uri
nxos	show incompatibilities with an image
<i>uri1</i>	Enter image uri
<u>__readonly__</u>	(Optional)
TABLE_incompat	(Optional) Show incompatibility system table
<i>Str1</i>	(Optional)
<i>Serv</i>	(Optional)
<i>Cap</i>	(Optional)
<i>Desc</i>	(Optional)
<i>Req</i>	(Optional)
<i>Enable</i>	(Optional)
<i>Dynamic</i>	(Optional)

## Command Mode

- /exec

# show install

```
show install { inactive | active [ brief ] | committed } [ __readonly__ { <curr_nxos_image>[ TABLE_smu_list <install_smu_id> + ] [ TABLE_package_list <package_id> ] } ]
```

## Syntax Description

show	Show running system information
install	Install related show commands
inactive	Inactive packages
active	Active packages
brief	(Optional) Brief
committed	Committed packages
__readonly__	(Optional)
<i>curr_nxos_image</i>	(Optional) NXOS image
TABLE_smu_list	(Optional)
<i>install_smu_id</i>	(Optional) install operation smu identifier
TABLE_package_list	(Optional)
<i>package_id</i>	(Optional) Package name

## Command Mode

- /exec

show install all failed-standby

## show install all failed-standby

show install all failed-standby [ \_\_readonly\_\_ { [ TABLE\_installFailStandby <Str1> ] } ]

### Syntax Description

show	Show running system information
install	Show the software install impact between two images
all	Show install all information
failed-standby	show log from failed standby
__readonly__	(Optional)
TABLE_installFailStandby	(Optional) Install failed-standby table
<i>Str1</i>	(Optional)

### Command Mode

- /exec

# show install all failure-reason

show install all failure-reason [ \_\_readonly\_\_ { [ TABLE\_installFailReason <installFailReasonStr> ] } ]

## Syntax Description

show	Show running system information
install	Show the software install impact between two images
all	show install all information
failure-reason	Show failure reason for the last install all
__readonly__	(Optional)
TABLE_installFailReason	(Optional) Install failure-reason table
<i>installFailReasonStr</i>	(Optional)

## Command Mode

- /exec

**show install all impact**

# show install all impact

show install all impact [ nxos <uri> ] + [ non-disruptive ]

## Syntax Description

show	Show running system information
install	Show the software install impact between two images
all	show install all information
impact	show impact of the install all command
nxos	(Optional) boot-variable name
<i>uri</i>	(Optional) Enter image uri
non-disruptive	(Optional) non-disruptive show install

## Command Mode

- /exec

# show install all impact epld

show install all impact epld <uri1>

## Syntax Description

show	Show running system information
install	Show the software install status
all	show install all information
impact	show impact of the install all epld command
epld	Show EPLD install information
<i>uri1</i>	Local URI containing EPLD Image

## Command Mode

- /exec

**show install all status**

# show install all status

show install all status

## Syntax Description

show	Show running system information
install	Show the software install impact between two images
all	show install all information
status	show status of the current or last install all

## Command Mode

- /exec

# show install epld status

show install epld status

## Syntax Description

show	Show running system information
install	Show the software install status
epld	Show EPLD install information
status	Show status of previous EPLD upgrades

## Command Mode

- /exec

**show install impact**

# show install impact

show install impact <uri0> <uri1>

## Syntax Description

show	Show running system information
install	Show the software install impact between two images
impact	impact system_uri {active_system_uri/active_kickstart_uri}
<i>uri0</i>	Enter system URI
<i>uri1</i>	Enter active URI

## Command Mode

- /exec

# show install impact

show install impact <uri0>

## Syntax Description

show	Show running system information
install	Show the software install impact between two images
impact	impact system_uri {active_system_uri/active_kickstart_uri}
<i>uri0</i>	Enter system URI

## Command Mode

- /exec

**show install impact detail**

# show install impact detail

show install impact &lt;uri0&gt; detail

## Syntax Description

show	Show running system information
install	Show the software install impact between two images
impact	impact system_uri {active_system_uri/active_kickstart_uri}
<i>uri0</i>	Enter system URI
detail	Show detailed install impact of given system image

## Command Mode

- /exec

# show install log

```
show install log { [ <id> | from <id1> ] [ detail ] [ reverse ] | [ last ] } [ __readonly__ { current_time <curr_time> [ TABLE_show_log_output <install_id> <install_log_entry> + ] } ]
```

## Syntax Description

show	Show running system information
install	Install related show commands
log	log
<i>id</i>	(Optional) Install Identifies
from	(Optional) Starting at this install identifier
<i>id1</i>	(Optional) Install Identifier
detail	(Optional) Detailed information including impacted processes
reverse	(Optional) Displays the logs in reverse order
last	(Optional) Display the logs for last install operation
__readonly__	(Optional)
current_time	(Optional) current time
<i>curr_time</i>	(Optional) current time
TABLE_show_log_output	(Optional)
<i>install_id</i>	(Optional) install operation id
<i>install_log_entry</i>	(Optional) install log entry

## Command Mode

- /exec

show install packages

# show install packages

```
show install packages [ __readonly__ { <curr_nxos_image> [ TABLE_package_list <package_name> <version> <state> ] } ]
```

## Syntax Description

show	Show running system information
install	Install related show commands
packages	All packages
__readonly__	(Optional)
<i>curr_nxos_image</i>	(Optional) NXOS image
TABLE_package_list	(Optional)
<i>package_name</i>	(Optional) Package name
<i>version</i>	(Optional) Package version
<i>state</i>	(Optional) package state

## Command Mode

- /exec

# show install patches

```
show install patches [ __readonly__ { <curr_nxos_image> [ TABLE_smu_list <install_smu_id>
<install_smu_state> [ TABLE_module_list <install_modno> <install_mod_smu_state> ] ] } ]
```

## Syntax Description

show	Show running system information
install	Install related show commands
patches	All Patches
__readonly__	(Optional)
TABLE_smu_list	(Optional)
<i>curr_nxos_image</i>	(Optional) NXOS image
<i>install_smu_id</i>	(Optional) install operation smu identifier
<i>install_smu_state</i>	(Optional) install operation smu state
TABLE_module_list	(Optional)
<i>install_modno</i>	(Optional) install operation module number
<i>install_mod_smu_state</i>	(Optional) install operation module state

## Command Mode

- /exec

show interface

# show interface

```
show interface <ifeth> [ quick ] [ __readonly__ TABLE_interface <interface> <state> [ <state_rsn_desc> ] [ <state_rsn> ] [ <eth_rsn_fac> ] [ <eth_rsn_code> ] [ <admin_state> ] [ <share_state> ] [ <parent_interface> ] [ <vpc_status> ] [ <eth_bundle> ] [ <eth_hw_desc> ] [ <eth_hw_addr> ] [ <eth_bia_addr> ] [ <desc> ] [ <eth_ip_addr> ] [ <eth_ip_mask> ] [ <eth_ip_prefix> ] [ <eth_mtu> ] [ <eth_bw> ] [ <eth_dly> ] [ <eth_reliability> ] [ <eth_txload> ] [ <eth_rxload> ] [ <eth_encap_vlan> ] [ <medium> ] [ <eth_mode> ] [ <eth_duplex> ] [ <eth_speed> ] [ <eth_media> ] [ <eth_beacon> ] [ <eth_autoneg> ] [ <eth_in_flowctrl> ] [ <eth_out_flowctrl> ] [ <eth_mdix> ] [ <eth_ratemode> ] [ <eth_swt_monitor> ] [ <eth_etherype> ] [ <eth_eee_state> ] [ <eth_admin_fec_state> ] [ <eth_oper_fec_state> ] [ <eth_members> ] [ <eth_link_flapped> ] [ <eth_clear_counters> ] [ <eth_reset_cntr> ] [ <eth_load_interval1_rx> ] [ <eth_inrate1_bits> ] [ <eth_inrate1_pkts> ] [ <eth_load_interval1_tx> ] [ <eth_outrate1_bits> ] [ <eth_outrate1_pkts> ] [ <eth_inrate1_summary_bits> ] [ <eth_inrate1_summary_pkts> ] [ <eth_outrate1_summary_pkts> ] [ <eth_outrate1_summary_pkts> ] [ <eth_load_interval2_rx> ] [ <eth_inrate2_bits> ] [ <eth_inrate2_pkts> ] [ <eth_load_interval2_tx> ] [ <eth_outrate2_bits> ] [ <eth_outrate2_pkts> ] [ <eth_inrate2_summary_pkts> ] [ <eth_inrate2_summary_pkts> ] [ <eth_outrate2_summary_pkts> ] [ <eth_outrate2_summary_pkts> ] [ <eth_load_interval3_rx> ] [ <eth_inrate3_bits> ] [ <eth_inrate3_pkts> ] [ <eth_load_interval3_tx> ] [ <eth_outrate3_bits> ] [ <eth_outrate3_pkts> ] [ <eth_inrate3_summary_pkts> ] [ <eth_inrate3_summary_pkts> ] [ <eth_outrate3_summary_pkts> ] [ <eth_outrate3_summary_pkts> ] [ <eth_l2_ucastpkts> ] [ <eth_l2_ucastbytes> ] [ <eth_l2_mcastpkts> ] [ <eth_l2_mcastbytes> ] [ <eth_l2_bcastpkts> ] [ <eth_l2_bcastbytes> ] [ <eth_l3in_routed_pkts> ] [ <eth_l3in_routed_bytes> ] [ <eth_l3out_routed_pkts> ] [ <eth_l3out_routed_bytes> ] [ <eth_l3in_ucastpkts> ] [ <eth_l3in_ucastbytes> ] [ <eth_l3in_mcastpkts> ] [ <eth_l3in_mcastbytes> ] [ <eth_l3in_bcastpkts> ] [ <eth_l3in_bcastbytes> ] [ <eth_l3out_ucastpkts> ] [ <eth_l3out_ucastbytes> ] [ <eth_l3out_mcastpkts> ] [ <eth_l3out_mcastbytes> ] [ <eth_l3out_bcastpkts> ] [ <eth_l3out_bcastbytes> ] [ <eth_l3avg1_inbytes> ] [ <eth_l3avg1_inpkts> ] [ <eth_l3avg1_outbytes> ] [ <eth_l3avg1_outpkts> ] [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] [ <eth_inpkts> ] [ <eth_inbytes> ] [ <eth_jumbo_inpkts> ] [ <eth_storm_supp> ] [ <eth_runtsp> ] [ <eth_giants> ] [ <eth_crc> ] [ <eth_nobuf> ] [ <eth_inerr> ] [ <eth_frame> ] [ <eth_overrun> ] [ <eth_underrun> ] [ <eth_ignored> ] [ <eth_watchdog> ] [ <eth_bad_eth> ] [ <eth_bad_proto> ] [ <eth_in_ifdown_drops> ] [ <eth_dribble> ] [ <eth_indiscard> ] [ <eth_inpause> ] [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast> ] [ <eth_outpkts> ] [ <eth_outbytes> ] [ <eth_jumbo_outpkts> ] [ <eth_outerr> ] [ <eth_coll> ] [ <eth_deferred> ] [ <eth_latecoll> ] [ <eth_lostcarrier> ] [ <eth_nocarrier> ] [ <eth_babbles> ] [ <eth_outdiscard> ] [ <eth_outpause> ] <switchport> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth</i>	Enter interface type and number in module/slot format
quick	(Optional) Show info of interface skipping stats
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state

<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>state_rsn</i>	(Optional) Interface state reason
<i>eth_rsn_fac</i>	(Optional) State reason facility
<i>eth_rsn_code</i>	(Optional) State reason code
<i>admin_state</i>	(Optional) admin state
<i>share_state</i>	(Optional) Interface ownership
<i>parent_interface</i>	(Optional) parent interface
<i>vpc_status</i>	(Optional) VPC status
<i>eth_bundle</i>	(Optional) Belongs to bundle
<i>eth_hw_desc</i>	(Optional) HW description
<i>eth_hw_addr</i>	(Optional) HW address
<i>eth_bia_addr</i>	(Optional) bia address
<i>desc</i>	(Optional) Interface description
<i>eth_ip_addr</i>	(Optional) IP Address
<i>eth_ip_mask</i>	(Optional) IP address mask
<i>eth_ip_prefix</i>	(Optional) IP address prefix
<i>eth_mtu</i>	(Optional) MTU
<i>eth_bw</i>	(Optional) Bandwidth
<i>eth_dly</i>	(Optional) Delay
<i>eth_reliability</i>	(Optional) Reliability
<i>eth_txload</i>	(Optional) Tx load
<i>eth_rxload</i>	(Optional) Rx load
<i>eth_encap_vlan</i>	(Optional) Encapsulation Vlan
<i>medium</i>	(Optional) medium type
<i>eth_mode</i>	(Optional) Port mode
<i>eth_duplex</i>	(Optional) Duplex
<i>eth_speed</i>	(Optional) Speed
<i>eth_media</i>	(Optional) Media type
<i>eth_beacon</i>	(Optional) Beacon

## show interface

<i>eth_autoneg</i>	(Optional) Autonegotiation
<i>eth_in_flowctrl</i>	(Optional) Input flowcontrol
<i>eth_out_flowctrl</i>	(Optional) Output flowcontrol
<i>eth_mdix</i>	(Optional) Mdix
<i>eth_ratemode</i>	(Optional) Rate mode
<i>eth_swt_monitor</i>	(Optional) Switchport Monitor
<i>eth_etherType</i>	(Optional) EtherType
<i>eth_eee_state</i>	(Optional) EEE state
<i>eth_admin_fec_state</i>	(Optional) Admin FEC state
<i>eth_oper_fec_state</i>	(Optional) Oper FEC state
<i>eth_members</i>	(Optional) Members in this channel
<i>eth_link_flapped</i>	(Optional) Last link flapped
<i>eth_clear_counters</i>	(Optional) Last clearing of show interface counters
<i>eth_reset_cntr</i>	(Optional) Interface resets
<i>eth_load_interval1_rx</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1_bits</i>	(Optional) interval 1 input rate bits/sec
<i>eth_inrate1_pkts</i>	(Optional) interval 1 input rate pkts/sec
<i>eth_load_interval1_tx</i>	(Optional) interval 1 timer value in sec
<i>eth_outrate1_bits</i>	(Optional) interval 1 output rate bits/sec
<i>eth_outrate1_pkts</i>	(Optional) interval 1 output rate pkts/sec
<i>eth_inrate1_summary_bits</i>	(Optional) interval 1 input rate bit summary
<i>eth_inrate1_summary_pkts</i>	(Optional) interval 1 input rate pkt summary
<i>eth_outrate1_summary_bits</i>	(Optional) interval 1 output rate bit summary
<i>eth_outrate1_summary_pkts</i>	(Optional) interval 1 output rate pkt summary
<i>eth_load_interval2_rx</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2_bits</i>	(Optional) interval 2 input rate bits/sec
<i>eth_inrate2_pkts</i>	(Optional) interval 2 input rate pkts/sec
<i>eth_load_interval2_tx</i>	(Optional) interval 2 timer value in sec
<i>eth_outrate2_bits</i>	(Optional) interval 2 output rate bits/sec

<i>eth_outrate2_pkts</i>	(Optional) interval 2 output rate pkts/sec
<i>eth_inrate2_summary_bits</i>	(Optional) interval 2 input rate bit summary
<i>eth_inrate2_summary_pkts</i>	(Optional) interval 2 input rate pkt summary
<i>eth_outrate2_summary_bits</i>	(Optional) interval 2 output rate bit summary
<i>eth_outrate2_summary_pkts</i>	(Optional) interval 2 output rate pkt summary
<i>eth_load_interval3_rx</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3_bits</i>	(Optional) interval 3 input rate bits/sec
<i>eth_inrate3_pkts</i>	(Optional) interval 3 input rate pkts/sec
<i>eth_load_interval3_tx</i>	(Optional) interval 3 timer value in sec
<i>eth_outrate3_bits</i>	(Optional) interval 3 output rate bits/sec
<i>eth_outrate3_pkts</i>	(Optional) interval 3 output rate pkts/sec
<i>eth_inrate3_summary_bits</i>	(Optional) interval 3 input rate bit summary
<i>eth_inrate3_summary_pkts</i>	(Optional) interval 3 input rate pkt summary
<i>eth_outrate3_summary_bits</i>	(Optional) interval 3 output rate bit summary
<i>eth_outrate3_summary_pkts</i>	(Optional) interval 3 output rate pkt summary
<i>eth_l2_ucastpkts</i>	(Optional) L2 switched ucast pkts
<i>eth_l2_ucastbytes</i>	(Optional) L2 switched ucast bytes
<i>eth_l2_mcastpkts</i>	(Optional) L2 switched mcast pkts
<i>eth_l2_mcastbytes</i>	(Optional) L2 switched mcast bytes
<i>eth_l2_bcastpkts</i>	(Optional) L2 switched bcast pkts
<i>eth_l2_bcastbytes</i>	(Optional) L2 switched bcast bytes
<i>eth_l3in_ucastpkts</i>	(Optional) L3 in switched ucast pkts
<i>eth_l3in_ucastbytes</i>	(Optional) L3 in switched ucast bytes
<i>eth_l3in_mcastpkts</i>	(Optional) L3 in switched mcast pkts
<i>eth_l3in_mcastbytes</i>	(Optional) L3 in switched mcast bytes
<i>eth_l3in_bcastpkts</i>	(Optional) L3 in switched bcast pkts
<i>eth_l3in_bcastbytes</i>	(Optional) L3 in switched bcast bytes
<i>eth_l3out_ucastpkts</i>	(Optional) L3 out switched ucast pkts
<i>eth_l3out_ucastbytes</i>	(Optional) L3 out switched ucast bytes

show interface

<i>eth_l3out_mcastpkts</i>	(Optional) L3 out switched mcast pkts
<i>eth_l3out_mcastbytes</i>	(Optional) L3 out switched mcast bytes
<i>eth_l3out_bcastpkts</i>	(Optional) L3 out switched bcast pkts
<i>eth_l3out_bcastbytes</i>	(Optional) L3 out switched bcast bytes
<i>eth_l3in_routed_pkts</i>	(Optional) L3 in routed pkts
<i>eth_l3in_routed_bytes</i>	(Optional) L3 in routed bytes
<i>eth_l3out_routed_pkts</i>	(Optional) L3 out routed pkts
<i>eth_l3out_routed_bytes</i>	(Optional) L3 out routed bytes
<i>eth_l3avg1_inbytes</i>	(Optional) Load interval 1 L3 average in switched bytes
<i>eth_l3avg1_inppts</i>	(Optional) Load interval 1 L3 average in switched pkts
<i>eth_l3avg1_outbytes</i>	(Optional) Load interval 1 L3 average out switched bytes
<i>eth_l3avg1_outpkts</i>	(Optional) Load interval 1 L3 average out switched pkts
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_inppts</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_jumbo_inppts</i>	(Optional) Incoming jumbo pkts
<i>eth_storm_supp</i>	(Optional) storm suppression
<i>eth_runt</i>	(Optional) runts
<i>eth_giants</i>	(Optional) giants
<i>eth_crc</i>	(Optional) CRC
<i>eth_nobuf</i>	(Optional) No buffer received
<i>eth_inerr</i>	(Optional) input errors
<i>eth_frame</i>	(Optional) frame
<i>eth_overrun</i>	(Optional) overrun
<i>eth_underrun</i>	(Optional) underruns
<i>eth_ignored</i>	(Optional) ignored
<i>eth_watchdog</i>	(Optional) watchdog

<i>eth_bad_eth</i>	(Optional) bad ether type drop
<i>eth_bad_proto</i>	(Optional) bad protocol drops
<i>eth_in_ifdown_drops</i>	(Optional) Input if-down drops
<i>eth_dribble</i>	(Optional) input packets with dribble condition
<i>eth_indiscard</i>	(Optional) discards
<i>eth_inpause</i>	(Optional) pause input
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) packets output
<i>eth_outbytes</i>	(Optional) bytes output
<i>eth_jumbo_outpkts</i>	(Optional) Outgoing jumbo pkts
<i>eth_outterr</i>	(Optional) output errors
<i>eth_coll</i>	(Optional) collisions
<i>eth_deferred</i>	(Optional) deferred
<i>eth_latecoll</i>	(Optional) late collision
<i>eth_lostcarrier</i>	(Optional) lost carrier
<i>eth_nocARRIER</i>	(Optional) no carrier
<i>eth_babbles</i>	(Optional) babbles
<i>eth_outdiscard</i>	(Optional) output discard
<i>eth_outpause</i>	(Optional) PAUSE output
<i>switchport</i>	(Optional) Switchport enabled

**Command Mode**

- /exec

show interface

# show interface

```

show interface <ifid> [ brief | quick ] [ __readonly__ TABLE_interface <interface> [ <desc> ] [ <svi_if_index>
] [ <svi_admin_state> ] [ <oper_state> ] [ <svi_rsn_desc> ] [ <svi_line_proto> ] [ <svi_hw> ] [ <svi_mac> ]
[ <svi_desc> ] [ <svi_ip_addr> ] [ <svi_ip_mask> ] [ <svi_mtu> ] [ <svi_bw> ] [ <svi_delay> ] [ <vlan_id>
] [ <type> ] [ <svi_tx_load> ] [ <svi_rx_load> ] [ <svi_carrier_delay_sec> ] [ <svi_carrier_delay_msec> ] [
<svi_arp_type> ] [ <svi_arp_timeout> ] [ <svi_time_last_cleared> ] { [ TABLE_sec_vlan ] [ <sec_vlan> ] [
<sec_vlan_type> ] } [ <eth_load_interval1_rx> ] [ <eth_inrate1_bits> ] [ <eth_inrate1_pkts> ] [
<eth_load_interval1_tx> ] [ <eth_outrate1_bits> ] [ <eth_outrate1_pkts> ] [ <eth_inrate1_summary_bits> ]
[ <eth_inrate1_summary_pkts> ] [ <eth_outrate1_summary_bits> ] [ <eth_outrate1_summary_pkts> ] [
<eth_load_interval2_rx> ] [ <eth_inrate2_bits> ] [ <eth_inrate2_pkts> ] [ <eth_load_interval2_tx> ] [
<eth_outrate2_bits> ] [ <eth_outrate2_pkts> ] [ <eth_inrate2_summary_bits> ] [ <eth_inrate2_summary_pkts>
] [ <eth_outrate2_summary_bits> ] [ <eth_outrate2_summary_pkts> ] [ <eth_load_interval3_rx> ] [
<eth_inrate3_bits> ] [ <eth_inrate3_pkts> ] [ <eth_load_interval3_tx> ] [ <eth_outrate3_bits> ] [
<eth_outrate3_pkts> ] [ <eth_inrate3_summary_bits> ] [ <eth_inrate3_summary_pkts> ] [
<eth_outrate3_summary_bits> ] [ <eth_outrate3_summary_pkts> ] [ <eth_l2_ucastpkts> ] [ <eth_l2_ucastbytes>
] [ <eth_l2_mccastpkts> ] [ <eth_l2_mcbytes> ] [ <eth_l2_bcastpkts> ] [ <eth_l2_bcastbytes> ] [
<eth_l3in_ucastpkts> ] [ <eth_l3in_ucastbytes> ] [ <eth_l3in_mccastpkts> ] [ <eth_l3in_mcbytes> ] [
<eth_l3in_bcastpkts> ] [ <eth_l3in_bcastbytes> ] [ <eth_l3out_ucastpkts> ] [ <eth_l3out_ucastbytes> ] [
<eth_l3out_mccastpkts> ] [ <eth_l3out_mcbytes> ] [ <eth_l3out_bcastpkts> ] [ <eth_l3out_bcastbytes> ] [
<eth_l3in_routed_pkts> ] [ <eth_l3in_routed_bytes> ] [ <eth_l3out_routed_pkts> ] [ <eth_l3out_routed_bytes>
] [ <eth_l3avg1_inbytes> ] [ <eth_l3avg1_inpkts> ] [ <eth_l3avg1_outbytes> ] [ <eth_l3avg1_outpkts> ] [
<eth_l3avg2_inbytes> ] [ <eth_l3avg2_inpkts> ] [ <eth_l3avg2_outbytes> ] [ <eth_l3avg2_outpkts> ] [
<eth_l3avg3_inbytes> ] [ <eth_l3avg3_inpkts> ] [ <eth_l3avg3_outbytes> ] [ <eth_l3avg3_outpkts> ] [
<eth_inpkts> ] [ <eth_inbytes> ] [ <eth_nobuf> ] [ <eth_inbcast> ] [ <eth_inmcast> ] [ <eth_inuicast> ] [
<eth_ingiants> ] [ <eth_ipmcast> ] [ <eth_inhw_switched> ] [ <eth_insw_switched> ] [ <eth_runts> ] [
<eth_storm_supp> ] [ <eth_throtles> ] [ <eth_inerr> ] [ <eth_crc> ] [ <eth_ecc> ] [ <eth_frame> ] [
<eth_overrun> ] [ <eth_ignored> ] [ <eth_watchdog> ] [ <eth_outbcast> ] [ <eth_outmcast> ] [ <eth_outucast>
] [ <eth_outgiants> ] [ <eth_inpause> ] [ <eth_dribble> ] [ <eth_in_ifdown_drops> ] [ <eth_bad_eth> ] [
<eth_bad_proto> ] [ <eth_outpkts> ] [ <eth_outbytes> ] [ <eth_underrun> ] [ <eth_outhw_switched> ] [
<eth_outsw_switched> ] [ <eth_outterr> ] [ <eth_coll> ] [ <eth_resets> ] [ <eth_bubbles> ] [ <eth_latecoll>
] [ <eth_deferred> ] [ <eth_lostcarrier> ] [ <eth_nocarrier> ] [ <eth_outpause> ] [ <eth_buffail> ] [
<eth_bufswapped> ] [ <eth_arpdrops> ] [ <eth_out_ifdown_drops> ] [ <eth_single_coll> ] [ <eth_multi_coll>
] [ <eth_excess_coll> ] [ <eth_jabbers> ] [ <eth_shortframe> ] [ <eth_indiscard> ] [ <eth_bad_encap> ] [
<eth_outcrc> ] [ <eth_symbol> ] [ <eth_out_drops> ] [ <eth_sqtest> ] [ <eth_inb64> ] [ <eth_inb65_127>
] [ <eth_inb128_255> ] [ <eth_inb256_511> ] [ <eth_inb512_1023> ] [ <eth_inb1024_1518> ] [
<eth_inb1519_1548> ] [ <eth_intrunk> ] [ <eth_outb64> ] [ <eth_outb65_127> ] [ <eth_outb128_255> ] [
<eth_outb256_511> ] [ <eth_outb512_1023> ] [ <eth_outb1024_1518> ] [ <eth_outb1519_1548> ] [
<eth_outtrunk> ] [ <eth_bpdu_outlost> ] [ <eth_cos0_outlost> ] [ <eth_cos1_outlost> ] [ <eth_cos2_outlost>
] [ <eth_cos3_outlost> ] [ <eth_cos4_outlost> ] [ <eth_cos5_outlost> ] [ <eth_cos6_outlost> ] [
<eth_cos7_outlost> ] [ <eth_fcoe_in_pkts> ] [ <eth_fcoe_in_octets> ] [ <eth_fcoe_out_pkts> ] [
<eth_fcoe_out_octets> ] [ <eth_nfcoe_in_pkts> ] [ <eth_nfcoe_in_octets> ] [ <eth_nfcoe_out_pkts> ] [
<eth_nfcoe_out_octets> ] [ <eth_eee_atx_lpi_msec> ] [ <eth_eee_arcl_lpi_msec> ] [
<eth_eee_atx_lpi_transitions> ] [ <eth_eee_arcl_lpi_transitions> ] [ <eth_phy_ber_count> ] [
<eth_phy_errblk_count> ] [ <svi_routed_pkts_in> ] [ <svi_routed_bytes_in> ] [ <svi_routed_pkts_out> ] [
<svi_routed_bytes_out> ] [ <svi_icast_pkts_in> ] [ <svi_icast_bytes_in> ] [ <svi_mcast_pkts_in> ] [
<svi_mcast_bytes_in> ] [ <svi_icast_pkts_out> ] [ <svi_icast_bytes_out> ] [ <svi_mcast_pkts_out> ] [
<svi_mcast_bytes_out> ] [ <svi_ip4_icast_pkts_in> ] [ <svi_ip4_icast_bytes_in> ] [
<svi_ip4_icast_pkts_out> ] [ <svi_ip4_icast_bytes_out> ] [ <svi_ip4_mcast_pkts_in> ] [
<svi_ip4_mcast_pkts_out> ] [ <svi_ip4_mcast_bytes_in> ] [ <svi_ip4_mcast_bytes_out> ]

```

<svi\_ipv6\_unicast\_pkts\_in> ] [ <svi\_ipv6\_unicast\_bytes\_in> ] [ <svi\_ipv6\_unicast\_pkts\_out> ] [ <svi\_ipv6\_unicast\_bytes\_out> ] [ <svi\_ipv6\_multicast\_pkts\_in> ] [ <svi\_ipv6\_multicast\_bytes\_in> ] [ <svi\_ipv6\_multicast\_pkts\_out> ] [ <svi\_ipv6\_multicast\_bytes\_out> ] [ <svi\_average\_input\_bits> ] [ <svi\_average\_input\_packets> ] [ <svi\_average\_output\_bits> ] [ <svi\_average\_output\_packets> ] [ <svi\_rate\_in\_mins> ] [ <svi\_reliability> ] <switchport> ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid</i>	Enter interface type and number in module/slot format
brief	(Optional) Show brief info of interface
quick	(Optional) Show info of interface skipping stats
<u>readonly</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>desc</i>	(Optional) Interface description
<i>switchport</i>	(Optional) Switchport enabled
<i>svi_if_index</i>	(Optional) Interface
<i>svi_admin_state</i>	(Optional)
<i>oper_state</i>	(Optional)
<i>svi_rsn_desc</i>	(Optional) Interface state reason detailed
<i>svi_line_proto</i>	(Optional)
<i>svi_hw</i>	(Optional) Hardware
<i>svi_mac</i>	(Optional) Address
<i>svi_desc</i>	(Optional) Interface Description
<i>svi_ip_addr</i>	(Optional) IP Address
<i>svi_ip_mask</i>	(Optional) IP address mask
<i>svi_mtu</i>	(Optional) MTU size in bytes
<i>svi_bw</i>	(Optional) Bandwidth in kilobits
<i>svi_delay</i>	(Optional) Throughput delay (tens of microseconds)
<i>vlan_id</i>	(Optional) Vlan
<i>type</i>	(Optional) type

show interface

<i>svi_tx_load</i>	(Optional) Tx Load
<i>svi_rx_load</i>	(Optional) Rx Load
<i>svi_carrier_delay_sec</i>	(Optional) carrier delay value in seconds
<i>svi_carrier_delay_msec</i>	(Optional) carrier delay value in milli-seconds
<i>svi_arp_type</i>	(Optional) ARP type
<i>svi_arp_timeout</i>	(Optional) ARP timeout value
<i>svi_time_last_cleared</i>	(Optional) Time last cleared
TABLE_sec_vlan	(Optional) secondary vlans
<i>sec_vlan</i>	(Optional) vlan id
<i>sec_vlan_type</i>	(Optional) secondary vlan type
<i>eth_load_interval1_rx</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1_bits</i>	(Optional) interval 1 input rate bits/sec
<i>eth_inrate1_pkts</i>	(Optional) interval 1 input rate pkts/sec
<i>eth_load_interval1_tx</i>	(Optional) interval 1 timer value in sec
<i>eth_outrate1_bits</i>	(Optional) interval 1 output rate bits/sec
<i>eth_outrate1_pkts</i>	(Optional) interval 1 output rate pkts/sec
<i>eth_inrate1_summary_bits</i>	(Optional) interval 1 input rate bit summary
<i>eth_inrate1_summary_pkts</i>	(Optional) interval 1 input rate pkt summary
<i>eth_outrate1_summary_bits</i>	(Optional) interval 1 output rate bit summary
<i>eth_outrate1_summary_pkts</i>	(Optional) interval 1 output rate pkt summary
<i>eth_load_interval2_rx</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2_bits</i>	(Optional) interval 2 input rate bits/sec
<i>eth_inrate2_pkts</i>	(Optional) interval 2 input rate pkts/sec
<i>eth_load_interval2_tx</i>	(Optional) interval 2 timer value in sec
<i>eth_outrate2_bits</i>	(Optional) interval 2 output rate bits/sec
<i>eth_outrate2_pkts</i>	(Optional) interval 2 output rate pkts/sec
<i>eth_inrate2_summary_bits</i>	(Optional) interval 2 input rate bit summary
<i>eth_inrate2_summary_pkts</i>	(Optional) interval 2 input rate pkt summary
<i>eth_outrate2_summary_bits</i>	(Optional) interval 2 output rate bit summary

<i>eth_outrate2_summary_pkts</i>	(Optional) interval 2 output rate pkt summary
<i>eth_load_interval3_rx</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3_bits</i>	(Optional) interval 3 input rate bits/sec
<i>eth_inrate3_pkts</i>	(Optional) interval 3 input rate pkts/sec
<i>eth_load_interval3_tx</i>	(Optional) interval 3 timer value in sec
<i>eth_outrate3_bits</i>	(Optional) interval 3 output rate bits/sec
<i>eth_outrate3_pkts</i>	(Optional) interval 3 output rate pkts/sec
<i>eth_inrate3_summary_bits</i>	(Optional) interval 3 input rate bit summary
<i>eth_inrate3_summary_pkts</i>	(Optional) interval 3 input rate pkt summary
<i>eth_outrate3_summary_bits</i>	(Optional) interval 3 output rate bit summary
<i>eth_outrate3_summary_pkts</i>	(Optional) interval 3 output rate pkt summary
<i>eth_l2_ucastpkts</i>	(Optional) L2 switched ucast pkts
<i>eth_l2_ucastbytes</i>	(Optional) L2 switched ucast bytes
<i>eth_l2_mcastpkts</i>	(Optional) L2 switched mcast pkts
<i>eth_l2_mcastbytes</i>	(Optional) L2 switched mcast bytes
<i>eth_l2_bcastpkts</i>	(Optional) L2 switched bcast pkts
<i>eth_l2_bcastbytes</i>	(Optional) L2 switched bcast bytes
<i>eth_l3in_ucastpkts</i>	(Optional) IPv4 L3 in switched ucast pkts
<i>eth_l3in_ucastbytes</i>	(Optional) IPv4 L3 in switched ucast bytes
<i>eth_l3in_mcastpkts</i>	(Optional) IPv4 L3 in switched mcast pkts
<i>eth_l3in_mcastbytes</i>	(Optional) IPv4 L3 in switched mcast bytes
<i>eth_l3in_bcastpkts</i>	(Optional) L3 in switched bcast pkts
<i>eth_l3in_bcastbytes</i>	(Optional) L3 in switched bcast bytes
<i>eth_l3out_ucastpkts</i>	(Optional) IPv4 L3 out switched ucast pkts
<i>eth_l3out_ucastbytes</i>	(Optional) IPv4 L3 out switched ucast bytes
<i>eth_l3out_mcastpkts</i>	(Optional) IPv4 L3 out switched mcast pkts
<i>eth_l3out_mcastbytes</i>	(Optional) IPv4 L3 out switched mcast bytes
<i>eth_l3out_bcastpkts</i>	(Optional) L3 out switched bcast pkts
<i>eth_l3out_bcastbytes</i>	(Optional) L3 out switched bcast bytes

show interface

<i>eth_l3in_routed_pkts</i>	(Optional) L3 in routed pkts
<i>eth_l3in_routed_bytes</i>	(Optional) L3 in routed bytes
<i>eth_l3out_routed_pkts</i>	(Optional) L3 out routed pkts
<i>eth_l3out_routed_bytes</i>	(Optional) L3 out routed bytes
<i>eth_l3avg1_inbytes</i>	(Optional) Load interval 1 L3 average in switched bytes
<i>eth_l3avg1_inpks</i>	(Optional) Load interval 1 L3 average in switched pkts
<i>eth_l3avg1_outbytes</i>	(Optional) Load interval 1 L3 average out switched bytes
<i>eth_l3avg1_outpkts</i>	(Optional) Load interval 1 L3 average out switched pkts
<i>eth_l3avg2_inbytes</i>	(Optional) Load interval 2 L3 average in switched bytes
<i>eth_l3avg2_inpks</i>	(Optional) Load interval 2 L3 average in switched pkts
<i>eth_l3avg2_outbytes</i>	(Optional) Load interval 2 L3 average out switched bytes
<i>eth_l3avg2_outpkts</i>	(Optional) Load interval 2 L3 average out switched pkts
<i>eth_l3avg3_inbytes</i>	(Optional) Load interval 3 L3 average in switched bytes
<i>eth_l3avg3_inpks</i>	(Optional) Load interval 3 L3 average in switched pkts
<i>eth_l3avg3_outbytes</i>	(Optional) Load interval 3 L3 average out switched bytes
<i>eth_l3avg3_outpkts</i>	(Optional) Load interval 3 L3 average out switched pkts
<i>eth_inpks</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_nobuf</i>	(Optional) No buffer received
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inuicast</i>	(Optional) Unicasts
<i>eth_ingroups</i>	(Optional) giants
<i>eth_ipmcast</i>	(Optional) IP multicast
<i>eth_inhw_switched</i>	(Optional) Input H/W Switched
<i>eth_insw_switched</i>	(Optional) Input S/W Switched
<i>eth_runts</i>	(Optional) runts
<i>eth_storm_supp</i>	(Optional) storm suppression
<i>eth_throttles</i>	(Optional) throttles

<i>eth_inerr</i>	(Optional) input errors
<i>eth_crc</i>	(Optional) CRC
<i>eth_ecc</i>	(Optional) ECC
<i>eth_frame</i>	(Optional) frame
<i>eth_overrun</i>	(Optional) overrun
<i>eth_ignored</i>	(Optional) ignored
<i>eth_watchdog</i>	(Optional) watchdog
<i>eth_outicast</i>	(Optional) Broadcasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outgiants</i>	(Optional) giants
<i>eth_inpause</i>	(Optional) pause input
<i>eth_dribble</i>	(Optional) input packets with dribble condition
<i>eth_in_ifdown_drops</i>	(Optional) Input if-down drops
<i>eth_bad_eth</i>	(Optional) bad ether type drop
<i>eth_bad_proto</i>	(Optional) bad protocol drops
<i>eth_outpkts</i>	(Optional) packets output
<i>eth_outbytes</i>	(Optional) bytes output
<i>eth_underrun</i>	(Optional) underruns
<i>eth_outhw_switched</i>	(Optional) Out H/W Switched
<i>eth_outsw_switched</i>	(Optional) Out S/W Switched
<i>eth_outerr</i>	(Optional) output errors
<i>eth_coll</i>	(Optional) collisions
<i>eth_resets</i>	(Optional) interface resets
<i>eth_babbles</i>	(Optional) babbles
<i>eth_latecoll</i>	(Optional) late collision
<i>eth_deferred</i>	(Optional) deferred
<i>eth_lostcarrier</i>	(Optional) lost carrier
<i>eth_nocarrier</i>	(Optional) no carrier

show interface

<i>eth_outpause</i>	(Optional) PAUSE output
<i>eth_buffail</i>	(Optional) output buffer failures
<i>eth_bufswapped</i>	(Optional) output buffers swapped out
<i>eth_arpdrops</i>	(Optional) arp drops
<i>eth_out_ifdown_drops</i>	(Optional) Output if-down drops
<i>eth_single_coll</i>	(Optional) single collisions
<i>eth_multi_coll</i>	(Optional) multi collisions
<i>eth_excess_coll</i>	(Optional) excessive collisions
<i>eth_jabbers</i>	(Optional) jabbers
<i>eth_shortframe</i>	(Optional) short frames
<i>eth_indiscard</i>	(Optional) discards
<i>eth_bad_encap</i>	(Optional) bad encapsulation
<i>eth_outcrc</i>	(Optional) Output CRC
<i>eth_symbol</i>	(Optional) symbol errors
<i>eth_out_drops</i>	(Optional) output drops
<i>eth_sqetest</i>	(Optional) SQE test
<i>eth_inb64</i>	(Optional) input pkts between 0 and 64 bytes
<i>eth_inb65_127</i>	(Optional) input pkts between 65 and 127 bytes
<i>eth_inb128_255</i>	(Optional) input pkts between 128 and 255 bytes
<i>eth_inb256_511</i>	(Optional) input pkts between 256 and 511 bytes
<i>eth_inb512_1023</i>	(Optional) input pkts between 512 and 1023 bytes
<i>eth_inb1024_1518</i>	(Optional) input pkts between 1024 and 1518 bytes
<i>eth_inb1519_1548</i>	(Optional) input pkts between 1519 and 1548 bytes
<i>eth_intrunk</i>	(Optional) input trunk pkts
<i>eth_outb64</i>	(Optional) output pkts between 0 and 64 bytes
<i>eth_outb65_127</i>	(Optional) output pkts between 65 and 127 bytes
<i>eth_outb128_255</i>	(Optional) output pkts between 128 and 255 bytes
<i>eth_outb256_511</i>	(Optional) output pkts between 256 and 511 bytes
<i>eth_outb512_1023</i>	(Optional) output pkts between 512 and 1023 bytes

<i>eth_outb1024_1518</i>	(Optional) output pkts between 1024 and 1518 bytes
<i>eth_outb1519_1548</i>	(Optional) output pkts between 1519 and 1548 bytes
<i>eth_outtrunk</i>	(Optional) output trunk pkts
<i>eth_bpdu_outlost</i>	(Optional) BPDU output lost
<i>eth_cos0_outlost</i>	(Optional) output pkts
<i>eth_cos1_outlost</i>	(Optional) output pkts
<i>eth_cos2_outlost</i>	(Optional) output pkts
<i>eth_cos3_outlost</i>	(Optional) output pkts
<i>eth_cos4_outlost</i>	(Optional) output pkts
<i>eth_cos5_outlost</i>	(Optional) output pkts
<i>eth_cos6_outlost</i>	(Optional) output pkts
<i>eth_cos7_outlost</i>	(Optional) output pkts
<i>eth_fcoe_in_pkts</i>	(Optional) fcoe in pkts
<i>eth_fcoe_in_octets</i>	(Optional) fcoe in octets
<i>eth_fcoe_out_pkts</i>	(Optional) fcoe out pkts
<i>eth_fcoe_out_octets</i>	(Optional) fcoe out octets
<i>eth_nfcoe_in_pkts</i>	(Optional) nfcoe in pkts
<i>eth_nfcoe_in_octets</i>	(Optional) nfcoe in octets
<i>eth_nfcoe_out_pkts</i>	(Optional) nfcoe out pkts
<i>eth_nfcoe_out_octets</i>	(Optional) nfcoe out octets
<i>eth_eee_atx_lpi_msec</i>	(Optional) Tx Lpi usec
<i>eth_eee_arcv_lpi_msec</i>	(Optional) Rx Lpi usec
<i>eth_eee_atx_lpi_transitions</i>	(Optional) Tx Lpi requests
<i>eth_eee_arcv_lpi_transitions</i>	(Optional) Rx Lpi indications
<i>eth_phy_ber_count</i>	(Optional) Bit error rate counter
<i>eth_phy_errblk_count</i>	(Optional) Errored blocks counter
<i>svi_reliability</i>	(Optional) Reliability

**Command Mode**

- /exec

show interface

# show interface

```
show interface <ifmgmt> [ __readonly__ TABLE_interface <interface> <state> [ <state_rsn_desc> ] [ <state_rsn> ] [ <eth_rsn_fac> ] [ <eth_rsn_code> ] [ <share_state> ] [ <eth_bundle> ] [ <eth_dce_mode> ] [ <vpc_status> ] [ <eth_hw_desc> ] [ <eth_hw_addr> ] [ <eth_bia_addr> ] [ <desc> ] [ <eth_ip_addr> ] [ <eth_ip_mask> ] [ <eth_ip_prefix> ] [ <eth_mtu> ] [ <eth_bw> ] [ <eth_encap_vlan> ] [ <eth_dly> ] [ <eth_reliability> ] [ <eth_txload> ] [ <eth_rxload> ] [ <eth_loopback> ] [ <eth_keepalive> ] [ <eth_duplex> ] [ <eth_speed> ] [ <eth_mode> ] [ <eth_ratemode> ] [ <eth_autoneg> ] [ <eth_beacon> ] [ <eth_media> ] [ <eth_in_flowctrl> ] [ <eth_out_flowctrl> ] [ <eth_mdix> ] [ <eth_swt_monitor> ] [ <eth_etherype> ] [ <eth_members> ] [ <eth_clk_mode> ] [ <eth_arp_type> ] [ <eth_arp_timeout> ] [ <eth_last_in> ] [ <eth_last_out> ] [ <eth_out_hang> ] [ <eth_clear_counters> ] [ <eth_link_flapped> ] [ <eth_inq_size> ] [ <eth_inq_max> ] [ <eth_inq_drops> ] [ <eth_inq_flush> ] [ <eth_out_drop> ] [ <eth_q_strategy> ] [ <eth_outq_size> ] [ <eth_outq_max> ] [ <eth_reset_cntr> ] [ <mgmt_hw_desc> ] [ <mgmt_hw_addr> ] [ <mgmt_ip_addr> ] [ <mgmt_ip_mask> ] [ <mgmt_mtu> ] [ <mgmt_speed> ] [ <mgmt_duplex> ] [ <vdc_lvl_in_avg_bits> ] [ <vdc_lvl_in_avg_pkts> ] [ <vdc_lvl_out_avg_bits> ] [ <vdc_lvl_out_avg_pkts> ] [ <vdc_lvl_in_pkts> ] [ <vdc_lvl_in_unicast> ] [ <vdc_lvl_in_multicast> ] [ <vdc_lvl_in广播> ] [ <vdc_lvl_in_bytes> ] [ <vdc_lvl_in_bps> ] [ <vdc_lvl_in_pps> ] [ <vdc_lvl_out_pkts> ] [ <vdc_lvl_out_unicast> ] [ <vdc_lvl_out_multicast> ] [ <vdc_lvl_out_broadcast> ] [ <vdc_lvl_out_bytes> ] [ <vdc_lvl_out_bps> ] [ <vdc_lvl_out_pps> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifmgmt</i>	Enter interface type and number in module/slot format
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>state_rsn</i>	(Optional) Interface state reason
<i>eth_rsn_fac</i>	(Optional) State reason facility
<i>eth_rsn_code</i>	(Optional) State reason code
<i>share_state</i>	(Optional) Interface ownership
<i>eth_bundle</i>	(Optional) Belongs to bundle
<i>eth_dce_mode</i>	(Optional) DCE mode description
<i>vpc_status</i>	(Optional) VPC status
<i>eth_hw_desc</i>	(Optional) HW description

<i>eth_hw_addr</i>	(Optional) HW address
<i>eth_bia_addr</i>	(Optional) bia address
<i>desc</i>	(Optional) Interface description
<i>eth_ip_addr</i>	(Optional) IP Address
<i>eth_ip_mask</i>	(Optional) IP address mask
<i>eth_ip_prefix</i>	(Optional) IP address prefix
<i>eth_mtu</i>	(Optional) MTU
<i>eth_bw</i>	(Optional) Bandwidth
<i>eth_encap_vlan</i>	(Optional) Encapsulation Vlan
<i>eth_dly</i>	(Optional) Delay
<i>eth_reliability</i>	(Optional) Reliability
<i>eth_txload</i>	(Optional) Tx load
<i>eth_rxload</i>	(Optional) Rx load
<i>eth_loopback</i>	(Optional) Loopback
<i>eth_keepalive</i>	(Optional) Keepalive
<i>eth_duplex</i>	(Optional) Duplex
<i>eth_speed</i>	(Optional) Speed
<i>eth_mode</i>	(Optional) Port mode
<i>eth_ratemode</i>	(Optional) Rate mode
<i>eth_autoneg</i>	(Optional) Autonegotiation
<i>eth_beacon</i>	(Optional) Beacon
<i>eth_media</i>	(Optional) Media type
<i>eth_in_flowctrl</i>	(Optional) Input flowcontrol
<i>eth_out_flowctrl</i>	(Optional) Output flowcontrol
<i>eth_mdix</i>	(Optional) Mdix
<i>eth_swt_monitor</i>	(Optional) Switchport Monitor
<i>eth_etherType</i>	(Optional) EtherType
<i>eth_members</i>	(Optional) Members in this channel
<i>eth_clk_mode</i>	(Optional) Clock mode

## show interface

<i>eth_arp_type</i>	(Optional) ARP type
<i>eth_arp_timeout</i>	(Optional) ARP timeout
<i>eth_last_in</i>	(Optional) Last input
<i>eth_last_out</i>	(Optional) Last output
<i>eth_out_hang</i>	(Optional) Last output hang
<i>eth_clear_counters</i>	(Optional) Last clearing of show interface counters
<i>eth_link_flapped</i>	(Optional) Last link flapped
<i>eth_inq_size</i>	(Optional) Input queue size
<i>eth_inq_max</i>	(Optional) Input queue max
<i>eth_inq_drops</i>	(Optional) Input queue drops
<i>eth_inq_flush</i>	(Optional) Input queue flushes
<i>eth_out_drop</i>	(Optional) Output drops
<i>eth_q_strategy</i>	(Optional) Queueing strategy
<i>eth_outq_size</i>	(Optional) Output queue size
<i>eth_outq_max</i>	(Optional) Output queue max
<i>eth_reset_cntr</i>	(Optional) Interface resets
<i>mgmt_hw_desc</i>	(Optional) HW description
<i>mgmt_hw_addr</i>	(Optional) HW address
<i>mgmt_ip_addr</i>	(Optional) IP address
<i>mgmt_ip_mask</i>	(Optional) IP address mask
<i>mgmt_mtu</i>	(Optional) MTU
<i>mgmt_speed</i>	(Optional) Speed
<i>mgmt_duplex</i>	(Optional) Duplex
<i>vdc_lvl_in_avg_bits</i>	(Optional) VDC level average input bits
<i>vdc_lvl_in_avg_pkts</i>	(Optional) VDC level average input packets
<i>vdc_lvl_out_avg_bits</i>	(Optional) VDC level average output bits
<i>vdc_lvl_out_avg_pkts</i>	(Optional) VDC level average output packets
<i>vdc_lvl_in_pkts</i>	(Optional) VDC level input packets
<i>vdc_lvl_in_unicast</i>	(Optional) VDC level input unicast packets

<i>vdc_lvl_in_mcast</i>	(Optional) VDC level input multicast packets
<i>vdc_lvl_in_bcast</i>	(Optional) VDC level input broadcast packets
<i>vdc_lvl_in_bytes</i>	(Optional) VDC level input bytes
<i>vdc_lvl_in_bps</i>	(Optional) VDC level input bytes per second
<i>vdc_lvl_in_pps</i>	(Optional) VDC level input packets per second
<i>vdc_lvl_out_pkts</i>	(Optional) VDC level output packets
<i>vdc_lvl_out_unicast</i>	(Optional) VDC level output unicast packets
<i>vdc_lvl_out_mcast</i>	(Optional) VDC level output multicast packets
<i>vdc_lvl_out_bcast</i>	(Optional) VDC level output broadcast packets
<i>vdc_lvl_out_bytes</i>	(Optional) VDC level output bytes
<i>vdc_lvl_out_bps</i>	(Optional) VDC level output bytes per second
<i>vdc_lvl_out_pps</i>	(Optional) VDC level output packets per second

**Command Mode**

- /exec

show interface

# show interface

```
show interface [ controller | quick ] [ __readonly__ TABLE_interface <interface> [ <state> ] [ <state_rsn_desc>
] [ <state_rsn> ] [ <eth_rsn_fac> ] [ <eth_rsn_code> ] [ <admin_state> ] [ <share_state> ] [ <parent_interface>
] [ <vpc_status> ] [ <eth_bundle> ] [ <eth_hw_desc> ] [ <eth_hw_addr> ] [ <eth_bia_addr> ] [ <desc> ] [
<eth_ip_addr> ] [ <eth_ip_mask> ] [ <eth_ip_prefix> ] [ <eth_mtu> ] [ <eth_bw> ] [ <eth_dly> ] [
<eth_reliability> ] [ <eth_txload> ] [ <eth_rxload> ] [ <eth_encap_vlan> ] [ <medium> ] [ <eth_mode> ] [
<eth_duplex> ] [ <eth_speed> ] [ <eth_media> ] [ <eth_beacon> ] [ <eth_autoneg> ] [ <eth_in_flowctrl> ] [
<eth_out_flowctrl> ] [ <eth_mdix> ] [ <eth_ratemode> ] [ <eth_swt_monitor> ] [ <eth_etherype> ] [
<eth_eee_state> ] [ <eth_admin_fec_state> ] [ <eth_oper_fec_state> ] [ <eth_members> ] [ <eth_link_flapped>
] [ <eth_clear_counters> ] [ <eth_reset_cntr> ] [ <eth_load_interval1_rx> ] [ <eth_inrate1_bits> ] [
<eth_inrate1_pkts> ] [ <eth_load_interval1_tx> ] [ <eth_outrate1_bits> ] [ <eth_outrate1_pkts> ] [
<eth_inrate1_summary_bits> ] [ <eth_inrate1_summary_pkts> ] [ <eth_outrate1_summary_bits> ] [
<eth_outrate1_summary_pkts> ] [ <eth_load_interval2_rx> ] [ <eth_inrate2_bits> ] [ <eth_inrate2_pkts> ] [
<eth_load_interval2_tx> ] [ <eth_outrate2_bits> ] [ <eth_outrate2_pkts> ] [ <eth_inrate2_summary_bits> ] [
<eth_inrate2_summary_pkts> ] [ <eth_outrate2_summary_bits> ] [ <eth_outrate2_summary_pkts> ] [
<eth_load_interval3_rx> ] [ <eth_inrate3_bits> ] [ <eth_inrate3_pkts> ] [ <eth_load_interval3_tx> ] [
<eth_outrate3_bits> ] [ <eth_outrate3_pkts> ] [ <eth_inrate3_summary_bits> ] [ <eth_inrate3_summary_pkts>
] [ <eth_outrate3_summary_bits> ] [ <eth_outrate3_summary_pkts> ] [ <eth_l2_ucastpkts> ] [
<eth_l2_ustcastbytes> ] [ <eth_l2_mcastpkts> ] [ <eth_l2_bcastpkts> ] [
<eth_l2_bcastbytes> ] [ <eth_l3in_routed_pkts> ] [ <eth_l3in_routed_bytes> ] [ <eth_l3out_routed_pkts> ] [
<eth_l3out_routed_bytes> ] [ <eth_l3in_ustcastpkts> ] [ <eth_l3in_ustcastbytes> ] [ <eth_l3in_mcastpkts> ] [
<eth_l3in_mcastbytes> ] [ <eth_l3in_bcastpkts> ] [ <eth_l3in_bcastbytes> ] [ <eth_l3out_ustcastpkts> ] [
<eth_l3out_ustcastbytes> ] [ <eth_l3out_mcastpkts> ] [ <eth_l3out_mcastbytes> ] [ <eth_l3out_bcastpkts> ] [
<eth_l3out_bcastbytes> ] [ <eth_l3avg1_inbytes> ] [ <eth_l3avg1_inpkts> ] [ <eth_l3avg1_outbytes> ] [
<eth_l3avg1_outpkts> ] [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] [ <eth_inpkts> ] [ <eth_inbytes>
] [ <eth_jumbo_inpkts> ] [ <eth_storm_supp> ] [ <eth_runtsp> ] [ <eth_giants> ] [ <eth_crc> ] [ <eth_nobuf>
] [ <eth_inerr> ] [ <eth_frame> ] [ <eth_overrun> ] [ <eth_underrun> ] [ <eth_ignored> ] [ <eth_watchdog>
] [ <eth_bad_eth> ] [ <eth_bad_proto> ] [ <eth_in_ifdown_drops> ] [ <eth_dribble> ] [ <eth_indiscard> ] [
<eth_inpause> ] [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast> ] [ <eth_outpkts> ] [ <eth_outbytes>
] [ <eth_jumbo_outpkts> ] [ <eth_outerr> ] [ <eth_coll> ] [ <eth_deferred> ] [ <eth_latecoll> ] [
<eth_lostcarrier> ] [ <eth_nocarrier> ] [ <eth_babbles> ] [ <eth_outdiscard> ] [ <eth_outpause> ] [
<mgmt_hw_desc> ] [ <mgmt_hw_addr> ] [ <mgmt_ip_addr> ] [ <mgmt_ip_mask> ] [ <mgmt_mtu> ] [
<mgmt_speed> ] [ <mgmt_duplex> ] [ <vdc_lvl_in_avg_bits> ] [ <vdc_lvl_in_avg_pkts> ] [
<vdc_lvl_out_avg_bits> ] [ <vdc_lvl_out_avg_pkts> ] [ <vdc_lvl_in_pkts> ] [ <vdc_lvl_in_ustcast> ] [
<vdc_lvl_in_mcast> ] [ <vdc_lvl_in_bcast> ] [ <vdc_lvl_in_bytes> ] [ <vdc_lvl_in_bps> ] [ <vdc_lvl_in_pps>
] [ <vdc_lvl_out_pkts> ] [ <vdc_lvl_out_ustcast> ] [ <vdc_lvl_out_mcast> ] [ <vdc_lvl_out_bcast> ] [
<vdc_lvl_out_bytes> ] [ <vdc_lvl_out_bps> ] [ <vdc_lvl_out_pps> ] [ <mgmt_in_pkts> ] [ <mgmt_in_bytes>
] [ <mgmt_in_mcast> ] [ <mgmt_in_compressed> ] [ <mgmt_in_errors> ] [ <mgmt_in_frame> ] [
<mgmt_in_overrun> ] [ <mgmt_in_fifo> ] [ <mgmt_out_pkts> ] [ <mgmt_out_bytes> ] [
<mgmt_out_underruns> ] [ <mgmt_out_errors> ] [ <mgmt_out_collisions> ] [ <mgmt_out_fifo> ] [
<mgmt_out_carrier> ] [ <mgmt_align_err> ] [ <mgmt_fcs_err> ] [ <mgmt_xmit_err> ] [ <mgmt_rcv_err> ] [
<mgmt_undersize> ] [ <mgmt_outdisc> ] [ <mgmt_single_col> ] [ <mgmt_multi_col> ] [ <mgmt_late_col>
] [ <mgmt_excess_col> ] [ <mgmt_carri_sen> ] [ <mgmt_runtsp> ] [ <mgmt_giants> ] [ <mgmt_sqtest_err>
] [ <mgmt_deferred_tx> ] [ <mgmt_inmactx_err> ] [ <mgmt_inmacrx_err> ] [ <mgmt_symbol_err> ] [
<loop_in_pkts> ] [ <loop_in_bytes> ] [ <loop_in_mcast> ] [ <loop_in_compressed> ] [ <loop_in_errors>
] [ <loop_in_frame> ] [ <loop_in_overrun> ] [ <loop_in_fifo> ] [ <loop_out_pkts> ] [ <loop_out_bytes> ] [
<loop_out_underruns> ] [ <loop_out_errors> ] [ <loop_out_collisions> ] [ <loop_out_fifo> ] [
<loop_out_carriers> ] <admin-state> { <tunnel-ipv4> | <tunnel-ipv6> } <mtu> <bandwidth> <encap-type>
<keepalive-period> <keepalive-retries> { <src-ipv4> | <src-ipv6> } <src-intf> { <dest-ipv4> | <dest-ipv6> }
```

```

<dest-hostname> <vrf_name> <wccp_header> <ttl_val> <tunnel_pmtud_age_time> <tunnel_pmtud_min_mtu>
<tunnel_pmtud> <tunnel_pgm_mtu> <tunnel_rx_pkt_count> <tunnel_rx_byte_count> <tunnel_rx_rate>
<tunnel_tx_pkt_count> <tunnel_tx_byte_count> <tunnel_tx_rate> <tunnel_clear_counter> [<svi_if_index>
] [<svi_admin_state>] [<oper_state>] [<svi_rsn_desc>] [<svi_line_proto>] [<svi_hw>] [<svi_mac>]
[<svi_desc>] [<svi_ip_addr>] [<svi_ip_mask>] [<svi_mtu>] [<svi_bw>] [<svi_delay>] [<vlan_id>
] [<type>] [<svi_tx_load>] [<svi_rx_load>] [<svi_carrier_delay_sec>] [<svi_carrier_delay_msec>] [
<svi_arp_type>] [<svi_arp_timeout>] [<svi_time_last_cleared>] { [<TABLE_sec_vlan>] [<sec_vlan>] [
<sec_vlan_type>] } [<svi_routed_pkts_in>] [<svi_routed_bytes_in>] [<svi_routed_pkts_out>] [
<svi_routed_bytes_out>] [<svi_unicast_pkts_in>] [<svi_unicast_bytes_in>] [<svi_mcast_pkts_in>] [
<svi_mcast_bytes_in>] [<svi_unicast_pkts_out>] [<svi_unicast_bytes_out>] [<svi_mcast_pkts_out>] [
<svi_mcast_bytes_out>] [<svi_ipv4_unicast_pkts_in>] [<svi_ipv4_unicast_bytes_in>] [
<svi_ipv4_unicast_pkts_out>] [<svi_ipv4_unicast_bytes_out>] [<svi_ipv4_mcast_pkts_in>] [
<svi_ipv4_mcast_bytes_in>] [<svi_ipv4_mcast_pkts_out>] [<svi_ipv4_mcast_bytes_out>] [
<svi_ipv6_unicast_pkts_in>] [<svi_ipv6_unicast_bytes_in>] [<svi_ipv6_unicast_pkts_out>] [
<svi_ipv6_unicast_bytes_out>] [<svi_ipv6_mcast_pkts_in>] [<svi_ipv6_mcast_bytes_in>] [
<svi_ipv6_mcast_pkts_out>] [<svi_ipv6_mcast_bytes_out>] [<svi_average_input_bits>] [
<svi_average_input_packets>] [<svi_average_output_bits>] [<svi_average_output_packets>] [
<svi_rate_in_mins>] [<svi_reliability>] [<overlay_addr>] [<overlay_addr_mask>] [<overlay_mtu>] [
<overlay_bandwidth>] [<overlay_encap_str>] [<overlay_vrf>] [<overlay_src_addr>] [<overlay_dst_addr>
] [<overlay_last_link_flap>] [<overlay_clear_counters>] [<overlay_load_interval>] [
<overlay_rx_unicastpkts>] [<overlay_rx_unicastbytes>] [<overlay_rx_mcastpkts>] [<overlay_rx_mcastbytes>
] [<overlay_rx_pkts>] [<overlay_rx_bytes>] [<overlay_rx_bcastpkts>] [<overlay_rx_bcastbytes>] [
<overlay_rx_bitrate>] [<overlay_rx_pktrate>] [<overlay_tx_unicastpkts>] [<overlay_tx_unicastbytes>] [
<overlay_tx_mcastpkts>] [<overlay_tx_mcastbytes>] [<overlay_tx_bcastpkts>] [<overlay_tx_bcastbytes>
] [<overlay_tx_pkts>] [<overlay_tx_bytes>] [<overlay_tx_bitrate>] [<overlay_tx_pktrate>] <switchport>
]

```

### Syntax Description

show	Show running system information
interface	Show interface status and information
controller	(Optional) Show controller configured interfaces
quick	(Optional) Show info of interface skipping stats
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>state_rsn</i>	(Optional) Interface state reason
<i>eth_rsn_fac</i>	(Optional) State reason facility
<i>eth_rsn_code</i>	(Optional) State reason code
<i>admin_state</i>	(Optional) admin state

**show interface**

<i>share_state</i>	(Optional) Interface ownership
<i>parent_interface</i>	(Optional) parent interface
<i>vpc_status</i>	(Optional) VPC status
<i>eth_bundle</i>	(Optional) Belongs to bundle
<i>eth_hw_desc</i>	(Optional) HW description
<i>eth_hw_addr</i>	(Optional) HW address
<i>eth_bia_addr</i>	(Optional) bia address
<i>desc</i>	(Optional) Interface description
<i>eth_ip_addr</i>	(Optional) IP Address
<i>eth_ip_mask</i>	(Optional) IP address mask
<i>eth_ip_prefix</i>	(Optional) IP address prefix
<i>eth_mtu</i>	(Optional) MTU
<i>eth_bw</i>	(Optional) Bandwidth
<i>eth_dly</i>	(Optional) Delay
<i>eth_reliability</i>	(Optional) Reliability
<i>eth_txload</i>	(Optional) Tx load
<i>eth_rxload</i>	(Optional) Rx load
<i>eth_encap_vlan</i>	(Optional) Encapsulation Vlan
<i>medium</i>	(Optional) medium type
<i>eth_mode</i>	(Optional) Port mode
<i>eth_duplex</i>	(Optional) Duplex
<i>eth_speed</i>	(Optional) Speed
<i>eth_media</i>	(Optional) Media type
<i>eth_beacon</i>	(Optional) Beacon
<i>eth_autoneg</i>	(Optional) Autonegotiation
<i>eth_in_flowctrl</i>	(Optional) Input flowcontrol
<i>eth_out_flowctrl</i>	(Optional) Output flowcontrol
<i>eth_mdix</i>	(Optional) Mdix
<i>eth_ratemode</i>	(Optional) Rate mode

<i>eth_swt_monitor</i>	(Optional) Switchport Monitor
<i>eth_etherType</i>	(Optional) EtherType
<i>eth_eee_state</i>	(Optional) EEE state
<i>eth_admin_fec_state</i>	(Optional) Admin FEC state
<i>eth_oper_fec_state</i>	(Optional) Oper FEC state
<i>eth_members</i>	(Optional) Members in this channel
<i>eth_link_flapped</i>	(Optional) Last link flapped
<i>eth_clear_counters</i>	(Optional) Last clearing of show interface counters
<i>eth_reset_cntr</i>	(Optional) Interface resets
<i>eth_load_interval1_rx</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1_bits</i>	(Optional) interval 1 input rate bits/sec
<i>eth_inrate1_pkts</i>	(Optional) interval 1 input rate pkts/sec
<i>eth_load_interval1_tx</i>	(Optional) interval 1 timer value in sec
<i>eth_outrate1_bits</i>	(Optional) interval 1 output rate bits/sec
<i>eth_outrate1_pkts</i>	(Optional) interval 1 output rate pkts/sec
<i>eth_inrate1_summary_bits</i>	(Optional) interval 1 input rate bit summary
<i>eth_inrate1_summary_pkts</i>	(Optional) interval 1 input rate pkt summary
<i>eth_outrate1_summary_bits</i>	(Optional) interval 1 output rate bit summary
<i>eth_outrate1_summary_pkts</i>	(Optional) interval 1 output rate pkt summary
<i>eth_load_interval2_rx</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2_bits</i>	(Optional) interval 2 input rate bits/sec
<i>eth_inrate2_pkts</i>	(Optional) interval 2 input rate pkts/sec
<i>eth_load_interval2_tx</i>	(Optional) interval 2 timer value in sec
<i>eth_outrate2_bits</i>	(Optional) interval 2 output rate bits/sec
<i>eth_outrate2_pkts</i>	(Optional) interval 2 output rate pkts/sec
<i>eth_inrate2_summary_bits</i>	(Optional) interval 2 input rate bit summary
<i>eth_inrate2_summary_pkts</i>	(Optional) interval 2 input rate pkt summary
<i>eth_outrate2_summary_bits</i>	(Optional) interval 2 output rate bit summary
<i>eth_outrate2_summary_pkts</i>	(Optional) interval 2 output rate pkt summary

**show interface**

<i>eth_load_interval3_rx</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3_bits</i>	(Optional) interval 3 input rate bits/sec
<i>eth_inrate3_pkts</i>	(Optional) interval 3 input rate pkts/sec
<i>eth_load_interval3_tx</i>	(Optional) interval 3 timer value in sec
<i>eth_outrate3_bits</i>	(Optional) interval 3 output rate bits/sec
<i>eth_outrate3_pkts</i>	(Optional) interval 3 output rate pkts/sec
<i>eth_inrate3_summary_bits</i>	(Optional) interval 3 input rate bit summary
<i>eth_inrate3_summary_pkts</i>	(Optional) interval 3 input rate pkt summary
<i>eth_outrate3_summary_bits</i>	(Optional) interval 3 output rate bit summary
<i>eth_outrate3_summary_pkts</i>	(Optional) interval 3 output rate pkt summary
<i>eth_l2_icastpkts</i>	(Optional) L2 switched ucast pkts
<i>eth_l2_icastbytes</i>	(Optional) L2 switched ucast bytes
<i>eth_l2_mcastpkts</i>	(Optional) L2 switched mcast pkts
<i>eth_l2_mcastbytes</i>	(Optional) L2 switched mcast bytes
<i>eth_l2_bcastpkts</i>	(Optional) L2 switched bcast pkts
<i>eth_l2_bcastbytes</i>	(Optional) L2 switched bcast bytes
<i>eth_l3in_icastpkts</i>	(Optional) L3 in switched ucast pkts
<i>eth_l3in_icastbytes</i>	(Optional) L3 in switched ucast bytes
<i>eth_l3in_mcastpkts</i>	(Optional) L3 in switched mcast pkts
<i>eth_l3in_mcastbytes</i>	(Optional) L3 in switched mcast bytes
<i>eth_l3in_bcastpkts</i>	(Optional) L3 in switched bcast pkts
<i>eth_l3in_bcastbytes</i>	(Optional) L3 in switched bcast bytes
<i>eth_l3out_icastpkts</i>	(Optional) L3 out switched ucast pkts
<i>eth_l3out_icastbytes</i>	(Optional) L3 out switched ucast bytes
<i>eth_l3out_mcastpkts</i>	(Optional) L3 out switched mcast pkts
<i>eth_l3out_mcastbytes</i>	(Optional) L3 out switched mcast bytes
<i>eth_l3out_bcastpkts</i>	(Optional) L3 out switched bcast pkts
<i>eth_l3out_bcastbytes</i>	(Optional) L3 out switched bcast bytes
<i>eth_l3in_routed_pkts</i>	(Optional) L3 in routed pkts

<i>eth_l3in_routed_bytes</i>	(Optional) L3 in routed bytes
<i>eth_l3out_routed_pkts</i>	(Optional) L3 out routed pkts
<i>eth_l3out_routed_bytes</i>	(Optional) L3 out routed bytes
<i>eth_l3avg1_inbytes</i>	(Optional) Load interval 1 L3 average in switched bytes
<i>eth_l3avg1_inpks</i>	(Optional) Load interval 1 L3 average in switched pkts
<i>eth_l3avg1_outbytes</i>	(Optional) Load interval 1 L3 average out switched bytes
<i>eth_l3avg1_outpkts</i>	(Optional) Load interval 1 L3 average out switched pkts
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_inpks</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_jumbo_inpks</i>	(Optional) Incoming jumbo pkts
<i>eth_storm_supp</i>	(Optional) storm suppression
<i>eth_runts</i>	(Optional) runts
<i>eth_giants</i>	(Optional) giants
<i>eth_crc</i>	(Optional) CRC
<i>eth_nobuf</i>	(Optional) No buffer received
<i>eth_inerr</i>	(Optional) input errors
<i>eth_frame</i>	(Optional) frame
<i>eth_overrun</i>	(Optional) overrun
<i>eth_underrun</i>	(Optional) underruns
<i>eth_ignored</i>	(Optional) ignored
<i>eth_watchdog</i>	(Optional) watchdog
<i>eth_bad_eth</i>	(Optional) bad ether type drop
<i>eth_bad_proto</i>	(Optional) bad protocol drops
<i>eth_in_ifdown_drops</i>	(Optional) Input if-down drops
<i>eth_dribble</i>	(Optional) input packets with dribble condition
<i>eth_indiscard</i>	(Optional) discards

## show interface

<i>eth_inpause</i>	(Optional) pause input
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) packets output
<i>eth_outbytes</i>	(Optional) bytes output
<i>eth_jumbo_outpkts</i>	(Optional) Outgoing jumbo pkts
<i>eth_outerr</i>	(Optional) output errors
<i>eth_coll</i>	(Optional) collisions
<i>eth_deferred</i>	(Optional) deferred
<i>eth_latecoll</i>	(Optional) late collision
<i>eth_lostcarrier</i>	(Optional) lost carrier
<i>eth_nocARRIER</i>	(Optional) no carrier
<i>eth_babbles</i>	(Optional) babbles
<i>eth_outdiscard</i>	(Optional) output discard
<i>eth_outPAUSE</i>	(Optional) PAUSE output
<i>mgmt_hw_desc</i>	(Optional) HW description
<i>mgmt_hw_addr</i>	(Optional) HW address
<i>mgmt_ip_addr</i>	(Optional) IP address
<i>mgmt_ip_mask</i>	(Optional) IP address mask
<i>mgmt_mtu</i>	(Optional) MTU
<i>mgmt_speed</i>	(Optional) Speed
<i>mgmt_duplex</i>	(Optional) Duplex
<i>vdc_lvl_in_avg_bits</i>	(Optional) VDC level average input bits
<i>vdc_lvl_in_avg_pkts</i>	(Optional) VDC level average input packets
<i>vdc_lvl_out_avg_bits</i>	(Optional) VDC level average output bits
<i>vdc_lvl_out_avg_pkts</i>	(Optional) VDC level average output packets
<i>vdc_lvl_in_pkts</i>	(Optional) VDC level input packets
<i>vdc_lvl_in_unicast</i>	(Optional) VDC level input unicast packets

<i>vdc_lvl_in_mcast</i>	(Optional) VDC level input multicast packets
<i>vdc_lvl_in_bcast</i>	(Optional) VDC level input broadcast packets
<i>vdc_lvl_in_bytes</i>	(Optional) VDC level input bytes
<i>vdc_lvl_in_bps</i>	(Optional) VDC level input bytes per second
<i>vdc_lvl_in_pps</i>	(Optional) VDC level input packets per second
<i>vdc_lvl_out_pkts</i>	(Optional) VDC level output packets
<i>vdc_lvl_out_unicast</i>	(Optional) VDC level output unicast packets
<i>vdc_lvl_out_mcast</i>	(Optional) VDC level output multicast packets
<i>vdc_lvl_out_bcast</i>	(Optional) VDC level output broadcast packets
<i>vdc_lvl_out_bytes</i>	(Optional) VDC level output bytes
<i>vdc_lvl_out_bps</i>	(Optional) VDC level output bytes per second
<i>vdc_lvl_out_pps</i>	(Optional) VDC level output packets per second
<i>mgmt_in_pkts</i>	(Optional) Input packets
<i>mgmt_in_bytes</i>	(Optional) Input bytes
<i>mgmt_in_mcast</i>	(Optional) Input multicast frames
<i>mgmt_in_compressed</i>	(Optional) Input compressed
<i>mgmt_in_errors</i>	(Optional) Input errors
<i>mgmt_in_frame</i>	(Optional) Input frame errors
<i>mgmt_in_overrun</i>	(Optional) Input overrun
<i>mgmt_in_fifo</i>	(Optional) Input fifo
<i>mgmt_out_pkts</i>	(Optional) Output packets
<i>mgmt_out_bytes</i>	(Optional) Output bytes
<i>mgmt_out_underruns</i>	(Optional) Output overruns
<i>mgmt_out_errors</i>	(Optional) Output errors
<i>mgmt_out_collisions</i>	(Optional) Output collisions
<i>mgmt_out_fifo</i>	(Optional) Output fifo
<i>mgmt_out_carrier</i>	(Optional) Output carrier errors
<i>mgmt_align_err</i>	(Optional) Align error
<i>mgmt_fcs_err</i>	(Optional) FCS error

## show interface

<i>mgmt_xmit_err</i>	(Optional) Transmit error
<i>mgmt_rcv_err</i>	(Optional) Receive error
<i>mgmt_undersize</i>	(Optional) Undersize
<i>mgmt_outdisc</i>	(Optional) Out discard
<i>mgmt_single_col</i>	(Optional) Single collision
<i>mgmt_multi_col</i>	(Optional) Multiple collision
<i>mgmt_late_col</i>	(Optional) Late collision
<i>mgmt_excess_col</i>	(Optional) Excess collision
<i>mgmt_carri_sen</i>	(Optional) Carrier sense
<i>mgmt_runt</i>	(Optional) Runts
<i>mgmt_giants</i>	(Optional) Giants
<i>mgmt_sqetest_err</i>	(Optional) SQETest error
<i>mgmt_deferred_tx</i>	(Optional) Deferred tx
<i>mgmt_inmactx_err</i>	(Optional) In MAC tx
<i>mgmt_inmacrx_err</i>	(Optional) In MAC rx
<i>mgmt_symbol_err</i>	(Optional) Symbol error
<i>loop_in_pkts</i>	(Optional) Input packets
<i>loop_in_bytes</i>	(Optional) Input bytes
<i>loop_in_mcast</i>	(Optional) Input multicast
<i>loop_in_compressed</i>	(Optional) Input compressed
<i>loop_in_errors</i>	(Optional) Input errors
<i>loop_in_frame</i>	(Optional) Input frame errors
<i>loop_in_overrun</i>	(Optional) Input overrun
<i>loop_in_fifo</i>	(Optional) Input fifo
<i>loop_out_pkts</i>	(Optional) Output packets
<i>loop_out_bytes</i>	(Optional) Output bytes
<i>loop_out_underruns</i>	(Optional) Output underruns
<i>loop_out_errors</i>	(Optional) Output errors
<i>loop_out_collisions</i>	(Optional) Output collisions

<i>loop_out_fifo</i>	(Optional) Output fifo
<i>loop_out_carriers</i>	(Optional) Output carrier errors
<i>admin-state</i>	(Optional)
<i>tunnel-ipv4</i>	(Optional) interface IPv4 address
<i>mtu</i>	(Optional) interface Maximum Transmission Unit
<i>bandwidth</i>	(Optional) interface Bandwidth in kilobits
<i>encap-type</i>	(Optional)
<i>keepalive-period</i>	(Optional) keepalive period
<i>keepalive-retries</i>	(Optional) number of retries
<i>src-ipv4</i>	(Optional) tunnel source IPv4 address
<i>src-intf</i>	(Optional) tunnel source interface
<i>dest-ipv4</i>	(Optional) tunnel destination IPv4 address
<i>dest-hostname</i>	(Optional) tunnel destination hostname
<i>vrf_name</i>	(Optional) transport VRF name
<i>wccp_header</i>	(Optional) wccp header
<i>ttl_val</i>	(Optional) tunnel time to live value
<i>tunnel_pmtud_age_time</i>	(Optional) tunnel path MTU discovery age time
<i>tunnel_pmtud_min_mtu</i>	(Optional) tunnel path MTU discovery min mtu
<i>tunnel_pmtud</i>	(Optional) tunnel path MTU discovered
<i>tunnel_pgm_mtu</i>	(Optional) tunnel actual programmed MTU
<i>tunnel_rx_pkt_count</i>	(Optional) total number of packets received
<i>tunnel_rx_byte_count</i>	(Optional) total number of bytes received
<i>tunnel_rx_rate</i>	(Optional) packets input rate per 5 minutes
<i>tunnel_tx_pkt_count</i>	(Optional) total number of packets transmitted
<i>tunnel_tx_byte_count</i>	(Optional) total number of bytes transmitted
<i>tunnel_tx_rate</i>	(Optional) packets transmitted per 5 minutes
<i>tunnel_clear_counter</i>	(Optional) Last clearing of show interface counters
<i>svi_if_index</i>	(Optional) Interface
<i>svi_admin_state</i>	(Optional)

## show interface

<i>oper_state</i>	(Optional)
<i>svi_rsn_desc</i>	(Optional) Interface state reason detailed
<i>svi_line_proto</i>	(Optional)
<i>svi_hw</i>	(Optional) Hardware
<i>svi_mac</i>	(Optional) Address
<i>svi_desc</i>	(Optional) Interface Description
<i>svi_ip_addr</i>	(Optional) IP Address
<i>svi_ip_mask</i>	(Optional) IP address mask
<i>svi_mtu</i>	(Optional) MTU size in bytes
<i>svi_bw</i>	(Optional) Bandwidth in kilobits
<i>svi_delay</i>	(Optional) Throughput delay (tens of microseconds)
<i>vlan_id</i>	(Optional) Vlan
<i>type</i>	(Optional) type
<i>svi_tx_load</i>	(Optional) Tx Load
<i>svi_rx_load</i>	(Optional) Rx Load
<i>svi_carrier_delay_sec</i>	(Optional) carrier delay value in seconds
<i>svi_carrier_delay_msec</i>	(Optional) carrier delay value in milli-seconds
<i>svi_arp_type</i>	(Optional) ARP type
<i>svi_arp_timeout</i>	(Optional) ARP timeout value
<i>svi_time_last_cleared</i>	(Optional) Time last cleared
<i>TABLE_sec_vlan</i>	(Optional) secondary vlans
<i>sec_vlan</i>	(Optional) vlan id
<i>sec_vlan_type</i>	(Optional) secondary vlan type
<i>svi_reliability</i>	(Optional) Reliability
<i>overlay_addr</i>	(Optional) Overlay address
<i>overlay_addr_mask</i>	(Optional) Overlay address mask
<i>overlay_mtu</i>	(Optional) MTU
<i>overlay_bandwidth</i>	(Optional) Bandwidth
<i>overlay_encap_str</i>	(Optional) Encap type

<i>overlay_vrf</i>	(Optional) VRF
<i>overlay_src_addr</i>	(Optional) Source address
<i>overlay_dst_addr</i>	(Optional) Destination address
<i>overlay_last_link_flap</i>	(Optional) Last link flap
<i>overlay_clear_counters</i>	(Optional) Last clearing of show interface counters
<i>overlay_load_interval</i>	(Optional) Load interval
<i>overlay_rx_ucastpkts</i>	(Optional) Received ucast pkts
<i>overlay_rx_ucastbytes</i>	(Optional) Received ucast bytes
<i>overlay_rx_mcastpkts</i>	(Optional) Received mcast pkts
<i>overlay_rx_mcastbytes</i>	(Optional) Received mcast bytes
<i>overlay_rx_bcastpkts</i>	(Optional) Received bcast pkts
<i>overlay_rx_bcastbytes</i>	(Optional) Received bcast bytes
<i>overlay_rx_pkts</i>	(Optional) Total received pkts
<i>overlay_rx_bytes</i>	(Optional) Total received bytes
<i>overlay_rx_bitrate</i>	(Optional) Receive bit rate
<i>overlay_rx_pktrate</i>	(Optional) Receive pkt rate
<i>overlay_tx_ucastpkts</i>	(Optional) Trasnmitted ucast pkts
<i>overlay_tx_ucastbytes</i>	(Optional) Trasnmitted ucast bytes
<i>overlay_tx_mcastpkts</i>	(Optional) Trasnmitted mcast pkts
<i>overlay_tx_mcastbytes</i>	(Optional) Trasnmitted mcast bytes
<i>overlay_tx_bcastpkts</i>	(Optional) Trasnmitted bcast pkts
<i>overlay_tx_bcastbytes</i>	(Optional) Trasnmitted bcast bytes
<i>overlay_tx_pkts</i>	(Optional) Total transmitted pkts
<i>overlay_tx_bytes</i>	(Optional) Total transmitted bytes
<i>overlay_tx_bitrate</i>	(Optional) Transmit bit rate
<i>overlay_tx_pktrate</i>	(Optional) Transmit pkt rate
<i>switchport</i>	(Optional) Switchport enabled

**Command Mode**

- /exec

show interface

# show interface

```
show interface <ifloop> [ __readonly__ TABLE_interface <interface> [ <state> ] [ <admin_state> ] [ <share_state> ] [ <state_rsn> ] [ <state_rsn_desc> ] [ <desc> ] [ <eth_bundle> ] [ <mgmt_sfp> ] [ <mgmt_type> ] [ <eth_eee_state> ] [ <eth_dce_mode> ] [ <vpc_status> ] [ <eth_rsn_fac> ] [ <eth_rsn_code> ] [ <eth_hw_desc> ] [ <eth_hw_addr> ] [ <eth_bia_addr> ] [ <eth_ip_addr> ] [ <eth_ip_mask> ] [ <eth_ip_prefix> ] [ <eth_mtu> ] [ <eth_bw> ] [ <eth_encap_vlan> ] [ <eth_dly> ] [ <eth_reliability> ] [ <eth_txload> ] [ <eth_rxload> ] [ <eth_loopback> ] [ <eth_keepalive> ] [ <eth_duplex> ] [ <eth_speed> ] [ <eth_mode> ] [ <eth_ratemode> ] [ <eth_autoneg> ] [ <eth_beacon> ] [ <eth_media> ] [ <eth_in_flowctrl> ] [ <eth_out_flowctrl> ] [ <eth_mdix> ] [ <eth_swt_monitor> ] [ <eth_etherstype> ] [ <eth_members> ] [ <eth_clk_mode> ] [ <eth_arp_type> ] [ <eth_arp_timeout> ] [ <eth_last_in> ] [ <eth_last_out> ] [ <eth_out_hang> ] [ <eth_clear_counters> ] [ <eth_link_flapped> ] [ <eth_inq_size> ] [ <eth_inq_max> ] [ <eth_inq_drops> ] [ <eth_inq_flush> ] [ <eth_out_drop> ] [ <eth_q_strategy> ] [ <eth_outq_size> ] [ <eth_outq_max> ] [ <eth_reset_cntr> ] [ <loop_in_pkts> ] [ <loop_in_bytes> ] [ <loop_in_mcast> ] [ <loop_in_compressed> ] [ <loop_in_errors> ] [ <loop_in_frame> ] [ <loop_in_overrun> ] [ <loop_in_fifo> ] [ <loop_out_pkts> ] [ <loop_out_bytes> ] [ <loop_out_underruns> ] [ <loop_out_errors> ] [ <loop_out_collisions> ] [ <loop_out_fifo> ] [ <loop_out_carriers> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifloop</i>	Enter interface type and number in module/slot format
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>admin_state</i>	(Optional) Interface admin state
<i>share_state</i>	(Optional) Interface ownership
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>desc</i>	(Optional) Interface description
<i>mgmt_sfp</i>	(Optional) mgmt sfp
<i>mgmt_type</i>	(Optional) mgmt type
<i>eth_bundle</i>	(Optional) Belongs to bundle
<i>eth_eee_state</i>	(Optional) EEE state
<i>eth_dce_mode</i>	(Optional) DCE mode description

<i>vpc_status</i>	(Optional) VPC status
<i>eth_rsn_fac</i>	(Optional) State reason facility
<i>eth_rsn_code</i>	(Optional) State reason code
<i>eth_hw_desc</i>	(Optional) HW description
<i>eth_hw_addr</i>	(Optional) HW address
<i>eth_bia_addr</i>	(Optional) bia address
<i>eth_ip_addr</i>	(Optional) IP Address
<i>eth_ip_mask</i>	(Optional) IP address mask
<i>eth_ip_prefix</i>	(Optional) IP Prefix
<i>eth_mtu</i>	(Optional) MTU
<i>eth_bw</i>	(Optional) Bandwidth
<i>eth_encap_vlan</i>	(Optional) Encapsulation Vlan
<i>eth_dly</i>	(Optional) Delay
<i>eth_reliability</i>	(Optional) Reliability
<i>eth_txload</i>	(Optional) Tx load
<i>eth_rxload</i>	(Optional) Rx load
<i>eth_loopback</i>	(Optional) Loopback
<i>eth_keepalive</i>	(Optional) Keepalive
<i>eth_duplex</i>	(Optional) Duplex
<i>eth_speed</i>	(Optional) Speed
<i>eth_mode</i>	(Optional) Port mode
<i>eth_ratemode</i>	(Optional) Rate mode
<i>eth_autoneg</i>	(Optional) Autonegotiation
<i>eth_beacon</i>	(Optional) Beacon
<i>eth_media</i>	(Optional) Media type
<i>eth_in_flowctrl</i>	(Optional) Input flowcontrol
<i>eth_out_flowctrl</i>	(Optional) Output flowcontrol
<i>eth_mdix</i>	(Optional) Mdix
<i>eth_swt_monitor</i>	(Optional) Switchport Monitor

## show interface

<i>eth_ether_type</i>	(Optional) EtherType
<i>eth_members</i>	(Optional) Members in this channel
<i>eth_clk_mode</i>	(Optional) Clock mode
<i>eth_arp_type</i>	(Optional) ARP type
<i>eth_arp_timeout</i>	(Optional) ARP timeout
<i>eth_last_in</i>	(Optional) Last input
<i>eth_last_out</i>	(Optional) Last output
<i>eth_out_hang</i>	(Optional) Last output hang
<i>eth_clear_counters</i>	(Optional) Last clearing of show interface counters
<i>eth_link_flapped</i>	(Optional) Last link flapped
<i>eth_inq_size</i>	(Optional) Input queue size
<i>eth_inq_max</i>	(Optional) Input queue max
<i>eth_inq_drops</i>	(Optional) Input queue drops
<i>eth_inq_flush</i>	(Optional) Input queue flushes
<i>eth_out_drop</i>	(Optional) Output drops
<i>eth_q_strategy</i>	(Optional) Queueing strategy
<i>eth_outq_size</i>	(Optional) Output queue size
<i>eth_outq_max</i>	(Optional) Output queue max
<i>eth_reset_cntr</i>	(Optional) Interface resets
<i>loop_in_pkts</i>	(Optional) Input packets
<i>loop_in_bytes</i>	(Optional) Input bytes
<i>loop_in_mcast</i>	(Optional) Input multicast
<i>loop_in_compressed</i>	(Optional) Input compressed
<i>loop_in_errors</i>	(Optional) Input errors
<i>loop_in_frame</i>	(Optional) Input frame errors
<i>loop_in_overrun</i>	(Optional) Input overrun
<i>loop_in_fifo</i>	(Optional) Input fifo
<i>loop_out_pkts</i>	(Optional) Output packets
<i>loop_out_bytes</i>	(Optional) Output bytes

<i>loop_out_underruns</i>	(Optional) Output underruns
<i>loop_out_errors</i>	(Optional) Output errors
<i>loop_out_collisions</i>	(Optional) Output collisions
<i>loop_out_fifo</i>	(Optional) Output fifo
<i>loop_out_carriers</i>	(Optional) Output carrier errors

**Command Mode**

- /exec

show interface

# show interface

```
show interface <iftun_desc> [ __readonly__ TABLE_interface <interface> <state> [ <state_rsn_desc> ] [ <desc> ] <admin-state> { <tunnel-ipv4> | <tunnel-ipv6> } <mtu> <bandwidth> <encap-type> <keepalive-period> <keepalive-retries> { <src-ipv4> | <src-ipv6> } <src-intf> { <dest-ipv4> | <dest-ipv6> } <dest-hostname> <vrf_name> <wccp_header> <ttl_val> <tunnel_pmtud_age_time> <tunnel_pmtud_min_mtu> <tunnel_pmtud> <tunnel_pgm_mtu> <tunnel_rx_pkt_count> <tunnel_rx_byte_count> <tunnel_rx_rate> <tunnel_tx_pkt_count> <tunnel_tx_byte_count> <tunnel_tx_rate> <tunnel_clear_counter> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>iftun_desc</i>	Enter tunnel interface number
<i>__readonly__</i>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
<i>TABLE_interface</i>	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>desc</i>	(Optional) Interface description
<i>admin-state</i>	(Optional)
<i>tunnel-ipv4</i>	(Optional) interface IPv4 address
<i>mtu</i>	(Optional) interface Maximum Transmission Unit
<i>bandwidth</i>	(Optional) interface Bandwidth in kilobits
<i>encap-type</i>	(Optional)
<i>keepalive-period</i>	(Optional) keepalive period
<i>keepalive-retries</i>	(Optional) number of retries
<i>src-ipv4</i>	(Optional) tunnel source IPv4 address
<i>src-intf</i>	(Optional) tunnel source interface
<i>dest-ipv4</i>	(Optional) tunnel destination IPv4 address
<i>dest-hostname</i>	(Optional) tunnel destination hostname
<i>vrf_name</i>	(Optional) transport VRF name
<i>wccp_header</i>	(Optional) wccp header

<i>ttl_val</i>	(Optional) tunnel time to live value
<i>tunnel_pmtud_age_time</i>	(Optional) tunnel path MTU discovery age time
<i>tunnel_pmtud_min_mtu</i>	(Optional) tunnel path MTU discovery min mtu
<i>tunnel_pmtud</i>	(Optional) tunnel path MTU discovered
<i>tunnel_pgm_mtu</i>	(Optional) tunnel actual programmed MTU
<i>tunnel_rx_pkt_count</i>	(Optional) total number of packets received
<i>tunnel_rx_byte_count</i>	(Optional) total number of bytes received
<i>tunnel_rx_rate</i>	(Optional) packets input rate per 5 minutes
<i>tunnel_tx_pkt_count</i>	(Optional) total number of packets transmitted
<i>tunnel_tx_byte_count</i>	(Optional) total number of bytes transmitted
<i>tunnel_tx_rate</i>	(Optional) packets transmitted per 5 minutes
<i>tunnel_clear_counter</i>	(Optional) Last clearing of show interface counters

**Command Mode**

- /exec

# show interface

```
show interface <ifrange> [ __readonly__ TABLE_interface <interface> <state> <state_rsn> <state_rsn_desc>
<desc> [ <overlay_addr> ] [ <overlay_addr_mask> ] [ <overlay_mtu> ] [ <overlay_bandwidth> ] [
<overlay_encap_str> ] [ <overlay_vrf> ] [ <overlay_src_addr> ] [ <overlay_dst_addr> ] [
<overlay_last_link_flap> ] [ <overlay_clear_counters> ] [ <overlay_load_interval> ] [ <overlay_rx_ucastpkts>
] [ <overlay_rx_ucastbytes> ] [ <overlay_rx_mcastpkts> ] [ <overlay_rx_mcastbytes> ] [ <overlay_rx_pkts>
] [ <overlay_rx_bytes> ] [ <overlay_rx_bcastpkts> ] [ <overlay_rx_bcastbytes> ] [ <overlay_rx_bitrate> ] [
<overlay_rx_pktrate> ] [ <overlay_tx_ucastpkts> ] [ <overlay_tx_ucastbytes> ] [ <overlay_tx_mcastpkts>
] [ <overlay_tx_mcastbytes> ] [ <overlay_tx_bcastpkts> ] [ <overlay_tx_bcastbytes> ] [ <overlay_tx_pkts> ]
[ <overlay_tx_bytes> ] [ <overlay_tx_bitrate> ] [ <overlay_tx_pktrate> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter interface type and number
<i>__readonly__</i>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
<i>TABLE_interface</i>	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>desc</i>	(Optional) Interface description
<i>overlay_addr</i>	(Optional) Overlay address
<i>overlay_addr_mask</i>	(Optional) Overlay address mask
<i>overlay_mtu</i>	(Optional) MTU
<i>overlay_bandwidth</i>	(Optional) Bandwidth
<i>overlay_encap_str</i>	(Optional) Encap type
<i>overlay_vrf</i>	(Optional) VRF
<i>overlay_src_addr</i>	(Optional) Source address
<i>overlay_dst_addr</i>	(Optional) Destination address
<i>overlay_last_link_flap</i>	(Optional) Last link flap
<i>overlay_clear_counters</i>	(Optional) Last clearing of show interface counters

<i>overlay_load_interval</i>	(Optional) Load interval
<i>overlay_rx_ucastpkts</i>	(Optional) Received ucast pkts
<i>overlay_rx_ucastbytes</i>	(Optional) Received ucast bytes
<i>overlay_rx_mcastpkts</i>	(Optional) Received mcast pkts
<i>overlay_rx_mcastbytes</i>	(Optional) Received mcast bytes
<i>overlay_rx_bcastpkts</i>	(Optional) Received bcast pkts
<i>overlay_rx_bcastbytes</i>	(Optional) Received bcast bytes
<i>overlay_rx_pkts</i>	(Optional) Total received pkts
<i>overlay_rx_bytes</i>	(Optional) Total received bytes
<i>overlay_rx_bitrate</i>	(Optional) Receive bit rate
<i>overlay_rx_pktrate</i>	(Optional) Receive pkt rate
<i>overlay_tx_ucastpkts</i>	(Optional) Trasnmitted ucast pkts
<i>overlay_tx_ucastbytes</i>	(Optional) Trasnmitted ucast bytes
<i>overlay_tx_mcastpkts</i>	(Optional) Trasnmitted mcast pkts
<i>overlay_tx_mcastbytes</i>	(Optional) Trasnmitted mcast bytes
<i>overlay_tx_bcastpkts</i>	(Optional) Trasnmitted bcast pkts
<i>overlay_tx_bcastbytes</i>	(Optional) Trasnmitted bcast bytes
<i>overlay_tx_pkts</i>	(Optional) Total transmitted pkts
<i>overlay_tx_bytes</i>	(Optional) Total transmitted bytes
<i>overlay_tx_bitrate</i>	(Optional) Transmit bit rate
<i>overlay_tx_pktrate</i>	(Optional) Transmit pkt rate

**Command Mode**

- /exec

show interface

# show interface

```
show interface <ifrange> [ __readonly__ TABLE_interface <interface> <state> [ <state_rsn_desc> ] [ <state_rsn> ] [ <admin_state> ] [ <eth_rsn_fac> ] [ <eth_rsn_code> ] [ <share_state> ] [ <vpc_status> ] [ <eth_bundle> ] [ <eth_hw_desc> ] [ <eth_hw_addr> ] [ <eth_bia_addr> ] [ <desc> ] [ <eth_ip_addr> ] [ <eth_ip_mask> ] [ <eth_mtu> ] [ <eth_bw> ] [ <eth_dly> ] [ <eth_reliability> ] [ <eth_txload> ] [ <eth_rxload> ] [ <eth_encap_vlan> ] [ <eth_mode> ] [ <eth_duplex> ] [ <eth_speed> ] [ <eth_media> ] [ <eth_beacon> ] [ <eth_autoneg> ] [ <eth_in_flowctrl> ] [ <eth_out_flowctrl> ] [ <eth_mdix> ] [ <eth_ratemode> ] [ <eth_swt_monitor> ] [ <eth_etherstype> ] [ <eth_members> ] [ <eth_link_flapped> ] [ <eth_clear_counters> ] [ <eth_reset_cntr> ] [ <nve_addr> ] [ <nve_addr_mask> ] [ <nve_vcid> ] [ <nve_mtu> ] [ <nve_bandwidth> ] [ <nve_encap_str> ] [ <nve_vrf> ] [ <nve_src_addr> ] [ <nve_dst_addr> ] [ <nve_last_link_flap> ] [ <nve_clear_counters> ] [ <nve_load_interval> ] [ <nve_rx_ucastpkts> ] [ <nve_rx_ucastbytes> ] [ <nve_rx_mcastpkts> ] [ <nve_rx_mcastbytes> ] [ <nve_rx_pkts> ] [ <nve_rx_bytes> ] [ <nve_rx_bcastpkts> ] [ <nve_rx_bcastbytes> ] [ <nve_rx_bitrate> ] [ <nve_rx_pktrate> ] [ <nve_tx_ucastpkts> ] [ <nve_tx_ucastbytes> ] [ <nve_tx_mcastpkts> ] [ <nve_tx_mcastbytes> ] [ <nve_tx_bcastpkts> ] [ <nve_tx_bcastbytes> ] [ <nve_tx_pkts> ] [ <nve_tx_bytes> ] [ <nve_tx_bitrate> ] [ <nve_tx_pktrate> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter interface type and number
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>state_rsn</i>	(Optional) Interface state reason
<i>admin_state</i>	(Optional) admin state
<i>eth_rsn_fac</i>	(Optional) State reason facility
<i>eth_rsn_code</i>	(Optional) State reason code
<i>share_state</i>	(Optional) Interface ownership
<i>vpc_status</i>	(Optional) VPC status
<i>eth_bundle</i>	(Optional) Belongs to bundle
<i>eth_hw_desc</i>	(Optional) HW description
<i>eth_hw_addr</i>	(Optional) HW address
<i>eth_bia_addr</i>	(Optional) bia address

<i>desc</i>	(Optional) Interface description
<i>eth_ip_addr</i>	(Optional) IP Address
<i>eth_ip_mask</i>	(Optional) IP address mask
<i>eth_mtu</i>	(Optional) MTU
<i>eth_bw</i>	(Optional) Bandwidth
<i>eth_dly</i>	(Optional) Delay
<i>eth_reliability</i>	(Optional) Reliability
<i>eth_txload</i>	(Optional) Tx load
<i>eth_rxload</i>	(Optional) Rx load
<i>eth_encap_vlan</i>	(Optional) Encapsulation Vlan
<i>eth_mode</i>	(Optional) Port mode
<i>eth_duplex</i>	(Optional) Duplex
<i>eth_speed</i>	(Optional) Speed
<i>eth_media</i>	(Optional) Media type
<i>eth_beacon</i>	(Optional) Beacon
<i>eth_autoneg</i>	(Optional) Autonegotiation
<i>eth_in_flowctrl</i>	(Optional) Input flowcontrol
<i>eth_out_flowctrl</i>	(Optional) Output flowcontrol
<i>eth_mdix</i>	(Optional) Mdix
<i>eth_ratemode</i>	(Optional) Rate mode
<i>eth_swt_monitor</i>	(Optional) Switchport Monitor
<i>eth_etherype</i>	(Optional) EtherType
<i>eth_members</i>	(Optional) Members in this channel
<i>eth_link_flapped</i>	(Optional) Last link flapped
<i>eth_clear_counters</i>	(Optional) Last clearing of show interface counters
<i>eth_reset_cntr</i>	(Optional) Interface resets
<i>nve_addr</i>	(Optional) Peer address
<i>nve_addr_mask</i>	(Optional) Peer address mask
<i>nve_vcids</i>	(Optional) VCID

**show interface**

<i>nve_mtu</i>	(Optional) MTU
<i>nve_bandwidth</i>	(Optional) Bandwidth
<i>nve_encap_str</i>	(Optional) Encap type
<i>nve_vrf</i>	(Optional) VRF
<i>nve_src_addr</i>	(Optional) Source address
<i>nve_dst_addr</i>	(Optional) Destination address
<i>nve_last_link_flap</i>	(Optional) Last link flap
<i>nve_clear_counters</i>	(Optional) Last clearing of show interface counters
<i>nve_load_interval</i>	(Optional) Load interval
<i>nve_rx_ustcpkts</i>	(Optional) Received ucast pkts
<i>nve_rx_ucastbytes</i>	(Optional) Received ucast bytes
<i>nve_rx_mcastpkts</i>	(Optional) Received mcast pkts
<i>nve_rx_mcastbytes</i>	(Optional) Received mcast bytes
<i>nve_rx_bcastpkts</i>	(Optional) Received bcast pkts
<i>nve_rx_bcastbytes</i>	(Optional) Received bcast bytes
<i>nve_rx_pkts</i>	(Optional) Total received pkts
<i>nve_rx_bytes</i>	(Optional) Total received bytes
<i>nve_rx_bitrate</i>	(Optional) Receive bit rate
<i>nve_rx_pktrate</i>	(Optional) Receive pkt rate
<i>nve_tx_ustcpkts</i>	(Optional) Trasnmitted ucast pkts
<i>nve_tx_ucastbytes</i>	(Optional) Trasnmitted ucast bytes
<i>nve_tx_mcastpkts</i>	(Optional) Trasnmitted mcast pkts
<i>nve_tx_mcastbytes</i>	(Optional) Trasnmitted mcast bytes
<i>nve_tx_bcastpkts</i>	(Optional) Trasnmitted bcast pkts
<i>nve_tx_bcastbytes</i>	(Optional) Trasnmitted bcast bytes
<i>nve_tx_pkts</i>	(Optional) Total transmitted pkts
<i>nve_tx_bytes</i>	(Optional) Total transmitted bytes
<i>nve_tx_bitrate</i>	(Optional) Transmit bit rate
<i>nve_tx_pktrate</i>	(Optional) Transmit pkt rate

**Command Mode**

- /exec

show interface brief

# show interface brief

```
show interface <ifrange> brief [ __readonly__ TABLE_interface <interface> <state> [ <state_rsn> ] [ <state_rsn_desc> ] [ <overlay_mtu> ] [ <overlay_bandwidth> ] [ <overlay_vrf> ] [ <overlay_src_addr> ] [ <overlay_dst_addr> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter interface type and number
brief	Show brief info of interface
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>overlay_mtu</i>	(Optional) MTU
<i>overlay_bandwidth</i>	(Optional) Bandwidth
<i>overlay_vrf</i>	(Optional) VRF
<i>overlay_src_addr</i>	(Optional) Source address
<i>overlay_dst_addr</i>	(Optional) Destination address

## Command Mode

- /exec

# show interface brief

show interface <ifpch\_brf> brief[ \_\_readonly\_\_ TABLE\_interface <interface> [ <vlan> ] <type> <portmode> <state> <state\_rsn\_desc> <speed> <ratemode> [ <proto> ] ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifpch_brf</i>	Enter interface type and number in module/slot format
brief	Show brief info of interface
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>vlan</i>	(Optional) Vlan
<i>type</i>	(Optional) Type
<i>portmode</i>	(Optional) Port mode
<i>state</i>	(Optional) Interface state
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>speed</i>	(Optional) Speed
<i>ratemode</i>	(Optional) Interface port speed
<i>proto</i>	(Optional) Port Channel Protocol

## Command Mode

- /exec

show interface brief

# show interface brief

```
show interface brief [ controller | cli ] [ __readonly__ TABLE_interface [ <interface> ] [ <vlan> ] [ <type> ]
[ <portmode> ] [ <state> ] [ <state_rsn> ] [ <state_rsn_desc> ] [ <desc> ] [ <vrf> ] [ <ip_addr> ]
[ <speed> ] [ <mtu> ] [ <ratemode> ] [ <portchan> ] [ <proto> ] [ <interface_vfc> ] [ <vsan_brief> ] [
<admin_mode> ] [ <admin_trunk_mode> ] [ <status> ] [ <fcot_info> ] [ <bind_info> ] [ <bind_type> ] [
<port_rate_mode> ] [ <oper_speed> ] [ <port_channel> ] [ <ip_addr1> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
brief	Show brief info of interface
controller	(Optional) Show controller configured interfaces
cli	(Optional) Show CLI configured interfaces
__readonly__	(Optional) Read Only
interface	(Optional) Interface index
TABLE_interface	(Optional) show interface
state	(Optional) Interface state
state_rsn	(Optional) Interface state reason
state_rsn_desc	(Optional) Interface state reason detailed
desc	(Optional) Interface description
vrf	(Optional) Vrf membership
ip_addr	(Optional) IP address
mtu	(Optional) MTU
speed	(Optional) Speed
vlan	(Optional) Vlan
type	(Optional) Type
portmode	(Optional) Port mode
ratemode	(Optional) Interface port speed
portchan	(Optional) Port Channel Membership
proto	(Optional) Port Channel Protocol
interface_vfc	(Optional) Interface index

<i>vsan_brief</i>	(Optional) vsan brief
<i>admin_mode</i>	(Optional) admin mode
<i>admin_trunk_mode</i>	(Optional) admin trunk mode
<i>status</i>	(Optional) status
<i>fcot_info</i>	(Optional) fcot info
<i>bind_info</i>	(Optional) bind interface
<i>bind_type</i>	(Optional) bind type
<i>port_rate_mode</i>	(Optional) rate mode
<i>oper_speed</i>	(Optional) speed
<i>port_channel</i>	(Optional) port channel number
<i>ip_addr1</i>	(Optional) IP address

**Command Mode**

- /exec

**show interface brief**

# show interface brief

show interface <ifloop\_brf> brief [ \_\_readonly\_\_ TABLE\_interface <interface> <state> [ <desc> ] ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifloop_brf</i>	Enter interface type and number in module/slot format
brief	Show brief info of interface
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>desc</i>	(Optional) Interface description

## Command Mode

- /exec

# show interface brief

```
show interface <iftunnel_brf> brief [ __readonly__ TABLE_interface <interface> <state> <admin-state> { <tunnel-ipv4> | <tunnel-ipv6> } <mtu> <bandwidth> <encap-type> <keepalive-period> <keepalive-retries> { <src-ipv4> | <src-ipv6> } <src-intf> { <dest-ipv4> | <dest-ipv6> } <dest-hostname> <vrf_name> <wccp_header> <ttl_val> <tunnel_pmtud_age_time> <tunnel_pmtud_min_mtu> <tunnel_pmtud> <tunnel_pgm_mtu> <tunnel_rx_pkt_count> <tunnel_rx_byte_count> <tunnel_rx_rate> <tunnel_tx_pkt_count> <tunnel_tx_byte_count> <tunnel_tx_rate> <tunnel_clear_counter> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>iftunnel_brf</i>	Enter interface type and number in module/slot format
brief	Show brief info of interface
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>admin-state</i>	(Optional)
<i>tunnel-ipv4</i>	(Optional) interface IPv4 address
<i>mtu</i>	(Optional) interface Maximum Transmission Unit
<i>bandwidth</i>	(Optional) interface Bandwidth in kilobits
<i>encap-type</i>	(Optional)
<i>keepalive-period</i>	(Optional) keealive period
<i>keepalive-retries</i>	(Optional) number of retries
<i>src-ipv4</i>	(Optional) tunnel source IPv4 address
<i>src-intf</i>	(Optional) tunnel source interface
<i>dest-ipv4</i>	(Optional) tunnel destination IPv4 address
<i>dest-hostname</i>	(Optional) tunnel destination hostname
<i>vrf_name</i>	(Optional) transport VRF name
<i>wccp_header</i>	(Optional) wccp header
<i>ttl_val</i>	(Optional) tunnel time to live value

**show interface brief**

<i>tunnel_pmtud_age_time</i>	(Optional) tunnel path MTU discovery age time
<i>tunnel_pmtud_min_mtu</i>	(Optional) tunnel path MTU discovery min mtu
<i>tunnel_pmtud</i>	(Optional) tunnel path MTU discovered
<i>tunnel_pgm_mtu</i>	(Optional) tunnel actual programmed MTU
<i>tunnel_rx_pkt_count</i>	(Optional) total number of packets received
<i>tunnel_rx_byte_count</i>	(Optional) total number of bytes received
<i>tunnel_rx_rate</i>	(Optional) packets input rate per 5 minutes
<i>tunnel_tx_pkt_count</i>	(Optional) total number of packets transmitted
<i>tunnel_tx_byte_count</i>	(Optional) total number of bytes transmitted
<i>tunnel_tx_rate</i>	(Optional) packets transmitted per 5 minutes
<i>tunnel_clear_counter</i>	(Optional) Last clearing of show interface counters

#### Command Mode

- /exec

# show interface brief

show interface <ifmgmt\_brf> brief [ \_\_readonly\_\_ TABLE\_interface <interface> [ <vrf> ] <state> [ <ipv6\_addr> ] [ <ip\_addr> ] <mtu> <speed> [ <duplex> ] ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifmgmt_brf</i>	Enter interface type and number in module/slot format
brief	Show brief info of interface
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>vrf</i>	(Optional) Vrf membership
<i>state</i>	(Optional) Interface state
<i>ip_addr</i>	(Optional) IP address
<i>mtu</i>	(Optional) MTU
<i>speed</i>	(Optional) Speed
<i>duplex</i>	(Optional) Duplex

## Command Mode

- /exec

show interface brief

# show interface brief

show interface <ifeth\_brf> brief [ \_\_readonly\_\_ TABLE\_interface <interface> [ <vlan> ] <type> <portmode> <state> <state\_rsn\_desc> <speed> <ratemode> [ <portchan> ] ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_brf</i>	Enter interface type and number in module/slot format
brief	Show brief info of interface
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>vlan</i>	(Optional) Vlan
<i>type</i>	(Optional) Type
<i>portmode</i>	(Optional) Port mode
<i>state</i>	(Optional) Interface state
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>speed</i>	(Optional) Speed
<i>ratemode</i>	(Optional) Interface port speed
<i>portchan</i>	(Optional) Port Channel Membership

## Command Mode

- /exec

# show interface brief

```
show interface <ifrange> brief [ __readonly__ TABLE_interface <interface> <state> [ <state_rsn> ] [ <state_rsn_desc> ] [ <admin_state> ] [ <nve_addr> ] [ <nve_vcid> ] [ <nve_mtu> ] [ <nve_bandwidth> ] [ <nve_vrf> ] [ <nve_src_addr> ] [ <nve_dst_addr> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter interface type and number
brief	Show brief info of interface
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>admin_state</i>	(Optional) admin state
<i>nve_addr</i>	(Optional) Peer address
<i>nve_vcid</i>	(Optional) VCID
<i>nve_mtu</i>	(Optional) MTU
<i>nve_bandwidth</i>	(Optional) Bandwidth
<i>nve_vrf</i>	(Optional) VRF
<i>nve_src_addr</i>	(Optional) Source address
<i>nve_dst_addr</i>	(Optional) Destination address

## Command Mode

- /exec

show interface cable-diagnostics-tdr

## show interface cable-diagnistics-tdr

```
show interface <ifid_tdr> cable-diagnistics-tdr [ __readonly__ TABLE_interface <interface> <speed>
<distance1><pair1_status><distance2><pair2_status><distance3><pair3_status><distance4><pair4_status>
]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_tdr</i>	Enter interface type and number in module/slot format
cable-diagnistics-tdr	Show interface tdr test information
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>speed</i>	(Optional) Speed
<i>distance1</i>	(Optional) Distance to fault for pair 1
<i>distance2</i>	(Optional) Distance to fault for pair 2
<i>distance3</i>	(Optional) Distance to fault for pair 3
<i>distance4</i>	(Optional) Distance to fault for pair 4
<i>pair1_status</i>	(Optional) Pair1 status
<i>pair2_status</i>	(Optional) Pair2 status
<i>pair3_status</i>	(Optional) Pair3 status
<i>pair4_status</i>	(Optional) Pair4 status

### Command Mode

- /exec

# show interface capabilities

```
show interface <ifid_eth_cap> capabilities [ __readonly__ TABLE_interface <interface> <model> <type>
<speed> <duplex> <trunk_encap> <dce_capable> <channel> <bcast_supp> <flo_ctrl> <rate_mode>
<port_mode> [ <fast_start> ] <qos_scheduling> <cos_rewrite> <tos_rewrite> [ <inline_power> ] <span>
<uldd> [ <mdix> ] [ <tdr> ] <lnk_debounce> <lnk_debounce_time> <fx_fabric> <dot1q_tunnel> [
<pvlan_trunk_mode> ] [ <port_group> ] [ <port_group_members> ] <eee_capable> <pfc_capable>
<speed_group_capable> <buffer_boost_capable> [ <bkout_capable> ] [ <macsec_capable> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_eth_cap</i>	Enter interface type and number in module/slot format
capabilities	Show interface capabilities information
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>model</i>	(Optional) Model
<i>type</i>	(Optional) Type
<i>speed</i>	(Optional) Speed
<i>duplex</i>	(Optional) Duplex
<i>trunk_encap</i>	(Optional) Trunk encapsulation type
<i>dce_capable</i>	(Optional) DCE mode capable
<i>channel</i>	(Optional) Channel
<i>bcast_supp</i>	(Optional) Broadcast suppression
<i>flo_ctrl</i>	(Optional) Flowcontrol
<i>rate_mode</i>	(Optional) Rate mode
<i>port_mode</i>	(Optional) Port mode
<i>fast_start</i>	(Optional) Fast start
<i>qos_scheduling</i>	(Optional) QoS scheduling
<i>cos_rewrite</i>	(Optional) CoS rewrite
<i>tos_rewrite</i>	(Optional) ToS rewrite

**show interface capabilities**

<i>inline_power</i>	(Optional) Inline power
<i>span</i>	(Optional) SPAN
<i>udld</i>	(Optional) UDLD
<i>mdix</i>	(Optional) MDIX
<i>tdr</i>	(Optional) TDR
<i>lnk_debounce</i>	(Optional) Link debounce
<i>lnk_debounce_time</i>	(Optional) Link debounce time
<i>fex_fabric</i>	(Optional) FEX Fabric
<i>dot1q_tunnel</i>	(Optional) dot1q-tunnel
<i>pvlan_trunk_mode</i>	(Optional) Private-vlan trunk mode
<i>port_group</i>	(Optional) Port Group
<i>port_group_members</i>	(Optional) Port Group Members
<i>eee_capable</i>	(Optional) EEE (efficient-eth)
<i>pfc_capable</i>	(Optional) PFC Capable:
<i>bkout_capable</i>	(Optional) Breakout Capable:
<i>buffer_boost_capable</i>	(Optional) Buffer Boost Capable:
<i>speed_group_capable</i>	(Optional) Speed group capable
<i>macsec_capable</i>	(Optional) MACSEC capable

#### Command Mode

- /exec

# show interface capabilities

```
show interface capabilities [ __readonly__ TABLE_interface <interface> <model> <type> <speed> <duplex>
<trunk_encap> <dce_capable> <channel> <bcast_supp> <flo_ctrl> <rate_mode> <port_mode> [ <fast_start>
] <qos_scheduling> <cos_rewrite> <tos_rewrite> [ <inline_power> ] <span> <udld> [ <mdix> ] [ <tdr> ]
<lnk_debounce> <lnk_debounce_time> <fex_fabric> <dot1q_tunnel> [ <pvlan_trunk_mode> ] [ <port_group>
] [ <port_group_members> ] <eee_capable> <pfc_capable> <speed_group_capable> <buffer_boost_capable>
[ <bktout_capable> ] [ <macsec_capable> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
capabilities	Show interface capabilities information
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>model</i>	(Optional) Model
<i>type</i>	(Optional) Type
<i>speed</i>	(Optional) Speed
<i>duplex</i>	(Optional) Duplex
<i>trunk_encap</i>	(Optional) Trunk encaps. type
<i>dce_capable</i>	(Optional) DCE mode capable
<i>channel</i>	(Optional) Channel
<i>bcast_supp</i>	(Optional) Broadcast suppression
<i>flo_ctrl</i>	(Optional) Flowcontrol
<i>rate_mode</i>	(Optional) Rate mode
<i>port_mode</i>	(Optional) Port mode
<i>fast_start</i>	(Optional) Fast start
<i>qos_scheduling</i>	(Optional) QOS scheduling
<i>cos_rewrite</i>	(Optional) CoS rewrite
<i>tos_rewrite</i>	(Optional) ToS rewrite
<i>inline_power</i>	(Optional) Inline power

**show interface capabilities**

<i>span</i>	(Optional) SPAN
<i>udld</i>	(Optional) UDLD
<i>mdix</i>	(Optional) MDIX
<i>tdr</i>	(Optional) TDR
<i>lnk_debounce</i>	(Optional) Link debounce
<i>lnk_debounce_time</i>	(Optional) Link debounce time
<i>fex_fabric</i>	(Optional) FEX Fabric
<i>dot1q_tunnel</i>	(Optional) dot1q-tunnel
<i>pvlan_trunk_mode</i>	(Optional) Private-vlan trunk mode
<i>port_group</i>	(Optional) Port Group
<i>port_group_members</i>	(Optional) Port Group Members
<i>eee_capable</i>	(Optional) EEE (efficient-eth)
<i>pfc_capable</i>	(Optional) PFC Capable:
<i>bkout_capable</i>	(Optional) Breakout Capable:
<i>buffer_boost_capable</i>	(Optional) Buffer Boost Capable:
<i>speed_group_capable</i>	(Optional) Speed group capable
<i>macsec_capable</i>	(Optional) MACSEC capable

#### Command Mode

- /exec

# show interface counters

```
show interface <ifeth_ctr> counters [ snmp ] [ __readonly__ { TABLE_rx_counters <interface_rx> [
<eth_inbytes> ] [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] [ <eth_l3in_bytes> ] [
<eth_l3in_ucastpkts> ] [ <eth_l3in_mcastpkts> ] [ <eth_l3in_bcastpkts> ] } { TABLE_tx_counters
<interface_tx> [ <eth_outbytes> ] [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast> ] [ <eth_l3out_bytes>
] [ <eth_l3out_ucastpkts> ] [ <eth_l3out_mcastpkts> ] [ <eth_l3out_bcastpkts> ] } ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_ctr</i>	Enter interface type and number in module/slot format
counters	Show interface counters
snmp	(Optional) Show SNMP MIB values
__readonly__	(Optional) Read Only
<i>interface_rx</i>	(Optional) Interface index rx
<i>interface_tx</i>	(Optional) Interface index tx
TABLE_rx_counters	(Optional) show Rx counters
TABLE_tx_counters	(Optional) show Tx counters
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_inucast</i>	(Optional) Unicasts input
<i>eth_inmcast</i>	(Optional) Multicasts input
<i>eth_inbcast</i>	(Optional) Broadcasts input
<i>eth_outbytes</i>	(Optional) Bytes output
<i>eth_outucast</i>	(Optional) Unicasts output
<i>eth_outmcast</i>	(Optional) Multicasts output
<i>eth_outbcast</i>	(Optional) Broadcasts output
<i>eth_l3in_bytes</i>	(Optional) L3 Rx bytes
<i>eth_l3in_ucastpkts</i>	(Optional) L3 Rx Unicast pkts
<i>eth_l3in_mcastpkts</i>	(Optional) L3 Rx Multicast pkts
<i>eth_l3in_bcastpkts</i>	(Optional) L3 Rx Broadcast pkts
<i>eth_l3out_bytes</i>	(Optional) L3 Tx bytes

**show interface counters**

<i>eth_l3out_unicastpkts</i>	(Optional) L3 Tx Unicast pkts
<i>eth_l3out_multicastpkts</i>	(Optional) L3 Tx Multicast pkts
<i>eth_l3out_broadcastpkts</i>	(Optional) L3 Tx Broadcast pkts

**Command Mode**

- /exec

# show interface counters

```
show interface <ifid_ctr> counters [ snmp ] [ __readonly__ { TABLE_rx_counters <interface_rx> [ <eth_inpkts> ] [ <eth_inbytes> ] [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] } { TABLE_tx_counters <interface_tx> [ <eth_outpkts> ] [ <eth_outbytes> ] [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast> ] } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_ctr</i>	Enter interface type and number in module/slot format
counters	Show interface counters
snmp	(Optional) Show SNMP MIB values
__readonly__	(Optional) Read Only
<i>interface_rx</i>	(Optional) Interface index rx
<i>interface_tx</i>	(Optional) Interface index tx
TABLE_rx_counters	(Optional) show Rx counters
TABLE_tx_counters	(Optional) show Tx counters
<i>eth_inpkts</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) Packets output
<i>eth_outbytes</i>	(Optional) Bytes output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts

## Command Mode

- /exec

show interface counters

# show interface counters

```
show interface counters [ module <module> ] [ __readonly__ { TABLE_rx_counters <interface_rx> [
<eth_inppts> ] [ <eth_inbytes> ] [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] [ <eth_l3in_bytes> ]
[ <eth_l3in_unicastpkts> ] [ <eth_l3in_mcastpkts> ] [ <eth_l3in_bcastpkts> ] } { TABLE_tx_counters
<interface_tx> [ <eth_outpkts> ] [ <eth_outbytes> ] [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast>
] [ <eth_l3out_bytes> ] [ <eth_l3out_unicastpkts> ] [ <eth_l3out_mcastpkts> ] [ <eth_l3out_bcastpkts> ] } ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
module	(Optional) Limit display to interfaces on module
<i>module</i>	(Optional) Enter module number
<u>__readonly__</u>	(Optional) Read Only
<i>interface_rx</i>	(Optional) Interface index rx
<i>interface_tx</i>	(Optional) Interface index tx
TABLE_rx_counters	(Optional) show Rx counters
TABLE_tx_counters	(Optional) show Tx counters
<i>eth_inppts</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) Packets output
<i>eth_outbytes</i>	(Optional) Bytes output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts
<i>eth_l3in_bytes</i>	(Optional) L3 Rx bytes
<i>eth_l3in_unicastpkts</i>	(Optional) L3 Rx Unicast pkts
<i>eth_l3in_mcastpkts</i>	(Optional) L3 Rx Multicast pkts

<i>eth_l3in_bcastpkts</i>	(Optional) L3 Rx Broadcast pkts
<i>eth_l3out_bytes</i>	(Optional) L3 Tx bytes
<i>eth_l3out_unicastpkts</i>	(Optional) L3 Tx Unicast pkts
<i>eth_l3out_multicastpkts</i>	(Optional) L3 Tx Multicast pkts
<i>eth_l3out_broadcastpkts</i>	(Optional) L3 Tx Broadcast pkts

**Command Mode**

- /exec

show interface counters

# show interface counters

```
show interface counters [ non-zero ] [ __readonly__ { TABLE_rx_counters <interface_rx> [ <eth_inppts> ]
[ <eth_inbytes> ] [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] [ <eth_l3in_bytes> ] [
<eth_l3in_unicastpkts> ] [ <eth_l3in_multicastpkts> ] [ <eth_l3in_broadcastpkts> ] } { TABLE_tx_counters
<interface_tx> [ <eth_outpkts> ] [ <eth_outbytes> ] [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast>
] [ <eth_l3out_bytes> ] [ <eth_l3out_unicastpkts> ] [ <eth_l3out_multicastpkts> ] [ <eth_l3out_broadcastpkts> ] } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
non-zero	(Optional) To display only the non-zero counter values
__readonly__	(Optional) Read Only
<i>interface_rx</i>	(Optional) Interface index rx
<i>interface_tx</i>	(Optional) Interface index tx
TABLE_rx_counters	(Optional) show Rx counters
TABLE_tx_counters	(Optional) show Tx counters
<i>eth_inppts</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) Packets output
<i>eth_outbytes</i>	(Optional) Bytes output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts
<i>eth_l3in_bytes</i>	(Optional) L3 Rx bytes
<i>eth_l3in_unicastpkts</i>	(Optional) L3 Rx Unicast pkts
<i>eth_l3in_multicastpkts</i>	(Optional) L3 Rx Multicast pkts
<i>eth_l3in_broadcastpkts</i>	(Optional) L3 Rx Broadcast pkts

<i>eth_l3out_bytes</i>	(Optional) L3 Tx bytes
<i>eth_l3out_unicastpkts</i>	(Optional) L3 Tx Unicast pkts
<i>eth_l3out_multicastpkts</i>	(Optional) L3 Tx Multicast pkts
<i>eth_l3out_broadcastpkts</i>	(Optional) L3 Tx Broadcast pkts

**Command Mode**

- /exec

**show interface counters**

# show interface counters

```
show interface <ifrange> counters [ __readonly__ TABLE_interface <interface> [ <overlay_load_interval>
] [ <overlay_rx_ucastpkts> ] [ <overlay_rx_ucastbytes> ] [ <overlay_rx_mcastpkts> ] [
<overlay_rx_mcastbytes> ] [ <overlay_rx_pkts> ] [ <overlay_rx_bytes> ] [ <overlay_rx_bcastpkts> ] [
<overlay_rx_bcastbytes> ] [ <overlay_rx_bitrate> ] [ <overlay_rx_pktrate> ] [ <overlay_tx_ucastpkts> ] [
<overlay_tx_ucastbytes> ] [ <overlay_tx_mcastpkts> ] [ <overlay_tx_mcastbytes> ] [ <overlay_tx_bcastpkts> ] [
<overlay_tx_bcastbytes> ] [ <overlay_tx_pkts> ] [ <overlay_tx_bytes> ] [ <overlay_tx_bitrate> ] [
<overlay_tx_pktrate> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter interface type and number
counters	Show interface counters
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>overlay_load_interval</i>	(Optional) Load interval
<i>overlay_rx_ucastpkts</i>	(Optional) Received ucast pkts
<i>overlay_rx_ucastbytes</i>	(Optional) Received ucast bytes
<i>overlay_rx_mcastpkts</i>	(Optional) Received mcast pkts
<i>overlay_rx_mcastbytes</i>	(Optional) Received mcast bytes
<i>overlay_rx_bcastpkts</i>	(Optional) Received bcast pkts
<i>overlay_rx_bcastbytes</i>	(Optional) Received bcast bytes
<i>overlay_rx_pkts</i>	(Optional) Total received pkts
<i>overlay_rx_bytes</i>	(Optional) Total received bytes
<i>overlay_rx_bitrate</i>	(Optional) Receive bit rate
<i>overlay_rx_pktrate</i>	(Optional) Receive pkt rate
<i>overlay_tx_ucastpkts</i>	(Optional) Trasnmited ucast pkts
<i>overlay_tx_ucastbytes</i>	(Optional) Trasnmited ucast bytes
<i>overlay_tx_mcastpkts</i>	(Optional) Trasnmited mcast pkts
<i>overlay_tx_mcastbytes</i>	(Optional) Trasnmited mcast bytes

<i>overlay_tx_bcastpkts</i>	(Optional) Trasnmitted bcast pkts
<i>overlay_tx_bcastbytes</i>	(Optional) Trasnmitted bcast bytes
<i>overlay_tx_pkts</i>	(Optional) Total transmitted pkts
<i>overlay_tx_bytes</i>	(Optional) Total transmitted bytes
<i>overlay_tx_bitrate</i>	(Optional) Transmit bit rate
<i>overlay_tx_pktrate</i>	(Optional) Transmit pkt rate

**Command Mode**

- /exec

show interface counters

# show interface counters

```
show interface <ifrange> counters [ __readonly__ { TABLE_nve_counters <interface> [ <ucast_inbytes> ] [ <ucast_inpkts> ] [ <ucast_outbytes> ] [ <ucast_outpkts> ] [ <mcast_inbytes> ] [ <mcast_inpkts> ] [ <mcast_outbytes> ] [ <mcast_outpkts> ] } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter interface type and number
counters	Show interface counters
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_nve_counters	(Optional) show interface
<i>ucast_inbytes</i>	(Optional) ucast bytes input
<i>ucast_inpkts</i>	(Optional) ucast packets input
<i>ucast_outbytes</i>	(Optional) ucast bytes output
<i>ucast_outpkts</i>	(Optional) ucast packets output
<i>mcast_inbytes</i>	(Optional) mcast bytes input
<i>mcast_inpkts</i>	(Optional) mcast packets input
<i>mcast_outbytes</i>	(Optional) mcast bytes output
<i>mcast_outpkts</i>	(Optional) mcast packets output

## Command Mode

- /exec

# show interface counters brief

```
show interface counters brief [ <counter_val> ] [ __readonly__ TABLE_interface <interface> <eth_inrate1>
<eth_inframes1> <eth_outrate1> <eth_outframes1> <eth_load_intv1> <eth_inrate2> <eth_inframes2>
<eth_outrate2> <eth_outframes2> <eth_load_intv2> <eth_inrate3> <eth_inframes3> <eth_outrate3>
<eth_outframes3> <eth_load_intv3> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
brief	Show interface counters in brief
<i>counter_val</i>	(Optional) Specify a single load interval id to show the rates
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_load_intv1</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1</i>	(Optional) interval 1 input rate in mbps
<i>eth_inframes1</i>	(Optional) interval 1 input rate in frames (pkts)
<i>eth_outrate1</i>	(Optional) interval 1 output rate in mbps
<i>eth_outframes1</i>	(Optional) interval 1 output rate in output frames (pkts)
<i>eth_load_intv2</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2</i>	(Optional) interval 2 input rate in mbps
<i>eth_inframes2</i>	(Optional) interval 2 input rate in frames (pkts)
<i>eth_outrate2</i>	(Optional) interval 2 output rate in mbps
<i>eth_outframes2</i>	(Optional) interval 2 output rate in output frames (pkts)
<i>eth_load_intv3</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3</i>	(Optional) interval 3 input rate in mbps
<i>eth_inframes3</i>	(Optional) interval 3 input rate in frames (pkts)
<i>eth_outrate3</i>	(Optional) interval 3 output rate in mbps
<i>eth_outframes3</i>	(Optional) interval 3 output rate in output frames (pkts)

```
show interface counters brief
```

**Command Mode**

- /exec

# show interface counters brief

```
show interface <ifeth_ctr_brf> counters brief [ <counter_val> ] [ __readonly__ TABLE_interface <interface>
<eth_load_intv1> <eth_inrate1> <eth_inframes1> <eth_outrate1> <eth_outframes1> <eth_load_intv2>
<eth_inrate2> <eth_inframes2> <eth_outrate2> <eth_outframes2> <eth_load_intv3> <eth_inrate3>
<eth_inframes3> <eth_outrate3> <eth_outframes3> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_ctr_brf</i>	Enter interface type and number in module/slot format
counters	Show interface counters
brief	Show interface counters in brief
<i>counter_val</i>	(Optional) Specify a single load interval id to show the rates
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_load_intv1</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1</i>	(Optional) interval 1 input rate in mbps
<i>eth_inframes1</i>	(Optional) interval 1 input rate in frames (pkts)
<i>eth_outrate1</i>	(Optional) interval 1 output rate in mbps
<i>eth_outframes1</i>	(Optional) interval 1 output rate in output frames (pkts)
<i>eth_load_intv2</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2</i>	(Optional) interval 2 input rate in mbps
<i>eth_inframes2</i>	(Optional) interval 2 input rate in frames (pkts)
<i>eth_outrate2</i>	(Optional) interval 2 output rate in mbps
<i>eth_outframes2</i>	(Optional) interval 2 output rate in output frames (pkts)
<i>eth_load_intv3</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3</i>	(Optional) interval 3 input rate in mbps
<i>eth_inframes3</i>	(Optional) interval 3 input rate in frames (pkts)
<i>eth_outrate3</i>	(Optional) interval 3 output rate in mbps

```
show interface counters brief
```

<i>eth_outframes3</i>	(Optional) interval 3 output rate in output frames (pkts)
-----------------------	---

**Command Mode**

- /exec

# show interface counters detailed

```
show interface counters detailed [ snmp ] [ __readonly__ TABLE_interface <interface> [ <vdc_lvl_in_pkts>
] [ <vdc_lvl_in_bytes> ] [ <vdc_lvl_in_icast> ] [ <vdc_lvl_in_mcast> ] [ <vdc_lvl_in_bcast> ] [
<vdc_lvl_in_bps> ] [ <vdc_lvl_in_pps> ] [ <vdc_lvl_in_avg_pkts> ] [ <vdc_lvl_in_avg_bytes> ] [
<vdc_lvl_out_pkts> ] [ <vdc_lvl_out_bytes> ] [ <vdc_lvl_out_icast> ] [ <vdc_lvl_out_mcast> ] [
<vdc_lvl_out_bcast> ] [ <vdc_lvl_out_bps> ] [ <vdc_lvl_out_pps> ] [ <vdc_lvl_out_avg_pkts> ] [
<vdc_lvl_out_avg_bytes> ] [ <mgmt_in_pkts> ] [ <mgmt_in_bytes> ] [ <mgmt_in_mcast> ] [
<mgmt_in_compressed> ] [ <mgmt_in_errors> ] [ <mgmt_in_frame> ] [ <mgmt_in_overrun> ] [
<mgmt_in_fifo> ] [ <mgmt_out_pkts> ] [ <mgmt_out_bytes> ] [ <mgmt_out_underruns> ] [
<mgmt_out_errors> ] [ <mgmt_out_collisions> ] [ <mgmt_out_fifo> ] [ <mgmt_out_carrier> ] [
<mgmt_align_err> ] [ <mgmt_fcs_err> ] [ <mgmt_xmit_err> ] [ <mgmt_rcv_err> ] [ <mgmt_undersize> ] [
<mgmt_outdisc> ] [ <mgmt_single_col> ] [ <mgmt_multi_col> ] [ <mgmt_late_col> ] [ <mgmt_excess_col> ] [
<mgmt_carri_sen> ] [ <mgmt_runt> ] [ <mgmt_giants> ] [ <mgmt_sqetest_err> ] [ <mgmt_deferred_tx> ] [
<mgmt_inmactx_err> ] [ <mgmt_inmacrx_err> ] [ <mgmt_symbol_err> ] [ <loop_in_pkts> ] [
<loop_in_bytes> ] [ <loop_in_mcast> ] [ <loop_in_compressed> ] [ <loop_in_errors> ] [ <loop_in_frame> ] [
<loop_in_overrun> ] [ <loop_in_fifo> ] [ <loop_out_pkts> ] [ <loop_out_bytes> ] [ <loop_out_underruns> ] [
<loop_out_errors> ] [ <loop_out_collisions> ] [ <loop_out_fifo> ] [ <loop_out_carriers> ] [
<eth_load_interval1_rx> ] [ <eth_inrate1_bits> ] [ <eth_inrate1_pkts> ] [ <eth_load_interval1_tx> ] [
<eth_outrate1_bits> ] [ <eth_outrate1_pkts> ] [ <eth_inrate1_summary_bits> ] [ <eth_inrate1_summary_pkts> ] [
<eth_outrate1_summary_bits> ] [ <eth_outrate1_summary_pkts> ] [ <eth_load_interval2_rx> ] [
<eth_inrate2_bits> ] [ <eth_inrate2_pkts> ] [ <eth_load_interval2_tx> ] [ <eth_outrate2_bits> ] [
<eth_outrate2_pkts> ] [ <eth_inrate2_summary_bits> ] [ <eth_inrate2_summary_pkts> ] [
<eth_outrate2_summary_bits> ] [ <eth_outrate2_summary_pkts> ] [ <eth_load_interval3_rx> ] [
<eth_inrate3_bits> ] [ <eth_inrate3_pkts> ] [ <eth_load_interval3_tx> ] [ <eth_outrate3_bits> ] [
<eth_outrate3_pkts> ] [ <eth_inrate3_summary_bits> ] [ <eth_inrate3_summary_pkts> ] [
<eth_outrate3_summary_bits> ] [ <eth_outrate3_summary_pkts> ] [ <eth_inpkts> ] [ <eth_inucast> ] [
<eth_inmcast> ] [ <eth_inbcast> ] [ <eth_ingroups> ] [ <eth_inbytes> ] [ <eth_storm_supp> ] [ <eth_inb64> ] [
<eth_inb65_127> ] [ <eth_inb128_255> ] [ <eth_inb256_511> ] [ <eth_inb512_1023> ] [
<eth_inb1024_1518> ] [ <eth_inb1519_1548> ] [ <eth_intrunk> ] [ <eth_outpkts> ] [ <eth_outucast> ] [
<eth_outmcast> ] [ <eth_outbcast> ] [ <eth_outgiants> ] [ <eth_outbytes> ] [ <eth_outb64> ] [
<eth_outb65_127> ] [ <eth_outb128_255> ] [ <eth_outb256_511> ] [ <eth_outb512_1023> ] [
<eth_outb1024_1518> ] [ <eth_outb1519_1548> ] [ <eth_outtrunk> ] [ <eth_nobuf> ] [ <eth_runt> ] [
<eth_crc> ] [ <eth_ecc> ] [ <eth_overrun> ] [ <eth_underrun> ] [ <eth_ignored> ] [ <eth_bad_eth> ] [
<eth_bad_proto> ] [ <eth_in_ifdown_drops> ] [ <eth_coll> ] [ <eth_latecoll> ] [ <eth_lostcarrier> ] [
<eth_nocarrier> ] [ <eth_babbles> ] [ <eth_watchdog> ] [ <eth_dribble> ] [ <eth_inerr> ] [ <eth_outerr> ] [
<eth_deferred> ] [ <eth_jabbers> ] [ <eth_shortframe> ] [ <eth_single_coll> ] [ <eth_multi_coll> ] [
<eth_excess_coll> ] [ <eth_indiscard> ] [ <eth_bad_encap> ] [ <eth_outcrc> ] [ <eth_symbol> ] [
<eth_out_drops> ] [ <eth_bpdu_outlost> ] [ <eth_cos0_outlost> ] [ <eth_cos1_outlost> ] [ <eth_cos2_outlost> ] [
<eth_cos3_outlost> ] [ <eth_cos4_outlost> ] [ <eth_cos5_outlost> ] [ <eth_cos6_outlost> ] [
<eth_cos7_outlost> ] [ <eth_inpause> ] [ <eth_outpause> ] [ <eth_resets> ] [ <eth_sqetest> ] [
<eth_l2_icastpkts> ] [ <eth_l2_icastbytes> ] [ <eth_l2_mcastpkts> ] [ <eth_l2_mcastbytes> ] [
<eth_l2_bcastpkts> ] [ <eth_l2_bcastbytes> ] [ <eth_l3in_routed_pkts> ] [ <eth_l3in_routed_bytes> ] [
<eth_l3out_routed_pkts> ] [ <eth_l3out_routed_bytes> ] [ <eth_l3in_icastpkts> ] [ <eth_l3in_icastbytes> ] [
<eth_l3in_mcastpkts> ] [ <eth_l3in_mcastbytes> ] [ <eth_l3in_bcastpkts> ] [ <eth_l3in_bcastbytes> ] [
<eth_l3out_icastpkts> ] [ <eth_l3out_icastbytes> ] [ <eth_l3out_mcastpkts> ] [ <eth_l3out_mcastbytes> ] [
<eth_l3out_bcastpkts> ] [ <eth_l3out_bcastbytes> ] [ <eth_l3avg1_inbytes> ] [ <eth_l3avg1_inpkts> ] [
<eth_l3avg1_outbytes> ] [ <eth_l3avg1_outpkts> ] [ <eth_ipmcast> ] [ <eth_inhw_switched> ] [
<eth_insw_switched> ] [ <eth_throtles> ] [ <eth_frame> ] [ <eth_outhw_switched> ] [ <eth_outsw_switched> ] [
<eth_buffail> ] [ <eth_bufswapped> ] [ <eth_arpdrops> ] [ <eth_out_ifdown_drops> ] [ <eth_fcoe_in_pkts>
```

show interface counters detailed

```
]
[ <eth_fcoe_in_octets> ] [ <eth_fcoe_out_pkts> ] [ <eth_fcoe_out_octets> ] [ <eth_nfcoer_in_pkts> ] [
<eth_nfcoer_in_octets> ] [ <eth_nfcoer_out_pkts> ] [ <eth_nfcoer_out_octets> ] [ <svi_routed_pkts_in> ] [
<svi_routed_bytes_in> ] [ <svi_routed_pkts_out> ] [ <svi_routed_bytes_out> ] [ <svi_unicast_pkts_in> ] [
<svi_unicast_bytes_in> ] [ <svi_mcast_pkts_in> ] [ <svi_mcast_bytes_in> ] [ <svi_unicast_pkts_out> ] [
<svi_unicast_bytes_out> ] [ <svi_mcast_pkts_out> ] [ <svi_mcast_bytes_out> ] [ <svi_ipv4_unicast_pkts_in> ] [
<svi_ipv4_unicast_bytes_in> ] [ <svi_ipv4_unicast_pkts_out> ] [ <svi_ipv4_unicast_bytes_out> ] [
<svi_ipv4_mcast_pkts_in> ] [ <svi_ipv4_mcast_bytes_in> ] [ <svi_ipv4_mcast_pkts_out> ] [
<svi_ipv4_mcast_bytes_out> ] [ <svi_ipv6_unicast_pkts_in> ] [ <svi_ipv6_unicast_bytes_in> ] [
<svi_ipv6_unicast_pkts_out> ] [ <svi_ipv6_unicast_bytes_out> ] [ <svi_ipv6_mcast_pkts_in> ] [
<svi_ipv6_mcast_bytes_in> ] [ <svi_ipv6_mcast_pkts_out> ] [ <svi_ipv6_mcast_bytes_out> ] [
<svi_average_input_bits> ] [ <svi_average_input_packets> ] [ <svi_average_output_bits> ] [
<svi_average_output_packets> ] [ <svi_rate_in_mins> ] [ <svi_time_last_cleared> ] [ <svi_tx_load> ] [
<svi_rx_load> ] [ <svi_reliability> ] ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
detailed	Show only non-zero counters
snmp	(Optional) Show SNMP MIB values
_readonly_	(Optional) Read Only
TABLE_interface	(Optional) show interface
interface	(Optional) Interface index
vdc_lvl_in_pkts	(Optional) VDC level input packets
vdc_lvl_in_bytes	(Optional) VDC level input bytes
vdc_lvl_in_unicast	(Optional) VDC level input unicast packets
vdc_lvl_in_multicast	(Optional) VDC level input multicast packets
vdc_lvl_in_broadcast	(Optional) VDC level input broadcast packets
vdc_lvl_in_bps	(Optional) VDC level input bytes per second
vdc_lvl_in_pps	(Optional) VDC level input packets per second
vdc_lvl_in_avg_pkts	(Optional) VDC level average input packets
vdc_lvl_in_avg_bytes	(Optional) VDC level average input bytes
vdc_lvl_out_pkts	(Optional) VDC level output packets
vdc_lvl_out_bytes	(Optional) VDC level output bytes
vdc_lvl_out_unicast	(Optional) VDC level output unicast packets

<i>vdc_lvl_out_mcast</i>	(Optional) VDC level output multicast packets
<i>vdc_lvl_out_bcast</i>	(Optional) VDC level output broadcast packets
<i>vdc_lvl_out_bps</i>	(Optional) VDC level output bytes per second
<i>vdc_lvl_out_pps</i>	(Optional) VDC level output packets per second
<i>vdc_lvl_out_avg_pkts</i>	(Optional) VDC level average output packets
<i>vdc_lvl_out_avg_bytes</i>	(Optional) VDC level average output bytes
<i>mgmt_in_pkts</i>	(Optional) Input packets
<i>mgmt_in_bytes</i>	(Optional) Input bytes
<i>mgmt_in_mcast</i>	(Optional) Input multicast frames
<i>mgmt_in_compressed</i>	(Optional) Input compressed
<i>mgmt_in_errors</i>	(Optional) Input errors
<i>mgmt_in_frame</i>	(Optional) Input frame errors
<i>mgmt_in_overrun</i>	(Optional) Input overrun
<i>mgmt_in_fifo</i>	(Optional) Input fifo
<i>mgmt_out_pkts</i>	(Optional) Output packets
<i>mgmt_out_bytes</i>	(Optional) Output bytes
<i>mgmt_out_underruns</i>	(Optional) Output overruns
<i>mgmt_out_errors</i>	(Optional) Output errors
<i>mgmt_out_collisions</i>	(Optional) Output collisions
<i>mgmt_out_fifo</i>	(Optional) Output fifo
<i>mgmt_out_carrier</i>	(Optional) Output carrier errors
<i>mgmt_align_err</i>	(Optional) Align error
<i>mgmt_fcs_err</i>	(Optional) FCS error
<i>mgmt_xmit_err</i>	(Optional) Transmit error
<i>mgmt_rcv_err</i>	(Optional) Receive error
<i>mgmt_undersize</i>	(Optional) Undersize
<i>mgmt_outdisc</i>	(Optional) Out discard
<i>mgmt_single_col</i>	(Optional) Single collision
<i>mgmt_multi_col</i>	(Optional) Multiple collision

show interface counters detailed

<i>mgmt_late_col</i>	(Optional) Late collision
<i>mgmt_excess_col</i>	(Optional) Excess collision
<i>mgmt_carri_sen</i>	(Optional) Carrier sense
<i>mgmt_runts</i>	(Optional) Runts
<i>mgmt_giants</i>	(Optional) Giants
<i>mgmt_sqetest_err</i>	(Optional) SQETest error
<i>mgmt_deferred_tx</i>	(Optional) Deferred tx
<i>mgmt_inmactx_err</i>	(Optional) In MAC tx
<i>mgmt_inmacrx_err</i>	(Optional) In MAC rx
<i>mgmt_symbol_err</i>	(Optional) Symbol error
<i>loop_in_pkts</i>	(Optional) Input packets
<i>loop_in_bytes</i>	(Optional) Input bytes
<i>loop_in_mcast</i>	(Optional) Input multicast
<i>loop_in_compressed</i>	(Optional) Input compressed
<i>loop_in_errors</i>	(Optional) Input errors
<i>loop_in_frame</i>	(Optional) Input frame errors
<i>loop_in_overrun</i>	(Optional) Input overrun
<i>loop_in_fifo</i>	(Optional) Input fifo
<i>loop_out_pkts</i>	(Optional) Output packets
<i>loop_out_bytes</i>	(Optional) Output bytes
<i>loop_out_underruns</i>	(Optional) Output underruns
<i>loop_out_errors</i>	(Optional) Output errors
<i>loop_out_collisions</i>	(Optional) Output collisions
<i>loop_out_fifo</i>	(Optional) Output fifo
<i>loop_out_carriers</i>	(Optional) Output carrier errors
<i>eth_load_interval1_rx</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1_bits</i>	(Optional) interval 1 input rate bits/sec
<i>eth_inrate1_pkts</i>	(Optional) interval 1 input rate pkts/sec
<i>eth_load_interval1_tx</i>	(Optional) interval 1 timer value in sec

<i>eth_outrate1_bits</i>	(Optional) interval 1 output rate bits/sec
<i>eth_outrate1_pkts</i>	(Optional) interval 1 output rate pkts/sec
<i>eth_inrate1_summary_bits</i>	(Optional) interval 1 input rate bit summary
<i>eth_inrate1_summary_pkts</i>	(Optional) interval 1 input rate pkt summary
<i>eth_outrate1_summary_bits</i>	(Optional) interval 1 output rate bit summary
<i>eth_outrate1_summary_pkts</i>	(Optional) interval 1 output rate pkt summary
<i>eth_load_interval2_rx</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2_bits</i>	(Optional) interval 2 input rate bits/sec
<i>eth_inrate2_pkts</i>	(Optional) interval 2 input rate pkts/sec
<i>eth_load_interval2_tx</i>	(Optional) interval 2 timer value in sec
<i>eth_outrate2_bits</i>	(Optional) interval 2 output rate bits/sec
<i>eth_outrate2_pkts</i>	(Optional) interval 2 output rate pkts/sec
<i>eth_inrate2_summary_bits</i>	(Optional) interval 2 input rate bit summary
<i>eth_inrate2_summary_pkts</i>	(Optional) interval 2 input rate pkt summary
<i>eth_outrate2_summary_bits</i>	(Optional) interval 2 output rate bit summary
<i>eth_outrate2_summary_pkts</i>	(Optional) interval 2 output rate pkt summary
<i>eth_load_interval3_rx</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3_bits</i>	(Optional) interval 3 input rate bits/sec
<i>eth_inrate3_pkts</i>	(Optional) interval 3 input rate pkts/sec
<i>eth_load_interval3_tx</i>	(Optional) interval 3 timer value in sec
<i>eth_outrate3_bits</i>	(Optional) interval 3 output rate bits/sec
<i>eth_outrate3_pkts</i>	(Optional) interval 3 output rate pkts/sec
<i>eth_inrate3_summary_bits</i>	(Optional) interval 3 input rate bit summary
<i>eth_inrate3_summary_pkts</i>	(Optional) interval 3 input rate pkt summary
<i>eth_outrate3_summary_bits</i>	(Optional) interval 3 output rate bit summary
<i>eth_outrate3_summary_pkts</i>	(Optional) interval 3 output rate pkt summary
<i>eth_inpkts</i>	(Optional) Packets input
<i>eth_inuicast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts

**show interface counters detailed**

<i>eth_inbroadcast</i>	(Optional) Broadcasts
<i>eth_ingiants</i>	(Optional) giants
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_storm_suppression</i>	(Optional) storm suppression
<i>eth_inb64</i>	(Optional) input pkts between 0 and 64 bytes
<i>eth_inb65_127</i>	(Optional) input pkts between 65 and 127 bytes
<i>eth_inb128_255</i>	(Optional) input pkts between 128 and 255 bytes
<i>eth_inb256_511</i>	(Optional) input pkts between 256 and 511 bytes
<i>eth_inb512_1023</i>	(Optional) input pkts between 512 and 1023 bytes
<i>eth_inb1024_1518</i>	(Optional) input pkts between 1024 and 1518 bytes
<i>eth_inb1519_1548</i>	(Optional) input pkts between 1519 and 1548 bytes
<i>eth_intrunk</i>	(Optional) input trunk pkts
<i>eth_outpkts</i>	(Optional) packets output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbroadcast</i>	(Optional) Broadcasts
<i>eth_outgiants</i>	(Optional) giants
<i>eth_outbytes</i>	(Optional) bytes output
<i>eth_outb64</i>	(Optional) output pkts between 0 and 64 bytes
<i>eth_outb65_127</i>	(Optional) output pkts between 65 and 127 bytes
<i>eth_outb128_255</i>	(Optional) output pkts between 128 and 255 bytes
<i>eth_outb256_511</i>	(Optional) output pkts between 256 and 511 bytes
<i>eth_outb512_1023</i>	(Optional) output pkts between 512 and 1023 bytes
<i>eth_outb1024_1518</i>	(Optional) output pkts between 1024 and 1518 bytes
<i>eth_outb1519_1548</i>	(Optional) output pkts between 1519 and 1548 bytes
<i>eth_outtrunk</i>	(Optional) output trunk pkts
<i>eth_nobuf</i>	(Optional) No buffer received
<i>eth_runt</i>	(Optional) runts
<i>eth_crc</i>	(Optional) CRC

<i>eth_ecc</i>	(Optional) ECC
<i>eth_overrun</i>	(Optional) overrun
<i>eth_underrun</i>	(Optional) underruns
<i>eth_ignored</i>	(Optional) ignored
<i>eth_bad_eth</i>	(Optional) bad ether type drop
<i>eth_bad_proto</i>	(Optional) bad protocol drops
<i>eth_in_ifdown_drops</i>	(Optional) Input if-down drops
<i>eth_coll</i>	(Optional) collisions
<i>eth_latecoll</i>	(Optional) late collision
<i>eth_lostcarrier</i>	(Optional) lost carrier
<i>eth_nocARRIER</i>	(Optional) no carrier
<i>eth_babbles</i>	(Optional) babbles
<i>eth_watchdog</i>	(Optional) watchdog
<i>eth_dribble</i>	(Optional) input packets with dribble condition
<i>eth_inerr</i>	(Optional) input errors
<i>eth_outerr</i>	(Optional) output errors
<i>eth_deferred</i>	(Optional) deferred
<i>eth_jabbers</i>	(Optional) jabbers
<i>eth_shortframe</i>	(Optional) short frames
<i>eth_single_coll</i>	(Optional) single collisions
<i>eth_multi_coll</i>	(Optional) multi collisions
<i>eth_excess_coll</i>	(Optional) excessive collisions
<i>eth_indiscard</i>	(Optional) discards
<i>eth_bad_encap</i>	(Optional) bad encapsulation
<i>eth_outcrc</i>	(Optional) Output CRC
<i>eth_symbol</i>	(Optional) symbol errors
<i>eth_out_drops</i>	(Optional) output drops
<i>eth_bpdu_outlost</i>	(Optional) BPDU output lost
<i>eth_cos0_outlost</i>	(Optional) output pkts

**show interface counters detailed**

<i>eth_cos1_outlost</i>	(Optional) output pkts
<i>eth_cos2_outlost</i>	(Optional) output pkts
<i>eth_cos3_outlost</i>	(Optional) output pkts
<i>eth_cos4_outlost</i>	(Optional) output pkts
<i>eth_cos5_outlost</i>	(Optional) output pkts
<i>eth_cos6_outlost</i>	(Optional) output pkts
<i>eth_cos7_outlost</i>	(Optional) output pkts
<i>eth_inpause</i>	(Optional) pause input
<i>eth_outpause</i>	(Optional) PAUSE output
<i>eth_resets</i>	(Optional) interface resets
<i>eth_sqetest</i>	(Optional) SQE test
<i>eth_l2_icastpkts</i>	(Optional) L2 switched ucast pkts
<i>eth_l2_icastbytes</i>	(Optional) L2 switched ucast bytes
<i>eth_l2_mcastpkts</i>	(Optional) L2 switched mcast pkts
<i>eth_l2_mcastbytes</i>	(Optional) L2 switched mcast bytes
<i>eth_l2_bcastpkts</i>	(Optional) L2 switched bcast pkts
<i>eth_l2_bcastbytes</i>	(Optional) L2 switched bcast bytes
<i>eth_l3in_icastpkts</i>	(Optional) L3 in switched ucast pkts
<i>eth_l3in_icastbytes</i>	(Optional) L3 in switched ucast bytes
<i>eth_l3in_mcastpkts</i>	(Optional) L3 in switched mcast pkts
<i>eth_l3in_mcastbytes</i>	(Optional) L3 in switched mcast bytes
<i>eth_l3in_bcastpkts</i>	(Optional) L3 in switched bcast pkts
<i>eth_l3in_bcastbytes</i>	(Optional) L3 in switched bcast bytes
<i>eth_l3out_icastpkts</i>	(Optional) L3 out switched ucast pkts
<i>eth_l3out_icastbytes</i>	(Optional) L3 out switched ucast bytes
<i>eth_l3out_mcastpkts</i>	(Optional) L3 out switched mcast pkts
<i>eth_l3out_mcastbytes</i>	(Optional) L3 out switched mcast bytes
<i>eth_l3out_bcastpkts</i>	(Optional) L3 out switched bcast pkts
<i>eth_l3out_bcastbytes</i>	(Optional) L3 out switched bcast bytes

<i>eth_l3in_routed_pkts</i>	(Optional) L3 in routed pkts
<i>eth_l3in_routed_bytes</i>	(Optional) L3 in routed bytes
<i>eth_l3out_routed_pkts</i>	(Optional) L3 out routed pkts
<i>eth_l3out_routed_bytes</i>	(Optional) L3 out routed bytes
<i>eth_l3avg1_inbytes</i>	(Optional) Load interval 1 L3 average in switched bytes
<i>eth_l3avg1_inpkts</i>	(Optional) Load interval 1 L3 average in switched pkts
<i>eth_l3avg1_outbytes</i>	(Optional) Load interval 1 L3 average out switched bytes
<i>eth_l3avg1_outpkts</i>	(Optional) Load interval 1 L3 average out switched pkts
<i>eth_ipmcast</i>	(Optional) IP multicast
<i>eth_inhw_switched</i>	(Optional) Input H/W Switched
<i>eth_insw_switched</i>	(Optional) Input S/W Switched
<i>eth_throtles</i>	(Optional) throttles
<i>eth_frame</i>	(Optional) frame
<i>eth_outhw_switched</i>	(Optional) Out H/W Switched
<i>eth_outsw_switched</i>	(Optional) Out S/W Switched
<i>eth_buffail</i>	(Optional) output buffer failures
<i>eth_bufswapped</i>	(Optional) output buffers swapped out
<i>eth_arpdrops</i>	(Optional) arp drops
<i>eth_out_ifdown_drops</i>	(Optional) Output if-down drops
<i>eth_fcoe_in_pkts</i>	(Optional) fcoe in pkts
<i>eth_fcoe_in_octets</i>	(Optional) fcoe in octets
<i>eth_fcoe_out_pkts</i>	(Optional) fcoe out pkts
<i>eth_fcoe_out_octets</i>	(Optional) fcoe out octets
<i>eth_nfcoe_in_pkts</i>	(Optional) nfcoe in pkts
<i>eth_nfcoe_in_octets</i>	(Optional) nfcoe in octets
<i>eth_nfcoe_out_pkts</i>	(Optional) nfcoe out pkts
<i>eth_nfcoe_out_octets</i>	(Optional) nfcoe out octets
<i>svi_time_last_cleared</i>	(Optional) Time last cleared
<i>svi_tx_load</i>	(Optional) Tx Load

**show interface counters detailed**

<i>svi_rx_load</i>	(Optional) Rx Load
<i>svi_reliability</i>	(Optional) Reliability

**Command Mode**

- /exec

# show interface counters detailed

```
show interface <ifmgmt_ctr_dtl> counters detailed [ __readonly__ TABLE_interface <interface> [
<vdc_lvl_in_pkts> ] [ <vdc_lvl_in_bytes> ] [ <vdc_lvl_in_unicast> ] [ <vdc_lvl_in_multicast> ] [
<vdc_lvl_in_bcast> ] [ <vdc_lvl_in_bps> ] [ <vdc_lvl_in_pps> ] [ <vdc_lvl_in_avg_pkts> ] [
<vdc_lvl_in_avg_bytes> ] [ <vdc_lvl_out_pkts> ] [ <vdc_lvl_out_bytes> ] [ <vdc_lvl_out_unicast> ] [
<vdc_lvl_out_multicast> ] [ <vdc_lvl_out_bcast> ] [ <vdc_lvl_out_bps> ] [ <vdc_lvl_out_pps> ] [
<vdc_lvl_out_avg_pkts> ] [ <vdc_lvl_out_avg_bytes> ] [ <mgmt_in_pkts> ] [ <mgmt_in_bytes> ] [
<mgmt_in_multicast> ] [ <mgmt_in_compressed> ] [ <mgmt_in_errors> ] [ <mgmt_in_frame> ] [
<mgmt_in_overrun> ] [ <mgmt_in_fifo> ] [ <mgmt_out_pkts> ] [ <mgmt_out_bytes> ] [
<mgmt_out_underruns> ] [ <mgmt_out_errors> ] [ <mgmt_out_collisions> ] [ <mgmt_out_fifo> ] [
<mgmt_out_carrier> ] [ <mgmt_align_err> ] [ <mgmt_fcs_err> ] [ <mgmt_xmit_err> ] [ <mgmt_rcv_err> ] [
<mgmt_undersize> ] [ <mgmt_outdisc> ] [ <mgmt_single_col> ] [ <mgmt_multi_col> ] [ <mgmt_late_col> ] [
<mgmt_excess_col> ] [ <mgmt_carri_sen> ] [ <mgmt_runt> ] [ <mgmt_giants> ] [ <mgmt_sqtest_err> ] [
<mgmt_deferred_tx> ] [ <mgmt_inmactx_err> ] [ <mgmt_inmacrx_err> ] [ <mgmt_symbol_err> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifmgmt_ctr_dtl</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>vdc_lvl_in_pkts</i>	(Optional) VDC level input packets
<i>vdc_lvl_in_bytes</i>	(Optional) VDC level input bytes
<i>vdc_lvl_in_unicast</i>	(Optional) VDC level input unicast packets
<i>vdc_lvl_in_multicast</i>	(Optional) VDC level input multicast packets
<i>vdc_lvl_in_bcast</i>	(Optional) VDC level input broadcast packets
<i>vdc_lvl_in_bps</i>	(Optional) VDC level input bytes per second
<i>vdc_lvl_in_pps</i>	(Optional) VDC level input packets per second
<i>vdc_lvl_in_avg_pkts</i>	(Optional) VDC level average input packets
<i>vdc_lvl_in_avg_bytes</i>	(Optional) VDC level average input bytes
<i>vdc_lvl_out_pkts</i>	(Optional) VDC level output packets

**show interface counters detailed**

<i>vdc_lvl_out_bytes</i>	(Optional) VDC level output bytes
<i>vdc_lvl_out_unicast</i>	(Optional) VDC level output unicast packets
<i>vdc_lvl_out_multicast</i>	(Optional) VDC level output multicast packets
<i>vdc_lvl_out_broadcast</i>	(Optional) VDC level output broadcast packets
<i>vdc_lvl_out_bps</i>	(Optional) VDC level output bytes per second
<i>vdc_lvl_out_pps</i>	(Optional) VDC level output packets per second
<i>vdc_lvl_out_avg_pkts</i>	(Optional) VDC level average output packets
<i>vdc_lvl_out_avg_bytes</i>	(Optional) VDC level average output bytes
<i>mgmt_in_pkts</i>	(Optional) Input packets
<i>mgmt_in_bytes</i>	(Optional) Input bytes
<i>mgmt_in_multicast</i>	(Optional) Input multicast frames
<i>mgmt_in_compressed</i>	(Optional) Input compressed
<i>mgmt_in_errors</i>	(Optional) Input errors
<i>mgmt_in_frame</i>	(Optional) Input frame errors
<i>mgmt_in_overrun</i>	(Optional) Input overrun
<i>mgmt_in_fifo</i>	(Optional) Input fifo
<i>mgmt_out_pkts</i>	(Optional) Output packets
<i>mgmt_out_bytes</i>	(Optional) Output bytes
<i>mgmt_out_underruns</i>	(Optional) Output overruns
<i>mgmt_out_errors</i>	(Optional) Output errors
<i>mgmt_out_collisions</i>	(Optional) Output collisions
<i>mgmt_out_fifo</i>	(Optional) Output fifo
<i>mgmt_out_carrier</i>	(Optional) Output carrier errors
<i>mgmt_align_err</i>	(Optional) Align error
<i>mgmt_fcs_err</i>	(Optional) FCS error
<i>mgmt_xmit_err</i>	(Optional) Transmit error
<i>mgmt_rcv_err</i>	(Optional) Receive error
<i>mgmt_undersize</i>	(Optional) Undersize
<i>mgmt_outdisc</i>	(Optional) Out discard

<i>mgmt_single_col</i>	(Optional) Single collision
<i>mgmt_multi_col</i>	(Optional) Multiple collision
<i>mgmt_late_col</i>	(Optional) Late collision
<i>mgmt_excess_col</i>	(Optional) Excess collision
<i>mgmt_carri_sen</i>	(Optional) Carrier sense
<i>mgmt_runts</i>	(Optional) Runts
<i>mgmt_giants</i>	(Optional) Giants
<i>mgmt_sqetest_err</i>	(Optional) SQETest error
<i>mgmt_deferred_tx</i>	(Optional) Deferred tx
<i>mgmt_inmactx_err</i>	(Optional) In MAC tx
<i>mgmt_inmacrx_err</i>	(Optional) In MAC rx
<i>mgmt_symbol_err</i>	(Optional) Symbol error

**Command Mode**

- /exec

show interface counters detailed

## show interface counters detailed

```
show interface <ifloop_ctr_dtl> counters detailed [ __readonly__ TABLE_interface <interface> [
<loop_in_pkts> ] [ <loop_in_bytes> ] [ <loop_in_mccast> ] [ <loop_in_compressed> ] [ <loop_in_errors> ]
[ <loop_in_frame> ] [ <loop_in_overrun> ] [ <loop_in_fifo> ] [ <loop_out_pkts> ] [ <loop_out_bytes> ] [
<loop_out_underruns> ] [ <loop_out_errors> ] [ <loop_out_collisions> ] [ <loop_out_fifo> ] [
<loop_out_carriers> ] ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifloop_ctr_dtl</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>loop_in_pkts</i>	(Optional) Input packets
<i>loop_in_bytes</i>	(Optional) Input bytes
<i>loop_in_mccast</i>	(Optional) Input multicast
<i>loop_in_compressed</i>	(Optional) Input compressed
<i>loop_in_errors</i>	(Optional) Input errors
<i>loop_in_frame</i>	(Optional) Input frame errors
<i>loop_in_overrun</i>	(Optional) Input overrun
<i>loop_in_fifo</i>	(Optional) Input fifo
<i>loop_out_pkts</i>	(Optional) Output packets
<i>loop_out_bytes</i>	(Optional) Output bytes
<i>loop_out_underruns</i>	(Optional) Output underruns
<i>loop_out_errors</i>	(Optional) Output errors
<i>loop_out_collisions</i>	(Optional) Output collisions
<i>loop_out_fifo</i>	(Optional) Output fifo
<i>loop_out_carriers</i>	(Optional) Output carrier errors

**Command Mode**

- /exec

show interface counters detailed

## show interface counters detailed

```
show interface <ifeth_ctr_dtl> counters detailed [ snmp ] [ __readonly__ TABLE_interface <interface> [
<eth_load_interval1_rx> ] [ <eth_inrate1_bits> ] [ <eth_inrate1_pkts> ] [ <eth_load_interval1_tx> ] [
<eth_outrate1_bits> ] [ <eth_outrate1_pkts> ] [ <eth_inrate1_summary_bits> ] [ <eth_inrate1_summary_pkts>
] [ <eth_outrate1_summary_bits> ] [ <eth_outrate1_summary_pkts> ] [ <eth_load_interval2_rx> ] [
<eth_inrate2_bits> ] [ <eth_inrate2_pkts> ] [ <eth_load_interval2_tx> ] [ <eth_outrate2_bits> ] [
<eth_outrate2_pkts> ] [ <eth_inrate2_summary_bits> ] [ <eth_inrate2_summary_pkts> ] [
<eth_outrate2_summary_bits> ] [ <eth_outrate2_summary_pkts> ] [ <eth_load_interval3_rx> ] [
<eth_inrate3_bits> ] [ <eth_inrate3_pkts> ] [ <eth_load_interval3_tx> ] [ <eth_outrate3_bits> ] [
<eth_outrate3_pkts> ] [ <eth_inrate3_summary_bits> ] [ <eth_inrate3_summary_pkts> ] [
<eth_outrate3_summary_bits> ] [ <eth_outrate3_summary_pkts> ] [ <eth_inpkts> ] [ <eth_inicast> ] [
<eth_inmcast> ] [ <eth_inbcast> ] [ <eth_ingroups> ] [ <eth_inbytes> ] [ <eth_storm_supp> ] [ <eth_inb64>
] [ <eth_inb65_127> ] [ <eth_inb128_255> ] [ <eth_inb256_511> ] [ <eth_inb512_1023> ] [
<eth_inb1024_1518> ] [ <eth_inb1519_1548> ] [ <eth_intrunk> ] [ <eth_outpkts> ] [ <eth_outucast> ] [
<eth_outmcast> ] [ <eth_outbcast> ] [ <eth_outgiants> ] [ <eth_outbytes> ] [ <eth_outb64> ] [
<eth_outb65_127> ] [ <eth_outb128_255> ] [ <eth_outb256_511> ] [ <eth_outb512_1023> ] [
<eth_outb1024_1518> ] [ <eth_outb1519_1548> ] [ <eth_outtrunk> ] [ <eth_nobuf> ] [ <eth_runt> ] [
<eth_crc> ] [ <eth_ecc> ] [ <eth_overrun> ] [ <eth_underrun> ] [ <eth_ignored> ] [ <eth_bad_ether> ] [
<eth_bad_proto> ] [ <eth_in_ifdown_drops> ] [ <eth_coll> ] [ <eth_latecoll> ] [ <eth_lostcarrier> ] [
<eth_nocarrier> ] [ <eth_babbles> ] [ <eth_watchdog> ] [ <eth_dribble> ] [ <eth_inerr> ] [ <eth_outerr> ] [
<eth_deferred> ] [ <eth_jabbers> ] [ <eth_shortframe> ] [ <eth_single_coll> ] [ <eth_multi_coll> ] [
<eth_excess_coll> ] [ <eth_indiscard> ] [ <eth_bad_encap> ] [ <eth_outcrc> ] [ <eth_symbol> ] [
<eth_out_drops> ] [ <eth_bpdu_outlost> ] [ <eth_cos0_outlost> ] [ <eth_cos1_outlost> ] [ <eth_cos2_outlost>
] [ <eth_cos3_outlost> ] [ <eth_cos4_outlost> ] [ <eth_cos5_outlost> ] [ <eth_cos6_outlost> ] [
<eth_cos7_outlost> ] [ <eth_inpause> ] [ <eth_outpause> ] [ <eth_resets> ] [ <eth_sqtest> ] [
<eth_l2_ucastpkts> ] [ <eth_l2_ucastbytes> ] [ <eth_l2_mcastpkts> ] [ <eth_l2_mcastbytes> ] [
<eth_l2_bcastpkts> ] [ <eth_l2_bcastbytes> ] [ <eth_l3in_routed_pkts> ] [ <eth_l3in_routed_bytes> ] [
<eth_l3out_routed_pkts> ] [ <eth_l3out_routed_bytes> ] [ <eth_l3in_ucastpkts> ] [ <eth_l3in_ucastbytes>
] [ <eth_l3in_mcastpkts> ] [ <eth_l3in_mcastbytes> ] [ <eth_l3in_bcastpkts> ] [ <eth_l3in_bcastbytes> ] [
<eth_l3out_ucastpkts> ] [ <eth_l3out_ucastbytes> ] [ <eth_l3out_mcastpkts> ] [ <eth_l3out_mcastbytes> ] [
<eth_l3out_bcastpkts> ] [ <eth_l3out_bcastbytes> ] [ <eth_l3avg1_inbytes> ] [ <eth_l3avg1_inpkts> ] [
<eth_l3avg1_outbytes> ] [ <eth_l3avg1_outpkts> ] [ <eth_ipmcast> ] [ <eth_inhw_switched> ] [
<eth_insw_switched> ] [ <eth_throtles> ] [ <eth_frame> ] [ <eth_outhw_switched> ] [ <eth_outsw_switched>
] [ <eth_buffail> ] [ <eth_bufswapped> ] [ <eth_arpdrops> ] [ <eth_out_ifdown_drops> ] ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_ctr_dtl</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
snmp	(Optional) Show SNMP MIB values
<u>__readonly__</u>	(Optional) Read Only

<i>interface</i>	(Optional) Interface index
<i>TABLE_interface</i>	(Optional) show interface
<i>eth_load_interval1_rx</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1_bits</i>	(Optional) interval 1 input rate bits/sec
<i>eth_inrate1_pkts</i>	(Optional) interval 1 input rate pkts/sec
<i>eth_load_interval1_tx</i>	(Optional) interval 1 timer value in sec
<i>eth_outrate1_bits</i>	(Optional) interval 1 output rate bits/sec
<i>eth_outrate1_pkts</i>	(Optional) interval 1 output rate pkts/sec
<i>eth_inrate1_summary_bits</i>	(Optional) interval 1 input rate bit summary
<i>eth_inrate1_summary_pkts</i>	(Optional) interval 1 input rate pkt summary
<i>eth_outrate1_summary_bits</i>	(Optional) interval 1 output rate bit summary
<i>eth_outrate1_summary_pkts</i>	(Optional) interval 1 output rate pkt summary
<i>eth_load_interval2_rx</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2_bits</i>	(Optional) interval 2 input rate bits/sec
<i>eth_inrate2_pkts</i>	(Optional) interval 2 input rate pkts/sec
<i>eth_load_interval2_tx</i>	(Optional) interval 2 timer value in sec
<i>eth_outrate2_bits</i>	(Optional) interval 2 output rate bits/sec
<i>eth_outrate2_pkts</i>	(Optional) interval 2 output rate pkts/sec
<i>eth_inrate2_summary_bits</i>	(Optional) interval 2 input rate bit summary
<i>eth_inrate2_summary_pkts</i>	(Optional) interval 2 input rate pkt summary
<i>eth_outrate2_summary_bits</i>	(Optional) interval 2 output rate bit summary
<i>eth_outrate2_summary_pkts</i>	(Optional) interval 2 output rate pkt summary
<i>eth_load_interval3_rx</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3_bits</i>	(Optional) interval 3 input rate bits/sec
<i>eth_inrate3_pkts</i>	(Optional) interval 3 input rate pkts/sec
<i>eth_load_interval3_tx</i>	(Optional) interval 3 timer value in sec
<i>eth_outrate3_bits</i>	(Optional) interval 3 output rate bits/sec
<i>eth_outrate3_pkts</i>	(Optional) interval 3 output rate pkts/sec
<i>eth_inrate3_summary_bits</i>	(Optional) interval 3 input rate bit summary

**show interface counters detailed**

<i>eth_inrate3_summary_pkts</i>	(Optional) interval 3 input rate pkt summary
<i>eth_outrate3_summary_bits</i>	(Optional) interval 3 output rate bit summary
<i>eth_outrate3_summary_pkts</i>	(Optional) interval 3 output rate pkt summary
<i>eth_inpkts</i>	(Optional) Packets input
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_ingroups</i>	(Optional) giants
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_storm_supp</i>	(Optional) storm suppression
<i>eth_inb64</i>	(Optional) input pkts between 0 and 64 bytes
<i>eth_inb65_127</i>	(Optional) input pkts between 65 and 127 bytes
<i>eth_inb128_255</i>	(Optional) input pkts between 128 and 255 bytes
<i>eth_inb256_511</i>	(Optional) input pkts between 256 and 511 bytes
<i>eth_inb512_1023</i>	(Optional) input pkts between 512 and 1023 bytes
<i>eth_inb1024_1518</i>	(Optional) input pkts between 1024 and 1518 bytes
<i>eth_inb1519_1548</i>	(Optional) input pkts between 1519 and 1548 bytes
<i>eth_intrunk</i>	(Optional) input trunk pkts
<i>eth_outpkts</i>	(Optional) packets output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts
<i>eth_outgiants</i>	(Optional) giants
<i>eth_outbytes</i>	(Optional) bytes output
<i>eth_outb64</i>	(Optional) output pkts between 0 and 64 bytes
<i>eth_outb65_127</i>	(Optional) output pkts between 65 and 127 bytes
<i>eth_outb128_255</i>	(Optional) output pkts between 128 and 255 bytes
<i>eth_outb256_511</i>	(Optional) output pkts between 256 and 511 bytes
<i>eth_outb512_1023</i>	(Optional) output pkts between 512 and 1023 bytes

<i>eth_outb1024_1518</i>	(Optional) output pkts between 1024 and 1518 bytes
<i>eth_outb1519_1548</i>	(Optional) output pkts between 1519 and 1548 bytes
<i>eth_outtrunk</i>	(Optional) output trunk pkts
<i>eth_nobuf</i>	(Optional) No buffer received
<i>eth_runt</i>	(Optional) runts
<i>eth_crc</i>	(Optional) CRC
<i>eth_ecc</i>	(Optional) ECC
<i>eth_overrun</i>	(Optional) overrun
<i>eth_underrun</i>	(Optional) underruns
<i>eth_ignored</i>	(Optional) ignored
<i>eth_bad_eth</i>	(Optional) bad ether type drop
<i>eth_bad_proto</i>	(Optional) bad protocol drops
<i>eth_in_ifdown_drops</i>	(Optional) Input if-down drops
<i>eth_coll</i>	(Optional) collisions
<i>eth_latecoll</i>	(Optional) late collision
<i>eth_lostcarrier</i>	(Optional) lost carrier
<i>eth_nocARRIER</i>	(Optional) no carrier
<i>eth_babbles</i>	(Optional) babbles
<i>eth_watchdog</i>	(Optional) watchdog
<i>eth_dribble</i>	(Optional) input packets with dribble condition
<i>eth_inerr</i>	(Optional) input errors
<i>eth_outerr</i>	(Optional) output errors
<i>eth_deferred</i>	(Optional) deferred
<i>eth_jabbers</i>	(Optional) jabbers
<i>eth_shortframe</i>	(Optional) short frames
<i>eth_single_coll</i>	(Optional) single collisions
<i>eth_multi_coll</i>	(Optional) multi collisions
<i>eth_excess_coll</i>	(Optional) excessive collisions
<i>eth_indiscard</i>	(Optional) discards

**show interface counters detailed**

<i>eth_bad_encap</i>	(Optional) bad encapsulation
<i>eth_outcrc</i>	(Optional) Output CRC
<i>eth_symbol</i>	(Optional) symbol errors
<i>eth_out_drops</i>	(Optional) output drops
<i>eth_bpdu_outlost</i>	(Optional) BPDU output lost
<i>eth_cos0_outlost</i>	(Optional) output pkts
<i>eth_cos1_outlost</i>	(Optional) output pkts
<i>eth_cos2_outlost</i>	(Optional) output pkts
<i>eth_cos3_outlost</i>	(Optional) output pkts
<i>eth_cos4_outlost</i>	(Optional) output pkts
<i>eth_cos5_outlost</i>	(Optional) output pkts
<i>eth_cos6_outlost</i>	(Optional) output pkts
<i>eth_cos7_outlost</i>	(Optional) output pkts
<i>eth_inpause</i>	(Optional) pause input
<i>eth_outpause</i>	(Optional) PAUSE output
<i>eth_resets</i>	(Optional) interface resets
<i>eth_sqetest</i>	(Optional) SQE test
<i>eth_l2_ucastpkts</i>	(Optional) L2 switched ucast pkts
<i>eth_l2_ucastbytes</i>	(Optional) L2 switched ucast bytes
<i>eth_l2_mcastpkts</i>	(Optional) L2 switched mcast pkts
<i>eth_l2_mcastbytes</i>	(Optional) L2 switched mcast bytes
<i>eth_l2_bcastpkts</i>	(Optional) L2 switched bcast pkts
<i>eth_l2_bcastbytes</i>	(Optional) L2 switched bcast bytes
<i>eth_l3in_ucastpkts</i>	(Optional) L3 in switched ucast pkts
<i>eth_l3in_ucastbytes</i>	(Optional) L3 in switched ucast bytes
<i>eth_l3in_mcastpkts</i>	(Optional) L3 in switched mcast pkts
<i>eth_l3in_mcastbytes</i>	(Optional) L3 in switched mcast bytes
<i>eth_l3in_bcastpkts</i>	(Optional) L3 in switched bcast pkts
<i>eth_l3in_bcastbytes</i>	(Optional) L3 in switched bcast bytes

<i>eth_l3out_ucastpkts</i>	(Optional) L3 out switched ucast pkts
<i>eth_l3out_ucastbytes</i>	(Optional) L3 out switched ucast bytes
<i>eth_l3out_mcastpkts</i>	(Optional) L3 out switched mcast pkts
<i>eth_l3out_mcastbytes</i>	(Optional) L3 out switched mcast bytes
<i>eth_l3out_bcastpkts</i>	(Optional) L3 out switched bcast pkts
<i>eth_l3out_bcastbytes</i>	(Optional) L3 out switched bcast bytes
<i>eth_l3in_routed_pkts</i>	(Optional) L3 in routed pkts
<i>eth_l3in_routed_bytes</i>	(Optional) L3 in routed bytes
<i>eth_l3out_routed_pkts</i>	(Optional) L3 out routed pkts
<i>eth_l3out_routed_bytes</i>	(Optional) L3 out routed bytes
<i>eth_l3avg1_inbytes</i>	(Optional) Load interval 1 L3 average in switched bytes
<i>eth_l3avg1_inpkts</i>	(Optional) Load interval 1 L3 average in switched pkts
<i>eth_l3avg1_outbytes</i>	(Optional) Load interval 1 L3 average out switched bytes
<i>eth_l3avg1_outpkts</i>	(Optional) Load interval 1 L3 average out switched pkts
<i>eth_ipmcast</i>	(Optional) IP multicast
<i>eth_inhw_switched</i>	(Optional) Input H/W Switched
<i>eth_insw_switched</i>	(Optional) Input S/W Switched
<i>eth_throttles</i>	(Optional) throttles
<i>eth_frame</i>	(Optional) frame
<i>eth_outhw_switched</i>	(Optional) Out H/W Switched
<i>eth_outsw_switched</i>	(Optional) Out S/W Switched
<i>eth_buffail</i>	(Optional) output buffer failures
<i>eth_bufswapped</i>	(Optional) output buffers swapped out
<i>eth_arpdrops</i>	(Optional) arp drops
<i>eth_out_ifdown_drops</i>	(Optional) Output if-down drops

**Command Mode**

- /exec

show interface counters detailed all

## show interface counters detailed all

```
show interface <ifeth_ctr_dtl_all> counters detailed all [ snmp ] [ __readonly__ TABLE_interface <interface>
[ <rx_total_pkts> ] [ <tx_total_pkts> ] [ <rx_unicast_pkts> ] [ <rx_multicast_pkts> ] [ <rx_broadcast_pkts> ] [
<rx_octets> ] [ <tx_unicast_pkts> ] [ <tx_multicast_pkts> ] [ <tx_broadcast_pkts> ] [ <tx_octets> ] [
<rx_tx_pkts_64octets> ] [ <rx_tx_pkts_65_127octets> ] [ <rx_tx_pkts_128_255octets> ] [
<rx_tx_pkts_256_511octets> ] [ <rx_tx_pkts_512_1023octets> ] [ <rx_tx_pkts_1024_1518octets> ] [
<rx_tx_pkts_1519_1548octets> ] [ <rx_trunk_frames> ] [ <tx_trunk_frames> ] [ <rx_drop_events> ] [
<rx_tx_giants> ] [ <eth_load_interval1_rx> ] [ <eth_inrate1_bits> ] [ <eth_inrate1_pkts> ] [
<eth_load_interval1_tx> ] [ <eth_outrate1_bits> ] [ <eth_outrate1_pkts> ] [ <eth_inrate1_summary_bits> ] [
<eth_inrate1_pkts> ] [ <eth_outrate1_summary_bits> ] [ <eth_outrate1_summary_pkts> ] [
<eth_load_interval2_rx> ] [ <eth_inrate2_bits> ] [ <eth_inrate2_pkts> ] [ <eth_load_interval2_tx> ] [
<eth_outrate2_bits> ] [ <eth_outrate2_pkts> ] [ <eth_inrate2_summary_bits> ] [ <eth_inrate2_summary_pkts> ] [
<eth_outrate2_summary_bits> ] [ <eth_outrate2_summary_pkts> ] [ <eth_load_interval3_rx> ] [
<eth_inrate3_bits> ] [ <eth_inrate3_pkts> ] [ <eth_load_interval3_tx> ] [ <eth_outrate3_bits> ] [
<eth_outrate3_pkts> ] [ <eth_inrate3_summary_bits> ] [ <eth_inrate3_summary_pkts> ] [
<eth_outrate3_summary_bits> ] [ <eth_outrate3_summary_pkts> ] [ <eth_l2_unicastpkts> ] [ <eth_l2_unicastbytes> ] [
<eth_l2_multicastpkts> ] [ <eth_l2_multicastbytes> ] [ <eth_l2_broadcastpkts> ] [ <eth_l2_broadcastbytes> ] [
<eth_l3in_unicastpkts> ] [ <eth_l3in_unicastbytes> ] [ <eth_l3in_multicastpkts> ] [ <eth_l3in_multicastbytes> ] [
<eth_l3in_broadcastpkts> ] [ <eth_l3in_broadcastbytes> ] [ <eth_l3out_unicastpkts> ] [ <eth_l3out_unicastbytes> ] [
<eth_l3out_multicastpkts> ] [ <eth_l3out_multicastbytes> ] [ <eth_l3out_broadcastpkts> ] [ <eth_l3out_broadcastbytes> ] [
<eth_l3in_routed_pkts> ] [ <eth_l3in_routed_bytes> ] [ <eth_l3out_routed_pkts> ] [ <eth_l3out_routed_bytes> ] [
<eth_l3avg1_inbytes> ] [ <eth_l3avg1_inpkts> ] [ <eth_l3avg1_outbytes> ] [ <eth_l3avg1_outpkts> ] [
<eth_l3avg2_inbytes> ] [ <eth_l3avg2_inpkts> ] [ <eth_l3avg2_outbytes> ] [ <eth_l3avg2_outpkts> ] [
<eth_l3avg3_inbytes> ] [ <eth_l3avg3_inpkts> ] [ <eth_l3avg3_outbytes> ] [ <eth_l3avg3_outpkts> ] [
<eth_inpkts> ] [ <eth_inbytes> ] [ <eth_nobuf> ] [ <eth_inbroadcast> ] [ <eth_inmulticast> ] [ <eth_inunicast> ] [
<eth_ingiants> ] [ <eth_ipmulticast> ] [ <eth_inhw_swapped> ] [ <eth_insw_swapped> ] [ <eth_runtsp> ] [
<eth_storm_supp> ] [ <eth_throttles> ] [ <eth_inerr> ] [ <eth_crc> ] [ <eth_ecc> ] [ <eth_frame> ] [
<eth_overrun> ] [ <eth_ignored> ] [ <eth_watchdog> ] [ <eth_outbroadcast> ] [ <eth_outmulticast> ] [ <eth_outunicast> ] [
<eth_outgiants> ] [ <eth_inpause> ] [ <eth_dribble> ] [ <eth_in_ifdown_drops> ] [ <eth_bad_eth> ] [
<eth_bad_proto> ] [ <eth_outpkts> ] [ <eth_outbytes> ] [ <eth_underrun> ] [ <eth_outhw_swapped> ] [
<eth_outsw_swapped> ] [ <eth_outterr> ] [ <eth_coll> ] [ <eth_resets> ] [ <eth_bubbles> ] [ <eth_latecoll> ] [
<eth_deferred> ] [ <eth_lostcarrier> ] [ <eth_nocarrier> ] [ <eth_outpause> ] [ <eth_buffail> ] [
<eth_bufswapped> ] [ <eth_arpdrops> ] [ <eth_out_ifdown_drops> ] [ <eth_single_coll> ] [ <eth_multi_coll> ] [
<eth_excess_coll> ] [ <eth_jabbers> ] [ <eth_shortframe> ] [ <eth_indiscard> ] [ <eth_bad_encap> ] [
<eth_outcrc> ] [ <eth_symbol> ] [ <eth_out_drops> ] [ <eth_sqetest> ] [ <eth_inb64> ] [ <eth_inb65_127> ] [
<eth_inb128_255> ] [ <eth_inb256_511> ] [ <eth_inb512_1023> ] [ <eth_inb1024_1518> ] [
<eth_inb1519_1548> ] [ <eth_intrunk> ] [ <eth_outb64> ] [ <eth_outb65_127> ] [ <eth_outb128_255> ] [
<eth_outb256_511> ] [ <eth_outb512_1023> ] [ <eth_outb1024_1518> ] [ <eth_outb1519_1548> ] [
<eth_outtrunk> ] [ <eth_bpdu_outlost> ] [ <eth_cos0_outlost> ] [ <eth_cos1_outlost> ] [ <eth_cos2_outlost> ] [
<eth_cos3_outlost> ] [ <eth_cos4_outlost> ] [ <eth_cos5_outlost> ] [ <eth_cos6_outlost> ] [
<eth_cos7_outlost> ] [ <eth_fcoe_in_pkts> ] [ <eth_fcoe_in_octets> ] [ <eth_fcoe_out_pkts> ] [
<eth_fcoe_out_octets> ] [ <eth_nfcoe_in_pkts> ] [ <eth_nfcoe_in_octets> ] [ <eth_nfcoe_out_pkts> ] [
<eth_nfcoe_out_octets> ] [ <eth_eee_atx_lpi_msec> ] [ <eth_eee_arclv_lpi_msec> ] [
<eth_eee_atx_lpi_transitions> ] [ <eth_eee_arclv_lpi_transitions> ] [ <eth_phy_ber_count> ] [
<eth_phy_errblk_count> ]
```

### Syntax Description

show	Show running system information
------	---------------------------------

interface	Show interface status and information
<i>ifeth_ctr_dtl_all</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
all	everything
snmp	(Optional) Show SNMP MIB values
<u>readonly</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>rx_total_pkts</i>	(Optional) total input packets
<i>tx_total_pkts</i>	(Optional) total output packets
<i>rx_unicast_pkts</i>	(Optional) input unicasts
<i>rx_multicast_pkts</i>	(Optional) input multicasts
<i>rx_broadcast_pkts</i>	(Optional) input broadcasts
<i>rx_octets</i>	(Optional) input bytes
<i>tx_unicast_pkts</i>	(Optional) output unicasts
<i>tx_multicast_pkts</i>	(Optional) output multicasts
<i>tx_broadcast_pkts</i>	(Optional) output broadcasts
<i>tx_octets</i>	(Optional) output bytes
<i>rxtx_pkts_64octets</i>	(Optional) all pkts between 0 and 64 bytes
<i>rxtx_pkts_65_127octets</i>	(Optional) all pkts between 65 and 127 bytes
<i>rxtx_pkts_128_255octets</i>	(Optional) all pkts between 128 and 255 bytes
<i>rxtx_pkts_256_511octets</i>	(Optional) all pkts between 256 and 511 bytes
<i>rxtx_pkts_512_1023octets</i>	(Optional) all pkts between 512 and 1023 bytes
<i>rxtx_pkts_1024_1518octets</i>	(Optional) all pkts between 1024 and 1518 bytes
<i>rxtx_pkts_1519_1548octets</i>	(Optional) all pkts between 1519 and 1548 bytes
<i>rx_trunk_frames</i>	(Optional) input trunk pkts
<i>tx_trunk_frames</i>	(Optional) output trunk pkts
<i>rx_drop_events</i>	(Optional) dropped pkts

**show interface counters detailed all**

<i>rxtx_giants</i>	(Optional) giants
<i>eth_load_interval1_rx</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1_bits</i>	(Optional) interval 1 input rate bits/sec
<i>eth_inrate1_pkts</i>	(Optional) interval 1 input rate pkts/sec
<i>eth_load_interval1_tx</i>	(Optional) interval 1 timer value in sec
<i>eth_outrate1_bits</i>	(Optional) interval 1 output rate bits/sec
<i>eth_outrate1_pkts</i>	(Optional) interval 1 output rate pkts/sec
<i>eth_inrate1_summary_bits</i>	(Optional) interval 1 input rate bit summary
<i>eth_inrate1_summary_pkts</i>	(Optional) interval 1 input rate pkt summary
<i>eth_outrate1_summary_bits</i>	(Optional) interval 1 output rate bit summary
<i>eth_outrate1_summary_pkts</i>	(Optional) interval 1 output rate pkt summary
<i>eth_load_interval2_rx</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2_bits</i>	(Optional) interval 2 input rate bits/sec
<i>eth_inrate2_pkts</i>	(Optional) interval 2 input rate pkts/sec
<i>eth_load_interval2_tx</i>	(Optional) interval 2 timer value in sec
<i>eth_outrate2_bits</i>	(Optional) interval 2 output rate bits/sec
<i>eth_outrate2_pkts</i>	(Optional) interval 2 output rate pkts/sec
<i>eth_inrate2_summary_bits</i>	(Optional) interval 2 input rate bit summary
<i>eth_inrate2_summary_pkts</i>	(Optional) interval 2 input rate pkt summary
<i>eth_outrate2_summary_bits</i>	(Optional) interval 2 output rate bit summary
<i>eth_outrate2_summary_pkts</i>	(Optional) interval 2 output rate pkt summary
<i>eth_load_interval3_rx</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3_bits</i>	(Optional) interval 3 input rate bits/sec
<i>eth_inrate3_pkts</i>	(Optional) interval 3 input rate pkts/sec
<i>eth_load_interval3_tx</i>	(Optional) interval 3 timer value in sec
<i>eth_outrate3_bits</i>	(Optional) interval 3 output rate bits/sec
<i>eth_outrate3_pkts</i>	(Optional) interval 3 output rate pkts/sec
<i>eth_inrate3_summary_bits</i>	(Optional) interval 3 input rate bit summary
<i>eth_inrate3_summary_pkts</i>	(Optional) interval 3 input rate pkt summary

<i>eth_outrate3_summary_bits</i>	(Optional) interval 3 output rate bit summary
<i>eth_outrate3_summary_pkts</i>	(Optional) interval 3 output rate pkt summary
<i>eth_l2_icastpkts</i>	(Optional) L2 switched ucast pkts
<i>eth_l2_icastbytes</i>	(Optional) L2 switched ucast bytes
<i>eth_l2_mcastpkts</i>	(Optional) L2 switched mcast pkts
<i>eth_l2_mcastbytes</i>	(Optional) L2 switched mcast bytes
<i>eth_l2_bcastpkts</i>	(Optional) L2 switched bcast pkts
<i>eth_l2_bcastbytes</i>	(Optional) L2 switched bcast bytes
<i>eth_l3in_icastpkts</i>	(Optional) IPv4 L3 in switched ucast pkts
<i>eth_l3in_icastbytes</i>	(Optional) IPv4 L3 in switched ucast bytes
<i>eth_l3in_mcastpkts</i>	(Optional) IPv4 L3 in switched mcast pkts
<i>eth_l3in_mcastbytes</i>	(Optional) IPv4 L3 in switched mcast bytes
<i>eth_l3in_bcastpkts</i>	(Optional) L3 in switched bcast pkts
<i>eth_l3in_bcastbytes</i>	(Optional) L3 in switched bcast bytes
<i>eth_l3out_icastpkts</i>	(Optional) IPv4 L3 out switched ucast pkts
<i>eth_l3out_icastbytes</i>	(Optional) IPv4 L3 out switched ucast bytes
<i>eth_l3out_mcastpkts</i>	(Optional) IPv4 L3 out switched mcast pkts
<i>eth_l3out_mcastbytes</i>	(Optional) IPv4 L3 out switched mcast bytes
<i>eth_l3out_bcastpkts</i>	(Optional) L3 out switched bcast pkts
<i>eth_l3out_bcastbytes</i>	(Optional) L3 out switched bcast bytes
<i>eth_l3in_routed_pkts</i>	(Optional) L3 in routed pkts
<i>eth_l3in_routed_bytes</i>	(Optional) L3 in routed bytes
<i>eth_l3out_routed_pkts</i>	(Optional) L3 out routed pkts
<i>eth_l3out_routed_bytes</i>	(Optional) L3 out routed bytes
<i>eth_l3avg1_inbytes</i>	(Optional) Load interval 1 L3 average in switched bytes
<i>eth_l3avg1_inpkts</i>	(Optional) Load interval 1 L3 average in switched pkts
<i>eth_l3avg1_outbytes</i>	(Optional) Load interval 1 L3 average out switched bytes
<i>eth_l3avg1_outpkts</i>	(Optional) Load interval 1 L3 average out switched pkts
<i>eth_l3avg2_inbytes</i>	(Optional) Load interval 2 L3 average in switched bytes

**show interface counters detailed all**

<i>eth_l3avg2_inppts</i>	(Optional) Load interval 2 L3 average in switched pkts
<i>eth_l3avg2_outbytes</i>	(Optional) Load interval 2 L3 average out switched bytes
<i>eth_l3avg2_outpkts</i>	(Optional) Load interval 2 L3 average out switched pkts
<i>eth_l3avg3_inbytes</i>	(Optional) Load interval 3 L3 average in switched bytes
<i>eth_l3avg3_inppts</i>	(Optional) Load interval 3 L3 average in switched pkts
<i>eth_l3avg3_outbytes</i>	(Optional) Load interval 3 L3 average out switched bytes
<i>eth_l3avg3_outpkts</i>	(Optional) Load interval 3 L3 average out switched pkts
<i>eth_inppts</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_nobuf</i>	(Optional) No buffer received
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_ingroups</i>	(Optional) giants
<i>eth_ipmcast</i>	(Optional) IP multicast
<i>eth_inhw_switched</i>	(Optional) Input H/W Switched
<i>eth_insw_switched</i>	(Optional) Input S/W Switched
<i>eth_runt</i>	(Optional) runts
<i>eth_storm_supp</i>	(Optional) storm suppression
<i>eth_throttles</i>	(Optional) throttles
<i>eth_inerr</i>	(Optional) input errors
<i>eth_crc</i>	(Optional) CRC
<i>eth_ecc</i>	(Optional) ECC
<i>eth_frame</i>	(Optional) frame
<i>eth_overrun</i>	(Optional) overrun
<i>eth_ignored</i>	(Optional) ignored
<i>eth_watchdog</i>	(Optional) watchdog
<i>eth_outbcast</i>	(Optional) Broadcasts
<i>eth_outmcast</i>	(Optional) Multicasts

<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outgiants</i>	(Optional) giants
<i>eth_inpause</i>	(Optional) pause input
<i>eth_dribble</i>	(Optional) input packets with dribble condition
<i>eth_in_ifdown_drops</i>	(Optional) Input if-down drops
<i>eth_bad_eth</i>	(Optional) bad ether type drop
<i>eth_bad_proto</i>	(Optional) bad protocol drops
<i>eth_outpkts</i>	(Optional) packets output
<i>eth_outbytes</i>	(Optional) bytes output
<i>eth_underrun</i>	(Optional) underruns
<i>eth_outhw_switched</i>	(Optional) Out H/W Switched
<i>eth_outsw_switched</i>	(Optional) Out S/W Switched
<i>eth_outterr</i>	(Optional) output errors
<i>eth_coll</i>	(Optional) collisions
<i>eth_resets</i>	(Optional) interface resets
<i>eth_babbles</i>	(Optional) babbles
<i>eth_latecoll</i>	(Optional) late collision
<i>eth_deferred</i>	(Optional) deferred
<i>eth_lostcarrier</i>	(Optional) lost carrier
<i>eth_nocARRIER</i>	(Optional) no carrier
<i>eth_outpause</i>	(Optional) PAUSE output
<i>eth_buffail</i>	(Optional) output buffer failures
<i>eth_bufswapped</i>	(Optional) output buffers swapped out
<i>eth_arpdrops</i>	(Optional) arp drops
<i>eth_out_ifdown_drops</i>	(Optional) Output if-down drops
<i>eth_single_coll</i>	(Optional) single collisions
<i>eth_multi_coll</i>	(Optional) multi collisions
<i>eth_excess_coll</i>	(Optional) excessive collisions
<i>eth_jabbers</i>	(Optional) jabbers

**show interface counters detailed all**

<i>eth_shortframe</i>	(Optional) short frames
<i>eth_indiscard</i>	(Optional) discards
<i>eth_bad_encap</i>	(Optional) bad encapsulation
<i>eth_outcrc</i>	(Optional) Output CRC
<i>eth_symbol</i>	(Optional) symbol errors
<i>eth_out_drops</i>	(Optional) output drops
<i>eth_sqetest</i>	(Optional) SQE test
<i>eth_inb64</i>	(Optional) input pkts between 0 and 64 bytes
<i>eth_inb65_127</i>	(Optional) input pkts between 65 and 127 bytes
<i>eth_inb128_255</i>	(Optional) input pkts between 128 and 255 bytes
<i>eth_inb256_511</i>	(Optional) input pkts between 256 and 511 bytes
<i>eth_inb512_1023</i>	(Optional) input pkts between 512 and 1023 bytes
<i>eth_inb1024_1518</i>	(Optional) input pkts between 1024 and 1518 bytes
<i>eth_inb1519_1548</i>	(Optional) input pkts between 1519 and 1548 bytes
<i>eth_intrunk</i>	(Optional) input trunk pkts
<i>eth_outb64</i>	(Optional) output pkts between 0 and 64 bytes
<i>eth_outb65_127</i>	(Optional) output pkts between 65 and 127 bytes
<i>eth_outb128_255</i>	(Optional) output pkts between 128 and 255 bytes
<i>eth_outb256_511</i>	(Optional) output pkts between 256 and 511 bytes
<i>eth_outb512_1023</i>	(Optional) output pkts between 512 and 1023 bytes
<i>eth_outb1024_1518</i>	(Optional) output pkts between 1024 and 1518 bytes
<i>eth_outb1519_1548</i>	(Optional) output pkts between 1519 and 1548 bytes
<i>eth_outtrunk</i>	(Optional) output trunk pkts
<i>eth_bpdu_outlost</i>	(Optional) BPDU output lost
<i>eth_cos0_outlost</i>	(Optional) output pkts
<i>eth_cos1_outlost</i>	(Optional) output pkts
<i>eth_cos2_outlost</i>	(Optional) output pkts
<i>eth_cos3_outlost</i>	(Optional) output pkts
<i>eth_cos4_outlost</i>	(Optional) output pkts

<i>eth_cos5_outlost</i>	(Optional) output pkts
<i>eth_cos6_outlost</i>	(Optional) output pkts
<i>eth_cos7_outlost</i>	(Optional) output pkts
<i>eth_fcoe_in_pkts</i>	(Optional) fcoe in pkts
<i>eth_fcoe_in_octets</i>	(Optional) fcoe in octets
<i>eth_fcoe_out_pkts</i>	(Optional) fcoe out pkts
<i>eth_fcoe_out_octets</i>	(Optional) fcoe out octets
<i>eth_nfcoe_in_pkts</i>	(Optional) nfcoe in pkts
<i>eth_nfcoe_in_octets</i>	(Optional) nfcoe in octets
<i>eth_nfcoe_out_pkts</i>	(Optional) nfcoe out pkts
<i>eth_nfcoe_out_octets</i>	(Optional) nfcoe out octets
<i>eth_eee_atx_lpi_msec</i>	(Optional) Tx Lpi usec
<i>eth_eee_arcv_lpi_msec</i>	(Optional) Rx Lpi usec
<i>eth_eee_atx_lpi_transitions</i>	(Optional) Tx Lpi requests
<i>eth_eee_arcv_lpi_transitions</i>	(Optional) Rx Lpi indications
<i>eth_phy_ber_count</i>	(Optional) Bit error rate counter
<i>eth_phy_errblk_count</i>	(Optional) Errored blocks counter

**Command Mode**

- /exec

**show interface counters detailed all**

show interface <ifid\_ctr\_dtl\_all> counters detailed all [ snmp ]

#### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_ctr_dtl_all</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
all	Show every interface counter
snmp	(Optional) Show SNMP MIB values

#### Command Mode

- /exec

# show interface counters detailed all

```
show interface <ifmgmt_ctr_dtl_all> counters detailed all [ __readonly__ TABLE_interface <interface> [ <vdc_lvl_in_pkts> ] [ <vdc_lvl_in_bytes> ] [ <vdc_lvl_in_unicast> ] [ <vdc_lvl_in_multicast> ] [ <vdc_lvl_in_broadcast> ] [ <vdc_lvl_in_bps> ] [ <vdc_lvl_in_pps> ] [ <vdc_lvl_in_avg_pkts> ] [ <vdc_lvl_in_avg_bytes> ] [ <vdc_lvl_out_pkts> ] [ <vdc_lvl_out_bytes> ] [ <vdc_lvl_out_unicast> ] [ <vdc_lvl_out_multicast> ] [ <vdc_lvl_out_broadcast> ] [ <vdc_lvl_out_bps> ] [ <vdc_lvl_out_pps> ] [ <vdc_lvl_out_avg_pkts> ] [ <vdc_lvl_out_avg_bytes> ] [ <mgmt_in_pkts> ] [ <mgmt_in_bytes> ] [ <mgmt_in_multicast> ] [ <mgmt_out_pkts> ] [ <mgmt_out_bytes> ] [ <mgmt_in_errors> ] [ <mgmt_out_errors> ] [ <mgmt_in_fifo> ] [ <mgmt_out_fifo> ] [ <mgmt_in_compressed> ] [ <mgmt_in_frame> ] [ <mgmt_in_overrun> ] [ <mgmt_out_underruns> ] [ <mgmt_out_collisions> ] [ <mgmt_out_carrier> ] [ <mgmt_align_err> ] [ <mgmt_fcs_err> ] [ <mgmt_xmit_err> ] [ <mgmt_rcv_err> ] [ <mgmt_undersize> ] [ <mgmt_outdisc> ] [ <mgmt_single_col> ] [ <mgmt_multi_col> ] [ <mgmt_late_col> ] [ <mgmt_excess_col> ] [ <mgmt_carri_sen> ] [ <mgmt_runt> ] [ <mgmt_giants> ] [ <mgmt_sqtest_err> ] [ <mgmt_deferred_tx> ] [ <mgmt_inmactx_err> ] [ <mgmt_inmacrx_err> ] [ <mgmt_symbol_err> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifmgmt_ctr_dtl_all</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
all	Show every interface counter
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>vdc_lvl_in_pkts</i>	(Optional) VDC level input packets
<i>vdc_lvl_in_bytes</i>	(Optional) VDC level input bytes
<i>vdc_lvl_in_unicast</i>	(Optional) VDC level input unicast packets
<i>vdc_lvl_in_multicast</i>	(Optional) VDC level input multicast packets
<i>vdc_lvl_in_broadcast</i>	(Optional) VDC level input broadcast packets
<i>vdc_lvl_in_bps</i>	(Optional) VDC level input bytes per second
<i>vdc_lvl_in_pps</i>	(Optional) VDC level input packets per second
<i>vdc_lvl_in_avg_pkts</i>	(Optional) VDC level average input packets
<i>vdc_lvl_in_avg_bytes</i>	(Optional) VDC level average input bytes

**show interface counters detailed all**

<i>vdc_lvl_out_pkts</i>	(Optional) VDC level output packets
<i>vdc_lvl_out_bytes</i>	(Optional) VDC level output bytes
<i>vdc_lvl_out_unicast</i>	(Optional) VDC level output unicast packets
<i>vdc_lvl_out_multicast</i>	(Optional) VDC level output multicast packets
<i>vdc_lvl_out_broadcast</i>	(Optional) VDC level output broadcast packets
<i>vdc_lvl_out_bps</i>	(Optional) VDC level output bytes per second
<i>vdc_lvl_out_pps</i>	(Optional) VDC level output packets per second
<i>vdc_lvl_out_avg_pkts</i>	(Optional) VDC level average output packets
<i>vdc_lvl_out_avg_bytes</i>	(Optional) VDC level average output bytes
<i>mgmt_in_pkts</i>	(Optional) Input packets
<i>mgmt_in_bytes</i>	(Optional) Input bytes
<i>mgmt_in_multicast</i>	(Optional) Input multicast frames
<i>mgmt_out_pkts</i>	(Optional) Output packets
<i>mgmt_out_bytes</i>	(Optional) Output bytes
<i>mgmt_in_errors</i>	(Optional) Input errors
<i>mgmt_out_errors</i>	(Optional) Output errors
<i>mgmt_in_fifo</i>	(Optional) Input fifo
<i>mgmt_out_fifo</i>	(Optional) Output fifo
<i>mgmt_in_compressed</i>	(Optional) Input compressed
<i>mgmt_in_frame</i>	(Optional) Input frame errors
<i>mgmt_in_overrun</i>	(Optional) Input overrun
<i>mgmt_out_underruns</i>	(Optional) Output overruns
<i>mgmt_out_collisions</i>	(Optional) Output collisions
<i>mgmt_out_carrier</i>	(Optional) Output carrier errors
<i>mgmt_align_err</i>	(Optional) Align error
<i>mgmt_fcs_err</i>	(Optional) FCS error
<i>mgmt_xmit_err</i>	(Optional) Transmit error
<i>mgmt_rcv_err</i>	(Optional) Receive error
<i>mgmt_undersize</i>	(Optional) Undersize

<i>mgmt_outdisc</i>	(Optional) Out discard
<i>mgmt_single_col</i>	(Optional) Single collision
<i>mgmt_multi_col</i>	(Optional) Multiple collision
<i>mgmt_late_col</i>	(Optional) Late collision
<i>mgmt_excess_col</i>	(Optional) Excess collision
<i>mgmt_carri_sen</i>	(Optional) Carrier sense
<i>mgmt_runts</i>	(Optional) Runts
<i>mgmt_giants</i>	(Optional) Giants
<i>mgmt_sqetest_err</i>	(Optional) SQETest error
<i>mgmt_deferred_tx</i>	(Optional) Deferred tx
<i>mgmt_inmactx_err</i>	(Optional) In MAC tx
<i>mgmt_inmacrx_err</i>	(Optional) In MAC rx
<i>mgmt_symbol_err</i>	(Optional) Symbol error

**Command Mode**

- /exec

show interface counters detailed all

## show interface counters detailed all

```
show interface <ifloop_ctr_dtl_all> counters detailed all [ __readonly__ TABLE_interface <interface> [
<rx_total_pkts> ] [ <tx_total_pkts> ] [ <rx_mcast_pkts> ] [ <rx_octets> ] [ <tx_octets> ] [ <loop_in_pkts> ]
[ <loop_in_bytes> ] [ <loop_in_mcast> ] [ <loop_in_compressed> ] [ <loop_in_errors> ] [ <loop_in_frame> ]
[ <loop_in_overrun> ] [ <loop_in_fifo> ] [ <loop_out_pkts> ] [ <loop_out_bytes> ] [ <loop_out_underruns>
] [ <loop_out_errors> ] [ <loop_out_collisions> ] [ <loop_out_fifo> ] [ <loop_out_carriers> ] ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifloop_ctr_dtl_all</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
all	Show every interface counter
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>rx_total_pkts</i>	(Optional) total input packets
<i>tx_total_pkts</i>	(Optional) total output packets
<i>rx_mcast_pkts</i>	(Optional) input multicasts
<i>rx_octets</i>	(Optional) input bytes
<i>tx_octets</i>	(Optional) output bytes
<i>loop_in_pkts</i>	(Optional) Input packets
<i>loop_in_bytes</i>	(Optional) Input bytes
<i>loop_in_mcast</i>	(Optional) Input multicast
<i>loop_in_compressed</i>	(Optional) Input compressed
<i>loop_in_errors</i>	(Optional) Input errors
<i>loop_in_frame</i>	(Optional) Input frame errors
<i>loop_in_overrun</i>	(Optional) Input overrun
<i>loop_in_fifo</i>	(Optional) Input fifo
<i>loop_out_pkts</i>	(Optional) Output packets

<i>loop_out_bytes</i>	(Optional) Output bytes
<i>loop_out_underruns</i>	(Optional) Output underruns
<i>loop_out_errors</i>	(Optional) Output errors
<i>loop_out_collisions</i>	(Optional) Output collisions
<i>loop_out_fifo</i>	(Optional) Output fifo
<i>loop_out_carriers</i>	(Optional) Output carrier errors

**Command Mode**

- /exec

show interface counters detailed all

## show interface counters detailed all

```
show interface <ifrange> counters detailed all [ snmp ] [ __readonly__ TABLE_interface <interface> [
<svi_routed_pkts_in> ] [ <svi_routed_bytes_in> ] [ <svi_routed_pkts_out> ] [ <svi_routed_bytes_out> ] [
<svi_unicast_pkts_in> ] [ <svi_unicast_bytes_in> ] [ <svi_mcast_pkts_in> ] [ <svi_mcast_bytes_in> ] [
<svi_unicast_pkts_out> ] [ <svi_unicast_bytes_out> ] [ <svi_mcast_pkts_out> ] [ <svi_mcast_bytes_out> ] [
<svi_ipv4_unicast_pkts_in> ] [ <svi_ipv4_unicast_bytes_in> ] [ <svi_ipv4_unicast_pkts_out> ] [
<svi_ipv4_unicast_bytes_out> ] [ <svi_ipv4_mcast_pkts_in> ] [ <svi_ipv4_mcast_bytes_in> ] [
<svi_ipv4_mcast_pkts_out> ] [ <svi_ipv4_mcast_bytes_out> ] [ <svi_ipv6_unicast_pkts_in> ] [
<svi_ipv6_unicast_bytes_in> ] [ <svi_ipv6_unicast_pkts_out> ] [ <svi_ipv6_unicast_bytes_out> ] [
<svi_ipv6_mcast_pkts_in> ] [ <svi_ipv6_mcast_bytes_in> ] [ <svi_ipv6_mcast_pkts_out> ] [
<svi_ipv6_mcast_bytes_out> ] [ <svi_average_input_bits> ] [ <svi_average_input_packets> ] [
<svi_average_output_bits> ] [ <svi_average_output_packets> ] [ <svi_rate_in_mins> ] [
<svi_time_last_cleared> ] [ <svi_tx_load> ] [ <svi_rx_load> ] [ <svi_reliability> ] ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
all	everything
snmp	(Optional) Show SNMP MIB values
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>svi_time_last_cleared</i>	(Optional) Time last cleared
<i>svi_tx_load</i>	(Optional) Tx Load
<i>svi_rx_load</i>	(Optional) Rx Load
<i>svi_reliability</i>	(Optional) Reliability

### Command Mode

- /exec

# show interface counters detailed cached

```
show interface <ifeth_ctr_dtl_all> counters detailed cached [ __readonly__ TABLE_interface <interface> [
<rx_total_pkts> ] [ <tx_total_pkts> ] [ <rx_icast_pkts> ] [ <rx_mcast_pkts> ] [ <rx_bcast_pkts> ] [ <rx_octets> ]
] [ <tx_icast_pkts> ] [ <tx_mcast_pkts> ] [ <tx_bcast_pkts> ] [ <tx_octets> ] [ <rxtx_pkts_64octets> ] [
<rxtx_pkts_65_127octets> ] [ <rxtx_pkts_128_255octets> ] [ <rxtx_pkts_256_511octets> ] [
<rxtx_pkts_512_1023octets> ] [ <rxtx_pkts_1024_1518octets> ] [ <rxtx_pkts_1519_1548octets> ] [
<rx_trunk_frames> ] [ <tx_trunk_frames> ] [ <rx_drop_events> ] [ <rxtx_giants> ] [ <eth_load_interval1_rx>
] [ <eth_inrate1_bits> ] [ <eth_inrate1_pkts> ] [ <eth_load_interval1_tx> ] [ <eth_outrate1_bits> ] [
<eth_outrate1_pkts> ] [ <eth_inrate1_summary_bits> ] [ <eth_inrate1_summary_pkts> ] [
<eth_outrate1_summary_bits> ] [ <eth_outrate1_summary_pkts> ] [ <eth_load_interval2_rx> ] [
<eth_inrate2_bits> ] [ <eth_inrate2_pkts> ] [ <eth_load_interval2_tx> ] [ <eth_outrate2_bits> ] [
<eth_outrate2_pkts> ] [ <eth_inrate2_summary_bits> ] [ <eth_inrate2_summary_pkts> ] [
<eth_outrate2_summary_bits> ] [ <eth_outrate2_summary_pkts> ] [ <eth_load_interval3_rx> ] [
<eth_inrate3_bits> ] [ <eth_inrate3_pkts> ] [ <eth_load_interval3_tx> ] [ <eth_outrate3_bits> ] [
<eth_outrate3_pkts> ] [ <eth_inrate3_summary_bits> ] [ <eth_inrate3_summary_pkts> ] [
<eth_outrate3_summary_bits> ] [ <eth_outrate3_summary_pkts> ] [ <eth_l2_icastpkts> ] [ <eth_l2_icastbytes>
] [ <eth_l2_mcastpkts> ] [ <eth_l2_mcastbytes> ] [ <eth_l2_bcastpkts> ] [ <eth_l2_bcastbytes> ] [
<eth_l3in_icastpkts> ] [ <eth_l3in_icastbytes> ] [ <eth_l3in_mcastpkts> ] [ <eth_l3in_mcastbytes> ] [
<eth_l3in_bcastpkts> ] [ <eth_l3in_bcastbytes> ] [ <eth_l3out_icastpkts> ] [ <eth_l3out_icastbytes> ] [
<eth_l3out_mcastpkts> ] [ <eth_l3out_mcastbytes> ] [ <eth_l3out_bcastpkts> ] [ <eth_l3out_bcastbytes> ] [
<eth_l3in_routed_pkts> ] [ <eth_l3in_routed_bytes> ] [ <eth_l3out_routed_pkts> ] [ <eth_l3out_routed_bytes>
] [ <eth_l3avg1_inbytes> ] [ <eth_l3avg1_inpkts> ] [ <eth_l3avg1_outbytes> ] [ <eth_l3avg1_outpkts> ] [
<eth_l3avg2_inbytes> ] [ <eth_l3avg2_inpkts> ] [ <eth_l3avg2_outbytes> ] [ <eth_l3avg2_outpkts> ] [
<eth_l3avg3_inbytes> ] [ <eth_l3avg3_inpkts> ] [ <eth_l3avg3_outbytes> ] [ <eth_l3avg3_outpkts> ] [
<eth_inpkts> ] [ <eth_inbytes> ] [ <eth_nobuf> ] [ <eth_inbcast> ] [ <eth_inmcast> ] [ <eth_inicast> ] [
<eth_ingroups> ] [ <eth_ipmcast> ] [ <eth_inhw_swapped> ] [ <eth_insw_swapped> ] [ <eth_runt> ] [
<eth_storm_supp> ] [ <eth_throtles> ] [ <eth_inerr> ] [ <eth_crc> ] [ <eth_ecc> ] [ <eth_frame> ] [
<eth_overrun> ] [ <eth_ignored> ] [ <eth_watchdog> ] [ <eth_outbcast> ] [ <eth_outmcast> ] [ <eth_outucast>
] [ <eth_outgiants> ] [ <eth_inpause> ] [ <eth_dribble> ] [ <eth_in_ifdown_drops> ] [ <eth_bad_eth> ] [
<eth_bad_proto> ] [ <eth_outpkts> ] [ <eth_outbytes> ] [ <eth_underrun> ] [ <eth_outhw_swapped> ] [
<eth_outsw_swapped> ] [ <eth_outterr> ] [ <eth_coll> ] [ <eth_resets> ] [ <eth_babbles> ] [ <eth_latecoll>
] [ <eth_deferred> ] [ <eth_lostcarrier> ] [ <eth_nocarrier> ] [ <eth_outpause> ] [ <eth_buffail> ] [
<eth_bufswapped> ] [ <eth_arpdrops> ] [ <eth_out_ifdown_drops> ] [ <eth_single_coll> ] [ <eth_multi_coll>
] [ <eth_excess_coll> ] [ <eth_jabbers> ] [ <eth_shortframe> ] [ <eth_indiscard> ] [ <eth_bad_encap> ] [
<eth_outcrc> ] [ <eth_symbol> ] [ <eth_out_drops> ] [ <eth_sqtest> ] [ <eth_inb64> ] [ <eth_inb65_127>
] [ <eth_inb128_255> ] [ <eth_inb256_511> ] [ <eth_inb512_1023> ] [ <eth_inb1024_1518> ] [
<eth_inb1519_1548> ] [ <eth_intrunk> ] [ <eth_outb64> ] [ <eth_outb65_127> ] [ <eth_outb128_255> ] [
<eth_outb256_511> ] [ <eth_outb512_1023> ] [ <eth_outb1024_1518> ] [ <eth_outb1519_1548> ] [
<eth_outtrunk> ] [ <eth_bpdu_outlost> ] [ <eth_cos0_outlost> ] [ <eth_cos1_outlost> ] [ <eth_cos2_outlost>
] [ <eth_cos3_outlost> ] [ <eth_cos4_outlost> ] [ <eth_cos5_outlost> ] [ <eth_cos6_outlost> ] [
<eth_cos7_outlost> ] [ <eth_fcoe_in_pkts> ] [ <eth_fcoe_in_octets> ] [ <eth_fcoe_out_pkts> ] [
<eth_fcoe_out_octets> ] [ <eth_nfcoe_in_pkts> ] [ <eth_nfcoe_in_octets> ] [ <eth_nfcoe_out_pkts> ] [
<eth_nfcoe_out_octets> ] [ <eth_eee_atx_lpi_msec> ] [ <eth_eee_arcv_lpi_msec> ] [
<eth_eee_atx_lpi_transitions> ] [ <eth_eee_arcv_lpi_transitions> ] [ <eth_phy_ber_count> ] [
<eth_phy_errblk_count> ] ]
```

## Syntax Description

show	Show running system information
------	---------------------------------

**show interface counters detailed cached**

interface	Show interface status and information
<i>ifeth_ctr_dtl_all</i>	Enter interface type and number in module/slot format
counters	Show interface counters
detailed	Show only non-zero counters
cached	everything cached
<u>readonly</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>rx_total_pkts</i>	(Optional) total input packets
<i>tx_total_pkts</i>	(Optional) total output packets
<i>rx_unicast_pkts</i>	(Optional) input unicasts
<i>rx_multicast_pkts</i>	(Optional) input multicasts
<i>rx_broadcast_pkts</i>	(Optional) input broadcasts
<i>rx_octets</i>	(Optional) input bytes
<i>tx_unicast_pkts</i>	(Optional) output unicasts
<i>tx_multicast_pkts</i>	(Optional) output multicasts
<i>tx_broadcast_pkts</i>	(Optional) output broadcasts
<i>tx_octets</i>	(Optional) output bytes
<i>rxtx_pkts_64octets</i>	(Optional) all pkts between 0 and 64 bytes
<i>rxtx_pkts_65_127octets</i>	(Optional) all pkts between 65 and 127 bytes
<i>rxtx_pkts_128_255octets</i>	(Optional) all pkts between 128 and 255 bytes
<i>rxtx_pkts_256_511octets</i>	(Optional) all pkts between 256 and 511 bytes
<i>rxtx_pkts_512_1023octets</i>	(Optional) all pkts between 512 and 1023 bytes
<i>rxtx_pkts_1024_1518octets</i>	(Optional) all pkts between 1024 and 1518 bytes
<i>rxtx_pkts_1519_1548octets</i>	(Optional) all pkts between 1519 and 1548 bytes
<i>rx_trunk_frames</i>	(Optional) input trunk pkts
<i>tx_trunk_frames</i>	(Optional) output trunk pkts
<i>rx_drop_events</i>	(Optional) dropped pkts
<i>rxtx_giants</i>	(Optional) giants

<i>eth_load_interval1_rx</i>	(Optional) interval 1 timer value in sec
<i>eth_inrate1_bits</i>	(Optional) interval 1 input rate bits/sec
<i>eth_inrate1_pkts</i>	(Optional) interval 1 input rate pkts/sec
<i>eth_load_interval1_tx</i>	(Optional) interval 1 timer value in sec
<i>eth_outrate1_bits</i>	(Optional) interval 1 output rate bits/sec
<i>eth_outrate1_pkts</i>	(Optional) interval 1 output rate pkts/sec
<i>eth_inrate1_summary_bits</i>	(Optional) interval 1 input rate bit summary
<i>eth_inrate1_summary_pkts</i>	(Optional) interval 1 input rate pkt summary
<i>eth_outrate1_summary_bits</i>	(Optional) interval 1 output rate bit summary
<i>eth_outrate1_summary_pkts</i>	(Optional) interval 1 output rate pkt summary
<i>eth_load_interval2_rx</i>	(Optional) interval 2 timer value in sec
<i>eth_inrate2_bits</i>	(Optional) interval 2 input rate bits/sec
<i>eth_inrate2_pkts</i>	(Optional) interval 2 input rate pkts/sec
<i>eth_load_interval2_tx</i>	(Optional) interval 2 timer value in sec
<i>eth_outrate2_bits</i>	(Optional) interval 2 output rate bits/sec
<i>eth_outrate2_pkts</i>	(Optional) interval 2 output rate pkts/sec
<i>eth_inrate2_summary_bits</i>	(Optional) interval 2 input rate bit summary
<i>eth_inrate2_summary_pkts</i>	(Optional) interval 2 input rate pkt summary
<i>eth_outrate2_summary_bits</i>	(Optional) interval 2 output rate bit summary
<i>eth_outrate2_summary_pkts</i>	(Optional) interval 2 output rate pkt summary
<i>eth_load_interval3_rx</i>	(Optional) interval 3 timer value in sec
<i>eth_inrate3_bits</i>	(Optional) interval 3 input rate bits/sec
<i>eth_inrate3_pkts</i>	(Optional) interval 3 input rate pkts/sec
<i>eth_load_interval3_tx</i>	(Optional) interval 3 timer value in sec
<i>eth_outrate3_bits</i>	(Optional) interval 3 output rate bits/sec
<i>eth_outrate3_pkts</i>	(Optional) interval 3 output rate pkts/sec
<i>eth_inrate3_summary_bits</i>	(Optional) interval 3 input rate bit summary
<i>eth_inrate3_summary_pkts</i>	(Optional) interval 3 input rate pkt summary
<i>eth_outrate3_summary_bits</i>	(Optional) interval 3 output rate bit summary

**show interface counters detailed cached**

<i>eth_outrate3_summary_pkts</i>	(Optional) interval 3 output rate pkt summary
<i>eth_l2_ucastpkts</i>	(Optional) L2 switched ucast pkts
<i>eth_l2_ucastbytes</i>	(Optional) L2 switched ucast bytes
<i>eth_l2_mcastpkts</i>	(Optional) L2 switched mcast pkts
<i>eth_l2_mcastbytes</i>	(Optional) L2 switched mcast bytes
<i>eth_l2_bcastpkts</i>	(Optional) L2 switched bcast pkts
<i>eth_l2_bcastbytes</i>	(Optional) L2 switched bcast bytes
<i>eth_l3in_ucastpkts</i>	(Optional) IPv4 L3 in switched ucast pkts
<i>eth_l3in_ucastbytes</i>	(Optional) IPv4 L3 in switched ucast bytes
<i>eth_l3in_mcastpkts</i>	(Optional) IPv4 L3 in switched mcast pkts
<i>eth_l3in_mcastbytes</i>	(Optional) IPv4 L3 in switched mcast bytes
<i>eth_l3in_bcastpkts</i>	(Optional) L3 in switched bcast pkts
<i>eth_l3in_bcastbytes</i>	(Optional) L3 in switched bcast bytes
<i>eth_l3out_ucastpkts</i>	(Optional) IPv4 L3 out switched ucast pkts
<i>eth_l3out_ucastbytes</i>	(Optional) IPv4 L3 out switched ucast bytes
<i>eth_l3out_mcastpkts</i>	(Optional) IPv4 L3 out switched mcast pkts
<i>eth_l3out_mcastbytes</i>	(Optional) IPv4 L3 out switched mcast bytes
<i>eth_l3out_bcastpkts</i>	(Optional) L3 out switched bcast pkts
<i>eth_l3out_bcastbytes</i>	(Optional) L3 out switched bcast bytes
<i>eth_l3in_routed_pkts</i>	(Optional) L3 in routed pkts
<i>eth_l3in_routed_bytes</i>	(Optional) L3 in routed bytes
<i>eth_l3out_routed_pkts</i>	(Optional) L3 out routed pkts
<i>eth_l3out_routed_bytes</i>	(Optional) L3 out routed bytes
<i>eth_l3avg1_inbytes</i>	(Optional) Load interval 1 L3 average in switched bytes
<i>eth_l3avg1_inpkts</i>	(Optional) Load interval 1 L3 average in switched pkts
<i>eth_l3avg1_outbytes</i>	(Optional) Load interval 1 L3 average out switched bytes
<i>eth_l3avg1_outpkts</i>	(Optional) Load interval 1 L3 average out switched pkts
<i>eth_l3avg2_inbytes</i>	(Optional) Load interval 2 L3 average in switched bytes
<i>eth_l3avg2_inpkts</i>	(Optional) Load interval 2 L3 average in switched pkts

<i>eth_l3avg2_outbytes</i>	(Optional) Load interval 2 L3 average out switched bytes
<i>eth_l3avg2_outpkts</i>	(Optional) Load interval 2 L3 average out switched pkts
<i>eth_l3avg3_inbytes</i>	(Optional) Load interval 3 L3 average in switched bytes
<i>eth_l3avg3_inpkts</i>	(Optional) Load interval 3 L3 average in switched pkts
<i>eth_l3avg3_outbytes</i>	(Optional) Load interval 3 L3 average out switched bytes
<i>eth_l3avg3_outpkts</i>	(Optional) Load interval 3 L3 average out switched pkts
<i>eth_inpkts</i>	(Optional) Packets input
<i>eth_inbytes</i>	(Optional) Bytes input
<i>eth_nobuf</i>	(Optional) No buffer received
<i>eth_inbroadcast</i>	(Optional) Broadcasts
<i>eth_inmulticast</i>	(Optional) Multicasts
<i>eth_inunicast</i>	(Optional) Unicasts
<i>eth_ingiants</i>	(Optional) giants
<i>eth_ipmulticast</i>	(Optional) IP multicast
<i>eth_inhwswitched</i>	(Optional) Input H/W Switched
<i>eth_inswswitched</i>	(Optional) Input S/W Switched
<i>eth_runt</i>	(Optional) runts
<i>eth_storm_supp</i>	(Optional) storm suppression
<i>eth_throttles</i>	(Optional) throttles
<i>eth_inerr</i>	(Optional) input errors
<i>eth_crc</i>	(Optional) CRC
<i>eth_ecc</i>	(Optional) ECC
<i>eth_frame</i>	(Optional) frame
<i>eth_overrun</i>	(Optional) overrun
<i>eth_ignored</i>	(Optional) ignored
<i>eth_watchdog</i>	(Optional) watchdog
<i>eth_outbroadcast</i>	(Optional) Broadcasts
<i>eth_outmulticast</i>	(Optional) Multicasts
<i>eth_outunicast</i>	(Optional) Unicasts

**show interface counters detailed cached**

<i>eth_outgiants</i>	(Optional) giants
<i>eth_inpause</i>	(Optional) pause input
<i>eth_dribble</i>	(Optional) input packets with dribble condition
<i>eth_in_ifdown_drops</i>	(Optional) Input if-down drops
<i>eth_bad_ether</i>	(Optional) bad ether type drop
<i>eth_bad_proto</i>	(Optional) bad protocol drops
<i>eth_outpkts</i>	(Optional) packets output
<i>eth_outbytes</i>	(Optional) bytes output
<i>eth_underrun</i>	(Optional) underruns
<i>eth_outhw_switched</i>	(Optional) Out H/W Switched
<i>eth_outsw_switched</i>	(Optional) Out S/W Switched
<i>eth_outterr</i>	(Optional) output errors
<i>eth_coll</i>	(Optional) collisions
<i>eth_resets</i>	(Optional) interface resets
<i>eth_babbles</i>	(Optional) babbles
<i>eth_latecoll</i>	(Optional) late collision
<i>eth_deferred</i>	(Optional) deferred
<i>eth_lostcarrier</i>	(Optional) lost carrier
<i>eth_nocARRIER</i>	(Optional) no carrier
<i>eth_outpause</i>	(Optional) PAUSE output
<i>eth_buffail</i>	(Optional) output buffer failures
<i>eth_bufswapped</i>	(Optional) output buffers swapped out
<i>eth_arpdrops</i>	(Optional) arp drops
<i>eth_out_ifdown_drops</i>	(Optional) Output if-down drops
<i>eth_single_coll</i>	(Optional) single collisions
<i>eth_multi_coll</i>	(Optional) multi collisions
<i>eth_excess_coll</i>	(Optional) excessive collisions
<i>eth_jabbers</i>	(Optional) jabbers
<i>eth_shortframe</i>	(Optional) short frames

<i>eth_indiscard</i>	(Optional) discards
<i>eth_bad_encap</i>	(Optional) bad encapsulation
<i>eth_outcrc</i>	(Optional) Output CRC
<i>eth_symbol</i>	(Optional) symbol errors
<i>eth_out_drops</i>	(Optional) output drops
<i>eth_sqetest</i>	(Optional) SQE test
<i>eth_inb64</i>	(Optional) input pkts between 0 and 64 bytes
<i>eth_inb65_127</i>	(Optional) input pkts between 65 and 127 bytes
<i>eth_inb128_255</i>	(Optional) input pkts between 128 and 255 bytes
<i>eth_inb256_511</i>	(Optional) input pkts between 256 and 511 bytes
<i>eth_inb512_1023</i>	(Optional) input pkts between 512 and 1023 bytes
<i>eth_inb1024_1518</i>	(Optional) input pkts between 1024 and 1518 bytes
<i>eth_inb1519_1548</i>	(Optional) input pkts between 1519 and 1548 bytes
<i>eth_intrunk</i>	(Optional) input trunk pkts
<i>eth_outb64</i>	(Optional) output pkts between 0 and 64 bytes
<i>eth_outb65_127</i>	(Optional) output pkts between 65 and 127 bytes
<i>eth_outb128_255</i>	(Optional) output pkts between 128 and 255 bytes
<i>eth_outb256_511</i>	(Optional) output pkts between 256 and 511 bytes
<i>eth_outb512_1023</i>	(Optional) output pkts between 512 and 1023 bytes
<i>eth_outb1024_1518</i>	(Optional) output pkts between 1024 and 1518 bytes
<i>eth_outb1519_1548</i>	(Optional) output pkts between 1519 and 1548 bytes
<i>eth_outtrunk</i>	(Optional) output trunk pkts
<i>eth_bpdu_outlost</i>	(Optional) BPDU output lost
<i>eth_cos0_outlost</i>	(Optional) output pkts
<i>eth_cos1_outlost</i>	(Optional) output pkts
<i>eth_cos2_outlost</i>	(Optional) output pkts
<i>eth_cos3_outlost</i>	(Optional) output pkts
<i>eth_cos4_outlost</i>	(Optional) output pkts
<i>eth_cos5_outlost</i>	(Optional) output pkts

show interface counters detailed cached

<i>eth_cos6_outlost</i>	(Optional) output pkts
<i>eth_cos7_outlost</i>	(Optional) output pkts
<i>eth_fcoe_in_pkts</i>	(Optional) fcoe in pkts
<i>eth_fcoe_in_octets</i>	(Optional) fcoe in octets
<i>eth_fcoe_out_pkts</i>	(Optional) fcoe out pkts
<i>eth_fcoe_out_octets</i>	(Optional) fcoe out octets
<i>eth_nfcoe_in_pkts</i>	(Optional) nfcoe in pkts
<i>eth_nfcoe_in_octets</i>	(Optional) nfcoe in octets
<i>eth_nfcoe_out_pkts</i>	(Optional) nfcoe out pkts
<i>eth_nfcoe_out_octets</i>	(Optional) nfcoe out octets
<i>eth_eee_atx_lpi_msec</i>	(Optional) Tx Lpi usec
<i>eth_eee_arcv_lpi_msec</i>	(Optional) Rx Lpi usec
<i>eth_eee_atx_lpi_transitions</i>	(Optional) Tx Lpi requests
<i>eth_eee_arcv_lpi_transitions</i>	(Optional) Rx Lpi indications
<i>eth_phy_ber_count</i>	(Optional) Bit error rate counter
<i>eth_phy_errblk_count</i>	(Optional) Errored blocks counter

#### Command Mode

- /exec

# show interface counters errors

```
show interface <ifeth_ctr_errs> counters errors [ snmp ] [ __readonly__ TABLE_interface <interface> [
<eth_align_err> ] [ <eth_fcs_err> ] [ <eth_xmit_err> ] [ <eth_rcv_err> ] [ <eth_undersize> ] [ <eth_outdisc>
] [ <eth_single_col> ] [ <eth_multi_col> ] [ <eth_late_col> ] [ <eth_excess_col> ] [ <eth_carri_sen> ] [
<eth_runts> ] [ <eth_giants> ] [ <eth_sqetest_err> ] [ <eth_deferred_tx> ] [ <eth_inmactx_err> ] [
<eth_inmacrx_err> ] [ <eth_symbol_err> ] [ <eth_indisc> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_ctr_errs</i>	Enter interface type and number in module/slot format
counters	Show interface counters
errors	Show interface error counters
snmp	(Optional) Show SNMP MIB values
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_align_err</i>	(Optional) Align error
<i>eth_fcs_err</i>	(Optional) FCS error
<i>eth_xmit_err</i>	(Optional) Transmit error
<i>eth_rcv_err</i>	(Optional) Receive error
<i>eth_undersize</i>	(Optional) Undersize
<i>eth_outdisc</i>	(Optional) Out discard
<i>eth_single_col</i>	(Optional) Single collision
<i>eth_multi_col</i>	(Optional) Multiple collision
<i>eth_late_col</i>	(Optional) Late collision
<i>eth_excess_col</i>	(Optional) Excess collision
<i>eth_carri_sen</i>	(Optional) Carrier sense
<i>eth_runts</i>	(Optional) Runts
<i>eth_giants</i>	(Optional) Giants
<i>eth_sqetest_err</i>	(Optional) SQETest error

**show interface counters errors**

<i>eth_deferred_tx</i>	(Optional) Deferred tx
<i>eth_inmactx_err</i>	(Optional) In MAC tx
<i>eth_inmacrx_err</i>	(Optional) In MAC rx
<i>eth_symbol_err</i>	(Optional) Symbol error
<i>eth_indisc</i>	(Optional) In discards

**Command Mode**

- /exec

# show interface counters errors

```
show interface counters errors [ module <module> ] [ non-zero ] [ __readonly__ TABLE_interface <interface> [ <eth_align_err> ] [ <eth_fcs_err> ] [ <eth_xmit_err> ] [ <eth_rcv_err> ] [ <eth_undersize> ] [ <eth_outdisc> ] [ <eth_single_col> ] [ <eth_multi_col> ] [ <eth_late_col> ] [ <eth_excess_col> ] [ <eth_carri_sen> ] [ <eth_runts> ] [ <eth_giants> ] [ <eth_sqtest_err> ] [ <eth_deferred_tx> ] [ <eth_inmacrx_err> ] [ <eth_inmactx_err> ] [ <eth_symbol_err> ] [ <eth_indisc> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
errors	Show interface error counters
module	(Optional) Limit display to interfaces on module
<i>module</i>	(Optional) Enter module number
non-zero	(Optional) Display only the non-zero error values
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_align_err</i>	(Optional) Align error
<i>eth_fcs_err</i>	(Optional) FCS error
<i>eth_xmit_err</i>	(Optional) Transmit error
<i>eth_rcv_err</i>	(Optional) Receive error
<i>eth_undersize</i>	(Optional) Undersize
<i>eth_outdisc</i>	(Optional) Out discard
<i>eth_single_col</i>	(Optional) Single collision
<i>eth_multi_col</i>	(Optional) Multiple collision
<i>eth_late_col</i>	(Optional) Late collision
<i>eth_excess_col</i>	(Optional) Excess collision
<i>eth_carri_sen</i>	(Optional) Carrier sense
<i>eth_runts</i>	(Optional) Runts
<i>eth_giants</i>	(Optional) Giants

**show interface counters errors**

<i>eth_sqetest_err</i>	(Optional) SQETest error
<i>eth_deferred_tx</i>	(Optional) Deferred tx
<i>eth_inmacrx_err</i>	(Optional) In MAC rx
<i>eth_inmactx_err</i>	(Optional) In MAC tx
<i>eth_symbol_err</i>	(Optional) Symbol error
<i>eth_indisc</i>	(Optional) In discards

**Command Mode**

- /exec

# show interface counters errors

show interface <loop\_ctr\_errs> counters errors

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>loop_ctr_errs</i>	Enter interface type and number in module/slot format
counters	Show interface counters
errors	Show interface error counters

## Command Mode

- /exec

show interface counters errors fex

## show interface counters errors fex

```
show interface counters errors fex <fex_num>[ __readonly__ TABLE_interface <interface> [ <eth_align_err>
] [ <eth_fcs_err> ] [ <eth_xmit_err> ] [ <eth_rcv_err> ] [ <eth_undersize> ] [ <eth_outdisc> ] [ <eth_single_col>
] [ <eth_multi_col> ] [ <eth_late_col> ] [ <eth_excess_col> ] [ <eth_carri_sen> ] [ <eth_runts> ] [ <eth_giants>
] [ <eth_sqetest_err> ] [ <eth_deferred_tx> ] [ <eth_inmactx_err> ] [ <eth_inmacrx_err> ] [ <eth_symbol_err>
]]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
errors	Show interface error counters
fex	Limit display to interfaces on a FEX
<i>fex_num</i>	Enter FEX number
<i>__readonly__</i>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_align_err</i>	(Optional) Align error
<i>eth_fcs_err</i>	(Optional) FCS error
<i>eth_xmit_err</i>	(Optional) Transmit error
<i>eth_rcv_err</i>	(Optional) Receive error
<i>eth_undersize</i>	(Optional) Undersize
<i>eth_outdisc</i>	(Optional) Out discard
<i>eth_single_col</i>	(Optional) Single collision
<i>eth_multi_col</i>	(Optional) Multiple collision
<i>eth_late_col</i>	(Optional) Late collision
<i>eth_excess_col</i>	(Optional) Excess collision
<i>eth_carri_sen</i>	(Optional) Carrier sense
<i>eth_runts</i>	(Optional) Runts
<i>eth_giants</i>	(Optional) Giants
<i>eth_sqetest_err</i>	(Optional) SQETest error

<i>eth_deferred_tx</i>	(Optional) Deferred tx
<i>eth_inmactx_err</i>	(Optional) In MAC tx
<i>eth_inmacrx_err</i>	(Optional) In MAC rx
<i>eth_symbol_err</i>	(Optional) Symbol error

**Command Mode**

- /exec

show interface counters fex

## show interface counters fex

```
show interface counters fex <mod_num> [ __readonly__ { TABLE_rx_counters <interface> <eth_inpkts> [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] } { TABLE_tx_counters <interface> <eth_outpkts> [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast> ] } ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
fex	Enter fex ID
<i>mod_num</i>	Enter fex ID
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_rx_counters	(Optional) show Rx counters
TABLE_tx_counters	(Optional) show Tx counters
<i>eth_inpkts</i>	(Optional) Packets input
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) Packets output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts

### Command Mode

- /exec

# show interface counters snmp

```
show interface counters snmp [ module <module> ] [ __readonly__ { TABLE_rx_counters <interface>
<eth_inpkts> [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] [ <eth_l3in_bytes> ] [ <eth_l3in_unicastpkts>
] [ <eth_l3in_mcastpkts> ] [ <eth_l3in_bcastpkts> ] } { TABLE_tx_counters <interface> <eth_outpkts> [
<eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast> ] [ <eth_l3out_bytes> ] [ <eth_l3out_unicastpkts> ] [
<eth_l3out_mcastpkts> ] [ <eth_l3out_bcastpkts> ] } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
snmp	Show SNMP MIB values
module	(Optional) Limit display to interfaces on module
<i>module</i>	(Optional) Enter module number
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_rx_counters	(Optional) show Rx counters
TABLE_tx_counters	(Optional) show Tx counters
<i>eth_inpkts</i>	(Optional) Packets input
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) Packets output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts
<i>eth_l3in_bytes</i>	(Optional) L3 Rx bytes
<i>eth_l3in_unicastpkts</i>	(Optional) L3 Rx Unicast pkts
<i>eth_l3in_mcastpkts</i>	(Optional) L3 Rx Multicast pkts
<i>eth_l3in_bcastpkts</i>	(Optional) L3 Rx Broadcast pkts
<i>eth_l3out_bytes</i>	(Optional) L3 Tx bytes

```
show interface counters snmp
```

<i>eth_l3out_unicastpkts</i>	(Optional) L3 Tx Unicast pkts
<i>eth_l3out_multicastpkts</i>	(Optional) L3 Tx Multicast pkts
<i>eth_l3out_broadcastpkts</i>	(Optional) L3 Tx Broadcast pkts

**Command Mode**

- /exec

# show interface counters snmp fex

```
show interface counters snmp fex <fex_num> [ __readonly__ { TABLE_rx_counters <interface> <eth_inppts> [ <eth_inucast> ] [ <eth_inmcast> ] [ <eth_inbcast> ] } { TABLE_tx_counters <interface> <eth_outpkts> [ <eth_outucast> ] [ <eth_outmcast> ] [ <eth_outbcast> ] } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
snmp	Show SNMP MIB values
fex	Limit display to interfaces on a FEX
<i>fex_num</i>	Enter FEX number
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_rx_counters	(Optional) show Rx counters
TABLE_tx_counters	(Optional) show Tx counters
<i>eth_inppts</i>	(Optional) Packets input
<i>eth_inucast</i>	(Optional) Unicasts
<i>eth_inmcast</i>	(Optional) Multicasts
<i>eth_inbcast</i>	(Optional) Broadcasts
<i>eth_outpkts</i>	(Optional) Packets output
<i>eth_outucast</i>	(Optional) Unicasts
<i>eth_outmcast</i>	(Optional) Multicasts
<i>eth_outbcast</i>	(Optional) Broadcasts

## Command Mode

- /exec

```
show interface counters storm-control
```

## show interface counters storm-control

show interface counters storm-control [ module <module> ] [ \_\_readonly\_\_ TABLE\_interface <interface> <eth\_unicast\_supp> <eth\_multicast\_supp> <eth\_broadcast\_supp> <eth\_total\_supp> <supp\_action> ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
storm-control	Show interface storm-control counters
module	(Optional) Limit display to interfaces on module
<i>module</i>	(Optional) Enter module number
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_unicast_supp</i>	(Optional) Unicast suppression percentage
<i>eth_multicast_supp</i>	(Optional) Multicast suppression percentage
<i>eth_broadcast_supp</i>	(Optional) Broadcast suppression percentage
<i>eth_total_supp</i>	(Optional) Total discarded due to suppression
<i>supp_action</i>	(Optional) Action to be taken on suppression

### Command Mode

- /exec

# show interface counters storm-control

show interface <ifeth\_ctrl\_stm\_ctrl> counters storm-control [ \_\_readonly\_\_ TABLE\_interface <interface> <eth\_unicast\_supp> <eth\_multicast\_supp> <eth\_broadcast\_supp> <eth\_total\_supp> <supp\_action> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_ctrl_stm_ctrl</i>	Enter interface type and number in module/slot format
counters	Show interface counters
storm-control	Show interface storm-control counters
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_unicast_supp</i>	(Optional) Unicast suppression percentage
<i>eth_multicast_supp</i>	(Optional) Multicast suppression percentage
<i>eth_broadcast_supp</i>	(Optional) Broadcast suppression percentage
<i>eth_total_supp</i>	(Optional) Total discarded due to suppression
<i>supp_action</i>	(Optional) Action to be taken on suppression

## Command Mode

- /exec

**show interface counters table**

# show interface counters table

show interface counters table [ verbose ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
counters	Show interface counters
table	format counters in a table
verbose	(Optional) show errors counts after counters

## Command Mode

- /exec

# show interface counters trunk

```
show interface <ifeth_ctr_trnk> counters trunk [ __readonly__ TABLE_interface <interface> [ <eth_trunk_frames_tx> ] [ <eth_trunk_frames_rx> ] [ <eth_wrong_encap> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_ctr_trnk</i>	Enter interface type and number in module/slot format
counters	Show interface counters
trunk	Show interface trunk counters
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>eth_trunk_frames_tx</i>	(Optional) Trunk frame transmitted
<i>eth_trunk_frames_rx</i>	(Optional) Trunk frames received
<i>eth_wrong_encap</i>	(Optional) Wrong encapsulation

## Command Mode

- /exec

**show interface debounce**

# show interface debounce

show interface debounce [ \_\_readonly\_\_ TABLE\_interface <interface> <debounce> <debounce\_val> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
debounce	Show interface debounce time information
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>debounce</i>	(Optional) Debounce time
<i>debounce_val</i>	(Optional) Value(ms)

## Command Mode

- /exec

# show interface debounce

show interface <ifeth\_dbnc> debounce [ \_\_readonly\_\_ TABLE\_interface <interface> <debounce> <debounce\_val> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_dbnc</i>	Enter interface type and number in module/slot format
debounce	Show interface debounce time information
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>debounce</i>	(Optional) Debounce time
<i>debounce_val</i>	(Optional) Value(ms)

## Command Mode

- /exec

show interface description

# show interface description

show interface <iftun\_desc> description [ \_\_readonly\_\_ TABLE\_interface <interface> <state> <protocol> <desc> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>iftun_desc</i>	Enter tunnel interface number
description	Show interface description
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>protocol</i>	(Optional) Protocol
<i>desc</i>	(Optional) Description

## Command Mode

- /exec

# show interface description

```
show interface description [ __readonly__ TABLE_interface <interface> [ <state> ] [ <type> ] [ <speed> ] [ <protocol> ] [ <desc> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
description	Show interface description
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>type</i>	(Optional) Type
<i>speed</i>	(Optional) Speed
<i>protocol</i>	(Optional) Protocol
<i>desc</i>	(Optional) Description

## Command Mode

- /exec

show interface description

# show interface description

```
show interface <ifid_mgmt_loop> description [ __readonly__ TABLE_interface <interface> [ <state> ] [ <protocol> ] [ <desc> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_mgmt_loop</i>	Enter interface type and number in module/slot format
description	Show interface description
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>protocol</i>	(Optional) Protocol
<i>desc</i>	(Optional) Description

## Command Mode

- /exec

# show interface description

```
show interface <ifid_eth> description [ __readonly__ TABLE_interface <interface> [ <state> ] [ <type> ] [ <speed> ] [ <protocol> ] [ <desc> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_eth</i>	Enter interface type and number in module/slot format
description	Show interface description
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>type</i>	(Optional) Type
<i>speed</i>	(Optional) Speed
<i>protocol</i>	(Optional) Protocol
<i>desc</i>	(Optional) Description

## Command Mode

- /exec

show interface description

# show interface description

```
show interface <ifrange> description [ __readonly__ TABLE_interface <interface> <state> <protocol> <desc> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter tunnel interface number
description	Show interface description
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>protocol</i>	(Optional) Protocol
<i>desc</i>	(Optional) Description

## Command Mode

- /exec

# show interface description

```
show interface <iRange> description [ __readonly__ TABLE_interface <interface> <state> <protocol> <desc> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>iRange</i>	Enter tunnel interface number
description	Show interface description
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>state</i>	(Optional) Interface state
<i>protocol</i>	(Optional) Protocol
<i>desc</i>	(Optional) Description

## Command Mode

- /exec

show interface description

# show interface description

show interface <ifid> description [ \_\_readonly\_\_ <start> <if\_index> <LINE> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid</i>	VLAN ID 1-4094 or range(s): 1-5, 10 or 2-5,7-19
description	Interface specific description
__readonly__	(Optional) Read Only
<i>start</i>	(Optional) Start
<i>if_index</i>	(Optional) Interface
<i>LINE</i>	(Optional) Description

## Command Mode

- /exec

# show interface fcoe

```
show interface <ifeth_fcoe> fcoe [ __readonly__ TABLE_interface <interface> [ <state> ] [ <vfc> ] [ <vfc_bound> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_fcoe</i>	Enter interface type and number in module/slot format
fcoe	Show interface fcoe information
<u>__readonly__</u>	(Optional) Read Only
TABLE_interface	(Optional) show interface
<i>interface</i>	(Optional) Interface index
<i>state</i>	(Optional) State of interface
<i>vfc</i>	(Optional) VFC
<i>vfc_bound</i>	(Optional) Binding information

## Command Mode

- /exec

**show interface fex-conf**

## show interface fex-conf

show interface <if\_id> fex-conf [ \_\_readonly\_\_ <fbr\_if> <rchas\_id> <rmod\_no> ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>if_id</i>	Enter interface type and number in module/slot format
fex-conf	Show interface fex information
__readonly__	(Optional) Read Only
<i>fbr_if</i>	(Optional) Interface name
<i>rchas_id</i>	(Optional) Configured fex number
<i>rmod_no</i>	(Optional) Configured fex module number

### Command Mode

- /exec

# show interface fex-fabric

```
show interface fex-fabric [ __readonly__ TABLE_fex_fabric <fex_no> <fbr_port> <fex_uplink>
<chas_vendor> <fex_model> <chas_ser> <mod_vendor> <mod_model> <fex_ser> <mod_no> <mgmt_inst>
<fbr_state> ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
fex-fabric	Show all FEX fabric ports
__readonly__	(Optional) Read Only
TABLE_fex_fabric	(Optional) Discovered fex fabric ports
<i>fex_no</i>	(Optional) Configured chassis number
<i>fbr_port</i>	(Optional) Interface name
<i>fex_uplink</i>	(Optional) Remote Link id
<i>chas_vendor</i>	(Optional) Chassis Vendor
<i>fex_model</i>	(Optional) Chassis Model
<i>chas_ser</i>	(Optional) Chassis serial Number
<i>mod_vendor</i>	(Optional) Module Vendor
<i>mod_model</i>	(Optional) Module Model
<i>fex_ser</i>	(Optional) Module serial Number
<i>mod_no</i>	(Optional) Module Number(Left/Right module)
<i>mgmt_inst</i>	(Optional) Management instance
<i>fbr_state</i>	(Optional) Fabric port state

## Command Mode

- /exec

**show interface fex-intf**

## show interface fex-intf

show interface <if\_id> fex-intf [ \_\_readonly\_\_ TABLE\_fabric\_if <fbr\_if> TABLE\_sat\_if <sat\_if> ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>if_id</i>	Enter interface type and number in module/slot format
fex-intf	Show FEX ports pinned to fabric port
__readonly__	(Optional) Read Only
TABLE_fabric_if	(Optional) Fabric interface satellite ports
<i>fbr_if</i>	(Optional) Fabric Interface name
TABLE_sat_if	(Optional) Satellite ports
<i>sat_if</i>	(Optional) FEX Interface name

### Command Mode

- /exec

# show interface flowcontrol

show interface <ifeth\_fl\_ctrl> flowcontrol [ \_\_readonly\_\_ TABLE\_interface <interface> <send\_admin> <send\_oper> <recv\_admin> <recv\_oper> <rxtx\_pause> <txPause> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_fl_ctrl</i>	Enter interface type and number in module/slot format
flowcontrol	Show interface flowcontrol information
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>send_admin</i>	(Optional) Send flowcontrol admin
<i>send_oper</i>	(Optional) Send flowcontrol oper
<i>recv_admin</i>	(Optional) Receive flowcontrol admin
<i>recv_oper</i>	(Optional) Receive flowcontrol oper
<i>rxtx_pause</i>	(Optional) RxPause
<i>txPause</i>	(Optional) TxPause

## Command Mode

- /exec

**show interface flowcontrol**

# show interface flowcontrol

show interface flowcontrol [ module <module> ] [ \_\_readonly\_\_ TABLE\_interface <interface> <send\_admin> <send\_oper> <recv\_admin> <recv\_oper> <rxtx\_pause> <txPause> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
flowcontrol	Show interface flowcontrol information
module	(Optional) Limit display to interfaces on module
<i>module</i>	(Optional) Enter module number
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>send_admin</i>	(Optional) Send flowcontrol admin
<i>send_oper</i>	(Optional) Send flowcontrol oper
<i>recv_admin</i>	(Optional) Receive flowcontrol admin
<i>recv_oper</i>	(Optional) Receive flowcontrol oper
<i>rxtx_pause</i>	(Optional) RxPause
<i>txPause</i>	(Optional) TxPause

## Command Mode

- /exec

# show interface flowcontrol fex

show interface flowcontrol fex <fex\_num> [ \_\_readonly\_\_ TABLE\_interface <interface> <send\_admin> <send\_oper> <recv\_admin> <recv\_oper> <rxpause> <txpause> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
flowcontrol	Show interface flowcontrol information
fex	Limit display to interfaces on a FEX
<i>fex_num</i>	Enter FEX number
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>send_admin</i>	(Optional) Send flowcontrol admin
<i>send_oper</i>	(Optional) Send flowcontrol oper
<i>recv_admin</i>	(Optional) Receive flowcontrol admin
<i>recv_oper</i>	(Optional) Receive flowcontrol oper
<i>rxpause</i>	(Optional) RxPause
<i>txpause</i>	(Optional) TxPause

## Command Mode

- /exec

**show interface hardware-mappings**

# show interface hardware-mappings

show interface hardware-mappings

## Syntax Description

show	Show running system information
interface	Interface
hardware-mappings	Show hardware port number and unit information for interfaces

## Command Mode

- /exec

# show interface mac-address

show interface <ifid\_macaddr> mac-address [ \_\_readonly\_\_ TABLE\_interface <interface> <address> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_macaddr</i>	Enter interface type and number in module/slot format
mac-address	Show interface MAC address
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>address</i>	(Optional) MAC Address

## Command Mode

- /exec

show interface mac-address

# show interface mac-address

show interface mac-address [ \_\_readonly\_\_ TABLE\_interface <interface> <address> <bia\_address> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
mac-address	Show interface MAC address
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>address</i>	(Optional) MAC Address
<i>bia_address</i>	(Optional) Burn-In MAC Address

## Command Mode

- /exec

# show interface priority-flow-control

```
show interface [ <if_list> ] priority-flow-control [ detail ] [ module <module> ] [ __readonly__ [
TABLE_pfc_interface <if_name_str> <admin> <oper> <cos-list> <rx-stats> <tx-stats> <rx_ppp_cos_0>
<tx_ppp_cos_0> <ppp_cos_1> <ppp_cos_2> <ppp_cos_3> <ppp_cos_4> <ppp_cos_5> <ppp_cos_6>
<ppp_cos_7> ] ]
```

## Syntax Description

show	commands to display
interface	Interface for displaying pfc information
<i>if_list</i>	(Optional) List of interfaces
module	(Optional) Slot/module
<i>module</i>	(Optional) Slot/module number
priority-flow-control	Show interface PFC information
detail	(Optional) Show detailed per priority Tx/Rx PFC statistics
__readonly__	(Optional)
<i>if_name_str</i>	(Optional) interface name
TABLE_pfc_interface	(Optional) PFC information of an interface
<i>admin</i>	(Optional) PFC admin
<i>oper</i>	(Optional) PFC oper
<i>cos-list</i>	(Optional) List of class-of-service values

## Command Mode

- /exec

**show interface private-vlan mapping**

```
show interface [ <if> ] private-vlan mapping [ __readonly__ [ <output-filtered> ] [ { TABLE_interf_mapp
<interface-id> [ <secondary-vlan> + ] [ <pvlan-type> ] } ] ]
```

#### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>if</i>	(Optional) Vlan Interface number
private-vlan	Show interface private vlan information
mapping	Show interface private vlan information
<u>__readonly__</u>	(Optional) Read Only
<i>output-filtered</i>	(Optional) the output is filtered for specified ifs
TABLE_interf_mapp	(Optional) Pvlan interface mapping table
<i>interface-id</i>	(Optional) Interface
<i>secondary-vlan</i>	(Optional) Secondary Vlan
<i>pvlan-type</i>	(Optional) PVLAN Type

#### Command Mode

- /exec

# show interface pruning

```
show interface pruning [ __readonly__ <start> { TABLE_interface_pruning1 <if_index1> <rx_join> } { TABLE_interface_pruning2 <if_index2> <cur_join> } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
pruning	Show interface trunk VTP pruning information
<u>__readonly__</u>	(Optional) Read Only
<i>start</i>	(Optional) Start
TABLE_interface_pruning1	(Optional) Interface pruning information in table format
<i>if_index1</i>	(Optional) Trunk
<i>rx_join</i>	(Optional) Vlans pruned for lack of request by neighbor
TABLE_interface_pruning2	(Optional) Interface pruning information in table format
<i>if_index2</i>	(Optional) Trunk
<i>cur_join</i>	(Optional) Vlan traffic requested of neighbor

## Command Mode

- /exec

show interface snmp-ifindex

## show interface snmp-ifindex

show interface snmp-ifindex [ \_\_readonly\_\_ TABLE\_interface <interface> [ <ifindex-dec> ] <snmp-ifindex> ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
snmp-ifindex	Show snmp ifindex list
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>snmp-ifindex</i>	(Optional) If Index in Hex
<i>ifindex-dec</i>	(Optional) If Index in Decimal

### Command Mode

- /exec

# show interface status

show interface status [ down | inactive | module <module> | up | auto-column ] [ \_\_readonly\_\_ TABLE\_interface <interface> [ <name> ] <state> <vlan> <duplex> <speed> [ <type> ] ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
status	Show interface line status
down	(Optional) Show interface down state
inactive	(Optional) Show interface inactive state
auto-column	(Optional) Show interface status auto-column adjusted
module	(Optional) Limit display to interfaces on module
<i>module</i>	(Optional) Enter module number
up	(Optional) Show interface up state
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>vlan</i>	(Optional) Vlan
<i>duplex</i>	(Optional) Duplex
<i>speed</i>	(Optional) Speed
<i>type</i>	(Optional) Type

## Command Mode

- /exec

**show interface status**

## show interface status

show interface <ifid\_status> status [ \_\_readonly\_\_ TABLE\_interface <interface> [ <name> ] [ <state> ] [ <vlan> ] [ <duplex> ] [ <speed> ] [ <type> ] ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_status</i>	Enter interface type and number in module/slot format
status	Show interface line status
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>vlan</i>	(Optional) Vlan
<i>duplex</i>	(Optional) Duplex
<i>speed</i>	(Optional) Speed
<i>type</i>	(Optional) Type

### Command Mode

- /exec

# show interface status

show interface <ifeth\_status> status [ \_\_readonly\_\_ TABLE\_interface <interface> [ <name> ] [ <state> ] [ <vlan> ] <duplex> <speed> [ <type> ] ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_status</i>	Enter interface type and number in module/slot format
status	Show interface line status
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>vlan</i>	(Optional) Vlan
<i>duplex</i>	(Optional) Duplex
<i>speed</i>	(Optional) Speed
<i>type</i>	(Optional) Type

## Command Mode

- /exec

**show interface status**

## show interface status

show interface <iftun\_status> status [ err-disabled ] [ \_\_readonly\_\_ TABLE\_interface <interface> <name> <state> <state\_rsn> <state\_rsn\_desc> ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>iftun_status</i>	Enter tunnel interface number
status	Show interface line status
err-disabled	(Optional) Show interface error disabled state
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed

### Command Mode

- /exec

# show interface status

show interface <i range> status [ err-disabled ] [ \_\_readonly\_\_ TABLE\_interface <interface> <name> <state> <state\_rsn> <state\_rsn\_desc> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>i range</i>	Enter tunnel interface number
status	Show interface line status
err-disabled	(Optional) Show interface error disabled state
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed

## Command Mode

- /exec

show interface status

# show interface status

show interface <ifrange> status [ err-disabled ] [ \_\_readonly\_\_ TABLE\_interface <interface> <name> <state> <state\_rsn> <state\_rsn\_desc> <admin\_state> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifrange</i>	Enter tunnel interface number
status	Show interface line status
err-disabled	(Optional) Show interface error disabled state
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed
<i>admin_state</i>	(Optional) admin state

## Command Mode

- /exec

# show interface status

show interface <ifid> status [ \_\_readonly\_\_ <start> <if\_index> <admin-state> <lineproto> ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid</i>	VLAN ID 1-4094 or range(s): 1-5, 10 or 2-5,7-19
status	Interface status
__readonly__	(Optional) Read Only
<i>start</i>	(Optional) Start
<i>if_index</i>	(Optional) Interface
<i>admin-state</i>	(Optional) Administrative State
<i>lineproto</i>	(Optional) Line Protocol

## Command Mode

- /exec

show interface status err-disabled

## show interface status err-disabled

show interface status err-disabled [ \_\_readonly\_\_ TABLE\_interface <interface> [ <name> ] <state> [ <state\_rsn> ] [ <state\_rsn\_desc> ] ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
status	Show interface line status
err-disabled	Show interface error disabled state
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed

### Command Mode

- /exec

# show interface status err-disabled

show interface <ifeth\_errdis> status err-disabled [ \_\_readonly\_\_ TABLE\_interface <interface> [ <name> ] <state> [ <state\_rsn> ] [ <state\_rsn\_desc> ] ]

## Syntax Description

show	Show running system information
interface	Show interface status and information
status	Show interface line status
<i>ifeth_errdis</i>	Enter interface type and number in module/slot format
err-disabled	Show interface error disabled state
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>state_rsn</i>	(Optional) Interface state reason
<i>state_rsn_desc</i>	(Optional) Interface state reason detailed

## Command Mode

- /exec

show interface status err-vlans

## show interface status err-vlans

```
show interface status err-vlans [ __readonly__ TABLE_interface <interface> [ <name> ] { TABLE_vlan
<err_vlan> <err_vlan_status> <err_vlan_syserr> } ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
status	Show interface line status
err-vlans	Show errored vlans
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
TABLE_vlan	(Optional) show vlan
<i>err_vlan</i>	(Optional) Errored vlan
<i>err_vlan_status</i>	(Optional) Errored vlan status
<i>err_vlan_syserr</i>	(Optional) Errored vlan syserr name

### Command Mode

- /exec

# show interface status err-vlans

```
show interface <ifeth_errvlans> status err-vlans [ __readonly__ TABLE_interface <interface> [ <name> ] [ { TABLE_vlan [ <err_vlan> ] [ <err_vlan_status> ] [ <err_vlan_syserr> ] } ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_errvlans</i>	Enter interface type and number in module/slot format
status	Show interface line status
err-vlans	Show errored vlans
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
TABLE_vlan	(Optional) show vlan
<i>err_vlan</i>	(Optional) Errored vlan
<i>err_vlan_status</i>	(Optional) Errored vlan status
<i>err_vlan_syserr</i>	(Optional) Errored vlan syserr name

## Command Mode

- /exec

**show interface status fex**

## show interface status fex

show interface status fex <fex\_num> [ \_\_readonly\_\_ TABLE\_interface <interface> [ <name> ] <state> <vlan> <duplex> <speed> [ <type> ] ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
status	Show interface line status
fex	Limit display to interfaces on a FEX
<i>fex_num</i>	Enter FEX number
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>name</i>	(Optional) Name
<i>state</i>	(Optional) Interface state
<i>vlan</i>	(Optional) Vlan
<i>duplex</i>	(Optional) Duplex
<i>speed</i>	(Optional) Speed
<i>type</i>	(Optional) Type

### Command Mode

- /exec

# show interface switchport

```
show interface switchport [ __readonly__ TABLE_interface <interface> <switchport> [ <switchport_monitor>
] [ <switchport_isolated> ] [ <switchport_block_unicast> ] [ <switchport_block_multicast> ] [ <oper_mode>
] [ <access_vlan> ] [ <access_vlan_name> ] [ <native_vlan> ] [ <native_vlan_name> ] [ <trunk_vlans> ] [
<fabricpath_topologies> ] [ <pruning_vlans> ] [ <admin_pvlan_pri_assoc> ] [ <admin_pvlan_sec_assoc> ]
[ <admin_pvlan_pri_mapping> ] [ <admin_pvlan_sec_mapping> ] [ <admin_pvlan_trunk_native> ] [
<admin_pvlan_trunk_encap> ] [ <admin_pvlan_trunk_normal> ] [ <admin_pvlan_trunk_private> ] [
<oper_pvlan> ] [ <autostate_mode> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
switchport	Show interface switchport information
__readonly__	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>switchport</i>	(Optional) Switchport enabled
<i>switchport_monitor</i>	(Optional) Switchport monitor enabled
<i>switchport_isolated</i>	(Optional) Switchport isolated enabled
<i>switchport_block_unicast</i>	(Optional) Switchport monitor enabled
<i>switchport_block_multicast</i>	(Optional) Switchport monitor enabled
<i>oper_mode</i>	(Optional) Operational mode
<i>access_vlan</i>	(Optional) Access mode VLAN
<i>access_vlan_name</i>	(Optional) Access mode VLAN name
<i>native_vlan</i>	(Optional) Trunking native mode VLAN
<i>native_vlan_name</i>	(Optional) Trunking native mode VLAN name
<i>trunk_vlans</i>	(Optional) Trunking VLANs Allowed
<i>fabricpath_topologies</i>	(Optional) FabricPath Topologies Allowed
<i>pruning_vlans</i>	(Optional) Pruning eligible VLANs
<i>admin_pvlan_pri_assoc</i>	(Optional) Administrative private-vlan primary host-association
<i>admin_pvlan_sec_assoc</i>	(Optional) Administrative private-vlan secondary host-association
<i>admin_pvlan_pri_mapping</i>	(Optional) Administrative private-vlan primary mapping

**show interface switchport**

<i>admin_pvlan_sec_mapping</i>	(Optional) Administrative private-vlan secondary mapping
<i>admin_pvlan_trunk_native</i>	(Optional) Administrative private-vlan trunk native VLAN
<i>admin_pvlan_trunk_encap</i>	(Optional) Administrative private-vlan trunk encapsulation
<i>admin_pvlan_trunk_normal</i>	(Optional) Administrative private-vlan trunk normal VLANs
<i>admin_pvlan_trunk_private</i>	(Optional) Administrative private-vlan trunk private VLANs
<i>oper_pvlan</i>	(Optional) Operational private-vlan
<i>autostate_mode</i>	(Optional) SVI Autostate Exclude Info

### Command Mode

- /exec

# show interface switchport

```
show interface <ifeth_swtch> switchport [ __readonly__ TABLE_interface <interface> <switchport> [ <switchport_monitor> ] [ <switchport_isolated> ] [ <switchport_block_unicast> ] [ <switchport_block_multicast> ] [ <oper_mode> ] [ <access_vlan> ] [ <access_vlan_name> ] [ <native_vlan> ] [ <native_vlan_name> ] [ <trunk_vlans> ] [ <fabricpath_topologies> ] [ <pruning_vlans> ] [ <admin_pvlan_pri_assoc> ] [ <admin_pvlan_sec_assoc> ] [ <admin_pvlan_pri_mapping> ] [ <admin_pvlan_sec_mapping> ] [ <admin_pvlan_trunk_native> ] [ <admin_pvlan_trunk_encap> ] [ <admin_pvlan_trunk_normal> ] [ <admin_pvlan_trunk_private> ] [ <oper_pvlan> ] [ <autostate_mode> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_swtch</i>	Enter interface type and number in module/slot format
switchport	Show interface switchport information
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>switchport</i>	(Optional) Switchport enabled
<i>switchport_monitor</i>	(Optional) Switchport monitor enabled
<i>switchport_isolated</i>	(Optional) Switchport isolated enabled
<i>switchport_block_unicast</i>	(Optional) Switchport monitor enabled
<i>switchport_block_multicast</i>	(Optional) Switchport monitor enabled
<i>oper_mode</i>	(Optional) Operational mode
<i>access_vlan</i>	(Optional) Access mode VLAN
<i>access_vlan_name</i>	(Optional) Access mode VLAN name
<i>native_vlan</i>	(Optional) Trunking native mode VLAN
<i>native_vlan_name</i>	(Optional) Trunking native mode VLAN name
<i>trunk_vlans</i>	(Optional) Trunking VLANs Allowed
<i>fabricpath_topologies</i>	(Optional) FabricPath Topologies Allowed
<i>pruning_vlans</i>	(Optional) Pruning eligible VLANs
<i>admin_pvlan_pri_assoc</i>	(Optional) Administrative private-vlan primary host-association
<i>admin_pvlan_sec_assoc</i>	(Optional) Administrative private-vlan secondary host-association

**show interface switchport**

<i>admin_pvlan_pri_mapping</i>	(Optional) Administrative private-vlan primary mapping
<i>admin_pvlan_sec_mapping</i>	(Optional) Administrative private-vlan secondary mapping
<i>admin_pvlan_trunk_native</i>	(Optional) Administrative private-vlan trunk native VLAN
<i>admin_pvlan_trunk_encap</i>	(Optional) Administrative private-vlan trunk encapsulation
<i>admin_pvlan_trunk_normal</i>	(Optional) Administrative private-vlan trunk normal VLANs
<i>admin_pvlan_trunk_private</i>	(Optional) Administrative private-vlan trunk private VLANs
<i>oper_pvlan</i>	(Optional) Operational private-vlan
<i>autostate_mode</i>	(Optional) SVI Autostate Exclude Info

#### Command Mode

- /exec

# show interface transceiver

```
show interface <ifid_transceiver> transceiver [ calibrations | details | srom ] [ __readonly__ TABLE_interface
<interface> [ <sfp> ] [ <type> ] [ <name> ] [ <partnum> ] [ <rev> ] [ <serialnum> ] [ <nom_bitrate> ] [
<len_9> ] [ <len_9_2> ] [ <len_50> ] [ <len_625> ] [ <len_cu> ] [ <len_50_OM3> ] [ <txcvr_type> ] [
<connector_type> ] [ <bit_encoding> ] [ <protocol_type> ] [ <10gbe_code> ] [ <fiber_type_byte0> ] [
<fiber_type_byte1> ] [ <tx_range> ] [ <ciscoid> ] [ <ciscoid_1> ] [ <cisco_part_number> ] [ <cisco_product_id>
] [ <cisco_vendor_id> ] [ <temp_slope> ] [ <temp_offset> ] [ <volt_slope> ] [ <volt_offset> ] [ <curr_slope>
] [ <curr_offset> ] [ <tx_pwr_slope> ] [ <tx_pwr_offset> ] [ <rx_pwr_4> ] [ <rx_pwr_3> ] [ <rx_pwr_2> ] [
<rx_pwr_1> ] [ <rx_pwr_0> ] [ TABLE_lane [ <lane_number> ] [ <temperature> ] [ <temp_flag> ] [
<temp_alrm_hi> ] [ <temp_alrm_lo> ] [ <temp_warn_hi> ] [ <temp_warn_lo> ] [ <voltage> ] [ <volt_flag>
] [ <volt_alrm_hi> ] [ <volt_alrm_lo> ] [ <volt_warn_hi> ] [ <volt_warn_lo> ] [ <current> ] [ <current_flag>
] [ <current_alrm_hi> ] [ <current_alrm_lo> ] [ <current_warn_hi> ] [ <current_warn_lo> ] [ <tx_pwr> ] [
<tx_pwr_flag> ] [ <tx_pwr_alrm_hi> ] [ <tx_pwr_alrm_lo> ] [ <tx_pwr_warn_hi> ] [ <tx_pwr_warn_lo> ]
[ <rx_pwr> ] [ <rx_pwr_flag> ] [ <rx_pwr_alrm_hi> ] [ <rx_pwr_alrm_lo> ] [ <rx_pwr_warn_hi> ] [
<rx_pwr_warn_lo> ] [ <xmit_faults> ] [ <snr> ] [ <snr_flag> ] [ <snr_alrm_hi> ] [ <snr_alrm_lo> ] [
<snr_warn_hi> ] [ <snr_warn_lo> ] [ <isi> ] [ <isi_flag> ] [ <isi_alrm_hi> ] [ <isi_alrm_lo> ] [ <isi_warn_hi>
] [ <isi_warn_lo> ] [ <pam> ] [ <pam_flag> ] [ <pam_alrm_hi> ] [ <pam_alrm_lo> ] [ <pam_warn_hi> ] [
<pam_warn_lo> ] [ <pre_fec_ber> ] [ <pre_fec_ber_flag> ] [ <pre_fec_ber_alrm_hi> ] [ <pre_fec_ber_alrm_lo>
] [ <pre_fec_ber_warn_hi> ] [ <pre_fec_ber_warn_lo> ] [ <uncorrect_ber> ] [ <uncorrect_ber_flag> ] [
<uncorrect_ber_alrm_hi> ] [ <uncorrect_ber_alrm_lo> ] [ <uncorrect_ber_warn_hi> ] [
<uncorrect_ber_warn_lo> ] [ <tec_current> ] [ <tec_current_flag> ] [ <tec_current_alrm_hi> ] [
<tec_current_alrm_lo> ] [ <tec_current_warn_hi> ] [ <tec_current_warn_lo> ] [ <laser_freq> ] [
<laser_freq_flag> ] [ <laser_freq_alrm_hi> ] [ <laser_freq_alrm_lo> ] [ <laser_freq_warn_hi> ] [
<laser_freq_warn_lo> ] [ <laser_temp> ] [ <laser_temp_flag> ] [ <laser_temp_alrm_hi> ] [
<laser_temp_alrm_lo> ] [ <laser_temp_warn_hi> ] [ <laser_temp_warn_lo> ] [ <pre_fec_ber_acc> ] [
<pre_fec_ber_acc_flag> ] [ <pre_fec_ber_acc_alrm_hi> ] [ <pre_fec_ber_acc_alrm_lo> ] [
<pre_fec_ber_acc_warn_hi> ] [ <pre_fec_ber_acc_warn_lo> ] [ <pre_fec_ber_min> ] [ <pre_fec_ber_min_flag>
] [ <pre_fec_ber_min_alrm_hi> ] [ <pre_fec_ber_min_alrm_lo> ] [ <pre_fec_ber_min_warn_hi> ] [
<pre_fec_ber_min_warn_lo> ] [ <pre_fec_ber_max> ] [ <pre_fec_ber_max_flag> ] [
<pre_fec_ber_max_alrm_hi> ] [ <pre_fec_ber_max_alrm_lo> ] [ <pre_fec_ber_max_warn_hi> ] [
<pre_fec_ber_max_warn_lo> ] [ <pre_fec_ber_cur> ] [ <pre_fec_ber_cur_flag> ] [ <pre_fec_ber_cur_alrm_hi>
] [ <pre_fec_ber_cur_alrm_lo> ] [ <pre_fec_ber_cur_warn_hi> ] [ <pre_fec_ber_cur_warn_lo> ] [
<uncorrect_ber_acc> ] [ <uncorrect_ber_acc_flag> ] [ <uncorrect_ber_acc_alrm_hi> ] [
<uncorrect_ber_acc_alrm_lo> ] [ <uncorrect_ber_acc_warn_hi> ] [ <uncorrect_ber_acc_warn_lo> ] [
<uncorrect_ber_min> ] [ <uncorrect_ber_min_flag> ] [ <uncorrect_ber_min_alrm_hi> ] [
<uncorrect_ber_min_alrm_lo> ] [ <uncorrect_ber_min_warn_hi> ] [ <uncorrect_ber_min_warn_lo> ] [
<uncorrect_ber_max> ] [ <uncorrect_ber_max_flag> ] [ <uncorrect_ber_max_alrm_hi> ] [
<uncorrect_ber_max_alrm_lo> ] [ <uncorrect_ber_max_warn_hi> ] [ <uncorrect_ber_max_warn_lo> ] [
<uncorrect_ber_cur> ] [ <uncorrect_ber_cur_flag> ] [ <uncorrect_ber_cur_alrm_hi> ] [
<uncorrect_ber_cur_alrm_lo> ] [ <uncorrect_ber_cur_warn_hi> ] [ <uncorrect_ber_cur_warn_lo> ] ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifid_transceiver</i>	Enter interface type and number in module/slot format
transceiver	Show interface transceiver information

**show interface transceiver**

calibrations	(Optional) Show interface transceiver calibration information
details	(Optional) Show interface transceiver detail information
srom	(Optional) Show interface transceiver srom information
<u>readonly</u>	(Optional) Read Only
interface	(Optional) Interface index
TABLE_interface	(Optional) show interface
sfp	(Optional) sfp
type	(Optional) type
name	(Optional) Name
partnum	(Optional) part number
rev	(Optional) revision
serialnum	(Optional) serial number
nom_bitrate	(Optional) Nominal bit rate in MBits/sec
len_9	(Optional) Link length supported for 9/125um fiber in Km
len_9_2	(Optional) Link length supported for 9/125um fiber in m
len_50	(Optional) Link length supported for 50/125um fiber in m
len_625	(Optional) Link length supported for 62.5/125um fiber in m
len_cu	(Optional) Link length supported for copper sfp in m
len_50_OM3	(Optional) Link length supported for 50/125um fiber in m
txcvr_type	(Optional)
connector_type	(Optional)
bit_encoding	(Optional)
protocol_type	(Optional)
10gbe_code	(Optional)
fiber_type_byte0	(Optional)
fiber_type_byte1	(Optional)
tx_range	(Optional)
ciscoid	(Optional) Cisco extended id
ciscoid_1	(Optional) Cisco extended id number

<i>cisco_part_number</i>	(Optional) Cisco part number
<i>cisco_product_id</i>	(Optional) Cisco product identifier
<i>cisco_vendor_id</i>	(Optional) Cisco vendor identifier
<i>temp_slope</i>	(Optional) Temperature slope
<i>temp_offset</i>	(Optional) Temperature offset
<i>volt_slope</i>	(Optional) Voltage slope
<i>volt_offset</i>	(Optional) Voltage offset
<i>curr_slope</i>	(Optional) Current slope
<i>curr_offset</i>	(Optional) Current offset
<i>tx_pwr_slope</i>	(Optional) Tx power slope
<i>tx_pwr_offset</i>	(Optional) Tx power offset
<i>rx_pwr_4</i>	(Optional) Rx power 4
<i>rx_pwr_3</i>	(Optional) Rx power 3
<i>rx_pwr_2</i>	(Optional) Rx power 2
<i>rx_pwr_1</i>	(Optional) Rx power 1
<i>rx_pwr_0</i>	(Optional) Rx power 0
<i>TABLE_lane</i>	(Optional) show lane
<i>lane_number</i>	(Optional) Lane number
<i>temperature</i>	(Optional) Temperature
<i>temp_flag</i>	(Optional) Temperature Flag
<i>temp_alarm_hi</i>	(Optional) Temperature Alarm High
<i>temp_alarm_lo</i>	(Optional) Temperature Alarm Low
<i>temp_warn_hi</i>	(Optional) Temperature Warning High
<i>temp_warn_lo</i>	(Optional) Temperature Warning Low
<i>voltage</i>	(Optional) Voltage
<i>volt_flag</i>	(Optional) Voltage Flag
<i>volt_alarm_hi</i>	(Optional) Voltage Alarm High
<i>volt_alarm_lo</i>	(Optional) Voltage Alarm Low
<i>volt_warn_hi</i>	(Optional) Voltage Warning High

**show interface transceiver**

<i>volt_warn_lo</i>	(Optional) Voltage Warning Low
<i>current</i>	(Optional) Current
<i>current_flag</i>	(Optional) Current Flag
<i>current_alm_hi</i>	(Optional) Current Alarm High
<i>current_alm_lo</i>	(Optional) Current Alarm Low
<i>current_warn_hi</i>	(Optional) Current Warning High
<i>current_warn_lo</i>	(Optional) Current Warning Low
<i>tx_pwr</i>	(Optional) Tx Power
<i>tx_pwr_flag</i>	(Optional) Tx Power Flag
<i>tx_pwr_alm_hi</i>	(Optional) Tx Power Alarm High
<i>tx_pwr_alm_lo</i>	(Optional) Tx Power Alarm Low
<i>tx_pwr_warn_hi</i>	(Optional) Tx Power Warning High
<i>tx_pwr_warn_lo</i>	(Optional) Tx Power Warning Low
<i>rx_pwr</i>	(Optional) Rx Power
<i>rx_pwr_flag</i>	(Optional) Rx Power Flag
<i>rx_pwr_alm_hi</i>	(Optional) Rx Power Alarm High
<i>rx_pwr_alm_lo</i>	(Optional) Rx Power Alarm Low
<i>rx_pwr_warn_hi</i>	(Optional) Rx Power Warning High
<i>rx_pwr_warn_lo</i>	(Optional) Rx Power Warning Low
<i>xmit_faults</i>	(Optional) Transmit Fault Count
<i>snr</i>	(Optional) RX Signal-to-Noise Ratio (SNR)
<i>snr_flag</i>	(Optional) SNR Flag
<i>snr_alm_hi</i>	(Optional) SNR Alarm High
<i>snr_alm_lo</i>	(Optional) SNR Alarm Low
<i>snr_warn_hi</i>	(Optional) SNR Warning High
<i>snr_warn_lo</i>	(Optional) SNR Warning Low
<i>isi</i>	(Optional) Residual-Dispersion(ISI)
<i>isi_flag</i>	(Optional) ISI Flag
<i>isi_alm_hi</i>	(Optional) ISI alarm high

<i>isi_alarm_lo</i>	(Optional) ISI alarm low
<i>isi_warn_hi</i>	(Optional) ISI warning high
<i>isi_warn_lo</i>	(Optional) ISI warning low
<i>pam</i>	(Optional) PAM Transition
<i>pam_flag</i>	(Optional) PAM Flag
<i>pam_alarm_hi</i>	(Optional) PAM alarm high
<i>pam_alarm_lo</i>	(Optional) PAM alarm low
<i>pam_warn_hi</i>	(Optional) PAM warning high
<i>pam_warn_lo</i>	(Optional) PAM warning low
<i>pre_fec_ber</i>	(Optional) Pre-FEC BER
<i>pre_fec_ber_flag</i>	(Optional) Pre-FEC BER flag
<i>pre_fec_ber_alarm_hi</i>	(Optional) Pre-FEC BER alarm high
<i>pre_fec_ber_alarm_lo</i>	(Optional) Pre-FEC BER alarm low
<i>pre_fec_ber_warn_hi</i>	(Optional) Pre-FEC BER warning high
<i>pre_fec_ber_warn_lo</i>	(Optional) Pre-FEC BER warning low
<i>uncorrect_ber</i>	(Optional) Uncorrected BER
<i>uncorrect_ber_flag</i>	(Optional) Uncorrected BER flag
<i>uncorrect_ber_alarm_hi</i>	(Optional) Uncorrected BER alarm high
<i>uncorrect_ber_alarm_lo</i>	(Optional) Uncorrected BER alarm low
<i>uncorrect_ber_warn_hi</i>	(Optional) Uncorrected BER warning high
<i>uncorrect_ber_warn_lo</i>	(Optional) Uncorrected BER warning low
<i>tec_current</i>	(Optional) TEC Current
<i>tec_current_flag</i>	(Optional) TEC Current flag
<i>tec_current_alarm_hi</i>	(Optional) TEC Current Alarm High
<i>tec_current_alarm_lo</i>	(Optional) TEC Current Alarm Low
<i>tec_current_warn_hi</i>	(Optional) TEC Current Warning High
<i>tec_current_warn_lo</i>	(Optional) TEC Current Warning Low
<i>laser_freq</i>	(Optional) Laser Frequency
<i>laser_freq_flag</i>	(Optional) Laser Frequency flag

**show interface transceiver**

<i>laser_freq_alm_hi</i>	(Optional) Laser Frequency Alarm High
<i>laser_freq_alm_lo</i>	(Optional) Laser Frequency Alarm Low
<i>laser_freq_warn_hi</i>	(Optional) Laser Frequency Warning High
<i>laser_freq_warn_lo</i>	(Optional) Laser Frequency Warning Low
<i>laser_temp</i>	(Optional) Laser Temperature
<i>laser_temp_flag</i>	(Optional) Laser Temperature flag
<i>laser_temp_alm_hi</i>	(Optional) Laser Temperature Alarm High
<i>laser_temp_alm_lo</i>	(Optional) Laser Temperature Alarm Low
<i>laser_temp_warn_hi</i>	(Optional) Laser Temperature Warning High
<i>laser_temp_warn_lo</i>	(Optional) Laser Temperature Warning Low
<i>pre_fec_ber_acc</i>	(Optional) Pre-FEC BER Acc
<i>pre_fec_ber_acc_flag</i>	(Optional) Pre-FEC BER Acc flag
<i>pre_fec_ber_acc_alm_hi</i>	(Optional) Pre-FEC BER Acc alarm high
<i>pre_fec_ber_acc_alm_lo</i>	(Optional) Pre-FEC BER Acc alarm low
<i>pre_fec_ber_acc_warn_hi</i>	(Optional) Pre-FEC BER Acc warning high
<i>pre_fec_ber_acc_warn_lo</i>	(Optional) Pre-FEC BER Acc warning low
<i>pre_fec_ber_min</i>	(Optional) Pre-FEC BER Min
<i>pre_fec_ber_min_flag</i>	(Optional) Pre-FEC BER Min flag
<i>pre_fec_ber_min_alm_hi</i>	(Optional) Pre-FEC BER Min alarm high
<i>pre_fec_ber_min_alm_lo</i>	(Optional) Pre-FEC BER Min alarm low
<i>pre_fec_ber_min_warn_hi</i>	(Optional) Pre-FEC BER Min warning high
<i>pre_fec_ber_min_warn_lo</i>	(Optional) Pre-FEC BER Min warning low
<i>pre_fec_ber_max</i>	(Optional) Pre-FEC BER Max
<i>pre_fec_ber_max_flag</i>	(Optional) Pre-FEC BER Max flag
<i>pre_fec_ber_max_alm_hi</i>	(Optional) Pre-FEC BER Max alarm high
<i>pre_fec_ber_max_alm_lo</i>	(Optional) Pre-FEC BER Max alarm low
<i>pre_fec_ber_max_warn_hi</i>	(Optional) Pre-FEC BER Max warning high
<i>pre_fec_ber_max_warn_lo</i>	(Optional) Pre-FEC BER Max warning low
<i>pre_fec_ber_cur</i>	(Optional) Pre-FEC BER Cur

<i>pre_fec_ber_cur_flag</i>	(Optional) Pre-FEC BER Cur flag
<i>pre_fec_ber_cur_alarm_hi</i>	(Optional) Pre-FEC BER Cur alarm high
<i>pre_fec_ber_cur_alarm_lo</i>	(Optional) Pre-FEC BER Cur alarm low
<i>pre_fec_ber_cur_warn_hi</i>	(Optional) Pre-FEC BER Cur warning high
<i>pre_fec_ber_cur_warn_lo</i>	(Optional) Pre-FEC BER Cur warning low
<i>uncorrect_ber_acc</i>	(Optional) Uncorrected BER Acc
<i>uncorrect_ber_acc_flag</i>	(Optional) Uncorrected BER Acc flag
<i>uncorrect_ber_acc_alarm_hi</i>	(Optional) Uncorrected BER Acc alarm high
<i>uncorrect_ber_acc_alarm_lo</i>	(Optional) Uncorrected BER Acc alarm low
<i>uncorrect_ber_acc_warn_hi</i>	(Optional) Uncorrected BER Acc warning high
<i>uncorrect_ber_acc_warn_lo</i>	(Optional) Uncorrected BER Acc warning low
<i>uncorrect_ber_min</i>	(Optional) Uncorrected BER Min
<i>uncorrect_ber_min_flag</i>	(Optional) Uncorrected BER Min flag
<i>uncorrect_ber_min_alarm_hi</i>	(Optional) Uncorrected BER Min alarm high
<i>uncorrect_ber_min_alarm_lo</i>	(Optional) Uncorrected BER Min alarm low
<i>uncorrect_ber_min_warn_hi</i>	(Optional) Uncorrected BER Min warning high
<i>uncorrect_ber_min_warn_lo</i>	(Optional) Uncorrected BER Min warning low
<i>uncorrect_ber_max</i>	(Optional) Uncorrected BER Max
<i>uncorrect_ber_max_flag</i>	(Optional) Uncorrected BER Max flag
<i>uncorrect_ber_max_alarm_hi</i>	(Optional) Uncorrected BER Max alarm high
<i>uncorrect_ber_max_alarm_lo</i>	(Optional) Uncorrected BER Max alarm low
<i>uncorrect_ber_max_warn_hi</i>	(Optional) Uncorrected BER Max warning high
<i>uncorrect_ber_max_warn_lo</i>	(Optional) Uncorrected BER Max warning low
<i>uncorrect_ber_cur</i>	(Optional) Uncorrected BER Cur
<i>uncorrect_ber_cur_flag</i>	(Optional) Uncorrected BER Cur flag
<i>uncorrect_ber_cur_alarm_hi</i>	(Optional) Uncorrected BER Cur alarm high
<i>uncorrect_ber_cur_alarm_lo</i>	(Optional) Uncorrected BER Cur alarm low
<i>uncorrect_ber_cur_warn_hi</i>	(Optional) Uncorrected BER Cur warning high
<i>uncorrect_ber_cur_warn_lo</i>	(Optional) Uncorrected BER Cur warning low

```
show interface transceiver
```

**Command Mode**

- /exec

# show interface transceiver

```
show interface transceiver [ calibrations | details | inventory ] [ __readonly__ TABLE_interface <interface>
[ <sfp> ] [ <type> ] [ <name> ] [ <partnum> ] [ <rev> ] [ <serialnum> ] [ <nom_bitrate> ] [ <len_9> ] [
<len_50> ] [ <len_625> ] [ <len_cu> ] [ <len_50_OM3> ] [ <txcvr_type> ] [ <connector_type> ] [
<bit_encoding> ] [ <protocol_type> ] [ <10gbe_code> ] [ <fiber_type_byte0> ] [ <fiber_type_byte1> ] [
<tx_range> ] [ <ciscoid> ] [ <ciscoid_1> ] [ <cisco_part_number> ] [ <cisco_product_id> ] [ <cisco_vendor_id>
] [ <temp_slope> ] [ <temp_offset> ] [ <volt_slope> ] [ <volt_offset> ] [ <curr_slope> ] [ <curr_offset> ] [
<tx_pwr_slope> ] [ <tx_pwr_offset> ] [ <rx_pwr_4> ] [ <rx_pwr_3> ] [ <rx_pwr_2> ] [ <rx_pwr_1> ] [
<rx_pwr_0> ] [ TABLE_lane [ <lane_number> ] [ <temperature> ] [ <temp_flag> ] [ <temp_alm_hi> ] [
<temp_alm_lo> ] [ <temp_warn_hi> ] [ <temp_warn_lo> ] [ <voltage> ] [ <volt_flag> ] [ <volt_alm_hi> ]
[ <volt_alm_lo> ] [ <volt_warn_hi> ] [ <volt_warn_lo> ] [ <current> ] [ <current_flag> ] [ <current_alm_hi>
] [ <current_alm_lo> ] [ <current_warn_hi> ] [ <current_warn_lo> ] [ <tx_pwr> ] [ <tx_pwr_flag> ] [
<tx_pwr_alm_hi> ] [ <tx_pwr_alm_lo> ] [ <tx_pwr_warn_hi> ] [ <tx_pwr_warn_lo> ] [ <rx_pwr> ] [
<rx_pwr_flag> ] [ <rx_pwr_alm_hi> ] [ <rx_pwr_alm_lo> ] [ <rx_pwr_warn_hi> ] [ <rx_pwr_warn_lo> ]
[ <xmit_faults> ] [ <snr> ] [ <snr_flag> ] [ <snr_alm_hi> ] [ <snr_alm_lo> ] [ <snr_warn_hi> ] [
<snr_warn_lo> ] [ <isi> ] [ <isi_flag> ] [ <isi_alm_hi> ] [ <isi_alm_lo> ] [ <isi_warn_hi> ] [ <isi_warn_lo>
] [ <pam> ] [ <pam_flag> ] [ <pam_alm_hi> ] [ <pam_alm_lo> ] [ <pam_warn_hi> ] [ <pam_warn_lo> ]
[ <pre_fec_ber> ] [ <pre_fec_ber_flag> ] [ <pre_fec_ber_alm_hi> ] [ <pre_fec_ber_alm_lo> ] [
<pre_fec_ber_warn_hi> ] [ <pre_fec_ber_warn_lo> ] [ <uncorrect_ber> ] [ <uncorrect_ber_flag> ] [
<uncorrect_ber_alm_hi> ] [ <uncorrect_ber_alm_lo> ] [ <uncorrect_ber_warn_hi> ] [
<uncorrect_ber_warn_lo> ] [ <tec_current> ] [ <tec_current_flag> ] [ <tec_current_alm_hi> ] [
<tec_current_alm_lo> ] [ <tec_current_warn_hi> ] [ <tec_current_warn_lo> ] [ <laser_freq> ] [
<laser_freq_flag> ] [ <laser_freq_alm_hi> ] [ <laser_freq_alm_lo> ] [ <laser_freq_warn_hi> ] [
<laser_freq_warn_lo> ] [ <laser_temp> ] [ <laser_temp_flag> ] [ <laser_temp_alm_hi> ] [
<laser_temp_alm_lo> ] [ <laser_temp_warn_hi> ] [ <laser_temp_warn_lo> ] [ <pre_fec_ber_acc> ] [
<pre_fec_ber_acc_flag> ] [ <pre_fec_ber_acc_alm_hi> ] [ <pre_fec_ber_acc_alm_lo> ] [
<pre_fec_ber_acc_warn_hi> ] [ <pre_fec_ber_acc_warn_lo> ] [ <pre_fec_ber_min> ] [ <pre_fec_ber_min_flag>
] [ <pre_fec_ber_min_alm_hi> ] [ <pre_fec_ber_min_alm_lo> ] [ <pre_fec_ber_min_warn_hi> ] [
<pre_fec_ber_min_warn_lo> ] [ <pre_fec_ber_max> ] [ <pre_fec_ber_max_flag> ] [
<pre_fec_ber_max_alm_hi> ] [ <pre_fec_ber_max_alm_lo> ] [ <pre_fec_ber_max_warn_hi> ] [
<pre_fec_ber_max_warn_lo> ] [ <pre_fec_ber_cur> ] [ <pre_fec_ber_cur_flag> ] [ <pre_fec_ber_cur_alm_hi>
] [ <pre_fec_ber_cur_alm_lo> ] [ <pre_fec_ber_cur_warn_hi> ] [ <pre_fec_ber_cur_warn_lo> ] [
<uncorrect_ber_acc> ] [ <uncorrect_ber_acc_flag> ] [ <uncorrect_ber_acc_alm_hi> ] [
<uncorrect_ber_acc_alm_lo> ] [ <uncorrect_ber_acc_warn_hi> ] [ <uncorrect_ber_acc_warn_lo> ] [
<uncorrect_ber_min> ] [ <uncorrect_ber_min_flag> ] [ <uncorrect_ber_min_alm_hi> ] [
<uncorrect_ber_min_alm_lo> ] [ <uncorrect_ber_min_warn_hi> ] [ <uncorrect_ber_min_warn_lo> ] [
<uncorrect_ber_max> ] [ <uncorrect_ber_max_flag> ] [ <uncorrect_ber_max_alm_hi> ] [
<uncorrect_ber_max_alm_lo> ] [ <uncorrect_ber_max_warn_hi> ] [ <uncorrect_ber_max_warn_lo> ] [
<uncorrect_ber_cur> ] [ <uncorrect_ber_cur_flag> ] [ <uncorrect_ber_cur_alm_hi> ] [
<uncorrect_ber_cur_alm_lo> ] [ <uncorrect_ber_cur_warn_hi> ] [ <uncorrect_ber_cur_warn_lo> ] ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
transceiver	Show interface transceiver information
calibrations	(Optional) Show interface transceiver calibration information

**show interface transceiver**

details	(Optional) Show interface transceiver detail information
inventory	(Optional) Show interface transceiver inventory
<u>readonly</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>sfp</i>	(Optional) sfp
<i>type</i>	(Optional) type
<i>name</i>	(Optional) Name
<i>partnum</i>	(Optional) part number
<i>rev</i>	(Optional) revision
<i>serialnum</i>	(Optional) serial number
<i>nom_bitrate</i>	(Optional) Nominal bit rate in MBits/sec
<i>len_9</i>	(Optional) Link length supported for 9/125um fiber
<i>len_50</i>	(Optional) Link length supported for 50/125um fiber
<i>len_625</i>	(Optional) Link length supported for 62.5/125um fiber
<i>len_cu</i>	(Optional) Link length supported for copper
<i>len_50_OM3</i>	(Optional) Link length supported for 50/125um fiber in m
<i>txcvr_type</i>	(Optional)
<i>connector_type</i>	(Optional)
<i>bit_encoding</i>	(Optional)
<i>protocol_type</i>	(Optional)
<i>10gbe_code</i>	(Optional)
<i>fiber_type_byte0</i>	(Optional)
<i>fiber_type_byte1</i>	(Optional)
<i>tx_range</i>	(Optional)
<i>ciscoid</i>	(Optional) Cisco extended id
<i>ciscoid_1</i>	(Optional) Cisco extended id number
<i>cisco_part_number</i>	(Optional) Cisco part number
<i>cisco_product_id</i>	(Optional) Cisco product identifier

<i>cisco_vendor_id</i>	(Optional) Cisco vendor identifier
<i>temp_slope</i>	(Optional) Temperature slope
<i>temp_offset</i>	(Optional) Temperature offset
<i>volt_slope</i>	(Optional) Voltage slope
<i>volt_offset</i>	(Optional) Voltage offset
<i>curr_slope</i>	(Optional) Current slope
<i>curr_offset</i>	(Optional) Current offset
<i>tx_pwr_slope</i>	(Optional) Tx power slope
<i>tx_pwr_offset</i>	(Optional) Tx power offset
<i>rx_pwr_4</i>	(Optional) Rx power 4
<i>rx_pwr_3</i>	(Optional) Rx power 3
<i>rx_pwr_2</i>	(Optional) Rx power 2
<i>rx_pwr_1</i>	(Optional) Rx power 1
<i>rx_pwr_0</i>	(Optional) Rx power 0
<i>TABLE_lane</i>	(Optional) show lane
<i>lane_number</i>	(Optional) Lane number
<i>temperature</i>	(Optional) Temperature
<i>temp_flag</i>	(Optional) Temperature Flag
<i>temp_alarm_hi</i>	(Optional) Temperature Alarm High
<i>temp_alarm_lo</i>	(Optional) Temperature Alarm Low
<i>temp_warn_hi</i>	(Optional) Temperature Warning High
<i>temp_warn_lo</i>	(Optional) Temperature Warning Low
<i>voltage</i>	(Optional) Voltage
<i>volt_flag</i>	(Optional) Voltage Flag
<i>volt_alarm_hi</i>	(Optional) Voltage Alarm High
<i>volt_alarm_lo</i>	(Optional) Voltage Alarm Low
<i>volt_warn_hi</i>	(Optional) Voltage Warning High
<i>volt_warn_lo</i>	(Optional) Voltage Warning Low
<i>current</i>	(Optional) Current

**show interface transceiver**

<i>current_flag</i>	(Optional) Current Flag
<i>current_alm_hi</i>	(Optional) Current Alarm High
<i>current_alm_lo</i>	(Optional) Current Alarm Low
<i>current_warn_hi</i>	(Optional) Current Warning High
<i>current_warn_lo</i>	(Optional) Current Warning Low
<i>tx_pwr</i>	(Optional) Tx Power
<i>tx_pwr_flag</i>	(Optional) Tx Power Flag
<i>tx_pwr_alm_hi</i>	(Optional) Tx Power Alarm High
<i>tx_pwr_alm_lo</i>	(Optional) Tx Power Alarm Low
<i>tx_pwr_warn_hi</i>	(Optional) Tx Power Warning High
<i>tx_pwr_warn_lo</i>	(Optional) Tx Power Warning Low
<i>rx_pwr</i>	(Optional) Rx Power
<i>rx_pwr_flag</i>	(Optional) Rx Power Flag
<i>rx_pwr_alm_hi</i>	(Optional) Rx Power Alarm High
<i>rx_pwr_alm_lo</i>	(Optional) Rx Power Alarm Low
<i>rx_pwr_warn_hi</i>	(Optional) Rx Power Warning High
<i>rx_pwr_warn_lo</i>	(Optional) Rx Power Warning Low
<i>xmit_faults</i>	(Optional) Transmit Fault Count
<i>snr</i>	(Optional) RX Signal-to-Noise Ratio (SNR)
<i>snr_flag</i>	(Optional) SNR Flag
<i>snr_alm_hi</i>	(Optional) SNR Alarm High
<i>snr_alm_lo</i>	(Optional) SNR Alarm Low
<i>snr_warn_hi</i>	(Optional) SNR Warning High
<i>snr_warn_lo</i>	(Optional) SNR Warning Low
<i>isi</i>	(Optional) Residual-Dispersion(ISI)
<i>isi_flag</i>	(Optional) ISI Flag
<i>isi_alm_hi</i>	(Optional) ISI alarm high
<i>isi_alm_lo</i>	(Optional) ISI alarm low
<i>isi_warn_hi</i>	(Optional) ISI warning high

<i>isi_warn_lo</i>	(Optional) ISI warning low
<i>pam</i>	(Optional) PAM Transition
<i>pam_flag</i>	(Optional) PAM Flag
<i>pam_alarm_hi</i>	(Optional) PAM alarm high
<i>pam_alarm_lo</i>	(Optional) PAM alarm low
<i>pam_warn_hi</i>	(Optional) PAM warning high
<i>pam_warn_lo</i>	(Optional) PAM warning low
<i>pre_fec_ber</i>	(Optional) Pre-FEC BER
<i>pre_fec_ber_flag</i>	(Optional) Pre-FEC BER flag
<i>pre_fec_ber_alarm_hi</i>	(Optional) Pre-FEC BER alarm high
<i>pre_fec_ber_alarm_lo</i>	(Optional) Pre-FEC BER alarm low
<i>pre_fec_ber_warn_hi</i>	(Optional) Pre-FEC BER warning high
<i>pre_fec_ber_warn_lo</i>	(Optional) Pre-FEC BER warning low
<i>uncorrect_ber</i>	(Optional) Uncorrected BER
<i>uncorrect_ber_flag</i>	(Optional) Uncorrected BER flag
<i>uncorrect_ber_alarm_hi</i>	(Optional) Uncorrected BER alarm high
<i>uncorrect_ber_alarm_lo</i>	(Optional) Uncorrected BER alarm low
<i>uncorrect_ber_warn_hi</i>	(Optional) Uncorrected BER warning high
<i>uncorrect_ber_warn_lo</i>	(Optional) Uncorrected BER warning low
<i>tec_current</i>	(Optional) TEC Current
<i>tec_current_flag</i>	(Optional) TEC Current flag
<i>tec_current_alarm_hi</i>	(Optional) TEC Current Alarm High
<i>tec_current_alarm_lo</i>	(Optional) TEC Current Alarm Low
<i>tec_current_warn_hi</i>	(Optional) TEC Current Warning High
<i>tec_current_warn_lo</i>	(Optional) TEC Current Warning Low
<i>laser_freq</i>	(Optional) Laser Frequency
<i>laser_freq_flag</i>	(Optional) Laser Frequency flag
<i>laser_freq_alarm_hi</i>	(Optional) Laser Frequency Alarm High
<i>laser_freq_alarm_lo</i>	(Optional) Laser Frequency Alarm Low

**show interface transceiver**

<i>laser_freq_warn_hi</i>	(Optional) Laser Frequency Warning High
<i>laser_freq_warn_lo</i>	(Optional) Laser Frequency Warning Low
<i>laser_temp</i>	(Optional) Laser Temperature
<i>laser_temp_flag</i>	(Optional) Laser Temperature flag
<i>laser_temp_alarm_hi</i>	(Optional) Laser Temperature Alarm High
<i>laser_temp_alarm_lo</i>	(Optional) Laser Temperature Alarm Low
<i>laser_temp_warn_hi</i>	(Optional) Laser Temperature Warning High
<i>laser_temp_warn_lo</i>	(Optional) Laser Temperature Warning Low
<i>pre_fec_ber_acc</i>	(Optional) Pre-FEC BER Acc
<i>pre_fec_ber_acc_flag</i>	(Optional) Pre-FEC BER Acc flag
<i>pre_fec_ber_acc_alarm_hi</i>	(Optional) Pre-FEC BER Acc alarm high
<i>pre_fec_ber_acc_alarm_lo</i>	(Optional) Pre-FEC BER Acc alarm low
<i>pre_fec_ber_acc_warn_hi</i>	(Optional) Pre-FEC BER Acc warning high
<i>pre_fec_ber_acc_warn_lo</i>	(Optional) Pre-FEC BER Acc warning low
<i>pre_fec_ber_min</i>	(Optional) Pre-FEC BER Min
<i>pre_fec_ber_min_flag</i>	(Optional) Pre-FEC BER Min flag
<i>pre_fec_ber_min_alarm_hi</i>	(Optional) Pre-FEC BER Min alarm high
<i>pre_fec_ber_min_alarm_lo</i>	(Optional) Pre-FEC BER Min alarm low
<i>pre_fec_ber_min_warn_hi</i>	(Optional) Pre-FEC BER Min warning high
<i>pre_fec_ber_min_warn_lo</i>	(Optional) Pre-FEC BER Min warning low
<i>pre_fec_ber_max</i>	(Optional) Pre-FEC BER Max
<i>pre_fec_ber_max_flag</i>	(Optional) Pre-FEC BER Max flag
<i>pre_fec_ber_max_alarm_hi</i>	(Optional) Pre-FEC BER Max alarm high
<i>pre_fec_ber_max_alarm_lo</i>	(Optional) Pre-FEC BER Max alarm low
<i>pre_fec_ber_max_warn_hi</i>	(Optional) Pre-FEC BER Max warning high
<i>pre_fec_ber_max_warn_lo</i>	(Optional) Pre-FEC BER Max warning low
<i>pre_fec_ber_cur</i>	(Optional) Pre-FEC BER Cur
<i>pre_fec_ber_cur_flag</i>	(Optional) Pre-FEC BER Cur flag
<i>pre_fec_ber_cur_alarm_hi</i>	(Optional) Pre-FEC BER Cur alarm high

<i>pre_fec_ber_cur_alm_lo</i>	(Optional) Pre-FEC BER Cur alarm low
<i>pre_fec_ber_cur_warn_hi</i>	(Optional) Pre-FEC BER Cur warning high
<i>pre_fec_ber_cur_warn_lo</i>	(Optional) Pre-FEC BER Cur warning low
<i>uncorrect_ber_acc</i>	(Optional) Uncorrected BER Acc
<i>uncorrect_ber_acc_flag</i>	(Optional) Uncorrected BER Acc flag
<i>uncorrect_ber_acc_alm_hi</i>	(Optional) Uncorrected BER Acc alarm high
<i>uncorrect_ber_acc_alm_lo</i>	(Optional) Uncorrected BER Acc alarm low
<i>uncorrect_ber_acc_warn_hi</i>	(Optional) Uncorrected BER Acc warning high
<i>uncorrect_ber_acc_warn_lo</i>	(Optional) Uncorrected BER Acc warning low
<i>uncorrect_ber_min</i>	(Optional) Uncorrected BER Min
<i>uncorrect_ber_min_flag</i>	(Optional) Uncorrected BER Min flag
<i>uncorrect_ber_min_alm_hi</i>	(Optional) Uncorrected BER Min alarm high
<i>uncorrect_ber_min_alm_lo</i>	(Optional) Uncorrected BER Min alarm low
<i>uncorrect_ber_min_warn_hi</i>	(Optional) Uncorrected BER Min warning high
<i>uncorrect_ber_min_warn_lo</i>	(Optional) Uncorrected BER Min warning low
<i>uncorrect_ber_max</i>	(Optional) Uncorrected BER Max
<i>uncorrect_ber_max_flag</i>	(Optional) Uncorrected BER Max flag
<i>uncorrect_ber_max_alm_hi</i>	(Optional) Uncorrected BER Max alarm high
<i>uncorrect_ber_max_alm_lo</i>	(Optional) Uncorrected BER Max alarm low
<i>uncorrect_ber_max_warn_hi</i>	(Optional) Uncorrected BER Max warning high
<i>uncorrect_ber_max_warn_lo</i>	(Optional) Uncorrected BER Max warning low
<i>uncorrect_ber_cur</i>	(Optional) Uncorrected BER Cur
<i>uncorrect_ber_cur_flag</i>	(Optional) Uncorrected BER Cur flag
<i>uncorrect_ber_cur_alm_hi</i>	(Optional) Uncorrected BER Cur alarm high
<i>uncorrect_ber_cur_alm_lo</i>	(Optional) Uncorrected BER Cur alarm low
<i>uncorrect_ber_cur_warn_hi</i>	(Optional) Uncorrected BER Cur warning high
<i>uncorrect_ber_cur_warn_lo</i>	(Optional) Uncorrected BER Cur warning low

**Command Mode**

- /exec

show interface transceiver fex-fabric

## show interface transceiver fex-fabric

```
show interface <ifeth_trans> transceiver fex-fabric [ calibrations | details ] [ __readonly__ TABLE_interface
<interface> <sfp> <name> <partnum> <rev> <serialnum> <nom_bitrate> <len_50> <len_625> <ciscoid>
<ciscoid_1> [ <temp_slope> ] [ <temp_offset> ] [ <volt_slope> ] [ <volt_offset> ] [ <curr_slope> ] [
<curr_offset> ] [ <tx_pwr_slope> ] [ <tx_pwr_offset> ] [ <rx_pwr_4> ] [ <rx_pwr_3> ] [ <rx_pwr_2> ] [
<rx_pwr_1> ] [ <rx_pwr_0> ] ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_trans</i>	Enter interface type and number in module/slot format
transceiver	Show interface transceiver information
fex-fabric	Show FEX interface transceiver information
calibrations	(Optional) Show interface transceiver calibration information
details	(Optional) Show interface transceiver detail information
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
<i>sfp</i>	(Optional) sfp
<i>name</i>	(Optional) Name
<i>partnum</i>	(Optional) part number
<i>rev</i>	(Optional) revision
<i>serialnum</i>	(Optional) serial number
<i>nom_bitrate</i>	(Optional) Nominal bit rate in MBits/sec
<i>len_50</i>	(Optional) Link length supported for 50/125mm fiber
<i>len_625</i>	(Optional) Link length supported for 62.5/125mm fiber
<i>ciscoid</i>	(Optional) Cisco extended id
<i>ciscoid_1</i>	(Optional) Cisco extended id number
<i>temp_slope</i>	(Optional) Temperature slope
<i>temp_offset</i>	(Optional) Temperature offset
<i>volt_slope</i>	(Optional) Voltage slope

<i>volt_offset</i>	(Optional) Voltage offset
<i>curr_slope</i>	(Optional) Current slope
<i>curr_offset</i>	(Optional) Current offset
<i>tx_pwr_slope</i>	(Optional) Tx power slope
<i>tx_pwr_offset</i>	(Optional) Tx power offset
<i>rx_pwr_4</i>	(Optional) Rx power 4
<i>rx_pwr_3</i>	(Optional) Rx power 3
<i>rx_pwr_2</i>	(Optional) Rx power 2
<i>rx_pwr_1</i>	(Optional) Rx power 1
<i>rx_pwr_0</i>	(Optional) Rx power 0

**Command Mode**

- /exec

show interface transceiver fex-fabric

## show interface transceiver fex-fabric

```
show interface transceiver fex-fabric [ calibrations | details ] [ __readonly__ TABLE_interface <interface> [ <sfp> ] [ <type> ] [ <name> ] [ <partnum> ] [ <rev> ] [ <serialnum> ] [ <nom_bitrate> ] [ <len_50> ] [ <len_625> ] [ <ciscoid> ] [ <ciscoid_1> ] [ <temp_slope> ] [ <temp_offset> ] [ <volt_slope> ] [ <volt_offset> ] [ <curr_slope> ] [ <curr_offset> ] [ <tx_pwr_slope> ] [ <tx_pwr_offset> ] [ <rx_pwr_4> ] [ <rx_pwr_3> ] [ <rx_pwr_2> ] [ <rx_pwr_1> ] [ <rx_pwr_0> ] [ <lane_number> ] [ <temperature> ] [ <temp_flag> ] [ <temp_alm_hi> ] [ <temp_alm_lo> ] [ <temp_warn_hi> ] [ <temp_warn_lo> ] [ <voltage> ] [ <volt_flag> ] [ <volt_alm_hi> ] [ <volt_alm_lo> ] [ <volt_warn_hi> ] [ <volt_warn_lo> ] [ <current> ] [ <current_flag> ] [ <current_alm_hi> ] [ <current_alm_lo> ] [ <current_warn_hi> ] [ <current_warn_lo> ] [ <tx_pwr> ] [ <tx_pwr_flag> ] [ <tx_pwr_alm_hi> ] [ <tx_pwr_alm_lo> ] [ <tx_pwr_warn_hi> ] [ <tx_pwr_warn_lo> ] [ <rx_pwr> ] [ <rx_pwr_flag> ] [ <rx_pwr_alm_hi> ] [ <rx_pwr_alm_lo> ] [ <rx_pwr_warn_hi> ] [ <rx_pwr_warn_lo> ] [ <xmit_faults> ] [ <snr> ] [ <snr_flag> ] [ <snr_alm_hi> ] [ <snr_alm_lo> ] [ <snr_warn_hi> ] [ <snr_warn_lo> ] [ <isi> ] [ <isi_flag> ] [ <isi_alm_hi> ] [ <isi_alm_lo> ] [ <isi_warn_hi> ] [ <isi_warn_lo> ] [ <pam> ] [ <pam_flag> ] [ <pam_alm_hi> ] [ <pam_alm_lo> ] [ <pam_warn_hi> ] [ <pam_warn_lo> ] [ <pam_alm_hi> ] [ <pam_alm_lo> ] [ <pam_warn_hi> ] [ <pam_warn_lo> ] [ <pre_fec_ber> ] [ <pre_fec_ber_flag> ] [ <pre_fec_ber_alm_hi> ] [ <pre_fec_ber_alm_lo> ] [ <pre_fec_ber_warn_hi> ] [ <pre_fec_ber_warn_lo> ] [ <uncorrect_ber> ] [ <uncorrect_ber_flag> ] [ <uncorrect_ber_alm_hi> ] [ <uncorrect_ber_alm_lo> ] [ <uncorrect_ber_warn_hi> ] [ <uncorrect_ber_warn_lo> ] [ <tec_current> ] [ <tec_current_flag> ] [ <tec_current_alm_hi> ] [ <tec_current_alm_lo> ] [ <tec_current_warn_hi> ] [ <tec_current_warn_lo> ] [ <laser_freq> ] [ <laser_freq_flag> ] [ <laser_freq_alm_hi> ] [ <laser_freq_alm_lo> ] [ <laser_freq_warn_hi> ] [ <laser_freq_warn_lo> ] [ <laser_temp> ] [ <laser_temp_flag> ] [ <laser_temp_alm_hi> ] [ <laser_temp_alm_lo> ] [ <laser_temp_warn_hi> ] [ <laser_temp_warn_lo> ] [ <pre_fec_ber_acc> ] [ <pre_fec_ber_acc_flag> ] [ <pre_fec_ber_acc_alm_hi> ] [ <pre_fec_ber_acc_alm_lo> ] [ <pre_fec_ber_acc_warn_hi> ] [ <pre_fec_ber_acc_warn_lo> ] [ <pre_fec_ber_min> ] [ <pre_fec_ber_min_flag> ] [ <pre_fec_ber_min_alm_hi> ] [ <pre_fec_ber_min_alm_lo> ] [ <pre_fec_ber_min_warn_hi> ] [ <pre_fec_ber_min_warn_lo> ] [ <pre_fec_ber_max> ] [ <pre_fec_ber_max_flag> ] [ <pre_fec_ber_max_alm_hi> ] [ <pre_fec_ber_max_alm_lo> ] [ <pre_fec_ber_max_warn_hi> ] [ <pre_fec_ber_max_warn_lo> ] [ <pre_fec_ber_cur> ] [ <pre_fec_ber_cur_flag> ] [ <pre_fec_ber_cur_alm_hi> ] [ <pre_fec_ber_cur_alm_lo> ] [ <pre_fec_ber_cur_warn_hi> ] [ <pre_fec_ber_cur_warn_lo> ] [ <uncorrect_ber_acc> ] [ <uncorrect_ber_acc_flag> ] [ <uncorrect_ber_acc_alm_hi> ] [ <uncorrect_ber_acc_alm_lo> ] [ <uncorrect_ber_min> ] [ <uncorrect_ber_min_flag> ] [ <uncorrect_ber_min_alm_hi> ] [ <uncorrect_ber_min_alm_lo> ] [ <uncorrect_ber_min_warn_hi> ] [ <uncorrect_ber_min_warn_lo> ] [ <uncorrect_ber_max> ] [ <uncorrect_ber_max_flag> ] [ <uncorrect_ber_max_alm_hi> ] [ <uncorrect_ber_max_alm_lo> ] [ <uncorrect_ber_max_warn_hi> ] [ <uncorrect_ber_max_warn_lo> ] [ <uncorrect_ber_cur> ] [ <uncorrect_ber_cur_flag> ] [ <uncorrect_ber_cur_alm_hi> ] [ <uncorrect_ber_cur_alm_lo> ] [ <uncorrect_ber_cur_warn_hi> ] [ <uncorrect_ber_cur_warn_lo> ] ]
```

### Syntax Description

show	Show running system information
interface	Show interface status and information
transceiver	Show interface transceiver information
fex-fabric	Show FEX interface transceiver information
calibrations	(Optional) Show interface transceiver calibration information

details	(Optional) Show interface transceiver detail information
__readonly__	(Optional) Read Only
interface	(Optional) Interface index
TABLE_interface	(Optional) show interface
sfp	(Optional) sfp
type	(Optional) type
name	(Optional) Name
partnum	(Optional) part number
rev	(Optional) revision
serialnum	(Optional) serial number
nom_bitrate	(Optional) Nominal bit rate in MBits/sec
len_50	(Optional) Link length supported for 50/125mm fiber
len_625	(Optional) Link length supported for 62.5/125mm fiber
ciscoid	(Optional) Cisco extended id
ciscoid_I	(Optional) Cisco extended id number
temp_slope	(Optional) Temperature slope
temp_offset	(Optional) Temperature offset
volt_slope	(Optional) Voltage slope
volt_offset	(Optional) Voltage offset
curr_slope	(Optional) Current slope
curr_offset	(Optional) Current offset
tx_pwr_slope	(Optional) Tx power slope
tx_pwr_offset	(Optional) Tx power offset
rx_pwr_4	(Optional) Rx power 4
rx_pwr_3	(Optional) Rx power 3
rx_pwr_2	(Optional) Rx power 2
rx_pwr_1	(Optional) Rx power 1
rx_pwr_0	(Optional) Rx power 0
lane_number	(Optional) Lane number

**show interface transceiver fex-fabric**

<i>temperature</i>	(Optional) Temperature
<i>temp_flag</i>	(Optional) Temperature Flag
<i>temp_alm_hi</i>	(Optional) Temperature Alarm High
<i>temp_alm_lo</i>	(Optional) Temperature Alarm Low
<i>temp_warn_hi</i>	(Optional) Temperature Warning High
<i>temp_warn_lo</i>	(Optional) Temperature Warning Low
<i>voltage</i>	(Optional) Voltage
<i>volt_flag</i>	(Optional) Voltage Flag
<i>volt_alm_hi</i>	(Optional) Voltage Alarm High
<i>volt_alm_lo</i>	(Optional) Voltage Alarm Low
<i>volt_warn_hi</i>	(Optional) Voltage Warning High
<i>volt_warn_lo</i>	(Optional) Voltage Warning Low
<i>current</i>	(Optional) Current
<i>current_flag</i>	(Optional) Current Flag
<i>current_alm_hi</i>	(Optional) Current Alarm High
<i>current_alm_lo</i>	(Optional) Current Alarm Low
<i>current_warn_hi</i>	(Optional) Current Warning High
<i>current_warn_lo</i>	(Optional) Current Warning Low
<i>tx_pwr</i>	(Optional) Tx Power
<i>tx_pwr_flag</i>	(Optional) Tx Power Flag
<i>tx_pwr_alm_hi</i>	(Optional) Tx Power Alarm High
<i>tx_pwr_alm_lo</i>	(Optional) Tx Power Alarm Low
<i>tx_pwr_warn_hi</i>	(Optional) Tx Power Warning High
<i>tx_pwr_warn_lo</i>	(Optional) Tx Power Warning Low
<i>rx_pwr</i>	(Optional) Rx Power
<i>rx_pwr_flag</i>	(Optional) Rx Power Flag
<i>rx_pwr_alm_hi</i>	(Optional) Rx Power Alarm High
<i>rx_pwr_alm_lo</i>	(Optional) Rx Power Alarm Low
<i>rx_pwr_warn_hi</i>	(Optional) Rx Power Warning High

<i>rx_pwr_warn_lo</i>	(Optional) Rx Power Warning Low
<i>xmit_faults</i>	(Optional) Transmit Fault Count
<i>snr</i>	(Optional) RX Signal-to-Noise Ratio (SNR)
<i>snr_flag</i>	(Optional) SNR Flag
<i>snr_alarm_hi</i>	(Optional) SNR Alarm High
<i>snr_alarm_lo</i>	(Optional) SNR Alarm Low
<i>snr_warn_hi</i>	(Optional) SNR Warning High
<i>snr_warn_lo</i>	(Optional) SNR Warning Low
<i>isi</i>	(Optional) Residual-Dispersion(ISI)
<i>isi_flag</i>	(Optional) ISI Flag
<i>isi_alarm_hi</i>	(Optional) ISI alarm high
<i>isi_alarm_lo</i>	(Optional) ISI alarm low
<i>isi_warn_hi</i>	(Optional) ISI warning high
<i>isi_warn_lo</i>	(Optional) ISI warning low
<i>pam</i>	(Optional) PAM Transition
<i>pam_flag</i>	(Optional) PAM Flag
<i>pam_alarm_hi</i>	(Optional) PAM alarm high
<i>pam_alarm_lo</i>	(Optional) PAM alarm low
<i>pam_warn_hi</i>	(Optional) PAM warning high
<i>pam_warn_lo</i>	(Optional) PAM warning low
<i>pre_fec_ber</i>	(Optional) Pre-FEC BER
<i>pre_fec_ber_flag</i>	(Optional) Pre-FEC BER flag
<i>pre_fec_ber_alarm_hi</i>	(Optional) Pre-FEC BER alarm high
<i>pre_fec_ber_alarm_lo</i>	(Optional) Pre-FEC BER alarm low
<i>pre_fec_ber_warn_hi</i>	(Optional) Pre-FEC BER warning high
<i>pre_fec_ber_warn_lo</i>	(Optional) Pre-FEC BER warning low
<i>uncorrect_ber</i>	(Optional) Uncorrected BER
<i>uncorrect_ber_flag</i>	(Optional) Uncorrected BER flag
<i>uncorrect_ber_alarm_hi</i>	(Optional) Uncorrected BER alarm high

**show interface transceiver fex-fabric**

<i>uncorrect_ber_alarm_lo</i>	(Optional) Uncorrected BER alarm low
<i>uncorrect_ber_warn_hi</i>	(Optional) Uncorrected BER warning high
<i>uncorrect_ber_warn_lo</i>	(Optional) Uncorrected BER warning low
<i>tec_current</i>	(Optional) TEC Current
<i>tec_current_flag</i>	(Optional) TEC Current flag
<i>tec_current_alarm_hi</i>	(Optional) TEC Current Alarm High
<i>tec_current_alarm_lo</i>	(Optional) TEC Current Alarm Low
<i>tec_current_warn_hi</i>	(Optional) TEC Current Warning High
<i>tec_current_warn_lo</i>	(Optional) TEC Current Warning Low
<i>laser_freq</i>	(Optional) Laser Frequency
<i>laser_freq_flag</i>	(Optional) Laser Frequency flag
<i>laser_freq_alarm_hi</i>	(Optional) Laser Frequency Alarm High
<i>laser_freq_alarm_lo</i>	(Optional) Laser Frequency Alarm Low
<i>laser_freq_warn_hi</i>	(Optional) Laser Frequency Warning High
<i>laser_freq_warn_lo</i>	(Optional) Laser Frequency Warning Low
<i>laser_temp</i>	(Optional) Laser Temperature
<i>laser_temp_flag</i>	(Optional) Laser Temperature flag
<i>laser_temp_alarm_hi</i>	(Optional) Laser Temperature Alarm High
<i>laser_temp_alarm_lo</i>	(Optional) Laser Temperature Alarm Low
<i>laser_temp_warn_hi</i>	(Optional) Laser Temperature Warning High
<i>laser_temp_warn_lo</i>	(Optional) Laser Temperature Warning Low
<i>pre_fec_ber_acc</i>	(Optional) Pre-FEC BER Acc
<i>pre_fec_ber_acc_flag</i>	(Optional) Pre-FEC BER Acc flag
<i>pre_fec_ber_acc_alarm_hi</i>	(Optional) Pre-FEC BER Acc alarm high
<i>pre_fec_ber_acc_alarm_lo</i>	(Optional) Pre-FEC BER Acc alarm low
<i>pre_fec_ber_acc_warn_hi</i>	(Optional) Pre-FEC BER Acc warning high
<i>pre_fec_ber_acc_warn_lo</i>	(Optional) Pre-FEC BER Acc warning low
<i>pre_fec_ber_min</i>	(Optional) Pre-FEC BER Min
<i>pre_fec_ber_min_flag</i>	(Optional) Pre-FEC BER Min flag

<i>pre_fec_ber_min_alm_hi</i>	(Optional) Pre-FEC BER Min alarm high
<i>pre_fec_ber_min_alm_lo</i>	(Optional) Pre-FEC BER Min alarm low
<i>pre_fec_ber_min_warn_hi</i>	(Optional) Pre-FEC BER Min warning high
<i>pre_fec_ber_min_warn_lo</i>	(Optional) Pre-FEC BER Min warning low
<i>pre_fec_ber_max</i>	(Optional) Pre-FEC BER Max
<i>pre_fec_ber_max_flag</i>	(Optional) Pre-FEC BER Max flag
<i>pre_fec_ber_max_alm_hi</i>	(Optional) Pre-FEC BER Max alarm high
<i>pre_fec_ber_max_alm_lo</i>	(Optional) Pre-FEC BER Max alarm low
<i>pre_fec_ber_max_warn_hi</i>	(Optional) Pre-FEC BER Max warning high
<i>pre_fec_ber_max_warn_lo</i>	(Optional) Pre-FEC BER Max warning low
<i>pre_fec_ber_cur</i>	(Optional) Pre-FEC BER Cur
<i>pre_fec_ber_cur_flag</i>	(Optional) Pre-FEC BER Cur flag
<i>pre_fec_ber_cur_alm_hi</i>	(Optional) Pre-FEC BER Cur alarm high
<i>pre_fec_ber_cur_alm_lo</i>	(Optional) Pre-FEC BER Cur alarm low
<i>pre_fec_ber_cur_warn_hi</i>	(Optional) Pre-FEC BER Cur warning high
<i>pre_fec_ber_cur_warn_lo</i>	(Optional) Pre-FEC BER Cur warning low
<i>uncorrect_ber_acc</i>	(Optional) Uncorrected BER Acc
<i>uncorrect_ber_acc_flag</i>	(Optional) Uncorrected BER Acc flag
<i>uncorrect_ber_acc_alm_hi</i>	(Optional) Uncorrected BER Acc alarm high
<i>uncorrect_ber_acc_alm_lo</i>	(Optional) Uncorrected BER Acc alarm low
<i>uncorrect_ber_acc_warn_hi</i>	(Optional) Uncorrected BER Acc warning high
<i>uncorrect_ber_acc_warn_lo</i>	(Optional) Uncorrected BER Acc warning low
<i>uncorrect_ber_min</i>	(Optional) Uncorrected BER Min
<i>uncorrect_ber_min_flag</i>	(Optional) Uncorrected BER Min flag
<i>uncorrect_ber_min_alm_hi</i>	(Optional) Uncorrected BER Min alarm high
<i>uncorrect_ber_min_alm_lo</i>	(Optional) Uncorrected BER Min alarm low
<i>uncorrect_ber_min_warn_hi</i>	(Optional) Uncorrected BER Min warning high
<i>uncorrect_ber_min_warn_lo</i>	(Optional) Uncorrected BER Min warning low
<i>uncorrect_ber_max</i>	(Optional) Uncorrected BER Max

show interface transceiver fex-fabric

<i>uncorrect_ber_max_flag</i>	(Optional) Uncorrected BER Max flag
<i>uncorrect_ber_max_alm_hi</i>	(Optional) Uncorrected BER Max alarm high
<i>uncorrect_ber_max_alm_lo</i>	(Optional) Uncorrected BER Max alarm low
<i>uncorrect_ber_max_warn_hi</i>	(Optional) Uncorrected BER Max warning high
<i>uncorrect_ber_max_warn_lo</i>	(Optional) Uncorrected BER Max warning low
<i>uncorrect_ber_cur</i>	(Optional) Uncorrected BER Cur
<i>uncorrect_ber_cur_flag</i>	(Optional) Uncorrected BER Cur flag
<i>uncorrect_ber_cur_alm_hi</i>	(Optional) Uncorrected BER Cur alarm high
<i>uncorrect_ber_cur_alm_lo</i>	(Optional) Uncorrected BER Cur alarm low
<i>uncorrect_ber_cur_warn_hi</i>	(Optional) Uncorrected BER Cur warning high
<i>uncorrect_ber_cur_warn_lo</i>	(Optional) Uncorrected BER Cur warning low

#### Command Mode

- /exec

# show interface trunk

```
show interface <ifeth_trnk> trunk [ __readonly__ { TABLE_interface <interface> <native> <status>
<portchannel> } { TABLE_allowed_vlans <interface> <allowedvlans> } { TABLE_errored_vlans <interface>
<erroredvlans> } { TABLE_stp_forward <interface> <stpfwd_vlans> } { TABLE_fabricpath_vlans <interface>
<fabricpath_vlans> } { TABLE_vtp_pruning <interface> <vtppruning_vlans> } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifeth_trnk</i>	Enter interface type and number in module/slot format
trunk	Show interface trunk information
<u>__readonly__</u>	(Optional) Read Only
<i>interface</i>	(Optional) Interface index
TABLE_interface	(Optional) show interface
TABLE_allowed_vlans	(Optional) show allowed vlans
TABLE_errored_vlans	(Optional) show errored vlans
TABLE_stp_forward	(Optional) show STP forwarding VLANs
TABLE_fabricpath_vlans	(Optional) show fabricpath VLANs
TABLE_vtp_pruning	(Optional) show VTP pruning VLANs
<i>status</i>	(Optional) Status
<i>native</i>	(Optional) Native VLAN
<i>portchannel</i>	(Optional) Port Channel
<i>allowedvlans</i>	(Optional) VLANs allowed and active in management domain
<i>erroredvlans</i>	(Optional) Errored VLANs
<i>stpfwd_vlans</i>	(Optional) STP Forwarding VLANs
<i>fabricpath_vlans</i>	(Optional) FabricPath VLANs
<i>vtppruning_vlans</i>	(Optional) VTP Pruning VLANs

## Command Mode

- /exec

show interface trunk

# show interface trunk

```
show interface trunk [ module <module> | vlan <vlan_id> | fex <fex_num> ] [ __readonly__ { TABLE_interface
<interface> <native> <status> <portchannel> } { TABLE_allowed_vlans <interface> <allowedvlans> } {
TABLE_errorred_vlans <interface> <erroredvlans> } { TABLE_stp_forward <interface> <stpfwd_vlans> } {
{ TABLE_fabricpath_vlans <interface> <fabricpath_vlans> } { TABLE_vtp_pruning <interface>
<vtppruning_vlans> } ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
trunk	Show interface trunk information
module	(Optional) Limit display to interfaces on module
<i>module</i>	(Optional) Enter module number
fex	(Optional) Limit display to interfaces on a FEX
<i>fex_num</i>	(Optional) Enter FEX number
vlan	(Optional) Show per vlan information for trunk
<i>vlan_id</i>	(Optional) Enter vlan range
<i>interface</i>	(Optional) Interface index
<u>__readonly__</u>	(Optional) Read Only
TABLE_interface	(Optional) show interface
TABLE_allowed_vlans	(Optional) show allowed vlans
TABLE_errorred_vlans	(Optional) show errorred vlans
TABLE_stp_forward	(Optional) show STP forwarding VLANs
TABLE_fabricpath_vlans	(Optional) show fabricpath VLANs
TABLE_vtp_pruning	(Optional) show VTP pruning VLANs
<i>status</i>	(Optional) Status
<i>native</i>	(Optional) Native VLAN
<i>portchannel</i>	(Optional) Port Channel
<i>allowedvlans</i>	(Optional) VLANs allowed and active in management domain
<i>erroredvlans</i>	(Optional) Errorred VLANs
<i>stpfwd_vlans</i>	(Optional) STP Forwarding VLANs

<i>fabricpath_vlans</i>	(Optional) FabricPath VLANs
<i>vtppruning_vlans</i>	(Optional) VTP Pruning VLANs

**Command Mode**

- /exec

show interface untagged-cos

## show interface untagged-cos

show interface untagged-cos [ module <mod\_num> ] [ \_\_readonly\_\_ <interface> <ucos-value> ]

### Syntax Description

show	Show running system information
interface	Show interface status and information
untagged-cos	Show interface untagged CoS information
module	(Optional) Limit display to interfaces on module
<i>mod_num</i>	(Optional) Enter module number
<u>__readonly__</u>	(Optional)
<i>interface</i>	(Optional) Interface index
<i>ucos-value</i>	(Optional) COS value

### Command Mode

- /exec

# show interface vlan mapping

```
show interface <ifindex> vlan mapping [ __readonly__ <if-index-id> { TABLE_vlan_xlt <orig-vlan-id>
<inner-vlan-id> <xlt-vlan-id> } <show-end> [ <true-end> ] ]
```

## Syntax Description

show	Show running system information
interface	Show interface status and information
<i>ifindex</i>	Enter interface type and number in module/slot format
vlan	Show VLAN information
mapping	VLAN translation mapping
<u>__readonly__</u>	(Optional) Read Only
TABLE_vlan_xlt	(Optional) Vlan translation table
<i>if-index-id</i>	(Optional) Interface index id
<i>orig-vlan-id</i>	(Optional) Original Vlan Id
<i>inner-vlan-id</i>	(Optional) Inner Vlan Id
<i>xlt-vlan-id</i>	(Optional) Translated Vlan Id
<i>show-end</i>	(Optional) Show vlan end marker
<i>true-end</i>	(Optional) Show vlan end marker

## Command Mode

- /exec

show inventory

# show inventory

```
show inventory [ chassis | fans | power_supply | module [ <module> ] | <s0> [ <santa-cruz-range> ] | all ] [ __readonly__ TABLE_inv <name> <desc> <productid> <vendorid> <serialnum> ]
```

## Syntax Description

show	Show running system information
inventory	system inventory information
chassis	(Optional) system inventory chassis information
fans	(Optional) system inventory fan information
power_supply	(Optional) system inventory power supply information
module	(Optional) system inventory module information
<i>module</i>	(Optional) please enter the module number
<i>s0</i>	(Optional) please enter the module number
<i>santa-cruz-range</i>	(Optional) please enter the xbar number
all	(Optional) system and transceiver inventory information
<u>__readonly__</u>	(Optional)
TABLE_inv	(Optional) Inventory table
<i>name</i>	(Optional) Name of inventory
<i>desc</i>	(Optional) Description of inventory
<i>productid</i>	(Optional) Product ID
<i>vendorid</i>	(Optional) Vendor ID
<i>serialnum</i>	(Optional) Serial Number

## Command Mode

- /exec

# show inventory fex

```
show inventory fex <i> [ __readonly__ TABLE_inv <name> <desc> <productid> <vendorid> <serialnum> ]
```

## Syntax Description

show	Show running system information
inventory	system inventory information
fex	Show fex physical inventory
<i>i</i>	Enter FEX identifier
__readonly__	(Optional)
TABLE_inv	(Optional) Inventory table
<i>name</i>	(Optional) Name of inventory
<i>desc</i>	(Optional) Description of inventory
<i>productid</i>	(Optional) Product ID
<i>vendorid</i>	(Optional) Vendor ID
<i>serialnum</i>	(Optional) Serial Number

## Command Mode

- /exec

## **show ip adjacency**

## **show ip adjacency**

## Syntax Description

show	Show running system information
ip	Display IP information
adjacency	Display adjacency table
<i>interface</i>	(Optional) Display specific interface adjacencies only
<i>ip-addr</i>	(Optional) IPV4 source address
detail	(Optional) Show detail information of adjacency entries
summary	(Optional) Show adjacency summary
non-best	(Optional) Show both best/non-best entries
throttle	(Optional) Throttle
statistics	(Optional) Show adjacency statistics
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Show adjacency entries for all vrfs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>invalid_pkt_cnt</i>	(Optional)
<i>invalid_byte_cnt</i>	(Optional)
<i>global_drop_pkt_cnt</i>	(Optional)
<i>global_drop_byte_cnt</i>	(Optional)

<i>global_punt_pkt_cnt</i>	(Optional)
<i>global_punt_byte_cnt</i>	(Optional)
<i>global_glean_pkt_cnt</i>	(Optional)
<i>global_glean_byte_cnt</i>	(Optional)
<i>glean_pkt_cnt</i>	(Optional)
<i>glean_byte_cnt</i>	(Optional)
<i>normal_pkt_cnt</i>	(Optional)
<i>normal_byte_cnt</i>	(Optional)
<i>last_updated</i>	(Optional)
<i>count-static</i>	(Optional)
<i>count-dynamic</i>	(Optional)
<i>count-others</i>	(Optional)
<i>count-throttle</i>	(Optional)
<i>count-total</i>	(Optional)
<i>TABLE_afi</i>	(Optional)
<i>afi</i>	(Optional)
<i>count</i>	(Optional)
<i>TABLE_adj</i>	(Optional)
<i>intf-out</i>	(Optional)
<i>phy-intf</i>	(Optional)
<i>ip-addr-out</i>	(Optional)
<i>mac</i>	(Optional)
<i>pref</i>	(Optional)
<i>owner</i>	(Optional)
<i>pkt-count</i>	(Optional)
<i>byte-count</i>	(Optional)
<i>is-best</i>	(Optional)
<i>is-thrtld</i>	(Optional)

**Command Mode**

```
show ip adjacency
```

- /exec

# show ip amt relay

```
show { ip | ipv6 } amt relay [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__ TABLE_vrf <vrf>
<tut> <ra> <nbs> <ldn> <nts> <lrn> <lra> <lq> <uc> <rc4> <rc6> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
vrf	(Optional) Display information for VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
amt	AMT show commands
relay	Display status information about the AMT Relay
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>tut</i>	(Optional)
<i>ra</i>	(Optional)
<i>vrf</i>	(Optional)
<i>nbs</i>	(Optional)
<i>ldn</i>	(Optional)
<i>nts</i>	(Optional)
<i>lrn</i>	(Optional)
<i>lra</i>	(Optional)
<i>lq</i>	(Optional)
<i>uc</i>	(Optional)
<i>rc4</i>	(Optional)
<i>rc6</i>	(Optional)

## Command Mode

- /exec

show ip amt route

# show ip amt route

```
show { ip | ipv6 } amt route [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__ TABLE_vrf <vrf>
<rc4> <rc6> { TABLE_route <addrs> <if> <nbr> <gwa> <gw_exp> } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
vrf	(Optional) Display information for VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
amt	AMT show commands
route	Display multicast routes learned via AMT
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
<i>rc4</i>	(Optional)
<i>rc6</i>	(Optional)
TABLE_route	(Optional)
<i>addrs</i>	(Optional)
<i>if</i>	(Optional)
<i>nbr</i>	(Optional)
<i>gwa</i>	(Optional)
<i>gw_exp</i>	(Optional)

## Command Mode

- /exec

# show ip amt tunnel

```
show ip amt tunnel [ <address4><port> ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__  
TABLE_vrf <vrf> <tc4> { TABLE_tunnel <gwa> <gwp> <ut> <ld> <lr> <rc> <exp> { TABLE_route  
<source> <group> <rexp> } } ]
```

## Syntax Description

show	Show running system information
amt	AMT show commands
ip	Display IP information
tunnel	Display tunnel information
vrf	(Optional) Display information for VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>address4</i>	(Optional) IP address of tunnel endpoint
<i>port</i>	(Optional) UDP port number of gateway
detail	(Optional) Display routes joined by tunnel endpoint
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
<i>tc4</i>	(Optional)
TABLE_tunnel	(Optional)
<i>gwa</i>	(Optional)
<i>gwp</i>	(Optional)
<i>ut</i>	(Optional)
<i>ld</i>	(Optional)
<i>lr</i>	(Optional)
<i>rc</i>	(Optional)
<i>exp</i>	(Optional)
TABLE_route	(Optional)
<i>source</i>	(Optional)

```
show ip amt tunnel
```

<i>group</i>	(Optional)
<i>rexp</i>	(Optional)

**Command Mode**

- /exec

# show ip arp

```
show ip arp [ [ [ <ip-address> | [ sync-entries | fhrp-non-active-learn ] [ detail ] | static | summary | [ summary
] <interface> ] ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf-name-out>
[ <cnt-resolved> ] [ <cnt-incomplete> ] [ <cnt-thrtld-incomplete> ] [ <cnt-unknown> ] [ <cnt-total> ] [
TABLE_adj <intf-out> <ip-addr-out> [ <time-stamp> ] <mac> [ <phy-intf> ] [ <unknown> ] [ <incomplete>
] [ <flags> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
summary	(Optional) Display ARP adjacency summary
detail	(Optional) Display detailed information
sync-entries	(Optional) Display ARP table learnt only due to arp table sync
fhrp-non-active-learn	(Optional) Display ARP table learnt only due to request for non-active FHRP address
<i>interface</i>	(Optional) ARP interface
<i>ip-address</i>	(Optional) IP address
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display ARP entries for all vrf's
static	(Optional) Display Static ARP entries
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>cnt-resolved</i>	(Optional)
<i>cnt-incomplete</i>	(Optional)
<i>cnt-thrtld-incomplete</i>	(Optional)
<i>cnt-unknown</i>	(Optional)
<i>cnt-total</i>	(Optional)

**show ip arp**

TABLE_adj	(Optional)
<i>intf-out</i>	(Optional)
<i>ip-addr-out</i>	(Optional)
<i>time-stamp</i>	(Optional)
<i>mac</i>	(Optional)
<i>phy-intf</i>	(Optional)
<i>unknown</i>	(Optional)
<i>incomplete</i>	(Optional)
<i>flags</i>	(Optional)

**Command Mode**

- /exec

# show ip arp anycast topo-info

show ip arp anycast topo-info [ <topo-id> ] [ \_\_readonly\_\_ { TABLE\_ip\_arp\_anycast\_topo\_info [ <ip\_arp\_anycat\_topo\_id> ] [ <ip\_arp\_anycast\_feature> ] [ <ip\_arp\_anycast\_mode> ] } ]

## Syntax Description

show	Show running system information
ip	Configure IP features
arp	Configure ARP parameters
anycast	anycast feature info
topo-info	Per topology specific information
<i>topo-id</i>	(Optional) Topology ID (VLAN-ID or BD-ID)
__readonly__	(Optional)
TABLE_ip_arp_anycast_topo_info	(Optional) Show ip arp anycast topo-info
<i>ip_arp_anycat_topo_id</i>	(Optional)
<i>ip_arp_anycast_feature</i>	(Optional)
<i>ip_arp_anycast_mode</i>	(Optional)

## Command Mode

- /exec

**show ip arp cache**

## show ip arp cache

show ip arp cache { { brief | detail } | { interface [ <intf> ] } } [ operational ]

### Syntax Description

show	Show running system information
ip	Display IP information
arp	arp
cache	Display ip arp cache
interface	Display ip arp related interface information
brief	Display summary of arp interface status and configuration
detail	Display detailed information of arp interface status and configuration
operational	(Optional) Display only interfaces that are administratively enabled
<i>intf</i>	(Optional) Interface name to display

### Command Mode

- /exec

# show ip arp client

```
show ip arp client [ __readonly__ { <arp-clients> } [ TABLE_arp_client_list { <arp-cli-uuid><l2-client-type><client-flg><mts-addr-sap><cli-msg-cnt> [ <l2-cli-func-name> ] [ <l2-cli-dbg-func> ] [ <l2-cli-dbg-un-init-func> ] } ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
client	Display ARP Client table
<u>__readonly__</u>	(Optional)
<i>arp-clients</i>	(Optional)
TABLE_arp_client_list	(Optional)
<i>arp-cli-uuid</i>	(Optional)
<i>l2-client-type</i>	(Optional)
<i>client-flg</i>	(Optional)
<i>mts-addr-sap</i>	(Optional)
<i>cli-msg-cnt</i>	(Optional)
<i>l2-cli-func-name</i>	(Optional)
<i>l2-cli-dbg-func</i>	(Optional)
<i>l2-cli-dbg-un-init-func</i>	(Optional)

## Command Mode

- /exec

show ip arp controller-statistics

# show ip arp controller-statistics

```
show ip arp controller-statistics [ __readonly__ { TABLE_ip_arp_controller_statistics [
<arp_adj_controller_add_count> ] [ <arp_adj_controller_del_count> ] [ <arp_adj_controller_add_err_count>
] [ <arp_adj_controller_del_err> ] } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
controller-statistics	Controller statistics
<u>__readonly__</u>	(Optional)
TABLE_ip_arp_controller_statistics	(Optional) Show controller-statistics
<i>arp_adj_controller_add_count</i>	(Optional)
<i>arp_adj_controller_del_count</i>	(Optional)
<i>arp_adj_controller_add_err_count</i>	(Optional)
<i>arp_adj_controller_del_err</i>	(Optional)

## Command Mode

- /exec

# show ip arp esi

```
show ip arp esi [ __readonly__ { TABLE_ip_arp_esi [ <ip_arp_esi_interface> ] [ <ip_arp_esi_value> ] } ]
```

## Syntax Description

show	Show running system information
ip	Configure IP features
arp	Configure ARP parameters
esi	ESI information
__readonly__	(Optional)
TABLE_ip_arp_esi	(Optional) Show ip arp esi
<i>ip_arp_esi_interface</i>	(Optional)
<i>ip_arp_esi_value</i>	(Optional)

## Command Mode

- /exec

show ip arp inspection

# show ip arp inspection

```
show ip arp inspection [ __readonly__ <src_mac_valid> <dest_mac_valid> <ip_addr_valid> TABLE_entry
<active_vlan_id> <is_insp_enabled> <oper_state> <acl_name> <is_static_acl> <acl_logging> <dhcp_logging>
<req_fwded> <res_fwded> <req_dropped> <res_dropped> <dhcp_drops> <acl_drops> <dhcp_permits>
<acl_permits> <req_smac_fails> <res_smac_fails> <res_dmac_fails> <req_ip_fails> <res_ip_fails> ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
arp	IP ARP table
inspection	Status of ARP Inspection
<u>__readonly__</u>	(Optional)
<i>src_mac_valid</i>	(Optional)
<i>dest_mac_valid</i>	(Optional)
<i>ip_addr_valid</i>	(Optional)
TABLE_entry	(Optional)
<i>active_vlan_id</i>	(Optional)
<i>is_insp_enabled</i>	(Optional)
<i>oper_state</i>	(Optional)
<i>acl_name</i>	(Optional)
<i>is_static_acl</i>	(Optional)
<i>acl_logging</i>	(Optional)
<i>dhcp_logging</i>	(Optional)

## Command Mode

- /exec

# show ip arp inspection interfaces

show ip arp inspection interfaces [ <intf1> ] [ \_\_readonly\_\_ TABLE\_intf <intf\_header> <intf2> <trust\_state> ]

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
arp	IP ARP table
inspection	Status of ARP Inspection
interfaces	Trust status of all interfaces
<i>intf1</i>	(Optional) interface
<u>__readonly__</u>	(Optional)
TABLE_intf	(Optional)
<i>intf_header</i>	(Optional)
<i>intf2</i>	(Optional)
<i>trust_state</i>	(Optional)

## Command Mode

- /exec

show ip arp inspection log

# show ip arp inspection log

show ip arp inspection log [ \_\_readonly\_\_ <log\_buff\_size><log\_rate\_entries><log\_rate\_interval><log\_frame> ]

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
arp	IP ARP table
inspection	Status of ARP Inspection
log	Log Buffer
<u>__readonly__</u>	(Optional)
<i>log_buff_size</i>	(Optional)
<i>log_rate_entries</i>	(Optional)
<i>log_rate_interval</i>	(Optional)
<i>log_frame</i>	(Optional)

## Command Mode

- /exec

# show ip arp inspection statistics

```
show ip arp inspection statistics [ vlan <vlan-range> ] [ __readonly__ TABLE_stats <vlanid> <req_fwded>
<res_fwded><req_dropped><res_dropped><dhcp_drops> [ <acl_drops> ] <dhcp_permits> [ <acl_permits>
] <req_smac_fails> <res_smac_fails> <res_dmac_fails> <req_ip_fails> <res_ip_fails> ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
arp	IP ARP table
inspection	Status of ARP Inspection
statistics	Status of ARP Inspection
vlan	(Optional) Selected vlan range
<i>vlan-range</i>	(Optional) VLAN ID 1-4094 or range(s): 1-5, 10 or 2-5,7-19
<u>__readonly__</u>	(Optional)
TABLE_stats	(Optional)
<i>vlanid</i>	(Optional)

## Command Mode

- /exec

show ip arp inspection vlan

## show ip arp inspection vlan

```
show ip arp inspection vlan <vlan-range> [ __readonly__ <src_mac_valid> <dest_mac_valid> <ip_addr_valid>
TABLE_vlan <active_vlan_id> <is_insp_enabled> <oper_state> <acl_name> <is_static_acl> <acl_logging>
<dhcp_logging> ]
```

### Syntax Description

show	Show running system information
ip	Show the IP features of the system
arp	IP ARP table
inspection	Status of ARP Inspection
vlan	Selected vlan range
<i>vlan-range</i>	VLAN ID 1-4094 or range(s): 1-5, 10 or 2-5,7-19
<i>__readonly__</i>	(Optional)
<i>src_mac_valid</i>	(Optional)
<i>dest_mac_valid</i>	(Optional)
<i>ip_addr_valid</i>	(Optional)
<i>TABLE_vlan</i>	(Optional)
<i>active_vlan_id</i>	(Optional)
<i>is_insp_enabled</i>	(Optional)
<i>oper_state</i>	(Optional)
<i>acl_name</i>	(Optional)
<i>is_static_acl</i>	(Optional)
<i>acl_logging</i>	(Optional)
<i>dhcp_logging</i>	(Optional)

### Command Mode

- /exec

# show ip arp multihoming-statistics

```
show ip arp multihoming-statistics [ <interface> ] [ interface-all ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf-name-out2> TABLE_stat <psRecvAddL2rib> <psRecvDelL2rib> <psRecvRemoteUpdL2rib> <psRecvPcShutL2rib> <psProcAddL2rib> <psProcDelL2rib> <psProcRemoteUpdL2rib> <psProcPcShutL2rib> <psAddErrInvalidFlags> <psDelErrInvalidFlags> <psAddErrInvalidCurrState> <psDelErrInvalidCurrState> <psDelErrMacMismatch> <psDelErrTlRoute> <tlDelErrPsroRoute> <psDelErrSecDel> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
multihoming-statistics	Display ARP Multihoming stats
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display ARP Multihoming statistics for all vrfs
interface-all	(Optional) Display ARP Multihoming statistics for all interface
<i>interface</i>	(Optional) ARP interface
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out2</i>	(Optional)
TABLE_stat	(Optional)
<i>ps-recv-add-l2rib</i>	(Optional)
<i>ps-recv-del-l2rib</i>	(Optional)
<i>ps-recv-remote-upd-l2rib</i>	(Optional)
<i>ps-recv-pc-shut-l2rib</i>	(Optional)
<i>ps-proc-add-l2rib</i>	(Optional)
<i>ps-proc-del-l2rib</i>	(Optional)
<i>ps-proc-remote-upd-l2rib</i>	(Optional)
<i>ps-proc-pc-shut-l2rib</i>	(Optional)

**show ip arp multihoming-statistics**

<i>ps-add-err-invalid-flags</i>	(Optional)
<i>ps-del-err-invalid-flags</i>	(Optional)
<i>ps-add-err-invalid-curr-state</i>	(Optional)
<i>ps-del-err-invalid-curr-state</i>	(Optional)
<i>ps-del-err-mac-mismatch</i>	(Optional)
<i>ps-del-err-tl-route</i>	(Optional)
<i>tl-del-err-psro-route</i>	(Optional)
<i>ps-del-err-sec-del</i>	(Optional)

**Command Mode**

- /exec

# show ip arp off-list

```
show ip arp off-list [ { vlan | bdi } <vlan-id> ] [ __readonly__ [ <offlist-vlan-id> <vlan-adj-cnt> ] [ <arp-sync-adj-cnt> ] { TABLE_arp_vlan_list <adj-vlan-id> <off-adj-ip-addr> <time-stamp> <arp-mac-addr> <off-adj-flags> } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
off-list	Show adjacencies in off-list arp database
vlan	(Optional) Vlan id
bdi	(Optional) Bridge Domain Name/Id
<i>vlan-id</i>	(Optional) Show information for specified vlan
<i>__readonly__</i>	(Optional)
<i>offlist-vlan-id</i>	(Optional)
<i>vlan-adj-cnt</i>	(Optional)
<i>arp-sync-adj-cnt</i>	(Optional)
TABLE_arp_vlan_list	(Optional)
<i>adj-vlan-id</i>	(Optional)
<i>off-adj-ip-addr</i>	(Optional)
<i>time-stamp</i>	(Optional)
<i>arp-mac-addr</i>	(Optional)
<i>off-adj-flags</i>	(Optional)

## Command Mode

- /exec

show ip arp open-flow error-statistics

## show ip arp open-flow error-statistics

```
show ip arp open-flow error-statistics [ __readonly__ { TABLE_ip_arp_open_flow_error_statistics [
<arp_ofa_total_err_cnt> ] [ <arp_ofa_dp_adj_err_on_del> ] [ <arp_ofa_cp_mac_mismatch_err_on_del> ] [
<arp_ofa_cp_null_mac_err_on_del> ] [ <arp_ofa_cp_no_adj_err_on_del_flag> ] [
<arp_ofa_cp_cp_nh_mismatch_err_on_del> ] [ <arp_ofa_cp_adj_del_failure_err> ] [
<arp_ofa_cp_null_mac_err_on_add> ] [ <arp_ofa_cp_dp_mac_mismatch_err_on_add> ] [
<arp_ofa_cp_cp_mac_mismatch_err_on_add> ] [ <arp_ofa_cp_added_first_err> ] [
<arp_ofa_dp_overwrite_cp_err> ] [ <arp_ofa_dp_cp_nh_mismatch_err_on_add> ] [
<arp_ofa_cp_cp_nh_mismatch_err_on_add> ] [ <arp_ofa_cp_dp_nh_mismatch_err_on_add> ] [
<arp_ofa_cp_adj_add_failure_err> ] [ <arp_ofa_barrier_response_err> ] } ]
```

### Syntax Description

show	Show running system information
ip	Configure IP features
arp	Configure ARP parameters
open-flow	open flow
error-statistics	IR mode specific adjacency statistics
<u>__readonly__</u>	(Optional)
TABLE_ip_arp_open_flow_error_statistics	(Optional) Arp OFA stats
<i>arp_ofa_total_err_cnt</i>	(Optional)
<i>arp_ofa_dp_adj_err_on_del</i>	(Optional)
<i>arp_ofa_cp_mac_mismatch_err_on_del</i>	(Optional)
<i>arp_ofa_cp_null_mac_err_on_del</i>	(Optional)
<i>arp_ofa_cp_no_adj_err_on_del_flag</i>	(Optional)
<i>arp_ofa_cp_cp_nh_mismatch_err_on_del</i>	(Optional)
<i>arp_ofa_cp_adj_del_failure_err</i>	(Optional)
<i>arp_ofa_cp_null_mac_err_on_add</i>	(Optional)
<i>arp_ofa_cp_dp_mac_mismatch_err_on_add</i>	(Optional)
<i>arp_ofa_cp_cp_mac_mismatch_err_on_add</i>	(Optional)
<i>arp_ofa_cp_added_first_err</i>	(Optional)
<i>arp_ofa_dp_overwrite_cp_err</i>	(Optional)
<i>arp_ofa_dp_cp_nh_mismatch_err_on_add</i>	(Optional)
<i>arp_ofa_cp_cp_nh_mismatch_err_on_add</i>	(Optional)

<i>arp_ofa_cp_dp_nh_mismatch_err_on_add</i>	(Optional)
<i>arp_ofa_cp_adj_add_failure_err</i>	(Optional)
<i>arp_ofa_barrier_response_err</i>	(Optional)

**Command Mode**

- /exec

show ip arp snmp pttree

## show ip arp snmp pttree

show ip arp snmp pttree { static | dynamic | virtual | typeall } [ vrf { <vrf-name> | <vrf-known-name> | all } ]

### Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
snmp	Show only snmp pttree
pttree	Patricia tree
static	show only static adjacencies in pt tree
dynamic	show only dynamic adjacencies in pt tree
virtual	show only virtual adjacencies in pt tree
typeall	show all adjacencies in pt tree
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display ARP statistics for all vrfs

### Command Mode

- /exec

# show ip arp statistics

```
show ip arp statistics [ <interface> ] [ interface-all ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf-name-out1> TABLE_stat <tx-total> <tx-req> <tx-reply> <tx-req-l2> <tx-reply-l2> <tx-grat> <tx-tunnel> <tx-drop> <tx-srvrport> <tx-fbreport> <tx-fixup-core> <tx-fixup-server> <tx-fixup-rarp> <tx-anycast-glean> <tx-mbuf-fail> <tx-ctxt-not-crtd> <tx-bad-ctxt-id> <tx-invalid-ifindex> <tx-invalid-sip> <tx-invalid-dip> <tx-own-ip> <tx-unattached-ip> <tx-adj-create-fail> <tx-null-sip> <tx-null-smac> <tx-client-enq-fail> <tx-dest-unreachable-proxy-arp> <tx-dest-unreachable-enhanced-proxy> <tx-dest-l2port-track> <tx-invalid-local-proxy> <tx-invalid-proxy> <tx-vip-not-active> <tx-multiple-vip-for-proxy> <rx-total> <rx-req> <rx-reply> <rx-req-l2> <rx-reply-l2> <rx-proxy> <rx-local-proxy> <rx-enhanced-proxy> <rx-enhanced-proxy-anycast> <rx-enhanced-proxy-l2port-track> <rx-tunnel> <rx-fastpath> <rx-snoop> <rx-drop> <rx-srvrport> <bad-if> <bad-len> <invalid-prot> <invalid-hrd-type> <invalid-ctxt> <ctxt-not-crtd> <invalid-l2> <invalid-l3> <invalid-sip> <our-sip> <arp-if-no-mem> <subnet-mismatch> <dir-bcast> <invalid-dip> <non-local-dst> <non-active-fhrp> <invalid-smac> <our-smac> <not-init> <l2-prxy-en> <l2-port-untrusted> <stdby-fhrp-vip> <grat-prxy-en> <arp-req-ignore> <l2-intf> <l2fm-query-fail> <tunnel_fail> <hsrp-active-vmac> <rx-intf-down> <adds> <dels> <timeouts> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
statistics	Display ARP statistics
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display ARP statistics for all vrfs
interface-all	(Optional) Display ARP statistics for all interface
<i>interface</i>	(Optional) ARP interface
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out1</i>	(Optional)
TABLE_stat	(Optional)
<i>tx-total</i>	(Optional)
<i>tx-req</i>	(Optional)
<i>tx-reply</i>	(Optional)

**show ip arp statistics**

<i>tx-req-l2</i>	(Optional)
<i>tx-reply-l2</i>	(Optional)
<i>tx-grat</i>	(Optional)
<i>tx-tunnel</i>	(Optional)
<i>tx-drop</i>	(Optional)
<i>tx-srvrport</i>	(Optional)
<i>tx-fbrcport</i>	(Optional)
<i>tx-fixup-core</i>	(Optional)
<i>tx-fixup-server</i>	(Optional)
<i>tx-fixup-rarp</i>	(Optional)
<i>tx-anycast-glean</i>	(Optional)
<i>tx-mbuf-fail</i>	(Optional)
<i>tx-ctxt-not-crtd</i>	(Optional)
<i>tx-bad-ctxt-id</i>	(Optional)
<i>tx-invalid-ifindex</i>	(Optional)
<i>tx-invalid-sip</i>	(Optional)
<i>tx-invalid-dip</i>	(Optional)
<i>tx-own-ip</i>	(Optional)
<i>tx-unattached-ip</i>	(Optional)
<i>tx-adj-create-fail</i>	(Optional)
<i>tx-null-sip</i>	(Optional)
<i>tx-null-smac</i>	(Optional)
<i>tx-client-enq-fail</i>	(Optional)
<i>tx-dest-unreachable-proxy-arp</i>	(Optional)
<i>tx-dest-unreachable-enhanced-proxy</i>	(Optional)
<i>tx-dest-l2port-track</i>	(Optional)
<i>tx-invalid-local-proxy</i>	(Optional)
<i>tx-invalid-proxy</i>	(Optional)
<i>tx-vip-not-active</i>	(Optional)

<i>tx-multiple-vip-for-proxy</i>	(Optional)
<i>rx-total</i>	(Optional)
<i>rx-req</i>	(Optional)
<i>rx-reply</i>	(Optional)
<i>rx-req-l2</i>	(Optional)
<i>rx-reply-l2</i>	(Optional)
<i>rx-proxy</i>	(Optional)
<i>rx-local-proxy</i>	(Optional)
<i>rx-enhanced-proxy</i>	(Optional)
<i>rx-enhanced-proxy-anycast</i>	(Optional)
<i>rx-enhanced-proxy-l2port-track</i>	(Optional)
<i>rx-tunnel</i>	(Optional)
<i>rx-fastpath</i>	(Optional)
<i>rx-snoop</i>	(Optional)
<i>rx-drop</i>	(Optional)
<i>rx-srvrport</i>	(Optional)
<i>bad-if</i>	(Optional)
<i>bad-len</i>	(Optional)
<i>invalid-prot</i>	(Optional)
<i>invalid-hrd-type</i>	(Optional)
<i>invalid-ctxt</i>	(Optional)
<i>ctxt-not-crtd</i>	(Optional)
<i>invalid-l2</i>	(Optional)
<i>invalid-l3</i>	(Optional)
<i>invalid-sip</i>	(Optional)
<i>our-sip</i>	(Optional)
<i>arp-if-no-mem</i>	(Optional)
<i>subnet-mismatch</i>	(Optional)
<i>dir-bcast</i>	(Optional)

**show ip arp statistics**

<i>invalid-dip</i>	(Optional)
<i>non-local-dst</i>	(Optional)
<i>non-active-fhrp</i>	(Optional)
<i>invalid-smac</i>	(Optional)
<i>our-smac</i>	(Optional)
<i>not-init</i>	(Optional)
<i>l2-prxy-en</i>	(Optional)
<i>l2-port-untrusted</i>	(Optional)
<i>stdby-fhrp-vip</i>	(Optional)
<i>grat-prxy-en</i>	(Optional)
<i>arp-req-ignore</i>	(Optional)
<i>l2-intf</i>	(Optional)
<i>l2fm-query-fail</i>	(Optional)
<i>tunnel_fail</i>	(Optional)
<i>hsrp-active-vmac</i>	(Optional)
<i>rx-intf-down</i>	(Optional)
<i>adds</i>	(Optional)
<i>dels</i>	(Optional)
<i>timeouts</i>	(Optional)

#### Command Mode

- /exec

# show ip arp suppression-cache

```
show ip arp suppression-cache { detail [ vlan <vlan_id> ] | summary | statistics | vlan <vlan_id> | local [ vlan <vlan_id> ] | remote [ vlan <vlan_id> ] } [ __readonly__ TABLE_arp-suppression [ TABLE_entries <ip-addr> <age> <mac> <vlan> <physical-iod> <flag> ] [ TABLE_summary <remote-count> <synced-count> <local-count> <total-count> ] [ TABLE_stats TABLE_suppressed <total> <requests> <gratuitous> <requests-on-l2> <gratuitous-on-l2> TABLE_sent <total-sent> <requests-sent> <replies-sent> <requests-on-core-sent> <replies-on-core-sent> <dropped-sent> <requests-on-l2-sent> <replies-on-l2-sent> <requests-on-core-l2-sent> <replies-on-core-l2-sent> <dropped-l2-sent> TABLE_received <total-recv> <requests-recv> <replies-recv> <requests-on-l2-recv> <replies-on-l2-recv> <gratuitous-recv> <dropped-recv> <gratuitous-l2-recv> <dropped-l2-recv> <local-requests-recv> <local-replies-recv> TABLE_entrystats <adds> <dels> ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
suppression-cache	arp-suppression-cache
detail	show details
summary	show summary
statistics	show statistics
local	show local entries
remote	show remote entries
vlan	(Optional) L2vlan
<i>vlan_id</i>	(Optional) Vlan
<u>__readonly__</u>	(Optional)
TABLE_arp-suppression	(Optional)
TABLE_entries	(Optional)
<i>ip-addr</i>	(Optional)
<i>age</i>	(Optional)
<i>mac</i>	(Optional)
<i>vlan</i>	(Optional)
<i>physical-iod</i>	(Optional)
<i>flag</i>	(Optional)

**show ip arp suppression-cache**

TABLE_summary	(Optional)
<i>remote-count</i>	(Optional)
<i>synced-count</i>	(Optional)
<i>local-count</i>	(Optional)
<i>total-count</i>	(Optional)
TABLE_stats	(Optional)
TABLE_suppressed	(Optional)
<i>total</i>	(Optional)
<i>requests</i>	(Optional)
<i>requests-on-l2</i>	(Optional)
<i>gratuitous</i>	(Optional)
<i>gratuitous-on-l2</i>	(Optional)
TABLE_sent	(Optional)
<i>total-sent</i>	(Optional)
<i>requests-sent</i>	(Optional)
<i>replies-sent</i>	(Optional)
<i>requests-on-core-sent</i>	(Optional)
<i>replies-on-core-sent</i>	(Optional)
<i>dropped-sent</i>	(Optional)
<i>requests-on-l2-sent</i>	(Optional)
<i>replies-on-l2-sent</i>	(Optional)
<i>requests-on-core-l2-sent</i>	(Optional)
<i>replies-on-core-l2-sent</i>	(Optional)
<i>dropped-l2-sent</i>	(Optional)
TABLE_received	(Optional)
<i>total-recv</i>	(Optional)
<i>requests-recv</i>	(Optional)
<i>local-requests-recv</i>	(Optional)
<i>replies-recv</i>	(Optional)

<i>local-replies-recv</i>	(Optional)
<i>gratuitous-recv</i>	(Optional)
<i>dropped-recv</i>	(Optional)
<i>requests-on-l2-recv</i>	(Optional)
<i>replies-on-l2-recv</i>	(Optional)
<i>gratuitous-l2-recv</i>	(Optional)
<i>dropped-l2-recv</i>	(Optional)
TABLE_entrystats	(Optional)
<i>adds</i>	(Optional)
<i>dels</i>	(Optional)

**Command Mode**

- /exec

**show ip arp suppression topo-info**

## show ip arp suppression topo-info

show ip arp suppression topo-info [ <topo-id> ] [ \_\_readonly\_\_ { TABLE\_ip\_arp\_suppression\_topo\_info [ <ip\_arp\_suppression\_topo\_id> ] [ <ip\_arp\_suppression\_mode> ] } ]

### Syntax Description

show	Show running system information
ip	Configure IP features
arp	Configure ARP parameters
suppression	ARP-suppression based event
topo-info	E-VPN identifier
<i>topo-id</i>	(Optional) E-VPN identifier (VLAN-ID or BD-ID)
<u>__readonly__</u>	(Optional)
TABLE_ip_arp_suppression_topo_info	(Optional) Show suppression topo-info
<i>ip_arp_suppression_topo_id</i>	(Optional)
<i>ip_arp_suppression_mode</i>	(Optional)

### Command Mode

- /exec

# show ip arp tunnel-statistics

```
show ip arp tunnel-statistics [ __readonly__ { TABLE_ip_arp_tunnel_stat [ <arp-tun-pkt-rcv-cnt> ] [ <arp-tun-pkt-rcv-ing-vpc> ] [ <arp-tun-pkt-rcv-ing-gpc> ] [ <arp-tun-pkt-rcv-ing-orp-vpc> ] [ <arp-tun-pkt-rcv-ing-orp-vpc-pl> ] [ <arp-tun-pkt-snd-cnt> ] [ <arp-tun-pkt-snd-snoop-cnt> ] [ <arp-tun-pkt-snd-non-local-vip-cnt> ] [ <arp-tun-pkt-snd-peer-gate-cnt> ] [ <arp-tun-pkt-snd-ing-vpc> ] [ <arp-tun-pkt-snd-ing-gpc> ] [ <arp-tun-pkt-snd-ing-orp-vpc> ] [ <arp-tun-pkt-snd-ing-orp-vpc-pl> ] [ <arp-tun-pkt-rcv-drp-cnt> ] [ <arp-tun-pkt-snd-drp-cnt> ] [ <arp-tun-pkt-snd-drp-snd-fail-cnt> ] [ <arp-tun-pkt-rcv-drp-ver-cnt> ] [ <arp-tun-pkt-rcv-drp-pl-cnt> ] [ <arp-tun-pkt-rcv-drp-ing-non-mct> ] [ <arp-tun-pkt-rcv-drp-inv-ing-intf> ] [ <arp-tun-pkt-snd-drp-inv-ing-intf> ] [ <arp-tun-pkt-rcvdrp-inv-gpc-core-sw> ] [ <arp-tun-pkt-rcvdrp-inv-gpc-peer-sw> ] [ <arp-tun-pkt-drp-inv-mcec> ] [ <arp-tun-pkt-im-api-fail> ] [ <arp-tun-pkt-drp-ctxt-inv> ] [ <arp-tun-pkt-drp-mct-dwn> ] [ <arp-tun-pkt-rcv-drp-mbuf-op-fail> ] [ <arp-tun-pkt-snd-drp-mbuf-op-fail> ] [ <arp-tun-pkt-snd-drp-tunnel> ] [ <arp-tun-pkt-snd-drp-ce> ] [ <arp-tun-pkt-snd-drp-inv-gpc> ] [ <arp-tun-pkt-rcv-drp-inv-gpc> ] [ <arp-tun-pkt-sys-mcecm-key-not-found> ] } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
tunnel-statistics	Display ARP statistics for tunneled packets
<u>__readonly__</u>	(Optional)
TABLE_ip_arp_tunnel_stat	(Optional) ARP Tunnel stats
<i>arp-tun-pkt-rcv-cnt</i>	(Optional)
<i>arp-tun-pkt-rcv-ing-vpc</i>	(Optional)
<i>arp-tun-pkt-rcv-ing-gpc</i>	(Optional)
<i>arp-tun-pkt-rcv-ing-orp-vpc</i>	(Optional)
<i>arp-tun-pkt-rcv-ing-orp-vpc-pl</i>	(Optional)
<i>arp-tun-pkt-snd-cnt</i>	(Optional)
<i>arp-tun-pkt-snd-snoop-cnt</i>	(Optional)
<i>arp-tun-pkt-snd-non-local-vip-cnt</i>	(Optional)
<i>arp-tun-pkt-snd-peer-gate-cnt</i>	(Optional)
<i>arp-tun-pkt-snd-ing-vpc</i>	(Optional)
<i>arp-tun-pkt-snd-ing-gpc</i>	(Optional)
<i>arp-tun-pkt-snd-ing-orp-vpc</i>	(Optional)

**show ip arp tunnel-statistics**

<i>arp-tun-pkt-snd-ing-orp-vpc-pl</i>	(Optional)
<i>arp-tun-pkt-rcv-drp-cnt</i>	(Optional)
<i>arp-tun-pkt-snd-drp-cnt</i>	(Optional)
<i>arp-tun-pkt-snd-drp-snd-fail-cnt</i>	(Optional)
<i>arp-tun-pkt-rcv-drp-ver-cnt</i>	(Optional)
<i>arp-tun-pkt-rcv-drp-pl-cnt</i>	(Optional)
<i>arp-tun-pkt-rcv-drp-ing-non-mct</i>	(Optional)
<i>arp-tun-pkt-rcv-drp-inv-ing-intf</i>	(Optional)
<i>arp-tun-pkt-snd-drp-inv-ing-intf</i>	(Optional)
<i>arp-tun-pkt-rcvdrp-inv-gpc-core-sw</i>	(Optional)
<i>arp-tun-pkt-rcvdrp-inv-gpc-peer-sw</i>	(Optional)
<i>arp-tun-pkt-drp-inv-mcec</i>	(Optional)
<i>arp-tun-pkt-im-api-fail</i>	(Optional)
<i>arp-tun-pkt-drp-ctxt-inv</i>	(Optional)
<i>arp-tun-pkt-drp-mct-dwn</i>	(Optional)
<i>arp-tun-pkt-rcv-drp-mbuf-op-fail</i>	(Optional)
<i>arp-tun-pkt-snd-drp-mbuf-op-fail</i>	(Optional)
<i>arp-tun-pkt-snd-drp-tunnel</i>	(Optional)
<i>arp-tun-pkt-snd-drp-ce</i>	(Optional)
<i>arp-tun-pkt-snd-drp-inv-gpc</i>	(Optional)
<i>arp-tun-pkt-rcv-drp-inv-gpc</i>	(Optional)
<i>arp-tun-pkt-sys-mcecm-key-not-found</i>	(Optional)

### Command Mode

- /exec

# show ip arp vaddr

show ip arp vaddr

## Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
vaddr	Display VADDR ARP table

## Command Mode

- /exec

show ip arp vpc-statistics

## show ip arp vpc-statistics

```
show ip arp vpc-statistics [ __readonly__ { TABLE_arp_vpc_stats [ <arp-pro-drp-pull-disable> ] [ <arp-pro-drp-push-msg-disable> ] [ <arp-pro-ign-snd-pull-disabe> ] [ <arp-ign-snd-push-disable> ] [ <arp-drp-im-fail> ] [ <arp-drp-mcecm-fail> ] [ <arp-drp-invalid-pc-iod> ] [ <arp-drp-pt-lookup-fail> ] [ <arp-drp-resp-fail-no-mct> ] [ <arp-drp-resp-fail> ] [ <arp-resp-sent> ] [ <arp-resp-received> ] [ <arp-resp-receive-err> ] [ <arp-received-msg> ] [ <arp-send-fail> ] [ <arp-cfs-rel-dlvry-fail> ] [ <arp-cfs-rel-dnvry-suc> ] [ <arp-drp-pt-add-fail> ] [ <arp-drp-no-mem> ] [ <arp-drp-tmr-cre-fail> ] [ <arp-drp-add-adj-fail> ] [ <arp-off-drp-pt-lookup-fail> ] [ <arp-dont-drp-vlan-mismat> ] [ <arp-drp-svi-invalid> ] [ <arp-dont-drop-sv-down> ] [ <arp-drp-mct-down> ] [ <arp-drp-ctxt-invalid> ] [ <arp-drp-vrf-invalid> ] [ <arp-drp-l3addr-invalid> ] [ <arp-drp-l3addr-sanity-fail> ] [ <arp-drp-mac-sanity-fail> ] [ <arp-own-rtr-mac> ] [ <arp-drp-own-ipaddr> ] [ <arp-drp-own-vipadd> ] [ <arp-drp-adj-fail> ] [ <arp-drp-subnet-mismatch> ] [ <arp-drp-adj-exist> ] [ <arp-dont-drp-ip-not-enable> ] [ <arp-drp-inval-phy-iod> ] [ <arp-drp-total-cnt> ] [ <arp-dont-drop-total-cnt> ] [ <arp-add-adj> ] [ <arp-del-adj> ] [ <arp-adj-already-exist> ] } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
arp	Display ARP table and statistics
vpc-statistics	Show vPC global statistics
__readonly__	(Optional)
TABLE_arp_vpc_stats	(Optional) Arp Vpc statistics
arp-pro-drp-pull-disable	(Optional)
arp-pro-drp-push-msg-disable	(Optional)
arp-pro-ign-snd-pull-disabe	(Optional)
arp-ign-snd-push-disable	(Optional)
arp-drp-im-fail	(Optional)
arp-drp-mcecm-fail	(Optional)
arp-drp-invalid-pc-iod	(Optional)
arp-drp-pt-lookup-fail	(Optional)
arp-drp-resp-fail-no-mct	(Optional)
arp-drp-resp-fail	(Optional)
arp-resp-sent	(Optional)
arp-resp-received	(Optional)
arp-resp-receive-err	(Optional)

<i>arp-rcvd-msg</i>	(Optional)
<i>arp-send-fail</i>	(Optional)
<i>arp-cfs-rel-dlvry-fail</i>	(Optional)
<i>arp-cfs-rel-dnvry-suc</i>	(Optional)
<i>arp-drp-pt-add-fail</i>	(Optional)
<i>arp-drp-no-mem</i>	(Optional)
<i>arp-drp-tmr-cre-fail</i>	(Optional)
<i>arp-drp-add-adj-fail</i>	(Optional)
<i>arp-off-drp-pt-lookup-fail</i>	(Optional)
<i>arp-dont-drp-vlan-mismat</i>	(Optional)
<i>arp-drp-svi-invalid</i>	(Optional)
<i>arp-dont-drop-sv-down</i>	(Optional)
<i>arp-drp-mct-down</i>	(Optional)
<i>arp-drp-ctxt-invalid</i>	(Optional)
<i>arp-drp-vrf-invalid</i>	(Optional)
<i>arp-drp-l3addr-invalid</i>	(Optional)
<i>arp-drp-l3addr-sanity-fail</i>	(Optional)
<i>arp-drp-mac-sanity-fail</i>	(Optional)
<i>arp-own-rtr-mac</i>	(Optional)
<i>arp-drp-own-ipaddr</i>	(Optional)
<i>arp-drp-own-vipadd</i>	(Optional)
<i>arp-drp-adj-fail</i>	(Optional)
<i>arp-drp-subnet-mismatch</i>	(Optional)
<i>arp-drp-adj-exist</i>	(Optional)
<i>arp-dont-drp-ip-not-enable</i>	(Optional)
<i>arp-drp-inval-phy-iod</i>	(Optional)
<i>arp-drp-total-cnt</i>	(Optional)
<i>arp-dont-drop-total-cnt</i>	(Optional)
<i>arp-add-adj</i>	(Optional)

```
show ip arp vpc-statistics
```

<i>arp-del-adj</i>	(Optional)
<i>arp-adj-already-exist</i>	(Optional)

**Command Mode**

- /exec

# show ip as-path-access-list

```
show ip as-path-access-list [ <aspl-name> | <aspl-cfg-name> ] [ __readonly__ TABLE_aspl <name> <action> <rule> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
as-path-access-list	List AS path access lists
<i>aspl-name</i>	(Optional) AS path access list name
<i>aspl-cfg-name</i>	(Optional) Known as-path access-list name
<u>__readonly__</u>	(Optional)
TABLE_aspl	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>rule</i>	(Optional)

## Command Mode

- /exec

**show ip bgp**

## show ip bgp

```
show { ip mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | ip bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] all | ip bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ ipv4 { unicast | multicast } ] } { rib-install | rib-uninstall | rib-pending } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
all	Display BGP information for all address families
rib-install	Routes installed in RIB
rib-uninstall	Routes not installed in RIB
rib-pending	Routes not acknowledged by RIB

### Command Mode

- /exec

# show ip cache

show ip cache { { brief | detail } | { interface [ <intf> ] } } [ operational ]

## Syntax Description

show	Show running system information
ip	Display IP information
cache	Display ip cache
brief	Display summary of ip interface status and configuration
detail	Display detailed information of ip interface status and configuration
operational	(Optional) Display only interfaces that are administratively enabled
interface	Display ip related interface information
<i>intf</i>	(Optional) Interface name to display

## Command Mode

- /exec

show ip client

# show ip client

```
show ip client [ <client-name> ] [ __readonly__ [ TABLE_ip_clnt [ TABLE_clnt { <clnt-name> <clnt-uuid>
<clnt-pid> <clnt-ext-pid> [ <clnt-proto> ] <clnt-ind> <clnt-cntxt-id> <clnt-mts-sap> <clnt-flg>
<clnt-msg-sucess-cnt> <clnt-msg-fail-cnt> [ <clnt-recv-fn-name> <clnt-recv-fn> ] } ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
client	Display clients registered with the IP process
<i>client-name</i>	(Optional) Display information for a single IP client
<u>__readonly__</u>	(Optional)
TABLE_ip_clnt	(Optional)
TABLE_clnt	(Optional)
<i>clnt-name</i>	(Optional)
<i>clnt-uuid</i>	(Optional)
<i>clnt-pid</i>	(Optional)
<i>clnt-ext-pid</i>	(Optional)
<i>clnt-proto</i>	(Optional)
<i>clnt-ind</i>	(Optional)
<i>clnt-cntxt-id</i>	(Optional)
<i>clnt-mts-sap</i>	(Optional)
<i>clnt-flg</i>	(Optional)
<i>clnt-msg-sucess-cnt</i>	(Optional)
<i>clnt-msg-fail-cnt</i>	(Optional)
<i>clnt-recv-fn-name</i>	(Optional)
<i>clnt-recv-fn</i>	(Optional)

## Command Mode

- /exec

# show ip community-list

show ip community-list [ <cl\_name> ] [ \_\_readonly\_\_ TABLE\_cl <name> <action> <rule> ]

## Syntax Description

show	Show running system information
ip	Display IP information
community-list	List community-list
<i>cl_name</i>	(Optional) Standard or expanded community-list name
<u>__readonly__</u>	(Optional)
TABLE_cl	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>rule</i>	(Optional)

## Command Mode

- /exec

**show ip debug**

# show ip debug

show ip debug

## Syntax Description

show	Show running system information
ip	Display IP information
debug	Display IP debug-filter configuration

## Command Mode

- /exec

# show ip dhcp global statistics

```
show ip dhcp global statistics [ __readonly__ <pkts_processed><pkts_recv_thru_cfsoe><pkts_fwded>
<pkts_cfsoe_fwded><pkts_dropped><pkts_dropped_from_untrusted_ports>
<pkts_dropped_src_mac_chk_fail><pkts_dropped_opt82_ins_fail><pkts_dropped_unknown_op_intf>
<pkts_dropped_unknown_pkt><pkts_dropped_no_trust_inf><pkts_dropped_unknown_pkt>
<pkts_dropped_relay_disable><pkts_dropped_no_binding_entry><pkts_dropped_interface_error>
<pkts_dropped_max_hops_exceeded> ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show information about DHCP
global	DHCP global stats
statistics	Statistics related to DHCP
<u>__readonly__</u>	(Optional) Read only
<i>pkts_processed</i>	(Optional)
<i>pkts_recv_thru_cfsoe</i>	(Optional)
<i>pkts_fwded</i>	(Optional)
<i>pkts_cfsoe_fwded</i>	(Optional)
<i>pkts_dropped</i>	(Optional)
<i>pkts_dropped_from_untrusted_ports</i>	(Optional)
<i>pkts_dropped_src_mac_chk_fail</i>	(Optional)
<i>pkts_dropped_opt82_ins_fail</i>	(Optional)
<i>pkts_dropped_unknown_op_intf</i>	(Optional)
<i>pkts_dropped_unknown_pkt</i>	(Optional)
<i>pkts_dropped_no_trust_inf</i>	(Optional)
<i>pkts_dropped_relay_disable</i>	(Optional)
<i>pkts_dropped_no_binding_entry</i>	(Optional)
<i>pkts_dropped_interface_error</i>	(Optional)
<i>pkts_dropped_max_hops_exceeded</i>	(Optional)

## Command Mode

```
■ show ip dhcp global statistics
```

- /exec

# show ip dhcp relay

```
show ip dhcp relay [ __readonly__ <relay_service_enable> <relay_opt82_enable> <relay_opt82_customize>
<relay_subopt_VPN_enable> <relay_subopt_type_cisco_enable> <global_smart-relay_enable>
<global_relay_trusted_enable> <relay_trusted_port_enable> <global_src_addr_hsrp_enable>
<smart_relay_intfs_hdr> <subnet_bcast_intfs_hdr> <trusted_port_intfs_hdr> <relay_address_hdr>
<relay_src_addr_hsrp_hdr> TABLE_intf <intf> <relay_address> <vrf_name> <smart_relay_enabled_intfs>
<subnet_bcast_enabled_intfs> <trusted_port_enabled_intfs> <src_addr_hsrp_enabled_intfs> ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show items in DHCP
relay	DHCP relay
<u>__readonly__</u>	(Optional) Read only
<i>relay_service_enable</i>	(Optional)
<i>relay_opt82_enable</i>	(Optional)
<i>relay_opt82_customize</i>	(Optional)
<i>relay_subopt_VPN_enable</i>	(Optional)
<i>relay_subopt_type_cisco_enable</i>	(Optional)
<i>global_smart-relay_enable</i>	(Optional)
<i>global_relay_trusted_enable</i>	(Optional)
<i>relay_trusted_port_enable</i>	(Optional)
<i>global_src_addr_hsrp_enable</i>	(Optional) V4 Relay src-addr hsrp is globally enabled or not
<i>relay_address_hdr</i>	(Optional)
<i>smart_relay_intfs_hdr</i>	(Optional)
<i>subnet_bcast_intfs_hdr</i>	(Optional)
<i>trusted_port_intfs_hdr</i>	(Optional)
<i>relay_src_addr_hsrp_hdr</i>	(Optional) Header for V4 Relay src-addr enabled interfaces
<i>TABLE_intf</i>	(Optional)
<i>src_addr_hsrp_enabled_intfs</i>	(Optional) source-address hsrp enabled interfaces
<i>intf</i>	(Optional) interface name

**show ip dhcp relay**

<i>relay_address</i>	(Optional) helper address
<i>vrf_name</i>	(Optional) vrf name
<i>smart_relay_enabled_intfs</i>	(Optional) smart-relay enabled interfaces
<i>subnet_bcast_enabled_intfs</i>	(Optional) subnet_bcast enabled interfaces
<i>trusted_port_enabled_intfs</i>	(Optional) trusted_port enabled interfaces

**Command Mode**

- /exec

# show ip dhcp relay address

show ip dhcp relay address [ interface <intf-range> ] [ \_\_readonly\_\_ TABLE\_intf <intf\_header> <intf2> <relay\_address> <vrf\_name> ]

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show DHCP
relay	relay address of the interface
address	DHCP relay address
interface	(Optional) DHCP relay address of the interface
<i>intf-range</i>	(Optional) interface
<u>__readonly__</u>	(Optional) Read only
TABLE_intf	(Optional)
<i>intf_header</i>	(Optional)
<i>intf2</i>	(Optional) interface name
<i>relay_address</i>	(Optional) helper address
<i>vrf_name</i>	(Optional) VRF name

## Command Mode

- /exec

show ip dhcp relay information trusted-sources

## show ip dhcp relay information trusted-sources

show ip dhcp relay information trusted-sources [ \_\_readonly\_\_ <header> TABLE\_intf <intf> ]

### Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show DHCP
relay	DHCP Relay
information	Relay information
trusted-sources	Relay Trusted Sources
__readonly__	(Optional) Read only
TABLE_intf	(Optional)
header	(Optional)
intf	(Optional) interface name

### Command Mode

- /exec

# show ip dhcp relay statistics

```
show ip dhcp relay statistics [ interface <intf> | { interface <intf> serverip <ip-addr-val> [ use-vrf <vrf-name> ] } ] [ __readonly__ <msg_stats_hdr> <msg_type_str> <tx_pkts> <rx_pkts> <drops> <msg_type_str_total> <total_tx_pkts> <total_rx_pkts> <total_drops> <line> <l3_fwd_hdr> <l3_fwd_tx_pkts> <l3_fwd_rx_pkts> <l3_fwd_drops> <server Consolidated_hdr> <server_total_request> <server_total_response> <server_req_hdr> <server_resp_hdr> <server_helper_addr> <server_vrf> <server_discover> <server_request> <server_decline> <server_release> <server_inform> <server_offer> <server_ack> <server_nack> <drop_hdr> <drop_opt82_insert_fail> <drop_unknown_op_intf> <drop_unknown> <drop malformed> <drop_relay_disable> <drop_intf_err> <drop_tx_sock_err> <drop_tx_fail_client_intf> <drop_l3_unknown_op_intf> <drop_max_hops> <drop_invalid_msg_type> <drop_validation_fail> <drop_untrusted_relay_intf> <drop_mct_drop> <non_dhcp_hdr> <non_dhcp_tx_pkts> <non_dhcp_rx_pkts> <non_dhcp_drops> <footer> ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show information about DHCP
relay	DHCP Relay
statistics	Statistics related to DHCP
interface	(Optional) input interface
<i>intf</i>	(Optional) interface
serverip	(Optional) Helper address
<i>ip-addr-val</i>	(Optional) IP address
use-vrf	(Optional) helper address VRF membership
<i>vrf-name</i>	(Optional) VRF name
<u>__readonly__</u>	(Optional) Read only
<i>msg_stats_hdr</i>	(Optional)
<i>msg_type_str</i>	(Optional)
<i>tx_pkts</i>	(Optional)
<i>rx_pkts</i>	(Optional)
<i>drops</i>	(Optional)
<i>msg_type_str_total</i>	(Optional)
<i>total_tx_pkts</i>	(Optional)

**show ip dhcp relay statistics**

<i>total_rx_pkts</i>	(Optional)
<i>total_drops</i>	(Optional)
<i>line</i>	(Optional)
<i>l3_fwd_hdr</i>	(Optional)
<i>l3_fwd_tx_pkts</i>	(Optional)
<i>l3_fwd_rx_pkts</i>	(Optional)
<i>l3_fwd_drops</i>	(Optional)
<i>server Consolidated_hdr</i>	(Optional)
<i>server_total_request</i>	(Optional)
<i>server_total_response</i>	(Optional)
<i>server_req_hdr</i>	(Optional)
<i>server_resp_hdr</i>	(Optional)
<i>server_helper_addr</i>	(Optional)
<i>server_vrf</i>	(Optional)
<i>server_discover</i>	(Optional)
<i>server_request</i>	(Optional)
<i>server_decline</i>	(Optional)
<i>server_release</i>	(Optional)
<i>server_inform</i>	(Optional)
<i>server_offer</i>	(Optional)
<i>server_ack</i>	(Optional)
<i>server_nack</i>	(Optional)
<i>drop_hdr</i>	(Optional)
<i>drop_opt82_insert_fail</i>	(Optional)
<i>drop_unknown_op_intf</i>	(Optional)
<i>drop_unknown</i>	(Optional)
<i>drop_malformed</i>	(Optional)
<i>drop_relay_disable</i>	(Optional)
<i>drop_intf_err</i>	(Optional)

<i>drop_max_hops</i>	(Optional)
<i>drop_tx_sock_err</i>	(Optional)
<i>drop_tx_fail_client_intf</i>	(Optional)
<i>drop_l3_unknown_op_intf</i>	(Optional)
<i>drop_invalid_msg_type</i>	(Optional)
<i>drop_validation_fail</i>	(Optional)
<i>drop_untrusted_relay_intf</i>	(Optional)
<i>drop_mct_drop</i>	(Optional)
<i>non_dhcp_hdr</i>	(Optional)
<i>non_dhcp_tx_pkts</i>	(Optional)
<i>non_dhcp_rx_pkts</i>	(Optional)
<i>non_dhcp_drops</i>	(Optional)
<i>footer</i>	(Optional)

**Command Mode**

- /exec

show ip dhcp snooping

## show ip dhcp snooping

```
show ip dhcp snooping [ __readonly__ <snoop_service_enable> <snoop_gbl_enable> <snoop_vlan_enable>
<snoop_oper_vlan_enable> <snoop_opt82_enable> <snoop_hwaddr_verify_enable> <snoop_hdr>
TABLE_intf_entry <intf_entry_if_index> <intf_entry_trust_dhcp> <intf_entry_pkt_limit> ]
```

### Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show items in DHCP
snooping	DHCP snooping
<u>__readonly__</u>	(Optional) Read only
<i>snoop_service_enable</i>	(Optional)
<i>snoop_gbl_enable</i>	(Optional)
<i>snoop_vlan_enable</i>	(Optional)
<i>snoop_oper_vlan_enable</i>	(Optional)
<i>snoop_opt82_enable</i>	(Optional)
<i>snoop_hwaddr_verify_enable</i>	(Optional)
<i>snoop_hdr</i>	(Optional)
TABLE_intf_entry	(Optional)
<i>intf_entry_if_index</i>	(Optional)
<i>intf_entry_trust_dhcp</i>	(Optional)
<i>intf_entry_pkt_limit</i>	(Optional)

### Command Mode

- /exec

# show ip dhcp snooping binding

show ip dhcp snooping binding [ <ip> | <mac> | vlan <vlan-range> |

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show items in DHCP
snooping	DHCP snooping
binding	DHCP snooping bindings
<i>ip</i>	(Optional) Binding entry IP address
<i>mac</i>	(Optional) Binding entry MAC address
<i>vlan</i>	(Optional) Binding entry VLAN
<i>vlan-range</i>	(Optional) VLAN ID 1-4094 or range(s): 1-5, 10 or 2-5,7-19

## Command Mode

- /exec

show ip dhcp snooping statistics

## show ip dhcp snooping statistics

show ip dhcp snooping statistics [ { vlan <vlan-id> interface <intf> } |

### Syntax Description

<i>vlan-id</i>	(Optional) ]
show	Show running system information
ip	Show the IP features of the system
dhcp	Show information about DHCP
snooping	DHCP snooping
statistics	Statistics related to DHCP
vlan	(Optional) VLAN
interface	(Optional) input interface
<i>intf</i>	(Optional) interface

### Command Mode

- /exec

# show ip dhcp status

show ip dhcp status [ \_\_readonly\_\_ <current\_cli\_op> <last\_cli\_op> <last\_cli\_stat> ]

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
dhcp	Show information about DHCP
status	Current CLI command and execution status of the last command
<u>__readonly__</u>	(Optional) Read only
<i>current_cli_op</i>	(Optional)
<i>last_cli_op</i>	(Optional)
<i>last_cli_stat</i>	(Optional)

## Command Mode

- /exec

show ip dns source-interface

## show ip dns source-interface

show ip dns source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_ipdnsrvf <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
dns	Display domain-lookup information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_ipdnsrvf	(Optional) source interface of dns given vrf
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

### Command Mode

- /exec

# show ip dns source-interface vrf all

show ip dns source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_ipdns <vrfname> <ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
dns	Display domain-lookup information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrf's
__readonly__	(Optional)
TABLE_ipdns	(Optional) source interface of dns
vrfname	(Optional) vrfname
ifname	(Optional) ifname

## Command Mode

- /exec

**show ip eigrp**

## show ip eigrp

```
show { ip | ipv6 } eigrp [ <eigrp-ptag> ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_asn <asn> <router_id> TABLE_vrf <vrf> <state> <authen_md5> <authen_keychain>  
<metric_weight_k1> <metric_weight_k2> <metric_weight_k3> <metric_weight_k4> <metric_weight_k5>  
[ <metric_weight_k6> <metric_ribscale> ] <metric_version> <eigrp_proto> { <multicast_group> |  
<multicast_groupv6> } <int_distance> <ext_distance> <max_paths> <num_interfaces> <num_lo_interfaces>  
<num_pass_interfaces> <num_peers> [ { TABLE_redist <redist_srcproto> <redist_routemap> } ]  
<graceful_restart> <stub_configured> [ <stub_option_connected> <stub_option_summary>  
<stub_option_redist> <stub_option_leak_map> <stub_option_receive_only> ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
detail	(Optional) Show detailed EIGRP process stats
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
<u>__readonly__</u>	(Optional)
TABLE_asn	(Optional) AS Number table
<i>asn</i>	(Optional) AS number
<i>router_id</i>	(Optional) Router-ID
TABLE_vrf	(Optional) VRF table
<i>vrf</i>	(Optional) VRF name
<i>state</i>	(Optional) EIGRP Process Status
<i>authen_md5</i>	(Optional) Authentication Mode
<i>authen_keychain</i>	(Optional) Authentication Key-Chain
<i>metric_weight_k1</i>	(Optional) DUAL metric k1
<i>metric_weight_k2</i>	(Optional) DUAL metric k2

<i>metric_weight_k3</i>	(Optional) DUAL metric k3
<i>metric_weight_k4</i>	(Optional) DUAL metric k4
<i>metric_weight_k5</i>	(Optional) DUAL metric k5
<i>metric_weight_k6</i>	(Optional) DUAL metric k6
<i>metric_ribscale</i>	(Optional) RIB Scale
<i>metric_version</i>	(Optional) Metric version
<i>eigrp_proto</i>	(Optional) IP Protocol number
<i>multicast_group</i>	(Optional) Multicast Group Address
<i>int_distance</i>	(Optional) Internal Administrative Distance
<i>ext_distance</i>	(Optional) External Administrative Distance
<i>max_paths</i>	(Optional) Maximum paths allowed for a dndb
<i>num_interfaces</i>	(Optional) Number of EIGRP interfaces configured under this AS
<i>num_lo_interfaces</i>	(Optional) Number of EIGRP loopback interfaces configured under this AS
<i>num_pass_interfaces</i>	(Optional) Number of EIGRP Passive interfaces configured under this AS
<i>num_peers</i>	(Optional) Number of EIGRP peers
<i>TABLE_redist</i>	(Optional) Redistribution Table
<i>redist_srcproto</i>	(Optional) Source protocol of the redistributed route
<i>redist_routemap</i>	(Optional) Route-map used in this redistribution
<i>graceful_restart</i>	(Optional) Graceful restart configured?
<i>stub_configured</i>	(Optional) Stub-Routing configured?
<i>stub_option_connected</i>	(Optional) Advertise connected routes?
<i>stub_option_summary</i>	(Optional) Advertise summary routes?
<i>stub_option_redist</i>	(Optional) Advertise redistributed routes?
<i>stub_option_leak_map</i>	(Optional) Allow routes permitted by leak-map?
<i>stub_option_receive_only</i>	(Optional) Configured as receive only?

**Command Mode**

- /exec

show ip eigrp accounting

# show ip eigrp accounting

```
show { ip | ipv6 } eigrp [ <eigrp-ptag> ] accounting [ vrf { <vrf-name> | <vrf-known-name> | all } ] [
    __readonly__ TABLE_asn <asn> <router_id> TABLE_vrf <vrf> <total_prefix> <redist_state> <redist_count>
    <restart_count> <acct_timer> [ TABLE_peer { <p_ipaddr> | <p_ipv6addr> } <p_state> <p_ifname>
    <p_prefix_count> <p_restart_count> <p_acct_timer> ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
accounting	IP-EIGRP Accounting
<u>__readonly__</u>	(Optional)
TABLE_asn	(Optional) AS number table
<i>asn</i>	(Optional) AS number
<i>router_id</i>	(Optional) Router-ID
TABLE_vrf	(Optional) VRF table
<i>vrf</i>	(Optional) VRF name
<i>total_prefix</i>	(Optional) Total prefix count (Aggregate)
<i>redist_state</i>	(Optional) State of redistributed prefixes
<i>redist_count</i>	(Optional) Number of redistributed prefixes
<i>restart_count</i>	(Optional) Number of times the prefix was suspended
<i>acct_timer</i>	(Optional) Accounting timer
TABLE_peer	(Optional) Peer (Prefix) table
<i>p_ipaddr</i>	(Optional) Peer IP addr

<i>p_state</i>	(Optional) Peer state
<i>p_ifname</i>	(Optional) Peering interface
<i>p_prefix_count</i>	(Optional) Number of Prefixes learnt from the peer
<i>p_restart_count</i>	(Optional) Number of times the prefix was suspended
<i>p_acct_timer</i>	(Optional) Peer accounting timer

**Command Mode**

- /exec

show ip eigrp event-history

## show ip eigrp event-history

show { ip | ipv6 } eigrp [ <eigrp-ptag> ] [ internal ] event-history { fsm | packet | rib }

### Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
<i>eigrp-ptag</i>	(Optional) Process tag
internal	(Optional) Commands for internal use
event-history	Event History of EIGRP
fsm	FSM log of EIGRP
packet	Packet log of EIGRP
rib	RIB log of EIGRP

### Command Mode

- /exec

# show ip eigrp event-history bfd

show { ip | ipv6 } eigrp [ <eigrp-ptag> ] [ internal ] event-history bfd

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
<i>eigrp-ptag</i>	(Optional) Process tag
internal	(Optional) Commands for internal use
event-history	Event History of EIGRP
bfd	Show bfd log of EIGRP

## Command Mode

- /exec

show ip eigrp event

## show ip eigrp event

show { ip | ipv6 } eigrp [ <eigrp-ptag> ] event [ <start-num> <end-num> ] [ type ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]

### Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
event	IP-EIGRP Events
<i>start-num</i>	(Optional) Starting event number
<i>end-num</i>	(Optional) Ending event number
type	(Optional) Show Events being logged

### Command Mode

- /exec

# show ip eigrp interfaces

```
show { ip | ipv6 } eigrp [ <eigrp-ptag> ] interfaces [ detail ] [ <interface> ] [ brief ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_asn <asn> TABLE_vrf <vrf> [ TABLE_if <ifname> <peer_count> <xmitq_unrel> <xmitq_rel> <mean_srtt> <send_intvl_unrel> <send_intvl_rel> <mcast_flow_delay> <pending_routes> [ <hello_intvl> <holdtime_intvl> <next_xmit_serno> <packetize_pending> <mcasts_sent_unrel> <mcasts_sent_rel> <ucasts_sent_unrel> <ucasts_sent_rel> <mcast_exceptions> <cr_packets> <acks_suppressed> <retrans_sent> <out_of_seq_rcvd> <stub_interface> <nexthop_self> <auth_mode_md5> <auth_key_chain> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
interfaces	IP-EIGRP interfaces
detail	(Optional) Show detailed interface information
<i>interface</i>	(Optional) Interface
brief	(Optional) Show summary information only
<u>__readonly__</u>	(Optional)
TABLE_asn	(Optional) AS number table
<i>asn</i>	(Optional) AS number
TABLE_vrf	(Optional) VRF table
<i>vrf</i>	(Optional) VRF name
TABLE_if	(Optional) Interface table
<i>ifname</i>	(Optional) Interface name
<i>peer_count</i>	(Optional) Number of Peer on this interface
<i>xmitq_unrel</i>	(Optional) Xmit Q (unreliable) count

**show ip eigrp interfaces**

<i>xmitq_rel</i>	(Optional) Xmit Q (reliable) count
<i>mean_srtt</i>	(Optional) Mean of all peer SRTTs
<i>send_intvl_unrel</i>	(Optional) Base packet gap, per queue (unreliable)
<i>send_intvl_rel</i>	(Optional) Base packet gap, per queue (reliable)
<i>mcast_flow_delay</i>	(Optional) Last delay for Multicast flow control timer
<i>pending_routes</i>	(Optional) Pending routes on the interface
<i>hello_intvl</i>	(Optional) Configured hello interval for interface
<i>holdtime_intvl</i>	(Optional) Configured holdtime interval for interface
<i>next_xmit_serno</i>	(Optional) Next xmit serial number
<i>packetize_pending</i>	(Optional) Packetization pending?
<i>mcasts_sent_unrel</i>	(Optional) Number of Multicasts sent (unreliable)
<i>mcasts_sent_rel</i>	(Optional) Number of Multicasts sent (reliable)
<i>ucasts_sent_unrel</i>	(Optional) Number of Unicasts sent (unreliable)
<i>ucasts_sent_rel</i>	(Optional) Number of Unicasts sent (reliable)
<i>mcast_exceptions</i>	(Optional) Multicast exceptions (Count of multicasts sent as unicasts)
<i>cr_packets</i>	(Optional) Count of Multicasts sent with CR
<i>acks_suppressed</i>	(Optional) Count of suppressed ACK packets
<i>retrans_sent</i>	(Optional) Count of Retransmissions sent
<i>out_of_seq_rcvd</i>	(Optional) Count of packets received Out-of-Sequence
<i>stub_interface</i>	(Optional) All Peers are stubbed?
<i>nexthop_self</i>	(Optional) should retain next-hop?
<i>auth_mode_md5</i>	(Optional) MD5 Authentication enabled?
<i>auth_key_chain</i>	(Optional) Authentication key-chain

### Command Mode

- /exec

# show ip eigrp metric

```
show { ip | ipv6 } eigrp [ <eigrp-ptag> ] metric <bw> <delay> [ <rel> ] [ <load> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
metric	Compute composite metric from vector metric
<i>bw</i>	Bandwidth in Kbits per second
<i>delay</i>	Delay metric
<i>rel</i>	(Optional) Reliability metric where 255 is 100% reliable
<i>load</i>	(Optional) Effective bandwidth metric (Loading) where 255 is 100% loaded

## Command Mode

- /exec

show ip eigrp neighbors

# show ip eigrp neighbors

```
show { { ip eigrp [ <eigrp-ptag> ] neighbors [ detail | state ] { [ <interface> ] | { [ <address> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] } } | { ipv6 eigrp [ <eigrp-ptag> ] neighbors [ detail | state ] { [ <interface> ] | { [ <ipv6-addr> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] } } } | __readonly__ TABLE_asn <asn> TABLE_vrf <vrf> [ { TABLE_peer <peer_handle> { <peer_ipaddr> | <peer_ipv6addr> } <peer_ifname> <peer_holdtime> <peer_srtt> <peer_rto> <peer_xmitq_count> <peer_last_seqno> <peer_uptime> | <peer_static> <peer_nsf_restart_time> <peer_last_startup_serno> <peer_ios_major_ver> <peer_ios_minor_ver> <peer_eigrp_major_rev> <peer_eigrp_minor_rev> <peer_retrans_count> <peer_retry_count> <peer_wait_for_init> <peer_wait_for_init_ack> <peer_reinit_start_time> <peer_prefix_count> <peer_info_stubbed> <peer_info_receive_only> [ <peer_info_allow_connected> <peer_info_allow_statics> <peer_info_allow_summaries> <peer_info_allow_redist> <peer_info_allow_leaking> ] [ <peer_state_cr_mode> <peer_state_need_init> <peer_state_need_init_ack> <peer_state_going_down> <peer_state_coming_up> <peer_state_peer_deleted> <peer_state_nsf_in_progress> <peer_state_need_eot> <peer_state_use_nsf_startup_mode> <peer_state_await_nsf_convergence> <peer_state_initiated_gr> <peer_state_cr_sequence> <peer_state_rcv_probe_sequence> <peer_state_send_probe_sequence> ] <peer_suppress_queries> ] [ TABLE_xmitq_pkts <pkt_qtype> <pkt_counter> <pkt_opcode> <pkt_ack_seqno> <pkt_start_seqno> <pkt_end_seqno> <pkt_len> <pkt_time_sent> <pkt_init_flag> <pkt_sequenced> ] } ] [ { TABLE_suspended_peer { <susp_peer_ipaddr> | <susp_peer_ipv6addr> } <susp_peer_ifname> <susp_peer_restart_reqd> <susp_peer_restart_time> } ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
neighbors	IP-EIGRP neighbors
detail	(Optional) Show detailed peer information
state	(Optional) Show detailed peer and state information
<i>interface</i>	(Optional) Interface
<i>address</i>	(Optional) IP-EIGRP neighbor address
<u>__readonly__</u>	(Optional)

TABLE_asn	(Optional) AS number table
asn	(Optional) AS number
TABLE_vrf	(Optional) VRF table
vrf	(Optional) VRF name
TABLE_peer	(Optional) Peer table
peer_handle	(Optional) Peer handle
peer_ipaddr	(Optional) Peer's IP addr
peer_ifname	(Optional) Peering Interface name
peer_holdtime	(Optional) Hold-time for the peer
peer_uptime	(Optional) Peer Up-time
peer_srtt	(Optional) SRTT
peer_rto	(Optional) RTO
peer_xmitq_count	(Optional) Xmit Q count
peer_last_seqno	(Optional) Last received Sequence number
peer_static	(Optional) Static peer?
peer_nsf_restart_time	(Optional) Timestamp of last nsf restart
peer_last_startup_serno	(Optional) Target serial number for unicast startup
peer_ios_major_ver	(Optional) IOS major version
peer_ios_minor_ver	(Optional) IOS minor version
peer_eigrp_major_rev	(Optional) EIGRP major revision
peer_eigrp_minor_rev	(Optional) EIGRP minor revision
peer_retrans_count	(Optional) Number of retransmissions to this peer
peer_retry_count	(Optional) Retries for packets on xmit Q
peer_wait_for_init	(Optional) Waiting for INIT
peer_wait_for_init_ack	(Optional) Waiting for INIT-ACK
peer_reinit_start_time	(Optional) Re-Init start time
peer_prefix_count	(Optional) Number of Prefixes received from the peer
peer_info_stubbed	(Optional) Peer is a Stub?
peer_info_receive_only	(Optional) Peer is receive-only?

show ip eigrp neighbors

<i>peer_info_allow_connected</i>	(Optional) Peer advertises connected routes?
<i>peer_info_allow_statics</i>	(Optional) Peer advertises static routes?
<i>peer_info_allow_summaries</i>	(Optional) Peer advertises summary routes?
<i>peer_info_allow_redist</i>	(Optional) Peer advertises redistributed routes?
<i>peer_info_allow_leaking</i>	(Optional) Peer advertises routes permitted by leak-map?
<i>peer_state_cr_mode</i>	(Optional) Conditional Received mode set?
<i>peer_state_need_init</i>	(Optional) Waiting for Init from peer?
<i>peer_state_need_init_ack</i>	(Optional) Waiting for InitAck from peer?
<i>peer_state_going_down</i>	(Optional) Peer-Going-down?
<i>peer_state_coming_up</i>	(Optional) Peer-Coming-up?
<i>peer_state_peer_deleted</i>	(Optional) Peer-Deleted?
<i>peer_state_nsf_in_progress</i>	(Optional) Peer is nsf restarting?
<i>peer_state_need_eot</i>	(Optional) Expect end-of-table from this peer?
<i>peer_state_use_nsf_startup_mode</i>	(Optional) Use nsf startup method?
<i>peer_state_await_nsf_convergence</i>	(Optional) The peer is waiting eot from us?
<i>peer_state_initiated_gr</i>	(Optional) Initiated graceful restart?
<i>peer_state_cr_sequence</i>	(Optional) Expected sequence number of CR packet
<i>peer_state_rcv_probe_sequence</i>	(Optional) Sequence number of last probe packet received
<i>peer_state_send_probe_sequence</i>	(Optional) Sequence number of next probe to send
<i>peer_suppress_queries</i>	(Optional) Suppress queries to this peer?
TABLE_xmitq_pkts	(Optional) Xmit Q packtes table
<i>pkt_qtype</i>	(Optional) XMIT Qtype
<i>pkt_counter</i>	(Optional) Packet counter for the packets present in the transmit queue
<i>pkt_opcode</i>	(Optional) Packet opcode
<i>pkt_ack_seqno</i>	(Optional) Ack/Sequence number of this packet
<i>pkt_start_seqno</i>	(Optional) Starting serial number
<i>pkt_end_seqno</i>	(Optional) Ending serial number
<i>pkt_len</i>	(Optional) Packet length
<i>pkt_time_sent</i>	(Optional) Time at which the packet is transmitted

<i>pkt_init_flag</i>	(Optional) Init-flag should be sent in the packet?
<i>pkt_sequenced</i>	(Optional) Packet is sequenced?
<i>TABLE_suspended_peer</i>	(Optional) Suspended peer table
<i>susp_peer_ipaddr</i>	(Optional) IP address of suspended peer
<i>susp_peer_ifname</i>	(Optional) Interface through which we are connected to the suspended peer
<i>susp_peer_restart_reqd</i>	(Optional) Suspended peer restart required?
<i>susp_peer_restart_time</i>	(Optional) Suspended peer restart time
<i>eigrp-ptag</i>	(Optional)

**Command Mode**

- /exec

show ip eigrp route-map statistics

## show ip eigrp route-map statistics

```
show ip eigrp [<eigrp-ptag>] route-map statistics { { redistribute { bgp <as> | { eigrp | isis | ospf | rip } <tag> | static | direct | amt | lisp } } | table-map } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_asn <asn> TABLE_vrf <vrf> { TABLE_rmap <name> <action> <seq_num> [ { TABLE_cmd <command> <compare_count> <match_count> } ] } <total_accept_count> <total_reject_count> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
route-map	Route-map related information
statistics	Route-map statistics
redistribute	Redistribute information from another routing protocol
table-map	Tablemap information
bgp	Border Gateway Protocol (BGP)
as	Autonomous system number
isis	IS-IS Routing for IPv4
ospf	Open Shortest Path First (OSPF)
rip	Routing Information Protocol (RIP)
eigrp	Enhanced Interior Gateway Routing Protocol (EIGRP)
<i>tag</i>	Process tag
static	Static routes
direct	Directly connected
amt	AMT Anycast prefix
lisp	LISP EID-prefixes

<code>__readonly__</code>	(Optional)
<code>TABLE_asn</code>	(Optional) AS number table
<code>asn</code>	(Optional) AS number
<code>TABLE_vrf</code>	(Optional) VRF table
<code>vrf</code>	(Optional) VRF name
<code>TABLE_rmap</code>	(Optional) Routemap table
<code>name</code>	(Optional) Route-map Name
<code>action</code>	(Optional) Route-map action
<code>seq_num</code>	(Optional) Sequence number of the rule in route-map
<code>TABLE_cmd</code>	(Optional) Route-map command table
<code>command</code>	(Optional) Route-map command
<code>compare_count</code>	(Optional) Number of comparisons
<code>match_count</code>	(Optional) Number of matches
<code>total_accept_count</code>	(Optional) Total number of packets accepted by the policy
<code>total_reject_count</code>	(Optional) Total number of packets rejected by the policy

**Command Mode**

- /exec

show ip eigrp sia-event

## show ip eigrp sia-event

```
show { ip | ipv6 } eigrp [ <eigrp-ptag> ] sia-event [ <start-num> <end-num> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
sia-event	IP-EIGRP SIA event
<i>start-num</i>	(Optional) Starting event number
<i>end-num</i>	(Optional) Ending event number

### Command Mode

- /exec

# show ip eigrp sia-statistics

```
show { ip | ipv6 } eigrp [ <eigrp-ptag> ] sia-statistics [ <peer> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
sia-statistics	IP-EIGRP SIA Statistics
<i>peer</i>	(Optional) Peer ID to display information about

## Command Mode

- /exec

show ip eigrp timers

# show ip eigrp timers

show { ip | ipv6 } eigrp [ <eigrp-ptag> ] timers [ vrf { <vrf-name> | <vrf-known-name> | all } ]

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
timers	IP-EIGRP Timers

## Command Mode

- /exec

## **show ip eigrp topology route**

```

show { { ipv6 eigrp [ <eigrp-ptag> ] { topology | route } [ <ipv6-prefix> | active | summary | pending | zero-successors | detail-links | all-links ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] } | { ip eigrp [ <eigrp-ptag> ] { topology | route } [ { <address> <mask> } | <prefix> | active | summary | pending | zero-successors | detail-links | all-links ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] } } [ __readonly__ TABLE_asn <asn> <router_id> TABLE_vrf <vrf> [ <head_serial> <next_serial> <route_count> <replies_pending> <dummies> <eigrp_name> <num_if> <num_neighbors> <num_active_if> [ { TABLE_quiescent_if <ifname> } ] ] [ { TABLE_ent { <ip_prefix> | <ipv6_prefix> } <active> <num_successors> <feasible_distance> <tag> <send_flag> [ <xmit_serno> <xmit_refcount> <xmit_anchored> ] <outstd_replies> <query_origin> <retry_count> <act_min_time> <act_max_time> <act_avg_time> <act_count> [ <peers_sia_stuck> ] [ { TABLE_succ { <s_nexthop> | <s_v6nexthop> } { <s_origin> | <s_v6origin> } [ <s_metric> ] [ <s_bandwidth> <s_delay> <s_reliability> <s_load> <s_min_mtu> <s_hop_count> <s_int_tag> ] [ <s_succ_metric> ] <s_reply_status> <s_sia_status> [ <s_external> ] [ <s_ext_routerid> <s_ext_asn> <s_ext_proto> <s_ext_metric> <s_ext_admin_tag> ] [ <s_exterior_flag> ] <s_send_flag> [ <s_send_flag_hex> ] <s_ifname> <s_xmit_serno> <s_xmit_anchored> } { TABLE_reply_status { <rs_ipaddr> | <rs_ipv6addr> } <rs_ifname> } ] [ { TABLE_sia_status { <ss_ipaddr> | <ss_ipv6addr> } <ss_ifname> } ] ] ]

```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
topology	IP-EIGRP Topology Table
route	IP-EIGRP internal routes
<i>address</i>	(Optional) Network to display information about
<i>mask</i>	(Optional) Network mask
<i>prefix</i>	(Optional) IP prefix <network>/<length>, e.g., 192.168.0.0/16
active	(Optional) Show only active entries
summary	(Optional) Show a summary of the topology table
pending	(Optional) Show only entries pending transmission

**show ip eigrp topology route**

zero-successors	(Optional) Show only zero successor entries
detail-links	(Optional) Show all links in topology table with details
all-links	(Optional) Show all links in topology table
<u>readonly</u>	(Optional)
TABLE_asn	(Optional) AS number table
asn	(Optional) AS number
router_id	(Optional) Router-ID
TABLE_vrf	(Optional) VRF table
vrf	(Optional) VRF name
head_serial	(Optional) Head of transmit DNDB thread
next_serial	(Optional) Next serial number to use
route_count	(Optional) Number of Routes in the topology table
replies_pending	(Optional) Number of replies pending
dummies	(Optional) Dummies
eigrp_name	(Optional) EIGRP ddb name
num_if	(Optional) Number of interfaces in this AS
num_neighbors	(Optional) Number of EIGRP neighbors in this AS
num_active_if	(Optional) Number of active interfaces
TABLE_quiescent_if	(Optional) Quiescent Interfaces table
ifname	(Optional) Interface name
TABLE_ent	(Optional) Table entry
ip_prefix	(Optional) IP prefix
ipv6_prefix	(Optional) IPv6 prefix
active	(Optional) Route Active?
num_successors	(Optional) Number of successors for the dnbd
feasible_distance	(Optional) Feasible Distance
tag	(Optional) Administrator tag value
send_flag	(Optional) Send Flag
xmit_serno	(Optional) Xmit serial number

<i>xmit_refcount</i>	(Optional) xmit ref count (Number of active senders)
<i>xmit_anchored</i>	(Optional) Xmit anchored?
<i>outstd_replies</i>	(Optional) Number of Outstanding replies
<i>query_origin</i>	(Optional) Query origin
<i>retry_count</i>	(Optional) Number of retries done on the active DNDB
<i>act_min_time</i>	(Optional) Shortest time the destination was active
<i>act_max_time</i>	(Optional) Longest time the destination was active
<i>act_avg_time</i>	(Optional) Average time the destination was active
<i>act_count</i>	(Optional) Active count
<i>peers_sia_stuck</i>	(Optional) Number of peers stuck in SIA
<i>TABLE_succ</i>	(Optional) Successor table
<i>s_nexthop</i>	(Optional) Next hop IPv4 address
<i>s_v6nexthop</i>	(Optional) IPv6 next hop address
<i>s_origin</i>	(Optional) Origin(IPv4) of this DRDB
<i>s_v6origin</i>	(Optional) Origin(IPv6) of this DRDB
<i>s_metric</i>	(Optional) Composite metric value for the route
<i>s_succ_metric</i>	(Optional) Composite metric (successor's view) for the route
<i>s_bandwidth</i>	(Optional) Minimum bandwidth of the path
<i>s_delay</i>	(Optional) Total delay of the path
<i>s_reliability</i>	(Optional) Reliability
<i>s_load</i>	(Optional) Load
<i>s_min_mtu</i>	(Optional) Minimum mtu of the path
<i>s_hop_count</i>	(Optional) Number of hops to reach the destination network
<i>s_int_tag</i>	(Optional) Internal tag
<i>s_reply_status</i>	(Optional) Reply status flag
<i>s_sia_status</i>	(Optional) SIA status flag
<i>s_external</i>	(Optional) Route is external?
<i>s_ext_routerid</i>	(Optional) Originating Router-ID
<i>s_ext_asn</i>	(Optional) AS number where the route info originated

**show ip eigrp topology route**

<i>s_ext_proto</i>	(Optional) Protocol which originated this route
<i>s_ext_metric</i>	(Optional) External protocol metric
<i>s_ext_admin_tag</i>	(Optional) External admin flag
<i>s_exterior_flag</i>	(Optional) Exterior flag
<i>s_send_flag</i>	(Optional) DRDB send flag
<i>s_send_flag_hex</i>	(Optional) DRDB Send flag in hex
<i>s_ifname</i>	(Optional) Interface this route info came in on
<i>s_xmit_serno</i>	(Optional) Xmit Serial number of this entry
<i>s_xmit_anchored</i>	(Optional) Xmit anchored flag
TABLE_reply_status	(Optional) Reply-status table
<i>rs_ipaddr</i>	(Optional) IP addr of peer from which replies are pending
<i>rs_ifname</i>	(Optional) Interface on which replies are pending
TABLE_sia_status	(Optional) SIA-status table
<i>ss_ipaddr</i>	(Optional) IP addr of peer from which SIA replies are pending
<i>ss_ifname</i>	(Optional) Interface on which SIA replies are pending
<i>eigrp-ptag</i>	(Optional)

#### Command Mode

- /exec

# show ip eigrp traffic

```
show { ip | ipv6 } eigrp [ <eigrp-ptag> ] traffic [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_asn <asn> TABLE_vrf <vrf> <hellos_sent> <hellos_rcvd> <updates_sent> <updates_rcvd>  
<queries_sent> <queries_rcvd> <replies_sent> <replies_rcvd> <acks_sent> <acks_rcvd> <max_inqueue_depth>  
<inqueue_drops> <sia_queries_sent> <sia_queries_rcvd> <sia_replies_sent> <sia_replies_rcvd> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
traffic	IP-EIGRP Traffic Statistics
<u>__readonly__</u>	(Optional)
TABLE_asn	(Optional) AS number table
<i>asn</i>	(Optional) AS number
TABLE_vrf	(Optional) VRF table
<i>vrf</i>	(Optional) VRF name
<i>hellos_sent</i>	(Optional) Number of Hellos sent
<i>hellos_rcvd</i>	(Optional) Number of Hellos received
<i>updates_sent</i>	(Optional) Number of Updates sent
<i>updates_rcvd</i>	(Optional) Number of Updates received
<i>queries_sent</i>	(Optional) Number of Queries sent
<i>queries_rcvd</i>	(Optional) Number of Queries received
<i>replies_sent</i>	(Optional) Number of Replies sent
<i>replies_rcvd</i>	(Optional) Number of Replies received

**show ip eigrp traffic**

<i>acks_sent</i>	(Optional) Number of ACKs sent
<i>acks_rcvd</i>	(Optional) Number of ACKs received
<i>max_inqueue_depth</i>	(Optional) Input queue high water mark
<i>inqueue_drops</i>	(Optional) Input queue drops
<i>sia_queries_sent</i>	(Optional) Number of SIA queries sent
<i>sia_queries_rcvd</i>	(Optional) Number of SIA queries received
<i>sia_replies_sent</i>	(Optional) Number of SIA replies sent
<i>sia_replies_rcvd</i>	(Optional) Number of SIA replies received

#### Command Mode

- /exec

# show ip extcommunity-list

show ip extcommunity-list [ <extcl\_name> ] [ \_\_readonly\_\_ TABLE\_extcl <name> <action> <rule> ]

## Syntax Description

show	Show running system information
ip	Display IP information
extcommunity-list	List extcommunity-list
<i>extcl_name</i>	(Optional) Standard or expanded community-list name
<u>__readonly__</u>	(Optional)
TABLE_extcl	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>rule</i>	(Optional)

## Command Mode

- /exec

**show ip fib adjacency**

## show ip fib adjacency

show ip fib adjacency [ <aif> ] [ <anh> ] [ module <module> ] [ \_\_readonly\_\_ <adj-count> <nexthop> <rewinfo> <interface> ]

### Syntax Description

show	
ip	Display IP information
fib	Forwarding information
adjacency	display adjacency information
<i>aif</i>	(Optional) adjacency output interface
<i>anh</i>	(Optional) adjacency next hop
module	(Optional) slot
<i>module</i>	(Optional) slot number
__readonly__	(Optional)
<i>adj-count</i>	(Optional) total adj count
<i>nexthop</i>	(Optional) next hop address
<i>rewinfo</i>	(Optional) rewrite information
<i>interface</i>	(Optional) output interface

### Command Mode

- /exec

# show ip fib distribution

show ip fib distribution [ pauz | rezum ]

## Syntax Description

show	
ip	ipv4
fib	forwarding information
distribution	fib distribution information
pauz	(Optional) start black-holing routes
rezum	(Optional) stop black-holing routes

## Command Mode

- /exec

**show ip fib distribution capture**

## show ip fib distribution capture

show ip fib distribution capture [ \_\_readonly\_\_ <type><len><data> ]

### Syntax Description

show	
ip	ipv4
fib	forwarding information
distribution	fib distribution info
capture	unicast capture buffer
__readonly__	(Optional)

### Command Mode

- /exec

# show ip fib distribution clients

show ip fib distribution clients [ \_\_readonly\_\_ <id><pid><name><shms><shme><shmn> ]

## Syntax Description

show	
ip	ipv4
fib	forwarding information
distribution	fib distribution info
clients	unicast client information
__readonly__	(Optional)

## Command Mode

- /exec

show ip fib distribution mroute

## show ip fib distribution mroute

```
show ip fib distribution mroute [ { <group> | <gprefix> } [ <source> ] ] [ table <id> ] [ __readonly__ <table_name> <src_len> <grp_len> <df_ordinal> <rpfif> <rpf_ifname> <flag> <flag_value> <num_groups> <num_sources> <refcount> <oiflist_id> <oif_count> <oif_name> <oif_ifindex> <bytecnt> <pktcnt> ]
```

### Syntax Description

show	
ip	IP information
fib	Forwarding Information
distribution	FIB distribution information
mroute	MFDM IP multicast routing table
<i>group</i>	(Optional) IPv4 Multicast Group Address
<i>gprefix</i>	(Optional) IPv4 Multicast Group Prefix
<i>source</i>	(Optional) IPv4 Source Address
<i>table</i>	(Optional) Specify Multicast Routing Table
<i>id</i>	(Optional) Multicast Routing Table Identifier
<i>__readonly__</i>	(Optional)
<i>table_name</i>	(Optional) Table name
<i>src_len</i>	(Optional) Source Address Mask
<i>grp_len</i>	(Optional) Group address Mask
<i>df_ordinal</i>	(Optional) DF ordinal
<i>rpfif</i>	(Optional) RPF interface
<i>rpf_ifname</i>	(Optional) RPF Interface ifName
<i>flag</i>	(Optional) Route type flag
<i>flag_value</i>	(Optional) hex value of route flag
<i>num_groups</i>	(Optional) Number of group entries in the table
<i>num_sources</i>	(Optional) Number of (S, G) entries for the group address
<i>refcount</i>	(Optional) Reference Count
<i>oiflist_id</i>	(Optional) OIF list Identifier
<i>oif_count</i>	(Optional) Number of OIFs

<i>oif_name</i>	(Optional) OIF Name
<i>oif_ifindex</i>	(Optional) OIF ifIndex
<i>bytecnt</i>	(Optional) Current Byte counter
<i>pktcnt</i>	(Optional) Current Packet counter

**Command Mode**

- /exec

show ip fib distribution multicast

## show ip fib distribution multicast

show ip fib distribution multicast [ messages ] [ \_\_readonly\_\_ <fibstate> <slot> <accepting\_routes> <num\_accepting\_routes> ]

### Syntax Description

show	
ip	IP information
fib	Forwarding Information
distribution	FIB distribution information
multicast	Multicast FIB distribution information
messages	(Optional) Outstanding Message Information
__readonly__	(Optional)
<i>fibstate</i>	(Optional) IP Multicast FIB process state
<i>slot</i>	(Optional) Slot
<i>accepting_routes</i>	(Optional) Indicates whether FIB is accepting routes
<i>num_accepting_routes</i>	(Optional) Number of fibs accepting routes

### Command Mode

- /exec

# show ip fib distribution multicast outgoing-interface-list

show ip fib distribution multicast outgoing-interface-list { L2 | L3 | OTV } [ <index> ] [ \_\_readonly\_\_ <platform\_index> <ref\_count> <num\_oif> <oif> ]

## Syntax Description

show	
ip	IP information
fib	Forwarding Information
distribution	FIB distribution information
multicast	Multicast FIB distribution information
outgoing-interface-list	Outgoing interface list
L2	Layer 2 oiflist
L3	Layer 3 oiflist
OTV	OTV oiflist
<i>index</i>	(Optional) Outgoing Interface List index
<i>__readonly__</i>	(Optional)
<i>platform_index</i>	(Optional) Platform index
<i>ref_count</i>	(Optional) Reference count
<i>num_oif</i>	(Optional) Number of outgoing interfaces
<i>oif</i>	(Optional) OIF name

## Command Mode

- /exec

**show ip fib distribution state**

# show ip fib distribution state

show ip fib distribution state [ \_\_readonly\_\_ <slot><known><ar><rcnt><state> ]

## Syntax Description

show	
ip	ipv4
fib	forwarding information
distribution	fib distribution info
state	unicast fib state info
__readonly__	(Optional)

## Command Mode

- /exec

# show ip fib interfaces

```
show ip fib interfaces [ module <module> ] [ __readonly__ <intf> <v4adjcnt> <v6adjcnt> <rpfmode> ]
```

## Syntax Description

show	
ip	Display IP information
fib	Forwarding information
interfaces	show fib interface info
__readonly__	(Optional)
<i>intf</i>	(Optional) interface name
<i>module</i>	(Optional) slot
<i>module</i>	(Optional) slot number
<i>v4adjcnt</i>	(Optional) count of v4 adjacencies
<i>v6adjcnt</i>	(Optional) count of v6 adjacencies
<i>rpfmode</i>	(Optional) uRPF mode

## Command Mode

- /exec

show ip fib mroute

# show ip fib mroute

```
show ip fib mroute [ { <group> | <gprefix> } [ <source> ] [ table <table-id> ] [ module <module> ] [ __readonly__ <table_type> <num_groups> <num_sources> <src_len> <grp_len> <df_ordinal> <rpfif> <rpf_ifindex> <flag> <flag_value> <route_pkts> <route_bytes> <oiflist_id> <platform_id> <oif_count> <refcount> <oifname> <oifindex> <oif_pkts> <oif_bytes> ]
```

## Syntax Description

show	
ip	Display IP information
fib	Forwarding information
mroute	Multicast IPv4 routes
<i>group</i>	(Optional) Multicast IPv4 Group Address
<i>gprefix</i>	(Optional) Multicast IPv4 Group Prefix
<i>source</i>	(Optional) Multicast IPv4 Source Address
<i>table</i>	(Optional) display info per vpn-id
<i>table-id</i>	(Optional) table-id
<i>module</i>	(Optional) slot
<i>module</i>	(Optional) slot number
<i>__readonly__</i>	(Optional)
<i>table_type</i>	(Optional) Table Type
<i>num_groups</i>	(Optional) Number of group entries in the table
<i>num_sources</i>	(Optional) Number of (S, G) entries for the group address
<i>src_len</i>	(Optional) Source Address Mask
<i>grp_len</i>	(Optional) Group address Mask
<i>df_ordinal</i>	(Optional) DF ordinal
<i>rpfif</i>	(Optional) RPF interface
<i>rpf_ifindex</i>	(Optional) RPF Interface ifIndex
<i>flag</i>	(Optional) Route type flag
<i>flag_value</i>	(Optional) hex value of route flag
<i>route_pkts</i>	(Optional) Route packet count

<i>route_bytes</i>	(Optional) Route bytes
<i>oiflist_id</i>	(Optional) OIF list Identifier
<i>platform_id</i>	(Optional) Platform-index
<i>oif_count</i>	(Optional) Number of OIFs
<i>refcount</i>	(Optional) OIF list Reference Count
<i>oifname</i>	(Optional) OIF Interface name
<i>oifindex</i>	(Optional) OIF Interface ifIndex
<i>oif_pkts</i>	(Optional) OIF packets
<i>oif_bytes</i>	(Optional) OIF bytes

**Command Mode**

- /exec

show ip fib mroute

# show ip fib mroute

```
show ip fib mroute [ { <group> | <gprefix> } [ <source> ] [ table <table-id> ] [ module <module> ] [ __readonly__ <table_type> <num_groups> <num_sources> <src_len> <grp_len> <df_ordinal> <rpfif> <rpf_ifindex> <flag> <flag_value> <route_pkts> <route_bytes> <oiflist_id> <platform_id> <oif_count> <refcount> <oifname> <oifindex> <oif_pkts> <oif_bytes> ] ]
```

## Syntax Description

show	
ip	Display IP information
fib	Forwarding information
mroute	Multicast IPv4 routes
<i>group</i>	(Optional) Multicast IPv4 Group Address
<i>gprefix</i>	(Optional) Multicast IPv4 Group Prefix
<i>source</i>	(Optional) Multicast IPv4 Source Address
<i>table</i>	(Optional) display info per vpn-id
<i>table-id</i>	(Optional) table-id
<i>module</i>	(Optional) slot
<i>module</i>	(Optional) slot number
<i>__readonly__</i>	(Optional)
<i>table_type</i>	(Optional) Table Type
<i>num_groups</i>	(Optional) Number of group entries in the table
<i>num_sources</i>	(Optional) Number of (S, G) entries for the group address
<i>src_len</i>	(Optional) Source Address Mask
<i>grp_len</i>	(Optional) Group address Mask
<i>df_ordinal</i>	(Optional) DF ordinal
<i>rpfif</i>	(Optional) RPF interface
<i>rpf_ifindex</i>	(Optional) RPF Interface ifIndex
<i>flag</i>	(Optional) Route type flag
<i>flag_value</i>	(Optional) hex value of route flag
<i>route_pkts</i>	(Optional) Route packet count

<i>route_bytes</i>	(Optional) Route bytes
<i>oiflist_id</i>	(Optional) OIF list Identifier
<i>platform_id</i>	(Optional) Platform-index
<i>oif_count</i>	(Optional) Number of OIFs
<i>refcount</i>	(Optional) OIF list Reference Count
<i>oifname</i>	(Optional) OIF Interface name
<i>oifindex</i>	(Optional) OIF Interface ifIndex
<i>oif_pkts</i>	(Optional) OIF packets
<i>oif_bytes</i>	(Optional) OIF bytes

**Command Mode**

- /exec

show ip fib mroute txlist

## show ip fib mroute txlist

show ip fib mroute txlist [ module <module> ]

### Syntax Description

show	
ip	Display IP information
fib	Forwarding information
mroute	display IP mcast routing table
txlist	display routes in the txlist
module	(Optional) slot
<i>module</i>	(Optional) slot number

### Command Mode

- /exec

# show ip fib route

```
show ip fib route [ vrf { <vrf-name> | <vrf-known-name> | <vrf-all> } | table <table_id> ] [ summary | <prefix> [ longer-prefixes ] | <address> | interface <interface> | next-hop <nh> | attached | unresolved | adjacency { <aif> <anh> | drop | glean | punt } ] [ module <module> | vrf { <vrf-name> | <vrf-known-name> | <vrf-all> } ] + [ __readonly__ <header> <vrfname> <tableid> <prefix-count> <pxf> { <nexthop> | <special> } <intf> <route-count> <path-count> <mask-length> <routes-per-mask> ]
```

## Syntax Description

show	
ip	Display IP information
fib	Forwarding information
route	display IP routing table
vrf	(Optional) display info per VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>vrf-all</i>	(Optional) Display information for all VRFs
table	(Optional) display info per vpn-id
<i>table_id</i>	(Optional) table number
summary	(Optional) display route counts
<i>prefix</i>	(Optional) display single exact match route
longer-prefixes	(Optional) display longer prefixes
<i>address</i>	(Optional) display single longest match route
interface	(Optional) display routes with this output i/f only
<i>interface</i>	(Optional) output interface
next-hop	(Optional) display routes with this next-hop only
<i>nh</i>	(Optional) next hop address
attached	(Optional) display directly connected routes
unresolved	(Optional) display unresolved routes
adjacency	(Optional) display routes via specified adjacency
<i>aif</i>	(Optional) adjacency output interface
<i>anh</i>	(Optional) adjacency next-hop address

show ip fib route

drop	(Optional) display routes via drop adjacency
glean	(Optional) display routes via glean adjacency
punt	(Optional) display routes via punt adjacency
module	(Optional) slot
<i>module</i>	(Optional) slot number
<u>readonly</u>	(Optional)
<i>header</i>	(Optional) header string
<i>vrfname</i>	(Optional) VRF name
<i>tableid</i>	(Optional) table identifier
<i>prefix-count</i>	(Optional) total number of prefix in VRF
<i>pxf</i>	(Optional) ipv4 prefix
<i>nexthop</i>	(Optional) next hop address
<i>special</i>	(Optional) special adjacencies
<i>intf</i>	(Optional) output interface
<i>route-count</i>	(Optional) total number of routes in VRF
<i>path-count</i>	(Optional) total number of paths in VRF
<i>mask-length</i>	(Optional) length of mask
<i>routes-per-mask</i>	(Optional)

**Command Mode**

- /exec

# show ip fib route

```
show ip fib route [ vrf { <vrf-name> | <vrf-known-name> | <vrf-all> } | table <table_id> ] [ summary | <prefix> [ longer-prefixes ] | <address> | interface <interface> | next-hop <nh> | attached | unresolved | adjacency { <aif> <anh> | drop | glean | punt } ] [ module <module> | vrf { <vrf-name> | <vrf-known-name> | <vrf-all> } ] + [ __readonly__ <header> <vrfname> <tableid> <prefix-count> <pxf> { <nexthop> | <special> } <intf> <route-count> <path-count> <mask-length> <routes-per-mask> ]
```

## Syntax Description

show	
ip	Display IP information
fib	Forwarding information
route	display IP routing table
vrf	(Optional) display info per VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>vrf-all</i>	(Optional) Display information for all VRFs
table	(Optional) display info per vpn-id
<i>table_id</i>	(Optional) table number
summary	(Optional) display route counts
<i>prefix</i>	(Optional) display single exact match route
longer-prefixes	(Optional) display longer prefixes
<i>address</i>	(Optional) display single longest match route
interface	(Optional) display routes with this output i/f only
<i>interface</i>	(Optional) output interface
next-hop	(Optional) display routes with this next-hop only
<i>nh</i>	(Optional) next hop address
attached	(Optional) display directly connected routes
unresolved	(Optional) display unresolved routes
adjacency	(Optional) display routes via specified adjacency
<i>aif</i>	(Optional) adjacency output interface
<i>anh</i>	(Optional) adjacency next-hop address

show ip fib route

drop	(Optional) display routes via drop adjacency
glean	(Optional) display routes via glean adjacency
punt	(Optional) display routes via punt adjacency
module	(Optional) slot
<i>module</i>	(Optional) slot number
<u>readonly</u>	(Optional)
<i>header</i>	(Optional) header string
<i>vrfname</i>	(Optional) VRF name
<i>tableid</i>	(Optional) table identifier
<i>prefix-count</i>	(Optional) total number of prefix in VRF
<i>pxf</i>	(Optional) ipv4 prefix
<i>nexthop</i>	(Optional) next hop address
<i>special</i>	(Optional) special adjacencies
<i>inf</i>	(Optional) output interface
<i>route-count</i>	(Optional) total number of routes in VRF
<i>path-count</i>	(Optional) total number of paths in VRF
<i>mask-length</i>	(Optional) length of mask
<i>routes-per-mask</i>	(Optional)

**Command Mode**

- /exec

# show ip fib route recovered

show ip fib route recovered

## Syntax Description

show	
ip	ipv4
fib	display fib information
route	display IP routing table
recovered	log of routes recovered after TCAM free condition

## Command Mode

- /exec

**show ip ftm statistics**

# show ip ftm statistics

show ip ftm statistics

## Syntax Description

show	Show running system information
ip	Display IP information
ftm	FTM API
statistics	Statistics

## Command Mode

- /exec

# show ip ftp source-interface

show ip ftp source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_ipftpvrf <vrfname> <ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
ftp	Display FTP client information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_ipftpvrf	(Optional) source interface of ftp given vrf
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

## Command Mode

- /exec

**show ip ftp source-interface vrf all**

## show ip ftp source-interface vrf all

show ip ftp source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_ipftp <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
ftp	Display FTP client information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrfs
__readonly__	(Optional)
TABLE_ipftp	(Optional) source interface of ftp
vrfname	(Optional) vrfname
ifname	(Optional) ifname

### Command Mode

- /exec

# show ip http source-interface

show ip http source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_iphttpvrf <vrfname> <ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
http	Display HTTP client information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_iphttpvrf	(Optional) source interface of http given vrf
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

## Command Mode

- /exec

show ip http source-interface vrf all

## show ip http source-interface vrf all

show ip http source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_iphttp <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
http	Display HTTP client information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrfs
__readonly__	(Optional)
TABLE_iphttp	(Optional) source interface of http
vrfname	(Optional) vrfname
ifname	(Optional) ifname

### Command Mode

- /exec

# show ip igmp event-history

show ip igmp [ internal ] event-history { errors | msgs | <igmp-event-hist-buf-name> | statistics }

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
internal	(Optional) Commands for internal use
event-history	Show various event logs of IGMP
errors	Show error logs of IGMP
msgs	Show various message logs of IGMP
<i>igmp-event-hist-buf-name</i>	Show various logs of IGMP
statistics	Show state and size of buffer

## Command Mode

- /exec

show ip igmp groups

## show ip igmp groups

```
show ip igmp { groups | route } [ <source> [ <group> ] | <group> [ <source> ] ] [ <interface> ] [ summary ]
[ vrf { <vrf-name> | <vrf-known-name> | all } ] [ summary-old ] [ __readonly__ [ TABLE_vrf [ <if-name>
] [ <vrfname> ] [ <entry-count> ] [ <group-addr> ] [ <sourceaddress> ] [ TABLE_group [ <group-addr> ] [
<group-type> ] [ <if-name> ] [ <uptime> ] [ <expires> ] [ <reporter> ] ] [ TABLE_source [ <source-addr> ]
[ <group-type> ] [ <translate> ] [ <if-name> ] [ <uptime> ] [ <expires> ] [ <reporter> ] ] [ <vrf-cntxt> ] [
<g-count> ] [ <sg-count> ] ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
groups	Display IGMP attached group membership information
route	Display IGMP attached group membership information
<i>group</i>	(Optional) Multicast IP address of single group to display
<i>source</i>	(Optional) Source IP address
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>interface</i>	(Optional) Display group membership on single interface name
summary	(Optional) Display group summary
summary-old	(Optional) Display group summary
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrfname</i>	(Optional)
<i>if-name</i>	(Optional)
<i>group-addr</i>	(Optional)
<i>entry-count</i>	(Optional)
<i>sourceaddress</i>	(Optional)
TABLE_group	(Optional)

<i>group-addr</i>	(Optional)
<i>group-type</i>	(Optional)
<i>if-name</i>	(Optional)
<i>uptime</i>	(Optional)
<i>expires</i>	(Optional)
<i>reporter</i>	(Optional)
TABLE_source	(Optional)
<i>source-addr</i>	(Optional)
<i>group-type</i>	(Optional)
<i>translate</i>	(Optional)
<i>if-name</i>	(Optional)
<i>uptime</i>	(Optional)
<i>expires</i>	(Optional)
<i>reporter</i>	(Optional)
vrf-cntxt	(Optional)
<i>g-count</i>	(Optional)
<i>sg-count</i>	(Optional)

**Command Mode**

- /exec

show ip igmp interface

# show ip igmp interface

```
show ip igmp interface [ <interface> ] [ brief ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf> [ <entry-count> ] [ [ TABLE_brief [ <if-name> ] [ <addr> ] [ <querier> ] [ <mc> ] [ <ver> ] ] [ TABLE_if <if-name> [ <if-status> ] [ <ip-sum> ] [ <addr> ] [ <querier> ] [ <q-ver> ] [ <next-query> ] [ <expires> ] [ <mc> ] [ <ver> ] [ <host-ver> ] [ <qi> ] [ <cqi> ] [ <mrt> ] [ <cmrt> ] [ <sqi> ] [ <csqi> ] [ <sqi> ] [ <lmmrt> ] [ <lmqc> ] [ <gt> ] [ <cgt> ] [ <qt> ] [ <cqt> ] [ <uri> ] [ <rv> ] [ <crv> ] [ <rll> ] [ <rc> ] [ <il> ] [ <join-group-map> ] [ <static-group-map> ] [ <host-proxy> ] [ <host-proxy-group-map> ] [ <un-solicited> ] [ <unsoint> ] [ <v1rr> ] [ <v2qs> ] [ <v2qr> ] [ <v2rs> ] [ <v2rr> ] [ <v2ls> ] [ <v2lr> ] [ <v3qs> ] [ <v3qr> ] [ <v3rs> ] [ <v3rr> ] [ <v2gqdest> ] [ <v3gqdest> ] [ <cse> ] [ <ple> ] [ <lsip> ] [ <scf> ] [ <qnq> ] [ <rvm> ] [ <qvm> ] [ <uit> ] [ <v1gdam> ] [ <v2gdam> ] [ <v3dai> ] [ <ra> ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
interface	Display IGMP interface related information
<i>interface</i>	(Optional) Interface name of single interface to display
brief	(Optional) Display one line status per interface
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
detail	(Optional) Display detailed information
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
<i>entry-count</i>	(Optional)
TABLE_brief	(Optional)
<i>if-name</i>	(Optional)
<i>addr</i>	(Optional)
<i>querier</i>	(Optional)
<i>mc</i>	(Optional)

<i>ver</i>	(Optional)
<i>TABLE_if</i>	(Optional)
<i>if-name</i>	(Optional)
<i>if-status</i>	(Optional)
<i>ip-sum</i>	(Optional)
<i>addr</i>	(Optional)
<i>querier</i>	(Optional)
<i>q-ver</i>	(Optional)
<i>next-query</i>	(Optional)
<i>expires</i>	(Optional)
<i>mc</i>	(Optional)
<i>ver</i>	(Optional)
<i>host-ver</i>	(Optional)
<i>qi</i>	(Optional)
<i>cqi</i>	(Optional)
<i>mrt</i>	(Optional)
<i>cmrt</i>	(Optional)
<i>sqi</i>	(Optional)
<i>csqi</i>	(Optional)
<i>sqc</i>	(Optional)
<i>lmmrt</i>	(Optional)
<i>lmqc</i>	(Optional)
<i>gt</i>	(Optional)
<i>cgt</i>	(Optional)
<i>qt</i>	(Optional)
<i>cqt</i>	(Optional)
<i>uri</i>	(Optional)
<i>rv</i>	(Optional)
<i>crv</i>	(Optional)

**show ip igmp interface**

<i>rll</i>	(Optional)
<i>rc</i>	(Optional)
<i>v1rr</i>	(Optional)
<i>v2qs</i>	(Optional)
<i>v2qr</i>	(Optional)
<i>v2rs</i>	(Optional)
<i>v2rr</i>	(Optional)
<i>v2ls</i>	(Optional)
<i>v2lr</i>	(Optional)
<i>v3qs</i>	(Optional)
<i>v3qr</i>	(Optional)
<i>v3rs</i>	(Optional)
<i>v3rr</i>	(Optional)
<i>v2gqdest</i>	(Optional)
<i>v3gqdest</i>	(Optional)
<i>cse</i>	(Optional)
<i>ple</i>	(Optional)
<i>lsip</i>	(Optional)
<i>scf</i>	(Optional)
<i>qnq</i>	(Optional)
<i>rvm</i>	(Optional)
<i>qvm</i>	(Optional)
<i>uit</i>	(Optional)
<i>v1gdam</i>	(Optional)
<i>v2gdam</i>	(Optional)
<i>v3dai</i>	(Optional)
<i>ra</i>	(Optional)
<i>static-group-map</i>	(Optional)
<i>join-group-map</i>	(Optional)

<i>host-proxy-group-map</i>	(Optional)
<i>il</i>	(Optional)
<i>host-proxy</i>	(Optional)
<i>un-solicited</i>	(Optional)
<i>unsoint</i>	(Optional)

**Command Mode**

- /exec

show ip igmp local-groups

## show ip igmp local-groups

```
show ip igmp local-groups [ <interface> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_vrf [ <vrf-name> ] [ TABLE_if [ <if-name> ] [ TABLE_grp [ <group-addr> ] [ TABLE_src [ <source-addr> ] [ <last-reported> ] [ <local-group> ] [ <static-oif> ] [ <report-only> ] [ <host-proxy> ] ] ] ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
local-groups	Display IGMP local group membership information
<i>interface</i>	(Optional) Display group membership on single interface name
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name</i>	(Optional)
TABLE_if	(Optional)
<i>if-name</i>	(Optional)
TABLE_grp	(Optional)
<i>group-addr</i>	(Optional)
TABLE_src	(Optional)
<i>source-addr</i>	(Optional)
<i>last-reported</i>	(Optional)
<i>local-group</i>	(Optional)
<i>static-oif</i>	(Optional)
<i>report-only</i>	(Optional)
<i>host-proxy</i>	(Optional)

**Command Mode**

- /exec

show ip igmp policy statistics reports

## show ip igmp policy statistics reports

```
show ip igmp policy statistics reports [ <interface> ] [ __readonly__ [ TABLE_interface [ <if> ] [ TABLE_routemap [ <name> ] [ <action> ] [ <seq_num> ] [ TABLE_cmd [ <command> ] [ <match_count> ] [ <compare_count> ] ] ] [ <total_accept_count> ] [ <total_reject_count> ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Show IGMP related information
policy	Policy related information
statistics	Policy statistics
reports	IGMP reports
<i>interface</i>	(Optional) Interface to display statistics for
<i>__readonly__</i>	(Optional)
TABLE_interface	(Optional)
<i>if</i>	(Optional)
TABLE_routemap	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>seq_num</i>	(Optional)
TABLE_cmd	(Optional)
<i>command</i>	(Optional)
<i>compare_count</i>	(Optional)
<i>match_count</i>	(Optional)
<i>total_accept_count</i>	(Optional)
<i>total_reject_count</i>	(Optional)

### Command Mode

- /exec

# show ip igmp snooping

```
show ip igmp snooping [ { vlan <vlan> | bridge-domain <bdid> } ] [ __readonly__ [ <vdc> ] [ <enabled> ] [ <omf> ] [ <grepsup> ] [ <gv3repssup> ] [ <glinklocalgrpsup> ] { TABLE_vlan <vlan-id> [ <description> ] [ <snoop-on> ] [ <qa> ] [ <qv> ] [ <qi> ] [ <qlmqi> ] [ <rv> ] [ <sq> ] [ <sqr> ] [ <eht> ] [ <fl> ] [ <repssup> ] [ <v3repssup> ] [ <vlinklocalgrpsup> ] [ <rpc> ] [ <gc> ] [ TABLE_active_ports [ <actvports> ] ] [ <lkupmode> ] [ <omf_enabled> ] [ <reportfloodenable> ] [ <reportfloodall> ] [ TABLE_intf <if-name> ] [ <leavegroupaddress> ] } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
vlan	(Optional) Display VLAN IGMP snooping membership information
<i>vlan</i>	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD IGMP snooping membership information
<i>bdid</i>	(Optional) Specify BD
<u>__readonly__</u>	(Optional)
<i>vdc</i>	(Optional)
<i>enabled</i>	(Optional)
<i>omf</i>	(Optional)
<i>grepsup</i>	(Optional)
<i>gv3repssup</i>	(Optional)
<i>glinklocalgrpsup</i>	(Optional)
TABLE_vlan	(Optional)
<i>vlan-id</i>	(Optional)
<i>description</i>	(Optional) description, if any
<i>snoop-on</i>	(Optional)
<i>qa</i>	(Optional)
<i>qv</i>	(Optional)
<i>qi</i>	(Optional)

**show ip igmp snooping**

<i>qlmqi</i>	(Optional)
<i>rv</i>	(Optional)
<i>sq</i>	(Optional)
<i>sqr</i>	(Optional)
<i>eht</i>	(Optional)
<i>fl</i>	(Optional)
<i>repsup</i>	(Optional)
<i>v3repsup</i>	(Optional)
<i>vlinklocalgrpsup</i>	(Optional)
<i>rpc</i>	(Optional)
<i>gc</i>	(Optional)
TABLE_active_ports	(Optional)
<i>actvports</i>	(Optional)
<i>lkupmode</i>	(Optional)
<i>omf_enabled</i>	(Optional)
<i>reportfloodenable</i>	(Optional)
<i>reportfloodall</i>	(Optional)
TABLE_intf	(Optional)
<i>if-name</i>	(Optional)
<i>leavegroupaddress</i>	(Optional)

#### Command Mode

- /exec

# show ip igmp snooping event-history

show ip igmp snooping [ internal ] event-history { statistics | <igmp-snoop-event-hist-buf-name> }

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
internal	(Optional) Display IGMP snooping internal information
event-history	Show various event logs of IGMP Snooping
statistics	Show state and size of the buffers
<i>igmp-snoop-event-hist-buf-name</i>	Show contents of event-history buffer

## Command Mode

- /exec

### **show ip igmp snooping explicit-tracking**

### **show ip igmp snooping explicit-tracking**

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
explicit-tracking	Display explicit-tracking database for IGMPv3
vlan	(Optional) Display Vlan explicit-tracking database
<i>vlan</i>	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD explicit-tracking database
<i>bdid</i>	(Optional) Specify BD
detail	(Optional) Display detail info regarding host and vPC
<u>readonly</u>	(Optional)
TABLE_vlan	(Optional)
<i>vlan-id</i>	(Optional)
TABLE_gaddr	(Optional)
<i>grp-addr</i>	(Optional)
TABLE_if	(Optional)
<i>if-name</i>	(Optional)
TABLE_haddr	(Optional)
<i>host-addr</i>	(Optional)
TABLE_srcaddr	(Optional)
<i>src-addr</i>	(Optional)
<i>uptime</i>	(Optional)
<i>last-join</i>	(Optional)

<i>expires</i>	(Optional)
<i>cfs-flag</i>	(Optional)
<i>native-flag</i>	(Optional)
<i>delete-pending</i>	(Optional)
<i>cfs-update-pending</i>	(Optional)

**Command Mode**

- /exec

**show ip igmp snooping filter details**

## show ip igmp snooping filter details

show ip igmp snooping filter [ vlan <vlan\_id> ] details [ \_\_readonly\_\_ { TABLE\_vlanid <vlan-id> <access-group> <group-channels-limit> <igmp-min-ver> } ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
filter	Shows filter policy configuration
vlan	(Optional) Only for the specified VLAN
<i>vlan_id</i>	(Optional) VLAN ID
details	Shows different Filter configurations
__readonly__	(Optional)
TABLE_vlanid	(Optional)
<i>vlan-id</i>	(Optional)
<i>access-group</i>	(Optional)
<i>group-channels-limit</i>	(Optional)
<i>igmp-min-ver</i>	(Optional)

### Command Mode

- /exec

# show ip igmp snooping groups

```
show ip igmp snooping [ otv | remote ] groups [ { <source> [ <group> ] } | { <group> [ <source> ] } ] [ vlan
<vlan> | bridge-domain <bdid> ] [ detail ] [ summary ] [ __readonly__ { TABLE_vlan <vlan-id> [ <rports>
] [ <rtrPortFlag> ] [ TABLE_port <if-name> ] [ TABLE_rtrports <rport-if-name> ] [ <raddr> ] [ TABLE_source
<source> ] [ TABLE_group <addr> [ <g-mfdm> ] [ <ver> ] [ <old-host> ] [ <raddr> ] [ <static> ] [ <dynamic>
] [ TABLE_static_ports <static-if-name> ] [ TABLE_v2_ports <v2-if-name> [ <uptime> ] [ <expires> ] [
<gq-missed> ] ] [ TABLE_star_g_ports <star-g-if-name> [ <uptime> ] [ <expires> ] ] [ <g-vpc> ] [ <rsf> ] [
<js> ] [ TABLE_source <source> [ <srsf> ] [ <s-mfdm> ] [ <src-static> ] [ <src-dynamic> ] [
TABLE_src_static_ports <src-static-if-name> ] [ TABLE_src_dynamic [ <oifs> ] <dyn-if-name> [ <src-uptime>
] [ <src-expires> ] ] [ <s-vpc> ] ] ] [ <snoop-enabled> ] [ <omf-enabled> ] [ <group-count> ] [ <s-g-count>
] [ <total_star_g_count> ] [ <total_sg_count> ] } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
otv	(Optional) IGMP Snooping OTV information
remote	(Optional) IGMP Snooping remote information
groups	Display snooping information for group address
summary	(Optional) Display snooping group summary
group	(Optional) Multicast IP address of single group to display
source	(Optional) Source IP address
vlan	(Optional) Display VLAN IGMP snooping membership information
vlan	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD IGMP snooping membership information
bdid	(Optional) Specify BD
detail	(Optional) Display detailed information for the group
__readonly__	(Optional)
TABLE_vlan	(Optional)
vlan-id	(Optional)
rports	(Optional)
rtrPortFlag	(Optional)

**show ip igmp snooping groups**

<i>snoop-enabled</i>	(Optional)
<i>omf-enabled</i>	(Optional)
<i>group-count</i>	(Optional)
<i>s-g-count</i>	(Optional)
<i>total_star_g_count</i>	(Optional)
<i>total_sg_count</i>	(Optional)
<i>TABLE_port</i>	(Optional)
<i>if-name</i>	(Optional)
<i>TABLE_rtrports</i>	(Optional)
<i>rport-if-name</i>	(Optional)
<i>raddr</i>	(Optional)
<i>TABLE_group</i>	(Optional)
<i>addr</i>	(Optional)
<i>ver</i>	(Optional)
<i>raddr</i>	(Optional)
<i>TABLE_source</i>	(Optional)
<i>source</i>	(Optional)
<i>rsf</i>	(Optional)
<i>js</i>	(Optional)
<i>g-mfdm</i>	(Optional)
<i>old-host</i>	(Optional)
<i>g-vpc</i>	(Optional)
<i>static</i>	(Optional)
<i>dynamic</i>	(Optional)
<i>TABLE_static_ports</i>	(Optional)
<i>static-if-name</i>	(Optional)
<i>TABLE_v2_ports</i>	(Optional)
<i>v2-if-name</i>	(Optional)
<i>uptime</i>	(Optional)

<i>expires</i>	(Optional)
<i>gq-missed</i>	(Optional)
TABLE_star_g_ports	(Optional)
<i>star-g-if-name</i>	(Optional)
<i>uptime</i>	(Optional)
<i>expires</i>	(Optional)
TABLE_source	(Optional)
<i>source</i>	(Optional)
<i>srsf</i>	(Optional)
<i>s-mfdm</i>	(Optional)
<i>s-vpc</i>	(Optional)
<i>src-static</i>	(Optional)
<i>src-dynamic</i>	(Optional)
TABLE_src_static_ports	(Optional)
<i>src-static-if-name</i>	(Optional)
TABLE_src_dynamic	(Optional)
<i>oifs</i>	(Optional)
<i>dyn-if-name</i>	(Optional)
<i>src-uptime</i>	(Optional)
<i>src-expires</i>	(Optional)

**Command Mode**

- /exec

**show ip igmp snooping lookup-mode**

## show ip igmp snooping lookup-mode

show ip igmp snooping lookup-mode [ vlan <vlan> | bridge-domain <bdid> ] [ \_\_readonly\_\_ { TABLE\_global <configured> <operational> } { TABLE\_vlan <vlan-id> <lookup> } ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
lookup-mode	IGMP Snooping lkup mode information
vlan	(Optional) Display VLAN information
<i>vlan</i>	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD information
<i>bdid</i>	(Optional) Specify BD
<u>__readonly__</u>	(Optional)
TABLE_global	(Optional)
<i>configured</i>	(Optional)
<i>operational</i>	(Optional)
TABLE_vlan	(Optional)
<i>vlan-id</i>	(Optional)
<i>lookup</i>	(Optional)

### Command Mode

- /exec

# show ip igmp snooping mac-oif

show ip igmp snooping mac-oif [ vlan <vlan> | bridge-domain <bdid> ] [ detail ] [ \_\_readonly\_\_ [ <totaloif> ] [ TABLE\_vlan <vlan-id> <count> [ TABLE\_mac <mac-addr> [ TABLE\_oif <oifs> ] ] ] ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
mac-oif	IGMP Snooping static mac oif information
vlan	(Optional) Display VLAN information
<i>vlan</i>	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD information
<i>bdid</i>	(Optional) Specify BD
detail	(Optional) static mac oif detail, M2RIB oif info
__readonly__	(Optional)
<i>totaloif</i>	(Optional)
TABLE_vlan	(Optional)
<i>vlan-id</i>	(Optional)
<i>count</i>	(Optional)
TABLE_mac	(Optional)
<i>mac-addr</i>	(Optional)
TABLE_oif	(Optional)
<i>oifs</i>	(Optional)

## Command Mode

- /exec

show ip igmp snooping mrouter

## show ip igmp snooping mrouter

```
show ip igmp snooping mrouter [ otv ] [ vlan <vlan> | bridge-domain <bdid> ] [ detail ] [ __readonly__  
TABLE_vlan <vlan-id> TABLE_intf <if-name> <static> <dynamic> <vpc> <fabricpath-core-port>  
<co-learned> <user-configured> <learnt-by-peer> <uptime> <expires> <internal> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
mrouter	Display multicast routers detected
otv	(Optional) IGMP Snooping OTV information
vlan	(Optional) Display VLAN multicast router information
<i>vlan</i>	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD multicast router information
<i>bdid</i>	(Optional) Specify BD
detail	(Optional) Display detailed mrouter information
<u>__readonly__</u>	(Optional)
TABLE_vlan	(Optional)
<i>vlan-id</i>	(Optional)
TABLE_intf	(Optional)
<i>if-name</i>	(Optional)
<i>uptime</i>	(Optional)
<i>expires</i>	(Optional)
<i>static</i>	(Optional)
<i>dynamic</i>	(Optional)
<i>internal</i>	(Optional)
<i>vpc</i>	(Optional)
<i>fabricpath-core-port</i>	(Optional)
<i>co-learned</i>	(Optional)

<i>user-configured</i>	(Optional)
<i>learnt-by-peer</i>	(Optional)

**Command Mode**

- /exec

show ip igmp snooping pw vlan brief

## show ip igmp snooping pw vlan brief

show ip igmp snooping pw vlan brief [ \_\_readonly\_\_ <vlan-id> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
pw	IGMP Snooping PW information
vlan	Display VLAN/BD information
brief	Brief output
__readonly__	(Optional)
<i>vlan-id</i>	(Optional)

### Command Mode

- /exec

# show ip igmp snooping querier

```
show ip igmp snooping querier [ vlan <vlan> | bridge-domain <bdid> ] [ detail ] [ __readonly__ [ TABLE_vlan
<vlan-id> <qa> <qv> [ <expires> ] <qioc> <qname> <int> [ <last_member_query_count> ] [
<config_last_member_query_count> ] [ <snooping_version> ] [ <config_qv> ] [ <robust> ] [ <config_robust>
] [ <startup_query_count> ] [ <config_startup_query_count> ] [ <startup_query_interval> ] [
<config_startup_query_interval> ] [ <mbr_query_interval> ] [ <config_mbr_query_interval> ] [
<snooping_query_intvl> ] [ <config_snooping_query_intvl> ] [ <gquery_response_time> ] [
<config_gquery_response_time> ] [ <querier_timeout> ] [ <querier_timeout_flag> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
querier	Display snooping querier information
vlan	(Optional) Display VLAN IGMP snooping querier information
<i>vlan</i>	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD IGMP snooping querier information
<i>bdid</i>	(Optional) Specify BD
detail	(Optional) Display detailed information
__readonly__	(Optional)
TABLE_vlan	(Optional)
<i>vlan-id</i>	(Optional)
<i>qa</i>	(Optional)
<i>expires</i>	(Optional)
<i>qv</i>	(Optional)
<i>qioc</i>	(Optional)
<i>qname</i>	(Optional)
<i>int</i>	(Optional)
<i>last_member_query_count</i>	(Optional)
<i>config_last_member_query_count</i>	(Optional)
<i>snooping_version</i>	(Optional)

**show ip igmp snooping querier**

<i>config_qv</i>	(Optional)
<i>robust</i>	(Optional)
<i>config_robust</i>	(Optional)
<i>startup_query_count</i>	(Optional)
<i>config_startup_query_count</i>	(Optional)
<i>startup_query_interval</i>	(Optional)
<i>config_startup_query_interval</i>	(Optional)
<i>mbr_query_interval</i>	(Optional)
<i>config_mbr_query_interval</i>	(Optional)
<i>snooping_query_intvl</i>	(Optional)
<i>config_snooping_query_intvl</i>	(Optional)
<i>gquery_response_time</i>	(Optional)
<i>config_gquery_response_time</i>	(Optional)
<i>querier_timeout</i>	(Optional)
<i>querier_timeout_flag</i>	(Optional)

#### Command Mode

- /exec

# show ip igmp snooping report statistics

show ip igmp snooping { report-policy | access-group } statistics [ vlan <vlan> ] [ \_\_readonly\_\_ [ TABLE\_vlanid { <vlan-id> <rpm-type> <policy-name> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
report-policy	IGMP Report Policy
access-group	IGMP access-group
statistics	Policy statistics
vlan	(Optional) Display VLAN IGMP snooping policy statistics information
<i>vlan</i>	(Optional) Specify VLAN
__readonly__	(Optional)
TABLE_vlanid	(Optional)
<i>vlan-id</i>	(Optional)
<i>rpm-type</i>	(Optional)
<i>policy-name</i>	(Optional)

## Command Mode

- /exec

show ip igmp snooping snmp mib adminMode

## show ip igmp snooping snmp mib adminMode

show ip igmp snooping snmp mib adminMode [ \_\_readonly\_\_ < cisAdminMode > ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
adminMode	Indicates the administrative snooping mode of IGMP Snooping feature
__readonly__	(Optional) Read Only
<i>cisAdminMode</i>	(Optional) mib object cisAdminMode

### Command Mode

- /exec

# show ip igmp snooping snmp mib aliasingMode

show ip igmp snooping snmp mib aliasingMode [ \_\_readonly\_\_ <cisAddressAliasingMode> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
aliasingMode	Indicates the current IGMP Address Aliasing Mode of the device
__readonly__	(Optional) Read Only
<i>cisAddressAliasingMode</i>	(Optional) mib object cisAddressAliasingMode

## Command Mode

- /exec

show ip igmp snooping snmp mib cisV3ProcessEnableOperStatus

## show ip igmp snooping snmp mib cisV3ProcessEnableOperStatus

show ip igmp snooping snmp mib cisV3ProcessEnableOperStatus [ \_\_readonly\_\_ <cisV3ProcessEnabledOperStatus> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
cisV3ProcessEnableOperStatus	Indicates the current operational status of IGMP v3 processing in the system
__readonly__	(Optional) Read Only
<i>cisV3ProcessEnabledOperStatus</i>	(Optional) mib object cisV3ProcessEnabledOperStatus

### Command Mode

- /exec

# show ip igmp snooping snmp mib explicitTrackingTable

show ip igmp snooping snmp mib explicitTrackingTable [ vlan <cisVlanIndex-in> ] [ \_\_readonly\_\_  
TABLE\_cisVlanExplicitTrackingTable <cisVlanIndex-out> <cisVlanExplicitTrackingEnabled>  
<cisVlanExplicitTrackingLimit> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
explicitTrackingTable	Show mib table cisVlanExplicitTrackingTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisVlanIndex-in</i>	(Optional) Specify VLAN/BD
<i>__readonly__</i>	(Optional)
TABLE_cisVlanExplicitTrackingTable	(Optional)
<i>cisVlanIndex-out</i>	(Optional) mib table index cisVlanIndex
<i>cisVlanExplicitTrackingEnabled</i>	(Optional) mib object cisVlanExplicitTrackingEnabled
<i>cisVlanExplicitTrackingLimit</i>	(Optional) mib object cisVlanExplicitTrackingLimit

## Command Mode

- /exec

```
show ip igmp snooping snmp mib fallBackTime
```

## show ip igmp snooping snmp mib fallBackTime

show ip igmp snooping snmp mib fallBackTime [ \_\_readonly\_\_ <cisFallbackTime> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
fallBackTime	Indicates the time the IGMP address aliasing mode is fallback
__readonly__	(Optional) Read Only
<i>cisFallbackTime</i>	(Optional) mib object cisFallbackTime

### Command Mode

- /exec

# show ip igmp snooping snmp mib fastBlockEnabled

show ip igmp snooping snmp mib fastBlockEnabled [ \_\_readonly\_\_ <cisFastBlockEnabled> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
fastBlockEnabled	Indicates whether Fast-Block mechanism has been enabled for the system
__readonly__	(Optional) Read Only
<i>cisFastBlockEnabled</i>	(Optional) mib object cisFastBlockEnabled

## Command Mode

- /exec

**show ip igmp snooping snmp mib fastleaveenabled**

show ip igmp snooping snmp mib fastleaveenabled [ \_\_readonly\_\_ <cisFastLeaveEnabled> ]

#### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
fastleaveenabled	Check if fastleave is enabled
__readonly__	(Optional) Read Only
<i>cisFastLeaveEnabled</i>	(Optional) mib object cisFastLeaveEnabled

#### Command Mode

- /exec

# show ip igmp snooping snmp mib filterStatsTable

```
show ip igmp snooping snmp mib filterStatsTable [ interface <ifIndex-in> vlan <cisFilterStatsVlanNumber-in>
] [ __readonly__ TABLE_cisFilterStatsTable <ifIndex-out> <cisFilterStatsVlanNumber-out>
<cisFilterAccessGroupDenied> <cisFilterLimitDenied> <cisFilterTotalLimitDenied>
<cisFilterMinVersionDenied> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
filterStatsTable	Display VLAN/BD Filter Group
interface	(Optional) Display interface
<i>ifIndex-in</i>	(Optional) Interface Index
vlan	(Optional) Display Interface access group VLAN/BD information
<i>cisFilterStatsVlanNumber-in</i>	(Optional) Specify VLAN/BD
<u>__readonly__</u>	(Optional)
TABLE_cisFilterStatsTable	(Optional)
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisFilterStatsVlanNumber-out</i>	(Optional) mib table index cisFilterStatsVlanNumber
<i>cisFilterAccessGroupDenied</i>	(Optional) mib object cisFilterAccessGroupDenied
<i>cisFilterLimitDenied</i>	(Optional) mib object cisFilterLimitDenied
<i>cisFilterTotalLimitDenied</i>	(Optional) mib object cisFilterTotalLimitDenied
<i>cisFilterMinVersionDenied</i>	(Optional) mib object cisFilterMinVersionDenied

## Command Mode

- /exec

show ip igmp snooping snmp mib ifAccessGroupTable

## show ip igmp snooping snmp mib ifAccessGroupTable

```
show ip igmp snooping snmp mib ifAccessGroupTable [ interface <ifIndex-in> vlan <cisIfAccessGroupVlan-in>
] [ __readonly__ TABLE_cisIfAccessGroupTable <ifIndex-out> <cisIfAccessGroupVlan-out>
<cisIfAccessGroupsChannelsAllowed> <cisIfAccessGroupStorageType> <cisIfAccessGroupRowStatus> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
ifAccessGroupTable	Display interface access group
interface	(Optional) Display interface
<i>ifIndex-in</i>	(Optional) Interface Index
vlan	(Optional) Display Interface access group VLAN/BD information
<i>cisIfAccessGroupVlan-in</i>	(Optional) Specify VLAN/BD
<u>__readonly__</u>	(Optional)
TABLE_cisIfAccessGroupTable	(Optional)
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisIfAccessGroupVlan-out</i>	(Optional) mib table index cisIfAccessGroupVlan
<i>cisIfAccessGroupsChannelsAllowed</i>	(Optional) mib object cisIfAccessGroupsChannelsAllowed
<i>cisIfAccessGroupStorageType</i>	(Optional) mib object cisIfAccessGroupStorageType
<i>cisIfAccessGroupRowStatus</i>	(Optional) mib object cisIfAccessGroupRowStatus

### Command Mode

- /exec

# show ip igmp snooping snmp mib ifConfigTable

show ip igmp snooping snmp mib ifConfigTable [ interface <ifIndex-in> ] [ \_\_readonly\_\_  
TABLE\_cisIfConfigTable <ifIndex-out> <cisIfTopoChangeFloodEnabled> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
ifConfigTable	Display interface configuration
interface	(Optional) Display interface
<i>ifIndex-in</i>	(Optional) Interface Index
<u>__readonly__</u>	(Optional)
TABLE_cisIfConfigTable	(Optional)
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisIfTopoChangeFloodEnabled</i>	(Optional) mib object cisIfTopoChangeFloodEnabled

## Command Mode

- /exec

```
show ip igmp snooping snmp mib ifLimitTable
```

## show ip igmp snooping snmp mib ifLimitTable

```
show ip igmp snooping snmp mib ifLimitTable [ interface <ifIndex-in> vlan <cisIfLimitVlanNumber-in> ]
[ __readonly__ TABLE_cisIfLimitTable <ifIndex-out> <cisIfLimitVlanNumber-out> <cisIfLimitMax>
<cisIfLimitExcludeAccessGrp> <cisIfLimitStorageType> <cisIfLimitRowStatus> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
ifLimitTable	Display interface configuration
interface	(Optional) Display interface
<i>ifIndex-in</i>	(Optional) Interface Index
vlan	(Optional) Display Interface Limit VLAN/BD informaiton
<i>cisIfLimitVlanNumber-in</i>	(Optional) Specify VLAN/BD
<u>__readonly__</u>	(Optional)
TABLE_cisIfLimitTable	(Optional)
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisIfLimitVlanNumber-out</i>	(Optional) mib table index cisIfLimitVlanNumber
<i>cisIfLimitMax</i>	(Optional) mib object cisIfLimitMax
<i>cisIfLimitExcludeAccessGrp</i>	(Optional) mib object cisIfLimitExcludeAccessGrp
<i>cisIfLimitStorageType</i>	(Optional) mib object cisIfLimitStorageType
<i>cisIfLimitRowStatus</i>	(Optional) mib object cisIfLimitRowStatus

### Command Mode

- /exec

# show ip igmp snooping snmp mib ifLimitTotalTable

```
show ip igmp snooping snmp mib ifLimitTotalTable [ interface <ifIndex-in> ] [ __readonly__  
TABLE_cisIfLimitTotalTable <ifIndex-out> <cisIfLimitTotalLimitMax> <cisIfLimitTotalExcludeAccessGrp>  
<cisIfLimitTotalStorageType> <cisIfLimitTotalRowStatus> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
ifLimitTotalTable	Display interface configuration
interface	(Optional) Display interface
<i>ifIndex-in</i>	(Optional) Interface Index
<i>__readonly__</i>	(Optional)
TABLE_cisIfLimitTotalTable	(Optional)
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisIfLimitTotalLimitMax</i>	(Optional) mib object cisIfLimitTotalLimitMax
<i>cisIfLimitTotalExcludeAccessGrp</i>	(Optional) mib object cisIfLimitTotalExcludeAccessGrp
<i>cisIfLimitTotalStorageType</i>	(Optional) mib object cisIfLimitTotalStorageType
<i>cisIfLimitTotalRowStatus</i>	(Optional) mib object cisIfLimitTotalRowStatus

## Command Mode

- /exec

show ip igmp snooping snmp mib igmpsnoopingenabled

## show ip igmp snooping snmp mib igmpsnoopingenabled

show ip igmp snooping snmp mib igmpsnoopingenabled [ \_\_readonly\_\_ < cisIgmpSnoopingEnabled > ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
igmpsnoopingenabled	Check if IGMP snooping is enabled
__readonly__	(Optional) Read Only
<i>cisIgmpSnoopingEnabled</i>	(Optional) mib object cisIgmpSnoopingEnabled

### Command Mode

- /exec

# show ip igmp snooping snmp mib interfaceStatsTable

```
show ip igmp snooping snmp mib interfaceStatsTable [ interface <ifIndex-in> ] [ __readonly__  
TABLE_cisInterfaceStatsTable <ifIndex-out> <cisTxGeneralQueries> <cisTxGroupSpecificQueries>  
<cisTxReports> <cisTxLeaves> <cisRxGeneralQueries> <cisRxGroupSpecificQueries> <cisRxReports>  
<cisRxLeaves> <cisRxValidPackets> <cisRxInvalidPackets> <cisRxOtherPackets>  
<cisRxMACGeneralQueries> <cisRxTopoNotifications> <cisV3Allows> <cisV3Blocks> <cisV3Included>  
<cisV3Excluded> <cisV3ToIncluded> <cisV3ToExcluded> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
interfaceStatsTable	Display interface stats
interface	(Optional) Display interface information
<i>ifIndex-in</i>	(Optional) Interface Index
<i>__readonly__</i>	(Optional)
TABLE_cisInterfaceStatsTable	(Optional)
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisTxGeneralQueries</i>	(Optional) mib object cisTxGeneralQueries
<i>cisTxGroupSpecificQueries</i>	(Optional) mib object cisTxGroupSpecificQueries
<i>cisTxReports</i>	(Optional) mib object cisTxReports
<i>cisTxLeaves</i>	(Optional) mib object cisTxLeaves
<i>cisRxGeneralQueries</i>	(Optional) mib object cisRxGeneralQueries
<i>cisRxGroupSpecificQueries</i>	(Optional) mib object cisRxGroupSpecificQueries
<i>cisRxReports</i>	(Optional) mib object cisRxReports
<i>cisRxLeaves</i>	(Optional) mib object cisRxLeaves
<i>cisRxValidPackets</i>	(Optional) mib object cisRxValidPackets
<i>cisRxInvalidPackets</i>	(Optional) mib object cisRxInvalidPackets

```
show ip igmp snooping snmp mib interfaceStatsTable
```

<i>cisRxOtherPackets</i>	(Optional) mib object cisRxOtherPackets
<i>cisRxMACGeneralQueries</i>	(Optional) mib object cisRxMACGeneralQueries
<i>cisRxTopoNotifications</i>	(Optional) mib object cisRxTopoNotifications
<i>cisV3Allows</i>	(Optional) mib object cisV3Allows
<i>cisV3Blocks</i>	(Optional) mib object cisV3Blocks
<i>cisV3Included</i>	(Optional) mib object cisV3Included
<i>cisV3Excluded</i>	(Optional) mib object cisV3Excluded
<i>cisV3ToIncluded</i>	(Optional) mib object cisV3ToIncluded
<i>cisV3ToExcluded</i>	(Optional) mib object cisV3ToExcluded

#### Command Mode

- /exec

# show ip igmp snooping snmp mib lastMemeberQueryCount

show ip igmp snooping snmp mib lastMemeberQueryCount [ \_\_readonly\_\_ <cisLastMemberQueryCount> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
lastMemeberQueryCount	Specifies the Last Member Query Count value of this device
__readonly__	(Optional) Read Only
<i>cisLastMemberQueryCount</i>	(Optional) mib object cisLastMemberQueryCount

## Command Mode

- /exec

show ip igmp snooping snmp mib lastMemeberQueryInterval

## show ip igmp snooping snmp mib lastMemeberQueryInterval

show ip igmp snooping snmp mib lastMemeberQueryInterval [ \_\_readonly\_\_ <cisLastMemberQueryInterval> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
lastMemeberQueryInterval	Specifies the IGMP Last Member Query Interval of this device
__readonly__	(Optional) Read Only
<i>cisLastMemberQueryInterval</i>	(Optional) mib object cisLastMemberQueryInterval

### Command Mode

- /exec

# show ip igmp snooping snmp mib leaveQueryType

show ip igmp snooping snmp mib leaveQueryType [ \_\_readonly\_\_ <cisLeaveQueryType> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
leaveQueryType	Indicates type of leave query
__readonly__	(Optional) Read Only
<i>cisLeaveQueryType</i>	(Optional) mib object cisLeaveQueryType

## Command Mode

- /exec

show ip igmp snooping snmp mib mcastGroupTable

## show ip igmp snooping snmp mib mcastGroupTable

```
show ip igmp snooping snmp mib mcastGroupTable [ vlan <cisMcastGroupVlanIndex-in>
<cisMcastGroupAddressType-in><cisMcastGroupAddress-in> ] [ __readonly__ TABLE_cisMcastGroupTable
<cisMcastGroupVlanIndex-out> <cisMcastGroupAddressType-out> <cisMcastGroupAddress-out>
<cisMcastGroupFilterMode> <cisMcastGroupIgmpVersion> <cisMcastGroupIncludeHostCount>
<cisMcastGroupExcludeHostCount> <cisMcastGroupPortList> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
mcastGroupTable	Show mib table cisMcastGroupTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisMcastGroupVlanIndex-in</i>	(Optional) Specify VLAN/BD
<i>cisMcastGroupAddressType-in</i>	(Optional) Address type
<i>cisMcastGroupAddress-in</i>	(Optional) Group address
<u>__readonly__</u>	(Optional)
TABLE_cisMcastGroupTable	(Optional)
<i>cisMcastGroupVlanIndex-out</i>	(Optional) mib table index cisMcastGroupVlanIndex
<i>cisMcastGroupAddressType-out</i>	(Optional) mib table index cisMcastGroupAddressType
<i>cisMcastGroupAddress-out</i>	(Optional) mib table index cisMcastGroupAddress
<i>cisMcastGroupFilterMode</i>	(Optional) mib object cisMcastGroupFilterMode
<i>cisMcastGroupIgmpVersion</i>	(Optional) mib object cisMcastGroupIgmpVersion
<i>cisMcastGroupIncludeHostCount</i>	(Optional) mib object cisMcastGroupIncludeHostCount
<i>cisMcastGroupExcludeHostCount</i>	(Optional) mib object cisMcastGroupExcludeHostCount
<i>cisMcastGroupPortList</i>	(Optional) mib object cisMcastGroupPortList

### Command Mode

- /exec

# show ip igmp snooping snmp mib mcastRouterCfgTable

```
show ip igmp snooping snmp mib mcastRouterCfgTable [ interface <ifIndex-in> vlan
<cisMcastRouterVlanIndex-in> ] [ __readonly__ TABLE_cisMcastRouterCfgTable <ifIndex-out>
<cisMcastRouterVlanIndex-out> <cisMcastRouterType> <cisMcastRouterRowStatus> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
mcastRouterCfgTable	show mib table cisMcastRouterCfgTable
interface	(Optional) Display Mcast Router Interface Information
<i>ifIndex-in</i>	(Optional) Specify the Mcast router interface
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisMcastRouterVlanIndex-in</i>	(Optional) Specify VLAN/BD
<u>__readonly__</u>	(Optional)
TABLE_cisMcastRouterCfgTable	(Optional)
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisMcastRouterVlanIndex-out</i>	(Optional) mib table index cisMcastRouterVlanIndex
<i>cisMcastRouterType</i>	(Optional) mib object cisMcastRouterType
<i>cisMcastRouterRowStatus</i>	(Optional) mib object cisMcastRouterRowStatus

## Command Mode

- /exec

```
show ip igmp snooping snmp mib mcastRouterConfigTable
```

## show ip igmp snooping snmp mib mcastRouterConfigTable

```
show ip igmp snooping snmp mib mcastRouterConfigTable [ vlan <cisMcastRouterConfigVlanIndex-in>
interface <ifIndex-in> ] [ __readonly__ TABLE_cisMcastRouterConfigTable <ifIndex-out>
<cisMcastRouterConfigVlanIndex-out> <cisMcastRouterConfigRouterType>
<cisMcastRouterConfigStorageType> <cisMcastRouterConfigRowStatus> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
mcastRouterConfigTable	show mib table cisMcastRouterConfigTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisMcastRouterConfigVlanIndex-in</i>	(Optional) Specify VLAN/BD
interface	(Optional) Display Mcast Router Interface Information
<i>ifIndex-in</i>	(Optional) Specify the Mcast router interface index
<u>__readonly__</u>	(Optional)
TABLE_cisMcastRouterConfigTable	(Optional)
<i>cisMcastRouterConfigVlanIndex-out</i>	(Optional) mib table index cisMcastRouterConfigVlanIndex
<i>ifIndex-out</i>	(Optional) mib table index ifIndex
<i>cisMcastRouterConfigRouterType</i>	(Optional) mib object cisMcastRouterConfigRouterType
<i>cisMcastRouterConfigStorageType</i>	(Optional) mib object cisMcastRouterConfigStorageType
<i>cisMcastRouterConfigRowStatus</i>	(Optional) mib object cisMcastRouterConfigRowStatus

### Command Mode

- /exec

# show ip igmp snooping snmp mib multicastGroupConfigTable

```
show ip igmp snooping snmp mib multicastGroupConfigTable [ vlan <cisMulticastGroupConfVlanIndex-in>
<cisMulticastGroupConfCeVlanIndex-in> <cisMulticastGroupConfAddressType-in>
<cisMulticastGroupConfAddress-in> <cisMulticastGroupConfSourceAddress-in>
<cisMulticastGroupConfPortRange-in> ] [ __readonly__ TABLE_cisMulticastGroupConfigTable
<cisMulticastGroupConfVlanIndex-out> <cisMulticastGroupConfCeVlanIndex-out>
<cisMulticastGroupConfAddressType-out> <cisMulticastGroupConfAddress-out>
<cisMulticastGroupConfSourceAddress-out> <cisMulticastGroupConfPortRange-out>
<cisMulticastGroupConfPortList> <cisMulticastGroupConfStorageType> <cisMulticastGroupConfRowStatus>
]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
multicastGroupConfigTable	show mib table cisMulticastGroupConfigTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisMulticastGroupConfVlanIndex-in</i>	(Optional) Specify VLAN/BD
<i>cisMulticastGroupConfCeVlanIndex-in</i>	(Optional) Specify consumer edge VLAN/BD
<i>cisMulticastGroupConfAddressType-in</i>	(Optional) Group Address Type
<i>cisMulticastGroupConfAddress-in</i>	(Optional) Group address
<i>cisMulticastGroupConfSourceAddress-in</i>	(Optional) source address
<i>cisMulticastGroupConfPortRange-in</i>	(Optional) port Range
<u>__readonly__</u>	(Optional)
TABLE_cisMulticastGroupConfigTable	(Optional)
<i>cisMulticastGroupConfVlanIndex-out</i>	(Optional) mib table index cisMulticastGroupConfVlanIndex
<i>cisMulticastGroupConfCeVlanIndex-out</i>	(Optional) mib table index cisMulticastGroupConfCeVlanIndex
<i>cisMulticastGroupConfAddressType-out</i>	(Optional) mib table index cisMulticastGroupConfAddressType
<i>cisMulticastGroupConfAddress-out</i>	(Optional) mib table index cisMulticastGroupConfAddress
<i>cisMulticastGroupConfSourceAddress-out</i>	(Optional) mib table index cisMulticastGroupConfSourceAddress

```
show ip igmp snooping snmp mib multicastGroupConfigTable
```

<i>cisMulticastGroupConfPortRange-out</i>	(Optional) mib table index cisMulticastGroupConfPortRange
<i>cisMulticastGroupConfPortList</i>	(Optional) mib object cisMulticastGroupConfPortList
<i>cisMulticastGroupConfStorageType</i>	(Optional) mib object cisMulticastGroupConfStorageType
<i>cisMulticastGroupConfRowStatus</i>	(Optional) mib object index cisMulticastGroupConfRowStatus

**Command Mode**

- /exec

# show ip igmp snooping snmp mib multicastGroupPortListTable

```
show ip igmp snooping snmp mib multicastGroupPortListTable [ vlan <cisMulticastGroupVlanIndex-in>
<cisMulticastGroupCeVlanIndex-in><cisMulticastGroupAddressType-in><cisMulticastGroupAddress-in>
<cisMulticastGroupSourceAddress-in><cisMulticastGroupPortRangeIndex-in> ] [ __readonly__
TABLE_cisMulticastGroupPortListTable <cisMulticastGroupVlanIndex-out>
<cisMulticastGroupCeVlanIndex-out><cisMulticastGroupAddressType-out><cisMulticastGroupAddress-out>
<cisMulticastGroupSourceAddress-out><cisMulticastGroupPortRangeIndex-out><cisMulticastGroupPortList>
]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
multicastGroupPortListTable	show mib table multicastGroupPortListTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisMulticastGroupVlanIndex-in</i>	(Optional) Specify VLAN/BD
<i>cisMulticastGroupCeVlanIndex-in</i>	(Optional) Specify consumer edge VLAN/BD
<i>cisMulticastGroupAddressType-in</i>	(Optional) Group Address Type
<i>cisMulticastGroupAddress-in</i>	(Optional) Group address
<i>cisMulticastGroupSourceAddress-in</i>	(Optional) source address
<i>cisMulticastGroupPortRangeIndex-in</i>	(Optional) port Range Index
<u>__readonly__</u>	(Optional)
TABLE_cisMulticastGroupPortListTable	(Optional)
<i>cisMulticastGroupVlanIndex-out</i>	(Optional) mib table index cisMulticastGroupVlanIndex
<i>cisMulticastGroupCeVlanIndex-out</i>	(Optional) mib table index cisMulticastGroupCeVlanIndex
<i>cisMulticastGroupAddressType-out</i>	(Optional) mib table index cisMulticastGroupAddressType
<i>cisMulticastGroupAddress-out</i>	(Optional) mib table index cisMulticastGroupAddress
<i>cisMulticastGroupSourceAddress-out</i>	(Optional) mib table index cisMulticastGroupSourceAddress
<i>cisMulticastGroupPortRangeIndex-out</i>	(Optional) mib table index cisMulticastGroupPortRangeIndex

```
show ip igmp snooping snmp mib multicastGroupPortListTable
```

<i>cisMulticastGroupPortList</i>	(Optional) mib object cisMulticastGroupPortList
----------------------------------	---

**Command Mode**

- /exec

# show ip igmp snooping snmp mib multicastGroupTable

```
show ip igmp snooping snmp mib multicastGroupTable [ vlan <cisMulticastGroupVlanIndex-in>
<cisMulticastGroupCeVlanIndex-in> <cisMulticastGroupAddressType-in> <cisMulticastGroupAddress-in>
<cisMulticastGroupSourceAddress-in> ] [ __readonly__ TABLE_cisMulticastGroupTable
<cisMulticastGroupVlanIndex-out> <cisMulticastGroupCeVlanIndex-out>
<cisMulticastGroupAddressType-out> <cisMulticastGroupAddress-out>
<cisMulticastGroupSourceAddress-out> <cisMulticastGroupGroupType> <cisMulticastGroupIgmpVersion>
<cisMulticastGroupSourceUpTime> <cisMulticastGroupSourceExpires> <cisMulticastGroupInclHostCount>
<cisMulticastGroupExclHostCount> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
multicastGroupTable	show mib table multicastGroupTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisMulticastGroupVlanIndex-in</i>	(Optional) Specify VLAN/BD
<i>cisMulticastGroupCeVlanIndex-in</i>	(Optional) Specify consumer edge VLAN/BD
<i>cisMulticastGroupAddressType-in</i>	(Optional) Group Address Type
<i>cisMulticastGroupAddress-in</i>	(Optional) Group address
<i>cisMulticastGroupSourceAddress-in</i>	(Optional) Source address
<u>__readonly__</u>	(Optional)
TABLE_cisMulticastGroupTable	(Optional)
<i>cisMulticastGroupVlanIndex-out</i>	(Optional) mib table index cisMulticastGroupVlanIndex
<i>cisMulticastGroupCeVlanIndex-out</i>	(Optional) mib table index cisMulticastGroupCeVlanIndex
<i>cisMulticastGroupAddressType-out</i>	(Optional) mib table index cisMulticastGroupAddressType
<i>cisMulticastGroupAddress-out</i>	(Optional) mib table index cisMulticastGroupAddress
<i>cisMulticastGroupSourceAddress-out</i>	(Optional) mib table index cisMulticastGroupSourceAddress
<i>cisMulticastGroupGroupType</i>	(Optional) mib object cisMulticastGroupGroupType

```
show ip igmp snooping snmp mib multicastGroupTable
```

<i>cisMulticastGroupIgmpVersion</i>	(Optional) mib object cisMulticastGroupIgmpVersion
<i>cisMulticastGroupSourceUpTime</i>	(Optional) mib object cisMulticastGroupSourceUpTime
<i>cisMulticastGroupSourceExpires</i>	(Optional) mib object cisMulticastGroupSourceExpires
<i>cisMulticastGroupInclHostCount</i>	(Optional) mib object cisMulticastGroupInclHostCount
<i>cisMulticastGroupExclHostCount</i>	(Optional) mib object cisMulticastGroupExclHostCount

**Command Mode**

- /exec

# show ip igmp snooping snmp mib operMode

show ip igmp snooping snmp mib operMode [ \_\_readonly\_\_ < cisOperMode > ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
operMode	Indicates the operational snooping mode of the device
__readonly__	(Optional) Read Only
<i>cisOperMode</i>	(Optional) mib object cisOperMode

## Command Mode

- /exec

```
show ip igmp snooping snmp mib querierTable
```

# show ip igmp snooping snmp mib querierTable

```
show ip igmp snooping snmp mib querierTable [ vlan <cisIgmpQuerierVlanIndex-in> ] [ __readonly__  
TABLE_cisIgmpQuerierTable <cisIgmpQuerierVlanIndex-out> <cisIgmpQuerierEnabled>  
<cisIgmpQuerierState> <cisIgmpQuerierVersion> <cisIgmpQuerierAddressType> <cisIgmpQuerierAddress>  
<cisIgmpQuerierInterface> <cisIgmpQuerierTcnQueryCount> <cisIgmpQuerierTcnQueryInterval>  
<cisIgmpQuerierTimerExpiry> <cisIgmpQuerierMaxResponseTime> <cisIgmpQuerierQueryInterval>  
<cisIgmpQuerierAdminAddressType> <cisIgmpQuerierAdminAddress> <cisIgmpQuerierAdminVersion>  
<cisIgmpQuerierTcnQueryPending> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
querierTable	Show mib table cisIgmpQuerierTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisIgmpQuerierVlanIndex-in</i>	(Optional) Specify VLAN/BD
<i>__readonly__</i>	(Optional)
TABLE_cisIgmpQuerierTable	(Optional)
<i>cisIgmpQuerierVlanIndex-out</i>	(Optional) mib table index cisIgmpQuerierVlanIndex
<i>cisIgmpQuerierEnabled</i>	(Optional) mib object cisIgmpQuerierEnabled
<i>cisIgmpQuerierState</i>	(Optional) mib object cisIgmpQuerierState
<i>cisIgmpQuerierVersion</i>	(Optional) mib object cisIgmpQuerierVersion
<i>cisIgmpQuerierAddressType</i>	(Optional) mib object cisIgmpQuerierAddressType
<i>cisIgmpQuerierAddress</i>	(Optional) mib object cisIgmpQuerierAddress
<i>cisIgmpQuerierInterface</i>	(Optional) mib object cisIgmpQuerierInterface
<i>cisIgmpQuerierTcnQueryCount</i>	(Optional) mib object cisIgmpQuerierTcnQueryCount
<i>cisIgmpQuerierTcnQueryInterval</i>	(Optional) mib object cisIgmpQuerierTcnQueryInterval
<i>cisIgmpQuerierTimerExpiry</i>	(Optional) mib object cisIgmpQuerierTimerExpiry
<i>cisIgmpQuerierMaxResponseTime</i>	(Optional) mib object cisIgmpQuerierMaxResponseTime

<i>cisIgmpQuerierQueryInterval</i>	(Optional) mib object cisIgmpQuerierQueryInterval
<i>cisIgmpQuerierAdminAddressType</i>	(Optional) mib object cisIgmpQuerierAdminAddressType
<i>cisIgmpQuerierAdminAddress</i>	(Optional) mib object cisIgmpQuerierAdminAddress
<i>cisIgmpQuerierAdminVersion</i>	(Optional) mib object cisIgmpQuerierAdminVersion
<i>cisIgmpQuerierTcnQueryPending</i>	(Optional) mib object cisIgmpQuerierTcnQueryPending

**Command Mode**

- /exec

```
show ip igmp snooping snmp mib reportsuppressionenabled
```

## show ip igmp snooping snmp mib reportsuppressionenabled

show ip igmp snooping snmp mib reportsuppressionenabled [ \_\_readonly\_\_ <cisReportSuppressionEnabled> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
reportsuppressionenabled	Check if reportsuppression is enabled
__readonly__	(Optional) Read Only
<i>cisReportSuppressionEnabled</i>	(Optional) mib object cisReportSuppressionEnabled

### Command Mode

- /exec

# show ip igmp snooping snmp mib robustnessVariable

show ip igmp snooping snmp mib robustnessVariable [ \_\_readonly\_\_ <cisRobustnessVariable> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
robustnessVariable	Specifies the Robustness Variable of this device
__readonly__	(Optional) Read Only
<i>cisRobustnessVariable</i>	(Optional) mib object cisRobustnessVariable

## Command Mode

- /exec

```
show ip igmp snooping snmp mib routerAlertCheckEnabled
```

## show ip igmp snooping snmp mib routerAlertCheckEnabled

show ip igmp snooping snmp mib routerAlertCheckEnabled [ \_\_readonly\_\_ <cisLastMemberQueryCount> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
routerAlertCheckEnabled	Specifies whether checking of Router-Alert option is enabled for IGMP traffic in the system
__readonly__	(Optional) Read Only
<i>cisLastMemberQueryCount</i>	(Optional) mib object cisLastMemberQueryCount

### Command Mode

- /exec

# show ip igmp snooping snmp mib sourceOnlyEntryAgingTime

show ip igmp snooping snmp mib sourceOnlyEntryAgingTime [ \_\_readonly\_\_ < cisSourceOnlyEntryAgingTime > ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
sourceOnlyEntryAgingTime	Specifies the aging time in seconds for Source Only multicast entries
__readonly__	(Optional) Read Only
<i>cisSourceOnlyEntryAgingTime</i>	(Optional) mib object cisSourceOnlyEntryAgingTime

## Command Mode

- /exec

```
show ip igmp snooping snmp mib sourceOnlyLearningEnabled
```

## show ip igmp snooping snmp mib sourceOnlyLearningEnabled

show ip igmp snooping snmp mib sourceOnlyLearningEnabled [ \_\_readonly\_\_  
 <cisSourceOnlyLearningEnabled> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
sourceOnlyLearningEnabled	Specifies whether Source Only multicast entries are learned by IGMP Snooping or not
__readonly__	(Optional) Read Only
cisSourceOnlyLearningEnabled	(Optional) mib object cisSourceOnlyLearningEnabled

### Command Mode

- /exec

# show ip igmp snooping snmp mib tcnFloodQueryCount

show ip igmp snooping snmp mib tcnFloodQueryCount [ \_\_readonly\_\_ <cisTopoChangeFloodQueryCount> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
tcnFloodQueryCount	Specifies the flooding period for multicast traffic upon receiving Topology Change Notifications
__readonly__	(Optional) Read Only
<i>cisTopoChangeFloodQueryCount</i>	(Optional) mib object cisTopoChangeFloodQueryCount

## Command Mode

- /exec

```
show ip igmp snooping snmp mib timeToLiveCheckEnabled
```

## show ip igmp snooping snmp mib timeToLiveCheckEnabled

show ip igmp snooping snmp mib timeToLiveCheckEnabled [ \_\_readonly\_\_ < cisTimeToLiveCheckEnabled > ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
timeToLiveCheckEnabled	Specifies whether Time-To-Live (TTL) check is enabled when processing IGMP packets in the system
__readonly__	(Optional) Read Only
<i>cisTimeToLiveCheckEnabled</i>	(Optional) mib object cisTimeToLiveCheckEnabled

### Command Mode

- /exec

# show ip igmp snooping snmp mib topoChangeQuerySolicitEnabled

show ip igmp snooping snmp mib topoChangeQuerySolicitEnabled [ \_\_readonly\_\_ < cisTopoChangeQuerySolicitEnabled > ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
topoChangeQuerySolicitEnabled	Specifies whether the device running IGMP Snooping will solicit IGMP General Queries from the Querier upon receiving a TCN
__readonly__	(Optional) Read Only
<i>cisTopoChangeQuerySolicitEnabled</i>	(Optional) mib object cisTopoChangeQuerySolicitEnabled

## Command Mode

- /exec

show ip igmp snooping snmp mib v3ProcessEnabledAdminStatus

# show ip igmp snooping snmp mib v3ProcessEnabledAdminStatus

show ip igmp snooping snmp mib v3ProcessEnabledAdminStatus [ \_\_readonly\_\_ < cisV3ProcessEnabledAdminStatus > ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
v3ProcessEnabledAdminStatus	Indicates the administrative status of IGMP v3 processing in the system
__readonly__	(Optional) Read Only
<i>cisV3ProcessEnabledAdminStatus</i>	(Optional) mib object cisV3ProcessEnabledAdminStatus

## Command Mode

- /exec

# show ip igmp snooping snmp mib v3SnoopingSupport

show ip igmp snooping snmp mib v3SnoopingSupport [ \_\_readonly\_\_ <cisV3SnoopingSupport> ]

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
v3SnoopingSupport	Indicates IGMP Snooping support for IGMPv3
__readonly__	(Optional) Read Only
<i>cisV3SnoopingSupport</i>	(Optional) mib object cisV3SnoopingSupport

## Command Mode

- /exec

```
show ip igmp snooping snmp mib vlanFilterConfigTable
```

## show ip igmp snooping snmp mib vlanFilterConfigTable

show ip igmp snooping snmp mib vlanFilterConfigTable [ vlan <cisVlanIndex-in> ] [ \_\_readonly\_\_  
TABLE\_cisVlanFilterConfigTable<cisVlanIndex-out><cisVlanFilterAccessGroup><cisVlanFilterLimitMax>  
<cisVlanFilterLimitExclAccessGrp> <cisVlanFilterMinVersionAllowed> ]

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
vlanFilterConfigTable	Display VLAN/BD Filter Group
vlan	(Optional) Display Interface access group VLAN/BD information
<i>cisVlanIndex-in</i>	(Optional) Specify VLAN/BD
<u>__readonly__</u>	(Optional)
TABLE_cisVlanFilterConfigTable	(Optional)
<i>cisVlanIndex-out</i>	(Optional) mib talbe index cisVlanIndex>
<i>cisVlanFilterAccessGroup</i>	(Optional) mib table index cisVlanFilterAccessGroup
<i>cisVlanFilterLimitMax</i>	(Optional) mib object cisVlanFilterLimitMax
<i>cisVlanFilterLimitExclAccessGrp</i>	(Optional) mib object cisVlanFilterLimitExclAccessGrp
<i>cisVlanFilterMinVersionAllowed</i>	(Optional) mib object cisVlanFilterMinVersionAllowed

### Command Mode

- /exec

# show ip igmp snooping snmp mib vlanconfigtable

```
show ip igmp snooping snmp mib vlanconfigtable [ vlan <cisVlanIndex-in> ] [ __readonly__  
TABLE_cisVlanConfigTable <cisVlanIndex-out> <cisVlanIgmpSnoopingEnabled>  
<cisVlanFastLeaveEnabled> <cisVlanIgmpSnoopingOperMode> <cisVlanIgmpSnoopingLearningMode>  
<cisVlanReportSuppressionEnabled> <cisVlanLeaveQueryInterval> <cisVlanLastMemberQueryCount>  
<cisVlanRobustnessVariable> <cisVlanTimeToLiveCheckEnabled> <cisVlanRouterAlertCheckEnabled> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
snmp	Show SNMP
mib	Show MIB table
vlanconfigtable	Show mib table cisVlanConfigTable
vlan	(Optional) Display VLAN/BD IGMP snooping membership information
<i>cisVlanIndex-in</i>	(Optional) Specify VLAN/BD
<i>__readonly__</i>	(Optional)
TABLE_cisVlanConfigTable	(Optional)
<i>cisVlanIndex-out</i>	(Optional) mib table index cisVlanIndex
<i>cisVlanIgmpSnoopingEnabled</i>	(Optional) mib object cisVlanIgmpSnoopingEnabled
<i>cisVlanFastLeaveEnabled</i>	(Optional) mib object cisVlanFastLeaveEnabled
<i>cisVlanIgmpSnoopingOperMode</i>	(Optional) mib object cisVlanIgmpSnoopingOperMode
<i>cisVlanIgmpSnoopingLearningMode</i>	(Optional) mib object cisVlanIgmpSnoopingLearningMode
<i>cisVlanReportSuppressionEnabled</i>	(Optional) mib object cisVlanReportSuppressionEnabled
<i>cisVlanLeaveQueryInterval</i>	(Optional) mib object cisVlanLeaveQueryInterval
<i>cisVlanLastMemberQueryCount</i>	(Optional) mib object cisVlanLastMemberQueryCount
<i>cisVlanRobustnessVariable</i>	(Optional) mib object cisVlanRobustnessVariable
<i>cisVlanTimeToLiveCheckEnabled</i>	(Optional) mib object cisVlanTimeToLiveCheckEnabled
<i>cisVlanRouterAlertCheckEnabled</i>	(Optional) mib object cisVlanRouterAlertCheckEnabled

## Command Mode

```
■ show ip igmp snooping snmp mib vlanconfigtable
```

- /exec

# show ip igmp snooping statistics

```
show ip igmp snooping statistics [ global | vlan <vlan> | bridge-domain <bdid> ] [ __readonly__ [ <pr> ] [ <inv_pkt> ] [ <pnv> ] [ <loopbkpkt> ] [ <mrdloopbk> ] [ <pf> ] [ <vp cdrqs> ] [ <vp cdrqr> ] [ <vp cdrqf> ] [ <vp cdrus> ] [ <vp cdrur> ] [ <vp cdruf> ] [ <vpcc fss> ] [ <vpcc fsrs> ] [ <vpcc fsrr> ] [ <vpcc fsrf> ] [ <vpcc fsrfp> ] [ <vpcc fsurls> ] [ <vpcc fsurlr> ] [ <vpcc fsurlf> ] [ <vpcc fsrls> ] [ <vpcc fsrlr> ] [ <vpcc fsrlf> ] [ <inv_iod> ] [ <stpcnr> ] [ <imapif> ] [ <mfreqr> ] [ <mfcmpls> ] [ <mf dgcmpls> ] [ <bufsnt> ] [ <bufackr> ] [ <vpemismatch> ] [ { TABLE_vlan [ <vlan-id> ] [ <ut> ] [ <vpr> ] [ <v1rr> ] [ <v2rr> ] [ <v3rr> ] [ <v1qr> ] [ <v2qr> ] [ <v3qr> ] [ <v2lr> ] [ <phr> ] [ <irr> ] [ <iqr> ] [ <v1rs> ] [ <v2rs> ] [ <v2ls> ] [ <v3gs> ] [ <vmr> ] [ <upr> ] [ <qo> ] [ <v2ro> ] [ <v2lo> ] [ <v3ro> ] [ <vpsr> ] [ <str> ] [ <mps> ] [ <mpr> ] [ <mpe> ] [ <cps> ] [ <cpr> ] [ <cpe> ] [ <repflooded> ] [ <repfwded> ] } ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
snooping	IGMP Snooping information
statistics	Display packet/error counter statistics
global	(Optional) Display global statistics
vlan	(Optional) Display VLAN statistics
vlan	(Optional) Specify VLAN
bridge-domain	(Optional) Display BD statistics
b did	(Optional) Specify BD
__readonly__	(Optional)
pr	(Optional)
inv_pkt	(Optional)
p nv	(Optional)
loopbkpkt	(Optional)
mrdloopbk	(Optional)
pf	(Optional)
vp cdrqs	(Optional)
vp cdrqr	(Optional)
vp cdrqf	(Optional)
vp cdrus	(Optional)

show ip igmp snooping statistics

<i>vpcdrur</i>	(Optional)
<i>vpcdruf</i>	(Optional)
<i>vpccfssf</i>	(Optional)
<i>vpccfsrs</i>	(Optional)
<i>vpccfsrr</i>	(Optional)
<i>vpccfsrf</i>	(Optional)
<i>vpccfsrfp</i>	(Optional)
<i>vpccfsurls</i>	(Optional)
<i>vpccfsurlr</i>	(Optional)
<i>vpccfsurlf</i>	(Optional)
<i>vpccfsrsls</i>	(Optional)
<i>vpccfsrslr</i>	(Optional)
<i>vpccfsrlf</i>	(Optional)
<i>inv_iod</i>	(Optional)
<i>stptcnr</i>	(Optional)
<i>imapif</i>	(Optional)
<i>mfreqr</i>	(Optional)
<i>mfcmps</i>	(Optional)
<i>mfdgcmps</i>	(Optional)
<i>bufsnt</i>	(Optional)
<i>bufackr</i>	(Optional)
<i>vpcmismatch</i>	(Optional)
<i>TABLE_vlan</i>	(Optional)
<i>vlan-id</i>	(Optional)
<i>ut</i>	(Optional)
<i>vpr</i>	(Optional)
<i>v1rr</i>	(Optional)
<i>v2rr</i>	(Optional)
<i>v3rr</i>	(Optional)

<i>v1qr</i>	(Optional)
<i>v2qr</i>	(Optional)
<i>v3qr</i>	(Optional)
<i>v2lr</i>	(Optional)
<i>phr</i>	(Optional)
<i>irr</i>	(Optional)
<i>iqr</i>	(Optional)
<i>v1rs</i>	(Optional)
<i>v2rs</i>	(Optional)
<i>v2ls</i>	(Optional)
<i>v3gs</i>	(Optional)
<i>vmr</i>	(Optional)
<i>upr</i>	(Optional)
<i>qo</i>	(Optional)
<i>v2ro</i>	(Optional)
<i>v2lo</i>	(Optional)
<i>v3ro</i>	(Optional)
<i>vpsr</i>	(Optional)
<i>str</i>	(Optional)
<i>cps</i>	(Optional)
<i>cpr</i>	(Optional)
<i>cpe</i>	(Optional)
<i>mps</i>	(Optional)
<i>mpr</i>	(Optional)
<i>mpe</i>	(Optional)
<i>repflooded</i>	(Optional)
<i>repfwded</i>	(Optional)

**Command Mode**

- /exec

**show ip igmp vrf all**

## show ip igmp vrf all

```
show ip igmp vrf all [ __readonly__ { TABLE_vrfname <vrf-name> <vrf-id> <instance> <work-in-txlist> } { TABLE_vrfid <vrf-name-i> <vrf-id-i> <instance-i> <work-in-txlist-i> } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
igmp	Display IGMP status and configuration
vrf	Display per-VRF information
all	Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrfname	(Optional)
<i>vrf-name</i>	(Optional)
<i>vrf-id</i>	(Optional)
<i>instance</i>	(Optional)
<i>work-in-txlist</i>	(Optional)
TABLE_vrfid	(Optional)
<i>vrf-name-i</i>	(Optional)
<i>vrf-id-i</i>	(Optional)
<i>instance-i</i>	(Optional)
<i>work-in-txlist-i</i>	(Optional)

### Command Mode

- /exec

# **show ip interface**

```

show ip interface { { { brief [ include-secondary ] } } | [ <interface> ] | [ <ip-addr> ] [ operational ] [ vaddr ]
[ vrf {<vrf-name>|<vrf-known-name>|all} ] [ __readonly__ [ TABLE_vrf<vrf-name-out> ] [ TABLE_intf
<intf-name><proto-state><link-state><admin-state><iod><prefix><subnet><masklen> [
TABLE_secondary_address <prefix1><subnet1><masklen1> ] [ <num-addr> ] [ <vaddr-client> ] [
<vaddr-prefix> ] [ <vaddr-subnet> ] [ <vaddr-masklen> ] [ <num-vaddr> ] [ <unnum-intf> ] [ <ip-disabled>
] [ <bcast-addr> ] [ <maddr> ] [ <num-maddr> ] [ <mtu> ] [ <pref> ] [ <tag> ] [ <proxy-arp> ] [ <lcl-proxy-arp>
] [ <mrouting> ] [ <icmp-redirect> ] [ <dir-bcast> ] [ <ip-unreach> ] [ <port-unreach> ] [ <urpf-mode> ] [
<ip-ls-type> ] [ <urpf-acl> ] [ <pbr-in> ] [ <pbr-out> ] [ <acl-in> ] [ <acl-out> ] [ <stats-last-reset> ] [
<upkt-sent> ] [ <upkt-recv> ] [ <upkt-fwd> ] [ <upkt-orig> ] [ <upkt-consumed> ] [ <ubyte-sent> ] [
<ubyte-recv> ] [ <ubyte-fwd> ] [ <ubyte-orig> ] [ <ubyte-consumed> ] [ <mpkt-sent> ] [ <mpkt-recv> ] [
<mpkt-fwd> ] [ <mpkt-orig> ] [ <mpkt-consumed> ] [ <mbyte-sent> ] [ <mbyte-recv> ] [ <mbyte-fwd> ] [
<mbyte-orig> ] [ <mbyte-consumed> ] [ <bpkt-sent> ] [ <bpkt-recv> ] [ <bpkt-fwd> ] [ <bpkt-orig> ] [
<bpkt-consumed> ] [ <bbyte-sent> ] [ <bbyte-recv> ] [ <bbyte-fwd> ] [ <bbyte-orig> ] [ <bbyte-consumed>
] [ <lpkt-sent> ] [ <lpkt-recv> ] [ <lpkt-fwd> ] [ <lpkt-orig> ] [ <lpkt-consumed> ] [ <lbyte-sent> ] [
<lbyte-recv> ] [ <lbyte-fwd> ] [ <lbyte-orig> ] [ <lbyte-consumed> ] ]

```

## Syntax Description

show	Show running system information
ip	Display IP information
interface	Display IP related interface information
brief	Display summary of IP interface status and configuration
include-secondary	(Optional) Display summary of all IP addresses
operational	(Optional) Display only interfaces that are administratively enabled
<i>interface</i>	(Optional) Interface name to display
<i>ip-addr</i>	(Optional) Display interface for local IP address
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display all VRFs
vaddr	(Optional) Display virtual IP addresses as well
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_intf	(Optional)

show ip interface

<i>intf-name</i>	(Optional)
<i>iod</i>	(Optional)
<i>prefix</i>	(Optional)
<i>proto-state</i>	(Optional)
<i>link-state</i>	(Optional)
<i>admin-state</i>	(Optional)
<i>subnet</i>	(Optional)
<i>masklen</i>	(Optional)
TABLE_secondary_address	(Optional)
<i>prefix1</i>	(Optional)
<i>subnet1</i>	(Optional)
<i>masklen1</i>	(Optional)
<i>num-addr</i>	(Optional)
<i>vaddr-client</i>	(Optional)
<i>vaddr-prefix</i>	(Optional)
<i>vaddr-subnet</i>	(Optional)
<i>vaddr-masklen</i>	(Optional)
<i>num-vaddr</i>	(Optional)
<i>unnum-intf</i>	(Optional)
<i>ip-disabled</i>	(Optional)
<i>bcast-addr</i>	(Optional)
<i>maddr</i>	(Optional)
<i>num-maddr</i>	(Optional)
<i>mtu</i>	(Optional)
<i>pref</i>	(Optional)
<i>tag</i>	(Optional)
<i>proxy-arp</i>	(Optional)
<i>lcl-proxy-arp</i>	(Optional)
<i>mrouting</i>	(Optional)

<i>icmp-redirect</i>	(Optional)
<i>dir-bcast</i>	(Optional)
<i>ip-unreach</i>	(Optional)
<i>port-unreach</i>	(Optional)
<i>urpf-mode</i>	(Optional)
<i>ip-ls-type</i>	(Optional)
<i>urpf-acl</i>	(Optional)
<i>pbr-in</i>	(Optional)
<i>pbr-out</i>	(Optional)
<i>acl-in</i>	(Optional)
<i>acl-out</i>	(Optional)
<i>stats-last-reset</i>	(Optional)
<i>upkt-sent</i>	(Optional)
<i>upkt-recv</i>	(Optional)
<i>upkt-fwd</i>	(Optional)
<i>upkt-orig</i>	(Optional)
<i>upkt-consumed</i>	(Optional)
<i>ubyte-sent</i>	(Optional)
<i>ubyte-recv</i>	(Optional)
<i>ubyte-fwd</i>	(Optional)
<i>ubyte-orig</i>	(Optional)
<i>ubyte-consumed</i>	(Optional)
<i>mpkt-sent</i>	(Optional)
<i>mpkt-recv</i>	(Optional)
<i>mpkt-fwd</i>	(Optional)
<i>mpkt-orig</i>	(Optional)
<i>mpkt-consumed</i>	(Optional)
<i>mbyte-sent</i>	(Optional)
<i>mbyte-recv</i>	(Optional)

**show ip interface**

<i>mbyte-fwd</i>	(Optional)
<i>mbyte-orig</i>	(Optional)
<i>mbyte-consumed</i>	(Optional)
<i>bpkt-sent</i>	(Optional)
<i>bpkt-recv</i>	(Optional)
<i>bpkt-fwd</i>	(Optional)
<i>bpkt-orig</i>	(Optional)
<i>bpkt-consumed</i>	(Optional)
<i>bbyte-sent</i>	(Optional)
<i>bbyte-recv</i>	(Optional)
<i>bbyte-fwd</i>	(Optional)
<i>bbyte-orig</i>	(Optional)
<i>bbyte-consumed</i>	(Optional)
<i>lpkt-sent</i>	(Optional)
<i>lpkt-recv</i>	(Optional)
<i>lpkt-fwd</i>	(Optional)
<i>lpkt-orig</i>	(Optional)
<i>lpkt-consumed</i>	(Optional)
<i>lbyte-sent</i>	(Optional)
<i>lbyte-recv</i>	(Optional)
<i>lbyte-fwd</i>	(Optional)
<i>lbyte-orig</i>	(Optional)
<i>lbyte-consumed</i>	(Optional)

**Command Mode**

- /exec

# show ip lisp

show { ip | ipv6 } lisp [ database ] [ vrf { <vrf-name> | <vrf-known-name> } ]

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
lisp	LISP show commands
database	(Optional) Show EID-prefixes configured for site
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

## Command Mode

- /exec

show ip lisp data-cache

# show ip lisp data-cache

show ip lisp data-cache [ <eid> ] [ vrf { <vrf-name> | <vrf-known-name> } ]

## Syntax Description

show	Show running system information
ip	Display IP information
lisp	LISP show commands
data-cache	Display EID-to-RLOC data cache mapping in this ITR
<i>eid</i>	(Optional) Display mapping for IP destination EID
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

## Command Mode

- /exec

# show ip lisp locator-hash

```
{ { show ip lisp locator-hash { <eid-prefix> | { <source-eid> <dest-eid> } } [ vrf { <vrf-name> | <vrf-known-name> } ] } | { show ipv6 lisp locator-hash { <eid-prefix6> | { <source-eid6> <dest-eid6> } } [ vrf { <vrf-name> | <vrf-known-name> } ] } }
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
lisp	LISP show commands
locator-hash	Display source and dest locators for EID pair
<i>source-eid</i>	Source IPv4 endpoint identifier (EID)
<i>dest-eid</i>	Destination IPv4 endpoint identifier (EID)
<i>eid-prefix</i>	Display exact match for IP EID-prefix entry
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

## Command Mode

- /exec

show ip lisp map-cache

## show ip lisp map-cache

```
{ { show ip lisp map-cache [ <eid> | <eid-prefix> | detail ] [ vrf { <vrf-name> | <vrf-known-name> } ] } | { show ipv6 lisp map-cache [ <eid6> | <eid-prefix6> | detail ] [ vrf { <vrf-name> | <vrf-known-name> } ] }
```

### Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
lisp	LISP show commands
map-cache	Display EID-to-RLOC cache mapping in this ITR
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>eid</i>	(Optional) Display mapping for IP destination EID
<i>eid-prefix</i>	(Optional) Display exact match for IP EID-prefix entry
detail	(Optional) Display entire map-cache in long format

### Command Mode

- /exec

# show ip lisp statistics

show { ip | ipv6 } lisp statistics [ vrf { <vrf-name> | <vrf-known-name> } ]

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
lisp	LISP show commands
statistics	Display global LISP statistics
vrf	(Optional) Display statistics information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

## Command Mode

- /exec

**show ip lisp translate-cache**

# show ip lisp translate-cache

{ show ip lisp translate-cache [ <nrEID> ] } | { show ipv6 lisp translate-cache [ <nrEID6> ] }

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
lisp	LISP show commands
translate-cache	Display configured translation cache
<i>nrEID</i>	(Optional) IPv4 address of inside non-routable EID
<i>nrEID6</i>	(Optional) IPv6 address of inside non-routable EID

## Command Mode

- /exec

# show ip lisp version-hash

show { ip | ipv6 } lisp version-hash { <eid-prefix> | <eid-prefix6> }

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
lisp	LISP show commands
version-hash	Display version-hash for EID-record
<i>eid-prefix</i>	Local IP EID-prefix from database-mapping command

## Command Mode

- /exec

show ip load-sharing

## show ip load-sharing

```
show ip load-sharing [ __readonly__ { <univer-id-ran-seed> [ <l3-msg-load> ] [ <l34-msg-load> ] [ <dest-addr-load> ] [ <src-dst-ip-gre> ] [ <bad-load> ] } ]
```

### Syntax Description

show	Show running system information
ip	Configure IP features
load-sharing	Display global loadbalance info
<u>__readonly__</u>	(Optional)
<i>univer-id-ran-seed</i>	(Optional)
<i>l3-msg-load</i>	(Optional)
<i>l34-msg-load</i>	(Optional)
<i>dest-addr-load</i>	(Optional)
<i>src-dst-ip-gre</i>	(Optional)
<i>bad-load</i>	(Optional)

### Command Mode

- /exec

# show ip local-pt

show ip local-pt [ vrf { <vrf-name> | <vrf-known-name> | all } ]

## Syntax Description

show	Show running system information
ip	Display IP information
local-pt	Display local ip address ptree
vrf	(Optional) Clear information for particular VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs

## Command Mode

- /exec

**show ip local policy**

# show ip local policy

```
show ip local policy [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_pbr <interface>
<rmap> <status> <vrf_name> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
local	IP local options
policy	Policy routing
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_pbr	(Optional)
<i>interface</i>	(Optional)
<i>rmap</i>	(Optional)
<i>status</i>	(Optional)
<i>vrf_name</i>	(Optional)

## Command Mode

- /exec

# show ip logging

show ip logging [ hash ] [ \_\_readonly\_\_ ]

## Syntax Description

show	Show running system information
ip	Display IP information
logging	Display IP policy logging table
hash	(Optional) logging hash data
__readonly__	(Optional)

## Command Mode

- /exec

show ip mbgp

# show ip mbgp

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } { route-map { <rmap-name> | <rmap-name> } | filter-list { <fltrlist-name> | <test_pol_name> } | { community-list { <commalist-name> | <test_pol_name> } | extcommunity-list { <extcommalist-name> | <test_pol_name> } } [ exact-match ] } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
route-map	Display routes matching the route-map
<i>rmap-name</i>	Route-map name
<i>rmap-name</i>	Known route-map name
filter-list	Display routes matching the filter-list
<i>fltrlist-name</i>	Name of filter-list
community-list	Display routes matching the community-list
extcommunity-list	Display routes matching the extcommunity-list
<i>commalist-name</i>	Name of community-list
<i>extcommalist-name</i>	Name of extcommunity-list
<i>test_pol_name</i>	An existing test-list policy
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
all	(Optional) Display BGP information for all address families
exact-match	(Optional) Exact match of the communities

**Command Mode**

- /exec

**show ip mbgp**

## show ip mbgp

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast | mdt } | all } ] } [ <ip-addr> [ <ip-mask> [ longer-prefixes ] ] | <ip-prefix> [ longer-prefixes ] ] [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>ip-addr</i>	(Optional) Display one particular network from the BRIB in detail
<i>ip-mask</i>	(Optional) Mask for one particular prefix in the BRIB
<i>ip-prefix</i>	(Optional) Display one particular prefix from the BRIB in detail
longer-prefixes	(Optional) Display route and more specific routes
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
mdt	(Optional) Display BGP information for multicast distribution tree
all	(Optional) Display BGP information for all address families

### Command Mode

- /exec

# show ip mbgp community

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } } community { <regexp-str> | { { <comm-id> | <wellknown-id> } + [ exact-match ] } } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display BGP information for all address families
community	Display routes matching the BGP communities
<i>regexp-str</i>	Regular expression to match the communities
<i>comm-id</i>	BGP community value
<i>wellknown-id</i>	BGP wellknown community
exact-match	(Optional) Exact match of the communities

## Command Mode

- /exec

show ip mbgp dampening

# show ip mbgp dampening

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } dampening { dampened-paths [ regexp <regexp-str> ] | flap-statistics | parameters | history-paths [ regexp <regexp-str> ] } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
dampening	Display dampening info
dampened-paths	Display all dampened paths
flap-statistics	Display flap statistics for routes
parameters	Display dampening parameters
history-paths	Display all history paths
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
all	(Optional) Display BGP information for all address families
regexp	(Optional) Display routes matching the AS path regular expression
<i>regexp-str</i>	(Optional) Regular expression to match the AS paths

## Command Mode

- /exec

# show ip mbgp extcommunity

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } extcommunity { <regexp-str> | { { 4byteas-generic { transitive <ext-comm-gen-trans> | non-transitive <ext-comm-gen-nontrans> } } + [ exact-match ] } } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display BGP information for all address families
extcommunity	Display routes matching the BGP extcommunities
4byteas-generic	Generic extended community
transitive	Transitive extcommunity
non-transitive	Non-Transitive extcommunity
<i>regexp-str</i>	Regular expression to match the extcommunities
<i>ext-comm-gen-trans</i>	Extcommunity number aa4:nn format
<i>ext-comm-gen-nontrans</i>	Extcommunity number aa4:nn format
exact-match	(Optional) Exact match of the extcommunities

## Command Mode

- /exec

show ip mbgp flap-statistics

## show ip mbgp flap-statistics

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } flap-statistics [ <ip-prefix> | <ip-addr> [ <ip-mask> ] ] [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
flap-statistics	Display route flap statistics
<i>ip-prefix</i>	(Optional) Display flap statistics for one prefix
<i>ip-addr</i>	(Optional) Display flap statistics for one network
<i>ip-mask</i>	(Optional) Network mask
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
all	(Optional) Display BGP information for all address families

### Command Mode

- /exec

# show ip mbgp neighbors

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } } neighbors { [ { <neighbor-id> | <ipv6-neighbor-id> } [ routes [ advertised | received | dampened ] | advertised-routes | received-routes | paths | flap-statistics ] ] | <neighbor-prefix-id> | <ipv6-neighbor-prefix-id> } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] }
```

## Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
neighbors	Display all configured BGP neighbors
<i>neighbor-id</i>	(Optional) Display one particular BGP neighbor
<i>neighbor-prefix-id</i>	Display details for a prefix peering
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
all	(Optional) Display BGP information for all address families
routes	(Optional) Display all routes advertised/received to/from peer
advertised	(Optional) Display all routes advertised to this peer
received	(Optional) Display all routes received from this peer
dampened	(Optional) Display all dampened routes received from this peer
advertised-routes	(Optional) Display all the routes advertised to this peer
received-routes	(Optional) Display all the routes received from this peer
flap-statistics	(Optional) Display flap statistics for routes received from this peer
paths	(Optional) Display AS paths learned from this peer

## Command Mode

```
show ip mbgp neighbors
```

- /exec

# show ip mbgp nexthop-database

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } } nexthop-database [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
nexthop-database	Display nexthop database
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
all	(Optional) Display BGP information for all address families

## Command Mode

- /exec

show ip mbgp nexthop

## show ip mbgp nexthop

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ][ ipv4 { unicast | multicast } ] } nexthop <ipnexthop> [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
nexthop	Display routes matching the nexthop
<i>ipnexthop</i>	Nexthop address
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family

### Command Mode

- /exec

# show ip mbgp prefix-list

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ ipv4 { unicast | multicast } ] } } prefix-list { <prfxlist-name> | <test_pol_name> } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
prefix-list	Display routes matching the prefix-list
<i>prfxlist-name</i>	Name of prefix-list
<i>test_pol_name</i>	An existing test-list policy
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family

## Command Mode

- /exec

**show ip mbgp received-paths**

```
show ip { mbgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] | { bgp [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ { ipv4 { unicast | multicast } | all } ] } received-paths [ private ] [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

#### Syntax Description

show	Show running system information
ip	Display IP information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
received-paths	Display paths stored for soft-reconfig
ipv4	(Optional) Display BGP information for IPv4 address family
unicast	(Optional) Display BGP information for unicast address family
multicast	(Optional) Display BGP information for multicast address family
all	(Optional) Display BGP information for all address families
private	(Optional) private

#### Command Mode

- /exec

# show ip mroute

```
show ip mroute [ [ [ bitfield ] [ detail ] ] | sr | rp | [ summary [ count | software-forwarded | rpf-failed ] ] | { [ <source> [ <group> ] ] | [ <group> [ <source> ] ] ] [ shared-tree | source-tree | mofrr ] [ [ flags ] | [ detail ] ] [ bitfield ] | [ summary [ software-forwarded | rpf-failed ] ] } ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf<vrf-name> [ <expry_timer> ] [ <route_count> ] [ <star_g_cnt> ] [ <sg_cnt> ] [ <star_g_pfx_cnt> ] [ TABLE_route_summary [ <total-num-routes> ] [ <star-g-route> ] [ <sg-route> ] [ <star-g-pfx> ] [ <group-count> ] [ <avg> ] [ <rem> ] [ <stats-pndg> ] ] [ TABLE_summary_source [ <group_addr> ] [ <group_mask_len> ] [ <source_count> ] [ TABLE_one_sg [ <source_addr> ] [ <packets> ] [ <bytes> ] [ <aps> ] [ <pps> ] [ <rate_buf> ] [ <oifs> ] [ <software_fwd> ] [ <rpf-failed-pkts> ] [ <rpf-failed-bytes> ] ] ] [ TABLE_one_route <mcast-addrs> <pending> <bidir> <uptime> <mofrr> [ TABLE_mpib [ <mpib-name> ] [ <oif-count> ] [ <stale-route> ] ] [ <mdt-encap-index> ] [ <stats-pkts> ] [ <stats-bytes> ] [ <stats-rate-buf> ] [ <lisp-src-rloc> ] [ <route-iff> ] [ <rpf-nbr> ] [ <mofrr-iff> ] [ <mofrr-nbr> ] <internal> [ <oif-count> ] <fabric-oif> <fabric-loser> [ <num-vpc-svi-oifs> ] [ TABLE_oif [ <oif-name> ] [ <oif-uptime> ] [ TABLE_oif_mpib [ <oif-mpib-name> ] [ <stale-oif> ] [ <omd-vpc-svi> ] ] <rpf> ] [ <route-mdt-iod> ] [ <oif-list-bitfield> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
mroute	Display IP multicast routing table
summary	(Optional) Display route counts and packet rates
shared-tree	(Optional) Display route for *,G entries
source-tree	(Optional) Display route for S,G entries
software-forwarded	(Optional) Display software switched route counts only
rpf-failed	(Optional) Display RPF failure statistics
rp	(Optional) Display RP routes (RP, 0.0.0.0/32)
sr	(Optional) Display Service Reflect Routes only
mofrr	(Optional) Display mofrr routes
group	(Optional) Display multicast group/source address for route
source	(Optional) Display multicast group/source address for route
count	(Optional) Display route counts only

show ip mroute

bitfield	(Optional) Display bitfield details
detail	(Optional) Display detailed route attributes
flags	(Optional) Display detailed route attributes
<u>readonly</u>	(Optional)
TABLE_vrf	(Optional)
vrf-name	(Optional)
expiry_timer	(Optional)
route_count	(Optional)
star_g_cnt	(Optional)
sg_cnt	(Optional)
star_g_prfx_cnt	(Optional)
TABLE_summary_source	(Optional)
group_addr	(Optional)
group_mask_len	(Optional)
source_count	(Optional)
TABLE_one_sg	(Optional)
source_addr	(Optional)
packets	(Optional)
bytes	(Optional)
aps	(Optional)
pps	(Optional)
rate_buf	(Optional)
oifs	(Optional)
software_fwd	(Optional)
rpf-failed-pkts	(Optional)
rpf-failed-bytes	(Optional)
TABLE_one_route	(Optional)
mcast-addrs	(Optional)
bidir	(Optional)

<i>pending</i>	(Optional)
<i>mofrr</i>	(Optional)
<i>uptime</i>	(Optional)
<i>TABLE_mpib</i>	(Optional)
<i>mpib-name</i>	(Optional)
<i>oif-count</i>	(Optional)
<i>stale-route</i>	(Optional)
<i>mdt-encap-index</i>	(Optional)
<i>stats-pkts</i>	(Optional)
<i>stats-bytes</i>	(Optional)
<i>stats-rate-buf</i>	(Optional)
<i>lisp-src-rloc</i>	(Optional)
<i>route-iif</i>	(Optional)
<i>rpf-nbr</i>	(Optional)
<i>mofrr-iif</i>	(Optional)
<i>mofrr-nbr</i>	(Optional)
<i>internal</i>	(Optional)
<i>oif-count</i>	(Optional)
<i>fabric-oif</i>	(Optional)
<i>fabric-loser</i>	(Optional)
<i>num-vpc-svi-oifs</i>	(Optional)
<i>TABLE_oif</i>	(Optional)
<i>oif-name</i>	(Optional)
<i>oif-upptime</i>	(Optional)
<i>TABLE_oif_mpib</i>	(Optional)
<i>oif-mpib-name</i>	(Optional)
<i>stale-oif</i>	(Optional)
<i>omd-vpc-svi</i>	(Optional)
<i>rpf</i>	(Optional)

**show ip mroute**

<i>route-mdt-iod</i>	(Optional)
<i>oif-list-bitfield</i>	(Optional)
<i>TABLE_route_summary</i>	(Optional)
<i>total-num-routes</i>	(Optional)
<i>star-g-route</i>	(Optional)
<i>sg-route</i>	(Optional)
<i>star-g-prfx</i>	(Optional)
<i>group-count</i>	(Optional)
<i>avg</i>	(Optional)
<i>rem</i>	(Optional)
<i>stats-pndg</i>	(Optional)

**Command Mode**

- /exec

# show ip msdp count

show ip msdp count [ <asn> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ \_\_readonly\_\_ <out-vrf> <total-cnt> { TABLE\_asn <out-asn> <src-cnt> <grp-cnt> } ]

## Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
count	Display SA cache counters
<i>asn</i>	(Optional) AS number
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
<i>out-vrf</i>	(Optional)
<i>total-cnt</i>	(Optional)
TABLE_asn	(Optional)
<i>out-asn</i>	(Optional)
<i>src-cnt</i>	(Optional)
<i>grp-cnt</i>	(Optional)

## Command Mode

- /exec

show ip msdp event-history

## show ip msdp event-history

show ip msdp [ <asn> ] [ internal ] event-history { errors | msgs | <msdp-event-hist-buf-name> | statistics }

### Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
<i>asn</i>	(Optional) AS number
internal	(Optional) Commands for internal use
event-history	Show various event logs of MSDP
errors	Error logs of MSDP
msgs	Message logs of MSDP
<i>msdp-event-hist-buf-name</i>	Buffer
statistics	Buffer state

### Command Mode

- /exec

# show ip msdp mesh-group

```
show ip msdp mesh-group [ <mesh-group> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-vrf> { TABLE_meshgroup <meshgroup-name> { TABLE_peer <peer-ipaddr> <peer-asn> <peer-description> } } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
mesh-group	Display members of mesh-group
<i>mesh-group</i>	(Optional) Display single mesh-group
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
<i>out-vrf</i>	(Optional)
TABLE_meshgroup	(Optional)
<i>meshgroup-name</i>	(Optional)
TABLE_peer	(Optional)
<i>peer-ipaddr</i>	(Optional)
<i>peer-asn</i>	(Optional)
<i>peer-description</i>	(Optional)

## Command Mode

- /exec

show ip msdp peer

## show ip msdp peer

```
show ip msdp peer [ <peer-address> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ {
    TABLE_peer <peer-ipaddr> <out-vrf> <peer-asn> <local-ipaddr> <local-iface> <fully-configured>
    <peer-description> <connection-status> <state-duration> <peer-listening> <peer-uptime> <peer-password>
    <peer-ki> <peer-kt> <peer-ri> <peer-rr> <sa-in-policy> <sa-out-policy> <sa-limit> <mesh-name> <last-rcvd>
    <sa-rcvd> <sa-sent> <sa-req-rcvd> <sa-req-sent> <sa-resp-rcvd> <sa-resp-sent> <out-ctrl-msgs> <in-ctrl-msgs>
    <out-data-msgs> <in-data-msgs> <sa-ka-rcvd> <sa-ka-sent> <sa-notif-rcvd> <sa-notif-sent> <rem-port>
    <local-port> } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
peer	Display MSDP peer information
<i>peer-address</i>	(Optional) IP address of MSDP peer
<u>__readonly__</u>	(Optional)
TABLE_peer	(Optional)
<i>peer-ipaddr</i>	(Optional)
<i>out-vrf</i>	(Optional)
<i>peer-asn</i>	(Optional)
<i>local-ipaddr</i>	(Optional)
<i>local-iface</i>	(Optional)
<i>fully-configured</i>	(Optional)
<i>peer-description</i>	(Optional)
<i>connection-status</i>	(Optional)
<i>state-duration</i>	(Optional)
<i>peer-listening</i>	(Optional)
<i>peer-uptime</i>	(Optional)

<i>peer-password</i>	(Optional)
<i>peer-ki</i>	(Optional)
<i>peer-kt</i>	(Optional)
<i>peer-ri</i>	(Optional)
<i>peer-rr</i>	(Optional)
<i>sa-in-policy</i>	(Optional)
<i>sa-out-policy</i>	(Optional)
<i>sa-limit</i>	(Optional)
<i>mesh-name</i>	(Optional)
<i>last-rcvd</i>	(Optional)
<i>sa-rcvd</i>	(Optional)
<i>sa-sent</i>	(Optional)
<i>sa-req-rcvd</i>	(Optional)
<i>sa-req-sent</i>	(Optional)
<i>sa-resp-rcvd</i>	(Optional)
<i>sa-resp-sent</i>	(Optional)
<i>out-ctrl-msgs</i>	(Optional)
<i>in-ctrl-msgs</i>	(Optional)
<i>out-data-msgs</i>	(Optional)
<i>in-data-msgs</i>	(Optional)
<i>sa-ka-rcvd</i>	(Optional)
<i>sa-ka-sent</i>	(Optional)
<i>sa-notif-rcvd</i>	(Optional)
<i>sa-notif-sent</i>	(Optional)
<i>rem-port</i>	(Optional)
<i>local-port</i>	(Optional)

**Command Mode**

- /exec

show ip msdp policy statistics sa-policy in

## show ip msdp policy statistics sa-policy in

```
show ip msdp policy statistics sa-policy <peer-address> { in | out } [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__ { TABLE_routemap <name> <action> <seq_num> [ { TABLE_cmd <command> <match_count> <compare_count> } ] } <total_accept_count> <total_reject_count> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
msdp	MSDP global configuration commands
policy	Policy information
statistics	Policy statistics
sa-policy	Configured SA policy for MSDP peer
<i>peer-address</i>	IP address of MSDP peer for SA policy
in	Input policy
out	Output policy
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_routemap	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>seq_num</i>	(Optional)
TABLE_cmd	(Optional)
<i>command</i>	(Optional)
<i>compare_count</i>	(Optional)
<i>match_count</i>	(Optional)
<i>total_accept_count</i>	(Optional)
<i>total_reject_count</i>	(Optional)

### Command Mode

- /exec

show ip msdp rpf

## show ip msdp rpf

```
show ip msdp rpf<rp-address> [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-rp-address> <out-vrf> [ TABLE_mesh [ <peer-addr> ] [ <mesh-name> ] ] [ <is-peer-cnt-one> ] [ <is-rp-peer> ] [ <is-bgp-alive> ] [ <bgp-peer-addr> ] [ <peer-asn> ] [ <origin-asn> ] [ <is-mbgp> ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
rpf	Display RPF-peer for RP address
<i>rp-address</i>	IP address of RP
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
<i>out-rp-address</i>	(Optional)
<i>out-vrf</i>	(Optional)
TABLE_mesh	(Optional)
<i>peer-addr</i>	(Optional)
<i>mesh-name</i>	(Optional)
<i>is-peer-cnt-one</i>	(Optional)
<i>is-rp-peer</i>	(Optional)
<i>is-bgp-alive</i>	(Optional)
<i>bgp-peer-addr</i>	(Optional)
<i>peer-asn</i>	(Optional)
<i>origin-asn</i>	(Optional)
<i>is-mbgp</i>	(Optional)

### Command Mode

- /exec

# show ip msdp sa

```
show ip msdp { sa-cache | route } [ { <source> [ <group> ] } | { <group> [ <source> ] } ] [ <asn> ] [ peer <peer> ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-vrf> <total-sa-count> { TABLE_sa <src-addr> <grp-addr> <rp-addr> <out-asn> <peer-addr> <uptime> <expire> } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Display MSDP SA route cache
sa-cache	Display MSDP SA route cache
<i>source</i>	(Optional) Display group/source address for SA
<i>group</i>	(Optional) Display group/source address for SA
<i>asn</i>	(Optional) AS number
detail	(Optional) Display detailed information
peer	(Optional) Display MSDP SA received from single peer
<i>peer</i>	(Optional) IP address of peer for SA
<u>__readonly__</u>	(Optional)
<i>out-vrf</i>	(Optional)
<i>total-sa-count</i>	(Optional)
TABLE_sa	(Optional)
<i>src-addr</i>	(Optional)
<i>grp-addr</i>	(Optional)
<i>rp-addr</i>	(Optional)
<i>peer-addr</i>	(Optional)
<i>out-asn</i>	(Optional)

```
show ip msdp sa
```

<i>uptime</i>	(Optional)
<i>expire</i>	(Optional)

**Command Mode**

- /exec

# show ip msdp sources

```
show ip msdp sources [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-vrf> {
    TABLE_source <source-addr> <is-count-ge-limit> <count> <is-limit-valid> <limit> <source-prefix> <violates>
} ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
sources	Display learned sources with their group counts and limits
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
<i>out-vrf</i>	(Optional)
TABLE_source	(Optional)
<i>source-addr</i>	(Optional)
<i>is-count-ge-limit</i>	(Optional)
<i>count</i>	(Optional)
<i>is-limit-valid</i>	(Optional)
<i>limit</i>	(Optional)
<i>source-prefix</i>	(Optional)
<i>violates</i>	(Optional)

## Command Mode

- /exec

show ip msdp statistics

## show ip msdp statistics

```
show ip msdp statistics [ <peer-address> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-vrf> <select-err> <recv-sel-err> { TABLE_peer <peer-address> <buffer-full> <recv-buf-full> <fatal-err> <recv-fat-err> <would-block> <recv-would-block> <sock-exp> <invalid-type> <invalid-len> } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
statistics	Display internal statistics
<i>peer-address</i>	(Optional) IP address of MSDP peer
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
<i>out-vrf</i>	(Optional)
<i>select-err</i>	(Optional)
<i>recv-sel-err</i>	(Optional)
TABLE_peer	(Optional)
<i>peer-address</i>	(Optional)
<i>buffer-full</i>	(Optional)
<i>recv-buf-full</i>	(Optional)
<i>fatal-err</i>	(Optional)
<i>recv-fat-err</i>	(Optional)
<i>would-block</i>	(Optional)
<i>recv-would-block</i>	(Optional)
<i>sock-exp</i>	(Optional)
<i>invalid-type</i>	(Optional)
<i>invalid-len</i>	(Optional)

**Command Mode**

- /exec

show ip msdp summary

## show ip msdp summary

```
show ip msdp summary [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-vrf> <local-asn>
<originator-id> <config-peer-count> <estb-peer-count> <shut-peer-count> { TABLE_peer <peer-address>
<peer-asn> <peer-state> <peer-upptime> <peer-last-msg> <peer-sa-received> <peer-sa-limit> } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
msdp	Display MSDP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
summary	Display MSDP peer summary
__readonly__	(Optional)
<i>out-vrf</i>	(Optional)
<i>local-asn</i>	(Optional)
<i>originator-id</i>	(Optional)
<i>config-peer-count</i>	(Optional)
<i>estb-peer-count</i>	(Optional)
<i>shut-peer-count</i>	(Optional)
TABLE_peer	(Optional)
<i>peer-address</i>	(Optional)
<i>peer-asn</i>	(Optional)
<i>peer-state</i>	(Optional)
<i>peer-upptime</i>	(Optional)
<i>peer-last-msg</i>	(Optional)
<i>peer-sa-received</i>	(Optional)
<i>peer-sa-limit</i>	(Optional)

### Command Mode

- /exec

show ip multicast vrf

## show ip multicast vrf

```
show ip multicast vrf [ <vrf-name> | <vrf-known-name> | all ] [ detail ] [ __readonly__ <vrf-count> { TABLE_vrf <vrf-name> <cid> <tid> <rc> <gc> <sc> <star_gc> <state> } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
multicast	Display multicast routing info
vrf	Display information for particular VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
detail	(Optional) Display detailed information
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrf-count</i>	(Optional)
<i>cid</i>	(Optional)
<i>tid</i>	(Optional)
<i>rc</i>	(Optional)
<i>gc</i>	(Optional)
<i>sc</i>	(Optional)
<i>star_gc</i>	(Optional)
<i>state</i>	(Optional)

### Command Mode

- /exec

# show ip nat max

show ip nat max [ \_\_readonly\_\_ <max\_translations> <max\_dyn\_translations> <max\_all\_host> <static\_translations> <dynamic\_translations> <icmp\_translations> ]

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
nat	IP NAT information
max	IP NAT max values
__readonly__	(Optional)
<i>max_translations</i>	(Optional) Max Translations
<i>max_dyn_translations</i>	(Optional) Max Dynamic Translations
<i>max_all_host</i>	(Optional) Max All Hosts
<i>static_translations</i>	(Optional) No. Static Translations
<i>dynamic_translations</i>	(Optional) No. Dynamic Translations
<i>icmp_translations</i>	(Optional) No. ICMP Translations

## Command Mode

- /exec

**show ip nat statistics**

# show ip nat statistics

show ip nat statistics

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
nat	IP NAT information
statistics	Translation statistics

## Command Mode

- /exec

# show ip nat timeout

```
show ip nat timeout [ __readonly__ <tcp_timeout><udp_timeout><dynamic_timeout><sampling_timeout> ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
nat	IP NAT information
timeout	IP NAT timeout values
<u>__readonly__</u>	(Optional)
<i>tcp_timeout</i>	(Optional) TCP Timeout
<i>udp_timeout</i>	(Optional) UDP Timeout
<i>dynamic_timeout</i>	(Optional) Dynamic Timeout
<i>sampling_timeout</i>	(Optional) Sampling Timeout

## Command Mode

- /exec

show ip nat translations

# show ip nat translations

```
show ip nat translations [ vrf { <vrf-name> | <vrf-known-name> } ] [ verbose ] [ __readonly__ {
    TABLE_nat_translation [ <Protocol> ] [ <Inside_global_IP_V4_Address> ] [ <Inside_global_port> ] [
        <Inside_local_IP_V4_Address> ] [ <Inside_local_port> ] [ <Outside_local_IP_V4_Address> ] [
        <Outside_local_port> ] [ <Outside_global_IP_V4_Address> ] [ <Outside_global_port> ] } ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
nat	IP NAT information
translations	Translation entries
verbose	(Optional) Show extra information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional) Readonly
TABLE_nat_translation	(Optional) NAT Translation Table
<i>Protocol</i>	(Optional) Protocol
<i>Inside_global_IP_V4_Address</i>	(Optional) Inside global address
<i>Inside_global_port</i>	(Optional) Inside global port
<i>Inside_local_IP_V4_Address</i>	(Optional) Inside local address
<i>Inside_local_port</i>	(Optional) Inside local port
<i>Outside_local_IP_V4_Address</i>	(Optional) Outside local address
<i>Outside_local_port</i>	(Optional) Outside local port
<i>Outside_global_IP_V4_Address</i>	(Optional) Outside global address
<i>Outside_global_port</i>	(Optional) Outside global port

## Command Mode

- /exec

# show ip ospf

```
show ip ospf [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag>
<instance_number> <cname> <rid> [ <domain_tag> ] [ <dn_bit_ignore> ] <stateful_ha> <gr_ha> [
<gr_planned_only> ] [ <gr_notify_period> ] [ <gr_grace_period> ] [ <gr_state> ] [ <gr_last_status> ] [
<gr_helper_mode> ] <support_tos0_only> <support_opaque_lsa> [ <low_mem_cond> ] <is_abr> <is_asbr>
[ <max_lsa_non_self_number> ] [ <max_lsa_state> ] [ <max_lsa_warning_only> ] [
<max_lsa_current_non_self_lsa_number> ] [ <max_lsa_threshold_pct> ] [ <max_lsa_ignore_time> ] [
<max_lsa_reset_time> ] [ <max_lsa_ignore_count> ] [ <max_lsa_current_ignore_count> ] [
<max_lsa_ignore_time_left> ] [ <max_lsa_reset_time_left> ] [ <max_lsa_permanent_ignore> ] [ {
TABLE_redist <proto> [ <max_lsas> ] [ <warning> ] [ <threshold> ] [ <current_count> ] } ] <admin_dist>
<ref_bw> <spf_start_time> <spf_hold_time> <spf_max_time> <lsa_start_time> <lsa_hold_time>
<lsa_max_time> <min_lsa_arr_time> <lsa_aging_pace> <spf_max_paths> <max_metric_adver> [ [
<max_metric_time_left> ] [ <max_metric_wait_bgp> ] [ <max_metric_timeout> ] [ <max_metric_always>
] [ <max_metric_sum_lsa> ] [ <max_metric_ext_lsa> ] ] <asext_lsa_cnt> <asext_lsa_crc> <asopaque_lsa_cnt>
<asopaque_lsa_crc> <area_total> <area_normal> <area_stub> <area_nssa> <act_area_total> <act_area_normal>
<act_area_stub> <act_area_nssa> <no_discard_rt_ext> <no_discard_rt_int> [ <bfd_enabled> ] [ <passive_dflt>
] [ <name_lookup> ] [ { TABLE_area <aname> [ <backbone_active> ] [ <active> ] <age> <total_intf>
<act_intf> <passive_intf> <loopback_intf> [ <gr_nbr_cnt> ] <stub> [ <stub_def_cost> ] <nssa> [ <no_redist>
] [ <nssa_trans> ] <no_summary> <auth_type> <spf_runs> <last_spf_run_time> [ <rtr_lsa_throt> ] [
TABLE_range <addr> <masklen> <state> <nets> <advertise> [ <cost> ] [ <filter_in> ] [ <filter_out> ]
<lsa_cnt> <lsa_crc> } ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>instance_number</i>	(Optional)
<i>cname</i>	(Optional)
<i>rid</i>	(Optional)

show ip ospf

<i>domain_tag</i>	(Optional)
<i>dn_bit_ignore</i>	(Optional)
<i>stateful_ha</i>	(Optional)
<i>gr_ha</i>	(Optional)
<i>gr_planned_only</i>	(Optional)
<i>gr_notify_period</i>	(Optional)
<i>gr_grace_period</i>	(Optional)
<i>gr_state</i>	(Optional)
<i>gr_last_status</i>	(Optional)
<i>gr_helper_mode</i>	(Optional)
<i>support_tos0_only</i>	(Optional)
<i>support_opaque_lsa</i>	(Optional)
<i>low_mem_cond</i>	(Optional)
<i>is_abr</i>	(Optional)
<i>is_asbr</i>	(Optional)
<i>max_lsa_non_self_number</i>	(Optional)
<i>max_lsa_state</i>	(Optional)
<i>max_lsa_warning_only</i>	(Optional)
<i>max_lsa_current_non_self_lsa_number</i>	(Optional)
<i>max_lsa_threshold_pct</i>	(Optional)
<i>max_lsa_ignore_time</i>	(Optional)
<i>max_lsa_reset_time</i>	(Optional)
<i>max_lsa_ignore_count</i>	(Optional)
<i>max_lsa_current_ignore_count</i>	(Optional)
<i>max_lsa_ignore_time_left</i>	(Optional)
<i>max_lsa_reset_time_left</i>	(Optional)
<i>max_lsa_permanent_ignore</i>	(Optional)
<i>TABLE_redist</i>	(Optional)
<i>proto</i>	(Optional)

<i>max_lsas</i>	(Optional)
<i>warning</i>	(Optional)
<i>threshold</i>	(Optional)
<i>current_count</i>	(Optional)
<i>admin_dist</i>	(Optional)
<i>ref_bw</i>	(Optional)
<i>spf_start_time</i>	(Optional)
<i>spf_hold_time</i>	(Optional)
<i>spf_max_time</i>	(Optional)
<i>lsa_start_time</i>	(Optional)
<i>lsa_hold_time</i>	(Optional)
<i>lsa_max_time</i>	(Optional)
<i>min_lsa_arr_time</i>	(Optional)
<i>lsa_aging_pace</i>	(Optional)
<i>spf_max_paths</i>	(Optional)
<i>max_metric_adver</i>	(Optional)
<i>max_metric_time_left</i>	(Optional)
<i>max_metric_wait_bgp</i>	(Optional)
<i>max_metric_timeout</i>	(Optional)
<i>max_metric_always</i>	(Optional)
<i>max_metric_sum_lsa</i>	(Optional)
<i>max_metric_ext_lsa</i>	(Optional)
<i>asext_lsa_cnt</i>	(Optional)
<i>asext_lsa_crc</i>	(Optional)
<i>asopaque_lsa_cnt</i>	(Optional)
<i>asopaque_lsa_crc</i>	(Optional)
<i>area_total</i>	(Optional)
<i>area_normal</i>	(Optional)
<i>area_stub</i>	(Optional)

**show ip ospf**

<i>area_nssa</i>	(Optional)
<i>act_area_total</i>	(Optional)
<i>act_area_normal</i>	(Optional)
<i>act_area_stub</i>	(Optional)
<i>act_area_nssa</i>	(Optional)
<i>bfd_enabled</i>	(Optional)
<i>name_lookup</i>	(Optional)
<i>passive_dflt</i>	(Optional)
<i>no_discard_rt_ext</i>	(Optional)
<i>no_discard_rt_int</i>	(Optional)
<i>TABLE_area</i>	(Optional)
<i>aname</i>	(Optional)
<i>backbone_active</i>	(Optional)
<i>active</i>	(Optional)
<i>age</i>	(Optional)
<i>total_intf</i>	(Optional)
<i>act_intf</i>	(Optional)
<i>passive_intf</i>	(Optional)
<i>loopback_intf</i>	(Optional)
<i>gr_nbr_cnt</i>	(Optional)
<i>stub</i>	(Optional)
<i>stub_def_cost</i>	(Optional)
<i>nssa</i>	(Optional)
<i>no_redist</i>	(Optional)
<i>nssa_trans</i>	(Optional)
<i>no_summary</i>	(Optional)
<i>auth_type</i>	(Optional)
<i>spf_runs</i>	(Optional)
<i>last_spf_run_time</i>	(Optional)

<i>rtr_lsa_throt</i>	(Optional)
<i>TABLE_range</i>	(Optional)
<i>addr</i>	(Optional)
<i>masklen</i>	(Optional)
<i>state</i>	(Optional)
<i>nets</i>	(Optional)
<i>advertise</i>	(Optional)
<i>cost</i>	(Optional)
<i>filter_in</i>	(Optional)
<i>filter_out</i>	(Optional)
<i>lsa_cnt</i>	(Optional)
<i>lsa_crc</i>	(Optional)

**Command Mode**

- /exec

show ip ospf border-routers

## show ip ospf border-routers

```
show ip ospf [ <tag> ] border-routers [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_ctx <ptag> <cname> [ TABLE_br <type> <addr> <cost> <asbr> <abr> <area> <spf_inst> [  
<vlink_unresolved>] [ TABLE_br_ubest_nh [<ubest_nh_addr>] [<ubest_nh_intf>] ] [ TABLE_br_mbest_nh  
[ <mbest_nh_addr> ] [<mbest_nh_intf>] ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
border-routers	Border routers
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_br	(Optional)
<i>type</i>	(Optional)
<i>addr</i>	(Optional)
<i>cost</i>	(Optional)
<i>asbr</i>	(Optional)
<i>abr</i>	(Optional)
<i>area</i>	(Optional)
<i>spf_inst</i>	(Optional)
<i>vlink_unresolved</i>	(Optional)
TABLE_br_ubest_nh	(Optional)

<i>ubest_nh_addr</i>	(Optional)
<i>ubest_nh_intf</i>	(Optional)
TABLE_br_mbest_nh	(Optional)
<i>mbest_nh_addr</i>	(Optional)
<i>mbest_nh_intf</i>	(Optional)

**Command Mode**

- /exec

show ip ospf database

# show ip ospf database

```
show ip ospf [ <tag> ] database [ [ [ [ network | asbr-summary | summary | router | opaque-link | opaque-area | nssa-external ] [ area <area-id-ip> ] ] | external [ ext_tag <tag_val> ] | opaque-as ] [ <lsid> ] [ self-originated | adv-router <advid> | adv-router-name <adv-name> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <rid><ptag><cname> [ TABLE_db2_lsa <name> [ <area> ] <id><advrtr><age> <seqno><cksum> [ <opaque_id> ] [ <corrupt> ] [ <rtr_num_links> ] [ <tag> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
network	(Optional) Display network LSAs
asbr-summary	(Optional) Display type 4 (asbr-summary) LSAs
external	(Optional) Display type 5 (external) LSAs
router	(Optional) Display router LSAs
nssa-external	(Optional) Display type 7 (NSSA external) LSAs
opaque-link	(Optional) Display Opaque Link-Local LSAs
opaque-area	(Optional) Display Opaque Area LSAs
opaque-as	(Optional) Display Opaque AS LSAs
summary	(Optional) Display type 3 (network-summary) LSAs
self-originated	(Optional) Display only self-originated LSAs
<i>lsid</i>	(Optional) Restrict display by link state ID
adv-router	(Optional) Restrict display by Advertising router
<i>advid</i>	(Optional) Advertising router ID
adv-router-name	(Optional) Restrict display by Advertising router name

<i>adv-name</i>	(Optional) DNS Name of the Advertising router
<i>area</i>	(Optional) Display only LSA's in this area
<i>area-id-ip</i>	(Optional) Area Id as an integer or ip address
<i>ext_tag</i>	(Optional) Restrict display by tag
<i>tag_val</i>	(Optional) 32-bit tag value
<i>tag</i>	(Optional)
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>rid</i>	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_db2_lsa	(Optional)
<i>name</i>	(Optional)
<i>area</i>	(Optional)
<i>id</i>	(Optional)
<i>advrtr</i>	(Optional)
<i>age</i>	(Optional)
<i>seqno</i>	(Optional)
<i>cksum</i>	(Optional)
<i>opaque_id</i>	(Optional)
<i>corrupt</i>	(Optional)
<i>rtr_num_links</i>	(Optional)

**Command Mode**

- /exec

show ip ospf database database-summary

## show ip ospf database database-summary

```
show ip ospf [ <tag> ] database database-summary [ vrf { <vrf-name> | <vrf-known-name> | all } ] [  
    __readonly__ TABLE_ctx <rid> <ptag> <cname> [ TABLE_dbsum [ TABLE_dbsum_area <area> [  
        TABLE_dbsum_area_lsa <area_lsa_name> <area_lsa_count> ] <area_lsa_total> ] [ TABLE_dbsum_all [  
        TABLE_dbsum_lsa_all <lsa_name> <lsa_count> ] <non_self_lsa_total> <lsa_total> ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
database-summary	Summary of database
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>rid</i>	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_dbsum	(Optional)
TABLE_dbsum_area	(Optional)
<i>area</i>	(Optional)
TABLE_dbsum_area_lsa	(Optional)
<i>area_lsa_name</i>	(Optional)
<i>area_lsa_count</i>	(Optional)
<i>area_lsa_total</i>	(Optional)
TABLE_dbsum_all	(Optional)

TABLE_dbsum_lsa_all	(Optional)
<i>lsa_name</i>	(Optional)
<i>lsa_count</i>	(Optional)
<i>non_self_lsa_total</i>	(Optional)
<i>lsa_total</i>	(Optional)

**Command Mode**

- /exec

## **show ip ospf database detail**

## **show ip ospf database detail**

```

show ip ospf [ <tag> ] database [ [ [ network | asbr-summary | summary | router | opaque-link | opaque-area
nssa-external ] [ area <area-id-ip> ] ] | external [ ext_tag <tag_val> ] | opaque-as ] [ <lsid> ] [ self-originated
| adv-router <advrid> | adv-router-name <adv-name> ] detail [ vrf { <vrf-name> | <vrf-known-name> | all } ]
[ __readonly__ TABLE_ctx <rid><ptag><cname> [ TABLE_db2_lsa <name> [ <area> ] [ <rtr_max_metric>
] [ TABLE_lsdb <age><maxage><options><options_str><wrapping><dummy><flush_pending><type>
<id><id_str> [ <opaque_type> ] [ <opaque_id> ] <advrtr><seqno><cksum><len> [ <corrupt> ] [ <rtr_abr>
] [ <rtr_asbr> ] [ <rtr_translate> ] [ <rtr_vlink_end> ] [ <rtr_num_links> ] [ <rtr_links_mismatch> ] [
TABLE_rlsa [ <rtr_link_type> ] [ <rtr_link_id_str> ] [ <rtr_link_id> ] [ <rtr_link_data_str> ] [ <rtr_link_data>
] [ <rtr_link_num_tos> ] [ <rtr_link_metric> ] [ TABLE_rlinktos [ <rtr_link_tos_id> ] [ <rtr_link_tos_metric>
] ] ] [ <net_mask> ] [ TABLE_netlsa [ <net_rtr> ] ] [ <sum_mask> ] [ <sum_metric> ] [ TABLE_sumlsa [
<sum_tos_id> ] [ <sum_tos_metric> ] ] [ <nssa_mask> ] [ <nssa_metric_type2> ] [ <nssa_metric> ] [
<nssa_fwd_addr> ] [ <nssa_tag> ] [ TABLE_nssa [ <nssa_tos_metric_type2> ] [ <nssa_tos_id> ] [
<nssa_tos_metric> ] [ <nssa_tos_fwd_addr> ] [ <nssa_tos_tag> ] ] [ <asext_mask> ] [ <asext_metric_type2>
] [ <asext_metric> ] [ <asext_fwd_addr> ] [ <asext_tag> ] [ TABLE_asext [ <asext_tos_metric_type2> ] [
<asext_tos_id> <asext_tos_metric> ] [ <asext_tos_fwd_addr> ] [ <asext_tos_tag> ] ] [ <opaque_link_intf>
] [ <opaque_unknown> ] [ <opaque_data_len> ] [ <opaque_data> ] [ <opaque_corrupt> ] [ <tlv_type> ] [
<tlv_len> ] [ <tlv_data> ] [ <tlv_unknown> ] [ <gr_interval> ] [ <gr_reason> ] [ <gr_addr> ] [ <te_frag_id>
] [ <te_rtr_id> ] [ <te_link_type> ] [ <te_link_id> ] [ <te_link_metric> ] [ <te_link_max_bw> ] [
<te_link_rsv_bw> ] [ <te_link_unrsv_bw> ] [ <te_link_admin> ] [ <te_num_links> ] ] ] ]

```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
network	(Optional) Display network LSAs
asbr-summary	(Optional) Display type 4 (asbr-summary) LSAs
external	(Optional) Display type 5 (external) LSAs
router	(Optional) Display router LSAs
nssa-external	(Optional) Display type 7 (NSSA external) LSAs
opaque-link	(Optional) Display Opaque Link-Local LSAs

opaque-area	(Optional) Display Opaque Area LSAs
opaque-as	(Optional) Display Opaque AS LSAs
summary	(Optional) Display type 3 (network-summary) LSAs
self-originated	(Optional) Display only self-originated LSAs
<i>lsid</i>	(Optional) Restrict display by link state ID
adv-router	(Optional) Restrict display by Advertising router
<i>adv-id</i>	(Optional) Advertising router ID
adv-router-name	(Optional) Restrict display by Advertising router name
<i>adv-name</i>	(Optional) DNS Name of the Advertising router
area	(Optional) Display only LSA's in this area
<i>area-id-ip</i>	(Optional) Area Id as an integer or ip address
ext_tag	(Optional) Restrict display by tag
<i>tag_val</i>	(Optional) 32-bit tag value
detail	Display LSA in detail
<u>readonly</u>	(Optional)
TABLE_ctxt	(Optional)
<i>rid</i>	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_db2_lsa	(Optional)
<i>name</i>	(Optional)
<i>area</i>	(Optional)
<i>rtr_max_metric</i>	(Optional)
TABLE_lsdb	(Optional)
<i>age</i>	(Optional)
<i>maxage</i>	(Optional)
<i>options</i>	(Optional)
<i>options_str</i>	(Optional)
<i>wrapping</i>	(Optional)

**show ip ospf database detail**

<i>dummy</i>	(Optional)
<i>flush_pending</i>	(Optional)
<i>type</i>	(Optional)
<i>id</i>	(Optional)
<i>id_str</i>	(Optional)
<i>opaque_type</i>	(Optional)
<i>opaque_id</i>	(Optional)
<i>advrtr</i>	(Optional)
<i>seqno</i>	(Optional)
<i>cksum</i>	(Optional)
<i>len</i>	(Optional)
<i>corrupt</i>	(Optional)
<i>rtr_abr</i>	(Optional)
<i>rtr_asbr</i>	(Optional)
<i>rtr_translate</i>	(Optional)
<i>rtr_vlink_end</i>	(Optional)
<i>rtr_num_links</i>	(Optional)
<i>rtr_links_mismatch</i>	(Optional)
TABLE_rlsa	(Optional)
<i>rtr_link_type</i>	(Optional)
<i>rtr_link_id_str</i>	(Optional)
<i>rtr_link_id</i>	(Optional)
<i>rtr_link_data_str</i>	(Optional)
<i>rtr_link_data</i>	(Optional)
<i>rtr_link_num_tos</i>	(Optional)
<i>rtr_link_metric</i>	(Optional)
TABLE_rlinktos	(Optional)
<i>rtr_link_tos_id</i>	(Optional)
<i>rtr_link_tos_metric</i>	(Optional)

<i>net_mask</i>	(Optional)
TABLE_netsa	(Optional)
<i>net_rtr</i>	(Optional)
<i>sum_mask</i>	(Optional)
<i>sum_metric</i>	(Optional)
TABLE_sumlsa	(Optional)
<i>sum_tos_id</i>	(Optional)
<i>sum_tos_metric</i>	(Optional)
<i>nssa_mask</i>	(Optional)
<i>nssa_metric_type2</i>	(Optional)
<i>nssa_metric</i>	(Optional)
<i>nssa_fwd_addr</i>	(Optional)
<i>nssa_tag</i>	(Optional)
TABLE_nssa	(Optional)
<i>nssa_tos_metric_type2</i>	(Optional)
<i>nssa_tos_id</i>	(Optional)
<i>nssa_tos_metric</i>	(Optional)
<i>nssa_tos_fwd_addr</i>	(Optional)
<i>nssa_tos_tag</i>	(Optional)
<i>asext_mask</i>	(Optional)
<i>asext_metric_type2</i>	(Optional)
<i>asext_metric</i>	(Optional)
<i>asext_fwd_addr</i>	(Optional)
<i>asext_tag</i>	(Optional)
TABLE_asext	(Optional)
<i>asext_tos_metric_type2</i>	(Optional)
<i>asext_tos_id</i>	(Optional)
<i>asext_tos_metric</i>	(Optional)
<i>asext_tos_fwd_addr</i>	(Optional)

**show ip ospf database detail**

<i>asext_tos_tag</i>	(Optional)
<i>opaque_link_intf</i>	(Optional)
<i>opaque_unknown</i>	(Optional)
<i>opaque_data_len</i>	(Optional)
<i>opaque_data</i>	(Optional)
<i>opaque_corrupt</i>	(Optional)
<i>tlv_type</i>	(Optional)
<i>tlv_len</i>	(Optional)
<i>tlv_data</i>	(Optional)
<i>tlv_unknown</i>	(Optional)
<i>gr_interval</i>	(Optional)
<i>gr_reason</i>	(Optional)
<i>gr_addr</i>	(Optional)
<i>te_frag_id</i>	(Optional)
<i>te_rtr_id</i>	(Optional)
<i>te_link_type</i>	(Optional)
<i>te_link_id</i>	(Optional)
<i>te_link_metric</i>	(Optional)
<i>te_link_max_bw</i>	(Optional)
<i>te_link_rsv_bw</i>	(Optional)
<i>te_link_unrsv_bw</i>	(Optional)
<i>te_link_admin</i>	(Optional)
<i>te_num_links</i>	(Optional)

#### Command Mode

- /exec

# show ip ospf event-history

show ip ospf [ <tag> ] [ internal ] event-history { errors | msgs | statistics | adjacency | event | ha | flooding | lsa | spf | redistribution | ldp | te | rib | hello | spf-trigger | cli | objstore }

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
internal	(Optional) Commands for internal use
event-history	Show various event logs of OSPF
errors	Error logs
msgs	IPC logs
statistics	Show the state and size of the buffers
adjacency	Adjacency formation logs
event	Internal event logs
ha	HA and GR logs
flooding	LSA flooding logs
lsa	LSA generation and database logs
spf	SPF calculation logs
redistribution	Redistribution logs
ldp	LDP related logs
te	MPLS TE related logs
rib	RIB related logs
hello	Hello related logs
cli	Cli logs
spf-trigger	SPF TRIGGER related logs
objstore	DME OBJSTORE related logs

## Command Mode

```
show ip ospf event-history
```

- /exec

# show ip ospf event-history detail

show ip ospf [ <tag> ] [ internal ] event-history detail [ statistics ]

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
internal	(Optional) Commands for internal use
event-history	Show event history of OSPF
detail	Show detailed event history information
statistics	(Optional) Show the state and size of the verbose history buffer

## Command Mode

- /exec

show ip ospf ha

## show ip ospf ha

```
show ip ospf [ <tag> ] ha [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag>
<cname> <stateful> <pss_restored> <pss_state> <gr_enabled> <gr_grace_period> <gr_state> <gr_last_status>
<gr_helper_mode> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ha	High Availability status
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>stateful</i>	(Optional)
<i>pss_restored</i>	(Optional)
<i>pss_state</i>	(Optional)
<i>gr_enabled</i>	(Optional)
<i>gr_grace_period</i>	(Optional)
<i>gr_state</i>	(Optional)
<i>gr_last_status</i>	(Optional)
<i>gr_helper_mode</i>	(Optional)

### Command Mode

- /exec

# show ip ospf interface

```
show ip ospf [ <tag> ] interface [ <interface> | vrf { <vrf-name> | <vrf-known-name> | all } ] [ private ] [ __readonly__ TABLE_ctx <ptag> <cname> [ TABLE_intf <ifname> <admin_status> <proto_status> [ <unnumbered> ] <addr> [ <masklen> ] [ <parent_intf> ] <area> [ <if_cfg> ] <state_str> <type_str> <cost> [ <bfd_enabled> ] [ <ldp_sync> ] <index> [ <passive> ] [ <mpls> ] [ <transmit_delay> ] [ <if_priority> ] [ <dr_rid> ] [ <dr_addr> ] [ <bdr_rid> ] [ <bdr_addr> ] [ <nbr_total> ] [ <nbr_flood> ] [ <nbr_adjs> ] [ <gr_nbr> ] [ <hello_interval> ] [ <dead_interval> ] [ <wait_interval> ] [ <rxmt_interval> ] [ <hello_timer> ] [ <wait_timer> ] [ <pacing_timer> ] [ <lsu_timer> ] [ <lsack_timer> ] [ <netlsa_throt_timer> ] [ <auth_type> ] [ <keychain_name> ] [ <keychain_ready> ] [ <auth_md5_keyid> ] [ <auth_keyid> ] [ <auth_algo> ] [ <link_lsa_cnt> ] [ <link_lsa_crc> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
interface	OSPF enabled interface
interface	(Optional) OSPF enabled interface
private	(Optional) Developer-only statistics
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
TABLE_intf	(Optional)
ifname	(Optional)
admin_status	(Optional)
proto_status	(Optional)
unnumbered	(Optional)
addr	(Optional)

**show ip ospf interface**

<i>masklen</i>	(Optional)
<i>parent_intf</i>	(Optional)
<i>area</i>	(Optional)
<i>if_cfg</i>	(Optional)
<i>state_str</i>	(Optional)
<i>type_str</i>	(Optional)
<i>cost</i>	(Optional)
<i>bfd_enabled</i>	(Optional)
<i>ldp_sync</i>	(Optional)
<i>index</i>	(Optional)
<i>passive</i>	(Optional)
<i>mpls</i>	(Optional)
<i>transmit_delay</i>	(Optional)
<i>if_priority</i>	(Optional)
<i>dr_rid</i>	(Optional)
<i>dr_addr</i>	(Optional)
<i>bdr_rid</i>	(Optional)
<i>bdr_addr</i>	(Optional)
<i>nbr_total</i>	(Optional)
<i>nbr_flood</i>	(Optional)
<i>nbr_adjs</i>	(Optional)
<i>gr_nbr</i>	(Optional)
<i>hello_interval</i>	(Optional)
<i>dead_interval</i>	(Optional)
<i>wait_interval</i>	(Optional)
<i>rxmt_interval</i>	(Optional)
<i>hello_timer</i>	(Optional)
<i>wait_timer</i>	(Optional)
<i>pacing_timer</i>	(Optional)

<i>lsu_timer</i>	(Optional)
<i>lsack_timer</i>	(Optional)
<i>netlsa_throt_timer</i>	(Optional)
<i>auth_type</i>	(Optional)
<i>keychain_name</i>	(Optional)
<i>keychain_ready</i>	(Optional)
<i>auth_md5_keyid</i>	(Optional)
<i>auth_keyid</i>	(Optional)
<i>auth_algo</i>	(Optional)
<i>link_lsa_cnt</i>	(Optional)
<i>link_lsa_crc</i>	(Optional)

**Command Mode**

- /exec

show ip ospf interface brief

## show ip ospf interface brief

```
show ip ospf [ <tag> ] interface brief [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_ctx <ptag> <cname> <intf_count> TABLE_intf <ifname> <index> <area> <cost> <state_str>  
<nbr_total> <admin_status> ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
interface	OSPF enabled interface
brief	Display summary of OSPF interfaces
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>intf_count</i>	(Optional)
TABLE_intf	(Optional)
<i>ifname</i>	(Optional)
<i>index</i>	(Optional)
<i>area</i>	(Optional)
<i>cost</i>	(Optional)
<i>state_str</i>	(Optional)
<i>nbr_total</i>	(Optional)
<i>admin_status</i>	(Optional)

### Command Mode

- /exec

show ip ospf lsa-content-changed-list

## show ip ospf lsa-content-changed-list

```
show ip ospf [ <tag> ] lsa-content-changed-list { <ip-addr> | <neighbor-name> } <interface> [ __readonly__ [ TABLE_ctx <ptag> <cname> [ TABLE_lschg <nbr_rid> <intf> <nbr_addr> [ TABLE_lsa [ <type> ] [ <lsid> ] [ <advrtr> ] [ <seqno> ] [ <cksum> ] [ <age> ] ] ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
lsa-content-changed-list	LSAs that changed contents
<i>interface</i>	OSPF enabled interface
<i>ip-addr</i>	Neighbor router ID
<i>neighbor-name</i>	DNS Name of the neighbor
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_lschg	(Optional)
<i>nbr_rid</i>	(Optional)
<i>intf</i>	(Optional)
<i>nbr_addr</i>	(Optional)
TABLE_lsa	(Optional)
<i>type</i>	(Optional)
<i>lsid</i>	(Optional)
<i>advrtr</i>	(Optional)
<i>seqno</i>	(Optional)
<i>cksum</i>	(Optional)
<i>age</i>	(Optional)

### Command Mode

- /exec

show ip ospf memory

# show ip ospf memory

```
show ip ospf [ <tag> ] memory [ __readonly__ TABLE_mem <ptag> <byte_total> <byte_consumed>
<byte_overhead> <byte_allocated> <alloc_current> <alloc_created> <alloc_failed> <alloc_free> <bf_current>
<bf_created> <bf_failed> <bf_free> <bf_byte_consumed> <bf_32_current> <bf_32_created> <bf_32_failed>
<bf_32_free> <bf_32_byte_consumed> <slab_current> <slab_created> <slab_failed> <slab_free>
<slab_byte_consumed> <if_index_alloc_failed> <nbr_index_alloc_failed> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
memory	Memory usage statistics
__readonly__	(Optional)
TABLE_mem	(Optional)
<i>ptag</i>	(Optional)
<i>byte_total</i>	(Optional)
<i>byte_consumed</i>	(Optional)
<i>byte_overhead</i>	(Optional)
<i>byte_allocated</i>	(Optional)
<i>alloc_current</i>	(Optional)
<i>alloc_created</i>	(Optional)
<i>alloc_failed</i>	(Optional)
<i>alloc_free</i>	(Optional)
<i>bf_current</i>	(Optional)
<i>bf_created</i>	(Optional)
<i>bf_failed</i>	(Optional)
<i>bf_free</i>	(Optional)
<i>bf_byte_consumed</i>	(Optional)
<i>bf_32_current</i>	(Optional)
<i>bf_32_created</i>	(Optional)

<i>bf_32_failed</i>	(Optional)
<i>bf_32_free</i>	(Optional)
<i>bf_32_byte_consumed</i>	(Optional)
<i>slab_current</i>	(Optional)
<i>slab_created</i>	(Optional)
<i>slab_failed</i>	(Optional)
<i>slab_free</i>	(Optional)
<i>slab_byte_consumed</i>	(Optional)
<i>if_index_alloc_failed</i>	(Optional)
<i>nbr_index_alloc_failed</i>	(Optional)

**Command Mode**

- /exec

show ip ospf neighbors

## show ip ospf neighbors

```
show ip ospf [ <tag> ] neighbors [ { { <interface> [ <neighbor> | <neighbor-name> ] } | { [ <neighbor> | <neighbor-name> ] [ vrf { <vrf-name> | <vrif-known-name> | all } ] } ] [ __readonly__ TABLE_ctx <ptag> <cname> <nbrcount> [ TABLE_nbr <rid> <priority> <state> <drstate> <uptime> <addr> <intf> [ <multiarea> ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
<i>neighbor</i>	(Optional) Router ID of neighbor
<i>neighbor-name</i>	(Optional) DNS Name of the neighbor
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>nbrcount</i>	(Optional)
TABLE_nbr	(Optional)
<i>rid</i>	(Optional)
<i>priority</i>	(Optional)
<i>state</i>	(Optional)
<i>drstate</i>	(Optional)
<i>uptime</i>	(Optional)

<i>addr</i>	(Optional)
<i>intf</i>	(Optional)
<i>multiarea</i>	(Optional)

**Command Mode**

- /exec

show ip ospf neighbors detail

## show ip ospf neighbors detail

```
show ip ospf [ <tag> ] neighbors [ <interface> ] [ <neighbor> | <neighbor-name> ] detail [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ private ] [ __readonly__ TABLE_ctx <ptag> <cname> [ TABLE_nbr <rid> <addr> <area> <intf> <state> <transition> <lastchange> [ <bfd_state> ] [ <priority> ] [ <ifid> ] [ <dr> ] [ <dc> ] [ <bdr> ] [ <master> ] [ <seqno> ] [ <dbdallsentacked> ] [ <dbdallsent> ] [ <dbdallacked> ] [ <lsaconreqlist> ] [ <lsfromlastreq> ] [ <lsreqrxmts> ] <hellooptions><dbdoptions><lastnonhello> [ <deadtimer> ] [ <pacingtimer> ] [ <dbdrxmtimer> ] [ <reqrxmtimer> ] [ <lsutimer> ] [ <rerxmtimer> ] [ <fastrerxmtimer> ] [ <lsacktimer> ] [ <grtimer> ] [ <helpermode> ] [ <helpercand> ] [ <helperterm> ] [ <sendbdbd> ] [ <sendlsreq> ] [ <sendlsu> ] [ <sendlsurxmt> ] [ <sendlsack> ] [ <sendlsreqreply> ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
<i>neighbor</i>	(Optional) Router ID of neighbor
<i>neighbor-name</i>	(Optional) DNS Name of the neighbor
detail	Show detailed neighbor display
private	(Optional) Developer-only statistics
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_nbr	(Optional)
<i>rid</i>	(Optional)
<i>addr</i>	(Optional)

<i>area</i>	(Optional)
<i>intf</i>	(Optional)
<i>state</i>	(Optional)
<i>transition</i>	(Optional)
<i>lastchange</i>	(Optional)
<i>bfd_state</i>	(Optional)
<i>priority</i>	(Optional)
<i>ifid</i>	(Optional)
<i>dr</i>	(Optional)
<i>bdr</i>	(Optional)
<i>master</i>	(Optional)
<i>seqno</i>	(Optional)
<i>dbdallsentacked</i>	(Optional)
<i>dbdallsent</i>	(Optional)
<i>dbdallacked</i>	(Optional)
<i>lsaonreqlist</i>	(Optional)
<i>lsafromlastreq</i>	(Optional)
<i>lsreqrxmts</i>	(Optional)
<i>hellooptions</i>	(Optional)
<i>dbdoptions</i>	(Optional)
<i>lastnonhello</i>	(Optional)
<i>deadtimer</i>	(Optional)
<i>pacingtimer</i>	(Optional)
<i>dbdrxmtimer</i>	(Optional)
<i>reqrxmtimer</i>	(Optional)
<i>lsutimer</i>	(Optional)
<i>rerxmtimer</i>	(Optional)
<i>fastrerxmtimer</i>	(Optional)
<i>lsacktimer</i>	(Optional)

**show ip ospf neighbors detail**

<i>grtimer</i>	(Optional)
<i>helpermode</i>	(Optional)
<i>helpercand</i>	(Optional)
<i>helperterm</i>	(Optional)
<i>senddbd</i>	(Optional)
<i>sendlsreq</i>	(Optional)
<i>sendlsu</i>	(Optional)
<i>sendlsurxmt</i>	(Optional)
<i>sendlsack</i>	(Optional)
<i>sendlsreqreply</i>	(Optional)
<i>dc</i>	(Optional)

**Command Mode**

- /exec

# show ip ospf neighbors summary

```
show ip ospf [ <tag> ] neighbors [ <interface> ] summary [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> TABLE_intf { <ifname> | <total> } <down> <attempt> <init> <twoway> <exstart> <exchange> <loading> <full> <if_total> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
summary	Summary of neighbors
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_intf	(Optional)
<i>ifname</i>	(Optional)
<i>total</i>	(Optional)
<i>down</i>	(Optional)
<i>attempt</i>	(Optional)
<i>init</i>	(Optional)
<i>twoway</i>	(Optional)
<i>exstart</i>	(Optional)
<i>exchange</i>	(Optional)

```
show ip ospf neighbors summary
```

<i>loading</i>	(Optional)
<i>full</i>	(Optional)
<i>if_total</i>	(Optional)

**Command Mode**

- /exec

# show ip ospf policy statistics

```
show ip ospf [ <inst> ] policy statistics { { redistribute { { bgp | eigrp } <as> | { isis | ospf | rip } <tag> | static | direct | amt } } | { area <area-id-ip> filter-list { in | out } } } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <ptag> TABLE_ctx <cname> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>inst</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
policy	Display Policy related information
statistics	Display Route Filter statistics
redistribute	Statistics for redistribution
isis	ISO Intermediate-to-Intermediate (IS-IS)
bgp	Border Gateway Protocol (BGP)
<i>as</i>	Autonomous system number
ospf	Open Shortest Path First (OSPFv2)
eigrp	Enhanced Interior Gateway Protocol (EIGRP)
rip	Routing Information Protocol (RIP)
static	Static
direct	Directly connected
amt	AMT anycast prefix
<i>tag</i>	Source protocol tag
area	Configure area properties
<i>area-id-ip</i>	Area Id as an integer or ip address
filter-list	Filter prefixes between OSPF areas

**show ip ospf policy statistics**

in	Filter networks sent to this area
out	Filter networks sent from this area
<u>readonly</u>	(Optional)
<i>ptag</i>	(Optional)
TABLE_ctx	(Optional)
<i>cname</i>	(Optional)

**Command Mode**

- /exec

# show ip ospf request-list

```
show ip ospf [ <tag> ] request-list { <ip-addr> | <neighbor-name> } <interface> [ __readonly__ [ TABLE_ctx
<ptag> <cname> [ TABLE_lsreq <nbr_rid> <intf> <nbr_addr> <total> [ TABLE_lsa [ <type> ] [ <lsid> ] [
<advrtr> ] [ <seqno> ] [ <cksum> ] [ <age> ] ] ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
request-list	Link state request list
<i>interface</i>	OSPF enabled interface
<i>ip-addr</i>	Neighbor router ID
<i>neighbor-name</i>	DNS Name of the neighbor
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_lsreq	(Optional)
<i>nbr_rid</i>	(Optional)
<i>intf</i>	(Optional)
<i>nbr_addr</i>	(Optional)
<i>total</i>	(Optional)
TABLE_lsa	(Optional)
<i>type</i>	(Optional)
<i>lsid</i>	(Optional)
<i>advrtr</i>	(Optional)
<i>seqno</i>	(Optional)
<i>cksum</i>	(Optional)
<i>age</i>	(Optional)

```
show ip ospf request-list
```

**Command Mode**

- /exec

# show ip ospf retransmission-list

```
show ip ospf [ <tag> ] retransmission-list { <routerid> | <router-name> } <interface> [ __readonly__ [ TABLE_ctx <ptag> <cname> [ TABLE_rxmit <nbr_rid> <intf> <nbr_addr> [ <timer_running> ] [ <timer_due> ] [ TABLE_lsa [ <type> ] [ <lsid> ] [ <advrtr> ] [ <seqno> ] [ <cksum> ] [ <age> ] ] ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
retransmission-list	Link state retransmission list
<i>routerid</i>	Neighbor router ID
<i>router-name</i>	DNS Name of the router
<i>interface</i>	OSPF enabled interface
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_rxmit	(Optional)
<i>nbr_rid</i>	(Optional)
<i>intf</i>	(Optional)
<i>nbr_addr</i>	(Optional)
<i>timer_running</i>	(Optional)
<i>timer_due</i>	(Optional)
TABLE_lsa	(Optional)
<i>type</i>	(Optional)
<i>lsid</i>	(Optional)
<i>advrtr</i>	(Optional)
<i>seqno</i>	(Optional)
<i>cksum</i>	(Optional)

```
show ip ospf retransmission-list
```

<i>age</i>	(Optional)
------------	------------

**Command Mode**

- /exec

# show ip ospf route

```
show ip ospf [ <tag> ] route [ <ip-addr> | <ip-prefix> [ longer-prefixes ] ] [ all_routes ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> [ <hdr_addr> ] [ <hdr_masklen> ] [ TABLE_route <addr> <masklen> <type> <in_rib> <direct> [ <area> ] [ <tag> ] [ <vlink_unresolved> ] [ TABLE_route_ubest_nh [ <ubest_nh_addr> ] [ <ubest_nh_intf> ] [ <ubest_cost> ] [ <distance> ] [ <ubest_nh_direct> ] [ <ubest_nh_in_rib> ] ] [ TABLE_route_mbest_nh [ <mbest_nh_addr> ] [ <mbest_nh_intf> ] [ <mbest_cost> ] [ <mbest_nh_direct> ] [ <mbest_nh_in_rib> ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Internal OSPF routes
<i>ip-addr</i>	(Optional) Show single OSPF route
<i>ip-prefix</i>	(Optional) Show single exact match OSPF route
longer-prefixes	(Optional) Show exact match and more specific routes
all_routes	(Optional) Display all OSPF routes
<i>tag</i>	(Optional)
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>hdr_addr</i>	(Optional)
<i>hdr_masklen</i>	(Optional)
TABLE_route	(Optional)
<i>addr</i>	(Optional)

show ip ospf route

<i>masklen</i>	(Optional)
<i>type</i>	(Optional)
<i>in_rib</i>	(Optional)
<i>direct</i>	(Optional)
<i>area</i>	(Optional)
<i>vlink_unresolved</i>	(Optional)
TABLE_route_ubest_nh	(Optional)
<i>ubest_nh_addr</i>	(Optional)
<i>ubest_nh_intf</i>	(Optional)
<i>ubest_cost</i>	(Optional)
<i>distance</i>	(Optional)
<i>ubest_nh_direct</i>	(Optional)
<i>ubest_nh_in_rib</i>	(Optional)
TABLE_route_mbest_nh	(Optional)
<i>mbest_nh_addr</i>	(Optional)
<i>mbest_nh_intf</i>	(Optional)
<i>mbest_cost</i>	(Optional)
<i>mbest_nh_direct</i>	(Optional)
<i>mbest_nh_in_rib</i>	(Optional)

#### Command Mode

- /exec

# show ip ospf route summary

```
show ip ospf[ <tag> ] route [ <ip-prefix> [ longer-prefixes ] ] summary [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> [ TABLE_route <total_routes> <total_paths> [ TABLE_route_type <path_type> <path_routes> <path_paths> ] [ TABLE_route_masklen <masklen> <masklen_routes> <masklen_paths> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Internal OSPF routes
<i>ip-prefix</i>	(Optional) Show single exact match OSPF route
longer-prefixes	(Optional) Show exact match and more specific routes
summary	Show route counts
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_route	(Optional)
<i>total_routes</i>	(Optional)
<i>total_paths</i>	(Optional)
TABLE_route_type	(Optional)
<i>path_type</i>	(Optional)
<i>path_routes</i>	(Optional)
<i>path_paths</i>	(Optional)

**show ip ospf route summary**

TABLE_route_masklen	(Optional)
<i>masklen</i>	(Optional)
<i>masklen_routes</i>	(Optional)
<i>masklen_paths</i>	(Optional)

**Command Mode**

- /exec

# show ip ospf sham-links

```
show ip ospf [ <tag> ] sham-links [ brief ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ ]
TABLE_ctx <ptag> <cname> [ TABLE_slink <name> [ <nbr_rid> ] <if_state> <transit_area> <nh_intf>
<nbr_addr> [ <transit_area_stub> ] [ <transit_area_nssa> ] <addr> [ <masklen> ] <area> [ <if_cfg> ] <state_str>
<type_str> <cost> [ <bfd_enabled> ] <index> [ <passive> ] [ <mpls> ] [ <transmit_delay> ] [ <if_priority> ]
] [ <dr_rid> ] [ <dr_addr> ] [ <bdr_rid> ] [ <bdr_addr> ] [ <nbr_total> ] [ <nbr_flood> ] [ <nbr_adjs> ] [
<gr_nbr> ] [ <hello_interval> ] [ <dead_interval> ] [ <wait_interval> ] [ <rxmt_interval> ] [ <sum_total> ] [
<hello_timer> ] [ <wait_timer> ] [ <pacing_timer> ] [ <lsu_timer> ] [ <lsack_timer> ] [ <netlsa_throt_timer>
] [ <auth_type> ] [ <keychain_name> ] [ <keychain_ready> ] [ <auth_md5_keyid> ] [ <link_lsa_cnt> ] [
<link_lsa_crc> ] [ <dc_enabled> ] [ <dest_ip> ] [ <src_ip> ] [ <ifnum> ] [ <state> ] [ <transition> ] [
<lastchange> ] [ <priority> ] [ <ifid> ] [ <dr> ] [ <bdr> ] [ <master> ] [ <seqno> ] [ <dbdallsentacked> ] [
<dbdallsent> ] [ <dbdallacked> ] [ <lsalonreqlist> ] [ <lsafromlastreq> ] [ <lsreqrxmts> ] [ <hellooptions> ] [
<dbdoptions> ] [ <lastnonhello> ] [ <deadtimer> ] [ <pacingtimer> ] [ <dbdrxmtimer> ] [ <reqrxmtimer> ] [
<lsutimer> ] [ <rexmtimer> ] [ <fastrerxmtimer> ] [ <lsacktimer> ] [ <grtimer> ] [ <helpermode> ] [
<helpercand> ] [ <helperterm> ] [ <sendbdb> ] [ <sendlsreq> ] [ <sendlsu> ] [ <sendlsurxmt> ] [ <sendlsack>
] [ <sendlsreqreply> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
sham-links	Sham link information
brief	(Optional) Display summary of OSPF sham links
<u>__readonly__</u>	(Optional)
<i>ptag</i>	(Optional)
TABLE_ctx	(Optional)
<i>cname</i>	(Optional)
TABLE_slink	(Optional)
<i>name</i>	(Optional)
<i>nbr_rid</i>	(Optional)

**show ip ospf sham-links**

<i>if_state</i>	(Optional)
<i>transit_area</i>	(Optional)
<i>nh_intf</i>	(Optional)
<i>dc_enabled</i>	(Optional)
<i>nbr_addr</i>	(Optional)
<i>sum_total</i>	(Optional)
<i>transit_area_stub</i>	(Optional)
<i>transit_area_nssa</i>	(Optional)
<i>addr</i>	(Optional)
<i>masklen</i>	(Optional)
<i>area</i>	(Optional)
<i>if_cfg</i>	(Optional)
<i>state_str</i>	(Optional)
<i>type_str</i>	(Optional)
<i>cost</i>	(Optional)
<i>bfd_enabled</i>	(Optional)
<i>index</i>	(Optional)
<i>passive</i>	(Optional)
<i>mpls</i>	(Optional)
<i>transmit_delay</i>	(Optional)
<i>if_priority</i>	(Optional)
<i>dr_rid</i>	(Optional)
<i>dr_addr</i>	(Optional)
<i>bdr_rid</i>	(Optional)
<i>bdr_addr</i>	(Optional)
<i>nbr_total</i>	(Optional)
<i>nbr_flood</i>	(Optional)
<i>nbr_adjs</i>	(Optional)
<i>gr_nbr</i>	(Optional)

<i>hello_interval</i>	(Optional)
<i>dead_interval</i>	(Optional)
<i>wait_interval</i>	(Optional)
<i>rxmt_interval</i>	(Optional)
<i>hello_timer</i>	(Optional)
<i>wait_timer</i>	(Optional)
<i>pacing_timer</i>	(Optional)
<i>lsu_timer</i>	(Optional)
<i>lsack_timer</i>	(Optional)
<i>neilsa_throt_timer</i>	(Optional)
<i>auth_type</i>	(Optional)
<i>keychain_name</i>	(Optional)
<i>keychain_ready</i>	(Optional)
<i>auth_md5_keyid</i>	(Optional)
<i>link_lsa_cnt</i>	(Optional)
<i>link_lsa_crc</i>	(Optional)
<i>state</i>	(Optional)
<i>transition</i>	(Optional)
<i>lastchange</i>	(Optional)
<i>priority</i>	(Optional)
<i>ifid</i>	(Optional)
<i>dr</i>	(Optional)
<i>bdr</i>	(Optional)
<i>master</i>	(Optional)
<i>seqno</i>	(Optional)
<i>dbdallsentacked</i>	(Optional)
<i>dbdallsent</i>	(Optional)
<i>dbdallacked</i>	(Optional)
<i>lsaonreqlist</i>	(Optional)

show ip ospf sham-links

<i>lsafromlastreq</i>	(Optional)
<i>lsreqrxmts</i>	(Optional)
<i>hellooptions</i>	(Optional)
<i>dbdoptions</i>	(Optional)
<i>lastnonhello</i>	(Optional)
<i>deadtimer</i>	(Optional)
<i>pacingtimer</i>	(Optional)
<i>dbdrxmtimer</i>	(Optional)
<i>reqrxmtimer</i>	(Optional)
<i>lsutimer</i>	(Optional)
<i>rerxmtimer</i>	(Optional)
<i>fastrerxmtimer</i>	(Optional)
<i>lsacktimer</i>	(Optional)
<i>grtimer</i>	(Optional)
<i>helpermode</i>	(Optional)
<i>helpercand</i>	(Optional)
<i>helperterm</i>	(Optional)
<i>senddbd</i>	(Optional)
<i>sendlsreq</i>	(Optional)
<i>sendlsu</i>	(Optional)
<i>sendlsurxmt</i>	(Optional)
<i>sendlsack</i>	(Optional)
<i>sendlsreqreply</i>	(Optional)
<i>dest_ip</i>	(Optional)
<i>src_ip</i>	(Optional)
<i>ifnum</i>	(Optional)

### Command Mode

- /exec

# show ip ospf statistics

```
show ip ospf [ <tag> ] statistics [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_stats
<ptag> <cname> <last_clear> <rid_change> <dr_elections> <older_lsa_recv> <nbr_state_change>
<nbr_dead_postpone> <nbr_dead_expire> <nbr_bad_lsreq> <nbr_seqno_mismatch> <spf_full>
<spf_summary> <spf_external> <spf_extsummary> <rtr_generate> <rtr_refresh> <rtr_flush> <rtr_other_flush>
<net_generate> <net_refresh> <net_flush> <net_other_flush> <sum_generate> <sum_refresh> <sum_flush>
<sum_other_flush> <asbr_generate> <asbr_refresh> <asbr_flush> <asbr_other_flush> <asext_generate>
<asext_refresh> <asext_flush> <asext_other_flush> <opaque_link_generate> <opaque_link_refresh>
<opaque_link_flush> <opaque_link_other_flush> <opaque_area_generate> <opaque_area_refresh>
<opaque_area_flush> <opaque_area_other_flush> <opaque_as_generate> <opaque_as_refresh>
<opaque_as_flush> <opaque_as_other_flush> <limbo_lsa_count> <limbo_lsa_hwm> <limbo_lsa_deleted>
<limbo_lsa_revived> <limbo_runs> <limbo_lsa_last_time_hwm> [ <limbo_timer> ] <helloq_size>
<helloq_max_size> <helloq_hwm> <helloq_drops> <helloq_last_hwm_time> <floodq_size>
<floodq_max_size> <floodq_hwm> <floodq_drops> <floodq_last_hwm_time> <lsdb_add_fail> [
TABLE_buffer_detail [ <buf_size> ] [ <buf_size_huge> ] <buf_in_use> <buf_hwm> <buf_perm> <buf_alloc>
<buf_free> ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
statistics	Event counters
__readonly__	(Optional)
TABLE_stats	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>last_clear</i>	(Optional)
<i>rid_change</i>	(Optional)
<i>dr_elections</i>	(Optional)
<i>older_lsa_recv</i>	(Optional)

**show ip ospf statistics**

<i>nbr_state_change</i>	(Optional)
<i>nbr_dead_postpone</i>	(Optional)
<i>nbr_dead_expire</i>	(Optional)
<i>nbr_bad_lsreq</i>	(Optional)
<i>nbr_seqno_mismatch</i>	(Optional)
<i>spf_full</i>	(Optional)
<i>spf_summary</i>	(Optional)
<i>spf_external</i>	(Optional)
<i>spf_extsummary</i>	(Optional)
<i>rtr_generate</i>	(Optional)
<i>rtr_refresh</i>	(Optional)
<i>rtr_flush</i>	(Optional)
<i>rtr_other_flush</i>	(Optional)
<i>net_generate</i>	(Optional)
<i>net_refresh</i>	(Optional)
<i>net_flush</i>	(Optional)
<i>net_other_flush</i>	(Optional)
<i>sum_generate</i>	(Optional)
<i>sum_refresh</i>	(Optional)
<i>sum_flush</i>	(Optional)
<i>sum_other_flush</i>	(Optional)
<i>asbr_generate</i>	(Optional)
<i>asbr_refresh</i>	(Optional)
<i>asbr_flush</i>	(Optional)
<i>asbr_other_flush</i>	(Optional)
<i>asext_generate</i>	(Optional)
<i>asext_refresh</i>	(Optional)
<i>asext_flush</i>	(Optional)
<i>asext_other_flush</i>	(Optional)

<i>opaque_link_generate</i>	(Optional)
<i>opaque_link_refresh</i>	(Optional)
<i>opaque_link_flush</i>	(Optional)
<i>opaque_link_other_flush</i>	(Optional)
<i>opaque_area_generate</i>	(Optional)
<i>opaque_area_refresh</i>	(Optional)
<i>opaque_area_flush</i>	(Optional)
<i>opaque_area_other_flush</i>	(Optional)
<i>opaque_as_generate</i>	(Optional)
<i>opaque_as_refresh</i>	(Optional)
<i>opaque_as_flush</i>	(Optional)
<i>opaque_as_other_flush</i>	(Optional)
<i>limbo_lsa_count</i>	(Optional)
<i>limbo_lsa_hwm</i>	(Optional)
<i>limbo_lsa_deleted</i>	(Optional)
<i>limbo_lsa_revived</i>	(Optional)
<i>limbo_runs</i>	(Optional)
<i>limbo_lsa_last_time_hwm</i>	(Optional)
<i>limbo_timer</i>	(Optional)
<i>helloq_size</i>	(Optional)
<i>helloq_max_size</i>	(Optional)
<i>helloq_hwm</i>	(Optional)
<i>helloq_drops</i>	(Optional)
<i>helloq_last_hwm_time</i>	(Optional)
<i>floodq_size</i>	(Optional)
<i>floodq_max_size</i>	(Optional)
<i>floodq_hwm</i>	(Optional)
<i>floodq_drops</i>	(Optional)
<i>floodq_last_hwm_time</i>	(Optional)

**show ip ospf statistics**

<i>lsdb_add_fail</i>	(Optional)
TABLE_buffer_detail	(Optional)
<i>buf_size</i>	(Optional)
<i>buf_size_huge</i>	(Optional)
<i>buf_in_use</i>	(Optional)
<i>buf_hwm</i>	(Optional)
<i>buf_perm</i>	(Optional)
<i>buf_alloc</i>	(Optional)
<i>buf_free</i>	(Optional)

**Command Mode**

- /exec

# show ip ospf summary-address

```
show ip ospf [ <tag> ] summary-address [ private ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_ctx <ptag> <cname> <rid> [ TABLE_sum <addr> <masklen> [ <metric> ] [ <tag> ] [ <pending> ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
summary-address	Summary-address redistribution information
private	(Optional) Developer-only statistics
<i>tag</i>	(Optional)
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>rid</i>	(Optional)
TABLE_sum	(Optional)
<i>addr</i>	(Optional)
<i>masklen</i>	(Optional)
<i>metric</i>	(Optional)
<i>pending</i>	(Optional)

## Command Mode

- /exec

show ip ospf traffic

# show ip ospf traffic

```
show ip ospf[ <tag> ] traffic[ <interface> [ detail ] | [ detail ] | [ detail ] vrf { <vrf-name> | <vrf-known-name>
| all } | __readonly__ TABLE_traf<ptag><cname><last_clear>[ <ifname> ] <pkt_in><pkt_out>
<lsu_first_trans><lsu_retrans><lsu_for_lsreq><lsu_nbr_trans><throttle_out><throttle_out_token>
<throttle_out_ip><lsa_ignored><lsa_dropped_spf><lsa_dropped_gr><pkt_drops_in><pkt_drops_out>
<pkt_errors_in><pkt_errors_out><hello_errors_in><dbds_errors_in><lsreqs_errors_in><lsus_errors_in>
<lsacks_errors_in><pkt_unknown_in><pkt_unknown_out><pkt_no_ospf_intf><bad_version><bad_crc>
<dup_rtr_id><dup_src_addr><invalid_src_addr><invalid_dst_addr><non_existing_nbr><pkt_passive_intf>
<wrong_area><invalid_pkt_len><nbr_changed_routerid_ipaddr><nbr_changed_interfaceid>[ <bad_auth>
] | <bad_reserved> ] | <pkt_no_vrf> | <hellos_in><dbds_in><lsreqs_in><lsus_in><lsacks_in><hellos_out>
<dbds_out><lsreqs_out><lsus_out><lsacks_out> | <hellos_in_hq><dbds_in_hq><lsreqs_in_flq>
<lsus_in_flq><lsacks_in_flq><lsas_in_dbds_in><lsas_in_lsreqs_in><lsas_in_lsus_in><lsas_in_lsacks_in>
<lsas_in_dbds_out><lsas_in_lsreqs_out><lsas_in_lsus_out><lsas_in_lsacks_out><lsas_in_rxmt_lsus_out>
] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
<i>interface</i>	(Optional) OSPF enabled interface
detail	(Optional) Display detailed information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
traffic	Packet counters
__readonly__	(Optional)
TABLE_traf	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>last_clear</i>	(Optional)
<i>ifname</i>	(Optional)
<i>pkt_in</i>	(Optional)

<i>pkt_out</i>	(Optional)
<i>lsu_first_trans</i>	(Optional)
<i>lsu_retrans</i>	(Optional)
<i>lsu_for_lsreq</i>	(Optional)
<i>lsu_nbr_trans</i>	(Optional)
<i>throttle_out</i>	(Optional)
<i>throttle_out_token</i>	(Optional)
<i>throttle_out_ip</i>	(Optional)
<i>lsa_ignored</i>	(Optional)
<i>lsa_dropped_spf</i>	(Optional)
<i>lsa_dropped_gr</i>	(Optional)
<i>pkt_drops_in</i>	(Optional)
<i>pkt_drops_out</i>	(Optional)
<i>pkt_errors_in</i>	(Optional)
<i>pkt_errors_out</i>	(Optional)
<i>hello_errors_in</i>	(Optional)
<i>dbds_errors_in</i>	(Optional)
<i>lsreqs_errors_in</i>	(Optional)
<i>lsus_errors_in</i>	(Optional)
<i>lsacks_errors_in</i>	(Optional)
<i>pkt_unknown_in</i>	(Optional)
<i>pkt_unknown_out</i>	(Optional)
<i>pkt_no_ospf_intf</i>	(Optional)
<i>bad_version</i>	(Optional)
<i>bad_crc</i>	(Optional)
<i>dup_rtr_id</i>	(Optional)
<i>dup_src_addr</i>	(Optional)
<i>invalid_src_addr</i>	(Optional)
<i>invalid_dst_addr</i>	(Optional)

show ip ospf traffic

<i>non_existing_nbr</i>	(Optional)
<i>pkt_passive_intf</i>	(Optional)
<i>wrong_area</i>	(Optional)
<i>invalid_pkt_len</i>	(Optional)
<i>nbr_changed_routerid_ipaddr</i>	(Optional)
<i>nbr_changed_interfaceid</i>	(Optional)
<i>bad_auth</i>	(Optional)
<i>bad_reserved</i>	(Optional)
<i>pkt_no_vrf</i>	(Optional)
<i>hellos_in</i>	(Optional)
<i>dbds_in</i>	(Optional)
<i>lsreqs_in</i>	(Optional)
<i>lsus_in</i>	(Optional)
<i>lsacks_in</i>	(Optional)
<i>hellos_out</i>	(Optional)
<i>dbds_out</i>	(Optional)
<i>lsreqs_out</i>	(Optional)
<i>lsus_out</i>	(Optional)
<i>lsacks_out</i>	(Optional)
<i>hellos_in_hq</i>	(Optional)
<i>dbds_in_hq</i>	(Optional)
<i>lsreqs_in_flq</i>	(Optional)
<i>lsus_in_flq</i>	(Optional)
<i>lsacks_in_flq</i>	(Optional)
<i>lsas_in_dbds_in</i>	(Optional)
<i>lsas_in_lsreqs_in</i>	(Optional)
<i>lsas_in_lsus_in</i>	(Optional)
<i>lsas_in_lsacks_in</i>	(Optional)
<i>lsas_in_dbds_out</i>	(Optional)

<i>lsas_in_lsreqs_out</i>	(Optional)
<i>lsas_in_lsus_out</i>	(Optional)
<i>lsas_in_lsacks_out</i>	(Optional)
<i>lsas_in_rxmt_lsus_out</i>	(Optional)

**Command Mode**

- /exec

**show ip ospf traps-queue**`show ip ospf [ <tag> ] traps-queue`**Syntax Description**

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
traps-queue	Show all the priority traps queue parameters

**Command Mode**

- /exec

# show ip ospf virtual-links

```
show ip ospf[ <tag> ] virtual-links [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx
<ptag> <cname> [ TABLE_vlink <name> <nbr_rid> <if_state> <transit_area> <nh_intf> <nbr_addr> [
<transit_area_stub> ] [ <transit_area_nssa> ] <addr> [ <masklen> ] <area> [ <if_cfg> ] <state_str> <type_str>
<cost> <index> [ <passive> ] [ <mpls> ] [ <transmit_delay> ] [ <if_priority> ] [ <dr_rid> ] [ <dr_addr> ] [
<bdr_rid> ] [ <bdr_addr> ] [ <nbr_total> ] [ <nbr_flood> ] [ <nbr_adjs> ] [ <gr_nbr> ] [ <hello_interval> ] [
<dead_interval> ] [ <wait_interval> ] [ <rxmt_interval> ] [ <hello_timer> ] [ <wait_timer> ] [ <pacing_timer>
] [ <lsu_timer> ] [ <lsack_timer> ] [ <netlsa_throt_timer> ] [ <auth_type> ] [ <keychain_name> ] [
<keychain_ready> ] [ <auth_md5_keyid> ] [ <link_lsa_cnt> ] [ <link_lsa_crc> ] [ <dc_enabled> ] [ <state>
] [ <transition> ] [ <lastchange> ] [ <priority> ] [ <ifid> ] [ <dr> ] [ <bdr> ] [ <master> ] [ <seqno> ] [
<dbdallsentacked> ] [ <dbdallsent> ] [ <dbdallacked> ] [ <lsaaonreqlist> ] [ <lsafromlastreq> ] [ <lsreqrxmts>
] [ <hellooptions> ] [ <dbdoptions> ] [ <lastnonhello> ] [ <deadtimer> ] [ <pacingtimer> ] [ <dbdrxmtimer> ]
[ <reqrxmtimer> ] [ <lsutimer> ] [ <rexrxmtimer> ] [ <fastrerxmtimer> ] [ <lsacktimer> ] [ <grtimer> ] [
<helpermode> ] [ <helpercand> ] [ <helperterm> ] [ <sendbdb> ] [ <sendlsreq> ] [ <sendlsu> ] [ <sendlsrxmt>
] [ <sendlsack> ] [ <sendlsreqreply> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
virtual-links	Virtual link information
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_vlink	(Optional)
<i>name</i>	(Optional)
<i>nbr_rid</i>	(Optional)
<i>if_state</i>	(Optional)
<i>transit_area</i>	(Optional)

show ip ospf virtual-links

<i>nh_intf</i>	(Optional)
<i>dc_enabled</i>	(Optional)
<i>nbr_addr</i>	(Optional)
<i>transit_area_stub</i>	(Optional)
<i>transit_area_nssa</i>	(Optional)
<i>addr</i>	(Optional)
<i>masklen</i>	(Optional)
<i>area</i>	(Optional)
<i>if_cfg</i>	(Optional)
<i>state_str</i>	(Optional)
<i>type_str</i>	(Optional)
<i>cost</i>	(Optional)
<i>index</i>	(Optional)
<i>passive</i>	(Optional)
<i>mpls</i>	(Optional)
<i>transmit_delay</i>	(Optional)
<i>if_priority</i>	(Optional)
<i>dr_rid</i>	(Optional)
<i>dr_addr</i>	(Optional)
<i>bdr_rid</i>	(Optional)
<i>bdr_addr</i>	(Optional)
<i>nbr_total</i>	(Optional)
<i>nbr_flood</i>	(Optional)
<i>nbr_adjs</i>	(Optional)
<i>gr_nbr</i>	(Optional)
<i>hello_interval</i>	(Optional)
<i>dead_interval</i>	(Optional)
<i>wait_interval</i>	(Optional)
<i>rxmt_interval</i>	(Optional)

<i>hello_timer</i>	(Optional)
<i>wait_timer</i>	(Optional)
<i>pacing_timer</i>	(Optional)
<i>lsu_timer</i>	(Optional)
<i>lsack_timer</i>	(Optional)
<i>netlsa_throt_timer</i>	(Optional)
<i>auth_type</i>	(Optional)
<i>keychain_name</i>	(Optional)
<i>keychain_ready</i>	(Optional)
<i>auth_md5_keyid</i>	(Optional)
<i>link_lsa_cnt</i>	(Optional)
<i>link_lsa_crc</i>	(Optional)
<i>state</i>	(Optional)
<i>transition</i>	(Optional)
<i>lastchange</i>	(Optional)
<i>priority</i>	(Optional)
<i>ifid</i>	(Optional)
<i>dr</i>	(Optional)
<i>bdr</i>	(Optional)
<i>master</i>	(Optional)
<i>seqno</i>	(Optional)
<i>dbdallsentacked</i>	(Optional)
<i>dbdallsent</i>	(Optional)
<i>dbdallacked</i>	(Optional)
<i>lساonreqlist</i>	(Optional)
<i>lsafromlastreq</i>	(Optional)
<i>lsreqrxmts</i>	(Optional)
<i>helloptions</i>	(Optional)
<i>dbdoptions</i>	(Optional)

show ip ospf virtual-links

<i>lastnonhello</i>	(Optional)
<i>deadtimer</i>	(Optional)
<i>pacingtimer</i>	(Optional)
<i>dbdrxmtimer</i>	(Optional)
<i>reqrxmtimer</i>	(Optional)
<i>lsutimer</i>	(Optional)
<i>rerxmtimer</i>	(Optional)
<i>fastrerxmtimer</i>	(Optional)
<i>lsacktimer</i>	(Optional)
<i>grtimer</i>	(Optional)
<i>helpermode</i>	(Optional)
<i>helpercand</i>	(Optional)
<i>helperterm</i>	(Optional)
<i>senddbd</i>	(Optional)
<i>sendlsreq</i>	(Optional)
<i>sendlsu</i>	(Optional)
<i>sendlsurxmt</i>	(Optional)
<i>sendlsack</i>	(Optional)
<i>sendlsreqreply</i>	(Optional)

#### Command Mode

- /exec

# show ip ospf virtual-links brief

```
show ip ospf [ <tag> ] virtual-links brief [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_ctx <ptag> <cname> <vlink_count> [ TABLE_vlink <nbr_rid> <vlink_num> <transit_area> <cost>  
<if_state> ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ospf	Display OSPF status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
virtual-links	Virtual link information
brief	Display summary of OSPF virtual links
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>vlink_count</i>	(Optional)
TABLE_vlink	(Optional)
<i>nbr_rid</i>	(Optional)
<i>vlink_num</i>	(Optional)
<i>transit_area</i>	(Optional)
<i>cost</i>	(Optional)
<i>if_state</i>	(Optional)

## Command Mode

- /exec

**show ip overlay-traffic**

# show ip overlay-traffic

show ip overlay-traffic

## Syntax Description

show	Show running system information
ip	Display IP information
overlay-traffic	Display IP overlay software processed traffic statistics

## Command Mode

- /exec

# show ip pim bitfield

show ip pim bitfield

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
bitfield	Display compressed bitfield details

## Command Mode

- /exec

## **show ip pim config-sanity**

## **show ip pim config-sanity**

```
show ip pim config-sanity [ __readonly__ [ TABLE_vrf <out-context> [ TABLE_RP <rp-addr> [ { <rper-count><rp-interface><rp-error> } ] ] [ TABLE_ANYCAST [ { <arperr-count> <anycastrp-addr> [ <arp-interface> ] <arp-error> [ <configure-as-RP> } ] ] [ TABLE_MEMBER [ { <memerr-count> [ <mem-interface> ] <mem-error> } ] ] <found> ] [ TABLE_BSR [ { <rp-cand-count> [ <rp-cand-interface> ] <rp-cand-error> } ] [ { <bsr-cand-count> [ <bsr-cand-interface> ] <bsr-cand-error> } ] ] [ TABLE_AUTORP [ { <rp-cand-count> [ <rp-cand-interface> ] <rp-cand-error> } ] [ { <auto-cand-count> [ <auto-cand-interface> ] <auto-cand-error> } ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
config-sanity	Configuration Sanity check
<u>readonly</u>	(Optional)
TABLE_vrf	(Optional)
<i>out-context</i>	(Optional)
TABLE_RP	(Optional)
<i>rp-addr</i>	(Optional)
TABLE_ANYCAST	(Optional)
<i>arperr-count</i>	(Optional)
<i>anycastrp-addr</i>	(Optional)
<i>arp-interface</i>	(Optional)
<i>arp-error</i>	(Optional)
<i>configure-as-RP</i>	(Optional)
TABLE_MEMBER	(Optional)
<i>memerr-count</i>	(Optional)
<i>mem-interface</i>	(Optional)
<i>mem-error</i>	(Optional)
<i>found</i>	(Optional)
TABLE_BSR	(Optional)
<i>rp-cand-count</i>	(Optional)

<i>rp-cand-interface</i>	(Optional)
<i>rp-cand-error</i>	(Optional)
<i>bsr-cand-count</i>	(Optional)
<i>bsr-cand-interface</i>	(Optional)
<i>bsr-cand-error</i>	(Optional)
TABLE_AUTORP	(Optional)
<i>rp-cand-count</i>	(Optional)
<i>rp-cand-interface</i>	(Optional)
<i>rp-cand-error</i>	(Optional)
<i>auto-cand-count</i>	(Optional)
<i>auto-cand-interface</i>	(Optional)
<i>auto-cand-error</i>	(Optional)

**Command Mode**

- /exec

**show ip pim df**

## show ip pim df

```
show ip pim df [ <rp-or-group> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ internal ] [ __readonly__ ]
[ TABLE_ctx [ <out-context> ] [ TABLE_rp [ <rp-addr> ] [ <df-ordinal> ] [ <df-bits> ] [ <df-bits-count> ]
[ <metric-pref> ] [ <metric> ] [ TABLE_grange [ <grange-grp> ] [ <grange-masklen> ] ] [ TABLE_iod [
<if-name> ] [ <df-winner> ] [ <df-state> ] [ <winner-metric-pref> ] [ <winner-metric> ] [ <uptime> ] [ <is-rpf>
]]]]]
```

### Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
df	Display Bidir Designated Forwarders
<i>rp-or-group</i>	(Optional) Display for a single RP or group address
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
internal	(Optional) Commands for internal use
<u>__readonly__</u>	(Optional)
TABLE_ctx	(Optional)
<i>out-context</i>	(Optional)
TABLE_rp	(Optional)
<i>rp-addr</i>	(Optional)
<i>df-ordinal</i>	(Optional)
<i>df-bits</i>	(Optional)
<i>df-bits-count</i>	(Optional)
<i>metric-pref</i>	(Optional)
<i>metric</i>	(Optional)
TABLE_grange	(Optional)
<i>grange-grp</i>	(Optional)
<i>grange-masklen</i>	(Optional)

TABLE_iod	(Optional)
<i>if-name</i>	(Optional)
<i>df-winner</i>	(Optional)
<i>df-state</i>	(Optional)
<i>winner-metric-pref</i>	(Optional)
<i>winner-metric</i>	(Optional)
<i>uptime</i>	(Optional)
<i>is-rpf</i>	(Optional)

**Command Mode**

- /exec

show ip pim event-history

## show ip pim event-history

show ip pim [ internal ] event-history { errors | msgs | <pim-event-hist-buf-name> | statistics }

### Syntax Description

show	Show running system information
ip	Display IP information
pim	PIM global configuration commands
internal	(Optional) Commands for internal use
event-history	Show various event logs of PIM
errors	Show error logs of PIM
msgs	Show various message logs of PIM
<i>pim-event-hist-buf-name</i>	Show event hist buffer name
statistics	Show the state and size of the buffer

### Command Mode

- /exec

# show ip pim fabric info

show ip pim fabric info [ \_\_readonly\_\_ <switch\_role> <fabric\_ctrl\_addr> <peer\_fabric\_ctrl\_infra> <vpc\_domain\_id> <peer\_fabric\_ctrl\_addr> ]

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
fabric	Fabric functionality
info	show the fabric info
__readonly__	(Optional)
switch_role	(Optional)
fabric_ctrl_addr	(Optional)
peer_fabric_ctrl_infra	(Optional)
vpc_domain_id	(Optional)
peer_fabric_ctrl_addr	(Optional)

## Command Mode

- /exec

**show ip pim fabric legacy-vlans**

# show ip pim fabric legacy-vlans

show ip pim fabric legacy-vlans [ \_\_readonly\_\_ TABLE\_legacy\_vlan <vlan\_id> ]

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
fabric	Fabric functionality
legacy-vlans	Show legacy VLANs on this switch
__readonly__	(Optional)
TABLE_legacy_vlan	(Optional)
<i>vlan_id</i>	(Optional)

## Command Mode

- /exec

# show ip pim group-range

```
show ip pim group-range [ <group> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_vrf<out-context> [ { TABLE_group<grp-addr> [ <invalid-grp> ] [ <action> ] [ <mode> ] [ <rp-addr> ] [ <sh-tree-only-range> ] [ <origin> ] } ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
group-range	Display the various group-ranges
<i>group</i>	(Optional) IP address of group to display
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>out-context</i>	(Optional)
TABLE_group	(Optional)
<i>invalid-grp</i>	(Optional)
<i>grp-addr</i>	(Optional)
<i>mode</i>	(Optional)
<i>rp-addr</i>	(Optional)
<i>sh-tree-only-range</i>	(Optional)
<i>action</i>	(Optional)
<i>origin</i>	(Optional)

## Command Mode

- /exec

show ip pim interface

# show ip pim interface

```
show ip pim interface [ <interface> ] [ brief ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ internal ] [ __readonly__ [ <is-pim-enabled> ] [ TABLE_vrf [ <out-context> ] [ TABLE_brief [ <if-name> ] [ <if-addr> ] [ <if-dr> ] [ <if-nbr-count> ] [ <if-is-border> ] ] [ TABLE_iod [ <if-name> ] [ <if-status> ] [ <cached_if_status> ] [ <if-addr-summary> ] [ <pim-dr-address> ] [ <dr-priority> ] [ <no-dr-priority> ] [ <nbr-cnt> ] [ <hello-interval-sec> ] [ <hello-interval-msec> ] [ <hello-timer> ] [ <holdtime-msec> ] [ <holdtime-sec> ] [ <if-conf-dr-priority> ] [ <if-conf-delay> ] [ <is-border> ] [ <genid> ] [ <isauth-config> ] [ <nbr-policy-name> ] [ <jp-in-policy-name> ] [ <jp-out-policy-name> ] [ <jp-interval> ] [ <jp-next-send> ] [ <pim-bfd-enabled> ] [ <is-passive> ] [ <is-pim-vpc-svi> ] [ <is-auto-enabled> ] [ <vpc-peer-nbr> ] [ <last-cleared> ] [ <hello-sent> ] [ <hello-rcvd> ] [ <hello-early-sent> ] [ <jp-sent> ] [ <jp-rcvd> ] [ <assert-sent> ] [ <assert-rcvd> ] [ <graft-sent> ] [ <graft-rcvd> ] [ <graft-ack-sent> ] [ <graft-ack-rcvd> ] [ <df-offer-sent> ] [ <df-offer-rcvd> ] [ <df-winner-sent> ] [ <df-winner-rcvd> ] [ <df-backoff-sent> ] [ <df-backoff-rcvd> ] [ <pass-sent> ] [ <pass-rcvd> ] [ <cksum-errors> ] [ <invalid-errors> ] [ <invalid-df-errors> ] [ <auth-failed> ] [ <pak-len-errors> ] [ <ver-errors> ] [ <pkts-self> ] [ <pkts-non-nbr> ] [ <pkts-on-passive> ] [ <jp-rcvd-on-rpf> ] [ <jp-rcvd-no-rp> ] [ <jp-rcvd-wrong-rp> ] [ <jp-rcvd-for-ssm> ] [ <jp-rcvd-for-bidir> ] [ <jp-in-policy-filter> ] [ <jp-out-policy-filter> ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
interface	Display PIM interface related information
<i>interface</i>	(Optional) Interface name of single interface to display
brief	(Optional) Display one line status per interface
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
internal	(Optional) Commands for internal use
<u>__readonly__</u>	(Optional)
<i>is-pim-enabled</i>	(Optional)
TABLE_vrf	(Optional)
<i>out-context</i>	(Optional)
TABLE_brief	(Optional)
<i>if-name</i>	(Optional)

<i>if-addr</i>	(Optional)
<i>if-dr</i>	(Optional)
<i>if-nbr-count</i>	(Optional)
<i>if-is-border</i>	(Optional)
TABLE_iod	(Optional)
<i>if-name</i>	(Optional)
<i>if-status</i>	(Optional)
<i>cached_if_status</i>	(Optional)
<i>if-addr-summary</i>	(Optional)
<i>pim-dr-address</i>	(Optional)
<i>dr-priority</i>	(Optional)
<i>no-dr-priority</i>	(Optional)
<i>nbr-cnt</i>	(Optional)
<i>hello-interval-sec</i>	(Optional)
<i>hello-interval-msec</i>	(Optional)
<i>hello-timer</i>	(Optional)
<i>holdtime-msec</i>	(Optional)
<i>holdtime-sec</i>	(Optional)
<i>if-conf-dr-priority</i>	(Optional)
<i>if-conf-delay</i>	(Optional)
<i>is-border</i>	(Optional)
<i>genid</i>	(Optional)
<i>isauth-config</i>	(Optional)
<i>nbr-policy-name</i>	(Optional)
<i>jp-in-policy-name</i>	(Optional)
<i>jp-out-policy-name</i>	(Optional)
<i>jp-interval</i>	(Optional)
<i>jp-next-send</i>	(Optional)
<i>pim-bfd-enabled</i>	(Optional)

show ip pim interface

<i>is-passive</i>	(Optional)
<i>is-pim-vpc-svi</i>	(Optional)
<i>is-auto-enabled</i>	(Optional)
<i>vpc-peer-nbr</i>	(Optional)
<i>last-cleared</i>	(Optional)
<i>hello-sent</i>	(Optional)
<i>hello-rcvd</i>	(Optional)
<i>hello-early-sent</i>	(Optional)
<i>jp-sent</i>	(Optional)
<i>jp-rcvd</i>	(Optional)
<i>assert-sent</i>	(Optional)
<i>assert-rcvd</i>	(Optional)
<i>graft-sent</i>	(Optional)
<i>graft-rcvd</i>	(Optional)
<i>graft-ack-sent</i>	(Optional)
<i>graft-ack-rcvd</i>	(Optional)
<i>df-offer-sent</i>	(Optional)
<i>df-offer-rcvd</i>	(Optional)
<i>df-winner-sent</i>	(Optional)
<i>df-winner-rcvd</i>	(Optional)
<i>df-backoff-sent</i>	(Optional)
<i>df-backoff-rcvd</i>	(Optional)
<i>pass-sent</i>	(Optional)
<i>pass-rcvd</i>	(Optional)
<i>cksum-errors</i>	(Optional)
<i>invalid-errors</i>	(Optional)
<i>invalid-df-errors</i>	(Optional)
<i>auth-failed</i>	(Optional)
<i>pak-len-errors</i>	(Optional)

<i>ver-errors</i>	(Optional)
<i>pkts-self</i>	(Optional)
<i>pkts-non-nbr</i>	(Optional)
<i>pkts-on-passive</i>	(Optional)
<i>jp-rcvd-on-rpf</i>	(Optional)
<i>jp-rcvd-no-rp</i>	(Optional)
<i>jp-rcvd-wrong-rp</i>	(Optional)
<i>jp-rcvd-for-ssm</i>	(Optional)
<i>jp-rcvd-for-bidir</i>	(Optional)
<i>jp-in-policy-filter</i>	(Optional)
<i>jp-out-policy-filter</i>	(Optional)

**Command Mode**

- /exec

**show ip pim mdt**

## show ip pim mdt

```
show ip pim mdt [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <out_context>
<mti> <mti_status> <default_mdt_grp> <grp_mode> <asm_shared_tree> <mti_config_mtu> <mti_active_mtu>
<cfg_tunnel_src_if> <bgp_update_src_if> <hello_interval> <jp_interval> <data_mdt_join_interval>
<data_switchover_interval> <data_holddown_interval> <data_timeout_interval> <mdt_src> <mdt_src_if>
<bgp_rd> <bgp_rd_set> <send_join_count> <rcvd_join_count> { TABLE_data_mdt <grange_prefix>
<grange_mask_len> <threshold> [ <policy_name> ] } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
mdt	Display MDT information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>out_context</i>	(Optional)
<i>mti</i>	(Optional)
<i>mti_status</i>	(Optional)
<i>default_mdt_grp</i>	(Optional)
<i>grp_mode</i>	(Optional)
<i>asm_shared_tree</i>	(Optional)
<i>mti_config_mtu</i>	(Optional)
<i>mti_active_mtu</i>	(Optional)
<i>cfg_tunnel_src_if</i>	(Optional)
<i>bgp_update_src_if</i>	(Optional)
<i>hello_interval</i>	(Optional)
<i>jp_interval</i>	(Optional)

<i>data_mdt_join_interval</i>	(Optional)
<i>data_switchover_interval</i>	(Optional)
<i>data_holddown_interval</i>	(Optional)
<i>data_timeout_interval</i>	(Optional)
<i>mdt_src</i>	(Optional)
<i>mdt_src_if</i>	(Optional)
<i>bgp_rd</i>	(Optional)
<i>bgp_rd_set</i>	(Optional)
<i>send_join_count</i>	(Optional)
<i>rcvd_join_count</i>	(Optional)
<i>TABLE_data_mdt</i>	(Optional)
<i>grange_prefix</i>	(Optional)
<i>grange_mask_len</i>	(Optional)
<i>threshold</i>	(Optional)
<i>policy_name</i>	(Optional)

**Command Mode**

- /exec

**show ip pim mdt bgp**

```
show ip pim mdt bgp [ mdt-source <src-addr> ] [ __readonly__ { TABLE_entry <bgp_rd> <mdt_src> <mdt_grp> <local> } ]
```

#### Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
mdt	Display MDT information
bgp	Display BGP related information
mdt-source	(Optional) Source address of MVPN neighbor
<i>src-addr</i>	(Optional) Source Address
<u>__readonly__</u>	(Optional)
TABLE_entry	(Optional)
<i>bgp_rd</i>	(Optional)
<i>mdt_src</i>	(Optional)
<i>mdt_grp</i>	(Optional)
<i>local</i>	(Optional)

#### Command Mode

- /exec

# show ip pim mdt history interval

show ip pim mdt history interval <min> [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ \_\_readonly\_\_  
TABLE\_vrf <out\_context> [ { TABLE\_entry <csrc> <cgrp> <psrc> <pgrp> <uptime> <send\_count> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
mdt	Display MDT information
history	Display MDT Data Join Send Histoy
interval	Display in specified interval
<i>min</i>	Minutes
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>out_context</i>	(Optional)
TABLE_entry	(Optional)
<i>csrc</i>	(Optional)
<i>cgrp</i>	(Optional)
<i>psrc</i>	(Optional)
<i>pgrp</i>	(Optional)
<i>uptime</i>	(Optional)
<i>send_count</i>	(Optional)

## Command Mode

- /exec

show ip pim mdt receive

## show ip pim mdt receive

```
show ip pim mdt receive [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf
<out_context> [ { TABLE_entry <csrc> <cgrp> <psrc> <pgrp> <uptime> <expires> <recv_count> } ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
mdt	Display MDT information
receive	Display Received Data Joins Information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
detail	(Optional) Display detailed information
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>out_context</i>	(Optional)
TABLE_entry	(Optional)
<i>csrc</i>	(Optional)
<i>cgrp</i>	(Optional)
<i>psrc</i>	(Optional)
<i>pgrp</i>	(Optional)
<i>uptime</i>	(Optional)
<i>expires</i>	(Optional)
<i>recv_count</i>	(Optional)

### Command Mode

- /exec

# show ip pim mdt send

```
show ip pim mdt send [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf
<out_context> [ { TABLE_entry <csrc> <cgrp> <psrc> <pgrp> <uptime> <send_count> } ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
mdt	Display MDT information
send	Display MDT Data Join Send Information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
detail	(Optional) Display detailed information
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>out_context</i>	(Optional)
TABLE_entry	(Optional)
<i>csrc</i>	(Optional)
<i>cgrp</i>	(Optional)
<i>psrc</i>	(Optional)
<i>pgrp</i>	(Optional)
<i>uptime</i>	(Optional)
<i>send_count</i>	(Optional)

## Command Mode

- /exec

show ip pim neighbor

## show ip pim neighbor

```
show ip pim neighbor { [ <interface> ] | [ <ipaddr> ] } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ detail
| internal ] [ __readonly__ [ TABLE_vrf <out-context> [ TABLE_neighbor
<nbr-addr><if-name><uptime><expires> [ <dr-priority> ] <bidir-capable><bfd-state>
<longest-hello-intvl><non-hello-pkts> ] ] ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
neighbor	Display PIM neighbor related information
<i>interface</i>	(Optional) Display neighbors on single interface name
<i>ipaddr</i>	(Optional) IP address of single neighbor to display
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
detail	(Optional) Display detailed information
internal	(Optional) Commands for internal use
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>out-context</i>	(Optional)
TABLE_neighbor	(Optional)
<i>dr-priority</i>	(Optional)

### Command Mode

- /exec

# show ip pim oif-list

```
show ip pim oif-list <group> [ <source> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_vrf <vrf-name> { TABLE_grp <mcast-addrs> <incoming-intf> <rpf-nbr> <timeout-interval>  
<oif-list-count> [ { TABLE_oiflist <oif-name> } ] <timeout-list-count> [ { TABLE_timeoutlist  
<timeouthif-name> } ] <immediate-list-count> [ { TABLE_immediatelist <immediateoif-name> } ]  
<immediate-timeout-list-count> [ { TABLE_immediatetimeoutlist <immediatetimeoutoif-name> } ]  
<sgr-prune-list-count> [ { TABLE_sgrprunelist <sgrprunelistoif-name> } ] } ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
oif-list	Display interfaces for oif-list of PIM route
<i>source</i>	(Optional) Source address to display
<i>group</i>	Group address to display
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name</i>	(Optional)
TABLE_grp	(Optional)
<i>mcast-addrs</i>	(Optional)
<i>incoming-intf</i>	(Optional)
<i>rpf-nbr</i>	(Optional)
<i>timeout-interval</i>	(Optional)
<i>oif-list-count</i>	(Optional)
TABLE_oiflist	(Optional)
<i>oif-name</i>	(Optional)
<i>timeout-list-count</i>	(Optional)

**show ip pim oif-list**

TABLE_timeoutlist	(Optional)
<i>timeouthtoif-name</i>	(Optional)
<i>immediate-list-count</i>	(Optional)
TABLE_immediatelist	(Optional)
<i>immediateoif-name</i>	(Optional)
<i>immediate-timeout-list-count</i>	(Optional)
TABLE_immediatetimeoutlist	(Optional)
<i>immediatetimeouthtoif-name</i>	(Optional)
<i>sgr-prune-list-count</i>	(Optional)
TABLE_sgrprunelist	(Optional)
<i>sgrprunelistoif-name</i>	(Optional)

#### Command Mode

- /exec

# show ip pim policy statistics

```
show ip pim policy statistics { register-policy | bsr { bsr-policy | rp-candidate-policy } | auto-rp { rp-candidate-policy | mapping-agent-policy } } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_routemap <name> <action> <seq_num> [ { TABLE_cmd <command> <match_count> <compare_count> } ] } <total_accept_count> <total_reject_count> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	PIM global configuration commands
policy	Policy related information
statistics	Policy statistics
register-policy	Show statistics for register-policy
bsr	Bootstrap protocol RP-distribution policy
bsr-policy	Statistics for filtered BSR messages
rp-candidate-policy	Statistics for filtered RP candidate messages
auto-rp	Statistics for auto-rp messages
rp-candidate-policy	Statistics for filtered RP candidate messages
mapping-agent-policy	Statistics for filtered mapping agent messages
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_routemap	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>seq_num</i>	(Optional)
TABLE_cmd	(Optional)
<i>command</i>	(Optional)

```
show ip pim policy statistics
```

<i>compare_count</i>	(Optional)
<i>match_count</i>	(Optional)
<i>total_accept_count</i>	(Optional)
<i>total_reject_count</i>	(Optional)

**Command Mode**

- /exec

# show ip pim policy statistics jp

```
show ip pim policy statistics { jp-policy | neighbor-policy } <interface> [ __readonly__ { TABLE_routemap <name> <action> <seq_num> [ { TABLE_cmd <command> <match_count> <compare_count> } ] } <total_accept_count> <total_reject_count> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	PIM global configuration commands
policy	Policy related information
statistics	Policy statistics
jp-policy	Statistics for jp-policy
neighbor-policy	Statistics for neighbor-policy
<i>interface</i>	Interface to display policy statistics for
<i>__readonly__</i>	(Optional)
<i>TABLE_routemap</i>	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>seq_num</i>	(Optional)
<i>TABLE_cmd</i>	(Optional)
<i>command</i>	(Optional)
<i>compare_count</i>	(Optional)
<i>match_count</i>	(Optional)
<i>total_accept_count</i>	(Optional)
<i>total_reject_count</i>	(Optional)

## Command Mode

- /exec

show ip pim route

# show ip pim route

```
show ip pim route [ [ <source> [ <group> ] ] | [ <group> [ <source> ] ] ] [ bitfield ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_vrf [ <context-name> ] [ <route-count> ] ] [ TABLE_one_route [ <mcast-addrs> ] [ <rp-addr> ] [ <rp-local> ] [ <bidir> ] [ <sgexpire> ] [ <sgrexpire> ] [ <timeleft> ] [ <rp-bit> ] [ <register> ] [ <intf-name> ] [ <rpf-nbr-1> ] [ <rpf-nbr-addr> ] [ <intf-name-2> ] [ <rpf-nbr-2> ] [ <uptime> ] [ <is-attached> ] [ <is-static> ] [ <zero-nonpim-oifs> ] [ <is-external> ] [ <otv-decap> ] [ <otv-router-mode> ] [ <data-created> ] [ <mdt-encap> ] [ <mdt-decap> ] [ <vxlan-decap> ] [ <vxlan-encap> ] [ <sw-pkts> ] [ <sw-bytes> ] [ <hw-pkts> ] [ <hw-bytes> ] [ <rpf-src> ] [ <mrib-rpf-notify> ] [ <add-pending> ] [ <aged-route> ] [ <sg-expiry-cfg> ] [ <jp-holdtime> ] [ <route-metric-internal> ] [ <metric-pref-internal> ] [ <delay-register-stop> ] [ <register-stop-rcvd> ] [ <lisp-src-rloc> ] [ TABLE_lisp_encap [ <encap-src-rloc> ] [ <encap-dst-rloc> ] [ <timeout-count> ] [ <add-pending> ] [ <del-pending> ] ] [ <oif-count> ] [ <oif-bf-str> ] [ <timeout-count> ] [ <timeout-bf-str> ] [ <immediate-count> ] [ <immediate-bf-str> ] [ <immediate-timeout-count> ] [ <immediate-timeout-bf-str> ] [ <sgr-prune-list-count> ] [ <sgr-prune-list-bf-str> ] [ <timeout-interval> ] [ <jp-holdtime-rndup> ] [ <mdt-encap-index> ] ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
route	Display PIM specific route information
<i>group</i>	(Optional) Group address to display
<i>source</i>	(Optional) Source address to display
bitfield	(Optional) Display details of each bitfield for PIM route
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>context-name</i>	(Optional)
<i>route-count</i>	(Optional)
TABLE_one_route	(Optional)
<i>mcast-addrs</i>	(Optional)
<i>rp-addr</i>	(Optional)

<i>rp-local</i>	(Optional)
<i>bidir</i>	(Optional)
<i>sgexpire</i>	(Optional)
<i>sgrexpire</i>	(Optional)
<i>timeleft</i>	(Optional)
<i>rp-bit</i>	(Optional)
<i>register</i>	(Optional)
<i>intf-name</i>	(Optional)
<i>rpf-nbr-1</i>	(Optional)
<i>rpf-nbr-addr</i>	(Optional)
<i>intf-name-2</i>	(Optional)
<i>rpf-nbr-2</i>	(Optional)
<i>uptime</i>	(Optional)
<i>is-attached</i>	(Optional)
<i>is-static</i>	(Optional)
<i>zero-nonpim-oifs</i>	(Optional)
<i>is-external</i>	(Optional)
<i>otv-decap</i>	(Optional)
<i>otv-router-mode</i>	(Optional)
<i>data-created</i>	(Optional)
<i>mdt-encap</i>	(Optional)
<i>mdt-decap</i>	(Optional)
<i>vxlan-decap</i>	(Optional)
<i>vxlan-encap</i>	(Optional)
<i>sw-pkts</i>	(Optional)
<i>sw-bytes</i>	(Optional)
<i>hw-pkts</i>	(Optional)
<i>hw-bytes</i>	(Optional)
<i>rpf-src</i>	(Optional)

show ip pim route

<i>mrib-rpf-notify</i>	(Optional)
<i>add-pending</i>	(Optional)
<i>aged-route</i>	(Optional)
<i>sg-expiry-cfg</i>	(Optional)
<i>jp-holdtime</i>	(Optional)
<i>route-metric-internal</i>	(Optional)
<i>metric-pref-internal</i>	(Optional)
<i>delay-register-stop</i>	(Optional)
<i>register-stop-rcvd</i>	(Optional)
<i>lisp-src-rloc</i>	(Optional)
TABLE_lisp_encap	(Optional)
<i>encap-src-rloc</i>	(Optional)
<i>encap-dst-rloc</i>	(Optional)
<i>timeout-count</i>	(Optional)
<i>add-pending</i>	(Optional)
<i>del-pending</i>	(Optional)
<i>oif-count</i>	(Optional)
<i>oif-bf-str</i>	(Optional)
<i>timeout-count</i>	(Optional)
<i>timeout-bf-str</i>	(Optional)
<i>immediate-count</i>	(Optional)
<i>immediate-bf-str</i>	(Optional)
<i>immediate-timeout-count</i>	(Optional)
<i>immediate-timeout-bf-str</i>	(Optional)
<i>sgr-prune-list-count</i>	(Optional)
<i>sgr-prune-list-bf-str</i>	(Optional)
<i>timeout-interval</i>	(Optional)
<i>jp-holdtime-rndup</i>	(Optional)
<i>mdt-encap-index</i>	(Optional)

**Command Mode**

- /exec

show ip pim rp-hash

## show ip pim rp-hash

```
show ip pim rp-hash <group> [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-context>
[ <rp-found> ] [ <is-rp-bsr-learnt> ] [ <out-group1> <rp-addr1> ] [ <out-group> <hash-length> <out-bsr> ]
[ { TABLE_rp <rp-addr> <hash> <isbest_hash> } ] ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
rp-hash	Display RP hash value for group
<i>group</i>	Group address for RP lookup
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
<i>out-context</i>	(Optional)
<i>rp-found</i>	(Optional)
<i>is-rp-bsr-learnt</i>	(Optional)
<i>out-group1</i>	(Optional)
<i>rp-addr1</i>	(Optional)
<i>out-group</i>	(Optional)
<i>hash-length</i>	(Optional)
<i>out-bsr</i>	(Optional)
TABLE_rp	(Optional)
<i>rp-addr</i>	(Optional)
<i>hash</i>	(Optional)
<i>isbest_hash</i>	(Optional)

### Command Mode

- /exec

## **show ip pim rp**

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
rp	Display PIM RP, Auto-RP, and BSR related information
<i>group</i>	(Optional) Display RP for group address
internal	(Optional) Commands for internal use
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>out-context</i>	(Optional)
<i>is-bsr-enabled</i>	(Optional)
<i>is-bsr-listen-only</i>	(Optional)
<i>is-bsr-forward-only</i>	(Optional)
<i>bsr-address</i>	(Optional)
<i>is-bsr-local</i>	(Optional)
<i>bsr-priority</i>	(Optional)

**show ip pim rp**

<i>bsr-hash-masklen</i>	(Optional)
<i>bs-timer</i>	(Optional)
<i>bsr-upptime</i>	(Optional)
<i>bsr-expires</i>	(Optional)
<i>is-autorp-enabled</i>	(Optional)
<i>is-autorp-listen-only</i>	(Optional)
<i>is-autorp-forward-only</i>	(Optional)
<i>auto-rp-addr</i>	(Optional)
<i>autorp-cand-address</i>	(Optional)
<i>is-autorp-local</i>	(Optional)
<i>autorp-dis-timer</i>	(Optional)
<i>autorp-up-time</i>	(Optional)
<i>autorp-expire-time</i>	(Optional)
<i>rp-cand-policy-name</i>	(Optional)
<i>bsr-policy-name</i>	(Optional)
<i>rp-announce-policy-name</i>	(Optional)
<i>rp-discovery-policy-name</i>	(Optional)
TABLE_anycast_rp	(Optional)
<i>anycast-rp-addr</i>	(Optional)
TABLE_arp_rp	(Optional)
<i>arp-rp-addr</i>	(Optional)
<i>is-rpaddr-local</i>	(Optional)
TABLE_rp	(Optional)
<i>rp-addr</i>	(Optional)
<i>is-rp-local</i>	(Optional)
<i>df-ordinal</i>	(Optional)
<i>rp-upptime</i>	(Optional)
<i>rp-priority</i>	(Optional)
<i>rp-source</i>	(Optional)

<i>static-rp-group-map</i>	(Optional)
<i>TABLE_grange</i>	(Optional)
<i>grange-grp</i>	(Optional)
<i>grange-masklen</i>	(Optional)
<i>grange-is-deny</i>	(Optional)
<i>is-bidir-grp</i>	(Optional)
<i>autorp-expires</i>	(Optional)
<i>bsr-rp-expires</i>	(Optional)
<i>rp-owner-flags</i>	(Optional)
<i>bidir-ordinal</i>	(Optional)
<i>df-bits-recovered</i>	(Optional)
<i>rpf-nbr-address</i>	(Optional)
<i>metric</i>	(Optional)
<i>metric-preference</i>	(Optional)

**Command Mode**

- /exec

show ip pim statistics

# show ip pim statistics

```
show ip pim statistics [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf-name> [ <uptime> <reg-sent> <reg-rcvd> <null-reg-sent> <null-reg-rcvd> <reg-stop-sent> <reg-stop-rcvd> <reg-rcvd-not-rp> <reg-rcvd-for-ssm> <reg-rcvd-for-bidir> <bootstrap-sent> <bootstrap-rcvd> <cand-rp-sent> <cand-rp-rcvd> <bs-no-nbr> <bs-border-deny> <bs-len-errors> <bs-rpf-failed> <bs-no-listen> <candr-p-border-deny> <candr-p-no-listen> <autorp-announce-sent> <autorp-announce-rcvd> <autorp-discovery-sent> <autorp-discovery-rcvd> <autorp-rpf-failed> <autorp-border-deny> <autorp-invalid-type> <autorp-ttl-expired> <autorp-no-listen> <ctrl-no-route> <data-no-route> <no-state> <create-state> ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
statistics	Packet counter statistics
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name</i>	(Optional)
<i>uptime</i>	(Optional)
<i>reg-sent</i>	(Optional)
<i>reg-rcvd</i>	(Optional)
<i>null-reg-sent</i>	(Optional)
<i>null-reg-rcvd</i>	(Optional)
<i>reg-stop-sent</i>	(Optional)
<i>reg-stop-rcvd</i>	(Optional)
<i>reg-rcvd-not-rp</i>	(Optional)
<i>reg-rcvd-for-ssm</i>	(Optional)
<i>reg-rcvd-for-bidir</i>	(Optional)

<i>bootstrap-sent</i>	(Optional)
<i>bootstrap-rcvd</i>	(Optional)
<i>cand-rp-sent</i>	(Optional)
<i>cand-rp-rcvd</i>	(Optional)
<i>bs-no-nbr</i>	(Optional)
<i>bs-border-deny</i>	(Optional)
<i>bs-len-errors</i>	(Optional)
<i>bs-rpf-failed</i>	(Optional)
<i>bs-no-listen</i>	(Optional)
<i>candrp-border-deny</i>	(Optional)
<i>candrp-no-listen</i>	(Optional)
<i>autorp-announce-sent</i>	(Optional)
<i>autorp-announce-rcvd</i>	(Optional)
<i>autorp-discovery-sent</i>	(Optional)
<i>autorp-discovery-rcvd</i>	(Optional)
<i>autorp-rpf-failed</i>	(Optional)
<i>autorp-border-deny</i>	(Optional)
<i>autorp-invalid-type</i>	(Optional)
<i>autorp-ttl-expired</i>	(Optional)
<i>autorp-no-listen</i>	(Optional)
<i>ctrl-no-route</i>	(Optional)
<i>data-no-route</i>	(Optional)
<i>no-state</i>	(Optional)
<i>create-state</i>	(Optional)

**Command Mode**

- /exec

**show ip pim vrf**

## show ip pim vrf

```
show ip pim vrf [ { <vrf-name> | <vrf-known-name> | all } ] [ detail | internal ] [ __readonly__ { TABLE_context <out-context> <context-id> <table-id> <count> <bfd> <mvpn> } ]
```

### Syntax Description

show	Show running system information
ip	Display IP information
pim	Display PIM status and configuration
vrf	Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display all VRFs PIM is configured for
detail	(Optional) Display detailed information
internal	(Optional) VRF related internal information
__readonly__	(Optional)
TABLE_context	(Optional)
<i>out-context</i>	(Optional)
<i>context-id</i>	(Optional)
<i>table-id</i>	(Optional)
<i>count</i>	(Optional)
<i>bfd</i>	(Optional)
<i>mvpn</i>	(Optional)

### Command Mode

- /exec

# show ip ping source-interface

show ip ping source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_ppingvrf <vrfname><ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
ping	Display ping client information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_ppingvrf	(Optional) source interface of ping
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

## Command Mode

- /exec

show ip ping source-interface vrf all

## show ip ping source-interface vrf all

show ip ping source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_pping <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
ping	Display ping client information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrfs
__readonly__	(Optional)
TABLE_pping	(Optional) source interface of ping
vrfname	(Optional) vrfname
ifname	(Optional) ifname

### Command Mode

- /exec

# show ip policy

show ip policy [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ detail ] [ \_\_readonly\_\_ TABLE\_pbr <interface> <rmap> <status> <vrf\_name> ]

## Syntax Description

show	Show running system information
ip	Display IP information
policy	Policy routing
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
detail	(Optional) Detailed information
__readonly__	(Optional)
TABLE_pbr	(Optional)
<i>interface</i>	(Optional)
<i>rmap</i>	(Optional)
<i>status</i>	(Optional)
<i>vrf_name</i>	(Optional)

## Command Mode

- /exec

show ip prefix-list

# show ip prefix-list

```
show ip prefix-list { { [ detail | summary ] [ <ipv4-pfl-name> | <ipv4-pfl-cfg-name> ] } | { { <ipv4-pfl-name> | <ipv4-pfl-cfg-name> } seq <seq-no> } | { { <ipv4-pfl-name> | <ipv4-pfl-cfg-name> } <prefix> [ first-match | longer ] } } [ __readonly__ TABLE_ip_pfl <name> <seq> <action> <rule> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
detail	(Optional) Show detailed information
summary	(Optional) Show summarized information
prefix-list	List IP prefix lists
<i>ipv4-pfl-name</i>	(Optional) Name of prefix-list
<i>ipv4-pfl-cfg-name</i>	(Optional) Known prefix-list name
<i>seq</i>	Sequence number
<i>seq-no</i>	Sequence number
<i>prefix</i>	IP prefix network/length, e.g., 35.0.0.0/8
first-match	(Optional) Find the first match
longer	(Optional) Find the more specific entries
<u>__readonly__</u>	(Optional)
TABLE_ip_pfl	(Optional)
<i>name</i>	(Optional)
<i>seq</i>	(Optional)
<i>action</i>	(Optional)
<i>rule</i>	(Optional)

## Command Mode

- /exec

# show ip process

```
show ip process [ api ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_ip_pro_vrf
[ { <pro-cntxt-name> <pro-cntxt-id> <pro-base-tid> <pro-auto-disc> <pro-atuo-add> <pro-null-bcast>
<auto-punt-bcast> <static-disc> <static-def-route> <ip-unreach> } ] [ TABLE_pro_api [ <api-vrf>
<api-cntxt-id> <api-base-tid> <api-ip-addr> <api-rtr-id-iod> ] ] [ TABLE_iod [ { <entry-iod> } ] ] [
TABLE_local_addr [ { <local-addr> } ] ] ] [ TABLE_ip_pro_all { <all-pro-cntxt-name> <all-pro-cntxt-id>
} ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
process	Display IP global information
api	(Optional) Show api values
vrf	(Optional) Display per-VRF information
all	(Optional) Display all VRFs
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>__readonly__</i>	(Optional)
TABLE_ip_pro_vrf	(Optional)
<i>pro-cntxt-name</i>	(Optional)
<i>pro-cntxt-id</i>	(Optional)
<i>pro-base-tid</i>	(Optional)
<i>pro-auto-disc</i>	(Optional)
<i>pro-atuo-add</i>	(Optional)
<i>pro-null-bcast</i>	(Optional)
<i>auto-punt-bcast</i>	(Optional)
<i>static-disc</i>	(Optional)
<i>static-def-route</i>	(Optional)
<i>ip-unreach</i>	(Optional)
TABLE_pro_api	(Optional)
<i>api-vrf</i>	(Optional)

**show ip process**

<i>api-cntxt-id</i>	(Optional)
<i>api-base-tid</i>	(Optional)
<i>api-ip-addr</i>	(Optional)
<i>api-rtr-id-iod</i>	(Optional)
TABLE_iod	(Optional)
<i>entry-iod</i>	(Optional)
TABLE_local_addr	(Optional)
<i>local-addr</i>	(Optional)
TABLE_ip_pro_all	(Optional)
<i>all-pro-cntxt-name</i>	(Optional)
<i>all-pro-cntxt-id</i>	(Optional)

**Command Mode**

- /exec

# show ip rip

```
show { ipv6 | ip } rip [ instance <inst> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_inst <inst-name> TABLE_vrf <vrf> <port> <mcast-grp> <admin-dist> <update-tmr> <expire-tmr>  
<garbage-tmr> <def-metric> <max-paths> <def-rt-distrib> <def-distrib-always> <process-disabled>  
<out-of-mem> [ TABLE_afi <af> { TABLE_interface <if-name> } TABLE_redistrib <redistributing> {  
TABLE_clients <pibname> <policy> } ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
ip	Display IP information
rip	Display RIP routing protocol status
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_inst	(Optional)
<i>inst-name</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
<i>port</i>	(Optional)
<i>mcast-grp</i>	(Optional)
<i>admin-dist</i>	(Optional)
<i>update-tmr</i>	(Optional)
<i>expire-tmr</i>	(Optional)
<i>garbage-tmr</i>	(Optional)
<i>def-metric</i>	(Optional)
<i>max-paths</i>	(Optional)

**show ip rip**

<i>def-rt-distrib</i>	(Optional)
<i>def-distrib-always</i>	(Optional)
<i>process-disabled</i>	(Optional)
<i>out-of-mem</i>	(Optional)
TABLE_afi	(Optional)
<i>af</i>	(Optional)
TABLE_interface	(Optional)
<i>if-name</i>	(Optional)
TABLE_redistrib	(Optional)
<i>redistributing</i>	(Optional)
TABLE_clients	(Optional)
<i>pibname</i>	(Optional)
<i>policy</i>	(Optional)

#### Command Mode

- /exec

# show ip rip interface

```
show { ipv6 | ip } rip [ instance <inst> ] interface [ <interface> ] [ detail ] [ vrf { <vrf-name> |
<vrf-known-name> | all } ] [ __readonly__ TABLE_inst <inst-name> TABLE_vrf <vrf> [ TABLE_inter
<if-name> <if-status> <protocol-up> <local-only> <no-addr-conf> <if-addr> <if-mask> <if-metric>
<poison-reverse> <if-passive> <route-dist-filter> <in-policy> <out-policy> [ { TABLE_auth <auth-ena>
<auth-type> <auth-keychain> } ] [ TABLE_detail <import-routes> <periodic-updates> <trigger-updates>
<out-mcast-request> <out-ucast-update> <out-ucast-request> <in-mcast-update> <in-mcast-request>
<in-ucast-update> <in-ucast-request> <bad-pkt> <bad-route> ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
ip	Display IP information
rip	Display RIP routing protocol status
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
interface	RIP interface
<i>interface</i>	(Optional) RIP interface
detail	(Optional) Detailed information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_inst	(Optional)
<i>inst-name</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
TABLE_inter	(Optional)
<i>if-name</i>	(Optional)
<i>if-status</i>	(Optional)
<i>protocol-up</i>	(Optional)

**show ip rip interface**

<i>local-only</i>	(Optional)
<i>no-addr-conf</i>	(Optional)
<i>if-addr</i>	(Optional)
<i>if-mask</i>	(Optional)
<i>if-metric</i>	(Optional)
<i>poison-reverse</i>	(Optional)
<i>if-passive</i>	(Optional)
<i>route-dist-filter</i>	(Optional)
<i>in-policy</i>	(Optional)
<i>out-policy</i>	(Optional)
TABLE_auth	(Optional)
<i>auth-ena</i>	(Optional)
<i>auth-type</i>	(Optional)
<i>auth-keychain</i>	(Optional)
TABLE_detail	(Optional)
<i>import-routes</i>	(Optional)
<i>periodic-updates</i>	(Optional)
<i>trigger-updates</i>	(Optional)
<i>out-mcast-request</i>	(Optional)
<i>out-ucast-update</i>	(Optional)
<i>out-ucast-request</i>	(Optional)
<i>in-mcast-update</i>	(Optional)
<i>in-mcast-request</i>	(Optional)
<i>in-ucast-update</i>	(Optional)
<i>in-ucast-request</i>	(Optional)
<i>bad-pkt</i>	(Optional)
<i>bad-route</i>	(Optional)

#### Command Mode

- /exec

# show ip rip memory

```
show { ipv6 | ip } rip [ instance <inst> ] memory [ __readonly__ TABLE_inst <inst-name> <type> <size>
<count> <hwm> <slab> <overhead> <total> TABLE_total <total-overhead> <total-total> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
ipv6	Display IPv6 information
rip	Display RIP status and configuration
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
memory	Display RIP memory usage information
__readonly__	(Optional)
TABLE_inst	(Optional)
<i>inst-name</i>	(Optional)
<i>type</i>	(Optional)
<i>size</i>	(Optional)
<i>count</i>	(Optional)
<i>hwm</i>	(Optional)
<i>slab</i>	(Optional)
<i>overhead</i>	(Optional)
<i>total</i>	(Optional)
TABLE_total	(Optional)
<i>total-overhead</i>	(Optional)
<i>total-total</i>	(Optional)

## Command Mode

- /exec

show ip rip neighbor

# show ip rip neighbor

```
show { ipv6 | ip } rip [ instance <inst> ] neighbor [ <interface> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_inst <inst-name> TABLE_vrf <vrf> <numberof-adj> <dead-timer-seconds> { TABLE_adj <adj-addr> <if-name> <last-response-sent> <last-response-rcvd> <last-request-sent> <last-request-rcvd> <last-response-sent-state> <last-response-rcvd-state> <last-request-sent-state> <last-request-rcvd-state> <in-bad-packets> <in-bad-routes> } ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
ip	Display IP information
rip	Display RIP status and configuration
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
neighbor	RIP neighbor
<i>interface</i>	(Optional) RIP interface
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_inst	(Optional)
<i>inst-name</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
<i>numberof-adj</i>	(Optional)
<i>dead-timer-seconds</i>	(Optional)
TABLE_adj	(Optional)
<i>adj-addr</i>	(Optional)
<i>if-name</i>	(Optional)
<i>last-response-sent-state</i>	(Optional)

<i>last-response-sent</i>	(Optional)
<i>last-response-rcvd-state</i>	(Optional)
<i>last-response-rcvd</i>	(Optional)
<i>last-request-sent-state</i>	(Optional)
<i>last-request-sent</i>	(Optional)
<i>last-request-rcvd-state</i>	(Optional)
<i>last-request-rcvd</i>	(Optional)
<i>in-bad-packets</i>	(Optional)
<i>in-bad-routes</i>	(Optional)

**Command Mode**

- /exec

show ip rip policy statistics redistribute

# show ip rip policy statistics redistribute

show ip rip [ instance <inst> ] policy statistics redistribute { bgp <as> | { eigrp | isis | <src-rip> | ospf } <tag> | direct | static } [ vrf { <vrf-name> | <vrf-known-name> | all } ]

## Syntax Description

show	Show running system information
ip	Display IP information
rip	Display RIP routing protocol status
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
policy	Policy related information
statistics	Policy statistics
redistribute	RIP redistribute routes from other routing protocol
bgp	Border Gateway Protocol (BGP)
eigrp	Enhanced Interior Gateway Routing Protocol (EIGRP)
as	Autonomous system number
isis	Intermediate-to-intermediate (ISIS)
src-rip	Routing Information Protocol (RIP)
ospf	Open Shortest Path First (OSPFv2)
<i>tag</i>	Process tag
direct	Directly connected routes
static	Static routes
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs

## Command Mode

- /exec

# show ip rip route

```
show { ipv6 | ip } rip [ instance <inst> ] route [ { <ipv6-prefix> | <ip-prefix> } [ { longer-prefixes |
shorter-prefixes } ] ] [ summary ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_inst
<inst-name> TABLE_vrf <vrf> [ { TABLE_route <best-route> <rt-prefix> <rt-mask> <rt-numnh> {
TABLE_nexthop <nh-direct> <nh-redistrib> <nh-addr> <nh-interface> <nh-metric> <nh-tag> <nh-state>
<nh-state-timer> } } ] [ { TABLE_summary <is-summary> <total-num-rts> <total-best-rts> <total-paths> {
TABLE_rtspermask <mask-length> <rts-per-mask> } } ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
ip	Display IP information
rip	Display RIP routing protocol status
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
route	RIP routes
summary	(Optional) route counts
<i>ip-prefix</i>	(Optional) Exact prefix
longer-prefixes	(Optional) exact match and more specific routes
shorter-prefixes	(Optional) exact match and less specific routes
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_inst	(Optional)
<i>inst-name</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
TABLE_route	(Optional)
<i>best-route</i>	(Optional)

**show ip rip route**

<i>rt-prefix</i>	(Optional)
<i>rt-mask</i>	(Optional)
<i>rt-numnh</i>	(Optional)
TABLE_nexthop	(Optional)
<i>nh-direct</i>	(Optional)
<i>nh-redistrib</i>	(Optional)
<i>nh-addr</i>	(Optional)
<i>nh-interface</i>	(Optional)
<i>nh-metric</i>	(Optional)
<i>nh-tag</i>	(Optional)
<i>nh-state</i>	(Optional)
<i>nh-state-timer</i>	(Optional)
TABLE_summary	(Optional)
<i>is-summary</i>	(Optional)
<i>total-num-rts</i>	(Optional)
<i>total-best-rts</i>	(Optional)
<i>total-paths</i>	(Optional)
TABLE_rtspermask	(Optional)
<i>mask-length</i>	(Optional)
<i>rts-per-mask</i>	(Optional)

#### Command Mode

- /exec

# show ip rip statistics

```
show { ipv6 | ip } rip [ instance <inst> ] statistics [ * | <interface> ] [ __readonly__ TABLE_inst <inst-name>
TABLE_interface <if-name> <periodic-updates> <trigger-updates> <out-mcast-request> <out-ucast-update>
<out-ucast-request> <in-mcast-update> <in-mcast-request> <in-ucast-update> <in-ucast-request> <bad-pkt>
<bad-route> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
ip	Display IP information
rip	Display RIP status and configuration
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
statistics	RIP statistics
<i>interface</i>	(Optional) RIP interface
*	(Optional) RIP statistics for all interfaces
__readonly__	(Optional)
TABLE_inst	(Optional)
<i>inst-name</i>	(Optional)
TABLE_interface	(Optional)
<i>if-name</i>	(Optional)
<i>periodic-updates</i>	(Optional)
<i>trigger-updates</i>	(Optional)
<i>out-mcast-request</i>	(Optional)
<i>out-ucast-update</i>	(Optional)
<i>out-ucast-request</i>	(Optional)
<i>in-mcast-update</i>	(Optional)
<i>in-mcast-request</i>	(Optional)
<i>in-ucast-update</i>	(Optional)
<i>in-ucast-request</i>	(Optional)

```
show ip rip statistics
```

<i>bad-pkt</i>	(Optional)
<i>bad-route</i>	(Optional)

**Command Mode**

- /exec

# show ip route

```
show { routing | ip route } [ vrf { <vrf-name> | <vrf-known-name> | <vrf-all> } ] [ ip | ipv4 ] [ unicast ] [ topology <topology-name> ] [ l3vm-info ] [ rpf ] [ <ip-addr> | { <ip-prefix> [ { longer-prefixes | shorter-prefixes } ] } ] [ { <protocol> [ all ] } | { next-hop <next-hop> | next-hop-v6 <next-hop-v6> } | { interface <interface> } | { updated { [ since <stime> ] [ until <utime> ] } } ] + [ summary | detail ] [ vrf { <vrf-name> | <vrf-known-name> | <vrf-all> } ] [ __readonly__ TABLE_vrf <vrf-name-out> TABLE_addrf <addrf> [ TABLE_prefix <ipprefix> <ucast-nhops> <mcast-nhops> <attached> TABLE_path [ <ipnexthop> ] [ <ifname> ] <uptime> <pref> <metric> <clientname> [ <type> ] [ <tag> ] [ <stale> ] [ <unres> ] [ <hidden> ] [ <stale-label> ] [ <ubest> ] [ <mbest> ] ] [ TABLE_summary <routes> <paths> [ <multicast_paths> ] [ TABLE_unicast [ <clientname> ] [ <best-paths> ] [ <backup-paths> ] ] [ TABLE_multicast [ <clientname> ] [ <best-paths> ] [ <backup-paths> ] ] [ TABLE_route_count [ <mask_len> ] [ <count> ] ] ] ]
```

## Syntax Description

show	Show running system information
routing	Display routing information
ip	Display IP information
route	Display routing information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
vrf-all	(Optional) Display information for all VRFs
ipv4	(Optional) Display IP information
unicast	(Optional) Display unicast information
topology	(Optional) Display per-topology information
<i>topology-name</i>	(Optional) topology name
l3vm-info	(Optional) Display corresponding L3VM information
rpf	(Optional) Display RPF information for multicast source
<i>ip-addr</i>	(Optional) Display single route longest match lookup
<i>ip-prefix</i>	(Optional) Display single exact match route
longer-prefixes	(Optional) Display matching routes with mask-lengths $\geq$ prefix
shorter-prefixes	(Optional) Display matching routes with mask-lengths $\leq$ prefix
<i>protocol</i>	(Optional) Display routes for protocol (or route type)
all	(Optional) Display routes for protocol for backup next-hops too

show ip route

next-hop	(Optional) Display routes with this next-hop only
<i>next-hop</i>	(Optional) Next hop address
next-hop-v6	(Optional) Display routes with this V6 next-hop only
interface	(Optional) Display routes with this output interface only
<i>interface</i>	(Optional) Interface Name
updated	(Optional) Display routes filtered by last updated time
since	(Optional) Display those routes updated since this time
<i>stime</i>	(Optional) Since this date/time [[CC]YY-][MM-DD-]HH:MM[:SS]
until	(Optional) Display those routes updated until this time
<i>utime</i>	(Optional) Until this date/time [[CC]YY-][MM-DD-]HH:MM[:SS]
summary	(Optional) Display route counts
detail	(Optional) Display routes in full detail
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_addrf	(Optional)
<i>addrf</i>	(Optional)
TABLE_prefix	(Optional)
<i>ipprefix</i>	(Optional)
<i>ucast-nhops</i>	(Optional)
<i>mcast-nhops</i>	(Optional)
<i>attached</i>	(Optional)
TABLE_path	(Optional)
<i>ipnexthop</i>	(Optional)
<i>ifname</i>	(Optional)
<i>uptime</i>	(Optional)
<i>pref</i>	(Optional)
<i>metric</i>	(Optional)
<i>clientname</i>	(Optional)

<i>type</i>	(Optional)
<i>tag</i>	(Optional)
<i>stale</i>	(Optional)
<i>unres</i>	(Optional)
<i>hidden</i>	(Optional)
<i>stale-label</i>	(Optional)
<i>ubest</i>	(Optional)
<i>mbest</i>	(Optional)
TABLE_summary	(Optional)
<i>routes</i>	(Optional)
<i>paths</i>	(Optional)
<i>multicast_paths</i>	(Optional)
TABLE_unicast	(Optional)
<i>clientname</i>	(Optional)
<i>best-paths</i>	(Optional)
<i>backup-paths</i>	(Optional)
TABLE_multicast	(Optional)
<i>clientname</i>	(Optional)
<i>best-paths</i>	(Optional)
<i>backup-paths</i>	(Optional)
TABLE_route_count	(Optional)
<i>mask_len</i>	(Optional)
<i>count</i>	(Optional)

**Command Mode**

- /exec

**show ip router-id**

## show ip router-id

show ip router-id [ vrf { <vrf-name> | <vrf-known-name> | all } ]

### Syntax Description

show	Show running system information
ip	Display IP information
router-id	Display IP router identification
vrf	(Optional) Display per-VRF information
all	(Optional) Display all VRFs
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

### Command Mode

- /exec

# show ip rsvp

```
show ip rsvp [ __readonly__ [ <sup-state> <start-type> <restart-type> <ha-ena> <gr-ena> <hst-ena>
<glb-router-id> <psr-ena> <local-epoch> ] [ TABLE_clients <clnt-name> <clnt-sap> <clnt-type>
<clnt-batch-time> [ <clnt-lxsb> ] ] [ <bundle-ena> <bundle-time> <bundle-maxsz> ] [ <refresh-intvl>
<refresh-miss> ] [ <refred-ena> <rr-init-rexmit-delay> <rr-rapid-rexmit-ena> <rr-ack-delay> ] [ <rate-limit-ena>
<rate-limit-cap> <rate-limit-pace-intvl> ] [ <gr-tmr> [ <gr-tmr-expiry> ] ] [ <auth-ena> [ <key-src> ] [ <digest>
] [ <seq-winsize> ] [ <challenge> ] [ <lifetime> ] ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
rsvp	Display RSVP status
__readonly__	(Optional)
<i>sup-state</i>	(Optional)
<i>start-type</i>	(Optional)
<i>restart-type</i>	(Optional)
<i>ha-ena</i>	(Optional)
<i>gr-ena</i>	(Optional)
<i>hst-ena</i>	(Optional)
<i>glb-router-id</i>	(Optional)
<i>psr-ena</i>	(Optional)
<i>local-epoch</i>	(Optional)
<i>bundle-ena</i>	(Optional)
<i>bundle-time</i>	(Optional)
<i>bundle-maxsz</i>	(Optional)
<i>refresh-intvl</i>	(Optional)
<i>refresh-miss</i>	(Optional)
<i>refred-ena</i>	(Optional)
<i>rr-rapid-rexmit-ena</i>	(Optional)
<i>rr-init-rexmit-delay</i>	(Optional)
<i>rr-ack-delay</i>	(Optional)

show ip rsvp

<i>rate-limit-ena</i>	(Optional)
<i>rate-limit-cap</i>	(Optional)
<i>rate-limit-pace-intvl</i>	(Optional)
<i>gr-tmr</i>	(Optional)
<i>gr-tmr-expiry</i>	(Optional)
<i>auth-ena</i>	(Optional)
<i>key-src</i>	(Optional)
<i>digest</i>	(Optional)
<i>seq-winsize</i>	(Optional)
<i>challenge</i>	(Optional)
<i>lifetime</i>	(Optional)
TABLE_clients	(Optional)
<i>clnt-name</i>	(Optional)
<i>clnt-sap</i>	(Optional)
<i>clnt-type</i>	(Optional)
<i>clnt-batch-time</i>	(Optional)
<i>clnt-lxsb</i>	(Optional)

**Command Mode**

- /exec

# show ip sla application

```
show ip sla application [ __readonly__ <version> <line-length> <type-name> <feature-name>
<lowmemorymark> <max-entries> <probe-cap> <entries-config> <entries-active> <entries-pending>
<entries-inactive> <last-change-time> <rttMonApplTimeOfLastSet> <rttMonApplReset> ]
```

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
application	IP SLAs Application
__readonly__	(Optional)
<i>version</i>	(Optional)
<i>line-length</i>	(Optional)
<i>type-name</i>	(Optional)
<i>entries-config</i>	(Optional)
<i>entries-active</i>	(Optional)
<i>entries-pending</i>	(Optional)
<i>entries-inactive</i>	(Optional)
<i>last-change-time</i>	(Optional)
<i>rttMonApplTimeOfLastSet</i>	(Optional)
<i>rttMonApplReset</i>	(Optional) Appl Reset
<i>feature-name</i>	(Optional)
<i>lowmemorymark</i>	(Optional)
<i>max-entries</i>	(Optional)
<i>probe-cap</i>	(Optional)

## Command Mode

- /exec

show ip sla configuration

# show ip sla configuration

```
show ip sla configuration [ <entry-num> ] [ __readonly__ { TABLE_oper <index> <oper-type> <owner> <tag> <threshold> <timeout> <dest-ip> <source-ip> <dest-port> <source-port> <dns-source-port> <dns-name-server> <traffic-class> <flow-label> <tos> <vrf-name> <source-int> } { TABLE_control <control-enabled> } { TABLE_udpecho <packet-size> <verify-data> <data-pattern> } { TABLE_icmpecho <packet-size> <verify-data> } { TABLE_dns } { TABLE_fabricpath <profile-id> <switch-id> <interface> } { TABLE_udpjitter <packet-size> <packet-interval> <num-packets> <codec-type> <codec-num-packets> <codec-packet-size> <codec-packet-interval> <codec-adv-factor> <verify-data> <packet-priority> <ntp-sync-tolerance> <ntp-sync-toltype> } { TABLE_http <http-oper> <http-version> <url> <proxy> <raw-strings> <cache-control> } { TABLE_schedule <frequency> <secondary-freq-timeout> <secondary-freq-loss> <next-start-time> <group-scheduled> <randomly-scheduled> <low-frequency> <high-frequency> <life> <ageout> <recurring> <status-of-entry> } { TABLE_distsstats <hours> <buckets> <precision> <interval> } { TABLE_enhhistory <interval> <ebuckets> } { TABLE_history-stats <lives> <hsbuckets> <filter> } ]
```

## Syntax Description

<i>__readonly__</i>	(Optional)
<i>index</i>	(Optional)
<i>TABLE_oper</i>	(Optional) Show operation information
<i>owner</i>	(Optional)
<i>tag</i>	(Optional)
<i>threshold</i>	(Optional)
<i>timeout</i>	(Optional)
<i>oper-type</i>	(Optional)
<i>dest-ip</i>	(Optional)
<i>source-ip</i>	(Optional)
<i>dest-port</i>	(Optional)
<i>source-port</i>	(Optional)
<i>dns-source-port</i>	(Optional)
<i>traffic-class</i>	(Optional)
<i>flow-label</i>	(Optional)
<i>tos</i>	(Optional)
<i>vrf-name</i>	(Optional)
<i>source-int</i>	(Optional)

<i>dns-name-server</i>	(Optional)
TABLE_control	(Optional) Show control information
<i>control-enabled</i>	(Optional)
TABLE_udpecho	(Optional) Show UDP echo information
<i>data-pattern</i>	(Optional)
TABLE_icmpecho	(Optional) Show ICMP echo information
TABLE_dns	(Optional) Show DNS information
TABLE_fabricpath	(Optional) Show FABRIC PATH echo information
<i>profile-id</i>	(Optional)
<i>switch-id</i>	(Optional)
<i>interface</i>	(Optional)
TABLE_udpjitter	(Optional) Show UDP jitter information
<i>packet-size</i>	(Optional)
<i>packet-interval</i>	(Optional)
<i>num-packets</i>	(Optional)
<i>codec-type</i>	(Optional)
<i>codec-num-packets</i>	(Optional)
<i>codec-packet-size</i>	(Optional)
<i>codec-packet-interval</i>	(Optional)
<i>codec-adv-factor</i>	(Optional)
<i>verify-data</i>	(Optional)
<i>packet-priority</i>	(Optional)
<i>ntp-sync-tolerance</i>	(Optional)
<i>ntp-sync-toltype</i>	(Optional)
TABLE_http	(Optional) Show HTTP information
<i>http-oper</i>	(Optional)
<i>http-version</i>	(Optional)
<i>url</i>	(Optional)
<i>proxy</i>	(Optional)

**show ip sla configuration**

<i>raw-strings</i>	(Optional)
<i>cache-control</i>	(Optional)
TABLE_schedule	(Optional) Show schedule information
<i>frequency</i>	(Optional)
<i>secondary-freq-timeout</i>	(Optional)
<i>secondary-freq-loss</i>	(Optional)
<i>next-start-time</i>	(Optional)
<i>group-scheduled</i>	(Optional)
<i>randomly-scheduled</i>	(Optional)
<i>low-frequency</i>	(Optional)
<i>high-frequency</i>	(Optional)
<i>life</i>	(Optional)
<i>ageout</i>	(Optional)
<i>recurring</i>	(Optional)
<i>status-of-entry</i>	(Optional)
TABLE_diststats	(Optional) Show distribution of statistics information
<i>hours</i>	(Optional)
<i>buckets</i>	(Optional)
<i>precision</i>	(Optional)
<i>interval</i>	(Optional)
TABLE_enhhistory	(Optional) Show enhanced history information
<i>einterval</i>	(Optional)
<i>ebuckets</i>	(Optional)
TABLE_history-stats	(Optional) Show history statistics information
<i>lives</i>	(Optional)
<i>hsbuckets</i>	(Optional)
<i>filter</i>	(Optional)
show	
ip	

sla	Service Level Agreement (SLA)
configuration	IP SLAs Configuration
<i>entry-num</i>	(Optional) Entry Number

**Command Mode**

- /exec

show ip sla enhanced-history collection-statistics

## show ip sla enhanced-history collection-statistics

show ip sla enhanced-history collection-statistics [ <operation-number> [ interval <interval-in-secs> ] ] [ \_\_readonly\_\_ <index> { TABLE\_generic <outstring> } ]

### Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
enhanced-history	IP SLAs Enhanced History
collection-statistics	IP SLAs Collection Statistics
<i>operation-number</i>	(Optional) Entry Number
interval	(Optional) Aggregation Interval
<i>interval-in-secs</i>	(Optional) Interval in seconds
__readonly__	(Optional)
<i>index</i>	(Optional)
TABLE_generic	(Optional) Show History Information
<i>outstring</i>	(Optional)

### Command Mode

- /exec

# show ip sla enhanced-history distribution-statistics

```
show ip sla enhanced-history distribution-statistics [ <operation-number> [ interval <interval-in-secs> ] ] [ __readonly__ <index> { TABLE_generic <outstring> } ]
```

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
enhanced-history	IP SLAs Enhanced History
distribution-statistics	IP SLAs Distribution Statistics
<i>operation-number</i>	(Optional) Entry Number
interval	(Optional) Aggregation Interval
<i>interval-in-secs</i>	(Optional) Interval in seconds
__readonly__	(Optional)
<i>index</i>	(Optional)
TABLE_generic	(Optional) Show History Information
<i>outstring</i>	(Optional)

## Command Mode

- /exec

show ip sla group schedule

# show ip sla group schedule

show ip sla group schedule [ <group-operation-number> ] [ \_\_readonly\_\_ <entry-number> <probe-list> <num-probes> <sched-period> <mode> <low-freq> <high-freq> <freq> <snmp-status> <next-start-time> <life> <ageout> ]

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
group	IP SLAs Group Scheduling/Configuration
schedule	Group Scheduling
<i>group-operation-number</i>	(Optional) Group Schedule Entry Number
<u>__readonly__</u>	(Optional)
<i>entry-number</i>	(Optional)
<i>probe-list</i>	(Optional)
<i>num-probes</i>	(Optional)
<i>sched-period</i>	(Optional)
<i>mode</i>	(Optional)
<i>low-freq</i>	(Optional)
<i>high-freq</i>	(Optional)
<i>freq</i>	(Optional)
<i>snmp-status</i>	(Optional)
<i>next-start-time</i>	(Optional)
<i>life</i>	(Optional)
<i>ageout</i>	(Optional)

## Command Mode

- /exec

# show ip sla history

```
show ip sla history [ <operation-number> ] [ tabular | full | interval-statistics ] [ __readonly__ <index> {  
TABLE_generic <outstring> } ]
```

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
history	IP SLAs History
<i>operation-number</i>	(Optional) Entry Number
tabular	(Optional) Compact Output
full	(Optional) Listed Output
interval-statistics	(Optional) Interval statistics output
__readonly__	(Optional)
<i>index</i>	(Optional)
TABLE_generic	(Optional) Show History Information
<i>outstring</i>	(Optional)

## Command Mode

- /exec

show ip sla reaction-configuration

# show ip sla reaction-configuration

show ip sla reaction-configuration [ <entry-num> ] [ \_\_readonly\_\_ <entry-number> <index> <reaction> <threshold-type> <rising-value> <falling-value> <threshold-countX> <threshold-countY> <action-type> <unconfigured> ]

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
reaction-configuration	IP SLAs Reaction Configuration
<i>entry-num</i>	(Optional) Entry Number
<i>__readonly__</i>	(Optional)
<i>entry-number</i>	(Optional)
<i>index</i>	(Optional)
<i>reaction</i>	(Optional)
<i>threshold-type</i>	(Optional)
<i>rising-value</i>	(Optional)
<i>falling-value</i>	(Optional)
<i>threshold-countX</i>	(Optional)
<i>threshold-countY</i>	(Optional)
<i>action-type</i>	(Optional)
<i>unconfigured</i>	(Optional)

## Command Mode

- /exec

# show ip sla reaction-trigger

```
show ip sla reaction-trigger [ <entry-num> ] [ __readonly__ <entry-number> <target-entry> <snmp-status> <operational-state> <unconfigured> ]
```

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
reaction-trigger	IP SLAs Reaction Trigger
<i>entry-num</i>	(Optional) Entry Number
<u>__readonly__</u>	(Optional)
<i>entry-number</i>	(Optional)
<i>target-entry</i>	(Optional)
<i>snmp-status</i>	(Optional)
<i>operational-state</i>	(Optional)
<i>unconfigured</i>	(Optional)

## Command Mode

- /exec

show ip sla responder

# show ip sla responder

```
show ip sla responder [ __readonly__ <gen-enabled> <rttMonApplResponder> <perm-enabled>
<ctrl-msg-count> <errors> { TABLE_recent <print-recent-hdr> <print-recent-err-hdr> <recent-addr>
<recent-time> <recent-error> } { TABLE_permanent <print-tcp-hdr> <print-udp-hdr> <address> <port> } ]
```

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
responder	IP SLAs Responder Information
<u>__readonly__</u>	(Optional)
<i>gen-enabled</i>	(Optional)
<i>rttMonApplResponder</i>	(Optional) rttMonApplResponder
<i>perm-enabled</i>	(Optional)
<i>ctrl-msg-count</i>	(Optional)
<i>errors</i>	(Optional)
TABLE_recent	(Optional) Show recent control message information
<i>print-recent-hdr</i>	(Optional)
<i>print-recent-err-hdr</i>	(Optional)
<i>recent-addr</i>	(Optional)
<i>recent-time</i>	(Optional)
<i>recent-error</i>	(Optional)
TABLE_permanent	(Optional) Show permanent port/address information
<i>print-tcp-hdr</i>	(Optional)
<i>print-udp-hdr</i>	(Optional)
<i>address</i>	(Optional)
<i>port</i>	(Optional)

## Command Mode

- /exec

# show ip sla statistics

```
show ip sla statistics [ aggregated ] [ <entry-num> ] [ details ] [ __readonly__ <index> { TABLE_common
<update-count> <latest-RTT> <latest-start-time> <latest-return-code> <micro-accuracy> <nano-accuracy>
<http-dns-rtt> <http-tcp-rtt> <http-ttbf> <http-rtt> <http-status> <http-revlen> <http-bodysize>
<http-dns-timeout> <http-tcp-timeout> <http-t-timeout> <http-dns-error> <http-tcp-error> <http-t-error> }
{ TABLE_schedule <life-left> <oper-state> <reset-time> } { TABLE_jitter <operation-type> <ntp-sync-state>
<rtt-count> <rtt-min> <rtt-avg> <rtt-max> <lat-ow-samples> <sd-lat-sum> <sd-lat-sum2> <sd-lat-ow-min>
<sd-lat-ow-avg> <sd-lat-ow-max> <ds-lat-sum> <ds-lat-sum2> <ds-lat-ow-min> <ds-lat-ow-avg>
<ds-lat-ow-max> <sd-jitter-count> <ds-jitter-min> <sd-jitter-avg> <sd-jitter-max>
<sd-pos-jitter-min> <sd-pos-jitter-avg> <sd-pos-jitter-max> <sd-pos-jitter-num> <sd-pos-jitter-sum>
<sd-pos-jitter-sum2> <sd-neg-jitter-min> <sd-neg-jitter-avg> <sd-neg-jitter-max> <sd-neg-jitter-num>
<sd-neg-jitter-sum> <sd-neg-jitter-sum2> <ds-jitter-min> <ds-jitter-avg> <ds-jitter-max> <ds-pos-jitter-min>
<ds-pos-jitter-avg> <ds-pos-jitter-max> <ds-pos-jitter-num> <ds-pos-jitter-sum> <ds-pos-jitter-sum2>
<ds-neg-jitter-min> <ds-neg-jitter-avg> <ds-neg-jitter-max> <ds-neg-jitter-num> <ds-neg-jitter-sum>
<ds-neg-jitter-sum2> <pkt-unprocessed> <pkt-loss> <pkt-loss-per> <pkt-loss-min> <pkt-loss-max>
<pkt-loss-inter-min> <pkt-loss-inter-max> <pkt-loss-sd> <pkt-loss-sd-per> <pkt-loss-sd-min>
<pkt-loss-sd-max> <pkt-loss-sd-inter-min> <pkt-loss-sd-inter-max> <pkt-loss-ds> <pkt-loss-ds-per>
<pkt-loss-ds-min> <pkt-loss-ds-max> <pkt-loss-ds-inter-min> <pkt-loss-ds-inter-max> <pkt-oos> <pkt-oos-sd>
<pkt-oos-ds> <pkt-oos-both> <pkt-mia> <pkt-late> <pkt-skipped> <voice-icpif> <voice-mos> <inter-jitter-out>
<inter-jitter-in> <jitter-avg> } { TABLE_aggdetails <outstring> } <print_type> ]
```

## Syntax Description

show	
ip	
sla	Service Level Agreement (SLA)
statistics	IP SLAs Statistics
<i>entry-num</i>	(Optional) Entry Number
details	(Optional) Detailed Output
aggregated	(Optional) IP SLAs Statistics Aggregated
__readonly__	(Optional)
<i>index</i>	(Optional)
TABLE_common	(Optional) Show common statistics information
<i>update-count</i>	(Optional)
<i>latest-RTT</i>	(Optional)
<i>latest-start-time</i>	(Optional)
<i>latest-return-code</i>	(Optional)
<i>micro-accuracy</i>	(Optional)

**show ip sla statistics**

<i>nano-accuracy</i>	(Optional)
<i>http-dns-rtt</i>	(Optional)
<i>http-tcp-rtt</i>	(Optional)
<i>http-ttfb</i>	(Optional)
<i>http-rtt</i>	(Optional)
<i>http-status</i>	(Optional)
<i>http-revlen</i>	(Optional)
<i>http-bodysize</i>	(Optional)
<i>http-dns-timeout</i>	(Optional)
<i>http-tcp-timeout</i>	(Optional)
<i>http-t-timeout</i>	(Optional)
<i>http-dns-error</i>	(Optional)
<i>http-tcp-error</i>	(Optional)
<i>http-t-error</i>	(Optional)
TABLE_schedule	(Optional) Show schedule statistics information
<i>life-left</i>	(Optional)
<i>oper-state</i>	(Optional)
<i>reset-time</i>	(Optional)
TABLE_jitter	(Optional) Show jitter statistics information
<i>operation-type</i>	(Optional)
<i>ntp-sync-state</i>	(Optional)
<i>rtt-count</i>	(Optional)
<i>rtt-min</i>	(Optional)
<i>rtt-avg</i>	(Optional)
<i>rtt-max</i>	(Optional)
<i>lat-ow-samples</i>	(Optional)
<i>sd-lat-sum</i>	(Optional)
<i>sd-lat-sum2</i>	(Optional)
<i>sd-lat-ow-min</i>	(Optional)

<i>sd-lat-ow-avg</i>	(Optional)
<i>sd-lat-ow-max</i>	(Optional)
<i>ds-lat-sum</i>	(Optional)
<i>ds-lat-sum2</i>	(Optional)
<i>ds-lat-ow-min</i>	(Optional)
<i>ds-lat-ow-avg</i>	(Optional)
<i>ds-lat-ow-max</i>	(Optional)
<i>sd-jitter-count</i>	(Optional)
<i>ds-jitter-count</i>	(Optional)
<i>sd-jitter-min</i>	(Optional)
<i>sd-jitter-avg</i>	(Optional)
<i>sd-jitter-max</i>	(Optional)
<i>sd-pos-jitter-min</i>	(Optional)
<i>sd-pos-jitter-avg</i>	(Optional)
<i>sd-pos-jitter-max</i>	(Optional)
<i>sd-pos-jitter-num</i>	(Optional)
<i>sd-pos-jitter-sum</i>	(Optional)
<i>sd-pos-jitter-sum2</i>	(Optional)
<i>sd-neg-jitter-min</i>	(Optional)
<i>sd-neg-jitter-avg</i>	(Optional)
<i>sd-neg-jitter-max</i>	(Optional)
<i>sd-neg-jitter-num</i>	(Optional)
<i>sd-neg-jitter-sum</i>	(Optional)
<i>sd-neg-jitter-sum2</i>	(Optional)
<i>ds-jitter-min</i>	(Optional)
<i>ds-jitter-avg</i>	(Optional)
<i>ds-jitter-max</i>	(Optional)
<i>ds-pos-jitter-min</i>	(Optional)
<i>ds-pos-jitter-avg</i>	(Optional)

show ip sla statistics

<i>ds-pos-jitter-max</i>	(Optional)
<i>ds-pos-jitter-num</i>	(Optional)
<i>ds-pos-jitter-sum</i>	(Optional)
<i>ds-pos-jitter-sum2</i>	(Optional)
<i>ds-neg-jitter-min</i>	(Optional)
<i>ds-neg-jitter-avg</i>	(Optional)
<i>ds-neg-jitter-max</i>	(Optional)
<i>ds-neg-jitter-num</i>	(Optional)
<i>ds-neg-jitter-sum</i>	(Optional)
<i>ds-neg-jitter-sum2</i>	(Optional)
<i>pkt-unprocessed</i>	(Optional)
<i>pkt-loss</i>	(Optional)
<i>pkt-loss-per</i>	(Optional)
<i>pkt-loss-min</i>	(Optional)
<i>pkt-loss-max</i>	(Optional)
<i>pkt-loss-inter-min</i>	(Optional)
<i>pkt-loss-inter-max</i>	(Optional)
<i>pkt-loss-sd</i>	(Optional)
<i>pkt-loss-sd-per</i>	(Optional)
<i>pkt-loss-sd-min</i>	(Optional)
<i>pkt-loss-sd-max</i>	(Optional)
<i>pkt-loss-sd-inter-min</i>	(Optional)
<i>pkt-loss-sd-inter-max</i>	(Optional)
<i>pkt-loss-ds</i>	(Optional)
<i>pkt-loss-ds-per</i>	(Optional)
<i>pkt-loss-ds-min</i>	(Optional)
<i>pkt-loss-ds-max</i>	(Optional)
<i>pkt-loss-ds-inter-min</i>	(Optional)
<i>pkt-loss-ds-inter-max</i>	(Optional)

<i>pkt-oos</i>	(Optional)
<i>pkt-oos-sd</i>	(Optional)
<i>pkt-oos-ds</i>	(Optional)
<i>pkt-oos-both</i>	(Optional)
<i>pkt-mia</i>	(Optional)
<i>pkt-late</i>	(Optional)
<i>pkt-skipped</i>	(Optional)
<i>voice-icpif</i>	(Optional)
<i>voice-mos</i>	(Optional)
<i>inter-jitter-out</i>	(Optional)
<i>inter-jitter-in</i>	(Optional)
<i>jitter-avg</i>	(Optional)
TABLE_aggdetails	(Optional) Show aggregated statistics information
<i>outstring</i>	(Optional)
<i>print_type</i>	(Optional)

**Command Mode**

- /exec

**show ip ssh source-interface**

## show ip ssh source-interface

show ip ssh source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_ipsshvrf <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
ssh	Display SSH client information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_ipsshvrf	(Optional) source interface of ssh given vrf
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

### Command Mode

- /exec

# show ip ssh source-interface vrf all

show ip ssh source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_ipssh <vrfname> <ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
ssh	Display SSH client information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrf's
__readonly__	(Optional)
TABLE_ipssh	(Optional) source interface of ssh
vrfname	(Optional) vrfname
ifname	(Optional) ifname

## Command Mode

- /exec

show ip static-route

# show ip static-route

```
show ip static-route [ multicast ] [ internal ] [ track-table ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [  
    __readonly__ [ <count> <unres-count> ] [ TABLE_vrf_all { <cntxt_name> <cntxt_id> [ TABLE_each_vrf  
        { <prefix_addr_msk> <nhop_addr_msk> <nhop_vrf_info> <nhop_intr_info> <urib_stat> [ <seg_id> ] [  
            <tunnel_id> <urib_encap_type> ] <nhop_urib_stat> [ <track_obj_num> <track_obj_state> ] } ] } ] [  
    TABLE_multicast <multicast> ] [ TABLE_track-table ] [ TABLE_route <prefix> <masklen> <nhop>  
        <nhop-masklen> <intf> <real-nhop> <iod> <pref> <tag> <unres> ] ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
static-route	Display configured static routes
multicast	(Optional) Display only multicast routes
internal	(Optional) Display internal data structure info
track-table	(Optional) Display track object details associated with static routes
vrf	(Optional) Display per-VRF information
all	(Optional) Display all VRFs
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>readonly</i>	(Optional)
TABLE_vrf_all	(Optional)
<i>cntxt_name</i>	(Optional)
<i>cntxt_id</i>	(Optional)
TABLE_each_vrf	(Optional)
<i>prefix_addr_msk</i>	(Optional)
<i>nhop_addr_msk</i>	(Optional)
<i>nhop_vrf_info</i>	(Optional)
<i>nhop_intr_info</i>	(Optional)
<i>urib_stat</i>	(Optional)
<i>seg_id</i>	(Optional)
<i>tunnel_id</i>	(Optional)

<i>urib_encap_type</i>	(Optional)
<i>nhop_urib_stat</i>	(Optional)
<i>track_obj_num</i>	(Optional)
<i>track_obj_state</i>	(Optional)
TABLE_multicast	(Optional)
<i>multicast</i>	(Optional)
TABLE_track-table	(Optional)
TABLE_route	(Optional)
<i>prefix</i>	(Optional)
<i>masklen</i>	(Optional)
<i>nhop</i>	(Optional)
<i>nhop-masklen</i>	(Optional)
<i>intf</i>	(Optional)
<i>real-nhop</i>	(Optional)
<i>iod</i>	(Optional)
<i>pref</i>	(Optional)
<i>tag</i>	(Optional)
<i>unres</i>	(Optional)
<i>count</i>	(Optional)
<i>unres-count</i>	(Optional)

**Command Mode**

- /exec

**show ip stats**

## show ip stats

show ip stats

### Syntax Description

show	Show running system information
ip	Display IP information
stats	Display IP internal stats

### Command Mode

- /exec

# show ip telnet source-interface

show ip telnet source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_iptelnetvrf <vrfname> <ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
telnet	Display telnet information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
__readonly__	(Optional)
TABLE_iptelnetvrf	(Optional) source interface of telnet given vrf
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

## Command Mode

- /exec

show ip telnet source-interface vrf all

## show ip telnet source-interface vrf all

show ip telnet source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_iptelnet <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
telnet	Display telnet information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrfs
__readonly__	(Optional)
TABLE_iptelnet	(Optional) source interface of telnet
vrfname	(Optional) vrfname
ifname	(Optional) ifname

### Command Mode

- /exec

# show ip tftp source-interface

show ip tftp source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_iptftpvrf <vrfname> <ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
tftp	Display TFTP client information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_iptftpvrf	(Optional) source interface of tftp given vrf
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

## Command Mode

- /exec

show ip tftp source-interface vrf all

## show ip tftp source-interface vrf all

show ip tftp source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_iptftp <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
tftp	Display TFTP client information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrfs
__readonly__	(Optional)
TABLE_iptftp	(Optional) source interface of tftp
vrfname	(Optional) vrfname
ifname	(Optional) ifname

### Command Mode

- /exec

# show ip traceroute source-interface

show ip traceroute source-interface [ vrf { <vrf-name> | <vrf-known-name> } ] [ \_\_readonly\_\_ [ { TABLE\_iptraceroutevrf <vrfname> <ifname> } ] ]

## Syntax Description

show	Show running system information
ip	Display IP information
traceroute	Display traceroute client information
source-interface	Display source interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_iptraceroutevrf	(Optional) source interface of traceroute
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

## Command Mode

- /exec

show ip traceroute source-interface vrf all

## show ip traceroute source-interface vrf all

show ip traceroute source-interface vrf all [ \_\_readonly\_\_ [ { TABLE\_iptraceroute <vrfname> <ifname> } ] ]

### Syntax Description

show	Show running system information
ip	Display IP information
traceroute	Display traceroute client information
source-interface	Display source interface information
vrf	Display per-VRF information
all	Display entries for all vrf's
__readonly__	(Optional)
TABLE_iptraceroute	(Optional) source interface of traceroute
<i>vrfname</i>	(Optional) vrfname
<i>ifname</i>	(Optional) ifname

### Command Mode

- /exec

# show ip traffic

```
show ip traffic [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__ TABLE_vrf <vrf-name-out>
TABLE_ip_traffic <rcvd> <sent> <consumed> <fwd-ucast> <fwd-mcast> <fwd-label> <opts-end> <opts-nop>
<opts-bsec> <opts-loosesrc-route> <opts-timestamp> <opts-esec> <opts-record-route> <opts-ump> <opts-stid>
<opts-strsrc-route> <opts-alert> <opts-cipso> <opts-other> <bad-csum> <too-small> <bad-ver> <bad-hlen>
<bad-len> <bad-dest> <bad-ttl> <cant-fwd> <out-drop> <bad-encap> <no-route> <no-proto> <bad-options>
<frag> <fragmented> <out-frag> <frag-drop> <cant-frag> <reasm> <frag-to> <tx-redir> <tx-unreach>
<tx-echo-req> <tx-echo-reply> <tx-mask-req> <tx-mask-rep> <tx-info-req> <tx-info-reply> <tx-param-prob>
<tx-source-quench> <tx-tstamp-req> <tx-tstamp-reply> <tx-time-exceeded> <tx-router-solicit>
<tx-router-advert> <rx-redir> <rx-unreach> <rx-echo-req> <rx-mask-req> <rx-mask-rep>
<rx-info-req> <rx-info-reply> <rx-param-prob> <rx-source-quench> <rx-tstamp-req> <rx-tstamp-reply>
<rx-time-exceeded> <rx-router-solicit> <rx-router-advert> <rx-format-errors> <rx-csum-errors> <inrcv>
<inoctet> <inhdrrr> <innoroutes> <inaddrerr> <innoproto> <intruncated> <inforw> <reasmsoks> <reasmfails>
<reasmreqds> <indiscards> <indelivers> <outnoroutes> <outrqsts> <outforw> <outdiscards> <outfragreqds>
<outfragoks> <outfragfails> <outfragcreates> <outtxmts> <outoctet> <inmcastpkts> <inmcastoctets>
<outmcastpkts> <outmcastoctets> <inbdcastpkts> <outbdcastpkts> ]
```

## Syntax Description

show	Show running system information
ip	Display IP information
traffic	Display IP software processed traffic statistics
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_ip_traffic	(Optional)
<i>rcvd</i>	(Optional)
<i>sent</i>	(Optional)
<i>consumed</i>	(Optional)
<i>fwd-ucast</i>	(Optional)
<i>fwd-mcast</i>	(Optional)
<i>fwd-label</i>	(Optional)
<i>opts-end</i>	(Optional)

show ip traffic

<i>opts-nop</i>	(Optional)
<i>opts-bsec</i>	(Optional)
<i>opts-loosesrc-route</i>	(Optional)
<i>opts-timestamp</i>	(Optional)
<i>opts-esec</i>	(Optional)
<i>opts-record-route</i>	(Optional)
<i>opts-ump</i>	(Optional)
<i>opts-stid</i>	(Optional)
<i>opts-strsrc-route</i>	(Optional)
<i>opts-alert</i>	(Optional)
<i>opts-cipso</i>	(Optional)
<i>opts-other</i>	(Optional)
<i>bad-csum</i>	(Optional)
<i>too-small</i>	(Optional)
<i>bad-ver</i>	(Optional)
<i>bad-hlen</i>	(Optional)
<i>bad-len</i>	(Optional)
<i>bad-dest</i>	(Optional)
<i>bad-ttl</i>	(Optional)
<i>cant-fwd</i>	(Optional)
<i>out-drop</i>	(Optional)
<i>bad-encap</i>	(Optional)
<i>no-route</i>	(Optional)
<i>no-proto</i>	(Optional)
<i>bad-options</i>	(Optional)
<i>frag</i>	(Optional)
<i>fragmented</i>	(Optional)
<i>out-frag</i>	(Optional)
<i>frag-drop</i>	(Optional)

<i>cant-frag</i>	(Optional)
<i>reasm</i>	(Optional)
<i>frag-to</i>	(Optional)
<i>tx-redir</i>	(Optional)
<i>tx-unreach</i>	(Optional)
<i>tx-echo-req</i>	(Optional)
<i>tx-echo-reply</i>	(Optional)
<i>tx-mask-req</i>	(Optional)
<i>tx-mask-rep</i>	(Optional)
<i>tx-info-req</i>	(Optional)
<i>tx-info-reply</i>	(Optional)
<i>tx-param-prob</i>	(Optional)
<i>tx-source-quench</i>	(Optional)
<i>tx-tstamp-req</i>	(Optional)
<i>tx-tstamp-reply</i>	(Optional)
<i>tx-time-exceeded</i>	(Optional)
<i>tx-router-solicit</i>	(Optional)
<i>tx-router-advert</i>	(Optional)
<i>rx-redir</i>	(Optional)
<i>rx-unreach</i>	(Optional)
<i>rx-echo-req</i>	(Optional)
<i>rx-echo-reply</i>	(Optional)
<i>rx-mask-req</i>	(Optional)
<i>rx-mask-rep</i>	(Optional)
<i>rx-info-req</i>	(Optional)
<i>rx-info-reply</i>	(Optional)
<i>rx-param-prob</i>	(Optional)
<i>rx-source-quench</i>	(Optional)
<i>rx-tstamp-req</i>	(Optional)

show ip traffic

<i>rx-tstamp-reply</i>	(Optional)
<i>rx-time-exceeded</i>	(Optional)
<i>rx-router-solicit</i>	(Optional)
<i>rx-router-advert</i>	(Optional)
<i>rx-format-errors</i>	(Optional)
<i>rx-csum-errors</i>	(Optional)
<i>inrcv</i>	(Optional)
<i>inoctet</i>	(Optional)
<i>inhdrerr</i>	(Optional)
<i>innoroutes</i>	(Optional)
<i>inaddrerr</i>	(Optional)
<i>innoproto</i>	(Optional)
<i>intruncated</i>	(Optional)
<i>inforw</i>	(Optional)
<i>reasmoks</i>	(Optional)
<i>reasmfails</i>	(Optional)
<i>reasmreqds</i>	(Optional)
<i>indiscards</i>	(Optional)
<i>indelivers</i>	(Optional)
<i>outnoroutes</i>	(Optional)
<i>outrqsts</i>	(Optional)
<i>outforw</i>	(Optional)
<i>outdiscards</i>	(Optional)
<i>outfragreqds</i>	(Optional)
<i>outfragoks</i>	(Optional)
<i>outfragfails</i>	(Optional)
<i>outfragcreates</i>	(Optional)
<i>outtxmts</i>	(Optional)
<i>outoctet</i>	(Optional)

<i>inmcastpkts</i>	(Optional)
<i>inmcastoctets</i>	(Optional)
<i>outmcastpkts</i>	(Optional)
<i>outmcastoctets</i>	(Optional)
<i>inbdcastpkts</i>	(Optional)
<i>outbdcastpkts</i>	(Optional)

**Command Mode**

- /exec

**show ip txlist list**

```
show ip txlist { list | member }
```

**Syntax Description**

show	Show running system information
ip	Display IP information
txlist	Display IP txlist information
list	Display IP txlist main linkage
member	Display IP txlist active member linkage

**Command Mode**

- /exec

# show ip verify source

```
show ip verify source [ interface <intf6> ] [ __readonly__ TABLE_verify_entry <verify_intf>
<verify_intf_ipsg_val> <verify_ipsg_enable_intfs> <verify_hdr> <verify_filter_mode> <verify_ip_addr>
<verify_mac_addr> <verify_vlan> <verify_ipsg_exclude_vlans> ]
```

## Syntax Description

show	Show running system information
ip	Show the IP features of the system
verify	Verify IPSG information
source	IPSG source
interface	(Optional) Interface
<i>verify_intf_ipsg_val</i>	(Optional) IP source guard value (enabled or disable)
<i>verify_ipsg_enable_intfs</i>	(Optional) IP source guard enabled interfaces names
<i>intf6</i>	(Optional)
<i>__readonly__</i>	(Optional) Read only
TABLE_verify_entry	(Optional)
<i>verify_filter_mode</i>	(Optional)
<i>verify_intf</i>	(Optional)
<i>verify_hdr</i>	(Optional)
<i>verify_ip_addr</i>	(Optional)
<i>verify_mac_addr</i>	(Optional)
<i>verify_vlan</i>	(Optional)
<i>verify_ipsg_exclude_vlans</i>	(Optional)

## Command Mode

- /exec

## **show ipv6 adjacency**

# **show ipv6 adjacency**

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
adjacency	Display adjacency table
neighbor	Show IPv6 neighbor entry
<i>interface</i>	(Optional) Display specific interface adjacencies only
detail	(Optional) Show detail information of adjacency entries
summary	(Optional) Show adjacency summary
non-best	(Optional) Show both best/non-best entries
throttle	(Optional) Throttle
statistics	(Optional) Show adjacency statistics
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Show adjacency entries for all vrf
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>invalid_pkt_cnt</i>	(Optional)
<i>invalid_byte_cnt</i>	(Optional)
<i>global_drop_pkt_cnt</i>	(Optional)
<i>global_drop_byte_cnt</i>	(Optional)

<i>global_punt_pkt_cnt</i>	(Optional)
<i>global_punt_byte_cnt</i>	(Optional)
<i>global_glean_pkt_cnt</i>	(Optional)
<i>global_glean_byte_cnt</i>	(Optional)
<i>glean_pkt_cnt</i>	(Optional)
<i>glean_byte_cnt</i>	(Optional)
<i>normal_pkt_cnt</i>	(Optional)
<i>normal_byte_cnt</i>	(Optional)
<i>last_updated</i>	(Optional)
<i>count-static</i>	(Optional)
<i>count-dynamic</i>	(Optional)
<i>count-others</i>	(Optional)
<i>count-throttle</i>	(Optional)
<i>count-total</i>	(Optional)
<i>TABLE_afi</i>	(Optional)
<i>afi</i>	(Optional)
<i>count</i>	(Optional)
<i>TABLE_adj</i>	(Optional)
<i>intf-out</i>	(Optional)
<i>phy-intf</i>	(Optional)
<i>time-stamp</i>	(Optional)
<i>mac</i>	(Optional)
<i>pref</i>	(Optional)
<i>owner</i>	(Optional)
<i>pkt-count</i>	(Optional)
<i>byte-count</i>	(Optional)
<i>is-best</i>	(Optional)
<i>is-thrtld</i>	(Optional)

**Command Mode**

```
show ipv6 adjacency
```

- /exec

# show ipv6 amt tunnel

```
show ipv6 amt tunnel [ <address6><port> ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__  
TABLE_vrf <vrf> <tc6> { TABLE_tunnel <gwa> <gwp> <ut> <ld> <lr> <rc> <exp> { TABLE_route  
<source> <group> <rexp> } } ]
```

## Syntax Description

show	Show running system information
amt	AMT show commands
ipv6	Display IPv6 information
tunnel	Display tunnel information
vrf	(Optional) Display information for VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>port</i>	(Optional) UDP port number of gateway
detail	(Optional) Display routes joined by tunnel endpoint
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
<i>tc6</i>	(Optional)
TABLE_tunnel	(Optional)
<i>gwa</i>	(Optional)
<i>gwp</i>	(Optional)
<i>ut</i>	(Optional)
<i>ld</i>	(Optional)
<i>lr</i>	(Optional)
<i>rc</i>	(Optional)
<i>exp</i>	(Optional)
TABLE_route	(Optional)
<i>source</i>	(Optional)
<i>group</i>	(Optional)

```
show ipv6 amt tunnel
```

<i>rexp</i>	(Optional)
-------------	------------

**Command Mode**

- /exec

# show ipv6 bgp

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] [ <ipv6-prefix> [ longer-prefixes ] ] [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ipv6	Display BGP information for IPv6 address family
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
longer-prefixes	(Optional) Display route and more specific routes

## Command Mode

- /exec

show ipv6 bgp

## show ipv6 bgp

```
show ipv6 { bgp | mbgp } { route-map { <rmap-name> | <rmap-name> } | prefix-list { <prfxlist-name> | <test_pol_name> } | filter-list { <fltrlist-name> | <test_pol_name> } | community-list { <commlist-name> | <test_pol_name> } | extcommunity-list { <extcommlist-name> | <test_pol_name> } [ exact-match ] }
```

### Syntax Description

show	Show running system information
ipv6	Display BGP information for IPv6 address family
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
route-map	Display routes matching the route-map
<i>rmap-name</i>	Route-map name
<i>rmap-name</i>	Known route-map name
prefix-list	Display routes matching the prefix-list
<i>prfxlist-name</i>	Name of prefix-list
filter-list	Display routes matching the filter-list
<i>fltrlist-name</i>	Name of filter-list
community-list	Display routes matching the community-list
<i>commlist-name</i>	Name of community-list
extcommunity-list	Display routes matching the extcommunity-list
<i>extcommlist-name</i>	Name of extcommunity-list
<i>test_pol_name</i>	An existing test-list policy
exact-match	(Optional) Exact match of the communities

### Command Mode

- /exec

# show ipv6 bgp

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] {  
rib-install | rib-uninstall | rib-pending } [ vrf { <vrf-name> | <vrf-known-name> |  
ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
ipv6	Display BGP information for IPv6 address family
rib-install	Routes installed in RIB
rib-uninstall	Routes not installed in RIB
rib-pending	Routes not acknowledged by RIB

## Command Mode

- /exec

show ipv6 bgp community

## show ipv6 bgp community

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
  community { <regexp-str> | { { <comm-id> | <wellknown-id> } + [ exact-match ] } } [ vrf { <vrf-name>
    | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

### Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
ipv6	Display BGP information for IPv6 address family
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
community	Display routes matching the BGP communities
<i>regexp-str</i>	Regular expression to match the communities
<i>comm-id</i>	BGP community value
<i>wellknown-id</i>	BGP wellknown community
exact-match	(Optional) Exact match of the communities

### Command Mode

- /exec

# show ipv6 bgp dampening

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
dampening { dampened-paths [ regexp <regexp-str> ] | history-paths [ regexp <regexp-str> ] | parameters |
flap-statistics } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
dampening	Display dampening info
parameters	Display dampening parameters
dampened-paths	Display all dampened paths
history-paths	Display all history paths
flap-statistics	Display flap statistics for routes
ipv6	Display BGP information for IPv6 address family
regexp	(Optional) Display routes matching the AS path regular expression
<i>regexp-str</i>	(Optional) Regular expression to match the AS paths

## Command Mode

- /exec

show ipv6 bgp extcommunity

## show ipv6 bgp extcommunity

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
extcommunity { <regexp-str> | { { 4byteas-generic { transitive <ext-comm-gen-trans> | non-transitive
<ext-comm-gen-nontrans> } } + [ exact-match ] } } [ vrf { <vrf-name> | <vrf-known-name> |
ALL_VRFS_012345678901234 } ]
```

### Syntax Description

show	Show running system information
ipv6	Display BGP information for IPv6 address family
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
extcommunity	Display routes matching the BGP extcommunities
4byteas-generic	Generic extended community
transitive	Transitive extcommunity
non-transitive	Non-Transitive extcommunity
<i>regexp-str</i>	Regular expression to match the extcommunities
<i>ext-comm-gen-trans</i>	Extcommunity number aa4:nn format
<i>ext-comm-gen-nontrans</i>	Extcommunity number aa4:nn format
exact-match	(Optional) Exact match of the extcommunities

### Command Mode

- /exec

# show ipv6 bgp flap-statistics

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
flap-statistics [ <ipv6-prefix> ] [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
flap-statistics	Display route flap statistics
ipv6	Display BGP information for IPv6 address family

## Command Mode

- /exec

show ipv6 bgp neighbors

# show ipv6 bgp neighbors

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
neighbors { [ { <neighbor-id> | <ipv6-neighbor-id> } [ routes [ advertised | received | dampened ] |
advertised-routes | paths | received-routes | flap-statistics ] ] | <neighbor-prefix-id> | <ipv6-neighbor-prefix-id>
} [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
neighbors	Display all configured BGP neighbors
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>neighbor-id</i>	(Optional) Display one particular BGP neighbor
<i>neighbor-prefix-id</i>	Display details for a prefix peering
ipv6	Display BGP information for IPv6 address family
routes	(Optional) Display all routes advertised/received to/from peer
advertised	(Optional) Display all routes advertised to this peer
received	(Optional) Display all routes received from this peer
dampened	(Optional) Display all dampened routes received from this peer
advertised-routes	(Optional) Display all the routes advertised to this peer
received-routes	(Optional) Display all the routes received from this peer
flap-statistics	(Optional) Display flap statistics for routes received from this peer
paths	(Optional) Display AS paths learned from this peer

## Command Mode

- /exec

# show ipv6 bgp nexthop-database

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]  
nexthop-database [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
nexthop-database	Display nexthop database
ipv6	Display BGP information for IPv6 address family

## Command Mode

- /exec

**show ipv6 bgp nexthop**

## show ipv6 bgp nexthop

show ipv6 { bgp | mbgp } nexthop <ipv6nexthop>

### Syntax Description

show	Show running system information
ipv6	Display BGP information for IPv6 address family
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
nexthop	Display routes matching the nexthop

### Command Mode

- /exec

# show ipv6 bgp received-paths

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]  
received-paths [ private ] [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
ipv6	Display BGP information for IPv6 address family
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
received-paths	Display paths stored for soft-reconfig
private	(Optional) private

## Command Mode

- /exec

**show ipv6 bgp regexp**

## show ipv6 bgp regexp

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ] regexp
<regexp-str> [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

### Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
ipv6	Display BGP information for IPv6 address family
regexp	Display routes matching the AS path regular expression
<i>regexp-str</i>	Regular expression to match the AS paths

### Command Mode

- /exec

# show ipv6 bgp summary

```
show ipv6 { bgp | mbgp } [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]  
summary [ vrf { <vrf-name> | <vrf-known-name> | ALL_VRFS_012345678901234 } ]
```

## Syntax Description

show	Show running system information
bgp	Display BGP status and configuration
mbgp	Display MBGP status and configuration
vrf	(Optional) Virtual Router Context
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
summary	Display summarized information of BGP state
ipv6	Display BGP information for IPv6 address family

## Command Mode

- /exec

**show ipv6 cache**

## show ipv6 cache

show ipv6 cache { { brief | detail } | { interface [ <intf> ] } } [ operational ]

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
cache	Display ipv6 cache
interface	Display ipv6 related interface information
brief	Display summary of ipv6 interface status and configuration
detail	Display detailed information of ipv6 interface status and configuration
operational	(Optional) Display only interfaces that are administratively enabled
<i>intf</i>	(Optional) Interface name to display

### Command Mode

- /exec

# show ipv6 client

```
show ipv6 client [ <client-name> ] [ __readonly__ { TABLE_ipv6_client { <cli-name> <cli-stat> <cli-pid> <cli-ext-pid> [ <protocol> ] <pib-index> <cli-uuid> <rou-vrf> <rou-flg> <ctrl-sap> <data-sap> <ipc-ctrl-mq> <ipc-ctrl-fail> <ipc-data-mq> <ipc-data-fail> [ <if-ext-ind> ] [ <recv-fn> <recv-hex> ] } } ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
client	Display clients registered with the IPv6 process
<i>client-name</i>	(Optional) Display information for a single IPv6 client
<u>__readonly__</u>	(Optional)
TABLE_ipv6_client	(Optional)
<i>cli-name</i>	(Optional)
<i>cli-stat</i>	(Optional)
<i>cli-pid</i>	(Optional)
<i>cli-ext-pid</i>	(Optional)
<i>protocol</i>	(Optional)
<i>pib-index</i>	(Optional)
<i>cli-uuid</i>	(Optional)
<i>rou-vrf</i>	(Optional)
<i>rou-flg</i>	(Optional)
<i>ctrl-sap</i>	(Optional)
<i>data-sap</i>	(Optional)
<i>ipc-ctrl-mq</i>	(Optional)
<i>ipc-ctrl-fail</i>	(Optional)
<i>ipc-data-mq</i>	(Optional)
<i>ipc-data-fail</i>	(Optional)
<i>if-ext-ind</i>	(Optional)
<i>recv-fn</i>	(Optional)
<i>recv-hex</i>	(Optional)

```
show ipv6 client
```

**Command Mode**

- /exec

# show ipv6 dhcp relay

```
show ipv6 dhcp relay [ interface <intf-range> ] [ __readonly__ <relay_service_enable> <relay_vpn_enable>
<relay_cisco_option_enable> <gbl_src_intf> <interface-name> <intf_src_intf> <intf_header> <relay_address>
<vrf_name> <dst_intf> ]
```

## Syntax Description

show	Show running system information
ipv6	Show the IPv6 features of the system
dhcp	Show DHCPv6
relay	DHCPv6 relay address of the interface
interface	(Optional) DHCPv6 relay address of the interface
<i>intf-range</i>	(Optional) interface
<i>__readonly__</i>	(Optional) Read only
<i>relay_service_enable</i>	(Optional)
<i>relay_vpn_enable</i>	(Optional)
<i>relay_cisco_option_enable</i>	(Optional)
<i>gbl_src_intf</i>	(Optional) interface name
<i>interface-name</i>	(Optional) interface name
<i>intf_src_intf</i>	(Optional) interface name
<i>intf_header</i>	(Optional)
<i>vrf_name</i>	(Optional) VRF name
<i>dst_intf</i>	(Optional) interface name

## Command Mode

- /exec

show ipv6 dhcp relay statistics

# show ipv6 dhcp relay statistics

```
show ipv6 dhcp relay statistics [ interface <intf> [ [ server-ip <ip-addr-val> [ use-vrf <vrf-name> ] [ interface <dest-interface> ] ] | [ server-ip <ip-addr-val> [ interface <dest-interface> ] [ use-vrf <vrf-name> ] ] ] ] [ __readonly__ <msg_stats_hdr> <msg_type_str> <tx_pkts> <rx_pkts> <drops> <msg_type_str_total> <server_stats_hdr> <server_helper_addr> <server_vrf> <server_intf> <server_requests> <server_responses> <drop_hdr> <drop_relay_disable> <drop_max_hops> <drop_validation_fails> <drop_unknown_op_intf> <drop_bad_context> <drop_opt_insert_fail> <drop_server_direct_reply> <drop_no_ipv6_addr> <drop_intf_error> <drop_vpndisabled> <drop_ip6_extn_hdrs_presence> <drop_mct_drop> ] ]
```

## Syntax Description

show	Show running system information
ipv6	Show the IPv6 features of the system
dhcp	Show information about DHCPv6
relay	DHCPv6 Relay
statistics	Statistics related to DHCPv6
interface	(Optional) input interface
<i>intf</i>	(Optional) interface
server-ip	(Optional) Server address
use-vrf	(Optional) server address VRF membership
<i>vrf-name</i>	(Optional) VRF name
interface	(Optional) Destination interface for the server address
<i>dest-interface</i>	(Optional) Destination interface
<u>__readonly__</u>	(Optional) Read only
<i>msg_stats_hdr</i>	(Optional)
<i>msg_type_str</i>	(Optional)
<i>tx_pkts</i>	(Optional)
<i>rx_pkts</i>	(Optional)
<i>drops</i>	(Optional)
<i>msg_type_str_total</i>	(Optional)
<i>server_stats_hdr</i>	(Optional)
<i>server_helper_addr</i>	(Optional)
<i>server_vrf</i>	(Optional)

<i>server_intf</i>	(Optional) interface name
<i>server_requests</i>	(Optional)
<i>server_responses</i>	(Optional)
<i>drop_hdr</i>	(Optional)
<i>drop_relay_disable</i>	(Optional)
<i>drop_max_hops</i>	(Optional)
<i>drop_validation_fails</i>	(Optional)
<i>drop_unknown_op_intf</i>	(Optional)
<i>drop_bad_context</i>	(Optional)
<i>drop_opt_insert_fail</i>	(Optional)
<i>drop_server_direct_reply</i>	(Optional)
<i>drop_no_ipv6_addr</i>	(Optional)
<i>drop_intf_error</i>	(Optional)
<i>drop_ypn_disabled</i>	(Optional)
<i>drop_ipv6_extn_hdrs_presence</i>	(Optional)
<i>drop_mct_drop</i>	(Optional)

**Command Mode**

- /exec

show ipv6 eigrp route-map statistics

## show ipv6 eigrp route-map statistics

```
show ipv6 eigrp [ <eigrp-ptag> ] route-map statistics { { redistribute { bgp <as> | { eigrp | isis | ospfv3 | rip } <tag> | static | direct | amt } } | table-map } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_asn <asn> TABLE_vrf <vrf> { TABLE_rmap <name> <action> <seq_num> [ { TABLE_cmd <command> <compare_count> <match_count> } ] } <total_accept_count> <total_reject_count> ]
```

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
eigrp	Display EIGRP status and configuration
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>eigrp-ptag</i>	(Optional) Process tag
route-map	Route-map related information
statistics	Route-map statistics
redistribute	Redistribute information from another routing protocol
table-map	Tablemap information
bgp	Border Gateway Protocol (BGP)
as	Autonomous system number
isis	IS-IS Routing for IPv4
ospfv3	Open Shortest Path First (OSPF) V3
rip	Routing Information Protocol (RIP)
eigrp	Enhanced Interior Gateway Routing Protocol (EIGRP)
<i>tag</i>	Process tag
static	Static routes
direct	Directly connected
amt	AMT Anycast prefix
__readonly__	(Optional)

TABLE_asn	(Optional) AS number table
<i>asn</i>	(Optional) AS number
TABLE_vrf	(Optional) VRF table
<i>vrf</i>	(Optional) VRF name
TABLE_rmap	(Optional) Route-map table
<i>name</i>	(Optional) Route-map name
<i>action</i>	(Optional) Route-map action
<i>seq_num</i>	(Optional) Sequence number of the clause
TABLE_cmd	(Optional) Route-map command table
<i>command</i>	(Optional) Route-map command
<i>compare_count</i>	(Optional) Number of comparisons
<i>match_count</i>	(Optional) Number of matches
<i>total_accept_count</i>	(Optional) Total number of packets accepted by this policy
<i>total_reject_count</i>	(Optional) Total number of packets rejected by this policy

**Command Mode**

- /exec

show ipv6 fragments

# show ipv6 fragments

```
show ipv6 fragments [ <source-addr> ] [ __readonly__ [ TABLE_ipv6_frag [ TABLE_ipv6_each_q { <ipv6-src> <ipv6-dest> <frag-id> <frag-off> <m-flag> <nxt-header> <pay-load> <expires> } ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
fragments	Display queued fragments
__readonly__	(Optional)
TABLE_ipv6_frag	(Optional)
TABLE_ipv6_each_q	(Optional)
<i>frag-id</i>	(Optional)
<i>frag-off</i>	(Optional)
<i>m-flag</i>	(Optional)
<i>nxt-header</i>	(Optional)
<i>pay-load</i>	(Optional)
<i>expires</i>	(Optional)

## Command Mode

- /exec

# show ipv6 icmp

```
show ipv6 icmp { adjacency | neighbor | sync-entries } [ <interface> ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { <icmpv6-vrftype> <icmpv6-cxt-name> } [ TABLE_icmpv6_all_int { TABLE_icmpv6_one_int { <icmpv6-ipv6-addr> <time-stamp-icmpv6> <icmpv6-mac> <icmpv6-state> <icmpv6-short-name> [ <phy-int-short-name> ] } } ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
adjacency	Show IPv6 dynamic learnt adjacency entry
neighbor	Show IPv6 dynamic learnt neighbor entry
sync-entries	Show IPv6 table learnt only due to table sync
interface	(Optional) Interface name to display
detail	(Optional) Display detailed information
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
icmpv6-vrftype	(Optional)
icmpv6-cxt-name	(Optional)
TABLE_icmpv6_all_int	(Optional)
TABLE_icmpv6_one_int	(Optional)
time-stamp-icmpv6	(Optional)
icmpv6-mac	(Optional)
icmpv6-state	(Optional)
icmpv6-short-name	(Optional)
phy-int-short-name	(Optional)

## Command Mode

```
show ipv6 icmp
```

- /exec

# show ipv6 icmp global traffic

```
show ipv6 { icmp | nd } global traffic [ __readonly__ { TABLE_icmpv6_global_stat <st-total> <rv-total>
<st-err> <rv-err> <st-int-drp-cnt> <rv-int-drp-cnt> <st-adj-nt-recov-am-ha> <rv-adj-nt-recov-am-ha>
<st-pkt-allow-inv-ttl-vpc> <rv-pkt-allow-inv-ttl-vpc> <st-drp-src-mac-own> <rv-drp-src-mac-own>
<st-drp-tgt-ip-not-own> <rv-drp-tgt-ip-not-own> <st-drp-src-ip-not-own> <rv-drp-src-ip-not-own>
<st-dest-unreach> <rv-dest-unreach> <st-admin-prohib> <rv-admin-prohib> <st-time-exceed> <rv-time-exceed>
<st-para-pbms> <rv-para-pbms> <st-echo-req> <rv-echo-req> <st-echo-reply> <rv-echo-reply> <st-redirect>
<rv-redirect> <st-pkt-too-big> <rv-pkt-too-big> <st-rtr-adver> <rv-rtr-adver> <st-rtr-solicit> <rv-rtr-solicit>
<st-nei-adver> <rv-nei-adver> <st-nei-solicit> <rv-nei-solicit> <fast-path-pkts> <fastpath-disable> <other-path>
<dup-rtr-ra-recvd> <rv-dup-rtr-ra-recvd> } { TABLE_icmpv6_mld_stat <st-v1-queries> <rv-v1-queries>
<st-v2-queries> <rv-v2-queries> <st-v1-reports> <rv-v1-reports> <st-v2-reports> <rv-v2-reports>
<st-v1-leaves> <rv-v1-leaves> } ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
nd	ICMPv6 Neighbor Discovery commands
global	Show ICMPv6/ND global variables
traffic	Display ICMPv6 software processed traffic statistics
__readonly__	(Optional)
TABLE_icmpv6_global_stat	(Optional)
st-total	(Optional)
rv-total	(Optional)
st-err	(Optional)
rv-err	(Optional)
st-int-drp-cnt	(Optional)
rv-int-drp-cnt	(Optional)
st-adj-nt-recov-am-ha	(Optional)
rv-adj-nt-recov-am-ha	(Optional)
st-pkt-allow-inv-ttl-vpc	(Optional)
rv-pkt-allow-inv-ttl-vpc	(Optional)
st-drp-src-mac-own	(Optional)

**show ipv6 icmp global traffic**

<i>rv-drp-src-mac-own</i>	(Optional)
<i>st-drp-tgt-ip-not-own</i>	(Optional)
<i>rv-drp-tgt-ip-not-own</i>	(Optional)
<i>st-drp-src-ip-not-own</i>	(Optional)
<i>rv-drp-src-ip-not-own</i>	(Optional)
<i>st-dest-unreach</i>	(Optional)
<i>rv-dest-unreach</i>	(Optional)
<i>st-admin-prohib</i>	(Optional)
<i>rv-admin-prohib</i>	(Optional)
<i>st-time-exceed</i>	(Optional)
<i>rv-time-exceed</i>	(Optional)
<i>st-para-pbms</i>	(Optional)
<i>rv-para-pbms</i>	(Optional)
<i>st-echo-req</i>	(Optional)
<i>rv-echo-req</i>	(Optional)
<i>st-echo-reply</i>	(Optional)
<i>rv-echo-reply</i>	(Optional)
<i>st-redirect</i>	(Optional)
<i>rv-redirect</i>	(Optional)
<i>st-pkt-too-big</i>	(Optional)
<i>rv-pkt-too-big</i>	(Optional)
<i>st-rtr-adver</i>	(Optional)
<i>rv-rtr-adver</i>	(Optional)
<i>st-rtr-solicit</i>	(Optional)
<i>rv-rtr-solicit</i>	(Optional)
<i>st-nei-adver</i>	(Optional)
<i>rv-nei-adver</i>	(Optional)
<i>st-nei-solicit</i>	(Optional)
<i>rv-nei-solicit</i>	(Optional)

<i>fast-path-pkts</i>	(Optional)
<i>fastpath-disable</i>	(Optional)
<i>other-path</i>	(Optional)
<i>dup-rtr-ra-received</i>	(Optional)
<i>rv-dup-rtr-ra-received</i>	(Optional)
TABLE_icmpv6_mld_stat	(Optional)
<i>st-v1-queries</i>	(Optional)
<i>rv-v1-queries</i>	(Optional)
<i>st-v2-queries</i>	(Optional)
<i>rv-v2-queries</i>	(Optional)
<i>st-v1-reports</i>	(Optional)
<i>rv-v1-reports</i>	(Optional)
<i>st-v2-reports</i>	(Optional)
<i>rv-v2-reports</i>	(Optional)
<i>st-v1-leaves</i>	(Optional)
<i>rv-v1-leaves</i>	(Optional)

**Command Mode**

- /exec

show ipv6 icmp interface

# show ipv6 icmp interface

```
{ show ipv6 { icmp | nd } interface [ <interface> ] { [ prefix [ full ] ] | [ route ] | [ detail ] } [ vrf { <vrf-name> | <vrf-known-name> | all } ] } | { show ipv6 [ icmp ] mld interface [ brief ] [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] } | { show ipv6 [ icmp ] mld interface <interface> } [ __readonly__ TABLE_vrf <vrf-name-out> TABLE_intf <intf-name> <proto-state> <link-state> <admin-state> <addr> <subnet> <link-local-addr> <icmipv6-disabled> <last-ns-sent> <last-na-sent> <last-ra-sent> <next-na-sent> <ra-min-interval> <ra-interval> <set-m-flag> <set-o-flag> <current-hop-limit> <mtu> <router-lifetime> <reachable-time> <retrans-timer> <ns-interval> <send-redirect> <send-unreachables> <mld-disabled> <mld querier> <mld-entry-count> <mld-config-version> <mld-querier-version> <mld-host-version> <mld-query-timer> <mld-querier-expiry> <mld-qi> <mld-config-qi> <mld-query-mrt> <mld-config-query-mrt> <mld-startup-qi> <mld-config-startup-qi> <mld-startup-qc> <mld-config-last-member-mrt> <mld-last-member-qc> <mld-group-timeout> <mld-config-group-timeout> <mld-querier-timeout> <mld-config-querier-timeout> <mld-config-unsol-rpt-interval> <mld-qrv> <mld-config-robustness-variable> <mld-config-rpt-link-local> <mld-refcount> <static-group-map> <join-group-map> <ra-sent> <ra-rec> <rs-sent> <rs-rec> <na-sent> <na-rec> <ns-sent> <ns-rec> <redirect-sent> <redirect-rec> <msg-sent> <msg-rec> <errors-sent> <errores-rec> <ifdown-sent> <ifdown-rec> <am-ha-not-ready> <allow-mct-ttl> <our-own-mac> <tgt-not-us> <dest-unreachs-sent> <dest-unreachs-rec> <admin-prohibs-sent> <admin-prohibs-rec> <time-excds-sent> <time-excds-rec> <parm-problems-sent> <parm-problems-rec> <echos-sent> <echos-rec> <echo-replies-sent> <echo-replies-rec> <pkt-toobigs-sent> <pkt-toobigs-rec> <fastpath-pkt-recv> <fastpath-disable-pkt-recv> <fastpath-ignore-pkt-recv> <v1-queries-sent> <v1-queries-rec> <v2-queries-sent> <v2-queries-rec> <v1-reports-sent> <v1-reports-rec> <v2-reports-sent> <v2-reports-rec> <v1-leaves-sent> <v1-leaves-rec> <v2-leaves-sent> <v2-leaves-rec> <uptime> <mld-config-il> ] }
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
nd	ICMPv6 Neighbor Discovery commands
mld	Display Multicast Listener Discovery information
interface	Display ICMPv6 related interface information
prefix	(Optional) Display List of ICMPv6 RA prefix
route	(Optional) Display List of ICMPv6 RA routes
full	(Optional) Display Complete prefix information
detail	(Optional) Display ICMPv6 related interface information in detail

brief	(Optional) Display ICMPv6 related interface information in brief
<i>interface</i>	(Optional) Interface name to show
<u>readonly</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_intf	(Optional)
<i>intf-name</i>	(Optional)
<i>proto-state</i>	(Optional)
<i>link-state</i>	(Optional)
<i>admin-state</i>	(Optional)
<i>icmpv6-disabled</i>	(Optional)
<i>last-ns-sent</i>	(Optional)
<i>last-na-sent</i>	(Optional)
<i>last-ra-sent</i>	(Optional)
<i>next-na-sent</i>	(Optional)
<i>ra-min-interval</i>	(Optional)
<i>ra-interval</i>	(Optional)
<i>set-m-flag</i>	(Optional)
<i>set-o-flag</i>	(Optional)
<i>current-hop-limit</i>	(Optional)
<i>mtu</i>	(Optional)
<i>router-lifetime</i>	(Optional)
<i>reachable-time</i>	(Optional)
<i>retrans-timer</i>	(Optional)
<i>ns-interval</i>	(Optional)
<i>send-redirect</i>	(Optional)
<i>send-unreachables</i>	(Optional)
<i>mld-disabled</i>	(Optional)
<i>mld-entry-count</i>	(Optional)

**show ipv6 icmp interface**

<i>mld-config-version</i>	(Optional)
<i>mld-querier-version</i>	(Optional)
<i>mld-host-version</i>	(Optional)
<i>mld-query-timer</i>	(Optional)
<i>mld-querier-expiry</i>	(Optional)
<i>mld-qi</i>	(Optional)
<i>mld-config-qi</i>	(Optional)
<i>mld-query-mrt</i>	(Optional)
<i>mld-config-query-mrt</i>	(Optional)
<i>mld-startup-qi</i>	(Optional)
<i>mld-config-startup-qi</i>	(Optional)
<i>mld-startup-qc</i>	(Optional)
<i>mld-config-last-member-mrt</i>	(Optional)
<i>mld-last-member-qc</i>	(Optional)
<i>mld-group-timeout</i>	(Optional)
<i>mld-config-group-timeout</i>	(Optional)
<i>mld-querier-timeout</i>	(Optional)
<i>mld-config-querier-timeout</i>	(Optional)
<i>mld-config-unsol-rpt-interval</i>	(Optional)
<i>mld-qrv</i>	(Optional)
<i>mld-config-robustness-variable</i>	(Optional)
<i>mld-config-rpt-link-local</i>	(Optional)
<i>mld-refcount</i>	(Optional)
<i>static-group-map</i>	(Optional)
<i>join-group-map</i>	(Optional)
<i>ra-sent</i>	(Optional)
<i>ra-rec</i>	(Optional)
<i>rs-sent</i>	(Optional)
<i>rs-rec</i>	(Optional)

<i>na-sent</i>	(Optional)
<i>na-rec</i>	(Optional)
<i>ns-sent</i>	(Optional)
<i>ns-rec</i>	(Optional)
<i>redirect-sent</i>	(Optional)
<i>redirect-rec</i>	(Optional)
<i>msg-sent</i>	(Optional)
<i>msg-rec</i>	(Optional)
<i>errors-sent</i>	(Optional)
<i>erros-rec</i>	(Optional)
<i>ifdown-sent</i>	(Optional)
<i>ifdown-rec</i>	(Optional)
<i>am-ha-not-ready</i>	(Optional)
<i>allow-mct-ttl</i>	(Optional)
<i>our-own-mac</i>	(Optional)
<i>tgt-not-us</i>	(Optional)
<i>dest-unreachs-sent</i>	(Optional)
<i>dest-unreachs-rec</i>	(Optional)
<i>admin-prohibs-sent</i>	(Optional)
<i>admin-prohibs-rec</i>	(Optional)
<i>time-excds-sent</i>	(Optional)
<i>time-excds-rec</i>	(Optional)
<i>parm-problems-sent</i>	(Optional)
<i>parm-problems-rec</i>	(Optional)
<i>echos-sent</i>	(Optional)
<i>echos-rec</i>	(Optional)
<i>echo-replies-sent</i>	(Optional)
<i>echo-replies-rec</i>	(Optional)
<i>pkt-toobigs-sent</i>	(Optional)

**show ipv6 icmp interface**

<i>pkt-toobigs-rec</i>	(Optional)
<i>fastpath-pkt-recv</i>	(Optional)
<i>fastpath-disable-pkt-recv</i>	(Optional)
<i>fastpath-ignore-pkt-recv</i>	(Optional)
<i>v1-queries-sent</i>	(Optional)
<i>v1-queries-rec</i>	(Optional)
<i>v2-queries-sent</i>	(Optional)
<i>v2-queries-rec</i>	(Optional)
<i>v1-reports-sent</i>	(Optional)
<i>v1-reports-rec</i>	(Optional)
<i>v2-reports-sent</i>	(Optional)
<i>v2-reports-rec</i>	(Optional)
<i>v1-leaves-sent</i>	(Optional)
<i>v1-leaves-rec</i>	(Optional)
<i>v2-leaves-sent</i>	(Optional)
<i>v2-leaves-rec</i>	(Optional)
<i>uptime</i>	(Optional)
<i>mld-config-il</i>	(Optional)

#### Command Mode

- /exec

# show ipv6 icmp ndp

show ipv6 icmp ndp

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
ndp	DisplaysIPv6 neighbor by looking at the top level pt

## Command Mode

- /exec

**show ipv6 icmp off-list**

```
show ipv6 icmp off-list [ vlan <vlan-id> ] [ __readonly__ [ <vlan-adj-cnt> ] [ <icmpv6-sync-adj-cnt> ] { TABLE_icmpv6_vlan_list <adj-vlan-id> <off-adj-ip-addr> <icmpv6-time-stamp> <icmpv6-mac-addr> <off-adj-flags> } ]
```

#### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
off-list	Show adjacencies in off-list icmpv6 database
vlan	(Optional) Vlan id
<i>vlan-id</i>	(Optional) Show information for specified vlan
<u>__readonly__</u>	(Optional)
<i>vlan-adj-cnt</i>	(Optional)
<i>icmpv6-sync-adj-cnt</i>	(Optional)
TABLE_icmpv6_vlan_list	(Optional)
<i>adj-vlan-id</i>	(Optional)
<i>icmpv6-time-stamp</i>	(Optional)
<i>icmpv6-mac-addr</i>	(Optional)
<i>off-adj-flags</i>	(Optional)

#### Command Mode

- /exec

# show ipv6 icmp process sdb

show ipv6 icmp process sdb

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
process	Display process information
sdb	Dump IPv6 sdb in a file

## Command Mode

- /exec

## **show ipv6 icmp vaddr**

# **show ipv6 icmp vaddr**

```

show ipv6 icmp vaddr { link-local [ detail ] | global | pt-tree } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_pt_tree { <v-ipv6-addr> <v-mac-addr> <v-interface> <v-client-state> } ] [ TABLE_vrf_all [ TABLE_glo_vrf { <group-id> <protocol-vrf> <cli-uuid> <vaddr-action> <vrf-interface> <v-ipv6-addr-one> <vaddr-mac> <cxt-name> <cxt-id> } ] [ TABLE_one_int { [ <lcache-inter> <cxt-name-int> <cxt_id-int> ] <grp-id> <protocol-one-int> <client-uuid> <client-state-act> <client-in-use> <client-state> } { TABLE_vip_list { <virt-ipv6> <virt-mac> <cxt_name> <cxt_id> } [ <last-solocit-st> <last-nei-ad-st> <last-rtr-adv-st> <nxt-rtr-ad-st> <icmpv6-addr> <vmac-addr> <st-total> <rv-total> <st-err> <rv-err> <st-int-dwn-drp> <rv-int-dwn-drp> <st-adj-nt-recov-am> <rv-adj-nt-recov-am> <st-pkt-allow-inv-ttl> <rv-pkt-allow-inv-ttl> <st-pkt-drp-src-mac-own> <rv-pkt-drp-src-mac-own> <st-pkt-drp-tgt-not-own> <rv-pkt-drp-tgt-not-own> <st-pkt-drp-src-not-own> <rv-pkt-drp-src-not-own> <st-dest-unreach> <rv-dest-unreach> <st-admin-prohi> <rv-admin-prohi> <st-time-exceed> <rv-time-exceed> <st-patr-pbm> <rv-patr-pbm> <st-echo-req> <rv-echo-req> <st-echo-reply> <rv-echo-reply> <st-dup-ra> <rv-dup-ra> <st-redirect> <rv-redirect> <st-pkt-too-big> <rv-pkt-too-big> <st-rtr-adver> <rv-rtr-adver> <st-rtr-solicit> <rv-rtr-solicit> <st-nei-adver> <rv-nei-adver> <st-nei-solicit> <rv-nei-solicit> ] } ] ]

```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
vaddr	Show all virtual addresses configured
link-local	Display link-local virtual ipv6 addresses
detail	(Optional) Display detailed information
global	Display global virtual ipv6 addresses
pt-tree	Display link-local virtual ipv6 addresses pt-tree information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_pt_tree	(Optional)
<i>v-mac-addr</i>	(Optional)
<i>v-interface</i>	(Optional)
<i>v-client-state</i>	(Optional)
TABLE_vrf_all	(Optional)

TABLE_glo_vrf	(Optional)
<i>group-id</i>	(Optional)
<i>protocol-vrf</i>	(Optional)
<i>cli-uuid</i>	(Optional)
<i>vaddr-action</i>	(Optional)
<i>vrf-interface</i>	(Optional)
<i>vaddr-mac</i>	(Optional)
<i>cxt-name</i>	(Optional)
<i>cxt-id</i>	(Optional)
TABLE_one_int	(Optional)
<i>lcache-inter</i>	(Optional)
<i>cxt-name-int</i>	(Optional)
<i>cxt_id-int</i>	(Optional)
<i>grp-id</i>	(Optional)
<i>protocol-one-int</i>	(Optional)
<i>client-uuid</i>	(Optional)
<i>client-state-act</i>	(Optional)
<i>client-in-use</i>	(Optional)
<i>client-state</i>	(Optional)
TABLE_vip_list	(Optional)
<i>virt-mac</i>	(Optional)
<i>cxt_name</i>	(Optional)
<i>cxt_id</i>	(Optional)
<i>last-solicit-st</i>	(Optional)
<i>last-nei-ad-st</i>	(Optional)
<i>last-rtr-adv-st</i>	(Optional)
<i>nxt-rtr-ad-st</i>	(Optional)
<i>vmac-addr</i>	(Optional)
<i>st-total</i>	(Optional)

show ipv6 icmp vaddr

<i>rv-total</i>	(Optional)
<i>st-err</i>	(Optional)
<i>rv-err</i>	(Optional)
<i>st-int-dwn-drp</i>	(Optional)
<i>rv-int-dwn-drp</i>	(Optional)
<i>st-adj-nt-recov-am</i>	(Optional)
<i>rv-adj-nt-recov-am</i>	(Optional)
<i>st-pkt-allow-inv-ttl</i>	(Optional)
<i>rv-pkt-allow-inv-ttl</i>	(Optional)
<i>st-pkt-drp-src-mac-own</i>	(Optional)
<i>rv-pkt-drp-src-mac-own</i>	(Optional)
<i>st-pkt-drp-tgt-not-own</i>	(Optional)
<i>rv-pkt-drp-tgt-not-own</i>	(Optional)
<i>st-pkt-drp-src-not-own</i>	(Optional)
<i>st-dest-unreach</i>	(Optional)
<i>rv-dest-unreach</i>	(Optional)
<i>st-admin-prohi</i>	(Optional)
<i>rv-admin-prohi</i>	(Optional)
<i>st-time-exceed</i>	(Optional)
<i>rv-time-exceed</i>	(Optional)
<i>st-patr-pbm</i>	(Optional)
<i>rv-patr-pbm</i>	(Optional)
<i>st-echo-req</i>	(Optional)
<i>rv-echo-req</i>	(Optional)
<i>st-echo-reply</i>	(Optional)
<i>rv-echo-reply</i>	(Optional)
<i>st-dup-ra</i>	(Optional)
<i>rv-dup-ra</i>	(Optional)

<i>st-redirect</i>	(Optional)
<i>rv-redirect</i>	(Optional)
<i>st-pkt-too-big</i>	(Optional)
<i>rv-pkt-too-big</i>	(Optional)
<i>st-rtr-adver</i>	(Optional)
<i>rv-rtr-adver</i>	(Optional)
<i>st-rtr-solicit</i>	(Optional)
<i>rv-rtr-solicit</i>	(Optional)
<i>st-nei-adver</i>	(Optional)
<i>rv-nei-adver</i>	(Optional)
<i>st-nei-solicit</i>	(Optional)
<i>rv-nei-solicit</i>	(Optional)

**Command Mode**

- /exec

show ipv6 icmp vpc-statistics

## show ipv6 icmp vpc-statistics

```
show ipv6 icmp vpc-statistics [ __readonly__ { TABLE_icmpv6_vpc_stats [ <icmpv6-pro-drp-pull-disable>
] [ <icmpv6-pro-drp-push-msg-disable> ] [ <icmpv6-pro-ign-snd-pull-disabe> ] [
<icmpv6-ign-snd-push-disable> ] [ <icmpv6-drp-im-fail> ] [ <icmpv6-drp-mcecm-fail> ] [
<icmpv6-drp-invalid-pc-iod> ] [ <icmpv6-drp-pt-lookup-fail> ] [ <icmpv6-drp-resp-fail-no-mct> ] [
<icmpv6-drp-resp-fail> ] [ <icmpv6-resp-sent> ] [ <icmpv6-resp-received> ] [ <icmpv6-resp-recv-err> ] [
<icmpv6-received-msg> ] [ <icmpv6-send-fail> ] [ <icmpv6-cfs-rel-dlvry-fail> ] [ <icmpv6-cfs-rel-dnvry-suc>
] [ <icmpv6-drp-pt-add-fail> ] [ <icmpv6-drp-no-mem> ] [ <icmpv6-drp-tmr-cre-fail> ] [
<icmpv6-drp-add-adj-fail> ] [ <icmpv6-off-drp-pt-lookup-fail> ] [ <icmpv6-dont-drp-vlan-mismat> ] [
<icmpv6-drp-svi-invalid> ] [ <icmpv6-dont-drop-sv-down> ] [ <icmpv6-drp-mct-down> ] [
<icmpv6-drp-ctxt-invalid> ] [ <icmpv6-drp-vrf-invalid> ] [ <icmpv6-drp-l3addr-invalid> ] [
<icmpv6-drp-l3addr-sanity-fail> ] [ <icmpv6-drp-mac-sanity-fail> ] [ <icmpv6-own-rtr-mac> ] [
<icmpv6-drp-own-ipv6addr> ] [ <icmpv6-drp-own-vipv6add> ] [ <icmpv6-drp-adj-fail> ] [
<icmpv6-drp-subnet-mismatch> ] [ <icmpv6-drp-adj-exist> ] [ <icmpv6-dont-drp-ip-not-enable> ] [
<icmpv6-drp-total-cnt> ] [ <icmpv6-dont-drop-total-cnt> ] [ <icmpv6-add-adj> ] [ <icmpv6-del-adj> ] [
<icmpv6-adj-already-exist> ] } ]
```

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	Display ICMPv6 information
vpc-statistics	Show vPC global statistics
__readonly__	(Optional)
TABLE_icmpv6_vpc_stats	(Optional) icmpv6 Vpc statistics
icmpv6-pro-drp-pull-disable	(Optional)
icmpv6-pro-drp-push-msg-disable	(Optional)
icmpv6-pro-ign-snd-pull-disabe	(Optional)
icmpv6-ign-snd-push-disable	(Optional)
icmpv6-drp-im-fail	(Optional)
icmpv6-drp-mcecm-fail	(Optional)
icmpv6-drp-invalid-pc-iod	(Optional)
icmpv6-drp-pt-lookup-fail	(Optional)
icmpv6-drp-resp-fail-no-mct	(Optional)
icmpv6-drp-resp-fail	(Optional)
icmpv6-resp-sent	(Optional)

<i>icmpv6-resp-received</i>	(Optional)
<i>icmpv6-resp-recv-err</i>	(Optional)
<i>icmpv6-rcvd-msg</i>	(Optional)
<i>icmpv6-send-fail</i>	(Optional)
<i>icmpv6-cfs-rel-dlvry-fail</i>	(Optional)
<i>icmpv6-cfs-rel-dnvry-suc</i>	(Optional)
<i>icmpv6-drp-pt-add-fail</i>	(Optional)
<i>icmpv6-drp-no-mem</i>	(Optional)
<i>icmpv6-drp-tmr-cre-fail</i>	(Optional)
<i>icmpv6-drp-add-adj-fail</i>	(Optional)
<i>icmpv6-off-drp-pt-lookup-fail</i>	(Optional)
<i>icmpv6-dont-drp-vlan-mismat</i>	(Optional)
<i>icmpv6-drp-svi-invalid</i>	(Optional)
<i>icmpv6-dont-drop-sv-down</i>	(Optional)
<i>icmpv6-drp-mct-down</i>	(Optional)
<i>icmpv6-drp-ctxt-invalid</i>	(Optional)
<i>icmpv6-drp-vrf-invalid</i>	(Optional)
<i>icmpv6-drp-l3addr-invalid</i>	(Optional)
<i>icmpv6-drp-l3addr-sanity-fail</i>	(Optional)
<i>icmpv6-drp-mac-sanity-fail</i>	(Optional)
<i>icmpv6-own-rtr-mac</i>	(Optional)
<i>icmpv6-drp-own-ipv6addr</i>	(Optional)
<i>icmpv6-drp-own-vipv6add</i>	(Optional)
<i>icmpv6-drp-adj-fail</i>	(Optional)
<i>icmpv6-drp-subnet-mismatch</i>	(Optional)
<i>icmpv6-drp-adj-exist</i>	(Optional)
<i>icmpv6-dont-drp-ip-not-enable</i>	(Optional)
<i>icmpv6-drp-total-cnt</i>	(Optional)
<i>icmpv6-dont-drop-total-cnt</i>	(Optional)

```
show ipv6 icmp vpc-statistics
```

<i>icmpv6-add-adj</i>	(Optional)
<i>icmpv6-del-adj</i>	(Optional)
<i>icmpv6-adj-already-exist</i>	(Optional)

**Command Mode**

- /exec

# show ipv6 interface

```
show ipv6 interface { [ brief[ include-secondary ] | [ <interface> | <ipv6-addr> ] [ detail ] ] } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_vrf <vrf-name-out> ] [ TABLE_intf <intf-name> | <proto-state> ] [ <link-state> ] [ <admin-state> ] [ <iod> ] [ <addr> ] [ <prefix> ] [ { TABLE_sec_addr [ <sec-prefix> ] } [ <linklocal-addr> ] [ <linklocal-configured> ] [ <ipv6-disabled> ] [ <mrouting-enabled> ] [ <mgroup-locally-joined> ] [ { TABLE_maddr <m-addr> [ <m-addr-refcnt> ] } ] [ { TABLE_sg [ <sg-saddr> ] [ <sg-maddr> ] [ <sg-refcnt> ] } ] [ <mtu> ] [ <global-in-pcl-configured> ] [ <global-in-pcl-name> ] [ <global-in-pcl-pending> ] [ <global-out-pcl-configured> ] [ <global-out-pcl-name> ] [ <global-out-pcl-pending> ] [ <in-pcl-configured> ] [ <in-pcl-name> ] [ <in-pcl-pending> ] [ <out-pcl-configured> ] [ <out-pcl-name> ] [ <out-pcl-pending> ] [ <urpf-mode> ] [ <ipv6-lstype> ] [ <stats-last-reset> ] [ <acl-in> ] [ <acl-out> ] [ <upkt-fwd> ] [ <upkt-orig> ] [ <upkt-consumed> ] [ <ubyte-fwd> ] [ <ubyte-orig> ] [ <ubyte-consumed> ] [ <mpkt-fwd> ] [ <mpkt-orig> ] [ <mpkt-consumed> ] [ <mbyte-fwd> ] [ <mbyte-orig> ] [ <mbyte-consumed> ] [ <upkt-in-acc> ] [ <upkt-in-rej> ] [ <ubyte-in-acc> ] [ <ubyte-in-rej> ] [ <mpkt-in-acc> ] [ <mpkt-in-rej> ] [ <mbyte-in-acc> ] [ <mbyte-in-rej> ] [ <upkt-out-acc> ] [ <upkt-out-rej> ] [ <ubyte-out-acc> ] [ <ubyte-out-rej> ] [ <hw-upkt-sent> ] [ <hw-upkt-recv> ] [ <hw-ubyte-sent> ] [ <hw-ubyte-recv> ] [ <hw-mpkt-sent> ] [ <hw-mpkt-recv> ] [ <hw-mbyte-sent> ] [ <hw-mbyte-recv> ] [ <hw-upkt-drop> ] [ <hw-ubyte-drop> ] [ <hw-mpkt-drop> ] [ <hw-mbyte-drop> ] [ <hw-mpkt-rpdrop> ] [ <hw-mbyte-rpdrop> ] [ <hw-mpkt-dfdrop> ] [ <hw-mbyte-dfdrop> ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
interface	Display IPv6 related interface information
brief	(Optional) Display summary of IPv6 status and configuration
include-secondary	(Optional) Display summary of all IPv6 addresses
<i>interface</i>	(Optional) Interface name to display
detail	(Optional) Display detailed IPv6 interface information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display all VRFs
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_intf	(Optional)

**show ipv6 interface**

<i>intf-name</i>	(Optional)
<i>proto-state</i>	(Optional)
<i>link-state</i>	(Optional)
<i>admin-state</i>	(Optional)
<i>iod</i>	(Optional)
<i>prefix</i>	(Optional)
TABLE_sec_addr	(Optional)
<i>sec-prefix</i>	(Optional)
<i>linklocal-configured</i>	(Optional)
<i>ipv6-disabled</i>	(Optional)
<i>mrouting-enabled</i>	(Optional)
<i>mgroup-locally-joined</i>	(Optional)
TABLE_maddr	(Optional)
<i>m-addr-refcnt</i>	(Optional)
TABLE_sg	(Optional)
<i>sg-refcnt</i>	(Optional)
<i>mtu</i>	(Optional)
<i>global-in-pcl-configured</i>	(Optional)
<i>global-in-pcl-name</i>	(Optional)
<i>global-in-pcl-pending</i>	(Optional)
<i>global-out-pcl-configured</i>	(Optional)
<i>global-out-pcl-name</i>	(Optional)
<i>global-out-pcl-pending</i>	(Optional)
<i>in-pcl-configured</i>	(Optional)
<i>in-pcl-name</i>	(Optional)
<i>in-pcl-pending</i>	(Optional)
<i>out-pcl-configured</i>	(Optional)
<i>out-pcl-name</i>	(Optional)
<i>out-pcl-pending</i>	(Optional)

<i>urpf-mode</i>	(Optional)
<i>ipv6-lstype</i>	(Optional)
<i>stats-last-reset</i>	(Optional)
<i>acl-in</i>	(Optional)
<i>acl-out</i>	(Optional)
<i>upkt-fwd</i>	(Optional)
<i>upkt-orig</i>	(Optional)
<i>upkt-consumed</i>	(Optional)
<i>ubyte-fwd</i>	(Optional)
<i>ubyte-orig</i>	(Optional)
<i>ubyte-consumed</i>	(Optional)
<i>mpkt-fwd</i>	(Optional)
<i>mpkt-orig</i>	(Optional)
<i>mpkt-consumed</i>	(Optional)
<i>mbyte-fwd</i>	(Optional)
<i>mbyte-orig</i>	(Optional)
<i>mbyte-consumed</i>	(Optional)
<i>upkt-in-acc</i>	(Optional)
<i>upkt-in-rej</i>	(Optional)
<i>ubyte-in-acc</i>	(Optional)
<i>ubyte-in-rej</i>	(Optional)
<i>mpkt-in-acc</i>	(Optional)
<i>mpkt-in-rej</i>	(Optional)
<i>mbyte-in-acc</i>	(Optional)
<i>mbyte-in-rej</i>	(Optional)
<i>upkt-out-acc</i>	(Optional)
<i>upkt-out-rej</i>	(Optional)
<i>ubyte-out-acc</i>	(Optional)
<i>ubyte-out-rej</i>	(Optional)

**show ipv6 interface**

<i>mpkt-out-acc</i>	(Optional)
<i>mpkt-out-rej</i>	(Optional)
<i>mbyte-out-acc</i>	(Optional)
<i>mbyte-out-rej</i>	(Optional)
<i>hw-upkt-sent</i>	(Optional)
<i>hw-upkt-recv</i>	(Optional)
<i>hw-ubyte-sent</i>	(Optional)
<i>hw-ubyte-recv</i>	(Optional)
<i>hw-mpkt-sent</i>	(Optional)
<i>hw-mpkt-recv</i>	(Optional)
<i>hw-mbyte-sent</i>	(Optional)
<i>hw-mbyte-recv</i>	(Optional)
<i>hw-upkt-drop</i>	(Optional)
<i>hw-ubyte-drop</i>	(Optional)
<i>hw-mpkt-drop</i>	(Optional)
<i>hw-mbyte-drop</i>	(Optional)
<i>hw-mpkt-rpdrop</i>	(Optional)
<i>hw-mbyte-rpdrop</i>	(Optional)
<i>hw-mpkt-dfdrop</i>	(Optional)
<i>hw-mbyte-dfdrop</i>	(Optional)

**Command Mode**

- /exec

# show ipv6 interface global

show ipv6 interface global

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
interface	Display IPv6 related interface information
global	Show IPv6 global parameters

## Command Mode

- /exec

show ipv6 lisp data-cache

## show ipv6 lisp data-cache

show ipv6 lisp data-cache [ <eid> ] [ vrf { <vrf-name> | <vrf-known-name> } ]

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
lisp	LISP show commands
data-cache	Display EID-to-RLOC data cache mapping in this ITR
<i>eid</i>	(Optional) Display mapping for IPv6 destination EID
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

### Command Mode

- /exec

# show ipv6 local-pt

show ipv6 local-pt [ vrf { <vrf-name> | <vrf-known-name> | all } ]

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
local-pt	Display IPv6 local address pt data structure
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display all VRFs

## Command Mode

- /exec

**show ipv6 local policy**

# show ipv6 local policy

```
show ipv6 local policy [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_pbr <interface> <rmap> <status> <vrf_name> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
local	IPv6 local options
policy	Policy routing
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_pbr	(Optional)
<i>interface</i>	(Optional)
<i>rmap</i>	(Optional)
<i>status</i>	(Optional)
<i>vrf_name</i>	(Optional)

## Command Mode

- /exec

# show ipv6 mld groups

```
show ipv6 [ icmp ] mld groups [ { <source> [ <group> ] } | { <group> [ <source> ] } ] [ <interface> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf-name-out> <entry-count> TABLE_group <group-out> TABLE_intf <intf-name> <icmpv6-disabled> <mld-source> <mld-group> <mld-source-unspec> <mld-static> <mld-local-group> <mld-translated> <mld-uptime> <mld-expire> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	(Optional) Display ICMPv6 information
mld	Display Multicast Listener Discovery information
groups	Display MLD attached group membership information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<i>interface</i>	(Optional) Display group membership on interface name
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>entry-count</i>	(Optional)
TABLE_group	(Optional)
TABLE_intf	(Optional)
<i>intf-name</i>	(Optional)
<i>icmpv6-disabled</i>	(Optional)
<i>mld-source-unspec</i>	(Optional)
<i>mld-static</i>	(Optional)
<i>mld-local-group</i>	(Optional)
<i>mld-translated</i>	(Optional)
<i>mld-uptime</i>	(Optional)

```
show ipv6 mld groups
```

<i>mld-expire</i>	(Optional)
-------------------	------------

**Command Mode**

- /exec

# show ipv6 mld local-groups

```
show ipv6 [ icmp ] mld local-groups [ <interface> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf> { TABLE_entry <group-addr> <source-addr> <static-oif> <local-group> <if-name> <last-reported> } ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
icmp	(Optional) Display ICMPv6 information
mld	Display Multicast Listener Discovery information
local-groups	Display MLD local group membership information
<i>interface</i>	(Optional) Display group membership on interface name
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>vrf</i>	(Optional)
TABLE_entry	(Optional)
<i>static-oif</i>	(Optional)
<i>local-group</i>	(Optional)
<i>if-name</i>	(Optional)
<i>last-reported</i>	(Optional)

## Command Mode

- /exec

**show ipv6 mld vrf all**

show ipv6 [ icmp ] mld vrf all

**Syntax Description**

show	Show running system information
ipv6	Display IPv6 information
icmp	(Optional) Display ICMPv6 information
mld	Display Multicast Listener Discovery information
vrf	Display per-VRF information
all	Display MLD VRFs

**Command Mode**

- /exec

## **show ipv6 mroute**

```
show ipv6 mroute [ [ bitfield ] | rp | { [ <group> ] summary [ software-forwarded ] } | { summary [ count | software-forwarded ] } | { { <source><group> } | { <group> [ <source> ] } } [ summary [ software-forwarded ] | bitfield ] ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_vrf <vrf-name> | TABLE_addr <mcast-addrs> <pending> <bidir> <uptime> [ TABLE_mpib <mpib-name> <stale-route> ] <if-name><rpf-nbr><internal><oif-count><fabric-oif><fabric-loser> [ TABLE_oif <oif-name> <oif-uptime> [ TABLE_oif_mpib <oif-mpib-name> <stale-oif> ] <rpf> ] [ <oif-list-bitfield> ] ] [ <total-route-count> <star-g-count> <source-count> <star-g-prefix-count> <group-count> <avg-sources-per-group><rem> [ <reason-for-route-stats-pending> ] ] [ TABLE_group <group-addr><group-mask-len><source-count-per-grp> [ TABLE_source <route-or-source> [ <name> ] <packets><bytes><aps><pps><bit-rate-in-bps><oifs> [ <software-pkts> ] ] ] } ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) Multicast VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
mroute	Display IPv6 multicast routing table
summary	(Optional) Display route counts and packet rates
software-forwarded	(Optional) Display software switched route counts only
rp	(Optional) Display RP routes (RP, 0.0.0.0/32)
count	(Optional) Display route counts only
bitfield	(Optional) Display bitfield details
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name</i>	(Optional)
TABLE_addr	(Optional)
<i>mcast-addrs</i>	(Optional)
<i>bidir</i>	(Optional)
<i>pending</i>	(Optional)
<i>uptime</i>	(Optional)

show ipv6 mroute

<i>internal</i>	(Optional)
TABLE_mpib	(Optional)
<i>mpib-name</i>	(Optional)
<i>stale-route</i>	(Optional)
TABLE_oif	(Optional)
<i>oif-name</i>	(Optional)
<i>oif-upptime</i>	(Optional)
<i>rpf</i>	(Optional)
<i>oif-list-bitfield</i>	(Optional)
TABLE_oif_mpib	(Optional)
<i>oif-mpib-name</i>	(Optional)
<i>stale-oif</i>	(Optional)
<i>total-route-count</i>	(Optional)
<i>star-g-count</i>	(Optional)
<i>source-count</i>	(Optional)
<i>star-g-prefix-count</i>	(Optional)
<i>group-count</i>	(Optional)
<i>reason-for-route-stats-pending</i>	(Optional)
TABLE_group	(Optional)
<i>group-addr</i>	(Optional)
<i>group-mask-len</i>	(Optional)
<i>source-count-per-grp</i>	(Optional)
TABLE_source	(Optional)
<i>route-or-source</i>	(Optional)
<i>name</i>	(Optional)
<i>packets</i>	(Optional)
<i>bytes</i>	(Optional)
<i>aps</i>	(Optional)
<i>pps</i>	(Optional)

<i>bit-rate-in-bps</i>	(Optional)
<i>oifs</i>	(Optional)
<i>software-pkts</i>	(Optional)

**Command Mode**

- /exec

show ipv6 mtu

# show ipv6 mtu

```
show ipv6 mtu [ statistics | vrf { <vrf-name> | <vrf-known-name> | all [ detail ] } ] [ __readonly__ [
TABLE_mtu_stat <out-ent> <exp-ent> <purge-ent> <int-err> <pkt-too-big> <cache-miss> <cache-upd>
<mtu-small> <cache-no-upd> ] [ TABLE_mtu_vrf [ <tot-ipv6-mtu> ] [ TABLE_one_mtu [ <pmtu-cntxt> ]
[ { <mtu-ipv6> <mtu-cache> <up-time> <iod-lcache> } ] ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPV6 information
mtu	Display IPV6 Path MTU Cache
statistics	(Optional) Display non-TCP Path MTU Statistics
vrf	(Optional) Clear information for particular VRF
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
detail	(Optional) Display IPV6 Path MTU Cache with detail
__readonly__	(Optional)
TABLE_mtu_stat	(Optional)
<i>out-ent</i>	(Optional)
<i>exp-ent</i>	(Optional)
<i>purge-ent</i>	(Optional)
<i>int-err</i>	(Optional)
<i>pkt-too-big</i>	(Optional)
<i>cache-miss</i>	(Optional)
<i>cache-upd</i>	(Optional)
<i>mtu-small</i>	(Optional)
<i>cache-no-upd</i>	(Optional)
TABLE_mtu_vrf	(Optional)
<i>tot-ipv6-mtu</i>	(Optional)
TABLE_one_mtu	(Optional)

<i>pmtu-cntxt</i>	(Optional)
<i>mtu-cache</i>	(Optional)
<i>up-time</i>	(Optional)
<i>iod-lcache</i>	(Optional)

**Command Mode**

- /exec

show ipv6 multicast vrf

# show ipv6 multicast vrf

```
show ipv6 multicast vrf[ { <vrf-name> | <vrf-known-name> | all } ][ __readonly__ <vrf-count> { TABLE_vrf
<vrf-name> <cid> <tid> <rc> <gc> <sc> <star_gc> } ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
multicast	Display multicast routing VRFs
vrf	Display multicast routing VRFs
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-count</i>	(Optional)
<i>cid</i>	(Optional)
<i>tid</i>	(Optional)
<i>rc</i>	(Optional)
<i>gc</i>	(Optional)
<i>sc</i>	(Optional)
<i>star_gc</i>	(Optional)

## Command Mode

- /exec

# show ipv6 nd ra dns search-list

```
show ipv6 nd ra dns search-list [ interface <interface> ] [ __readonly__ { TABLE_intf <intf_name> <dns_supress_server_list> [ { TABLE_list <list_no> <list_name> [ { <finite> | <infinite> } ] <seq_no> } ] }
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
nd	ICMPv6 Neighbor Discovery commands
ra	Router Advertisement
dns	Domain Name System
search-list	DNS Search List
interface	(Optional) Display DNS Search List information on interface
<i>interface</i>	(Optional) Interface name to display
<u>__readonly__</u>	(Optional)
TABLE_intf	(Optional) IPV6 Interface name
<i>intf_name</i>	(Optional) Interface name
<i>dns_supress_server_list</i>	(Optional) DNS Supress server list
TABLE_list	(Optional) Search list
<i>list_no</i>	(Optional) Search list number
<i>list_name</i>	(Optional) Search list name
<i>finite</i>	(Optional) Search list life time
<i>infinite</i>	(Optional) Search list infinte time
<i>seq_no</i>	(Optional) Search list sequence number

## Command Mode

- /exec

show ipv6 nd ra dns server

## show ipv6 nd ra dns server

```
show ipv6 nd ra dns server [ interface <interface> ] [ __readonly__ { TABLE_intf <intf_name>
<dns_supress_server_list> [ { TABLE_list <dns_server> <dns_addr> [ { <finite> | <infinite> } ] <seq_no>
} ] } ]
```

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
nd	ICMPv6 Neighbor Discovery commands
ra	Router Advertisement
dns	Domain Name System
server	Domain Name System Server
interface	(Optional) Display Recursive DNS Server List information on interface
<i>interface</i>	(Optional) Interface name to display
<u>__readonly__</u>	(Optional)
TABLE_intf	(Optional) IPV6 Interface name
<i>intf_name</i>	(Optional) Interface name
<i>dns_supress_server_list</i>	(Optional) DNS Supress server list
TABLE_list	(Optional) Search list
<i>dns_server</i>	(Optional) DNS server number
<i>dns_addr</i>	(Optional) DNS server address
<i>finite</i>	(Optional) DNS server life time
<i>infinite</i>	(Optional) DNS server time infinte
<i>seq_no</i>	(Optional) DNS server sequence number

### Command Mode

- /exec

# show ipv6 nd rt-pref global pt

show ipv6 nd rt-pref global pt

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
nd	ICMPv6 Neighbor Discovery commands
rt-pref	Router Preference
global	Global
pt	PTREE

## Command Mode

- /exec

**show ipv6 ndp**

# show ipv6 ndp

show ipv6 ndp

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
ndp	Show IPv6 neighbors from netstack

## Command Mode

- /exec

# show ipv6 neighbor static

```
show ipv6 neighbor static [ interface <interface> ] [ __readonly__ [ TABLE_i6_nei { <nei-ipv6> <nei-mac>
<nei-iod> <nei-if-iod> } ] [ <tot-nei-ent> ] [ TABLE_nei_cnt { <nei-ipv6-tot> <nei-mac-tot> <nei-iod-tot>
<nei-if-iod-tot> } ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
neighbor	Show IPv6 neighbor entry
static	Displays only static neighbors
interface	(Optional) Display IPv6 related interface information
<i>interface</i>	(Optional) Interface name to display
<u>__readonly__</u>	(Optional)
TABLE_i6_nei	(Optional)
<i>nei-mac</i>	(Optional)
<i>nei-iod</i>	(Optional)
<i>nei-if-iod</i>	(Optional)
<i>tot-nei-ent</i>	(Optional)
TABLE_nei_cnt	(Optional)
<i>nei-mac-tot</i>	(Optional)
<i>nei-iod-tot</i>	(Optional)
<i>nei-if-iod-tot</i>	(Optional)

## Command Mode

- /exec

**show ipv6 pim bitfield**

# show ipv6 pim bitfield

show ipv6 pim bitfield

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
bitfield	Display compressed bitfield details

## Command Mode

- /exec

# show ipv6 pim df

```
show ipv6 pim df [ <rp-or-group> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-context> { TABLE_rp <rp-addr> <df-ordinal> <df-bits> <df-bits-count> <metric-pref> <metric> { TABLE_grange <grange-grp> <grange-masklen> } { TABLE_iod <if-name> <df-winner> <df-state> <winner-metric-pref> <winner-metric> <uptime> <is-rpf> } } ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
df	Display Bidir Designated Forwarders
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
<i>out-context</i>	(Optional)
TABLE_rp	(Optional)
<i>df-ordinal</i>	(Optional)
<i>df-bits</i>	(Optional)
<i>df-bits-count</i>	(Optional)
<i>metric-pref</i>	(Optional)
<i>metric</i>	(Optional)
TABLE_grange	(Optional)
<i>grange-masklen</i>	(Optional)
TABLE_iod	(Optional)
<i>if-name</i>	(Optional)
<i>df-state</i>	(Optional)
<i>winner-metric-pref</i>	(Optional)
<i>winner-metric</i>	(Optional)

```
show ipv6 pim df
```

<i>uptime</i>	(Optional)
<i>is-rpf</i>	(Optional)

**Command Mode**

- /exec

# show ipv6 pim embed-rp

show ipv6 pim embed-rp <group>

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
embed-rp	Display Embed-RP group address mapping

## Command Mode

- /exec

**show ipv6 pim event-history**

## show ipv6 pim event-history

show ipv6 pim [ internal ] event-history { errors | msgs | <pim6-event-hist-buf-name> | statistics }

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	PIM6 global configuration commands
internal	(Optional) Commands for internal use
event-history	Show various event logs of PIM6
errors	Show error logs of PIM6
msgs	Show various message logs of PIM6
<i>pim6-event-hist-buf-name</i>	Show logs of event-hist buffer
statistics	Show state and size of buffers

### Command Mode

- /exec

# show ipv6 pim fabric info

show ipv6 pim fabric info [ \_\_readonly\_\_ <switch\_role> ]

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
fabric	Fabric functionality
info	show the fabric info
__readonly__	(Optional)
<i>switch_role</i>	(Optional)

## Command Mode

- /exec

show ipv6 pim fabric legacy-vlans

# show ipv6 pim fabric legacy-vlans

show ipv6 pim fabric legacy-vlans [ \_\_readonly\_\_ TABLE\_legacy\_vlan <vlan\_id> ]

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
fabric	Fabric functionality
legacy-vlans	Show legacy VLANs on this switch
__readonly__	(Optional)
TABLE_legacy_vlan	(Optional)
<i>vlan_id</i>	(Optional)

## Command Mode

- /exec

# show ipv6 pim group-range

show ipv6 pim group-range [ <group> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ \_\_readonly\_\_ <out-context> { TABLE\_group <grp-addr> <invalid-grp> <mode> <rp-addr> <sh-tree-only-range> } ]

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
group-range	Display the various group ranges
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
<i>out-context</i>	(Optional)
TABLE_group	(Optional)
<i>invalid-grp</i>	(Optional)
<i>mode</i>	(Optional)

## Command Mode

- /exec

show ipv6 pim interface show ipv6 pim interface

## show ipv6 pim interface show ipv6 pim interface

```
show ipv6 pim interface <interface> | show ipv6 pim interface [ brief ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-context> { TABLE_iod <if-name> <if-addr> <dr> <nbr-cnt> <is-border> <is-iface-in-cib> <is-pim-enabled> <if-addr-summary> <if-status> <dr-priority> <no-dr-priority> <hello-interval-sec> <hello-interval-msec> <hello-timer> <holdtime-sec> <holdtime-msec> <genid> <isauth-config> <is-passive> <nbr-policy-name> <jp-in-policy-name> <jp-out-policy-name> <last-cleared> <hello-sent> <hello-rcvd> <jp-sent> <jp-rcvd> <assert-sent> <assert-rcvd> <graft-sent> <graft-rcvd> <graft-ack-sent> <graft-ack-rcvd> <df-offer-sent> <df-offer-rcvd> <df-winner-sent> <df-winner-rcvd> <df-backoff-sent> <df-backoff-rcvd> <pass-sent> <pass-rcvd> <cksum-errors> <invalid-errors> <invalid-df-errors> <auth-failed> <pak-len-errors> <ver-errors> <pkts-self> <pkts-non-nbr> <pkts-on-passive> <jp-rcvd-on-rpf> <jp-rcvd-no-rp> <jp-rcvd-wrong-rp> <jp-rcvd-for-ssm> <jp-rcvd-for-bidir> <jp-in-policy-filter> <jp-out-policy-filter> } ]
```

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
interface	Display PIM6 interface related information
<i>interface</i>	Interface name of single interface to display
brief	(Optional) Display one line status per interface
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
<i>out-context</i>	(Optional)
TABLE_iod	(Optional)
<i>if-name</i>	(Optional)
<i>nbr-cnt</i>	(Optional)
<i>is-iface-in-cib</i>	(Optional)
<i>is-pim-enabled</i>	(Optional)
<i>is-border</i>	(Optional)
<i>if-addr-summary</i>	(Optional)

<i>if-status</i>	(Optional)
<i>dr-priority</i>	(Optional)
<i>no-dr-priority</i>	(Optional)
<i>hello-interval-sec</i>	(Optional)
<i>hello-interval-msec</i>	(Optional)
<i>hello-timer</i>	(Optional)
<i>holdtime-sec</i>	(Optional)
<i>holdtime-msec</i>	(Optional)
<i>genid</i>	(Optional)
<i>isauth-config</i>	(Optional)
<i>is-passive</i>	(Optional)
<i>nbr-policy-name</i>	(Optional)
<i>jp-in-policy-name</i>	(Optional)
<i>jp-out-policy-name</i>	(Optional)
<i>last-cleared</i>	(Optional)
<i>hello-sent</i>	(Optional)
<i>hello-rcvd</i>	(Optional)
<i>jp-sent</i>	(Optional)
<i>jp-rcvd</i>	(Optional)
<i>assert-sent</i>	(Optional)
<i>assert-rcvd</i>	(Optional)
<i>graft-sent</i>	(Optional)
<i>graft-rcvd</i>	(Optional)
<i>graft-ack-sent</i>	(Optional)
<i>graft-ack-rcvd</i>	(Optional)
<i>df-offer-sent</i>	(Optional)
<i>df-offer-rcvd</i>	(Optional)
<i>df-winner-sent</i>	(Optional)
<i>df-winner-rcvd</i>	(Optional)

**show ipv6 pim interface show ipv6 pim interface**

<i>df-backoff-sent</i>	(Optional)
<i>df-backoff-rcvd</i>	(Optional)
<i>pass-sent</i>	(Optional)
<i>pass-rcvd</i>	(Optional)
<i>cksum-errors</i>	(Optional)
<i>invalid-errors</i>	(Optional)
<i>invalid-df-errors</i>	(Optional)
<i>auth-failed</i>	(Optional)
<i>pak-len-errors</i>	(Optional)
<i>ver-errors</i>	(Optional)
<i>pkts-self</i>	(Optional)
<i>pkts-non-nbr</i>	(Optional)
<i>pkts-on-passive</i>	(Optional)
<i>jp-rcvd-on-rpf</i>	(Optional)
<i>jp-rcvd-no-rp</i>	(Optional)
<i>jp-rcvd-wrong-rp</i>	(Optional)
<i>jp-rcvd-for-ssm</i>	(Optional)
<i>jp-rcvd-for-bidir</i>	(Optional)
<i>jp-in-policy-filter</i>	(Optional)
<i>jp-out-policy-filter</i>	(Optional)

#### Command Mode

- /exec

# show ipv6 pim neighbor

```
show ipv6 pim neighbor { [ <interface> ] | [ <ipv6addr> ] } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_vrf <out-context> [ TABLE_neighbor <nbr-addr><if-name><uptime><expires> [ <dr-priority> ] <bidir-capable> <bfd-state><name> [ TABLE_secondary <sec-addr> ] ] ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
neighbor	Display PIM6 neighbor related information
<i>interface</i>	(Optional) Display neighbors on single interface name
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>out-context</i>	(Optional)
TABLE_neighbor	(Optional)
<i>dr-priority</i>	(Optional)
<i>bidir-capable</i>	(Optional)
TABLE_secondary	(Optional)

## Command Mode

- /exec

show ipv6 pim oif-list

## show ipv6 pim oif-list

```
show ipv6 pim oif-list <group> [ <source> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__  
TABLE_vrf <vrf-name> { TABLE_grp <mcast-addrs> <incoming-intf> <rpf-nbr> <timeout-interval>  
<oif-list-count> [ { TABLE_oiflist <oif-name> } ] <timeout-list-count> [ { TABLE_timeoutlist  
<timeouthif-name> } ] <immediate-list-count> [ { TABLE_immediatelist <immediateoif-name> } ]  
<immediate-timeout-list-count> [ { TABLE_immediatetimeoutlist <immediatetimeoutoif-name> } ]  
<sgr-prune-list-count> [ { TABLE_sgrprunelist <sgrprunelistoif-name> } ] } ]
```

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
oif-list	Display interfaces for oif-list of PIM6 route
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name</i>	(Optional)
TABLE_grp	(Optional)
<i>mcast-addrs</i>	(Optional)
<i>incoming-intf</i>	(Optional)
<i>timeout-interval</i>	(Optional)
<i>oif-list-count</i>	(Optional)
TABLE_oiflist	(Optional)
<i>oif-name</i>	(Optional)
<i>timeout-list-count</i>	(Optional)
TABLE_timeoutlist	(Optional)
<i>timeouthif-name</i>	(Optional)
<i>immediate-list-count</i>	(Optional)
TABLE_immediatelist	(Optional)
<i>immediateoif-name</i>	(Optional)
TABLE_immediatetimeoutlist	(Optional)
<i>immediatetimeoutoif-name</i>	(Optional)
TABLE_sgrprunelist	(Optional)
<i>sgrprunelistoif-name</i>	(Optional)

TABLE_immediatelist	(Optional)
<i>immediateoif-name</i>	(Optional)
<i>immediate-timeout-list-count</i>	(Optional)
TABLE_immediatetimeoutlist	(Optional)
<i>immediatetimeoutoif-name</i>	(Optional)
<i>sgr-prune-list-count</i>	(Optional)
TABLE_sgrprunelist	(Optional)
<i>sgrprunelistoif-name</i>	(Optional)

**Command Mode**

- /exec

```
show ipv6 pim policy statistics jp
```

# show ipv6 pim policy statistics jp

```
show ipv6 pim policy statistics {jp-policy | neighbor-policy} <interface> [ __readonly__ { TABLE_routemap <name> <action> <seq_num> [ { TABLE_cmd <command> <match_count> <compare_count> } ] } <total_accept_count> <total_reject_count> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	PIM6 global configuration commands
policy	Policy related information
statistics	Policy statistics
jp-policy	Statistics for jp-policy
neighbor-policy	Statistics for neighbor-policy
<i>interface</i>	Interface to display policy statistics for
<i>__readonly__</i>	(Optional)
TABLE_routemap	(Optional)
<i>name</i>	(Optional)
<i>action</i>	(Optional)
<i>seq_num</i>	(Optional)
TABLE_cmd	(Optional)
<i>command</i>	(Optional)
<i>compare_count</i>	(Optional)
<i>match_count</i>	(Optional)
<i>total_accept_count</i>	(Optional)
<i>total_reject_count</i>	(Optional)

## Command Mode

- /exec

# show ipv6 pim route

```
show ipv6 pim route { [ bitfield ] | <source> <group> | <group> [ <source> ] [ bitfield ] } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <context-name> <route-count> [ TABLE_one_route <mcast-addrs> [ <rp-addr> <rp-local> ] <bidir> <sgexpire> <is-fabricowned> [ <sgexpire> ] [ <timeleft> ] <rp-bit> [ <register> ] [ <assert-timeout> ] <intf-name> <rpf-nbr-1> <rpf-nbr-addr> <rpf-nbr-2> [ <metric-pref> <route-metric> ] [ <oif-count> ] [ <oif-bf-str> ] [ <timeout-count> ] [ <timeout-bf-str> ] [ <immediate-count> ] [ <immediate-bf-str> ] [ <immediate-timeout-count> ] [ <immediate-timeout-bf-str> ] [ <sgr-prune-list-count> ] [ <sgr-prune-list-bf-str> ] [ <timeout-interval> <jp-holdtime-rndup> ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
route	Display PIM6 specific route information
bitfield	(Optional) Display details of each bitfield for PIM6 route
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_vrf	(Optional)
<i>context-name</i>	(Optional)
<i>route-count</i>	(Optional)
TABLE_one_route	(Optional)
<i>mcast-addrs</i>	(Optional)
<i>rp-addr</i>	(Optional)
<i>rp-local</i>	(Optional)
<i>bidir</i>	(Optional)
<i>sgexpire</i>	(Optional)
<i>is-fabricowned</i>	(Optional)
<i>sgexpire</i>	(Optional)
<i>timeleft</i>	(Optional)

**show ipv6 pim route**

<i>rp-bit</i>	(Optional)
<i>register</i>	(Optional)
<i>assert-timeout</i>	(Optional)
<i>intf-name</i>	(Optional)
<i>rpf-nbr-1</i>	(Optional)
<i>rpf-nbr-addr</i>	(Optional)
<i>rpf-nbr-2</i>	(Optional)
<i>metric-pref</i>	(Optional)
<i>route-metric</i>	(Optional)
<i>oif-count</i>	(Optional)
<i>oif-bf-str</i>	(Optional)
<i>timeout-count</i>	(Optional)
<i>timeout-bf-str</i>	(Optional)
<i>immediate-count</i>	(Optional)
<i>immediate-bf-str</i>	(Optional)
<i>immediate-timeout-count</i>	(Optional)
<i>immediate-timeout-bf-str</i>	(Optional)
<i>sgr-prune-list-count</i>	(Optional)
<i>sgr-prune-list-bf-str</i>	(Optional)
<i>timeout-interval</i>	(Optional)
<i>jp-holdtime-rndup</i>	(Optional)

#### Command Mode

- /exec

# show ipv6 pim rp-hash

```
show ipv6 pim rp-hash <group> [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-context>
<rp-found> <is-rp-bsr-learnt> <out-group> <hash-length> <out-bsr> { TABLE_rp <rp-addr> <hash>
<isbest_hash> } ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
rp-hash	Display RP hash value for group
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
<i>out-context</i>	(Optional)
<i>rp-found</i>	(Optional)
<i>is-rp-bsr-learnt</i>	(Optional)
<i>hash-length</i>	(Optional)
TABLE_rp	(Optional)
<i>hash</i>	(Optional)
<i>isbest_hash</i>	(Optional)

## Command Mode

- /exec

show ipv6 pim rp

## show ipv6 pim rp

```
show ipv6 pim rp [ <group> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <out-context>
<is-bsr-enabled> <is-bsr-listen-only> <is-bsr-forward-only> <are-we-bsr> <bsr-address> <is-bsr-address>
<bsr-priority> <bsr-hash-masklen> <bs-timer> <bsr-uptime> <bsr-expires> <is-autorp-enabled>
<is-autorp-listen-only> <is-autorp-forward-only> <are-we-autorp> <autorp-address> <is-autorp-address>
<autorp-dis-timer> <autorp-up-time> <autorp-expire-time> <rp-cand-policy-name> <bsr-policy-name>
<rp-announce-policy-name> <rp-discovery-policy-name> { TABLE_anycast_rp <anycast-rp-addr> {
TABLE_arp_rp <arp-rp-addr> <is-rpaddr-local> } } { TABLE_rp <rp-addr> <is-rp-in-cib> <df-ordinal>
<rp-uptime> <rp-priority> <autorp-expires> <bsr-rp-expires> <autorp-info-src> <bsr-info-src> <is-rp-static>
<static-rp-group-map> { TABLE_grange <grange-grp> <grange-masklen> <is-bidir-grp> <is-autorp-rp-owner>
<is-bsr-rp-owner> <is-static-rp-owner> } } ]
```

### Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
rp	Display PIM6 RP, Auto-RP, and BSR related information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
<i>out-context</i>	(Optional)
<i>is-bsr-enabled</i>	(Optional)
<i>is-bsr-listen-only</i>	(Optional)
<i>is-bsr-forward-only</i>	(Optional)
<i>are-we-bsr</i>	(Optional)
<i>is-bsr-address</i>	(Optional)
<i>bsr-priority</i>	(Optional)
<i>bsr-hash-masklen</i>	(Optional)
<i>bs-timer</i>	(Optional)
<i>bsr-uptime</i>	(Optional)
<i>bsr-expires</i>	(Optional)

<i>is-autorp-enabled</i>	(Optional)
<i>is-autorp-listen-only</i>	(Optional)
<i>is-autorp-forward-only</i>	(Optional)
<i>are-we-autorp</i>	(Optional)
<i>is-autorp-address</i>	(Optional)
<i>autorp-dis-timer</i>	(Optional)
<i>autorp-up-time</i>	(Optional)
<i>autorp-expire-time</i>	(Optional)
<i>rp-cand-policy-name</i>	(Optional)
<i>bsr-policy-name</i>	(Optional)
<i>rp-announce-policy-name</i>	(Optional)
<i>rp-discovery-policy-name</i>	(Optional)
TABLE_anycast_rp	(Optional)
TABLE_arp_rp	(Optional)
<i>is-rpaddr-local</i>	(Optional)
TABLE_rp	(Optional)
<i>is-rp-in-cib</i>	(Optional)
<i>df-ordinal</i>	(Optional)
<i>rp-uptime</i>	(Optional)
<i>rp-priority</i>	(Optional)
<i>autorp-expires</i>	(Optional)
<i>bsr-rp-expires</i>	(Optional)
<i>is-rp-static</i>	(Optional)
<i>static-rp-group-map</i>	(Optional)
TABLE_grange	(Optional)
<i>grange-masklen</i>	(Optional)
<i>is-bidir-grp</i>	(Optional)
<i>is-autorp-rp-owner</i>	(Optional)
<i>is-bsr-rp-owner</i>	(Optional)

```
show ipv6 pim rp
```

<i>is-static-rp-owner</i>	(Optional)
---------------------------	------------

**Command Mode**

- /exec

# show ipv6 pim statistics

```
show ipv6 pim statistics [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <uptime> <reg-sent>
<reg-received> <null-reg-sent> <null-reg-received> <reg-stop-sent> <reg-stop-received> <reg-received-not-rp>
<reg-received-for-ssm> <reg-received-for-bidir> <bootstrap-sent> <bootstrap-received> <cand-rp-sent> <cand-rp-received>
<bs-no-nbr> <bs-border-deny> <bs-len-errors> <bs-rpf-failed> <bs-no-listen> <candrp-border-deny>
<candrp-no-listen> <autorp-announce-sent> <autorp-announce-received> <autorp-discovery-sent>
<autorp-discovery-received> <autorp-rpf-failed> <autorp-border-deny> <autorp-invalid-type> <autorp-ttl-expired>
<autorp-no-listen> <ctrl-no-route> <data-no-route> <no-state> <create-state> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
statistics	Packet counter statistics
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
<i>uptime</i>	(Optional)
<i>reg-sent</i>	(Optional)
<i>reg-received</i>	(Optional)
<i>null-reg-sent</i>	(Optional)
<i>null-reg-received</i>	(Optional)
<i>reg-stop-sent</i>	(Optional)
<i>reg-stop-received</i>	(Optional)
<i>reg-received-not-rp</i>	(Optional)
<i>reg-received-for-ssm</i>	(Optional)
<i>reg-received-for-bidir</i>	(Optional)
<i>bootstrap-sent</i>	(Optional)
<i>bootstrap-received</i>	(Optional)
<i>cand-rp-sent</i>	(Optional)

**show ipv6 pim statistics**

<i>cand-rp-rcvd</i>	(Optional)
<i>bs-no-nbr</i>	(Optional)
<i>bs-border-deny</i>	(Optional)
<i>bs-len-errors</i>	(Optional)
<i>bs-rpf-failed</i>	(Optional)
<i>bs-no-listen</i>	(Optional)
<i>candrp-border-deny</i>	(Optional)
<i>candrp-no-listen</i>	(Optional)
<i>autorp-announce-sent</i>	(Optional)
<i>autorp-announce-rcvd</i>	(Optional)
<i>autorp-discovery-sent</i>	(Optional)
<i>autorp-discovery-rcvd</i>	(Optional)
<i>autorp-rpf-failed</i>	(Optional)
<i>autorp-border-deny</i>	(Optional)
<i>autorp-invalid-type</i>	(Optional)
<i>autorp-ttl-expired</i>	(Optional)
<i>autorp-no-listen</i>	(Optional)
<i>ctrl-no-route</i>	(Optional)
<i>data-no-route</i>	(Optional)
<i>no-state</i>	(Optional)
<i>create-state</i>	(Optional)

#### Command Mode

- /exec

# show ipv6 pim vrf

show ipv6 pim vrf [ { <vrf-name> | <vrf-known-name> | all } ] [ detail ] [ \_\_readonly\_\_ TABLE\_context <out-context> <context-id> <table-id> <count> ]

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
pim	Display PIM6 status and configuration
vrf	Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display all VRFs PIM6 is configured for
detail	(Optional) Display detailed information
__readonly__	(Optional)
TABLE_context	(Optional)
<i>out-context</i>	(Optional)
<i>context-id</i>	(Optional)
<i>table-id</i>	(Optional)
<i>count</i>	(Optional)

## Command Mode

- /exec

**show ipv6 policy**

# show ipv6 policy

```
show ipv6 policy [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_pbr <interface>
<rmap> <status> <vrf_name> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
policy	Policy routing
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_pbr	(Optional)
<i>interface</i>	(Optional)
<i>rmap</i>	(Optional)
<i>status</i>	(Optional)
<i>vrf_name</i>	(Optional)

## Command Mode

- /exec

# show ipv6 prefix-list

```
show ipv6 prefix-list { { [ detail | summary ] [ <ipv6-pfl-name> | <ipv6-pfl-cfg-name> ] } | { { <ipv6-pfl-name> | <ipv6-pfl-cfg-name> } seq <seq-no> } | { { <ipv6-pfl-name> | <ipv6-pfl-cfg-name> } <prefix> [ first-match | longer ] } } [ __readonly__ TABLE_ipv6_pfl <name> <seq> <action> <rule> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
detail	(Optional) Show detailed information
summary	(Optional) Show summarized information
prefix-list	List IPv6 prefix lists
<i>ipv6-pfl-name</i>	(Optional) Name of prefix-list
<i>ipv6-pfl-cfg-name</i>	(Optional) Known prefix-list name
seq	Sequence number
<i>seq-no</i>	Sequence number
first-match	(Optional) Find the first match
longer	(Optional) Find the more specific entries
<u>__readonly__</u>	(Optional)
TABLE_ipv6_pfl	(Optional)
<i>name</i>	(Optional)
<i>seq</i>	(Optional)
<i>action</i>	(Optional)
<i>rule</i>	(Optional)

## Command Mode

- /exec

show ipv6 process

# show ipv6 process

```
show ipv6 process [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_ipv6_all {
<cnxt-name><cnxt-id> } ] [ TABLE_ipv6 { <ipv6-vrf> <ipv6-vrf-id> <auto-disc> <auto-add> <sta-disc>
<sta-def> [ <ipv6-unreach> ] } [ TABLE_iod { <iod-val> <iod-ifind> } ] [ TABLE_ipv6_nxt { <ipv6-nxt>
} ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
process	Display IPv6 global information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display all VRFs
__readonly__	(Optional)
TABLE_ipv6_all	(Optional)
<i>cnxt-name</i>	(Optional)
<i>cnxt-id</i>	(Optional)
TABLE_ipv6	(Optional)
<i>ipv6-vrf</i>	(Optional)
<i>ipv6-vrf-id</i>	(Optional)
<i>auto-disc</i>	(Optional)
<i>auto-add</i>	(Optional)
<i>sta-disc</i>	(Optional)
<i>sta-def</i>	(Optional)
<i>ipv6-unreach</i>	(Optional)
TABLE_iod	(Optional)
<i>iod-val</i>	(Optional)
<i>iod-ifind</i>	(Optional)
TABLE_ipv6_nxt	(Optional)

**Command Mode**

- /exec

**show ipv6 process sdb**

# show ipv6 process sdb

show ipv6 process sdb

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
process	Display IPv6 global information
sdb	Dump IPv6 sdb in a file

## Command Mode

- /exec

# show ipv6 raguard statistics

```
show ipv6 raguard statistics [ interface <intf-range> ] [ __readonly__ <msg_stats_hdr> <intf2> <rx_pkts> <drop_count> ]
```

## Syntax Description

show	Show running system information
ipv6	Show the IPv6 features of the system
raguard	IPV6 raguard
statistics	RA packet drop count
interface	(Optional) Raguard enabled interfaces
<i>intf-range</i>	(Optional) interface
<u>__readonly__</u>	(Optional) Read only
<u>msg_stats_hdr</u>	(Optional)
<i>intf2</i>	(Optional) interface name
<i>rx_pkts</i>	(Optional)
<i>drop_count</i>	(Optional)

## Command Mode

- /exec

show ipv6 rip policy statistics redistribute

# show ipv6 rip policy statistics redistribute

show ipv6 rip [ instance <inst> ] policy statistics redistribute { bgp <as> | { eigrp | isis | <src-rip> | ospfv3 | lisp } <tag> | direct | static } [ vrf { <vrf-name> | <vrf-known-name> | all } ]

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
rip	Display RIP routing protocol status
instance	(Optional) Process ID
<i>inst</i>	(Optional) Process ID
policy	Policy related information
statistics	Policy statistics
redistribute	RIP redistribute routes from other routing protocol
bgp	Border Gateway Protocol (BGP)
as	Autonomous system number
eigrp	Enhanced Interior Gateway Routing Protocol (EIGRP)
isis	Intermediate-to-intermediate (ISIS)
src-rip	Routing Information Protocol (RIP)
ospfv3	Open Shortest Path First (OSPFv3)
lisp	LISP EID-prefixes
<i>tag</i>	Process tag
direct	Directly connected routes
static	Static routes
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs

## Command Mode

- /exec

# show ipv6 routers

```
show ipv6 routers [ all-routers ] [ [ interface <interface> ] | [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_ipv6_routers [ TABLE_interface_ipv6 { <rtr-ipv6><ipv6-int-addr><rtr-flo-time><curr-hop-lmt><life-time><addr-flag><other-flg><mtu-rtr><hm-agent-flg><preference><reach-time><retrans-time> [ TABLE_prefix_ipv6 { <ipv6-prefix><buf-ipv6><buf-autono><valid-life-time><prefer-life> } ] } ] } ] ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
routers	Display neighbor router information
all-routers	(Optional) All routers even on down interface
interface	(Optional) Display neighbor router information on interface
<i>interface</i>	(Optional) Interface name to display
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_ipv6_routers	(Optional)
TABLE_interface_ipv6	(Optional)
<i>ipv6-int-addr</i>	(Optional)
<i>rtr-flo-time</i>	(Optional)
<i>curr-hop-lmt</i>	(Optional)
<i>life-time</i>	(Optional)
<i>addr-flag</i>	(Optional)
<i>other-flg</i>	(Optional)
<i>mtu-rtr</i>	(Optional)
<i>hm-agent-flg</i>	(Optional)
<i>preference</i>	(Optional)
<i>reach-time</i>	(Optional)

**show ipv6 routers**

<i>retrans-time</i>	(Optional)
TABLE_prefix_ipv6	(Optional)
<i>ipv6-prefix</i>	(Optional)
<i>buf-ipv6</i>	(Optional)
<i>buf-autono</i>	(Optional)
<i>valid-life-time</i>	(Optional)
<i>prefer-life</i>	(Optional)

**Command Mode**

- /exec

# show ipv6 static-route

```
show ipv6 static-route [ <prefix> ] [ multicast ] [ track-table ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_vrf <vrf-name-out> TABLE_route <prefix-out> <next-hop> <intf-name> <pref> <real-nh> <has-real-intf> <real-intf-name> TABLE_track-table ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
static-route	Display configured static routes
multicast	(Optional) Display configured static mroutes
track-table	(Optional) Display track object details associated with static routes
all	(Optional) Display all VRFs
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>__readonly__</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_route	(Optional)
<i>intf-name</i>	(Optional)
<i>pref</i>	(Optional)
<i>has-real-intf</i>	(Optional)
<i>real-intf-name</i>	(Optional)
TABLE_track-table	(Optional)

## Command Mode

- /exec

**show ipv6 statistics**

# show ipv6 statistics

show ipv6 statistics

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
statistics	Display IPv6 global statistics

## Command Mode

- /exec

# show ipv6 traffic

```
show ipv6 traffic [ detail ] [ vrf { <vrf-name> | <vrf-known-name> } ] [ __readonly__ TABLE_vrf
<vrf-name-out> TABLE_ipv6_traffic <uptime> <upkt-fwd> <mpkt-fwd> <ubyte-fwd> <mbyte-fwd>
<upkt-orig> <mpkt-orig> <ubyte-orig> <mbyte-orig> <upkt-consumed> <mpkt-consumed> <ubyte-consumed>
<mbyte-consumed> <ufrag-orig> <mfra-orig> <ufrag-consumed> <mfra-consumed> <bad-version>
<rt-lookup-fail> <hoplimit-excd> <opt-header-error> <pld-length-too-small> <pm-failed> <mbuf-error>
<could-not-enc> <dest-if-down> ]
```

## Syntax Description

show	Show running system information
ipv6	Display IPv6 information
traffic	Display IPv6 traffic statistics
detail	(Optional) Display per protocol IPv6 statistics
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<u>__readonly__</u>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_ipv6_traffic	(Optional)
<i>uptime</i>	(Optional)
<i>upkt-fwd</i>	(Optional)
<i>mpkt-fwd</i>	(Optional)
<i>ubyte-fwd</i>	(Optional)
<i>mbyte-fwd</i>	(Optional)
<i>upkt-orig</i>	(Optional)
<i>mpkt-orig</i>	(Optional)
<i>ubyte-orig</i>	(Optional)
<i>mbyte-orig</i>	(Optional)
<i>upkt-consumed</i>	(Optional)
<i>mpkt-consumed</i>	(Optional)

**show ipv6 traffic**

<i>ubyte-consumed</i>	(Optional)
<i>mbyte-consumed</i>	(Optional)
<i>ufrag-orig</i>	(Optional)
<i>mfrag-orig</i>	(Optional)
<i>ufrag-consumed</i>	(Optional)
<i>mfrag-consumed</i>	(Optional)
<i>bad-version</i>	(Optional)
<i>rt-lookup-fail</i>	(Optional)
<i>hoplimit-excd</i>	(Optional)
<i>opt-header-error</i>	(Optional)
<i>pld-length-too-small</i>	(Optional)
<i>pm-failed</i>	(Optional)
<i>mbuf-error</i>	(Optional)
<i>could-not-enc</i>	(Optional)
<i>dest-if-down</i>	(Optional)

#### Command Mode

- /exec

# show isis

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ process | protocol ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_process_tag <process-tag-out> <instance_num> <uuid> <process-id> <vrf-name-out> <system-id-out> <is-type-out> <sap-out> <qh-out> <mtu-out> [ <gr-status-out> ] [ <gr-state-active-out> ] [ <gr-state-inactive-out> ] [ <last-gr-status-fail-out> ] [ <last-gr-status-success-out> ] [ <last-gr-status-none-out> ] [ <gr-status-disable-out> ] [ TABLE_afi_safi <af_ix> <af-bfd-config> <af-pib-tag> ] <metric-style> <accept-metric> [ <net-set-none> ] [ TABLE_area_addr <area-addr-nsap> ] [ <proc-state-not-config> ] [ <proc-state-admin-down> ] [ <proc-state-l3vm-down> ] [ <proc-state-unknown-down> ] [ <proc-state-not-specified> ] [ <proc-state-no-net> ] [ <proc-state-no-vrf-id> ] [ <proc-state-out-memory> ] [ <proc-state-restart> ] [ <proc-state-running> ] <vrf-id-out> [ TABLE_te <te-lvl-out> <te-lvl-active> ] [ <te-ted-out> ] [ <mpls-te-out> ] [ TABLE_mpls_te [ <mpls-te-lvl-out> ] [ <mpls-te-rtrid-intf-out> ] [ <mpls-te-fa-lvl-out> ] [ TABLE_te_fa <te-fa-sysid-out> <te-fa-intf-out> ] ] [ <te-stat-sys-id-out> ] [ <te-stat-rtr-id-out> ] [ TABLE_te_stat_lvl <te-stat-lvl-out> <te-stat-up-out> <te-stat-down-out> ] [ TABLE_iib_list_yeild <intf-name-out> ] [ TABLE_auth <auth-lvl-out> [ <auth-type-no-type> ] [ <auth-type-plaintext> ] [ <auth-type-md5> ] [ <auth-type-key-chain> ] [ <auth-type-none> ] [ <auth-check> ] [ <auth-no-check> ] ] [ TABLE_spf <spf-lvl-out> [ <spf-timer> ] ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
process	(Optional) Display IS-IS process information
protocol	(Optional) Display IS-IS process information
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>instance_num</i>	(Optional)
<i>uuid</i>	(Optional)
<i>process-id</i>	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>system-id-out</i>	(Optional)

show isis

<i>is-type-out</i>	(Optional)
<i>sap-out</i>	(Optional)
<i>qh-out</i>	(Optional)
<i>mtu-out</i>	(Optional)
<i>gr-status-out</i>	(Optional)
<i>gr-state-active-out</i>	(Optional)
<i>gr-state-inactive-out</i>	(Optional)
<i>last-gr-status-fail-out</i>	(Optional)
<i>last-gr-status-success-out</i>	(Optional)
<i>last-gr-status-none-out</i>	(Optional)
<i>gr-status-disable-out</i>	(Optional)
TABLE_afi_safi	(Optional)
<i>af-ix</i>	(Optional)
<i>af-bfd-config</i>	(Optional)
<i>af-pib-tag</i>	(Optional)
<i>metric-style</i>	(Optional)
<i>accept-metric</i>	(Optional)
<i>net-set-none</i>	(Optional)
TABLE_area_addr	(Optional)
<i>area-addr-nsap</i>	(Optional)
<i>proc-state-not-config</i>	(Optional)
<i>proc-state-admin-down</i>	(Optional)
<i>proc-state-l3vm-down</i>	(Optional)
<i>proc-state-unknown-down</i>	(Optional)
<i>proc-state-not-specified</i>	(Optional)
<i>proc-state-no-net</i>	(Optional)
<i>proc-state-no-vrf-id</i>	(Optional)
<i>proc-state-out-memory</i>	(Optional)
<i>proc-state-restart</i>	(Optional)

<i>proc-state-running</i>	(Optional)
<i>vrf-id-out</i>	(Optional)
<i>TABLE_te</i>	(Optional)
<i>te-lvl-out</i>	(Optional)
<i>te-lvl-active</i>	(Optional)
<i>te-ted-out</i>	(Optional)
<i>mpls-te-out</i>	(Optional)
<i>TABLE_mpls_te</i>	(Optional)
<i>mpls-te-lvl-out</i>	(Optional)
<i>mpls-te-rtrid-intf-out</i>	(Optional)
<i>mpls-te-fa-lvl-out</i>	(Optional)
<i>TABLE_te_fa</i>	(Optional)
<i>te-fa-sysid-out</i>	(Optional)
<i>te-fa-intf-out</i>	(Optional)
<i>te-stat-sys-id-out</i>	(Optional)
<i>te-stat-rtr-id-out</i>	(Optional)
<i>TABLE_te_stat_lvl</i>	(Optional)
<i>te-stat-lvl-out</i>	(Optional)
<i>te-stat-up-out</i>	(Optional)
<i>te-stat-down-out</i>	(Optional)
<i>TABLE_iib_list_yeild</i>	(Optional)
<i>intf-name-out</i>	(Optional)
<i>TABLE_auth</i>	(Optional)
<i>auth-lvl-out</i>	(Optional)
<i>auth-type-no-type</i>	(Optional)
<i>auth-type-cleartext</i>	(Optional)
<i>auth-type-md5</i>	(Optional)
<i>auth-type-key-chain</i>	(Optional)
<i>auth-type-none</i>	(Optional)

**show isis**

<i>auth-check</i>	(Optional)
<i>auth-no-check</i>	(Optional)
TABLE_spf	(Optional)
<i>spf-lvl-out</i>	(Optional)
<i>spf-timer</i>	(Optional)

**Command Mode**

- /exec

# show isis adjacency

```
show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] adjacency [<interface> [ p2p-level-1-2 ] ] { [ system-id <sid> ] | [ detail ] | [ summary ] } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out> { TABLE_vrf <vrf-name-out> <adj-summary-out> <adj-interface-out> [ <adj-interface-name-out> ] [ { TABLE_process_adj <adj-sys-name-out> <adj-sys-id-out> [ <adj-usage-out> ] [ <adj-level-out> ] <adj-state-out> <adj-hold-time-out> <adj-intf-name-out> <adj-detail-set-out> [ { <adj-transitions-out> <adj-flap-out> [ <adj-flap-time-out> ] <adj-ckt-type-out> <adj-ipv4-addr-out> <adj-ipv6-addr-out> <adj-bcast-out> [ { <adj-ckt-id-out> <adj-lan-prio-out> } ] <adj-bfd-ipv4-establish-out> <adj-bfd-ipv6-establish-out> <adj-resurrect-out> [ { <adj-resurrect-count-out> <adj-resurrect-hwm-out> } ] <adj-restart-capable-out> <adj-restart-ack-out> [ { <adj-restart-mode-out> <adj-restart-adj-seen-ra-out> <adj-restart-adj-seen-csnp-out> <adj-restart-adj-seen-l1-csnp-out> <adj-restart-adj-seen-l2-csnp-out> <adj-restart-suppress-adj-out> } ] } ] [ { TABLE_p2p_adj_sum <adj-summ-p2p-level-out> <adj-summ-p2p-state-out> <adj-summ-p2p-count-out> } ] [ { TABLE_lan_adj_sum <adj-summ-lan-level-out> <adj-summ-lan-state-out> <adj-summ-lan-count-out> } ] } ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
adjacency	Display IS-IS adjacency information
<i>interface</i>	(Optional) IS-IS interface
system-id	(Optional) Hostname or System ID
<i>sid</i>	(Optional) Hostname or System ID (in the form of XXXX.XXXX.XXXX)
detail	(Optional) Display IS-IS adjacency detail information
p2p-level-1-2	(Optional) Display IS-IS point-to-point information at level-1-2
summary	(Optional) Display IS-IS adjacency summary information
__readonly__	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
TABLE_vrf	(Optional)

**show isis adjacency**

<i>vrf-name-out</i>	(Optional)
<i>adj-summary-out</i>	(Optional)
<i>adj-interface-out</i>	(Optional)
<i>adj-interface-name-out</i>	(Optional)
TABLE_process_adj	(Optional)
<i>adj-sys-name-out</i>	(Optional)
<i>adj-sys-id-out</i>	(Optional)
<i>adj-usage-out</i>	(Optional)
<i>adj-level-out</i>	(Optional)
<i>adj-state-out</i>	(Optional)
<i>adj-hold-time-out</i>	(Optional)
<i>adj-intf-name-out</i>	(Optional)
<i>adj-detail-set-out</i>	(Optional)
<i>adj-transitions-out</i>	(Optional)
<i>adj-flap-out</i>	(Optional)
<i>adj-flap-time-out</i>	(Optional)
<i>adj-ckt-type-out</i>	(Optional)
<i>adj-ipv4-addr-out</i>	(Optional)
<i>adj-ipv6-addr-out</i>	(Optional)
<i>adj-bcast-out</i>	(Optional)
<i>adj-ckt-id-out</i>	(Optional)
<i>adj-lan-prio-out</i>	(Optional)
<i>adj-bfd-ipv4-establish-out</i>	(Optional)
<i>adj-bfd-ipv6-establish-out</i>	(Optional)
<i>adj-resurrect-out</i>	(Optional)
<i>adj-resurrect-count-out</i>	(Optional)
<i>adj-resurrect-hwm-out</i>	(Optional)
<i>adj-restart-capable-out</i>	(Optional)
<i>adj-restart-ack-out</i>	(Optional)

<i>adj-restart-mode-out</i>	(Optional)
<i>adj-restart-adj-seen-ra-out</i>	(Optional)
<i>adj-restart-adj-seen-csnp-out</i>	(Optional)
<i>adj-restart-adj-seen-l1-csnp-out</i>	(Optional)
<i>adj-restart-adj-seen-l2-csnp-out</i>	(Optional)
<i>adj-restart-suppress-adj-out</i>	(Optional)
TABLE_p2p_adj_sum	(Optional)
<i>adj-summ-p2p-level-out</i>	(Optional)
<i>adj-summ-p2p-state-out</i>	(Optional)
<i>adj-summ-p2p-count-out</i>	(Optional)
TABLE_lan_adj_sum	(Optional)
<i>adj-summ-lan-level-out</i>	(Optional)
<i>adj-summ-lan-state-out</i>	(Optional)
<i>adj-summ-lan-count-out</i>	(Optional)

**Command Mode**

- /exec

show isis csnp

# show isis csnp

```
show isis [ <isis-tag> ] csnp [ detail ] [ __readonly__ TABLE_process_tag <process-tag-out> [ { TABLE_CSNPLEVEL <csnp-level> <csnp-cache-valid> <csnp-cache-hit> <cscnp-cache-miss> <csnp-hit-rate> [ { TABLE_CSNPLSPS <csnp-start-lsp-id> <csnp-end-lsp-id> <csnp-entry-valid> <csnp-pdu-length> [ { TABLE_CSNPONELSP <csnp-lsp-id> <csnp-lsp-seq-num> <csnp-lsp-chk-sum> <csnp-lsp-life-time> } ] } ] ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
csnp	Display IS-IS CSNP cache contents
detail	(Optional) Display detailed IS-IS information
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
TABLE_CSNPLEVEL	(Optional)
<i>csnp-level</i>	(Optional)
<i>csnp-cache-valid</i>	(Optional)
<i>csnp-cache-hit</i>	(Optional)
<i>cscnp-cache-miss</i>	(Optional)
<i>csnp-hit-rate</i>	(Optional)
TABLE_CSNPLSPS	(Optional)
<i>csnp-start-lsp-id</i>	(Optional)
<i>csnp-end-lsp-id</i>	(Optional)
<i>csnp-entry-valid</i>	(Optional)
<i>csnp-pdu-length</i>	(Optional)
TABLE_CSNPONELSP	(Optional)
<i>csnp-lsp-id</i>	(Optional)
<i>csnp-lsp-seq-num</i>	(Optional)
<i>csnp-lsp-chk-sum</i>	(Optional)

<i>csnp-lsp-life-time</i>	(Optional)
---------------------------	------------

**Command Mode**

- /exec

show isis database

# show isis database

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] database [ <level> ] [ detail | advertise | summary ] [ <lid> ] { [ zero-sequence ] | [ ip prefix <ip-prefix> ] | [ ipv6 prefix <ipv6-prefix> ] | [ router-id <rid> ] | [ adjacency <adj-id> ] } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out> { TABLE_vrf <vrf-name-out> [ <dbase-hname-absent-out> ] [ { TABLE_process_lvl <dbase-level-out> [ { TABLE_process_lsp <dbase-lsp-name-out> <dbase-lsp-status-out> <dbase-lsp-absent-out> [ { <dbase-lsp-seqnum-out> <dbase-lsp-cksum-out> [ <dbase-lsp-lifetime-str-out> ] [ <dbase-lsp-lifetime-out> ] <dbase-att-out> <dbase-partition-out> <dbase-overload-out> <dbase-istype-out> } ] [ { <dbase-lsp-instance-out> [ { TABLE_process_tlv <dbase-lsp-tlv-name-out> [ <dbase-lsp-area-addr-out> ] [ <dbase-lsp-is-nbr-name-out> ] [ <dbase-lsp-is-nbr-metric-out> ] [ <dbase-lsp-is-nbr-ext-metric-out> ] [ <dbase-lsp-es-nbr-name-out> ] [ <dbase-lsp-es-nbr-metric-out> ] [ <dbase-lsp-es-nbr-ext-metric-out> ] [ <dbase-lsp-auth-type-out> ] [ <dbase-lsp-auth-len-out> ] [ <dbase-lsp-ext-is-name-out> ] [ <dbase-lsp-ext-is-metric-out> ] [ <dbase-lsp-ip-ri-addr-out> ] [ <dbase-lsp-ip-ri-mask-out> ] [ <dbase-lsp-ip-ri-metric-out> ] [ <dbase-lsp-ip-ri-ext-metric-out> ] [ <dbase-lsp-ip-ri-up-down-out> ] [ { TABLE_process_nlpid <dbase-lsp-prot-support-out> } ] [ <dbase-lsp-ip-addr-out> ] [ <dbase-lsp-ipv6-addr-out> ] [ { TABLE_process_extip <dbase-lsp-extip-addr-out> <dbase-lsp-extip-prefix-len-out> <dbase-lsp-extip-metric-out> <dbase-lsp-extip-up-down-out> } ] [ <dbase-lsp-hname-out> ] [ <dbase-lsp-hname-len-out> ] [ { TABLE_process_extipv6 <dbase-lsp-extipv6-addr-out> <dbase-lsp-extipv6-prefix-len-out> <dbase-lsp-extipv6-metric-out> <dbase-lsp-extipv6-up-down-out> <dbase-lsp-extipv6-ext-origin-out> } ] [ <dbase-lsp-tlv-len-out> ] [ <dbase-lsp-tlv-unknown-out> ] [ { TABLE_process_subtlv <dbase-lsp-subtlv-name-out> [ <dbase-lsp-extis-admin-group-out> ] [ <dbase-lsp-subtlv-ip-addr-out> ] [ <dbase-lsp-extis-bw-out> ] [ <dbase-lsp-extis-pri1-out> ] [ <dbase-lsp-extis-pri1-val-out> ] [ <dbase-lsp-extis-pri2-out> ] [ <dbase-lsp-extis-pri2-val-out> ] [ <dbase-lsp-extis-te-metric-out> ] [ <dbase-lsp-subtlv-len-out> ] [ <dbase-lsp-subtlv-unknown-out> ] } ] [ <dbase-lsp-digest-out> } ] } ] [ { <dbase-lsp-total-out> [ { <dbase-lsp-empty-out> <dbase-lsp-zeroseq-out> } ] } ] } ] }
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Display IS-IS database information
<i>level</i>	(Optional) IS-IS level
<i>lid</i>	(Optional) LSP ID in the form of XXXX.XXXX.XXXX.XX-XX
detail	(Optional) Display detailed IS-IS information
advertise	(Optional) Display advertise tlv lsp-memory information

summary	(Optional) Display summary IS-IS information
zero-sequence	(Optional) LSP with zero sequence number
ip	(Optional) IP attribute filter
ipv6	(Optional) IPv6 attribute filter
prefix	(Optional) Prefix filter
<i>ip-prefix</i>	(Optional) Single exact match IP prefix filter
adjacency	(Optional) Adjacency filter
<i>adj-id</i>	(Optional) Single exact match adjacency filter
router-id	(Optional) Router-id filter
<i>rid</i>	(Optional) single exact match router-id filter
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>dbase-hname-absent-out</i>	(Optional)
TABLE_process_lvl	(Optional)
<i>dbase-level-out</i>	(Optional)
TABLE_process_lsp	(Optional)
<i>dbase-lsp-name-out</i>	(Optional)
<i>dbase-lsp-status-out</i>	(Optional)
<i>dbase-lsp-absent-out</i>	(Optional)
<i>dbase-lsp-seqnum-out</i>	(Optional)
<i>dbase-lsp-cksum-out</i>	(Optional)
<i>dbase-lsp-lifetime-str-out</i>	(Optional)
<i>dbase-lsp-lifetime-out</i>	(Optional)
<i>dbase-att-out</i>	(Optional)
<i>dbase-partition-out</i>	(Optional)
<i>dbase-overload-out</i>	(Optional)

show isis database

<i>dbase-istype-out</i>	(Optional)
<i>dbase-lsp-instance-out</i>	(Optional)
TABLE_process_tlv	(Optional)
<i>dbase-lsp-tlv-name-out</i>	(Optional)
<i>dbase-lsp-area-addr-out</i>	(Optional)
<i>dbase-lsp-is-nbr-name-out</i>	(Optional)
<i>dbase-lsp-is-nbr-metric-out</i>	(Optional)
<i>dbase-lsp-is-nbr-ext-metric-out</i>	(Optional)
<i>dbase-lsp-es-nbr-name-out</i>	(Optional)
<i>dbase-lsp-es-nbr-metric-out</i>	(Optional)
<i>dbase-lsp-es-nbr-ext-metric-out</i>	(Optional)
<i>dbase-lsp-auth-type-out</i>	(Optional)
<i>dbase-lsp-auth-len-out</i>	(Optional)
<i>dbase-lsp-ext-is-name-out</i>	(Optional)
<i>dbase-lsp-ext-is-metric-out</i>	(Optional)
<i>dbase-lsp-ip-ri-addr-out</i>	(Optional)
<i>dbase-lsp-ip-ri-mask-out</i>	(Optional)
<i>dbase-lsp-ip-ri-metric-out</i>	(Optional)
<i>dbase-lsp-ip-ri-ext-metric-out</i>	(Optional)
<i>dbase-lsp-ip-ri-up-down-out</i>	(Optional)
TABLE_process_nlpid	(Optional)
<i>dbase-lsp-prot-support-out</i>	(Optional)
<i>dbase-lsp-ip-addr-out</i>	(Optional)
<i>dbase-lsp-ipv6-addr-out</i>	(Optional)
TABLE_process_extip	(Optional)
<i>dbase-lsp-extip-addr-out</i>	(Optional)
<i>dbase-lsp-extip-prefix-len-out</i>	(Optional)
<i>dbase-lsp-extip-metric-out</i>	(Optional)
<i>dbase-lsp-extip-up-down-out</i>	(Optional)

<i>dbase-lsp-hname-out</i>	(Optional)
<i>dbase-lsp-hname-len-out</i>	(Optional)
<i>TABLE_process_extipv6</i>	(Optional)
<i>dbase-lsp-extipv6-addr-out</i>	(Optional)
<i>dbase-lsp-extipv6-prefix-len-out</i>	(Optional)
<i>dbase-lsp-extipv6-metric-out</i>	(Optional)
<i>dbase-lsp-extipv6-up-down-out</i>	(Optional)
<i>dbase-lsp-extipv6-ext-origin-out</i>	(Optional)
<i>dbase-lsp-tlv-len-out</i>	(Optional)
<i>dbase-lsp-tlv-unknown-out</i>	(Optional)
<i>TABLE_process_subtlv</i>	(Optional)
<i>dbase-lsp-subtlv-name-out</i>	(Optional)
<i>dbase-lsp-extis-admin-group-out</i>	(Optional)
<i>dbase-lsp-subtlv-ip-addr-out</i>	(Optional)
<i>dbase-lsp-extis-bw-out</i>	(Optional)
<i>dbase-lsp-extis-pri1-out</i>	(Optional)
<i>dbase-lsp-extis-pri1-val-out</i>	(Optional)
<i>dbase-lsp-extis-pri2-out</i>	(Optional)
<i>dbase-lsp-extis-pri2-val-out</i>	(Optional)
<i>dbase-lsp-extis-te-metric-out</i>	(Optional)
<i>dbase-lsp-subtlv-len-out</i>	(Optional)
<i>dbase-lsp-subtlv-unknown-out</i>	(Optional)
<i>dbase-lsp-digest-out</i>	(Optional)
<i>dbase-lsp-total-out</i>	(Optional)
<i>dbase-lsp-empty-out</i>	(Optional)
<i>dbase-lsp-zeroseq-out</i>	(Optional)

**Command Mode**

- /exec

**show isis event-history**

show isis [ <isis-tag> ] [ internal ] event-history { errors | msgs | <isis-event-hist-buf-name> | statistics }

#### Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
internal	(Optional) Commands for internal use
event-history	Display IS-IS event history
errors	Error history
msgs	Message history
<i>isis-event-hist-buf-name</i>	Event history buffer
statistics	Show the state and size of the buffer

#### Command Mode

- /exec

# show isis hostname

```
show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] { hostname | hostname-table } [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf <vrf-name-out> <hname-enabled-out> <hname-detail-out> <hname-level-out> <hname-id-out> <hname-id-mine-out> <hname-name-out> ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
hostname	Display IS-IS hostname table information
hostname-table	Display IS-IS hostname table information
detail	(Optional) Display detailed IS-IS information
__readonly__	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>hname-enabled-out</i>	(Optional)
<i>hname-detail-out</i>	(Optional)
<i>hname-level-out</i>	(Optional)
<i>hname-id-out</i>	(Optional)
<i>hname-id-mine-out</i>	(Optional)
<i>hname-name-out</i>	(Optional)

## Command Mode

- /exec

## **show isis interface**

# **show isis interface**

```

show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] interface [ brief | <interface> ] [ level-1
| level-2 ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag
<process-tag-out> { TABLE_vrf <vrf-name-out> [ { TABLE_interface [ { <intfb-name-out> <intfb-type-out>
<intfb-ix-out> <intfb-state-out> <intfb-ready-state-out> <intfb-cid-out> <intfb-ckt-type-out> <intfb-mtu-out>
[ { <intf-p2p-metric-lvl-1-out> <intf-p2p-metric-lvl-2-out> <intf-p2p-prio-lvl-1-out> <intf-p2p-prio-lvl-2-out>
<intf-p2p-adj-count-lvl-1-out> <intf-p2p-adj-up-count-lvl-1-out> <intf-p2p-adj-count-lvl-2-out>
<intf-p2p-adj-up-count-lvl-2-out> } ] [ { <intf-loopback-metric-lvl-1-out> <intf-loopback-metric-lvl-2-out>
<intf-loopback-prio-lvl-1-out> <intf-loopback-prio-lvl-2-out> <intf-loopback-adj-count-lvl-1-out>
<intf-loopback-adj-up-count-lvl-1-out> <intf-loopback-adj-count-lvl-2-out>
<intf-loopback-adj-up-count-lvl-2-out> } ] [ { <intf-bcast-metric-lvl-1-out> <intf-bcast-metric-lvl-2-out>
<intf-bcast-prio-lvl-1-out> <intf-bcast-prio-lvl-2-out> <intf-bcast-adj-count-lvl-1-out>
<intf-bcast-adj-up-count-lvl-1-out> <intf-bcast-adj-count-lvl-2-out> <intf-bcast-adj-up-count-lvl-2-out> } ]
} ] [ { <intf-name-out> <intf-status-out> } ] [ { <intf-state-out> <intf-internal-state-out> [
<intf-cib-disabled-out> ] [ <intf-cid-invalid-out> ] } ] [ { TABLE_auth [ { <intf-auth-info-out>
<intf-auth-kchain-out> ] <intf-auth-chk-info-out> } ] } ] [ { <intf-ix-out> <intf-cid-out> <intf-ckt-type-out>
} ] [ { TABLE_bfd [ <intf-bfd-ipv4-state-out> ] [ <intf-bfd-ipv6-state-out> ] } ] [ <intf-passive-mask-out>
[ <intf-passive-mask-lvl-out> ] [ <intf-mgrp-set-out> ] [ <intf-mgrp-state-out> ] [ <intf-mgrp-id-out> ] [
<intf-p2p-type-out> ] [ { <intf-p2p-ext-local-cid-out> <intf-p2p-cid-out> <intf-retx-intv-out>
<intf-retx-throttle-out> } ] [ <intf-loopback-type-out> ] [ { <intf-lsp-intv-out> <intf-mtu-out> [
<intf-hpad-state-out> } ] [ { [ <intf-p2p-pad-ts-out> ] <intf-p2p-adj-count-out> <intf-p2p-adj-up-count-out>
<intf-p2p-prio-out> <intf-p2p-hello-intv-out> <intf-p2p-hello-multi-out> <intf-p2p-hello-next-out> [ {
TABLE_p2p <intf-p2p-lvl-out> <intf-p2p-adj-lvl-out> <intf-p2p-adj-up-lvl-out> <intf-p2p-metric-lvl-out>
<intf-p2p-csnp-lvl-out> <intf-p2p-csnp-nxt-lvl-out> <intf-p2p-lspid-last-lvl-out> } ] } ] [ { <intf-bcast-type-out>
[ { TABLE_bcast_pad [ { <intf-bcast-lvl-out> <intf-bcast-pad-ts-out> } ] } ] [ { TABLE_bcast_dis [ {
<intf-bcast-lvl-dis-out> <intf-bcast-dis-ts-out> } ] } ] [ { TABLE_bcast_pkt <intf-bcast-lvl-info-out>
<intf-bcast-lvl-metric-0-out> <intf-bcast-lvl-metric-2-out> <intf-bcast-lvl-csnp-intv-out>
<intf-bcast-lvl-csnp-next-out> <intf-bcast-lvl-ihh-intv-out> <intf-bcast-lvl-ihh-multi-out>
<intf-bcast-lvl-ihh-next-out> } ] [ { TABLE_bcast_adj <intf-bcast-lvl-value-out> <intf-bcast-lvl-adj-out>
<intf-bcast-lvl-adj-up-out> <intf-bcast-lvl-prio-out> <intf-bcast-lvl-cktid-out> <intf-bcast-lvl-cktid-ts-out>
} ] } ] [ { TABLE_loopback <intf-loopback-lvl-out> <intf-loopback-lvl-metric-out> } ] [ <intf-unknown-out>
} ] } ] }

```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
brief	(Optional) Brief display of IS-IS interfaces

interface	Display IS-IS interface information
level-1	(Optional) Display Level-1 interfaces
level-2	(Optional) Display level-2 interfaces
<i>interface</i>	(Optional) IS-IS interface
<u>readonly</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_interface	(Optional)
<i>intf-status-out</i>	(Optional)
<i>intf-name-out</i>	(Optional)
<i>intf-ix-out</i>	(Optional)
<i>intf-state-out</i>	(Optional)
<i>intf-cid-out</i>	(Optional)
<i>intf-ckt-type-out</i>	(Optional)
<i>intfb-name-out</i>	(Optional)
<i>intfb-type-out</i>	(Optional)
<i>intfb-ix-out</i>	(Optional)
<i>intfb-state-out</i>	(Optional)
<i>intfb-ready-state-out</i>	(Optional)
<i>intfb-cid-out</i>	(Optional)
<i>intfb-ckt-type-out</i>	(Optional)
<i>intf-p2p-metric-lvl-1-out</i>	(Optional)
<i>intf-p2p-metric-lvl-2-out</i>	(Optional)
<i>intf-p2p-prio-lvl-1-out</i>	(Optional)
<i>intf-p2p-prio-lvl-2-out</i>	(Optional)
<i>intf-p2p-adj-count-lvl-1-out</i>	(Optional)
<i>intf-p2p-adj-count-lvl-2-out</i>	(Optional)

**show isis interface**

<i>intf-p2p-adj-up-count-lvl-1-out</i>	(Optional)
<i>intf-p2p-adj-up-count-lvl-2-out</i>	(Optional)
<i>intf-loopback-metric-lvl-1-out</i>	(Optional)
<i>intf-loopback-metric-lvl-2-out</i>	(Optional)
<i>intf-loopback-prio-lvl-1-out</i>	(Optional)
<i>intf-loopback-prio-lvl-2-out</i>	(Optional)
<i>intf-loopback-adj-count-lvl-1-out</i>	(Optional)
<i>intf-loopback-adj-count-lvl-2-out</i>	(Optional)
<i>intf-loopback-adj-up-count-lvl-1-out</i>	(Optional)
<i>intf-loopback-adj-up-count-lvl-2-out</i>	(Optional)
<i>intf-bcast-metric-lvl-1-out</i>	(Optional)
<i>intf-bcast-metric-lvl-2-out</i>	(Optional)
<i>intf-bcast-prio-lvl-1-out</i>	(Optional)
<i>intf-bcast-prio-lvl-2-out</i>	(Optional)
<i>intf-bcast-adj-count-lvl-1-out</i>	(Optional)
<i>intf-bcast-adj-count-lvl-2-out</i>	(Optional)
<i>intf-bcast-adj-up-count-lvl-1-out</i>	(Optional)
<i>intf-bcast-adj-up-count-lvl-2-out</i>	(Optional)
<i>intf-internal-state-out</i>	(Optional)
<i>intf-cib-disabled-out</i>	(Optional)
<i>intf-cid-invalid-out</i>	(Optional)
TABLE_auth	(Optional)
<i>intf-auth-info-out</i>	(Optional)
<i>intf-auth-kchain-out</i>	(Optional)
<i>intf-auth-chk-info-out</i>	(Optional)
TABLE_bfd	(Optional)
<i>intf-bfd-ipv4-state-out</i>	(Optional)
<i>intf-bfd-ipv6-state-out</i>	(Optional)
<i>intf-passive-mask-out</i>	(Optional)

<i>intf-passive-mask-lvl-out</i>	(Optional)
<i>intf-mgrp-set-out</i>	(Optional)
<i>intf-mgrp-state-out</i>	(Optional)
<i>intf-mgrp-id-out</i>	(Optional)
<i>intf-p2p-type-out</i>	(Optional)
<i>intf-p2p-ext-local-cid-out</i>	(Optional)
<i>intf-p2p-cid-out</i>	(Optional)
<i>intf-retx-intv-out</i>	(Optional)
<i>intf-retx-throttle-out</i>	(Optional)
<i>intf-loopback-type-out</i>	(Optional)
<i>intf-lsp-intv-out</i>	(Optional)
<i>intf-mtu-out</i>	(Optional)
<i>intfb-mtu-out</i>	(Optional)
<i>intf-hpad-state-out</i>	(Optional)
<i>intf-p2p-pad-ts-out</i>	(Optional)
<i>intf-p2p-adj-count-out</i>	(Optional)
<i>intf-p2p-adj-up-count-out</i>	(Optional)
<i>intf-p2p-prio-out</i>	(Optional)
<i>intf-p2p-hello-intv-out</i>	(Optional)
<i>intf-p2p-hello-multi-out</i>	(Optional)
<i>intf-p2p-hello-next-out</i>	(Optional)
TABLE_p2p	(Optional)
<i>intf-p2p-lvl-out</i>	(Optional)
<i>intf-p2p-adj-lvl-out</i>	(Optional)
<i>intf-p2p-adj-up-lvl-out</i>	(Optional)
<i>intf-p2p-metric-lvl-out</i>	(Optional)
<i>intf-p2p-csnp-lvl-out</i>	(Optional)
<i>intf-p2p-csnp-nxt-lvl-out</i>	(Optional)
<i>intf-p2p-lspid-last-lvl-out</i>	(Optional)

show isis interface

<i>intf-bcast-type-out</i>	(Optional)
TABLE_bcast_pad	(Optional)
<i>intf-bcast-lvl-out</i>	(Optional)
<i>intf-bcast-pad-ts-out</i>	(Optional)
TABLE_bcast_dis	(Optional)
<i>intf-bcast-lvl-dis-out</i>	(Optional)
<i>intf-bcast-dis-ts-out</i>	(Optional)
TABLE_bcast_pkt	(Optional)
<i>intf-bcast-lvl-info-out</i>	(Optional)
<i>intf-bcast-lvl-metric-0-out</i>	(Optional)
<i>intf-bcast-lvl-metric-2-out</i>	(Optional)
<i>intf-bcast-lvl-csnp-intv-out</i>	(Optional)
<i>intf-bcast-lvl-csnp-next-out</i>	(Optional)
<i>intf-bcast-lvl-iih-intv-out</i>	(Optional)
<i>intf-bcast-lvl-iih-multi-out</i>	(Optional)
<i>intf-bcast-lvl-iih-next-out</i>	(Optional)
TABLE_bcast_adj	(Optional)
<i>intf-bcast-lvl-value-out</i>	(Optional)
<i>intf-bcast-lvl-adj-out</i>	(Optional)
<i>intf-bcast-lvl-adj-up-out</i>	(Optional)
<i>intf-bcast-lvl-prio-out</i>	(Optional)
<i>intf-bcast-lvl-cktid-out</i>	(Optional)
<i>intf-bcast-lvl-cktid-ts-out</i>	(Optional)
TABLE_loopback	(Optional)
<i>intf-loopback-lvl-out</i>	(Optional)
<i>intf-loopback-lvl-metric-out</i>	(Optional)
<i>intf-unknown-out</i>	(Optional)

**Command Mode**

- /exec

# show isis ipv6 redistribute route

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] ipv6 redistribute route [ summary | <ipv6-addr> | <ipv6-prefix> [ longer-prefixes [ summary ] ] ] [ direct-mask ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_process_tag <process-tag-out> <redist-route-ipv6-vrf> [ <redist-route-ipv6-af-ix> ] [ { TABLE_one_route <redist-route-ipv6-prefix> <redist-route-ipv6-mask-len> } [ <redist-route-ipv6-pib-name> ] [ <redist-route-ipv6-direct-mask> ] [ <redist-route-ipv6-route-type> ] [ { TABLE_redist <redist-route-ipv6-status> <redist-route-ipv6-level> [ <redist-route-ipv6-metric> ] [ <redist-route-ipv6-sum-addr-prefix> ] [ <redist-route-ipv6-sum-addr-mask-len> ] } ] ] [ <redist-route-ipv6-summary-addr-prefix> ] [ <redist-route-ipv6-summary-addr-mask-len> ] [ <redist-route-ipv6-summary-route-total> ] [ { TABLE_protocol <redist-route-ipv6-summary-pib-name> [ <redist-route-ipv6-summary-prot-route-total> ] } ] [ <redist-route-ipv6-summary-pending-total> ] [ { TABLE_mask_len <redist-route-ipv6-summary-mask-len-ix> [ <redist-route-ipv6-summary-mask-len> ] } ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
redistribute	Display IS-IS redistribute information
route	Display ISIS redistribute route
ipv6	Display IS-IS IPv6 information
longer-prefixes	(Optional) Display exact match and more specific routes
summary	(Optional) Display route counts
direct-mask	(Optional) Display routes with direct-mask set
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>redist-route-ipv6-vrf</i>	(Optional)
<i>redist-route-ipv6-af-ix</i>	(Optional)
TABLE_one_route	(Optional)

**show isis ipv6 redistribute route**

<i>redist-route-ipv6-prefix</i>	(Optional)
<i>redist-route-ipv6-mask-len</i>	(Optional)
<i>redist-route-ipv6-pib-name</i>	(Optional)
<i>redist-route-ipv6-direct-mask</i>	(Optional)
<i>redist-route-ipv6-route-type</i>	(Optional)
TABLE_redist	(Optional)
<i>redist-route-ipv6-status</i>	(Optional)
<i>redist-route-ipv6-level</i>	(Optional)
<i>redist-route-ipv6-metric</i>	(Optional)
<i>redist-route-ipv6-sum-addr-prefix</i>	(Optional)
<i>redist-route-ipv6-sum-addr-mask-len</i>	(Optional)
<i>redist-route-ipv6-summary-addr-prefix</i>	(Optional)
<i>redist-route-ipv6-summary-addr-mask-len</i>	(Optional)
<i>redist-route-ipv6-summary-route-total</i>	(Optional)
TABLE_protocol	(Optional)
<i>redist-route-ipv6-summary-pib-name</i>	(Optional)
<i>redist-route-ipv6-summary-prot-route-total</i>	(Optional)
<i>redist-route-ipv6-summary-pending-total</i>	(Optional)
TABLE_mask_len	(Optional)
<i>redist-route-ipv6-summary-mask-len-ix</i>	(Optional)
<i>redist-route-ipv6-summary-mask-len</i>	(Optional)

#### Command Mode

- /exec

# show isis ipv6 route-map statistics

```
show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] ipv6 route-map statistics { { redistribute
{ static | direct | amt | bgp <as> | { <src-isis> | eigrp | ospfv3 | rip } <tag> } } | { distribute <src-level> into
<dst-level> } } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_process_tag [
<process-tag-out> ] <route-map-stat-vrf> ] [ { TABLE_process_route_map [ <name> ] [ <action> ] [ <seq>
] [ { TABLE_cmd [ <str> ] [ <compare-count> ] [ <match-count> ] } ] <accept-count> <reject-count> } ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ipv6	Display IS-IS IPv6 information
route-map	Display IS-IS route-map information
statistics	Display IS-IS route-map statistics
redistribute	Redistribute information from another routing protocol
static	Static routes
direct	Directly connected
amt	AMT anycast prefix
bgp	Border Gateway Protocol (BGP)
<i>as</i>	Autonomous system number
eigrp	Enhanced Interior Gateway Protocol
src-isis	IS-IS Routing for IPv6
ospfv3	Open Shortest Path First (OSPF) V3
rip	RIP for IPv6 (RIPNG)
<i>tag</i>	Process tag
distribute	Distribute routes between ISIS levels
into	from level-n into level-m

**show isis ipv6 route-map statistics**

<i>src-level</i>	Route-distribution between levels
<i>dst-level</i>	Route-distribution between levels
<i>readonly</i>	(Optional)
<i>TABLE_process_tag</i>	(Optional)
<i>process-tag-out</i>	(Optional)
<i>route-map-stat-vrf</i>	(Optional)
<i>TABLE_process_route_map</i>	(Optional) Routemap table
<i>name</i>	(Optional) Route-map Name
<i>action</i>	(Optional) Route-map action
<i>seq</i>	(Optional) Sequence number of the rule in route-map
<i>TABLE_cmd</i>	(Optional) Route-map command table
<i>str</i>	(Optional) Route-map command
<i>compare-count</i>	(Optional) Number of comparisons
<i>match-count</i>	(Optional) Number of matches
<i>accept-count</i>	(Optional) Total number of packets accepted by the policy
<i>reject-count</i>	(Optional) Total number of packets rejected by the policy

#### Command Mode

- /exec

# show isis ipv6 route

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] ipv6 route [ topology { [ base ] | mt-ipv6 } ] [ summary | detail | <ipv6-addr> [ detail ] | <ipv6-prefix> [ detail | longer-prefixes [ summary | detail ] ] ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out> { TABLE_vrf <vrf-name-out> <afi-safi-out> [ TABLE_prefix [ <route-prefix-out> <route-mask-len-out> <route-level-out> ] [ <route-summ-discard-addr-out> <route-summ-discard-mask-len-out> ] [ <route-discard-addr-out> <route-discard-mask-len-out> ] [ <route-addr-print-out> <route-mask-len-print-out> <route-direct-print-out> ] [ TABLE_direct_path [ <route-direct-out> <route-direct-via-out> <route-direct-if-name-out> <route-direct-metric-out> <route-direct-level-out> ] [ <route-direct-instance-out> ] ] [ TABLE_best_path [ <route-no-def-prefix-out> ] [ <route-def-prefix-out> ] <route-addr-valid-out> <route-marker-out> <route-ifname-out> <route-metric-out> <route-pref-out> [ <route-instance-out> ] ] [ <route-discard-mask-out> ] [ <route-sum-prefix-out> <route-sum-prefix-len-out> ] <route-total-out> <route-paths-total-out> <route-paths-best-out> <route-paths-backup-out> [ TABLE_sum_best_route <route-sum-lvl-out> <route-sum-total-out> [ <route-sum-direct-out> ] [ <route-sum-normal-out> ] [ <route-sum-missing-out> ] ] [ <route-best-pend-num-out> ] <route-bestpaths-out> [ TABLE_sum_best_path <route-path-sum-lvl-out> <route-path-sum-total-out> [ <route-path-sum-direct-out> ] [ <route-path-sum-normal-out> ] ] <route-backuppaths-out> [ TABLE_sum_backup_path <backup-path-sum-lvl-out> <backup-path-sum-total-out> [ <backup-path-sum-direct-out> ] [ <backup-path-sum-normal-out> ] ] <route-bestroutes-per-mask-out> [ TABLE_best_mask <route-best-mask-val-out> <route-best-mask-count-out> ] [ <route-pend-q-count-out> ] ] } ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ipv6	Display IS-IS IPv6 information
route	Display IS-IS route information
topology	(Optional) Display routes for a topology
base	(Optional) Display routes for BASE topology
mt-ipv6	(Optional) Display routes for MT-IPV6-UNICAST topology
longer-prefixes	(Optional) Display exact match and more specific routes
summary	(Optional) Display route counts

**show isis ipv6 route**

detail	(Optional) Display detail route information
<u>readonly</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>afi-safi-out</i>	(Optional)
TABLE_prefix	(Optional)
<i>route-prefix-out</i>	(Optional)
<i>route-mask-len-out</i>	(Optional)
<i>route-level-out</i>	(Optional)
<i>route-summ-discard-addr-out</i>	(Optional)
<i>route-summ-discard-mask-len-out</i>	(Optional)
<i>route-discard-addr-out</i>	(Optional)
<i>route-discard-mask-len-out</i>	(Optional)
<i>route-addr-print-out</i>	(Optional)
<i>route-mask-len-print-out</i>	(Optional)
<i>route-direct-print-out</i>	(Optional)
TABLE_direct_path	(Optional)
<i>route-direct-out</i>	(Optional)
<i>route-direct-via-out</i>	(Optional)
<i>route-direct-if-name-out</i>	(Optional)
<i>route-direct-metric-out</i>	(Optional)
<i>route-direct-level-out</i>	(Optional)
<i>route-direct-instance-out</i>	(Optional)
TABLE_best_path	(Optional)
<i>route-no-def-prefix-out</i>	(Optional)
<i>route-def-prefix-out</i>	(Optional)
<i>route-addr-valid-out</i>	(Optional)

<i>route-marker-out</i>	(Optional)
<i>route-ifname-out</i>	(Optional)
<i>route-metric-out</i>	(Optional)
<i>route-pref-out</i>	(Optional)
<i>route-instance-out</i>	(Optional)
<i>route-discard-mask-out</i>	(Optional)
<i>route-sum-prefix-out</i>	(Optional)
<i>route-sum-prefix-len-out</i>	(Optional)
<i>route-total-out</i>	(Optional)
<i>route-paths-total-out</i>	(Optional)
<i>route-paths-best-out</i>	(Optional)
<i>route-paths-backup-out</i>	(Optional)
TABLE_sum_best_route	(Optional)
<i>route-sum-lvl-out</i>	(Optional)
<i>route-sum-total-out</i>	(Optional)
<i>route-sum-direct-out</i>	(Optional)
<i>route-sum-normal-out</i>	(Optional)
<i>route-sum-missing-out</i>	(Optional)
<i>route-best-pend-num-out</i>	(Optional)
<i>route-bestpaths-out</i>	(Optional)
TABLE_sum_best_path	(Optional)
<i>route-path-sum-lvl-out</i>	(Optional)
<i>route-path-sum-total-out</i>	(Optional)
<i>route-path-sum-direct-out</i>	(Optional)
<i>route-path-sum-normal-out</i>	(Optional)
<i>route-backuppaths-out</i>	(Optional)
TABLE_sum_backup_path	(Optional)
<i>backup-path-sum-lvl-out</i>	(Optional)
<i>backup-path-sum-total-out</i>	(Optional)

**show isis ipv6 route**

<i>backup-path-sum-direct-out</i>	(Optional)
<i>backup-path-sum-normal-out</i>	(Optional)
<i>route-bestroutes-per-mask-out</i>	(Optional)
TABLE_best_mask	(Optional)
<i>route-best-mask-val-out</i>	(Optional)
<i>route-best-mask-count-out</i>	(Optional)
<i>route-pend-q-count-out</i>	(Optional)

**Command Mode**

- /exec

# show isis lsp free-list

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] { non-pseudonode | pseudonode { <interface> | orphan } } lsp free-list [ summary ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
non-pseudonode	Display IS-IS non-pseudo-node information
pseudonode	Display IS-IS pseudo-node information
<i>interface</i>	IS-IS interface
orphan	Display orphan LSP information
lsp	Display IS-IS LSP information
free-list	Display free-list information
summary	(Optional) Display LSP count per free-list

## Command Mode

- /exec

show isis mesh-group

## show isis mesh-group

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] mesh-group [ <mesh-id> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf <vrf-name-out> <mesh-id-set-out> <mesh-id-out> <mesh-set-id-out> <mesh-id-intf-name-out> <mesh-id-none-out> ]
```

### Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
mesh-group	Display IS-IS mesh-groups
<i>mesh-id</i>	(Optional) Display a single mesh-group
<u>__readonly__</u>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>mesh-id-set-out</i>	(Optional)
<i>mesh-id-out</i>	(Optional)
<i>mesh-set-id-out</i>	(Optional)
<i>mesh-id-intf-name-out</i>	(Optional)
<i>mesh-id-none-out</i>	(Optional)

### Command Mode

- /exec

# show isis non tlv overflow-list

show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] { non-pseudonode | pseudonode <interface> } tlv overflow-list [ vrf { <vrf-name> | <vrf-known-name> | all } ]

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
non-pseudonode	Display IS-IS non-pseudo-node information
pseudonode	Display IS-IS pseudo-node information
<i>interface</i>	IS-IS interface
tlv	Display IS-IS TLV information
overflow-list	Display ISIS TLV overflow-list information

## Command Mode

- /exec

show isis redistribute route

## show isis redistribute route

```
show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ ip ] redistribute route [ summary | <ip-addr> | <ip-prefix> [ longer-prefixes [ summary ] ] ] [ direct-mask ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_process_tag <process-tag-out> <redist-route-vrf> [ <redist-route-af-ix> ] [ { TABLE_one_route <redist-route-prefix> [ <redist-route-mask-len> ] [ <redist-route-pib-name> ] [ <redist-route-direct-mask> ] [ <redist-route-route-type> ] [ { TABLE_redist <redist-route-status> <redist-route-level> [ <redist-route-metric> ] [ <redist-route-sum-addr-prefix> ] [ <redist-route-sum-addr-mask-len> ] } ] [ <redist-route-summary-addr-prefix> ] [ <redist-route-summary-addr-mask-len> ] [ <redist-route-summary-route-total> ] [ { TABLE_protocol <redist-route-summary-pib-name> [ <redist-route-summary-prot-route-total> ] } ] [ <redist-route-summary-pending-total> ] [ { TABLE_mask_len <redist-route-summary-mask-len-ix> [ <redist-route-summary-mask-len> ] } ] ]
```

### Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
redistribute	Display IS-IS redistribute information
route	Display ISIS redistribute route
ip	(Optional) Display IS-IS IPv4 information
<i>ip-addr</i>	(Optional) Display single IP redistribute route
<i>ip-prefix</i>	(Optional) Display single exact match IP redistribute route
longer-prefixes	(Optional) Display exact match and more specific routes
summary	(Optional) Display route counts
direct-mask	(Optional) Display routes with direct-mask set
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>redist-route-vrf</i>	(Optional)

<i>redist-route-af-ix</i>	(Optional)
TABLE_one_route	(Optional)
<i>redist-route-prefix</i>	(Optional)
<i>redist-route-mask-len</i>	(Optional)
<i>redist-route-pib-name</i>	(Optional)
<i>redist-route-direct-mask</i>	(Optional)
<i>redist-route-route-type</i>	(Optional)
TABLE_redist	(Optional)
<i>redist-route-status</i>	(Optional)
<i>redist-route-level</i>	(Optional)
<i>redist-route-metric</i>	(Optional)
<i>redist-route-sum-addr-prefix</i>	(Optional)
<i>redist-route-sum-addr-mask-len</i>	(Optional)
<i>redist-route-summary-addr-prefix</i>	(Optional)
<i>redist-route-summary-addr-mask-len</i>	(Optional)
<i>redist-route-summary-route-total</i>	(Optional)
TABLE_protocol	(Optional)
<i>redist-route-summary-pib-name</i>	(Optional)
<i>redist-route-summary-prot-route-total</i>	(Optional)
<i>redist-route-summary-pending-total</i>	(Optional)
TABLE_mask_len	(Optional)
<i>redist-route-summary-mask-len-ix</i>	(Optional)
<i>redist-route-summary-mask-len</i>	(Optional)

**Command Mode**

- /exec

show isis route-map statistics

# show isis route-map statistics

```
show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ ip ] route-map statistics { { redistribute
{ static | direct | amt | bgp <as> | { <src-isis> | eigrp | ospf | rip } <tag> } } | { distribute <src-level> into
<dst-level> } } [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag
<process-tag-out> { TABLE_vrf<route-map-stat-vrf> [ { TABLE_process_route_map [ <name> ] [ <action>
] [ <seq> ] [ { TABLE_cmd [ <str> ] [ <compare-count> ] [ <match-count> ] } ] <accept-count> <reject-count>
} ] } } ] }
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ip	(Optional) Display IS-IS IPv4 information
route-map	Display IS-IS route-map information
statistics	Display IS-IS route-map statistics
redistribute	Redistribute information from another routing protocol
static	Static routes
direct	Directly connected
amt	AMT anycast prefix
bgp	Border Gateway Protocol (BGP)
<i>as</i>	Autonomous system number
eigrp	Enhanced Interior Gateway Protocol
src-isis	IS-IS Routing for IPv4
ospf	Open Shortest Path First (OSPF)
rip	RIP for IPv4
<i>tag</i>	Process tag
distribute	Distribute routes between ISIS levels

<i>into</i>	from level-n into level-m
<i>src-level</i>	Route-distribution between levels
<i>dst-level</i>	Route-distribution between levels
<i>readonly</i>	(Optional)
<i>TABLE_process_tag</i>	(Optional)
<i>process-tag-out</i>	(Optional)
<i>TABLE_vrf</i>	(Optional)
<i>route-map-stat-vrf</i>	(Optional)
<i>TABLE_process_route_map</i>	(Optional) Routemap table
<i>name</i>	(Optional) Route-map Name
<i>action</i>	(Optional) Route-map action
<i>seq</i>	(Optional) Sequence number of the rule in route-map
<i>TABLE_cmd</i>	(Optional) Route-map command table
<i>str</i>	(Optional) Route-map command
<i>compare-count</i>	(Optional) Number of comparisons
<i>match-count</i>	(Optional) Number of matches
<i>accept-count</i>	(Optional) Total number of packets accepted by the policy
<i>reject-count</i>	(Optional) Total number of packets rejected by the policy

**Command Mode**

- /exec

show isis route

# show isis route

```
show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ ip ] route [ summary | detail | <ip-addr> [ detail ] | <ip-prefix> [ detail | longer-prefixes [ summary | detail ] ] ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out> { TABLE_vrf <vrf-name-out> <afi-safi-out> [ TABLE_prefix [ <route-prefix-out> <route-mask-len-out> <route-level-out> ] [ <route-summ-discard-addr-out> <route-summ-discard-mask-len-out> ] [ <route-discard-addr-out> <route-discard-mask-len-out> ] [ <route-addr-print-out> <route-mask-len-print-out> <route-direct-print-out> ] [ TABLE_direct_path [ <route-direct-out> <route-direct-via-out> <route-direct-if-name-out> <route-direct-metric-out> <route-direct-level-out> ] [ <route-direct-instance-out> ] ] [ TABLE_best_path [ <route-no-def-prefix-out> ] [ <route-def-prefix-out> ] <route-addr-valid-out> <route-marker-out> <route-ifname-out> <route-metric-out> <route-pref-out> [ <route-instance-out> ] ] [ <route-discard-mask-out> ] [ <route-sum-prefix-out> <route-sum-prefix-len-out> ] <route-total-out> <route-paths-total-out> <route-paths-best-out> <route-paths-backup-out> [ TABLE_sum_best_route <route-sum-lvl-out> <route-sum-total-out> [ <route-sum-direct-out> ] [ <route-sum-normal-out> ] [ <route-sum-missing-out> ] ] [ <route-best-pend-num-out> ] <route-bestpaths-out> [ TABLE_sum_best_path <route-path-sum-lvl-out> <route-path-sum-total-out> [ <route-path-sum-direct-out> ] [ <route-path-sum-normal-out> ] ] <route-bestroutes-per-mask-out> [ TABLE_best_mask <route-best-mask-val-out> <route-best-mask-count-out> ] [ <route-pend-q-count-out> ] ] } ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ip	(Optional) Display IS-IS IPv4 information
route	Display IS-IS route information
<i>ip-addr</i>	(Optional) Display single IP route
<i>ip-prefix</i>	(Optional) Display single exact match IP route
longer-prefixes	(Optional) Display exact match and more specific routes
summary	(Optional) Display route counts
detail	(Optional) Display detail route information
<u>__readonly__</u>	(Optional)

TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>afi-safi-out</i>	(Optional)
TABLE_prefix	(Optional)
<i>route-prefix-out</i>	(Optional)
<i>route-mask-len-out</i>	(Optional)
<i>route-level-out</i>	(Optional)
<i>route-summ-discard-addr-out</i>	(Optional)
<i>route-summ-discard-mask-len-out</i>	(Optional)
<i>route-discard-addr-out</i>	(Optional)
<i>route-discard-mask-len-out</i>	(Optional)
<i>route-addr-print-out</i>	(Optional)
<i>route-mask-len-print-out</i>	(Optional)
<i>route-direct-print-out</i>	(Optional)
TABLE_direct_path	(Optional)
<i>route-direct-out</i>	(Optional)
<i>route-direct-via-out</i>	(Optional)
<i>route-direct-if-name-out</i>	(Optional)
<i>route-direct-metric-out</i>	(Optional)
<i>route-direct-level-out</i>	(Optional)
<i>route-direct-instance-out</i>	(Optional)
TABLE_best_path	(Optional)
<i>route-no-def-prefix-out</i>	(Optional)
<i>route-def-prefix-out</i>	(Optional)
<i>route-addr-valid-out</i>	(Optional)
<i>route-marker-out</i>	(Optional)
<i>route-ifname-out</i>	(Optional)

show isis route

<i>route-metric-out</i>	(Optional)
<i>route-pref-out</i>	(Optional)
<i>route-instance-out</i>	(Optional)
<i>route-discard-mask-out</i>	(Optional)
<i>route-sum-prefix-out</i>	(Optional)
<i>route-sum-prefix-len-out</i>	(Optional)
<i>route-total-out</i>	(Optional)
<i>route-paths-total-out</i>	(Optional)
<i>route-paths-best-out</i>	(Optional)
<i>route-paths-backup-out</i>	(Optional)
TABLE_sum_best_route	(Optional)
<i>route-sum-lvl-out</i>	(Optional)
<i>route-sum-total-out</i>	(Optional)
<i>route-sum-direct-out</i>	(Optional)
<i>route-sum-normal-out</i>	(Optional)
<i>route-sum-missing-out</i>	(Optional)
<i>route-best-pend-num-out</i>	(Optional)
<i>route-bestpaths-out</i>	(Optional)
TABLE_sum_best_path	(Optional)
<i>route-path-sum-lvl-out</i>	(Optional)
<i>route-path-sum-total-out</i>	(Optional)
<i>route-path-sum-direct-out</i>	(Optional)
<i>route-path-sum-normal-out</i>	(Optional)
<i>route-backuppaths-out</i>	(Optional)
TABLE_sum_backup_path	(Optional)
<i>backup-path-sum-lvl-out</i>	(Optional)
<i>backup-path-sum-total-out</i>	(Optional)
<i>backup-path-sum-direct-out</i>	(Optional)
<i>backup-path-sum-normal-out</i>	(Optional)

<i>route-bestroutes-per-mask-out</i>	(Optional)
TABLE_best_mask	(Optional)
<i>route-best-mask-val-out</i>	(Optional)
<i>route-best-mask-count-out</i>	(Optional)
<i>route-pend-q-count-out</i>	(Optional)

**Command Mode**

- /exec

**show isis route is**

show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] route is [ topology { [ base ] | mt-ipv6 } ] [ vrf { <vrf-name> | <vrf-known-name> | all } ]

#### Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Display IS-IS route information
is	Display IS route
topology	(Optional) Display routes for a topology
base	(Optional) Display routes for BASE topology
mt-ipv6	(Optional) Display routes for MT-IPV6-UNICAST topology

#### Command Mode

- /exec

# show isis rrm

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] rrm <interface> [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out> <rrm-if-name> [ { TABLE_rrm <rrm-level> <rrm-retx-interval> <rrm-retx-throttle-interval> <rrm-retx-queue-length> <rrm-next-retx> <rrm-retx-queue-hwm> <rrm-retx-queue-exceed> <rrm-dbase-hdr> [ <rrm-timestamp> ] [ <rrm-lsp-retx-instance> ] [ <rrm-lsp-db-instance> ] [ <rrm-rrm-set> ] [ <rrm-srm-set> ] } } ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
rrm	Display IS-IS Retransmit-Routing-Message information
<i>interface</i>	IS-IS interface
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>rrm-if-name</i>	(Optional)
TABLE_rrm	(Optional)
<i>rrm-level</i>	(Optional)
<i>rrm-retx-interval</i>	(Optional)
<i>rrm-retx-throttle-interval</i>	(Optional)
<i>rrm-retx-queue-length</i>	(Optional)
<i>rrm-next-retx</i>	(Optional)
<i>rrm-retx-queue-hwm</i>	(Optional)
<i>rrm-retx-queue-exceed</i>	(Optional)
<i>rrm-dbase-hdr</i>	(Optional)
<i>rrm-timestamp</i>	(Optional)

**show isis rrm**

<i>rrm-lsp-retx-instance</i>	(Optional)
<i>rrm-lsp-db-instance</i>	(Optional)
<i>rrm-rrm-set</i>	(Optional)
<i>rrm-srm-set</i>	(Optional)

**Command Mode**

- /exec

# show isis spf-adjacency

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] spf-adjacency [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_process_tag <process-tag-out> <spf-adjacency-vrf> [ <spf-adjacency-system-name> ] [ <spf-adjacency-refcount> ] [ <spf-adjacency-if-name> ] [ <spf-adjacency-rib-addr> ] [ <spf-adjacency-rib-addr-valid> ] [ <spf-adjacency-rib-ipv6-addr> ] [ <spf-adjacency-rib-ipv6-addr-valid> ] [ <spf-adjacency-spf-addr> ] [ <spf-adjacency-spf-ipv6-addr> ] [ <spf-adjacency-spf-ipv6-addr> ] [ TABLE_SPFADJLEVEL <spf-adjacency-level> } ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
spf-adjacency	Display IS-IS SPF adjacency information
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>spf-adjacency-vrf</i>	(Optional)
<i>spf-adjacency-system-name</i>	(Optional)
<i>spf-adjacency-refcount</i>	(Optional)
<i>spf-adjacency-if-name</i>	(Optional)
<i>spf-adjacency-rib-addr</i>	(Optional)
<i>spf-adjacency-rib-addr-valid</i>	(Optional)
<i>spf-adjacency-rib-ipv6-addr</i>	(Optional)
<i>spf-adjacency-rib-ipv6-addr-valid</i>	(Optional)
<i>spf-adjacency-spf-addr</i>	(Optional)
<i>spf-adjacency-spf-ipv6-addr</i>	(Optional)
TABLE_SPFADJLEVEL	(Optional)

```
show isis spf-adjacency
```

<i>spf-adjacency-level</i>	(Optional)
----------------------------	------------

**Command Mode**

- /exec

# show isis spf-log

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] spf-log [ detail ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf <vrf-name-out> <spflog-calc-out> <spflog-size-out> <spflog-maxsize-out> <spflog-ago-time-out> <spflog-lvl-out> <spflog-reason-out> <spflog-count-out> <spflogelapsed-ts-out> <spflog-log-num-out> <spflog-ts-detail-out> <spflog-date-detail-out> <spflog-lvl-detail-out> <spflog-instance-detail-out> <spflog-init-ts-detail-out> <spflog-spf-ts-detail-out> <spflog-detail-ts-is-out> <spflog-detail-ts-urib-out> <spflog-detail-ts-elapsed-out> <spflog-detail-lvl-out> <spflog-detail-spf-cnt-out> <spflog-detail-sync-cnt-out> <spflog-detail-spf-reason-out> ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
spf-log	Display IS-IS SPF information
detail	(Optional) Display detail ISIS SPF information
<u>__readonly__</u>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>spflog-calc-out</i>	(Optional)
<i>spflog-size-out</i>	(Optional)
<i>spflog-maxsize-out</i>	(Optional)
<i>spflog-ago-time-out</i>	(Optional)
<i>spflog-lvl-out</i>	(Optional)
<i>spflog-reason-out</i>	(Optional)
<i>spflog-count-out</i>	(Optional)
<i>spflogelapsed-ts-out</i>	(Optional)

**show isis spf-log**

<i>spflog-log-num-out</i>	(Optional)
<i>spflog-ts-detail-out</i>	(Optional)
<i>spflog-date-detail-out</i>	(Optional)
<i>spflog-lvl-detail-out</i>	(Optional)
<i>spflog-instance-detail-out</i>	(Optional)
<i>spflog-init-ts-detail-out</i>	(Optional)
<i>spflog-spf-ts-detail-out</i>	(Optional)
<i>spflog-detail-ts-is-out</i>	(Optional)
<i>spflog-detail-ts-urib-out</i>	(Optional)
<i>spflog-detail-ts-elapsed-out</i>	(Optional)
<i>spflog-detail-lvl-out</i>	(Optional)
<i>spflog-detail-spf-cnt-out</i>	(Optional)
<i>spflog-detail-sync-cnt-out</i>	(Optional)
<i>spflog-detail-spf-reason-out</i>	(Optional)

#### Command Mode

- /exec

# show isis srm

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] srm <interface> [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out> <srm-if-name> [ { TABLE_srm <srm-level> <srm-if-eligible> <srm-if-not-on-srm-list> <srm-lsp-interval> <srm-next-lsp> <srm-dbase-hdr> } ] } ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
srm	Display IS-IS Send-Routing-Message information
<i>interface</i>	IS-IS interface
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>srm-if-name</i>	(Optional)
TABLE_srm	(Optional)
<i>srm-level</i>	(Optional)
<i>srm-if-eligible</i>	(Optional)
<i>srm-if-not-on-srm-list</i>	(Optional)
<i>srm-lsp-interval</i>	(Optional)
<i>srm-next-lsp</i>	(Optional)
<i>srm-dbase-hdr</i>	(Optional)

## Command Mode

- /exec

show isis ssn

# show isis ssn

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] ssn <interface> [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out> <snn-if-name> [ { TABLE_ssn <snn-level> <snn-psnp-eligible> <snn-next-psnp> <snn-dbase_hdr> } ] } ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ssn	Display IS-IS Send-Sequence-Number information
<i>interface</i>	IS-IS interface
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>snn-if-name</i>	(Optional)
TABLE_ssn	(Optional)
<i>snn-level</i>	(Optional)
<i>snn-psnp-eligible</i>	(Optional)
<i>snn-next-psnp</i>	(Optional)
<i>snn-dbase_hdr</i>	(Optional)

## Command Mode

- /exec

# show isis statistics

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] statistics [ <interface> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf <vrf-name-out> <stat-if-out> <stat-if-name-out> <stat-spf-calc-out> <stat-lsp-sourced-out> <stat-lsp-refresh-out> <stat-lsp-purge-out> <stat-dis-elections-out> ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
statistics	Display IS-IS protocol statistics
<i>interface</i>	(Optional) IS-IS interface
<u>__readonly__</u>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>stat-if-out</i>	(Optional)
<i>stat-if-name-out</i>	(Optional)
<i>stat-spf-calc-out</i>	(Optional)
<i>stat-lsp-sourced-out</i>	(Optional)
<i>stat-lsp-refresh-out</i>	(Optional)
<i>stat-lsp-purge-out</i>	(Optional)
<i>stat-dis-elections-out</i>	(Optional)

## Command Mode

- /exec

show isis summary-address show isis ipv6 summary-address

```
show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ ip ] summary-address [ <ip-addr> | <ip-prefix> [ longer-prefixes ] ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] | show isis [<isis-tag>] [ vrf { <vrf-name> | <vrf-known-name> | all } ] ipv6 summary-address [ <ipv6-addr> | <ip-prefix> [ longer-prefixes ] ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf <vrf-name-out> <afi-safi-out> <addr-absent-out> <addr-prefix-out> <addr-mask-len-out> <addr-level-out> <addr-num-out> <addr-lvl-out> <addr-metric-absent-out> <addr-metric-out> <addr-route-count-out> ]
```

### Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ip	(Optional) Display IS-IS IPv4 information
ipv6	Display IS-IS IPv6 information
summary-address	Display IS-IS summary address
<i>ip-addr</i>	(Optional) Display single IP summary address
<i>ip-prefix</i>	(Optional) Display single exact match IP summary address
longer-prefixes	(Optional) Display exact match and more specific summary address
<i>isis-tag</i>	(Optional)
<u>__readonly__</u>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>afi-safi-out</i>	(Optional)
<i>addr-absent-out</i>	(Optional)
<i>addr-prefix-out</i>	(Optional)
<i>addr-mask-len-out</i>	(Optional)

<i>addr-level-out</i>	(Optional)
<i>addr-num-out</i>	(Optional)
<i>addr-lvl-out</i>	(Optional)
<i>addr-metric-absent-out</i>	(Optional)
<i>addr-metric-out</i>	(Optional)
<i>addr-route-count-out</i>	(Optional)

**Command Mode**

- /exec

show isis topology

# show isis topology

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] topology [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_process_tag <process-tag-out> <topology-vrf> [ { TABLE_LEVEL <topology-level> [ { TABLE_ONE_ROUTE <topology-one-route-node-name> [ <topology-one-route-spf-instance> ] [ <topology-one-route-on-path> ] [ <topology-one-route-mt-id> ] [ { TABLE_ONE_ROUTE_NH <topology-one-route-nh-system-name> [ <topology-one-route-nh-if-name> ] [ <topology-one-route-nh-metric> ] } ] [ { TABLE_ONE_ROUTE_MBEST <topology-one-route-mbest-system-name> [ <topology-one-route-mbest-if-name> ] [ <topology-one-route-mbest-metric> ] } ] [ <topology-default-spf-instance> ] [ { TABLE_NH <topology-nh-system-name> [ <topology-nh-if-name> ] [ <topology-nh-metric> ] } ] [ { TABLE_MBEST <topology-mbest-system-name> [ <topology-mbest-if-name> ] [ <topology-mbest-metric> ] } ] } ] ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
topology	Display IS-IS Topology information
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>topology-vrf</i>	(Optional)
TABLE_LEVEL	(Optional)
<i>topology-level</i>	(Optional)
TABLE_ONE_ROUTE	(Optional)
<i>topology-one-route-node-name</i>	(Optional)
<i>topology-one-route-spf-instance</i>	(Optional)
<i>topology-one-route-on-path</i>	(Optional)
<i>topology-one-route-mt-id</i>	(Optional)
TABLE_ONE_ROUTE_NH	(Optional)

<i>topology-one-route-nh-system-name</i>	(Optional)
<i>topology-one-route-nh-if-name</i>	(Optional)
<i>topology-one-route-nh-metric</i>	(Optional)
TABLE_ONE_ROUTE_MBEST	(Optional)
<i>topology-one-route-mbest-system-name</i>	(Optional)
<i>topology-one-route-mbest-if-name</i>	(Optional)
<i>topology-one-route-mbest-metric</i>	(Optional)
<i>topology-default-spf-instance</i>	(Optional)
TABLE_NH	(Optional)
<i>topology-nh-system-name</i>	(Optional)
<i>topology-nh-if-name</i>	(Optional)
<i>topology-nh-metric</i>	(Optional)
TABLE_MBEST	(Optional)
<i>topology-mbest-system-name</i>	(Optional)
<i>topology-mbest-if-name</i>	(Optional)
<i>topology-mbest-metric</i>	(Optional)

**Command Mode**

- /exec

show isis traffic

# show isis traffic

```
show isis [ <isis-tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] traffic [ <interface> ] [ mbuf-priority ]
] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ { TABLE_process_tag <process-tag-out>
{ TABLE_vrf <vrf-name-out> <traffic-if-out> [ <traffic-if-name-out> ] <traffic-lan-iih-out>
<traffic-lan-iih-rcv-out> <traffic-lan-iih-xmit-out> <traffic-lan-iih-rcv-auth-err-out> <traffic-lan-iih-rcv-err-out>
<traffic-p2p-iih-out> <traffic-p2p-iih-rcv-out> <traffic-p2p-iih-xmit-out> <traffic-p2p-iih-rcv-auth-err-out>
<traffic-p2p-iih-rcv-err-out> <traffic-csnp-out> <traffic-csnp-rcv-out> <traffic-csnp-xmit-out>
<traffic-csnp-rcv-auth-err-out> <traffic-csnp-rcv-err-out> <traffic-psnp-out> <traffic-psnp-rcv-out>
<traffic-psnp-xmit-out> <traffic-psnp-rcv-auth-err-out> <traffic-psnp-rcv-err-out> <traffic-lsp-out>
<traffic-lsp-rcv-out> <traffic-lsp-flood-out> <traffic-lsp-rcv-auth-err-out> <traffic-lsp-rcv-err-out>
<traffic-lsp-rexmit-out> [ <traffic-xmit-err-out> ] [ <traffic-unknown-pdu-rcv-out> ] } } ]
```

## Syntax Description

show	Show running system information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
traffic	Display IS-IS traffic information
<i>interface</i>	(Optional) IS-IS interface
mbuf-priority	(Optional) Display mbuf priorities for received PDUs
<u>__readonly__</u>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>traffic-if-out</i>	(Optional)
<i>traffic-if-name-out</i>	(Optional)
<i>traffic-lan-iih-out</i>	(Optional)
<i>traffic-lan-iih-rcv-out</i>	(Optional)
<i>traffic-lan-iih-xmit-out</i>	(Optional)

<i>traffic-lan-iih-rcv-auth-err-out</i>	(Optional)
<i>traffic-lan-iih-rcv-err-out</i>	(Optional)
<i>traffic-p2p-iih-out</i>	(Optional)
<i>traffic-p2p-iih-rcv-out</i>	(Optional)
<i>traffic-p2p-iih-xmit-out</i>	(Optional)
<i>traffic-p2p-iih-rcv-auth-err-out</i>	(Optional)
<i>traffic-p2p-iih-rcv-err-out</i>	(Optional)
<i>traffic-csnp-out</i>	(Optional)
<i>traffic-csnp-rcv-out</i>	(Optional)
<i>traffic-csnp-xmit-out</i>	(Optional)
<i>traffic-csnp-rcv-auth-err-out</i>	(Optional)
<i>traffic-csnp-rcv-err-out</i>	(Optional)
<i>traffic-psnp-out</i>	(Optional)
<i>traffic-psnp-rcv-out</i>	(Optional)
<i>traffic-psnp-xmit-out</i>	(Optional)
<i>traffic-psnp-rcv-auth-err-out</i>	(Optional)
<i>traffic-psnp-rcv-err-out</i>	(Optional)
<i>traffic-lsp-out</i>	(Optional)
<i>traffic-lsp-rcv-out</i>	(Optional)
<i>traffic-lsp-flood-out</i>	(Optional)
<i>traffic-lsp-rcv-auth-err-out</i>	(Optional)
<i>traffic-lsp-rcv-err-out</i>	(Optional)
<i>traffic-lsp-rexmit-out</i>	(Optional)
<i>traffic-xmit-err-out</i>	(Optional)
<i>traffic-unknown-pdu-rcv-out</i>	(Optional)

**Command Mode**

- /exec

**show itd**

**show itd**

```

show itd <svc-name> [ brief ] [ __readonly__ <is_firstentry> <is_detail> <is_active> <is_firstentry_routemap>
<is_firstentry_standby> <is_firstentry_acl> <is_lastentry> [ TABLE_summary <service_name> <probe>
<lb_scheme> [ <interface> ] <state> <buckets> [ <reason> ] <vrf_name> <userACL> <peer_status> [
TABLE_device <device_grp> <dg_probe> <dg_probe_port> ] [ TABLE_route_map [ <route_map> ] [
<interface> ] [ <r_status> ] [ <int_track_id> ] ] [ TABLE_vip [ <vip_ip> ] [ <vip_probe> ] [ <vip_port> ] [
<vip_dgname> ] [ <ace_name> ] [ <ace_seq> ] [ <ace_ip> ] [ <ace_protocol> ] [ <ace_port> ] [
TABLE_vip_node [ <vip_node> ] [ <vip_nodev6> ] <vip_config> <vip_weight> <vip_node_probe>
<vip_node_probe_port> <vip_node_probe_ip> <vip_status> <vip_track_id> <vip_ip_sla_id> [
TABLE_vip_standby [ <vip_standby_ip> ] [ <vip_standby_ipv6> ] <vip_standby_config>
<vip_standby_weight> <vip_standby_probe> <vip_standby_probe_port> <vip_standby_probe_ip>
<vip_standby_status> <vip_standby_track_id> <vip_standby_sla_id> [ TABLE_vip_acl [ <vip_access_list>
] ] ] [ TABLE_node [ <node> ] [ <nodev6> ] <config> <weight> <node_probe> <node_probe_port>
<node_probe_ip> <status> <track_id> <ip_sla_id> [ TABLE_standby [ <standby_ip> ] [ <standby_ipv6> ]
<standby_config> <standby_weight> <standby_probe> <standby_probe_port> <standby_probe_ip>
<standby_status> <standby_track_id> <standby_sla_id> ] [ TABLE_acl [ <access_list> ] ] ] ]

```

## Syntax Description

show	Show running system information
itd	ITD service
<i>svc-name</i>	ITD service name
brief	(Optional) brief
<u>readonly</u>	(Optional) Read Only
<i>is_firstentry</i>	(Optional)
<i>is_detail</i>	(Optional)
<i>is_active</i>	(Optional)
<i>is_firstentry_routemap</i>	(Optional)
<i>is_firstentry_acl</i>	(Optional)
<i>is_lastentry</i>	(Optional)
<i>is_firstentry_standby</i>	(Optional)
TABLE_summary	(Optional)
<i>service_name</i>	(Optional) service_name
<i>probe</i>	(Optional) probe
<i>lb_scheme</i>	(Optional) lb scheme
<i>interface</i>	(Optional) interface

<i>state</i>	(Optional) state
<i>buckets</i>	(Optional) buckets
<i>reason</i>	(Optional) inactive reason
<i>vrf_name</i>	(Optional) VRF-Name
<i>userACL</i>	(Optional) user access-list
<i>peer_status</i>	(Optional) peer status
TABLE_device	(Optional)
<i>device_grp</i>	(Optional) service device group
<i>dg_probe</i>	(Optional) probe type
<i>dg_probe_port</i>	(Optional) probe port
TABLE_route_map	(Optional)
<i>route_map</i>	(Optional) service route map
<i>interface</i>	(Optional) interface
<i>r_status</i>	(Optional) route map status
<i>int_track_id</i>	(Optional) interface track id
TABLE_vip	(Optional)
<i>vip_ip</i>	(Optional) vip ip
<i>vip_probe</i>	(Optional) vip protocol
<i>vip_port</i>	(Optional) vip port
<i>vip_dgname</i>	(Optional) vip device group
<i>ace_name</i>	(Optional) ace information
<i>ace_seq</i>	(Optional) ace information
<i>ace_ip</i>	(Optional) ace information
<i>ace_protocol</i>	(Optional) ace information
<i>ace_port</i>	(Optional) ace information
TABLE_vip_node	(Optional)
<i>vip_node</i>	(Optional) service node ip
<i>vip_nodev6</i>	(Optional) service node IPv6
<i>vip_config</i>	(Optional) node config

show itd

<i>vip_weight</i>	(Optional) node weight
<i>vip_status</i>	(Optional) node status
<i>vip_node_probe</i>	(Optional) node probe type
<i>vip_node_probe_port</i>	(Optional) node probe port
<i>vip_node_probe_ip</i>	(Optional) node probe ip
<i>vip_track_id</i>	(Optional) node track id
<i>vip_ip_sla_id</i>	(Optional) node ip sla id
TABLE_vip_standby	(Optional)
<i>vip_standby_ip</i>	(Optional) standby node ip
<i>vip_standby_ipv6</i>	(Optional) standby node ipv6
<i>vip_standby_config</i>	(Optional) standby node config
<i>vip_standby_weight</i>	(Optional) standby node weight
<i>vip_standby_status</i>	(Optional) standby node status
<i>vip_standby_probe</i>	(Optional) standby node probe type
<i>vip_standby_probe_port</i>	(Optional) standby node probe port
<i>vip_standby_probe_ip</i>	(Optional) standby node probe ip
<i>vip_standby_track_id</i>	(Optional) standby node track id
<i>vip_standby_sla_id</i>	(Optional) standby node sla id
TABLE_vip_acl	(Optional)
<i>vip_access_list</i>	(Optional) access list
TABLE_node	(Optional)
<i>node</i>	(Optional) service node ip
<i>nodev6</i>	(Optional) service node IPv6
<i>config</i>	(Optional) node config
<i>weight</i>	(Optional) node weight
<i>status</i>	(Optional) node status
<i>node_probe</i>	(Optional) node probe type
<i>node_probe_port</i>	(Optional) node probe port
<i>node_probe_ip</i>	(Optional) node probe ip

<i>track_id</i>	(Optional) node track id
<i>ip_sla_id</i>	(Optional) node ip sla id
<i>TABLE_standby</i>	(Optional)
<i>standby_ip</i>	(Optional) standby node ip
<i>standby_ipv6</i>	(Optional) standby node ipv6
<i>standby_config</i>	(Optional) standby node config
<i>standby_weight</i>	(Optional) standby node weight
<i>standby_status</i>	(Optional) standby node status
<i>standby_probe</i>	(Optional) standby node probe type
<i>standby_probe_port</i>	(Optional) standby node probe port
<i>standby_probe_ip</i>	(Optional) standby node probe ip
<i>standby_track_id</i>	(Optional) standby node track id
<i>standby_sla_id</i>	(Optional) standby node sla id
<i>TABLE_acl</i>	(Optional)
<i>access_list</i>	(Optional) access list

**Command Mode**

- /exec

**show itd**

**show itd**

```

show itd <svc-name> [ brief ] [ __readonly__ <is_firstentry> <is_detail> <is_active> <is_firstentry_routemap>
<is_firstentry_acl> <is_lastentry> [ TABLE_summary <service_name> <probe> <lb_scheme> [ <interface>
] <state> <buckets> [ <reason> ] <vrf_name> <userACL> [ TABLE_device <device_grp> ] [
TABLE_route_map [ <route_map> ] [ <interface> ] [ <r_status> ] [ <int_track_id> ] ] [ TABLE_vip [ <vip_ip>
] [ <vip_probe> ] [ <vip_port> ] [ TABLE_vip_node [ <vip_node> ] [ <vip_nodev6> ] <vip_config>
<vip_weight> <vip_status> <vip_track_id> <vip_ip_sla_id> [ TABLE_vip_acl [ <vip_access_list> ] ] ] ] [
TABLE_node [ <node> ] [ <nodev6> ] <config> <weight> <status> <track_id> <ip_sla_id> [ TABLE_acl [
<access_list> ] ] ] ]

```

## Syntax Description

<code>show</code>	Show running system information
<code>itd</code>	ITD service
<code>svc-name</code>	ITD service name
<code>brief</code>	(Optional) brief
<code>__readonly__</code>	(Optional) Read Only
<code>is_firstentry</code>	(Optional)
<code>is_detail</code>	(Optional)
<code>is_active</code>	(Optional)
<code>is_firstentry_routemap</code>	(Optional)
<code>is_firstentry_acl</code>	(Optional)
<code>is_lastentry</code>	(Optional)
<code>TABLE_summary</code>	(Optional)
<code>service_name</code>	(Optional) service_name
<code>probe</code>	(Optional) probe
<code>lb_scheme</code>	(Optional) lb scheme
<code>interface</code>	(Optional) interface
<code>state</code>	(Optional) state
<code>buckets</code>	(Optional) buckets
<code>reason</code>	(Optional) inactive reason
<code>vrf_name</code>	(Optional) VRF-Name
<code>userACL</code>	(Optional) user access-list

TABLE_device	(Optional)
<i>device_grp</i>	(Optional) service device group
TABLE_route_map	(Optional)
<i>route_map</i>	(Optional) service route map
<i>interface</i>	(Optional) interface
<i>r_status</i>	(Optional) route map status
<i>int_track_id</i>	(Optional) interface track id
TABLE_vip	(Optional)
<i>vip_ip</i>	(Optional) vip ip
<i>vip_probe</i>	(Optional) vip protocol
<i>vip_port</i>	(Optional) vip port
TABLE_vip_node	(Optional)
<i>vip_node</i>	(Optional) service node ip
<i>vip_nodev6</i>	(Optional) service node IPv6
<i>vip_config</i>	(Optional) node config
<i>vip_weight</i>	(Optional) node weight
<i>vip_status</i>	(Optional) node status
<i>vip_track_id</i>	(Optional) node track id
<i>vip_ip_sla_id</i>	(Optional) node ip sla id
TABLE_vip_acl	(Optional)
<i>vip_access_list</i>	(Optional) access list
TABLE_node	(Optional)
<i>node</i>	(Optional) service node ip
<i>nodev6</i>	(Optional) service node IPv6
<i>config</i>	(Optional) node config
<i>weight</i>	(Optional) node weight
<i>status</i>	(Optional) node status
<i>track_id</i>	(Optional) node track id
<i>ip_sla_id</i>	(Optional) node ip sla id

**show itd**

TABLE_acl	(Optional)
<i>access_list</i>	(Optional) access list

**Command Mode**

- /exec

**show itd**

```

show itd [ brief ] [ __readonly__ <is_firstentry> <is_detail> <is_active> <is_firstentry_routemap>
<is_firstentry_acl> <is_lastentry> [ TABLE_summary <service_name> <probe> <lb_scheme> [ <interface>
] <state> <buckets> [ <reason> ] <vrf_name> <userACL> [ TABLE_device <device_grp> ] [
TABLE_route_map [ <route_map> ] [ <interface> ] [ <r_status> ] [ <int_track_id> ] ] [ TABLE_vip [ <vip_ip>
] [ <vip_probe> ] [ <vip_port> ] [ TABLE_vip_node [ <vip_node> ] [ <vip_nodev6> ] <vip_config>
<vip_weight> <vip_status> <vip_track_id> <vip_ip_sla_id> [ TABLE_vip_acl [ <vip_access_list> ] ] ] ] [
TABLE_node [ <node> ] [ <nodev6> ] <config> <weight> <status> <track_id> <ip_sla_id> [ TABLE_acl [
<access_list> ] ] ] ]

```

## Syntax Description

show	Show running system information
itd	ITD service
brief	(Optional) brief
<u>readonly</u>	(Optional) Read Only
<i>is_firstentry</i>	(Optional)
<i>is_detail</i>	(Optional)
<i>is_active</i>	(Optional)
<i>is_firstentry_routemap</i>	(Optional)
<i>is_firstentry_acl</i>	(Optional)
<i>is_lastentry</i>	(Optional)
TABLE_summary	(Optional)
<i>service_name</i>	(Optional) service_name
<i>probe</i>	(Optional) probe
<i>lb_scheme</i>	(Optional) lb scheme
<i>interface</i>	(Optional) interface
<i>state</i>	(Optional) state
<i>buckets</i>	(Optional) buckets
<i>reason</i>	(Optional) inactive reason
<i>vrf_name</i>	(Optional) VRF-Name
<i>userACL</i>	(Optional) user access-list
TABLE_device	(Optional)

show itd

<i>device_grp</i>	(Optional) service device group
<i>TABLE_route_map</i>	(Optional)
<i>route_map</i>	(Optional) service route map
<i>interface</i>	(Optional) interface
<i>r_status</i>	(Optional) route map status
<i>int_track_id</i>	(Optional) interface track id
<i>TABLE_vip</i>	(Optional)
<i>vip_ip</i>	(Optional) vip ip
<i>vip_probe</i>	(Optional) vip protocol
<i>vip_port</i>	(Optional) vip port
<i>TABLE_vip_node</i>	(Optional)
<i>vip_node</i>	(Optional) service node ip
<i>vip_nodev6</i>	(Optional) service node IPv6
<i>vip_config</i>	(Optional) node config
<i>vip_weight</i>	(Optional) node weight
<i>vip_status</i>	(Optional) node status
<i>vip_track_id</i>	(Optional) node track id
<i>vip_ip_sla_id</i>	(Optional) node ip sla id
<i>TABLE_vip_acl</i>	(Optional)
<i>vip_access_list</i>	(Optional) access list
<i>TABLE_node</i>	(Optional)
<i>node</i>	(Optional) service node ip
<i>nodev6</i>	(Optional) service node IPv6
<i>config</i>	(Optional) node config
<i>weight</i>	(Optional) node weight
<i>status</i>	(Optional) node status
<i>track_id</i>	(Optional) node track id
<i>ip_sla_id</i>	(Optional) node ip sla id
<i>TABLE_acl</i>	(Optional)

<i>access_list</i>	(Optional) access list
--------------------	------------------------

**Command Mode**

- /exec

show itd

# show itd

```
show itd [ brief ] [ __readonly__ <is_firstentry> <is_detail> <is_active> <is_firstentry_routemap>
<is_firstentry_standby> <is_firstentry_acl> <is_lastentry> [ TABLE_summary <service_name> <probe>
<lb_scheme> [ <interface> ] <state> <buckets> [ <reason> ] <vrf_name> <userACL> <peer_status>
[ TABLE_device <device_grp> <dg_probe> <dg_probe_port> ] [ TABLE_route_map [ <route_map> ] [
<interface> ] [ <r_status> ] [ <int_track_id> ] ] [ TABLE_vip [ <vip_ip> ] [ <vip_probe> ] [ <vip_port> ] [
<vip_dnname> ] [ TABLE_vip_node [ <vip_node> ] [ <vip_nodev6> ] <vip_config> <vip_weight>
<vip_node_probe> <vip_node_probe_port> <vip_node_probe_ip> <vip_status> <vip_track_id>
<vip_ip_sla_id> [ TABLE_vip_standby [ <vip_standby_ip> ] [ <vip_standby_ipv6> ] <vip_standby_config>
<vip_standby_weight> <vip_standby_probe> <vip_standby_probe_port> <vip_standby_probe_ip>
<vip_standby_status> <vip_standby_track_id> <vip_standby_sla_id> ] [ TABLE_vip_acl [ <vip_access_list>
] ] ] [ TABLE_node [ <node> ] [ <nodev6> ] <config> <weight> <node_probe> <node_probe_port>
<node_probe_ip> <status> <track_id> <ip_sla_id> [ TABLE_standby [ <standby_ip> ] [ <standby_ipv6> ]
<standby_config> <standby_weight> <standby_probe> <standby_probe_port> <standby_probe_ip>
<standby_status> <standby_track_id> <standby_sla_id> ] [ TABLE_acl [ <access_list> ] ] ] ] ]
```

## Syntax Description

show	Show running system information
itd	ITD service
brief	(Optional) brief
__readonly__	(Optional) Read Only
is_firstentry	(Optional)
is_detail	(Optional)
is_active	(Optional)
is_firstentry_routemap	(Optional)
is_firstentry_acl	(Optional)
is_lastentry	(Optional)
is_firstentry_standby	(Optional)
TABLE_summary	(Optional)
service_name	(Optional) service_name
probe	(Optional) probe
lb_scheme	(Optional) lb scheme
interface	(Optional) interface
state	(Optional) state
buckets	(Optional) buckets

<i>reason</i>	(Optional) inactive reason
<i>vrf_name</i>	(Optional) VRF-Name
<i>userACL</i>	(Optional) user access-list
<i>peer_status</i>	(Optional) peer status
TABLE_device	(Optional)
<i>device_grp</i>	(Optional) service device group
<i>dg_probe</i>	(Optional) device-group probe type
<i>dg_probe_port</i>	(Optional) device-group probe port
TABLE_route_map	(Optional)
<i>route_map</i>	(Optional) service route map
<i>interface</i>	(Optional) interface
<i>r_status</i>	(Optional) route map status
<i>int_track_id</i>	(Optional) interface track id
TABLE_vip	(Optional)
<i>vip_ip</i>	(Optional) vip ip
<i>vip_probe</i>	(Optional) vip protocol
<i>vip_port</i>	(Optional) vip port
<i>vip_dgname</i>	(Optional) vip device group
TABLE_vip_node	(Optional)
<i>vip_node</i>	(Optional) service node ip
<i>vip_nodev6</i>	(Optional) service node IPv6
<i>vip_config</i>	(Optional) node config
<i>vip_weight</i>	(Optional) node weight
<i>vip_status</i>	(Optional) node status
<i>vip_node_probe</i>	(Optional) node probe type
<i>vip_node_probe_port</i>	(Optional) node probe port
<i>vip_node_probe_ip</i>	(Optional) node probe ip
<i>vip_track_id</i>	(Optional) node track id
<i>vip_ip_sla_id</i>	(Optional) node ip sla id

show itd

TABLE_vip_standby	(Optional)
<i>vip_standby_ip</i>	(Optional) standby node ip
<i>vip_standby_ipv6</i>	(Optional) standby node ipv6
<i>vip_standby_config</i>	(Optional) standby node config
<i>vip_standby_weight</i>	(Optional) standby node weight
<i>vip_standby_status</i>	(Optional) standby node status
<i>vip_standby_probe</i>	(Optional) standby node probe type
<i>vip_standby_probe_port</i>	(Optional) standby node probe port
<i>vip_standby_probe_ip</i>	(Optional) standby node probe ip
<i>vip_standby_track_id</i>	(Optional) standby node track id
<i>vip_standby_sla_id</i>	(Optional) standby node sla id
TABLE_vip_acl	(Optional)
<i>vip_access_list</i>	(Optional) access list
TABLE_node	(Optional)
<i>node</i>	(Optional) service node ip
<i>nodev6</i>	(Optional) service node IPv6
<i>config</i>	(Optional) node config
<i>weight</i>	(Optional) node weight
<i>status</i>	(Optional) node status
<i>node_probe</i>	(Optional) node probe type
<i>node_probe_port</i>	(Optional) node probe port
<i>node_probe_ip</i>	(Optional) node probe ip
<i>track_id</i>	(Optional) node track id
<i>ip_sla_id</i>	(Optional) node ip sla id
TABLE_standby	(Optional)
<i>standby_ip</i>	(Optional) standby node ip
<i>standby_ipv6</i>	(Optional) standby node ipv6
<i>standby_config</i>	(Optional) standby node config
<i>standby_weight</i>	(Optional) standby node weight

<i>standby_status</i>	(Optional) standby node status
<i>standby_probe</i>	(Optional) standby node probe type
<i>standby_probe_port</i>	(Optional) standby node probe port
<i>standby_probe_ip</i>	(Optional) standby node probe ip
<i>standby_track_id</i>	(Optional) standby node track id
<i>standby_sla_id</i>	(Optional) standby node sla id
TABLE_acl	(Optional)
<i>access_list</i>	(Optional) access list

**Command Mode**

- /exec

show itd session device-group

# show itd session device-group

show itd session device-group [ <name> ] [ \_\_readonly\_\_ <first\_entry> [ TABLE\_svc <node> ] ]

## Syntax Description

show	Show running system information
itd	ITD service
session	ITD service session
device-group	ITD service session device-group
<i>name</i>	(Optional) ITD Service session name
<u>__readonly__</u>	(Optional) Read Only
<i>first_entry</i>	(Optional)
TABLE_svc	(Optional)
<i>node</i>	(Optional) node

## Command Mode

- /exec

# show itd statistics

```
show itd { <service_name> | all } [ src { <src-ip> | <src-IPv6> } | dst { <dst-ip> | <dst-IPv6> } ] statistics [ brief ] [ __readonly__ <is_firstentry_node> <is_firstentry_acl> [ TABLE_nice <service_name> [ <vip> ] [ <vip_pkt> ] <dev_grp> <node> <node_pkt> [ <acl> ] [ <acl_pkt> ] <mode> <percentage> ] ]
```

## Syntax Description

show	Show running system information
itd	ITD service
statistics	ITD statistics
brief	(Optional) brief
__readonly__	(Optional) Read Only
is_firstentry_node	(Optional)
is_firstentry_acl	(Optional)
TABLE_nice	(Optional)
service_name	service_name
all	All ITD services
src	(Optional) Statistics for src ip
src-ip	(Optional) Provide statistics for src ip
dst	(Optional) Statistics for dst ip
dst-ip	(Optional) Provide statistics for dst ip
vip	(Optional) service virtual ip
vip_pkt	(Optional) virtual ip pkt_count
dev_grp	(Optional) device group
node	(Optional) service node ip
node_pkt	(Optional) node pkt count
acl	(Optional) access list
acl_pkt	(Optional) acl pkt count
mode	(Optional) Redirect mode
percentage	(Optional) Packet percentage

## Command Mode

show itd statistics

- /exec

# show itd statistics

```
show itd { <service_name> | all } [ src { <src-ip> | <src-IPv6> } | dst { <dst-ip> | <dst-IPv6> } ] statistics [ brief ] [ __readonly__ <is_firstentry_node><is_firstentry_acl><is_for_ace> [ TABLE_nice <service_name> [ <vip> ] [ <ace_seq> ] [ <ace_ip> ] [ <vip_pkt> ] <dev_grp> <node> <node_pkt> [ <acl> ] [ <acl_pkt> ] <mode> <percentage> ] ]
```

## Syntax Description

show	Show running system information
itd	ITD service
statistics	ITD statistics
brief	(Optional) brief
__readonly__	(Optional) Read Only
is_firstentry_node	(Optional)
is_firstentry_acl	(Optional)
is_for_ace	(Optional)
TABLE_nice	(Optional)
service_name	service_name
all	All ITD services
src	(Optional) Statistics for src ip
src-ip	(Optional) Provide statistics for src ip
dst	(Optional) Statistics for dst ip
dst-ip	(Optional) Provide statistics for dst ip
vip	(Optional) service virtual ip
ace_seq	(Optional) service ACE name and sequence number
ace_ip	(Optional) service ACE ip/mask/prefix
vip_pkt	(Optional) virtual ip pkt_count
dev_grp	(Optional) device group
node	(Optional) service node ip
node_pkt	(Optional) node pkt count
acl	(Optional) access list

**show itd statistics**

<i>acl_pkt</i>	(Optional) acl pkt count
<i>mode</i>	(Optional) Redirect mode
<i>percentage</i>	(Optional) Packet percentage

**Command Mode**

- /exec

# show itd vrf

```
show itd vrf [ <name> ] [ __readonly__ <first_entry> [ TABLE_svc <service_name> <vrf_name> <vrf_id> ] ]
```

## Syntax Description

show	Show running system information
itd	ITD service
vrf	ITD service vrf
<i>name</i>	(Optional) ITD Service VRF name
<u>__readonly__</u>	(Optional) Read Only
<i>first_entry</i>	(Optional)
TABLE_svc	(Optional)
<i>service_name</i>	(Optional) itd service name
<i>vrf_name</i>	(Optional) vrf name
<i>vrf_id</i>	(Optional) vrf id

## Command Mode

- /exec

show itd vrf

## show itd vrf

show itd vrf [ <name> ] [ \_\_readonly\_\_ <first\_entry> [ TABLE\_svc <service\_name> <vrf\_name> <vrf\_id> ] ]

### Syntax Description

show	Show running system information
itd	ITD service
vrf	ITD service vrf
<i>name</i>	(Optional) ITD Service VRF name
<u>__readonly__</u>	(Optional) Read Only
<i>first_entry</i>	(Optional)
TABLE_svc	(Optional)
<i>service_name</i>	(Optional) itd service name
<i>vrf_name</i>	(Optional) vrf name
<i>vrf_id</i>	(Optional) vrf id

### Command Mode

- /exec