



## Location

---

- [RFID Tags Information API, on page 2](#)
- [Zone Count Poll API, on page 10](#)
- [Active Clients V3 API, on page 12](#)
- [Interferers API, on page 17](#)
- [Northbound notification types and attributes API, on page 19](#)
- [Rogue Clients API, on page 22](#)
- [Rogue APs API, on page 48](#)
- [Clients History API, on page 82](#)
- [BLE-Tags Location and Information API, on page 93](#)

# RFID Tags Information API

## GET: RFID Tag by MAC Address

### Description

This API returns an RFID tag by its MAC address.

### HTTP Method

GET

### Resource URI

/api/location/v1/tags/:macaddress

### Requires OAuth

N

### Parameters

*Table 1: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y	—	String	pathReplace	RFID Tag MAC address.

### Content Type

application/json

### Sample Output

http://10.68.40.131/api/location/v1/tags/00:18:8e:28:24:26

```
{
  "macAddress": "00:18:8e:28:24:26",
  "mapInfo": {
    "mapHierarchyString": "Singapore>SINGAPORE UE BIZHUB EAST
(SNG11)>SNG11-5F1>SingZone",
    "floorRefId": "739764660256899136",
    "floorDimension": {
      "length": 118.11024,
      "width": 184.05511,
      "height": 9.84252,
      "offsetX": 0,
      "offsetY": 0,
      "unit": "FEET"
    },
    "image": {
      "imageName": "domain_0_1380690706964.png",

```

```
        "zoomLevel": 4,
        "width": 1440,
        "height": 900,
        "size": 1440,
        "maxResolution": 8,
        "colorDepth": 8
    },
    },
    "mapCoordinate": {
        "x": 108.84515,
        "y": 68.62626,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 72,
    "statistics": {
        "currentServerTime": "2016-06-16T02:20:42.974+0800",
        "firstLocatedTime": "1970-01-01T07:30:00.000+0730",
        "lastLocatedTime": "2016-06-16T02:20:39.336+0800",
        "maxDetectedRssi": {
            "apMacAddress": "64:f6:9d:2a:05:00",
            "band": "IEEE_802_11_B",
            "slot": 0,
            "rssi": -58,
            "antennaIndex": 0,
            "lastHeardInSeconds": 1
        }
    },
    },
    "historyLogReason": null,
    "geoCoordinate": {
        "latitude": 1.3347778969996247,
        "longitude": 103.96366325767761,
        "unit": "DEGREES"
    },
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1466014839336,
    "telemetryList": null,
    "batteryInfo": {
        "tolerance": 70,
        "percentRemaining": 100,
        "daysRemaining": 0,
        "batteryAge": 0,
        "lastReceivedTime": "2016-06-09T06:38:29.748+0800",
        "lastReceivedSeqNum": 2221
    },
    },
    "vendorData": {
        "vendorId": 6286,
        "elementId": 0,
        "data": "AAMAAQEABAABAQ==",
        "lastReceivedTime": "2016-06-09T06:38:29.748+0800",
        "lastReceivedSeqNum": 2221
    },
    },
    "sortedEmergencyList": null,
    "sortedChokepointList": null,
    "lastBeaconTime": null,
    "lastBeaconSequenceNumber": 2221,
    "manufacturer": "Ekahau"
}
```

## GET: Active RFID Tags Count

**Description**

This API returns active RFID tags count.

**HTTP Method**

GET

**Resource URI**

/api/location/v1/tags/count

**Requires OAuth**

N

**Parameters**

None.

**Content Type**

application/json

**Sample Output**

```
{
  "deviceType": "Tag",
  "deviceQueryString": null,
  "count": 8
}
```

## GET: All Tags

**Description**

This API returns all tags.

**HTTP Method**

GET

**Resource URI**

/api/location/v1/tags

**Requires OAuth**

N

## Parameters

None.

## Content Type

application/json

## Sample Output (JSON)

```
[
  {
    "macAddress": "98:07:2d:2a:13:f0",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "floorRefId": "727035700041482264",
      "floorDimension": {
        "length": 49.9,
        "width": 81,
        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
        "unit": "FEET"
      },
      "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
      }
    },
    "mapCoordinate": {
      "x": 46.621124,
      "y": 43.95517,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 88,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-04T00:05:41.824-0800",
      "firstLocatedTime": "2017-12-04T00:05:30.305-0800",
      "lastLocatedTime": "2017-12-04T00:05:36.315-0800",
      "maxDetectedRssi": {
        "apMacAddress": "cc:16:7e:32:63:60",
        "band": "IEEE_802_11_B",
        "slot": 0,
        "rssi": -59,
        "antennaIndex": 0,
        "lastHeardInSeconds": 6
      }
    },
    "historyLogReason": null,
    "geoCoordinate": {
      "latitude": 37.42250281440575,
      "longitude": -121.95978545449093,
      "unit": "DEGREES"
    },
    "rawLocation": {
```

```

        "rawX": -999,
        "rawY": -999,
        "unit": "FEET"
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1512374736315,
    "telemetryList": null,
    "batteryInfo": null,
    "vendorData": null,
    "sortedEmergencyList": null,
    "sortedChokepointList": null,
    "lastBeaconTime": null,
    "lastBeaconSequenceNumber": 0,
    "deviceSubtype": "BLE",
    "bleAttributesList": [
        {
            "profileType": "IBEACON",
            "deviceName": "",
            "uuid": "20CAE8A0A9CF11E3A5E20800200C9A66",
            "major": 42,
            "minor": 5104,
            "power": -70,
            "frequency": 0,
            "revision": 0,
            "battery": 0,
            "firmware": null,
            "hardware": null,
            "eddyStoneURL": "",
            "eddyStoneNamespace": "",
            "eddyStoneInstanceid": "",
            "batteryObject": [
                {
                    "sourceIndex": 1,
                    "percentage": 0,
                    "milliVolts": 0
                },
                {
                    "sourceIndex": 2,
                    "percentage": 0,
                    "milliVolts": 0
                },
                {
                    "sourceIndex": 3,
                    "percentage": 0,
                    "milliVolts": 0
                }
            ]
        }
    ],
    "manufacturer": "Texas Instruments"
},
{
    "macAddress": "98:07:2d:2a:11:c0",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "floorRefId": "727035700041482264",
        "floorDimension": {
            "length": 49.9,
            "width": 81,
            "height": 10,
            "offsetX": 0,
            "offsetY": 0,
            "unit": "FEET"
        }
    },

```

```
"image": {
  "imageName": "domain_0_1461628766707.png",
  "zoomLevel": 4,
  "width": 2008,
  "height": 1097,
  "size": 2008,
  "maxResolution": 8,
  "colorDepth": 8
},
"tagList": [
  "Lobby"
]
},
"mapCoordinate": {
  "x": 52.03835,
  "y": 23.021484,
  "z": 0,
  "unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 120,
"locComputeType": "RSSI",
"statistics": {
  "currentServerTime": "2017-12-04T00:05:41.825-0800",
  "firstLocatedTime": "2017-12-04T00:05:36.306-0800",
  "lastLocatedTime": "2017-12-04T00:05:36.306-0800",
  "maxDetectedRssi": {
    "apMacAddress": "f8:0b:cb:3c:01:80",
    "band": "IEEE_802_11_B",
    "slot": 0,
    "rssi": -68,
    "antennaIndex": 0,
    "lastHeardInSeconds": 1
  }
},
"historyLogReason": null,
"geoCoordinate": {
  "latitude": 37.4224445499256,
  "longitude": -121.9598048699379,
  "unit": "DEGREES"
},
"rawLocation": {
  "rawX": -999,
  "rawY": -999,
  "unit": "FEET"
},
"networkStatus": "ACTIVE",
"changedOn": 1512374736306,
"telemetryList": null,
"batteryInfo": null,
"vendorData": null,
"sortedEmergencyList": null,
"sortedChokepointList": null,
"lastBeaconTime": null,
"lastBeaconSequenceNumber": 0,
"deviceSubtype": "BLE",
"bleAttributesList": [
  {
    "profileType": "IBEACON",
    "deviceName": "",
    "uuid": "20CAE8A0A9CF11E3A5E20800200C9A66",
    "major": 42,
    "minor": 4544,
    "power": -70,
  }
]
```

```

    "frequency": 0,
    "revision": 0,
    "battery": 0,
    "firmware": null,
    "hardware": null,
    "eddyStoneURL": "",
    "eddyStoneNamespace": "",
    "eddyStoneInstanceid": "",
    "batteryObject": [
      {
        "sourceIndex": 1,
        "percentage": 0,
        "milliVolts": 0
      },
      {
        "sourceIndex": 2,
        "percentage": 0,
        "milliVolts": 0
      },
      {
        "sourceIndex": 3,
        "percentage": 0,
        "milliVolts": 0
      }
    ]
  },
  "manufacturer": "Texas Instruments"
}
]
}

```

## GET: Returns Minimal Tag Information

### Description

This API returns all tags with minimal information

### HTTP Method

GET

### Resource URI

/api/location/v1/tags/summary

### Requires Basic Auth

N

### Parameters

None.

### Content Type

application/json



### Sample Output (JSON)

```
[
  {
    "macAddress": "98:07:2d:2a:13:f0",
    "floorRefId": "727035700041482264"
  },
  {
    "macAddress": "00:78:88:e6:21:89",
    "floorRefId": "727035700041482264"
  }
]
```

### API History

*Table 2: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

# Zone Count Poll API

## GET: Zone Count with Mac Addresses

### Description

This API returns zone count along with macaddresses.

This expects the debug flag turned on in the Zone Count Register API under configuration service `/api/config/v1/zoneCountParams/1`

### HTTP Method

GET

### Resource URI

`/api/location/v1/clients/count/byzone/detail`

### Requires Basic Auth

N

### Parameters

*Table 3: Parameter Details*

Name	Required	Default	Type	Location	Description
zoneId	Y		String	query	zoneId

### Content Type

application/json

### API History

*Table 4: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

## GET: Active Clients Count for all Registered Zones

### Description

This API expects that registration of zones has been done using the Zone Count Register API (Configuration service /api/config/v1/zoneCountParams/1)

### HTTP Method

GET

### Resource URI

/api/location/v1/clients/count/byzone

### Requires Basic Auth

N

### Parameters

None.

### Content Type

application/json

### API History

*Table 5: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

# Active Clients V3 API

## GET: Active Clients Count

### Description

This API returns active clients count.

This API supports searching by a variety of parameters. If no parameters are given then all active clients are returned.

The API Username is set using the **cmxos apiserver user** command. This will change the username and password just for the Active V3 Clients API.

Here are some examples to illustrate the queries.

**Search by IPv4/IPv6:** `api/location/v3/clients/count?ipAddress=x.x.x.x`

**Search by Mac Address:** `api/location/v3/clients/count?macAddress=x:x:x:x`

**Search by SSID:** `api/location/v3/clients/count?ssid=someSSID`

**Search by User Name:** `api/location/v3/clients/count?username=someUser`

**Search by Manufacturer:** `api/location/v3/clients/count?manufacturer=someManufacturer`

**Search for Only Associated Clients:** `api/location/v3/clients/count?associatedOnly=true`

**Search for Only Probing Clients:** `api/location/v3/clients/count?probingOnly=true`

**Search by Map Hierarchy:** `api/location/v3/clients/count?mapHierarchy=someFloorNameMap`

Hierarchy string can be partial string matches but any string used must be an exact match.

### HTTP Method

GET

### Resource URI

`/api/location/v3/clients/count`

### Requires Basic Auth

N

### Parameters

*Table 6: Parameter Details*

Name	Required	Default	Type	Location	Description
ipAddress	N		String	query	Client IP address

Name	Required	Default	Type	Location	Description
macAddress	N		String	query	Client MAC address
mapHierarchy	N		String	query	Clients with MAP hierarchy string
floorId	N		String	query	Clients on floor ID
ssid	N		String	query	Clients associated on SSID
username	N		String	query	Clients with user name
manufacturer	N		String	query	Clients with manufacturer
macAddressSearch	N		String	query	Clients MAC address search
associatedOnly	N		String	query	Associated only clients
probingOnly	N		String	query	Probing only clients

### Content Type

application/json

### Sample Output (JSON)

```
{
  "totalCount": 134,
  "associatedCount": 8,
  "probingCount": 126
}
```

### API History

*Table 7: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

## GET: Active Clients

### Description

This API supports searching by a variety of parameters. If no parameters are given then all active clients are returned.

The API Username is set using the **cmxos apiserver user** command. This will change the username and password just for the Active V3 Clients API.

Here are some examples to illustrate the queries.

**Search by IPv4/IPv6:** `api/location/v3/clients?ipAddress=x.x.x.x`

**Search by Mac Address:** `api/location/v3/clients?macAddress=x:x:x:x`

**Search by SSID:** `api/location/v3/clients?ssid=someSSID`

**Search by User Name:** `api/location/v3/clients?username=someUser`

**Search by Manufacturer:** `api/location/v3/clients?manufacturer=someManufacturer`

**Search for Only Associated Clients:** `api/location/v3/clients?associatedOnly=true`

**Search for Only Probing Clients:** `api/location/v3/clients?probingOnly=true`

**Search by Map Hierarchy:** `api/location/v3/clients?mapHierarchy=someFloorNameMap`

### HTTP Method

GET

### Resource URI

`/api/location/v3/clients`

### Requires OAuth

N

### Parameters

*Table 8: Parameter Details*

Name	Required	Default	Type	Location	Description
ipAddress	N		String	query	Client IP address
macAddress	N		String	query	Client MAC address
mapHierarchy	N		String	query	Clients with MAP hierarchy string
floorRefId	N		String	query	Clients on floor ID

Name	Required	Default	Type	Location	Description
ssid	N		String	query	Clients associated on SSID
username	N		String	query	Clients with user name
manufacturer	N		String	query	Clients with manufacturer
macAddressSearch	N		String	query	Clients MAC address search
associatedOnly	N		String	query	Associated only clients
probingOnly	N		String	query	Probing only clients

### Content Type

application/json

10.22.243.125/api/location/v3/clients?macAddress=b8%3A38%3A61%3Ab1%3Ac8%3Ad0

10.22.243.125/api/location/v3/clients?mapHierarchy=Nortech%20Campus%3ENortech-1%3E1st%20Floor%3ECMX%20Clinic

10.22.243.125/api/location/v3/clients?ssid=cmx

10.22.243.125/api/location/v3/clients?ipAddress=10.22.243.243

10.22.243.125/api/location/v3/clients

### Sample Output (JSON)

```
[
  {
    "notificationType": "locationupdate",
    "subscriptionName": "CMX_Api_Server_Notification_1",
    "eventId": 17949623,
    "locationMapHierarchy": "Nortech Campus>Nortech-1>1st Floor",
    "locationCoordinate": {
      "x": 54,
      "y": 0,
      "z": 0,
      "unit": "FEET"
    },
    "geoCoordinate": {
      "latitude": 37.42238047320771,
      "longitude": -121.9598118556593,
      "unit": "DEGREES"
    },
    "confidenceFactor": 40,
    "apMacAddress": "NOT APPLICABLE",
    "associated": false,
    "username": "NOT APPLICABLE",
    "ipAddress": [
      "NOT APPLICABLE"
    ]
  }
]
```

```

    ],
    "ssid": "NOT APPLICABLE",
    "band": "NOT APPLICABLE",
    "floorId": 727035700041482200,
    "floorRefId": null,
    "entity": "WIRELESS_CLIENTS",
    "deviceId": "00:0f:f8:56:2d:98",
    "lastSeen": "2017-11-07T13:54:20.595-0800",
    "tagTelemetryList": null,
    "tagBatteryInfo": null,
    "tagVendorData": null,
    "tagLastBeaconTime": null,
    "tagLastBeaconSequenceNumber": 0,
    "tagManufacturer": null,
    "rawLocation": {
      "rawX": -999,
      "rawY": -999,
      "unit": "FEET"
    },
    "maxDetectedRssi": {
      "apMacAddress": "b8:38:61:b1:c8:d0",
      "band": "IEEE_802_11_B",
      "slot": 2,
      "rssi": -15,
      "antennaIndex": 0,
      "lastHeardInSeconds": 0
    },
    "timestamp": 1510091660595,
    "sourceNotification": "127.0.0.1",
    "sourceNotificationKey": "127.0.0.1,1",
    "notificationTime": "1510091660626"
  }
}
]

```

## API History

**Table 9: API History**

Release	Modification
Cisco CMX Release 10.4	This API is introduced.



# Interferers API

## GET: Get interferer by macaddress

### Description

This API returns an interferer by macaddress

### HTTP Method

GET

### Resource URI

/api/location/v1/interferers/:macaddress

### Requires OAuth

N

### Parameters

Table 10: Parameter Details

Name	Required	Default	Type	Location	Description
macaddress	Y		String	pathReplace	Interferer Macaddress

### Content Type

application/json

## GET: Get total number of interferers

### Description

This API returns number of interferers

### HTTP Method

GET

### Resource URI

/api/location/v1/interferers/count

**Requires OAuth**

N

**Parameters**

None.

**Content Type**

application/json

## GET: Get all interferers

**Description**

This API returns all interferers and also supports searching by floor. .

**HTTP Method**

GET

**Resource URI**`/api/location/v1/interferers`**Requires OAuth**

N

**Parameters**

None.

**Content Type**

application/json

**Content Type**

application/json

---

**Usage Guidelines**

Search by Floor:

`http://<cmx-ip-address>/api/location/v1/interferers/floorrefid=<floorrefid>`

For Example:

`http://10.0.0.1/api/location/v1/interferers/floorrefid=1`

Search by Page and Page Number: (As long as there is data you can keep paginating by incrementing the page and the pageSize numbers)

`http://<cmx-ip-address>/api/location/v1/interferers?page=<pagenumber>&pageSize=<pagesize>`

For Example:

`http://10.0.0.1/api/location/v1/interferers/page=1&pageSize=2`

# Northbound notification types and attributes API

## GET: Supported Northbound Notifications

### Description

This API returns all supported notification types and applicable attributes for the notification rules.

### HTTP Method

GET

### Resource URI

/api/location/v1/attributes

### Requires Basic Auth

N

### Content Type

application/json

### Sample Output

```
{
  "notifications": [
    {
      "notificationType": "locationupdate",
      "subscriptionName": "asdasdasd",
      "eventId": 1259951,
      "locationMapHierarchy": "Simulator-1212-Campus0>Building1>Floor8>Zone4",
      "locationCoordinate": {
        "x": 65.32642,
        "y": 302.04172,
        "z": 0.0,
        "unit": "FEET"
      },
      "geoCoordinate": {
        "latitude": -999.0,
        "longitude": -999.0,
        "unit": "DEGREES"
      },
      "confidenceFactor": 64.0,
      "apMacAddress": "NOT APPLICABLE",
      "associated": false,
      "username": "NOT APPLICABLE",
      "ipAddress": [
        "NOT APPLICABLE"
      ],
      "ssid": "NOT APPLICABLE",
      "band": "NOT APPLICABLE",
      "floorId": 1721918422,
      "entity": "WIRELESS_CLIENTS",
      "deviceId": "10:00:00:00:0f:5e",
    }
  ]
}
```

```

    "lastSeen":"2017-06-06T13:42:51.798-0700",
    "rawLocation":{
      "rawX":-999.0,
      "rawY":-999.0,
      "unit":"FEET"
    },
    "areaGlobalidList":[
      6343,
      2759,
      2758,
      2757,
      6399,
      6400,
      6289,
      6342
    ],
    "tagVendorData":null,
    "manufacturer":"Private",
    "timestamp":1496781771798
  }
}

```

## Output Field Descriptions

**Table 11: Output Field Descriptions**

Field	Description
Notification Type	What type of notification this output describes (For example, locationupdate)
Subscription Name	The name of the notification created in CMX (user provided)
Event ID	Unique for notification identification per event
Location Map Hierarchy	The Hierarchy string that shows campus, building, floor, and zone (if applicable)
Location Coordinate	XY location for the device
Geo Coordinate	GPS location for device, if GPS markers are set
Confidence Factor	Represents a square box of where the client should be, lower means better location accuracy
AP Mac Address	The AP that the client is connected to
Associated	is this device Associated or not
Username	The username of this Associated client if using 802.11x
IP address	If this client is associated, what IP address(es) are assigned to it, can include IPv4 and IPv6 addresses

Field	Description
SSID	The SSID of the client is Associated
Band	802.11 band the device is it connected to
Floor Id	Long value representing hieracrchy, would not use
Floor Ref Id	Represents a long for what hierarchy it is on (Floor Id might be rounded if the number is large enough due to a conversion from long to double), only is filled in for location update, recommended for use
Entity	What type of device is it, Client (normal devices), RFID Tag (these are devices that send a chirp on an interval), Interferers (Devices that are connected to APs or are APs that aren't on the network controlled by a controller on this CMX)
Device Id	MAC address of device
Last Seen	Timestamp of packet last received from controller for this device
Raw Location	-
Area Global Id List	-
Tag Vendor Data	For RFID tags, information that was encoded in packets we received like battery life or something like that.
Manufacturer	Based on the first half of the MAC address of this device
Timestamp	When the notification generated
status	Refers to what the status of the device is - IDLE(0), AAA_PENDING(1), AUTHENTICATED(2), ASSOCIATED(3), POWERSAVE(4), DISASSOCIATED(5), TO_BE_DELETED(6), PROBING(7), WAIT_ASSOCIATED(257);

Table 12: API History

Release	Modification
Cisco CMX Release 10.3	Output field descriptor <b>Floor Ref Id</b> was introduced.

# Rogue Clients API

## GET: Rogue client by Macaddress

### Description

This API returns a rogue client by macaddress.

### HTTP Method

GET

### Resource URI

/api/location/v1/rogueclients/:macaddress

### Requires Basic Auth

N

### Parameters

*Table 13: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y		String	pathReplace	Rogue Client Macaddress

### Content Type

application/json

### Sample Output (JSON)

```
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "floorRefId": "0"
  },
  "mapCoordinate": {
    "x": 0,
    "y": 0,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 0,
  "locComputeType": "RSSI",
  "statistics": {
    "currentServerTime": "2017-12-19T01:05:09.748-0800",
    "firstLocatedTime": "1969-12-31T16:00:00.000-0800",
    "lastLocatedTime": "1969-12-31T16:00:00.000-0800"
  }
}
```

```

    },
    "historyLogReason": null,
    "geoCoordinate": null,
    "rawLocation": {
      "rawX": -999,
      "rawY": -999,
      "unit": "FEET"
    },
    "networkStatus": "INACTIVE",
    "changedOn": 0,
    "numOfDetectingAPs": 0,
    "bssid": "",
    "containmentLevel": "UNASSIGNED",
    "state": "INITIALIZING",
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  }
}

```

### API History

*Table 14: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

## GET: Active Rogue Clients Count

### Description

This API returns active rogue clients count.

### HTTP Method

GET

### Resource URI

/api/location/v1/rogueclients/count

### Requires Basic Auth

N

### Parameters

None.

### Content Type

application/json

**Sample Output**

```
{
  "deviceType": "Rogue_Client",
  "deviceQueryString": null,
  "count": 59
}
```

**API History***Table 15: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

## GET: All Rogue Clients

**Description**

This API returns all rogue clients

**HTTP Method**

GET

**Resource URI**

/api/location/v1/rogueclients

**Requires Basic Auth**

N

**Parameters**

None.

**Content Type**

application/json

**Sample Output (JSON)**

```
[
  {
    "macAddress": "2c:54:2d:ea:dd:a7",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
      "floorRefId": "727035700041482264",
      "floorDimension": {
        "length": 49.9,
        "width": 81,
        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
      }
    }
  }
]
```



```

        "unit": "FEET"
    },
    "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
    }
},
"mapCoordinate": {
    "x": 0,
    "y": 0,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 104,
"locComputeType": "RSSI",
"statistics": {
    "currentServerTime": "2017-11-30T23:05:55.408-0800",
    "firstLocatedTime": "2017-11-30T21:48:33.849-0800",
    "lastLocatedTime": "2017-11-30T23:03:23.798-0800",
    "maxDetectedRssi": {
        "apMacAddress": "cc:16:7e:32:76:b0",
        "band": "IEEE_802_11_B",
        "slot": 0,
        "rssi": -128,
        "antennaIndex": 0,
        "lastHeardInSeconds": 2
    }
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42238045575941,
    "longitude": -121.95961771207679,
    "unit": "DEGREES"
},
"rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
},
"networkStatus": "ACTIVE",
"changedOn": 1512111803798,
"numOfDetectingAPs": 0,
"bssid": "",
"containmentLevel": "UNASSIGNED",
"state": "INITIALIZING",
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "floorRefId": "727035700041482264",
        "floorDimension": {
            "length": 49.9,
            "width": 81,
            "height": 10,
            "offsetX": 0,

```

```

        "offsetY": 0,
        "unit": "FEET"
    },
    "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
    },
    "tagList": [
        "Lobby"
    ]
},
"mapCoordinate": {
    "x": 50.32218,
    "y": 23.589972,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 120,
"locComputeType": "RSSI",
"statistics": {
    "currentServerTime": "2017-11-30T23:05:55.408-0800",
    "firstLocatedTime": "2017-11-30T23:05:50.344-0800",
    "lastLocatedTime": "2017-11-30T23:05:50.344-0800",
    "maxDetectedRssi": {
        "apMacAddress": "f8:0b:cb:3c:01:80",
        "band": "IEEE_802_11_A",
        "slot": 0,
        "rssi": -84,
        "antennaIndex": 0,
        "lastHeardInSeconds": 1
    }
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.422446131682264,
    "longitude": -121.95979870153643,
    "unit": "DEGREES"
},
"rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
},
"networkStatus": "ACTIVE",
"changedOn": 1512111950344,
"numOfDetectingAPs": 1,
"bssid": "58:ac:78:df:97:94",
"containmentLevel": "UNASSIGNED",
"state": "ALERT",
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
}
]

```

**API History***Table 16: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

**GET: History of Rogue clients by MAC Address****Description**

This API returns a history of rogue clients by MAC Address. If date is unspecified, the current date is used, and activity history of the rogue client from 00:00 AM to current time(time of query) is returned. If date is specified, the activity history of the specified rogue client on the date is returned.

**HTTP Method**

GET

**Resource URI**

/api/location/v1/history/rogueclients/:macaddress

**Requires OAuth**

N

**Parameters***Table 17: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y		String	pathReplace	Rogue Client Macaddress
Date	N	If unspecified, the current date is used. So rogue clients active from midnight to current time(time of query)	String	query	Date in format of yyyy/mm/dd.

**Content Type**

application/json

**Sample Output (JSON)**

```
[
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 50.32218,
      "y": 23.589972,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.670-0800",
      "firstLocatedTime": "2017-11-30T22:09:20.313-0800",
      "lastLocatedTime": "2017-11-30T22:09:20.313-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422446131682264,
      "longitude": -121.95979870153643,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512108562319,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
  }
]
```

```
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T23:15:11.671-0800",
  "firstLocatedTime": "2017-11-30T21:03:22.317-0800",
  "lastLocatedTime": "2017-11-30T21:03:22.317-0800"
},
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
  "latitude": 37.42244462757822,
  "longitude": -121.95980593239442,
  "unit": "DEGREES"
},
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512104604340,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
},
"mapCoordinate": {
  "x": 52.333843,
  "y": 23.049349,
  "z": 0,
  "unit": "FEET"
},
},
"currentlyTracked": false,
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T23:15:11.671-0800",
  "firstLocatedTime": "2017-11-30T20:44:30.815-0800",
  "lastLocatedTime": "2017-11-30T20:44:30.815-0800"
},
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
  "latitude": 37.42244462757822,
  "longitude": -121.95980593239442,
  "unit": "DEGREES"
},
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512103478845,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
```

```

},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 66.60833,
    "y": 41.13821,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 96,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.672-0800",
    "firstLocatedTime": "2017-11-30T15:35:49.316-0800",
    "lastLocatedTime": "2017-11-30T15:35:49.316-0800"
  },
  "historyLogReason": "NETWORK_STATUS_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42249498021849,
    "longitude": -121.95985730533519,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512084951313,
  "numOfDetectingAPs": 0,
  "bssid": null,
  "containmentLevel": null,
  "state": null,
  "gwMacAddr": null,
  "manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 50.32218,
    "y": 23.589972,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,

```

```

"statistics": {
  "currentServerTime": "2017-11-30T23:15:11.673-0800",
  "firstLocatedTime": "2017-11-30T15:25:21.855-0800",
  "lastLocatedTime": "2017-11-30T15:25:21.855-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
  "latitude": 37.422446131682264,
  "longitude": -121.95979870153643,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512084325828,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 48.429688,
    "y": 23.829533,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.674-0800",
    "firstLocatedTime": "2017-11-30T15:12:20.971-0800",
    "lastLocatedTime": "2017-11-30T15:12:20.971-0800"
  },
  "historyLogReason": "NETWORK_STATUS_CHANGE",
  "geoCoordinate": {
    "latitude": 37.422446797858335,
    "longitude": -121.95979189823998,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512083542971,
  "numOfDetectingAPs": 0,
  "bssid": null,
  "containmentLevel": null,
  "state": null,
  "gwMacAddr": null,
  "manufacturer": "Cisco Systems, Inc"
}
}

```

```

"macAddress": "00:1f:6c:7a:65:38",
"mapInfo": {
  "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
  "mapHierarchyDetails": {
    "campus": "Nortech Campus",
    "building": "Nortech-1",
    "floor": "1st Floor",
    "floorAesUid": 727035700041482200,
    "zones": "CMX Bar"
  }
},
"mapCoordinate": {
  "x": 50.32218,
  "y": 23.589972,
  "z": 0,
  "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T23:15:11.675-0800",
  "firstLocatedTime": "2017-11-30T13:39:50.341-0800",
  "lastLocatedTime": "2017-11-30T13:39:50.341-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
  "latitude": 37.422446131682264,
  "longitude": -121.95979870153643,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512077992418,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 50.32218,
    "y": 23.589972,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.675-0800",

```



```

        "firstLocatedTime": "2017-11-30T13:27:31.114-0800",
        "lastLocatedTime": "2017-11-30T13:27:31.114-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,
        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512077253127,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 50.32218,
        "y": 23.589972,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.676-0800",
        "firstLocatedTime": "2017-11-30T13:02:59.838-0800",
        "lastLocatedTime": "2017-11-30T13:02:59.838-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,
        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512075782216,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {

```

```

    "mapHierarchyString": "Noritech Campus>Noritech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Noritech Campus",
      "building": "Noritech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 50.32218,
    "y": 23.589972,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.676-0800",
    "firstLocatedTime": "2017-11-30T12:18:00.944-0800",
    "lastLocatedTime": "2017-11-30T12:18:00.944-0800"
  },
  "historyLogReason": "NETWORK_STATUS_CHANGE",
  "geoCoordinate": {
    "latitude": 37.422446131682264,
    "longitude": -121.95979870153643,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512073083025,
  "numOfDetectingAPs": 0,
  "bssid": null,
  "containmentLevel": null,
  "state": null,
  "gwMacAddr": null,
  "manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Noritech Campus>Noritech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Noritech Campus",
      "building": "Noritech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 52.333843,
    "y": 23.049349,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.677-0800",
    "firstLocatedTime": "2017-11-30T11:20:12.326-0800",
    "lastLocatedTime": "2017-11-30T11:20:12.326-0800"
  }
}

```

```

    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42244462757822,
      "longitude": -121.95980593239442,
      "unit": "DEGREES"
    },
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512069614328,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,
      "z": 0,
      "unit": "FEET"
    },
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.677-0800",
      "firstLocatedTime": "2017-11-30T11:18:30.307-0800",
      "lastLocatedTime": "2017-11-30T11:18:30.307-0800"
    },
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42244462757822,
      "longitude": -121.95980593239442,
      "unit": "DEGREES"
    },
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512069512326,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {

```

```

        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
    }
},
"mapCoordinate": {
    "x": 52.333843,
    "y": 23.049349,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T23:15:11.678-0800",
    "firstLocatedTime": "2017-11-30T09:02:29.324-0800",
    "lastLocatedTime": "2017-11-30T09:02:29.324-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244462757822,
    "longitude": -121.95980593239442,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512061351340,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 48.429688,
        "y": 23.829533,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.678-0800",
        "firstLocatedTime": "2017-11-30T08:29:40.310-0800",
        "lastLocatedTime": "2017-11-30T08:29:40.310-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",

```

```

    "geoCoordinate": {
      "latitude": 37.422446797858335,
      "longitude": -121.95979189823998,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512059382315,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.679-0800",
      "firstLocatedTime": "2017-11-30T08:18:30.329-0800",
      "lastLocatedTime": "2017-11-30T08:18:30.329-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42244462757822,
      "longitude": -121.95980593239442,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512058712375,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",

```

```

        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
    }
},
"mapCoordinate": {
    "x": 30.224762,
    "y": 28.668585,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 80,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T23:15:11.679-0800",
    "firstLocatedTime": "2017-11-30T07:09:09.321-0800",
    "lastLocatedTime": "2017-11-30T07:09:09.321-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.42246026085773,
    "longitude": -121.95972646101725,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512054551336,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 50.32218,
        "y": 23.589972,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.680-0800",
        "firstLocatedTime": "2017-11-30T07:07:49.799-0800",
        "lastLocatedTime": "2017-11-30T07:07:49.799-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,

```

```

        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512054471803,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 52.333843,
        "y": 23.049349,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.680-0800",
        "firstLocatedTime": "2017-11-30T05:55:51.505-0800",
        "lastLocatedTime": "2017-11-30T05:55:51.505-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512050153556,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,

```

```

        "zones": "CMX Bar"
    }
},
"mapCoordinate": {
    "x": 52.333843,
    "y": 23.049349,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T23:15:11.681-0800",
    "firstLocatedTime": "2017-11-30T05:54:18.858-0800",
    "lastLocatedTime": "2017-11-30T05:54:18.858-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244462757822,
    "longitude": -121.95980593239442,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512050061307,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 52.333843,
        "y": 23.049349,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.681-0800",
        "firstLocatedTime": "2017-11-30T04:53:29.818-0800",
        "lastLocatedTime": "2017-11-30T04:53:29.818-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    }
}

```



```

    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512046411808,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 21.311752,
      "y": 17.200161,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 104,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.682-0800",
      "firstLocatedTime": "2017-11-30T04:49:48.864-0800",
      "lastLocatedTime": "2017-11-30T04:49:48.864-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42242833708961,
      "longitude": -121.9596943831753,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512046191266,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": ""
      }
    }
  }

```

```

    },
    "mapCoordinate": {
      "x": 67.5,
      "y": 49.9,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.682-0800",
      "firstLocatedTime": "2017-11-30T04:02:20.813-0800",
      "lastLocatedTime": "2017-11-30T04:02:20.813-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422519367829736,
      "longitude": -121.95986053657813,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512043342823,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 50.32218,
      "y": 23.589972,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.683-0800",
      "firstLocatedTime": "2017-11-30T03:36:40.310-0800",
      "lastLocatedTime": "2017-11-30T03:36:40.310-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422446131682264,
      "longitude": -121.95979870153643,
      "unit": "DEGREES"
    },
    "rawLocation": null,
  }
}

```

```

    "networkStatus": "INACTIVE",
    "changedOn": 1512041802315,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
      }
    },
    "mapCoordinate": {
      "x": 31.251575,
      "y": 25.986582,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 88,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.683-0800",
      "firstLocatedTime": "2017-11-30T03:12:30.305-0800",
      "lastLocatedTime": "2017-11-30T03:13:08.856-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42245279617778,
      "longitude": -121.95973014487545,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512040390900,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {

```

```

        "x": 52.333843,
        "y": 23.049349,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.684-0800",
        "firstLocatedTime": "2017-11-30T02:31:39.825-0800",
        "lastLocatedTime": "2017-11-30T02:31:39.825-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512037901814,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 48.476727,
        "y": 27.811598,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.684-0800",
        "firstLocatedTime": "2017-11-30T01:32:38.423-0800",
        "lastLocatedTime": "2017-11-30T01:32:38.423-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42245788144175,
        "longitude": -121.95979207893012,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512034360532,

```

```

    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 50.32218,
      "y": 23.589972,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.685-0800",
      "firstLocatedTime": "2017-11-30T01:26:29.802-0800",
      "lastLocatedTime": "2017-11-30T01:26:29.802-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422446131682264,
      "longitude": -121.95979870153643,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512033991809,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,

```

```

        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.685-0800",
        "firstLocatedTime": "2017-11-30T01:18:21.002-0800",
        "lastLocatedTime": "2017-11-30T01:18:21.002-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512033503022,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 50.32218,
        "y": 23.589972,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.686-0800",
        "firstLocatedTime": "2017-11-30T00:03:38.810-0800",
        "lastLocatedTime": "2017-11-30T00:03:38.810-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,
        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512029020820,
    "numOfDetectingAPs": 0,
    "bssid": null,

```

```
    "containmentLevel": null,  
    "state": null,  
    "gwMacAddr": null,  
    "manufacturer": "Cisco Systems, Inc"  
  }  
]
```

## API History

*Table 18: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

# Rogue APs API

## GET: Rogue AP by MAC Address

### Description

This API returns rogue AP by macaddress.

### HTTP Method

GET

### Resource URI

/api/location/v1/rogueaps/:macaddress

10.22.243.125/api/location/v1/rogueaps/70%3A70%3A8b%3A06%3A26%3A6f

### Parameters

*Table 19: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y	Nil	String	pathReplace	Rogue AP Macaddress

### Content Type

application/json

### Example Output

```
{
  "macAddress": "70:70:8b:06:26:6f",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
    "floorRefId": "727035700041482264",
    "floorDimension": {
      "length": 49.9,
      "width": 81,
      "height": 10,
      "offsetX": 0,
      "offsetY": 0,
      "unit": "FEET"
    },
    "image": {
      "imageName": "domain_0_1461628766707.png",
      "zoomLevel": 4,
      "width": 2008,
      "height": 1097,
      "size": 2008,
      "maxResolution": 8,
      "colorDepth": 8
    }
  }
}
```



```

    }
  },
  "mapCoordinate": {
    "x": 30.707043,
    "y": 15.968904,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": true,
  "confidenceFactor": 24,
  "locComputeType": "RSSI",
  "statistics": {
    "currentServerTime": "2017-11-30T22:17:48.745-0800",
    "firstLocatedTime": "2017-11-30T10:27:44.506-0800",
    "lastLocatedTime": "2017-11-30T22:17:35.282-0800",
    "maxDetectedRssi": {
      "apMacAddress": "b8:38:61:b1:c8:d0",
      "band": "IEEE_802_11_A",
      "slot": 2,
      "rssi": -47,
      "antennaIndex": 0,
      "lastHeardInSeconds": 7
    }
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42242491307808,
    "longitude": -121.95972815802901,
    "unit": "DEGREES"
  },
  "rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
  },
  "networkStatus": "ACTIVE",
  "changedOn": 1512109056295,
  "totalClients": 0,
  "numOfDetectingAPs": 6,
  "type": "AP",
  "containmentLevel": "UNASSIGNED",
  "state": "ALERT",
  "maxDetectedRssi": 0,
  "ssid": "test1234",
  "maxDetectingAPMacAddress": "",
  "maxRssiRadioType": 0,
  "zoneOfImpact": 0,
  "hiddenSSID": 0,
  "lastUpdated": "Thu Nov 30 22:17:36 PST 2017",
  "manufacturer": "Cisco Systems, Inc",
  "detectingControllers": null,
  "clientMacs": null,
  "rogueStChBy": "DEFAULT",
  "rogueClChBy": "DEFAULT",
  "classifiedRSSI": 0,
  "classifiedByAP": "b8:38:61:b1:c8:d0",
  "className": "",
  "classification": "UNCLASSIFIED",
  "tracedWiredRogue": false,
  "switchPortShutdown": false
}

```

**API History***Table 20: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

**GET: Active Rogue AP count****Description**

This API returns the count of active rogue APs.

**HTTP Method**

GET

**Resource URI**

/api/location/v1/rogueaps/count

**Requires OAuth**

N

**Parameters**

None.

**Content Type**

application/json

**Sample Output (JSON)**

```
{
  "deviceType": "Rogue_AP",
  "deviceQueryString": null,
  "count": 53
}
```

**API History***Table 21: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

# GET: All Active Rogue APs

## Description

This API returns all active rogue APs.

## HTTP Method

GET

## Resource URI

/api/location/v1/rogueaps

## Requires Basic Auth

N

## Parameters

None.

## Content Type

application/json

## Sample Output

```
[
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "floorRefId": "727035700041482264",
      "floorDimension": {
        "length": 49.9,
        "width": 81,
        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
        "unit": "FEET"
      },
      "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
      },
      "tagList": [
        "Waiting Room",
        "Pharmacy"
      ]
    },
    "mapCoordinate": {
      "x": 10.805624,
      "y": 15.59294,
    }
  }
]
```

```

        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 72,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-11-30T22:09:15.589-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T22:09:14.321-0800",
        "maxDetectedRssi": {
            "apMacAddress": "cc:16:7e:80:91:70",
            "band": "IEEE_802_11_B",
            "slot": 0,
            "rssi": -58,
            "antennaIndex": 0,
            "lastHeardInSeconds": 3
        }
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42242386020218,
        "longitude": -121.95965660633041,
        "unit": "DEGREES"
    },
    "rawLocation": {
        "rawX": -999,
        "rawY": -999,
        "unit": "FEET"
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1512108554321,
    "totalClients": 0,
    "numOfDetectingAPs": 3,
    "type": "AP",
    "containmentLevel": "UNASSIGNED",
    "state": "ALERT",
    "maxDetectedRssi": 0,
    "ssid": "CMX Guest",
    "maxDetectingAPMacAddress": "",
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": "Thu Nov 30 22:09:14 PST 2017",
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": null,
    "clientMacs": null,
    "rogueStChBy": "DEFAULT",
    "rogueClChBy": "DEFAULT",
    "classifiedRSSI": 0,
    "classifiedByAP": "cc:16:7e:32:63:60",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a2",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
        "floorRefId": "727035700041482264",
        "floorDimension": {
            "length": 49.9,
            "width": 81,

```

```

        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
        "unit": "FEET"
    },
    "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
    }
},
"mapCoordinate": {
    "x": 6.4275756,
    "y": 24.186842,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 80,
"locComputeType": "RSSI",
"statistics": {
    "currentServerTime": "2017-11-30T22:09:15.589-0800",
    "firstLocatedTime": "2017-11-30T22:07:53.710-0800",
    "lastLocatedTime": "2017-11-30T22:09:14.321-0800",
    "maxDetectedRssi": {
        "apMacAddress": "cc:16:7e:32:63:60",
        "band": "IEEE_802_11_B",
        "slot": 0,
        "rssi": -58,
        "antennaIndex": 0,
        "lastHeardInSeconds": 9
    }
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244777881152,
    "longitude": -121.9596408911214,
    "unit": "DEGREES"
},
"rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
},
"networkStatus": "ACTIVE",
"changedOn": 1512108554321,
"totalClients": 1,
"numOfDetectingAPs": 4,
"type": "AP",
"containmentLevel": "UNASSIGNED",
"state": "ALERT",
"maxDetectedRssi": 0,
"ssid": "cmx",
"maxDetectingAPMacAddress": "",
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": "Thu Nov 30 22:09:14 PST 2017",
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": null,

```

```

"clientMacs": null,
"rogueStChBy": "DEFAULT",
"rogueClChBy": "DEFAULT",
"classifiedRSSI": 0,
"classifiedByAP": "cc:16:7e:32:63:60",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "70:70:8b:06:26:6f",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
"floorRefId": "727035700041482264",
"floorDimension": {
"length": 49.9,
"width": 81,
"height": 10,
"offsetX": 0,
"offsetY": 0,
"unit": "FEET"
},
"image": {
"imageName": "domain_0_1461628766707.png",
"zoomLevel": 4,
"width": 2008,
"height": 1097,
"size": 2008,
"maxResolution": 8,
"colorDepth": 8
}
},
"mapCoordinate": {
"x": 30.847952,
"y": 16.119947,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 24,
"locComputeType": "RSSI",
"statistics": {
"currentServerTime": "2017-11-30T22:09:15.589-0800",
"firstLocatedTime": "2017-11-30T10:27:44.506-0800",
"lastLocatedTime": "2017-11-30T22:09:14.321-0800",
"maxDetectedRssi": {
"apMacAddress": "b8:38:61:b1:c8:d0",
"band": "IEEE_802_11_A",
"slot": 2,
"rssi": -47,
"antennaIndex": 0,
"lastHeardInSeconds": 2
}
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42242533353493,
"longitude": -121.95972866507198,
"unit": "DEGREES"
},
"rawLocation": {
"rawX": -999,
"rawY": -999,

```

```

        "unit": "FEET"
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1512108554321,
    "totalClients": 0,
    "numOfDetectingAPs": 6,
    "type": "AP",
    "containmentLevel": "UNASSIGNED",
    "state": "ALERT",
    "maxDetectedRssi": 0,
    "ssid": "test1234",
    "maxDetectingAPMacAddress": "",
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": "Thu Nov 30 22:09:14 PST 2017",
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": null,
    "clientMacs": null,
    "rogueStChBy": "DEFAULT",
    "rogueClChBy": "DEFAULT",
    "classifiedRSSI": 0,
    "classifiedByAP": "b8:38:61:b1:c8:d0",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
}
]

```

## API History

**Table 22: API History**

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

## GET: History of Rogue APs by MAC Address

### Description

This API returns history of rogue APs by macaddress.

### HTTP Method

GET

### Resource URI

/api/location/v1/history/rogueaps/:macaddress

### Requires Basic Auth

N

## Parameters

**Table 23: Parameter Details**

Name	Required	Default	Type	Location	Description
macaddress	Y	Nil	String	pathReplace	Rogue AP Macaddress
date	N	Empty	String	query	Date in format of yyyy/mm/dd

## Sample Output

```
[
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 16.81693,
      "y": 19.066471,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 72,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.921-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T22:28:03.315-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42243353027233,
      "longitude": -121.95967822858528,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512109687301,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
  }
]
```



```

    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.140812,
      "y": 24.24366,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.922-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T22:26:53.317-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422447951727875,
      "longitude": -121.95980524186929,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512109621316,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssId": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,

```

```

"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "3c:08:f6:d9:08:a4",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
"mapHierarchyDetails": {
"campus": "Nortech Campus",
"building": "Nortech-1",
"floor": "1st Floor",
"floorAesUid": 727035700041482200,
"zones": "CMX Bar"
}
},
"mapCoordinate": {
"x": 58.733418,
"y": 25.432129,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 112,
"locComputeType": null,
"statistics": {
"currentServerTime": "2017-11-30T22:58:26.923-0800",
"firstLocatedTime": "2017-11-29T15:14:36.041-0800",
"lastLocatedTime": "2017-11-30T21:50:33.316-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42245126180904,
"longitude": -121.95982894739863,
"unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512107439304,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",

```

```

"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "3c:08:f6:d9:08:a4",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
"mapHierarchyDetails": {
"campus": "Nortech Campus",
"building": "Nortech-1",
"floor": "1st Floor",
"floorAesUid": 727035700041482200,
"zones": "CMX Bar"
}
},
"mapCoordinate": {
"x": 63.668205,
"y": 29.59488,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 96,
"locComputeType": null,
"statistics": {
"currentServerTime": "2017-11-30T22:58:26.924-0800",
"firstLocatedTime": "2017-11-29T15:14:36.041-0800",
"lastLocatedTime": "2017-11-30T20:26:14.829-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42246284988543,
"longitude": -121.95984670129994,
"unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512102376831,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "3c:08:f6:d9:08:a4",

```

```

"mapInfo": {
  "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
  "mapHierarchyDetails": {
    "campus": "Nortech Campus",
    "building": "Nortech-1",
    "floor": "1st Floor",
    "floorAesUid": 727035700041482200,
    "zones": "CMX Clinic"
  }
},
"mapCoordinate": {
  "x": 12.266006,
  "y": 12.754823,
  "z": 0,
  "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 64,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T22:58:26.925-0800",
  "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
  "lastLocatedTime": "2017-11-30T20:03:18.324-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
  "latitude": 37.4224159611374,
  "longitude": -121.95966184852433,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512100998327,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",

```

```

        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
    }
},
"mapCoordinate": {
    "x": 38.960846,
    "y": 22.958181,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 128,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T22:58:26.926-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T19:59:03.317-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244436950427,
    "longitude": -121.95975785284054,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512100747330,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "Tm"
        }
    }
},

```

```

    "mapCoordinate": {
      "x": 37.168964,
      "y": 32.964314,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.927-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T19:42:32.950-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42247221971185,
      "longitude": -121.9597514396562,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512099754943,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
      }
    },
    "mapCoordinate": {
      "x": 43.08274,
      "y": 23.259438,
      "z": 0,
      "unit": "FEET"
    }
  }

```

```

    },
    "currentlyTracked": false,
    "confidenceFactor": 128,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.928-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T18:57:44.823-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.4224452093441,
      "longitude": -121.95977267296477,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512097070924,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 16.045467,
      "y": 17.270725,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 72,
    "locComputeType": null,
    "statistics": {

```

```

        "currentServerTime": "2017-11-30T22:58:26.928-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T18:09:46.752-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422428531794594,
        "longitude": -121.95967544976139,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512094186758,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "Tm"
        }
    },
    "mapCoordinate": {
        "x": 35.502758,
        "y": 32.926517,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.929-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T18:00:03.312-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",

```



```

    "geoCoordinate": {
      "latitude": 37.422472113973086,
      "longitude": -121.9597454491154,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512093605321,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 62.549908,
      "y": 29.465967,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.930-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T17:40:42.809-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42246249071413,
      "longitude": -121.95984268036422,
      "unit": "DEGREES"
    }
  },

```

```

"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512092442852,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Clinic"
    }
  },
  "mapCoordinate": {
    "x": 10.559283,
    "y": 15.158403,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 72,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.931-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T17:19:26.898-0800"
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42242265064471,
    "longitude": -121.95965571941056,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512091171311,
  "totalClients": 0,
  "numOfDetectingAPs": 0,

```

```
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Clinic"
    }
  },
  "mapCoordinate": {
    "x": 14.188843,
    "y": 17.020206,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 72,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.932-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T17:17:44.307-0800"
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42242783390771,
    "longitude": -121.95966877400087,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512091066313,
  "totalClients": 0,
  "numOfDetectingAPs": 0,
  "type": null,
  "containmentLevel": null,
  "state": null,
  "maxDetectedRssi": 0,
  "ssid": null,
```

```

    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 4.1660514,
      "y": 7.8810964,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.932-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T16:16:01.817-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422402393127356,
      "longitude": -121.95963271298406,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512087365823,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
  }
}

```

```
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Clinic"
    }
  },
  "mapCoordinate": {
    "x": 4.846126,
    "y": 9.683231,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 96,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.933-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T15:00:21.813-0800"
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42240740935892,
    "longitude": -121.95963516326113,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512082823871,
  "totalClients": 0,
  "numOfDetectingAPs": 0,
  "type": null,
  "containmentLevel": null,
  "state": null,
  "maxDetectedRssi": 0,
  "ssid": null,
  "maxDetectingAPMacAddress": null,
  "maxRssiRadioType": 0,
  "zoneOfImpact": 0,
  "hiddenSSID": 0,
  "lastUpdated": null,
  "manufacturer": "Cisco Systems, Inc",
  "detectingControllers": "10.22.243.211",
  "clientMacs": null,
  "rogueStChBy": null,
  "rogueClChBy": null,

```

```

"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": ""
    }
  },
  "mapCoordinate": {
    "x": 28.691513,
    "y": 23.520147,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 80,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.940-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T13:06:52.315-0800"
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.422445930346264,
    "longitude": -121.95972093363902,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512076016320,
  "totalClients": 0,
  "numOfDetectingAPs": 0,
  "type": null,
  "containmentLevel": null,
  "state": null,
  "maxDetectedRssi": 0,
  "ssid": null,
  "maxDetectingAPMacAddress": null,
  "maxRssiRadioType": 0,
  "zoneOfImpact": 0,
  "hiddenSSID": 0,
  "lastUpdated": null,
  "manufacturer": "Cisco Systems, Inc",
  "detectingControllers": "10.22.243.211",
  "clientMacs": null,
  "rogueStChBy": null,
  "rogueClChBy": null,
  "classifiedRSSI": 0,
  "classifiedByAP": "",
  "className": "",
  "classification": "UNCLASSIFIED",
  "tracedWiredRogue": false,

```

```

    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 18.289343,
      "y": 18.687847,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.941-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T10:38:16.307-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42243247689681,
      "longitude": -121.95968352117679,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512067098315,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {

```

```

    "mapHierarchyString": "Noritech Campus>Noritech-1>1st Floor>CMX Clinic",
    "mapHierarchyDetails": {
      "campus": "Noritech Campus",
      "building": "Noritech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Clinic"
    }
  },
  "mapCoordinate": {
    "x": 4.846126,
    "y": 9.683231,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 96,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.942-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T09:29:12.330-0800"
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42240740935892,
    "longitude": -121.95963516326113,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512062952353,
  "totalClients": 0,
  "numOfDetectingAPs": 0,
  "type": null,
  "containmentLevel": null,
  "state": null,
  "maxDetectedRssi": 0,
  "ssid": null,
  "maxDetectingAPMacAddress": null,
  "maxRssiRadioType": 0,
  "zoneOfImpact": 0,
  "hiddenSSID": 0,
  "lastUpdated": null,
  "manufacturer": "Cisco Systems, Inc",
  "detectingControllers": "10.22.243.211",
  "clientMacs": null,
  "rogueStChBy": null,
  "rogueClChBy": null,
  "classifiedRSSI": 0,
  "classifiedByAP": "",
  "className": "",
  "classification": "UNCLASSIFIED",
  "tracedWiredRogue": false,
  "switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Noritech Campus>Noritech-1>1st Floor>Tm",
    "mapHierarchyDetails": {
      "campus": "Noritech Campus",
      "building": "Noritech-1",
      "floor": "1st Floor",

```



```

        "floorAesUid": 727035700041482200,
        "zones": "Tm"
    }
},
"mapCoordinate": {
    "x": 33.190983,
    "y": 26.26249,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 64,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T22:58:26.943-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T08:28:47.302-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42245356475765,
    "longitude": -121.95973711833454,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512059329303,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {

```

```

        "x": 14.697663,
        "y": 15.564997,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 72,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.944-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T05:34:05.813-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422423783682305,
        "longitude": -121.95967059910944,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512048845825,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": ""
        }
    },
    "mapCoordinate": {
        "x": 1.7408412,
        "y": 4.3267527,
        "z": 0,
        "unit": "FEET"
    },

```

```

"currentlyTracked": false,
"confidenceFactor": 88,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T22:58:26.944-0800",
  "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
  "lastLocatedTime": "2017-11-30T04:41:11.265-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
  "latitude": 37.422392499283504,
  "longitude": -121.95962398341334,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512045675327,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": ""
    }
  },
  "mapCoordinate": {
    "x": 0.57220083,
    "y": 1.3926805,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 72,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.945-0800",

```

```

        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T04:30:22.379-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422384332292076,
        "longitude": -121.95961977333023,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512045022414,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "Tm"
        }
    },
    "mapCoordinate": {
        "x": 30.385988,
        "y": 24.133757,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.945-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T03:21:52.431-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {

```

```

        "latitude": 37.422447638796676,
        "longitude": -121.95972702748679,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512040914823,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {
        "x": 4.846126,
        "y": 9.683231,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.945-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T02:52:21.323-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42240740935892,
        "longitude": -121.95963516326113,
        "unit": "DEGREES"
    },
    "rawLocation": null,

```

```

"networkStatus": "INACTIVE",
"changedOn": 1512039145307,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Clinic"
    }
  },
  "mapCoordinate": {
    "x": 18.552563,
    "y": 12.923709,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 64,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.946-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T02:36:11.322-0800"
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42241643324174,
    "longitude": -121.9596844507661,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512038175805,
  "totalClients": 0,
  "numOfDetectingAPs": 0,
  "type": null,

```

```

"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "3c:08:f6:d9:08:a4",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
"mapHierarchyDetails": {
"campus": "Nortech Campus",
"building": "Nortech-1",
"floor": "1st Floor",
"floorAesUid": 727035700041482200,
"zones": "CMX Clinic"
}
},
"mapCoordinate": {
"x": 4.846126,
"y": 9.683231,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 96,
"locComputeType": null,
"statistics": {
"currentServerTime": "2017-11-30T22:58:26.946-0800",
"firstLocatedTime": "2017-11-29T15:14:36.041-0800",
"lastLocatedTime": "2017-11-30T01:46:33.509-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42240740935892,
"longitude": -121.95963516326113,
"unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512035193535,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,

```

```

    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 21.594147,
      "y": 17.890963,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.947-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T01:45:24.317-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42243025993865,
      "longitude": -121.9596954004619,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512035124333,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
  }
}

```



```
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  }
]
```

## API History

*Table 24: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

# Clients History API

## GET: All Client History

### Description

This API returns the history of all active clients. This does not include sleeping static devices that do not send probes. It does not support pagination, but you can extract small chunks of data by specifying parameters **locatedAfterTime** and **locatedBeforeTime** (in milliseconds).

This API would use the current date as date range from midnight to current time: `/api/location/v1/history/clients`. This would use the passed date as date range from passed date + fromHour to passed date + toHour: `/api/location/v1/history/clients?date=2016/03/02` and `fromHour=14` and `toHour=15`. This would use the date range as mentioned by parameters: `locatedAfterTime` (1456894800000) milliseconds equivalent to YYYY/MM/DD HH:MM:SS 2016/03/01 21:00:00. `locatedBeforeTime` (1456896600000) milliseconds equivalent to YYYY/MM/DD HH:MM:SS 2016/03/01 21:30:00: `/api/location/v1/history/clients?locatedAfterTime=1456894800000` and `locatedBeforeTime=1456896600000`.

With CSCuz69078, when `locatedAfterTime` and `locatedBeforeTime` specified in API is more than a day and less than an hour, the API returns the following error.

ERROR - Cassandra timeout during read query at consistency ONE (1 responses were required but only 0 replica responded)

For example,

`https://<ip-address>/api/location/v1/history/clients?locatedAfterTime=1459468800000&locatedBeforeTime=1459636800000` returns the ERROR.

This API response returns a maximum of 5000 records without pagination and is sorted based by the MAC address. Therefore, without using the parameters such as **locatedAfterTime** and **locatedBeforeTime** to limit the number of records of a specific MAC Address, the API response for client history will return only one MAC Address. The sort order should be by date/time of occurrence.



### Note

- This API can only support queries when the number of clients is less than 5000 per minute.
- Do not use this API if there are more than 2000 records. For larger datasets, it is recommended to use Northbound Notifications.

### HTTP Method

GET

### Resource URI

`/api/location/v1/history/clients`

### Requires OAuth

N

**Parameters**

None.

**Content Type**

application/json

**Sample Output (JSON)**

```
[
  {
    "macAddress": "ac:cf:85:29:53:5f",
    "mapInfo": {
      "mapHierarchyString": "Noritech Campus>Noritech-1>1st Floor",
      "mapHierarchyDetails": {
        "campus": "Noritech Campus",
        "building": "Noritech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": ""
      }
    },
    "mapCoordinate": {
      "x": 78.017624,
      "y": 38.217056,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 160,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-06T22:31:17.730-0800",
      "firstLocatedTime": "2017-12-06T12:57:13.469-0800",
      "lastLocatedTime": "2017-12-06T12:57:13.469-0800"
    },
    "historyLogReason": "FLOOR_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42248685324713,
      "longitude": -121.95989831612766,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512593833469,
    "ipAddress": [],
    "userName": "",
    "ssid": "",
    "sourceTimestamp": "1512593833469",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "HUAWEI TECHNOLOGIES CO.,LTD",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  },
  {
    "macAddress": "08:cc:68:b4:1c:1f",
    "mapInfo": {
```

```

    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Clinic"
    }
  },
  "mapCoordinate": {
    "x": 22.515627,
    "y": 15.5579815,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": true,
  "confidenceFactor": 32,
  "locComputeType": "RSSI",
  "statistics": {
    "currentServerTime": "2017-12-06T22:31:17.731-0800",
    "firstLocatedTime": "2017-12-06T19:09:30.430-0800",
    "lastLocatedTime": "2017-12-06T19:09:30.430-0800"
  },
  "historyLogReason": "NETWORK_STATUS_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42242376668243,
    "longitude": -121.95969870663463,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "ACTIVE",
  "changedOn": 1512616170430,
  "ipAddress": [],
  "userName": "",
  "ssId": "",
  "sourceTimestamp": "1512616170430",
  "band": "UNKNOWN",
  "apMacAddress": "",
  "dot11Status": "UNKNOWN",
  "manufacturer": "Cisco Systems, Inc",
  "areaGlobalIdList": null,
  "detectingControllers": "10.22.243.211",
  "bytesSent": 0,
  "bytesReceived": 0,
  "guestUser": false
},
{
  "macAddress": "08:cc:68:b4:1c:1f",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Clinic"
    }
  },
  "mapCoordinate": {
    "x": 21.428608,
    "y": 16.509167,
    "z": 0,
    "unit": "FEET"
  },
},

```

```

    "currentlyTracked": false,
    "confidenceFactor": 48,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-06T22:31:17.731-0800",
      "firstLocatedTime": "2017-12-06T19:09:03.079-0800",
      "lastLocatedTime": "2017-12-06T19:09:05.082-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422426413833385,
      "longitude": -121.95969480129244,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512616145082,
    "ipAddress": [],
    "userName": "",
    "ssId": "",
    "sourceTimestamp": "1512616145082",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Cisco Systems, Inc",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  }
]

```

## GET: Unique MAC Address Seen on a Given Day on a Floor or Zone

### Description

This API returns the unique MAC address seen on a given date on a floor or zone. It expects parameters, date and hierarchy. Hierarchy can be up to floor level or zone level. For example, floor level would include: campus-name, building-name, and floor-name. Zone level would be campus-name, building-name, floor-name, and zone-name. If you know the floor ID or the zone ID, then hierarchy is optional and you can specify date and floor ID or date and zone ID parameters.

When the date parameter is not specified, the API would use current date as default. Specifying either of the parameters like hierarchy or floor ID or zone ID is mandatory. This API also supports filter by time and filter by distance criteria. For filtering by time, use fromHour and toHour (both in 24 hr format) parameters. For filtering by distance queries, using filtering by time is mandatory and only a difference of one hour is allowed between toHour and fromHour is one hour.

For example:

By hierarchy:

/api/location/v1/history/uniqueclientsbyhierarchy?hierarchy=System%20Campus/Floor-19/1st%20Floor.  
 Floor ID:/api/location/v1/history/uniqueclientsbyhierarchy?floorid=730297895206534073.

By zoneid and date:/api/location/v1/history/uniqueclientsbyhierarchy?zoneid=23 and date=2016/02/29. By hierarchy and filter by time:

/api/location/v1/history/uniqueclientsbyhierarchy?hierarchy=System%20Campus/BGLD-19/1st%20Floor  
 and fromHour=13 and toHour=14.

By hierarchy, filter by time and filter by distance:

/api/location/v1/history/uniqueclientsbyhierarchy?hierarchy=System%20Campus/BGLD-19/1st%20Floor  
and fromHour=13 and toHour=14 and x=30 and y=50 and distance=10.

### HTTP Method

GET

### Resource URI

/api/location/v1/history/uniqueclientsbyhierarchy

### Requires Basic Auth

N

### Parameters

Table 25: Parameter Details

Name	Required	Default	Type	Location	Description
hierarchy	Y	—	String	query	Hierarchy in format campus-name/building-name/floor-name.
date	N	—	String	query	Date in format of yyyy/mm/dd.
floorid	N	—	String	query	Floor ID.
zoneid	N	—	String	query	Zone ID.
fromHour	N	—	String	query	FromHour, HH in 24 hour format.
toHour	N	—	String	query	ToHour, HH in 24 hour format
x	N	—	String	query	x
y	N	—	String	query	y
distance	N	—	String	query	Distance in feet

### Content Type

application/json

## GET: Compact History of Client By Date and IPv4 Address

### Description

This API returns compact history of client by date and IPv4 address.

**HTTP Method**

GET

**Resource URI**

/api/location/v1/historylite/byipaddress/:ipv4address

**Requires Basic Auth**

N

**Parameters***Table 26: Parameter Details*

Name	Required	Default	Type	Location	Description
date	Y	—	String	query	Date in format of yyyy/mm/dd.
ipv4address	Y	—	String	pathReplace	IPv4 Address.

**Content Type**

application/json

**Sample Output**

http://10.68.40.131/api/location/v1/historylite/byipaddress/10.68.41.186

```
{
  "Macaddress": null,
  "Ipv4address": "10.22.243.125",
  "Data": [],
  "Count": 0,
  "Date": "2018/07/13"
}
```

## GET: Compact History of Client by Date, Username

**Description**

This API returns compact history of client like number of logins and MAC address of device. The parameters given are date and username.

If the same username was used to login at multiple devices, the MAC address of only one of the devices is returned. To return all MAC addresses, set allMacs parameter to true.

**HTTP Method**

GET

**Resource URI**

/api/location/v1/historylite/byusername/:username

**Requires Basic Auth**

N

**Parameters**

*Table 27: Parameter Details*

Name	Required	Default	Type	Location	Description
date	Y	—	String	query	Date in format of yyyy/mm/dd
username	Y	—	String	pathReplace	User name.
allMacs	N	—	String	query	Return all macaddresses associated with this Username for given date Allowed values/formats: true false
allResults	N		String	query	Return all results Allowed values/formats: true false

**Content Type**

application/json

**Sample Output**

http://<ip-address>/api/location/v1/historylite/byusername/sharangp?date=2017/06/12

```
{
  Count: 591,
  Date: "2017/06/12",
  Username: "sharangp",
  Macaddress: "3c:a9:f4:6c:ee:44"
}
```

http://<ip-address>/api/location/v1/historylite/byusername/sharangp?date=2017/06/12&allMacs=true

```
{
  Count: 2,
  Date: "2017/06/12",
  Username: "sharangp",
  Macaddress: [
    "3c:a9:f4:6c:4c:7c",
  ]
}
```



```
"3c:a9:f4:6c:ee:44"
]
}
```

## GET: Compact History of Client by MAC Address

### Description

This API returns the history of an active client by its MAC address.

### HTTP Method

GET

### Resource URI

/api/location/v1/history/clients/:macaddress

### Requires OAuth

N

### Parameters

*Table 28: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y	—	String	pathReplace	Client Macaddress.
date	Y	—	String	query	Date in format of yyyy/mm/dd.

### Content Type

application/json

### Sample Output (JSON)

```
[
  {
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 26.908728,

```

```

        "y": 14.038175,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 16,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-12-06T22:41:49.631-0800",
        "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
        "lastLocatedTime": "2017-12-06T22:41:48.696-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422419537914266,
        "longitude": -121.9597144965198,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628908696,
    "ipAddress": [],
    "userName": "",
    "ssId": "",
    "sourceTimestamp": "1512628908696",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
},
{
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": ""
        }
    },
    "mapCoordinate": {
        "x": 25.287996,
        "y": 25.027487,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 24,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-12-06T22:41:49.632-0800",
        "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
        "lastLocatedTime": "2017-12-06T22:41:46.346-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42245012473281,

```

```

        "longitude": -121.9597087015209,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628906346,
    "ipAddress": [],
    "userName": "",
    "ssid": "",
    "sourceTimestamp": "1512628906346",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
},
{
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {
        "x": 26.385386,
        "y": 18.708204,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 16,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-12-06T22:41:49.632-0800",
        "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
        "lastLocatedTime": "2017-12-06T22:40:44.342-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42243253617424,
        "longitude": -121.95971262854559,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628844342,
    "ipAddress": [],
    "userName": "",
    "ssid": "",
    "sourceTimestamp": "1512628844342",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,

```

```

    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  },
  {
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 28.39643,
      "y": 35.002888,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 24,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-06T22:41:49.633-0800",
      "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
      "lastLocatedTime": "2017-12-06T22:40:41.877-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.4224778909874,
      "longitude": -121.95971990610984,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628841877,
    "ipAddress": [],
    "userName": "",
    "ssId": "",
    "sourceTimestamp": "1512628841877",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  }
]

```

# BLE-Tags Location and Information API

## GET: Returns all BLE-Tags

**Description**

This API returns all BLE-Tags

**HTTP Method**

GET

**Resource URI**

/api/location/v1/bletags

**Requires OAuth**

N

**Parameters**

None.

**Content Type**

application/json

## GET: BLE-Tag by macaddress

**Description**

This API returns a BLE-Tag by macaddress

**HTTP Method**

GET

**Resource URI**

/api/location/v1/bletags/:macaddress

**Requires OAuth**

N

**Parameters***Table 29: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y		String	pathReplace	BLE-Tag Macaddress

**Content Type**

application/json

## GET: Active BLE-Tags Count

**Description**

This API returns active BLE-Tags count

**HTTP Method**

GET

**Resource URI**

/api/location/v1/bletags/count

**Requires OAuth**

N

**Parameters**

None.

**Content Type**

application/json