



## サポートされている SNMP MIB と OID

- [サポートされている SNMP MIB と OID のリスト \(1 ページ\)](#)

### サポートされている SNMP MIB と OID のリスト

このリストには、デバイスでサポートされている SNMP MIB と OID が記載されています。

Cisco Adaptive Security Appliance Software Version 9.24(0)13

```
ciscoasa# show snmp-server OIDlist
[1] .1.3.6.1.2.1.2.1 IF-MIB::ifNumber
[2] .1.3.6.1.2.1.2.2.1.1 IF-MIB::ifIndex
[3] .1.3.6.1.2.1.2.2.1.2 IF-MIB::ifDescr
[4] .1.3.6.1.2.1.2.2.1.3 IF-MIB::ifType
[5] .1.3.6.1.2.1.2.2.1.4 IF-MIB::ifMtu
[6] .1.3.6.1.2.1.2.2.1.5 IF-MIB::ifSpeed
[7] .1.3.6.1.2.1.2.2.1.6 IF-MIB::ifPhysAddress
[8] .1.3.6.1.2.1.2.2.1.7 IF-MIB::ifAdminStatus
[9] .1.3.6.1.2.1.2.2.1.8 IF-MIB::ifOperStatus
[10] .1.3.6.1.2.1.2.2.1.9 IF-MIB::ifLastChange
[11] .1.3.6.1.2.1.2.2.1.10 IF-MIB::ifInOctets
[12] .1.3.6.1.2.1.2.2.1.11 IF-MIB::ifInUcastPkts
[13] .1.3.6.1.2.1.2.2.1.12 IF-MIB::ifInNUcastPkts
[14] .1.3.6.1.2.1.2.2.1.13 IF-MIB::ifInDiscards
[15] .1.3.6.1.2.1.2.2.1.14 IF-MIB::ifInErrors
[16] .1.3.6.1.2.1.2.2.1.15 IF-MIB::ifInUnknownProtos
[17] .1.3.6.1.2.1.2.2.1.16 IF-MIB::ifOutOctets
[18] .1.3.6.1.2.1.2.2.1.17 IF-MIB::ifOutUcastPkts
[19] .1.3.6.1.2.1.2.2.1.18 IF-MIB::ifOutNUcastPkts
[20] .1.3.6.1.2.1.2.2.1.19 IF-MIB::ifOutDiscards
[21] .1.3.6.1.2.1.2.2.1.20 IF-MIB::ifOutErrors
[22] .1.3.6.1.2.1.2.2.1.21 IF-MIB::ifOutQLen
[23] .1.3.6.1.2.1.2.2.1.22 IF-MIB::ifSpecific
[24] .1.3.6.1.2.1.31.1.1.1.1 IF-MIB::ifName
[25] .1.3.6.1.2.1.31.1.1.1.2 IF-MIB::ifInMulticastPkts
[26] .1.3.6.1.2.1.31.1.1.1.3 IF-MIB::ifInBroadcastPkts
[27] .1.3.6.1.2.1.31.1.1.1.4 IF-MIB::ifOutMulticastPkts
[28] .1.3.6.1.2.1.31.1.1.1.5 IF-MIB::ifOutBroadcastPkts
[29] .1.3.6.1.2.1.31.1.1.1.6 IF-MIB::ifHCInOctets
[30] .1.3.6.1.2.1.31.1.1.1.7 IF-MIB::ifHCInUcastPkts
[31] .1.3.6.1.2.1.31.1.1.1.8 IF-MIB::ifHCInMulticastPkts
[32] .1.3.6.1.2.1.31.1.1.1.9 IF-MIB::ifHCInBroadcastPkts
[33] .1.3.6.1.2.1.31.1.1.1.10 IF-MIB::ifHCOctets
[34] .1.3.6.1.2.1.31.1.1.1.11 IF-MIB::ifHCOUcastPkts
[35] .1.3.6.1.2.1.31.1.1.1.12 IF-MIB::ifHCOmulticastPkts
```

## サポートされている SNMP MIB と OID のリスト

[36]	.1.3.6.1.2.1.31.1.1.1.13	IF-MIB::ifHCOutBroadcastPkts
[37]	.1.3.6.1.2.1.31.1.1.1.14	IF-MIB::ifLinkUpDownTrapEnable
[38]	.1.3.6.1.2.1.31.1.1.1.15	IF-MIB::ifHighSpeed
[39]	.1.3.6.1.2.1.31.1.1.1.16	IF-MIB::ifPromiscuousMode
[40]	.1.3.6.1.2.1.31.1.1.1.17	IF-MIB::ifConnectorPresent
[41]	.1.3.6.1.2.1.31.1.1.1.18	IF-MIB::ifAlias
[42]	.1.3.6.1.2.1.31.1.1.1.19	IF-MIB::ifCounterDiscontinuityTime
[43]	.1.3.6.1.4.1.9.9.276.1.1.2.1.20	CISCO-SMI::ciscoMgmt.276.1.1.2.1.20
[44]	.1.3.6.1.4.1.9.9.276.1.1.2.1.21	CISCO-SMI::ciscoMgmt.276.1.1.2.1.21
[45]	.1.3.6.1.2.1.4.30.1.1	IP-MIB::ipv6InterfaceIfIndex
[46]	.1.3.6.1.2.1.4.30.1.2	IP-MIB::ipv6InterfaceReasmMaxSize
[47]	.1.3.6.1.2.1.4.30.1.3	IP-MIB::ipv6InterfaceIdentifier
[48]	.1.3.6.1.2.1.4.30.1.5	IP-MIB::ipv6InterfaceEnableStatus
[49]	.1.3.6.1.2.1.4.30.1.6	IP-MIB::ipv6InterfaceReachableTime
[50]	.1.3.6.1.2.1.4.30.1.7	IP-MIB::ipv6InterfaceRetransmitTime
[51]	.1.3.6.1.2.1.4.30.1.8	IP-MIB::ipv6InterfaceForwarding
[52]	.1.3.6.1.4.1.9.9.109.1.1.1.1.1	CISCO-PROCESS-MIB::cpmCPUTotalIndex
[53]	.1.3.6.1.4.1.9.9.109.1.1.1.1.2	CISCO-PROCESS-MIB::cpmCPUTotalPhysicalIndex
[54]	.1.3.6.1.4.1.9.9.109.1.1.1.1.6	CISCO-PROCESS-MIB::cpmCPUTotal5secRev
[55]	.1.3.6.1.4.1.9.9.109.1.1.1.1.7	CISCO-PROCESS-MIB::cpmCPUTotal1minRev
[56]	.1.3.6.1.4.1.9.9.109.1.1.1.1.8	CISCO-PROCESS-MIB::cpmCPUTotal5minRev
[57]	.1.3.6.1.4.1.9.9.109.1.1.1.1.9	CISCO-PROCESS-MIB::cpmCPUMonInterval
[58]	.1.3.6.1.4.1.9.9.109.1.1.1.1.10	CISCO-PROCESS-MIB::cpmCPUTotalMonIntervalValue
[59]	.1.3.6.1.4.1.9.9.109.1.1.1.1.11	CISCO-PROCESS-MIB::cpmCPUInterruptMonIntervalValue
[60]	.1.3.6.1.4.1.9.9.109.1.2.1.1.1	CISCO-PROCESS-MIB::cpmProcessPID
[61]	.1.3.6.1.4.1.9.9.109.1.2.1.1.2	CISCO-PROCESS-MIB::cpmProcessName
[62]	.1.3.6.1.4.1.9.9.109.1.2.1.1.4	CISCO-PROCESS-MIB::cpmProcessuSecs
[63]	.1.3.6.1.4.1.9.9.109.1.2.1.1.5	CISCO-PROCESS-MIB::cpmProcessTimeCreated
[64]	.1.3.6.1.4.1.9.9.109.1.2.1.1.6	CISCO-PROCESS-MIB::cpmProcessAverageUsec
[65]	.1.3.6.1.4.1.9.9.109.1.2.3.1.1	CISCO-PROCESS-MIB::cpmProcExtMemAllocatedRev
[66]	.1.3.6.1.4.1.9.9.109.1.2.3.1.2	CISCO-PROCESS-MIB::cpmProcExtMemFreedRev
[67]	.1.3.6.1.4.1.9.9.109.1.2.3.1.3	CISCO-PROCESS-MIB::cpmProcExtInvokedRev
[68]	.1.3.6.1.4.1.9.9.109.1.2.3.1.4	CISCO-PROCESS-MIB::cpmProcExtRuntimeRev
[69]	.1.3.6.1.4.1.9.9.109.1.2.3.1.5	CISCO-PROCESS-MIB::cpmProcExtUtil5SecRev
[70]	.1.3.6.1.4.1.9.9.109.1.2.3.1.6	CISCO-PROCESS-MIB::cpmProcExtUtilMinRev
[71]	.1.3.6.1.4.1.9.9.109.1.2.3.1.7	CISCO-PROCESS-MIB::cpmProcExtUtil5MinRev
[72]	.1.3.6.1.4.1.9.9.109.1.2.3.1.8	CISCO-PROCESS-MIB::cpmProcExtPriorityRev
[73]	.1.3.6.1.4.1.9.9.109.1.2.4.1.1	CISCO-PROCESS-MIB::cpmCPUThresholdClass
[74]	.1.3.6.1.4.1.9.9.109.1.2.4.1.2	CISCO-PROCESS-MIB::cpmCPURisingThresholdValue
[75]	.1.3.6.1.4.1.9.9.109.1.2.4.1.3	CISCO-PROCESS-MIB::cpmCPURisingThresholdPeriod
[76]	.1.3.6.1.4.1.9.9.109.1.2.4.1.4	CISCO-PROCESS-MIB::cpmCPUFallingThresholdValue
[77]	.1.3.6.1.4.1.9.9.109.1.2.4.1.5	CISCO-PROCESS-MIB::cpmCPUFallingThresholdPeriod
[78]	.1.3.6.1.4.1.9.9.109.1.2.4.1.6	CISCO-PROCESS-MIB::cpmCPUThresholdEntryStatus
[79]	.1.3.6.1.4.1.9.9.41.1.1.6	CISCO-SYSLOG-MIB::clogOriginIDType
[80]	.1.3.6.1.4.1.9.9.41.1.1.7	CISCO-SYSLOG-MIB::clogOriginID
[81]	.1.3.6.1.4.1.9.9.41.1.1.1	CISCO-SYSLOG-MIB::clogNotificationsSent
[82]	.1.3.6.1.4.1.9.9.41.1.1.2	CISCO-SYSLOG-MIB::clogNotificationsEnabled
[83]	.1.3.6.1.4.1.9.9.41.1.1.3	CISCO-SYSLOG-MIB::clogMaxSeverity
[84]	.1.3.6.1.4.1.9.9.41.1.1.4	CISCO-SYSLOG-MIB::clogMsgIgnores
[85]	.1.3.6.1.4.1.9.9.41.1.1.5	CISCO-SYSLOG-MIB::clogMsgDrops
[86]	.1.3.6.1.4.1.9.9.41.1.2.3.1.1	CISCO-SYSLOG-MIB::clogHistIndex
[87]	.1.3.6.1.4.1.9.9.41.1.2.3.1.2	CISCO-SYSLOG-MIB::clogHistFacility
[88]	.1.3.6.1.4.1.9.9.41.1.2.3.1.3	CISCO-SYSLOG-MIB::clogHistSeverity
[89]	.1.3.6.1.4.1.9.9.41.1.2.3.1.4	CISCO-SYSLOG-MIB::clogHistMsgName
[90]	.1.3.6.1.4.1.9.9.41.1.2.3.1.5	CISCO-SYSLOG-MIB::clogHistMsgText
[91]	.1.3.6.1.4.1.9.9.41.1.2.3.1.6	CISCO-SYSLOG-MIB::clogHistTimestamp
[92]	.1.3.6.1.2.1.123.1.4.1.1	NAT-MIB::natAddrMapIndex
[93]	.1.3.6.1.2.1.123.1.4.1.2	NAT-MIB::natAddrMapName
[94]	.1.3.6.1.2.1.123.1.4.1.10	NAT-MIB::natAddrMapGlobalAddrType
[95]	.1.3.6.1.2.1.123.1.4.1.11	NAT-MIB::natAddrMapGlobalAddrFrom
[96]	.1.3.6.1.2.1.123.1.4.1.12	NAT-MIB::natAddrMapGlobalAddrTo
[97]	.1.3.6.1.2.1.123.1.4.1.13	NAT-MIB::natAddrMapGlobalPortFrom
[98]	.1.3.6.1.2.1.123.1.4.1.14	NAT-MIB::natAddrMapGlobalPortTo
[99]	.1.3.6.1.2.1.123.1.4.1.15	NAT-MIB::natAddrMapProtocol

[100]	.1.3.6.1.2.1.123.1.4.1.19	NAT-MIB::natAddrMapAddrUsed
[101]	.1.3.6.1.4.1.9.9.532.1.1.1.1	CISCO-NAT-EXT-MIB::cneAddrTranslationNumActive
[102]	.1.3.6.1.4.1.9.9.532.1.1.1.2	CISCO-NAT-EXT-MIB::cneAddrTranslationNumPeak
[103]	.1.3.6.1.4.1.9.9.532.1.1.1.3	CISCO-NAT-EXT-MIB::cneAddrTranslation1min
[104]	.1.3.6.1.4.1.9.9.532.1.1.1.4	CISCO-NAT-EXT-MIB::cneAddrTranslation5min
[105]	.1.3.6.1.4.1.3076.2.1.2.36.1.1	ALTIGA-LBSSF-STATS-MIB::allBSSFRole
[106]	.1.3.6.1.4.1.3076.2.1.2.36.1.2	ALTIGA-LBSSF-STATS-MIB::allBSSFDeviceType
[107]	.1.3.6.1.4.1.3076.2.1.2.36.1.3	ALTIGA-LBSSF-STATS-MIB::allBSSFActive
[108]	.1.3.6.1.4.1.3076.2.1.2.36.1.4	ALTIGA-LBSSF-STATS-MIB::allBSSFNumberOfPeers
[109]	.1.3.6.1.4.1.3076.2.1.2.36.1.5	ALTIGA-LBSSF-STATS-MIB::allBSSFLoad
[110]	.1.3.6.1.2.1.4.1	IP-MIB::ipForwarding
[111]	.1.3.6.1.2.1.4.24.6	IP-FORWARD-MIB::inetCidrRouteNumber
[112]	.1.3.6.1.2.1.4.35.1.1	IP-MIB::ipNetToPhysicalIfIndex
[113]	.1.3.6.1.2.1.4.35.1.2	IP-MIB::ipNetToPhysicalNetAddressType
[114]	.1.3.6.1.2.1.4.35.1.3	IP-MIB::ipNetToPhysicalNetAddress
[115]	.1.3.6.1.2.1.4.35.1.4	IP-MIB::ipNetToPhysicalPhysAddress
[116]	.1.3.6.1.2.1.4.35.1.5	IP-MIB::ipNetToPhysicalLastUpdated
[117]	.1.3.6.1.2.1.4.35.1.6	IP-MIB::ipNetToPhysicalType
[118]	.1.3.6.1.2.1.4.35.1.7	IP-MIB::ipNetToPhysicalState
[119]	.1.3.6.1.2.1.4.35.1.8	IP-MIB::ipNetToPhysicalRowStatus
[120]	.1.3.6.1.2.1.4.34.1.1	IP-MIB::ipAddressAddrType
[121]	.1.3.6.1.2.1.4.34.1.2	IP-MIB::ipAddressAddr
[122]	.1.3.6.1.2.1.4.34.1.3	IP-MIB::ipAddressIfIndex
[123]	.1.3.6.1.2.1.4.34.1.4	IP-MIB::ipAddressType
[124]	.1.3.6.1.2.1.4.34.1.5	IP-MIB::ipAddressPrefix
[125]	.1.3.6.1.2.1.4.34.1.6	IP-MIB::ipAddressOrigin
[126]	.1.3.6.1.2.1.4.34.1.7	IP-MIB::ipAddressStatus
[127]	.1.3.6.1.2.1.4.34.1.8	IP-MIB::ipAddressCreated
[128]	.1.3.6.1.2.1.4.34.1.9	IP-MIB::ipAddressLastChanged
[129]	.1.3.6.1.2.1.4.34.1.10	IP-MIB::ipAddressRowStatus
[130]	.1.3.6.1.2.1.4.34.1.11	IP-MIB::ipAddressStorageType
[131]	.1.3.6.1.2.1.4.20.1.1	IP-MIB::ipAdEntAddr
[132]	.1.3.6.1.2.1.4.20.1.2	IP-MIB::ipAdEntIfIndex
[133]	.1.3.6.1.2.1.4.20.1.3	IP-MIB::ipAdEntNetMask
[134]	.1.3.6.1.2.1.4.20.1.4	IP-MIB::ipAdEntBcastAddr
[135]	.1.3.6.1.2.1.4.20.1.5	IP-MIB::ipAdEntReasmMaxSize
[136]	.1.3.6.1.2.1.4.32.1.1	IP-MIB::ipAddressPrefixIfIndex
[137]	.1.3.6.1.2.1.4.32.1.2	IP-MIB::ipAddressPrefixType
[138]	.1.3.6.1.2.1.4.32.1.3	IP-MIB::ipAddressPrefixPrefix
[139]	.1.3.6.1.2.1.4.32.1.4	IP-MIB::ipAddressPrefixLength
[140]	.1.3.6.1.2.1.4.32.1.5	IP-MIB::ipAddressPrefixOrigin
[141]	.1.3.6.1.2.1.4.32.1.6	IP-MIB::ipAddressPrefixOnLinkFlag
[142]	.1.3.6.1.2.1.4.32.1.7	IP-MIB::ipAddressPrefixAutonomousFlag
[143]	.1.3.6.1.2.1.4.32.1.8	IP-MIB::ipAddressPrefixAdvPreferredLifetime
[144]	.1.3.6.1.2.1.4.32.1.9	IP-MIB::ipAddressPrefixAdvValidLifetime
[145]	.1.3.6.1.4.1.9.9.171.1.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecMibLevel
[146]	.1.3.6.1.4.1.9.9.171.1.2.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalActiveTunnels
[147]	.1.3.6.1.4.1.9.9.171.1.2.1.2	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalPreviousTunnels
[148]	.1.3.6.1.4.1.9.9.171.1.2.1.3	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInOctets
[149]	.1.3.6.1.4.1.9.9.171.1.2.1.4	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInPkts
[150]	.1.3.6.1.4.1.9.9.171.1.2.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInDropPkts
[151]	.1.3.6.1.4.1.9.9.171.1.2.1.6	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInNotifys
[152]	.1.3.6.1.4.1.9.9.171.1.2.1.7	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2Exchgs
[153]	.1.3.6.1.4.1.9.9.171.1.2.1.8	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2ExchgInvalids
[154]	.1.3.6.1.4.1.9.9.171.1.2.1.9	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2ExchgRejects
[155]	.1.3.6.1.4.1.9.9.171.1.2.1.10	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2SaDelRequests
[156]	.1.3.6.1.4.1.9.9.171.1.2.1.11	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutOctets
[157]	.1.3.6.1.4.1.9.9.171.1.2.1.12	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutPkts
[158]	.1.3.6.1.4.1.9.9.171.1.2.1.13	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutDropPkts
[159]	.1.3.6.1.4.1.9.9.171.1.2.1.14	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutNotifys

## サポートされている SNMP MIB と OID のリスト

```

[160] .1.3.6.1.4.1.9.9.171.1.2.1.15 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2ExchgS
[161] .1.3.6.1.4.1.9.9.171.1.2.1.16
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2ExchgInvalids
[162] .1.3.6.1.4.1.9.9.171.1.2.1.17
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2ExchgRejects
[163] .1.3.6.1.4.1.9.9.171.1.2.1.18
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2SaDelRequests
[164] .1.3.6.1.4.1.9.9.171.1.2.1.19 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInitTunnels
[165] .1.3.6.1.4.1.9.9.171.1.2.1.20
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInitTunnelFails
[166] .1.3.6.1.4.1.9.9.171.1.2.1.21
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalRespTunnelFails
[167] .1.3.6.1.4.1.9.9.171.1.2.1.22 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalSysCapFails
[168] .1.3.6.1.4.1.9.9.171.1.2.1.23 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalAuthFails
[169] .1.3.6.1.4.1.9.9.171.1.2.1.24 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalDecryptFails
[170] .1.3.6.1.4.1.9.9.171.1.2.1.25
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalHashValidFails
[171] .1.3.6.1.4.1.9.9.171.1.2.1.26 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalNoSaFails
[172] .1.3.6.1.4.1.9.9.171.1.3.1.1
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalActiveTunnels
[173] .1.3.6.1.4.1.9.9.171.1.3.1.2
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalPreviousTunnels
[174] .1.3.6.1.4.1.9.9.171.1.3.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInOctets
[175] .1.3.6.1.4.1.9.9.171.1.3.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcInOctets
[176] .1.3.6.1.4.1.9.9.171.1.3.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInOctWraps
[177] .1.3.6.1.4.1.9.9.171.1.3.1.6
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecompOctets
[178] .1.3.6.1.4.1.9.9.171.1.3.1.7
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcInDecompOctets
[179] .1.3.6.1.4.1.9.9.171.1.3.1.8
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecompOctWraps
[180] .1.3.6.1.4.1.9.9.171.1.3.1.9 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInPkts
[181] .1.3.6.1.4.1.9.9.171.1.3.1.10 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDrops
[182] .1.3.6.1.4.1.9.9.171.1.3.1.11
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInReplayDrops
[183] .1.3.6.1.4.1.9.9.171.1.3.1.12 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInAuths
[184] .1.3.6.1.4.1.9.9.171.1.3.1.13
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInAuthFails
[185] .1.3.6.1.4.1.9.9.171.1.3.1.14 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecrypts
[186] .1.3.6.1.4.1.9.9.171.1.3.1.15
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecryptFails
[187] .1.3.6.1.4.1.9.9.171.1.3.1.16 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutOctets
[188] .1.3.6.1.4.1.9.9.171.1.3.1.17
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcOutOctets
[189] .1.3.6.1.4.1.9.9.171.1.3.1.18
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutOctWraps
[190] .1.3.6.1.4.1.9.9.171.1.3.1.19
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutUncompOctets
[191] .1.3.6.1.4.1.9.9.171.1.3.1.20
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcOutUncompOctets
[192] .1.3.6.1.4.1.9.9.171.1.3.1.21
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutUncompOctWraps
[193] .1.3.6.1.4.1.9.9.171.1.3.1.22 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutPkts
[194] .1.3.6.1.4.1.9.9.171.1.3.1.23 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutDrops
[195] .1.3.6.1.4.1.9.9.171.1.3.1.24 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutAuths
[196] .1.3.6.1.4.1.9.9.171.1.3.1.25
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutAuthFails
[197] .1.3.6.1.4.1.9.9.171.1.3.1.26
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutEncrypts
[198] .1.3.6.1.4.1.9.9.171.1.3.1.27
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutEncryptFails
[199] .1.3.6.1.4.1.9.9.171.1.3.1.28
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalProtocolUseFails
[200] .1.3.6.1.4.1.9.9.171.1.3.1.29 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalNoSaFails

```

```

[201] .1.3.6.1.4.1.9.9.171.1.3.1.30
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalSysCapFails
[202] .1.3.6.1.4.1.9.9.171.1.5.1.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecFailTableSize
[203] .1.3.6.1.4.1.9.9.171.1.2.2.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerLocalType
[204] .1.3.6.1.4.1.9.9.171.1.2.2.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerLocalValue
[205] .1.3.6.1.4.1.9.9.171.1.2.2.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerRemoteType
[206] .1.3.6.1.4.1.9.9.171.1.2.2.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerRemoteValue
[207] .1.3.6.1.4.1.9.9.171.1.2.2.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerIntIndex
[208] .1.3.6.1.4.1.9.9.171.1.2.2.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerLocalAddr
[209] .1.3.6.1.4.1.9.9.171.1.2.2.1.7 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerRemoteAddr
[210] .1.3.6.1.4.1.9.9.171.1.2.2.1.8 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerActiveTime
[211] .1.3.6.1.4.1.9.9.171.1.2.2.1.9
CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerActiveTunnelIndex
[212] .1.3.6.1.4.1.9.9.171.1.2.3.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunIndex
[213] .1.3.6.1.4.1.9.9.171.1.2.3.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalType
[214] .1.3.6.1.4.1.9.9.171.1.2.3.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalValue
[215] .1.3.6.1.4.1.9.9.171.1.2.3.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalAddr
[216] .1.3.6.1.4.1.9.9.171.1.2.3.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalName
[217] .1.3.6.1.4.1.9.9.171.1.2.3.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteType
[218] .1.3.6.1.4.1.9.9.171.1.2.3.1.7 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteValue
[219] .1.3.6.1.4.1.9.9.171.1.2.3.1.8 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteAddr
[220] .1.3.6.1.4.1.9.9.171.1.2.3.1.9 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteName
[221] .1.3.6.1.4.1.9.9.171.1.2.3.1.10 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunNegoMode
[222] .1.3.6.1.4.1.9.9.171.1.2.3.1.11
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunDiffHellmanGrp
[223] .1.3.6.1.4.1.9.9.171.1.2.3.1.12 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunEncryptAlgo
[224] .1.3.6.1.4.1.9.9.171.1.2.3.1.13 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunHashAlgo
[225] .1.3.6.1.4.1.9.9.171.1.2.3.1.14 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunAuthMethod
[226] .1.3.6.1.4.1.9.9.171.1.2.3.1.15 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLifetime
[227] .1.3.6.1.4.1.9.9.171.1.2.3.1.16 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunActiveTime
[228] .1.3.6.1.4.1.9.9.171.1.2.3.1.17
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunSaRefreshThreshold
[229] .1.3.6.1.4.1.9.9.171.1.2.3.1.18
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunTotalRefreshes
[230] .1.3.6.1.4.1.9.9.171.1.2.3.1.19 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInOctets
[231] .1.3.6.1.4.1.9.9.171.1.2.3.1.20 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInPkts
[232] .1.3.6.1.4.1.9.9.171.1.2.3.1.21 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInDropPkts
[233] .1.3.6.1.4.1.9.9.171.1.2.3.1.22 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInNotifys
[234] .1.3.6.1.4.1.9.9.171.1.2.3.1.23 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2Exchgs
[235] .1.3.6.1.4.1.9.9.171.1.2.3.1.24
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2ExchgInvalids
[236] .1.3.6.1.4.1.9.9.171.1.2.3.1.25
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2ExchgRejects
[237] .1.3.6.1.4.1.9.9.171.1.2.3.1.26
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2SaDelRequests
[238] .1.3.6.1.4.1.9.9.171.1.2.3.1.27 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutOctets
[239] .1.3.6.1.4.1.9.9.171.1.2.3.1.28 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutPkts
[240] .1.3.6.1.4.1.9.9.171.1.2.3.1.29 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutDropPkts
[241] .1.3.6.1.4.1.9.9.171.1.2.3.1.30 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutNotifys
[242] .1.3.6.1.4.1.9.9.171.1.2.3.1.31 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2Exchgs
[243] .1.3.6.1.4.1.9.9.171.1.2.3.1.32
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2ExchgInvalids
[244] .1.3.6.1.4.1.9.9.171.1.2.3.1.33
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2ExchgRejects
[245] .1.3.6.1.4.1.9.9.171.1.2.3.1.34
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2SaDelRequests
[246] .1.3.6.1.4.1.9.9.171.1.2.3.1.35 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunStatus
[247] .1.3.6.1.4.1.9.9.171.1.2.4.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrLocalType
[248] .1.3.6.1.4.1.9.9.171.1.2.4.1.2
CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrLocalValue
[249] .1.3.6.1.4.1.9.9.171.1.2.4.1.3
CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrRemoteType
[250] .1.3.6.1.4.1.9.9.171.1.2.4.1.4
CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrRemoteValue

```

## サポートされている SNMP MIB と OID のリスト

```

[251] .1.3.6.1.4.1.9.9.171.1.2.4.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrIntIndex
[252] .1.3.6.1.4.1.9.9.171.1.2.4.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrSeqNum
[253] .1.3.6.1.4.1.9.9.171.1.2.4.1.7
CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrIpSecTunIndex
[254] .1.3.6.1.4.1.9.9.171.1.3.2.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunIndex
[255] .1.3.6.1.4.1.9.9.171.1.3.2.1.2
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunIkeTunnelIndex
[256] .1.3.6.1.4.1.9.9.171.1.3.2.1.3
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunIkeTunnelAlive
[257] .1.3.6.1.4.1.9.9.171.1.3.2.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunLocalAddr
[258] .1.3.6.1.4.1.9.9.171.1.3.2.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunRemoteAddr
[259] .1.3.6.1.4.1.9.9.171.1.3.2.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunKeyType
[260] .1.3.6.1.4.1.9.9.171.1.3.2.1.7 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunEncapMode
[261] .1.3.6.1.4.1.9.9.171.1.3.2.1.8 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunLifeSize
[262] .1.3.6.1.4.1.9.9.171.1.3.2.1.9 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunLifeTime
[263] .1.3.6.1.4.1.9.9.171.1.3.2.1.10 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunActiveTime
[264] .1.3.6.1.4.1.9.9.171.1.3.2.1.11
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunSaLifeSizeThreshold
[265] .1.3.6.1.4.1.9.9.171.1.3.2.1.12
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunSaLifeTimeThreshold
[266] .1.3.6.1.4.1.9.9.171.1.3.2.1.13
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunTotalRefreshes
[267] .1.3.6.1.4.1.9.9.171.1.3.2.1.14
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunExpiredSaInstances
[268] .1.3.6.1.4.1.9.9.171.1.3.2.1.15
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunCurrentSaInstances
[269] .1.3.6.1.4.1.9.9.171.1.3.2.1.16
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaDiffHellmanGrp
[270] .1.3.6.1.4.1.9.9.171.1.3.2.1.17
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaEncryptAlgo
[271] .1.3.6.1.4.1.9.9.171.1.3.2.1.18
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaAhAuthAlgo
[272] .1.3.6.1.4.1.9.9.171.1.3.2.1.19
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaEspAuthAlgo
[273] .1.3.6.1.4.1.9.9.171.1.3.2.1.20
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaDecompAlgo
[274] .1.3.6.1.4.1.9.9.171.1.3.2.1.21
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaDiffHellmanGrp
[275] .1.3.6.1.4.1.9.9.171.1.3.2.1.22
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaEncryptAlgo
[276] .1.3.6.1.4.1.9.9.171.1.3.2.1.23
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaAhAuthAlgo
[277] .1.3.6.1.4.1.9.9.171.1.3.2.1.24
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaEspAuthAlgo
[278] .1.3.6.1.4.1.9.9.171.1.3.2.1.25
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaCompAlgo
[279] .1.3.6.1.4.1.9.9.171.1.3.2.1.26 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInOctets
[280] .1.3.6.1.4.1.9.9.171.1.3.2.1.27 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcInOctets
[281] .1.3.6.1.4.1.9.9.171.1.3.2.1.28 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInOctWraps
[282] .1.3.6.1.4.1.9.9.171.1.3.2.1.29
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecompOctets
[283] .1.3.6.1.4.1.9.9.171.1.3.2.1.30
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcInDecompOctets
[284] .1.3.6.1.4.1.9.9.171.1.3.2.1.31
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecompOctWraps
[285] .1.3.6.1.4.1.9.9.171.1.3.2.1.32 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInPkts
[286] .1.3.6.1.4.1.9.9.171.1.3.2.1.33 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDropPkts
[287] .1.3.6.1.4.1.9.9.171.1.3.2.1.34
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInReplayDropPkts
[288] .1.3.6.1.4.1.9.9.171.1.3.2.1.35 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInAuths
[289] .1.3.6.1.4.1.9.9.171.1.3.2.1.36 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInAuthFails
[290] .1.3.6.1.4.1.9.9.171.1.3.2.1.37 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecrypts
[291] .1.3.6.1.4.1.9.9.171.1.3.2.1.38
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecryptFails

```

```

[292] .1.3.6.1.4.1.9.9.171.1.3.2.1.39 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutOctets
[293] .1.3.6.1.4.1.9.9.171.1.3.2.1.40 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcOutOctets
[294] .1.3.6.1.4.1.9.9.171.1.3.2.1.41 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutOctWraps
[295] .1.3.6.1.4.1.9.9.171.1.3.2.1.42
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutUncompOctets
[296] .1.3.6.1.4.1.9.9.171.1.3.2.1.43
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcOutUncompOctets
[297] .1.3.6.1.4.1.9.9.171.1.3.2.1.44
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutUncompOctWraps
[298] .1.3.6.1.4.1.9.9.171.1.3.2.1.45 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutPkts
[299] .1.3.6.1.4.1.9.9.171.1.3.2.1.46 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutDropPkts
[300] .1.3.6.1.4.1.9.9.171.1.3.2.1.47 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutAuths
[301] .1.3.6.1.4.1.9.9.171.1.3.2.1.48
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutAuthFails
[302] .1.3.6.1.4.1.9.9.171.1.3.2.1.49 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutEncrypts
[303] .1.3.6.1.4.1.9.9.171.1.3.2.1.50
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutEncryptFails
[304] .1.3.6.1.4.1.9.9.171.1.3.2.1.51 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunStatus
[305] .1.3.6.1.4.1.9.9.171.1.3.3.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtIndex
[306] .1.3.6.1.4.1.9.9.171.1.3.3.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalName
[307] .1.3.6.1.4.1.9.9.171.1.3.3.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalType
[308] .1.3.6.1.4.1.9.9.171.1.3.3.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalAddr1
[309] .1.3.6.1.4.1.9.9.171.1.3.3.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalAddr2
[310] .1.3.6.1.4.1.9.9.171.1.3.3.1.6
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalProtocol
[311] .1.3.6.1.4.1.9.9.171.1.3.3.1.7 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalPort
[312] .1.3.6.1.4.1.9.9.171.1.3.3.1.8 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteName
[313] .1.3.6.1.4.1.9.9.171.1.3.3.1.9 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteType
[314] .1.3.6.1.4.1.9.9.171.1.3.3.1.10
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteAddr1
[315] .1.3.6.1.4.1.9.9.171.1.3.3.1.11
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteAddr2
[316] .1.3.6.1.4.1.9.9.171.1.3.3.1.12
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteProtocol
[317] .1.3.6.1.4.1.9.9.171.1.3.3.1.13
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemotePort
[318] .1.3.6.1.4.1.9.9.171.1.3.4.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiIndex
[319] .1.3.6.1.4.1.9.9.171.1.3.4.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiDirection
[320] .1.3.6.1.4.1.9.9.171.1.3.4.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiValue
[321] .1.3.6.1.4.1.9.9.171.1.3.4.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiProtocol
[322] .1.3.6.1.4.1.9.9.171.1.3.4.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiStatus
[323] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistIndex
[324] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.2
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistTermReason
[325] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.3
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistActiveIndex
[326] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.4
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistIkeTunnelIndex
[327] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.5
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistLocalAddr
[328] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.6
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistRemoteAddr
[329] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.7
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistKeyType
[330] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.8
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistEncapMode
[331] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.9
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistLifeSize
[332] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.10
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistLifeTime
[333] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.11
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistStartTime
[334] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.12
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistActiveTime

```

```

[335] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.13
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistTotalRefreshes
[336] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.14
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistTotalSas
[337] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.15
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaDiffHellmanGrp
[338] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.16
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaEncryptAlgo
[339] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.17
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaAhAuthAlgo
[340] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.18
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaEspAuthAlgo
[341] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.19
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaDecompAlgo
[342] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.20
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaDiffHellmanGrp
[343] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.21
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaEncryptAlgo
[344] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.22
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaAhAuthAlgo
[345] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.23
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaEspAuthAlgo
[346] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.24
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaCompAlgo
[347] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.25
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInOctets
[348] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.26
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcInOctets
[349] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.27
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInOctWraps
[350] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.28
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecompOctets
[351] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.29
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcInDecompOctets
[352] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.30
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecompOctWraps
[353] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.31
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInPkts
[354] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.32
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDropPkts
[355] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.33
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInReplayDropPkts
[356] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.34
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInAuths
[357] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.35
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInAuthFails
[358] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.36
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecrypts
[359] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.37
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecryptFails
[360] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.38
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutOctets
[361] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.39
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcOutOctets
[362] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.40
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutOctWraps
[363] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.41
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutUncompOctets
[364] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.42
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcOutUncompOctets
[365] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.43
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutUncompOctWraps
[366] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.44
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutPkts

```

```

[367] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.45
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutDropPkts
[368] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.46
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutAuths
[369] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.47
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutAuthFails
[370] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.48
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutEncrypts
[371] .1.3.6.1.4.1.9.9.171.1.4.3.1.1.49
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutEncryptFails
[372] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailIndex
[373] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailReason
[374] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailTime
[375] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailLocalType
[376] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailLocalValue
[377] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailRemoteType
[378] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.7 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailRemoteValue
[379] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.8 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailLocalAddr
[380] .1.3.6.1.4.1.9.9.171.1.5.2.1.1.9 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailRemoteAddr
[381] .1.3.6.1.2.1.88.1.2.2.1.1 DISMAN-EVENT-MIB::mteOwner
[382] .1.3.6.1.2.1.88.1.2.2.1.2 DISMAN-EVENT-MIB::mteTriggerName
[383] .1.3.6.1.2.1.88.1.2.2.1.3 DISMAN-EVENT-MIB::mteTriggerComment
[384] .1.3.6.1.2.1.88.1.2.2.1.4 DISMAN-EVENT-MIB::mteTriggerTest
[385] .1.3.6.1.2.1.88.1.2.2.1.5 DISMAN-EVENT-MIB::mteTriggerSampleType
[386] .1.3.6.1.2.1.88.1.2.2.1.6 DISMAN-EVENT-MIB::mteTriggerValueID
[387] .1.3.6.1.2.1.88.1.2.2.1.7 DISMAN-EVENT-MIB::mteTriggerValueIDWildcard
[388] .1.3.6.1.2.1.88.1.2.2.1.8 DISMAN-EVENT-MIB::mteTriggerTargetTag
[389] .1.3.6.1.2.1.88.1.2.2.1.9 DISMAN-EVENT-MIB::mteTriggerContextName
[390] .1.3.6.1.2.1.88.1.2.2.1.10 DISMAN-EVENT-MIB::mteTriggerContextNameWildcard
[391] .1.3.6.1.2.1.88.1.2.2.1.11 DISMAN-EVENT-MIB::mteTriggerFrequency
[392] .1.3.6.1.2.1.88.1.2.2.1.12 DISMAN-EVENT-MIB::mteTriggerObjectsOwner
[393] .1.3.6.1.2.1.88.1.2.2.1.13 DISMAN-EVENT-MIB::mteTriggerObjects
[394] .1.3.6.1.2.1.88.1.2.2.1.14 DISMAN-EVENT-MIB::mteTriggerEnabled
[395] .1.3.6.1.2.1.88.1.2.2.1.15 DISMAN-EVENT-MIB::mteTriggerEntryStatus
[396] .1.3.6.1.2.1.88.1.2.6.1.1 DISMAN-EVENT-MIB::mteTriggerThresholdStartup
[397] .1.3.6.1.2.1.88.1.2.6.1.2 DISMAN-EVENT-MIB::mteTriggerThresholdRising
[398] .1.3.6.1.2.1.88.1.2.6.1.3 DISMAN-EVENT-MIB::mteTriggerThresholdFalling
[399] .1.3.6.1.2.1.88.1.2.6.1.4 DISMAN-EVENT-MIB::mteTriggerThresholdDeltaRising
[400] .1.3.6.1.2.1.88.1.2.6.1.5 DISMAN-EVENT-MIB::mteTriggerThresholdDeltaFalling
[401] .1.3.6.1.2.1.88.1.2.6.1.6 DISMAN-EVENT-MIB::mteTriggerThresholdObjectsOwner
[402] .1.3.6.1.2.1.88.1.2.6.1.7 DISMAN-EVENT-MIB::mteTriggerThresholdObjects
[403] .1.3.6.1.2.1.88.1.2.6.1.8 DISMAN-EVENT-MIB::mteTriggerThresholdRisingEventOwner
[404] .1.3.6.1.2.1.88.1.2.6.1.9 DISMAN-EVENT-MIB::mteTriggerThresholdRisingEvent
[405] .1.3.6.1.2.1.88.1.2.6.1.10 DISMAN-EVENT-MIB::mteTriggerThresholdFallingEventOwner
[406] .1.3.6.1.2.1.88.1.2.6.1.11 DISMAN-EVENT-MIB::mteTriggerThresholdFallingEvent
[407] .1.3.6.1.2.1.88.1.2.6.1.12
DISMAN-EVENT-MIB::mteTriggerThresholdDeltaRisingEventOwner
[408] .1.3.6.1.2.1.88.1.2.6.1.13 DISMAN-EVENT-MIB::mteTriggerThresholdDeltaRisingEvent
[409] .1.3.6.1.2.1.88.1.2.6.1.14
DISMAN-EVENT-MIB::mteTriggerThresholdDeltaFallingEventOwner
[410] .1.3.6.1.2.1.88.1.2.6.1.15 DISMAN-EVENT-MIB::mteTriggerThresholdDeltaFallingEvent
[411] .1.3.6.1.2.1.88.1.3.1.1.1 DISMAN-EVENT-MIB::mteObjectsName
[412] .1.3.6.1.2.1.88.1.3.1.1.2 DISMAN-EVENT-MIB::mteObjectsIndex
[413] .1.3.6.1.2.1.88.1.3.1.1.3 DISMAN-EVENT-MIB::mteObjectsID
[414] .1.3.6.1.2.1.88.1.3.1.1.4 DISMAN-EVENT-MIB::mteObjectsIDWildcard
[415] .1.3.6.1.2.1.88.1.3.1.1.5 DISMAN-EVENT-MIB::mteObjectsEntryStatus
[416] .1.3.6.1.2.1.88.1.4.2.1.1 DISMAN-EVENT-MIB::mteEventName
[417] .1.3.6.1.2.1.88.1.4.2.1.2 DISMAN-EVENT-MIB::mteEventComment
[418] .1.3.6.1.2.1.88.1.4.2.1.3 DISMAN-EVENT-MIB::mteEventActions
[419] .1.3.6.1.2.1.88.1.4.2.1.4 DISMAN-EVENT-MIB::mteEventEnabled
[420] .1.3.6.1.2.1.88.1.4.2.1.5 DISMAN-EVENT-MIB::mteEventEntryStatus
[421] .1.3.6.1.2.1.88.1.4.3.1.1 DISMAN-EVENT-MIB::mteEventNotification
[422] .1.3.6.1.2.1.88.1.4.3.1.2 DISMAN-EVENT-MIB::mteEventNotificationObjectsOwner
[423] .1.3.6.1.2.1.88.1.4.3.1.3 DISMAN-EVENT-MIB::mteEventNotificationObjects

```

## サポートされている SNMP MIB と OID のリスト

[424]	.1.3.6.1.2.1.88.1.1.1	DISMAN-EVENT-MIB::mteResourceSampleMinimum
[425]	.1.3.6.1.2.1.88.1.1.2	DISMAN-EVENT-MIB::mteResourceSampleInstanceMaximum
[426]	.1.3.6.1.2.1.88.1.1.3	DISMAN-EVENT-MIB::mteResourceSampleInstances
[427]	.1.3.6.1.2.1.88.1.1.4	DISMAN-EVENT-MIB::mteResourceSampleInstancesHigh
[428]	.1.3.6.1.2.1.88.1.1.5	DISMAN-EVENT-MIB::mteResourceSampleInstanceLacks
[429]	.1.3.6.1.2.1.88.1.2.1	DISMAN-EVENT-MIB::mteTriggerFailures
[430]	.1.3.6.1.2.1.88.1.4.1	DISMAN-EVENT-MIB::mteEventFailures
[431]	.1.3.6.1.4.1.9.9.720.1.2.1.1.1	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnVrfName
[432]	.1.3.6.1.4.1.9.9.720.1.2.1.1.2	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnPeerAddrType
[433]	.1.3.6.1.4.1.9.9.720.1.2.1.1.3	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnPeerAddr
[434]	.1.3.6.1.4.1.9.9.720.1.2.1.1.4	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnSourceAddrType
[435]	.1.3.6.1.4.1.9.9.720.1.2.1.1.5	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnSourceAddr
[436]	.1.3.6.1.4.1.9.9.720.1.2.1.1.6	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnOperSourceAddrType
[437]	.1.3.6.1.4.1.9.9.720.1.2.1.1.7	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnOperSourceAddr
[438]	.1.3.6.1.4.1.9.9.720.1.2.1.1.8	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnPasswordUsed
[439]	.1.3.6.1.4.1.9.9.720.1.2.1.1.9	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnConfigPasswordType
[440]	.1.3.6.1.4.1.9.9.720.1.2.1.1.10	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnConfigPassword
[441]	.1.3.6.1.4.1.9.9.720.1.2.1.1.11	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnViewPasswordType
[442]	.1.3.6.1.4.1.9.9.720.1.2.1.1.12	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnViewPassword
[443]	.1.3.6.1.4.1.9.9.720.1.2.1.1.13	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnModeLocation
[444]	.1.3.6.1.4.1.9.9.720.1.2.1.1.14	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnMode
[445]	.1.3.6.1.4.1.9.9.720.1.2.1.1.15	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnInstance
[446]	.1.3.6.1.4.1.9.9.720.1.2.1.1.16	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnStatusLastChange
[447]	.1.3.6.1.4.1.9.9.720.1.2.1.1.17	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnStatus
[448]	.1.3.6.1.4.1.9.9.720.1.2.1.1.18	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpVrfId
[449]	.1.3.6.1.4.1.9.9.720.1.2.1.1.19	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnStorageType
[450]	.1.3.6.1.4.1.9.9.720.1.2.1.1.20	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnRowStatus
[451]	.1.3.6.1.4.1.9.9.720.1.2.1.1.21	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnVersion
[452]	.1.3.6.1.4.1.9.9.720.1.2.1.1.22	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnectionEntry.22
[453]	.1.3.6.1.4.1.9.9.720.1.2.1.1.23	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnectionEntry.23
[454]	.1.3.6.1.4.1.9.9.720.1.2.1.1.24	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnectionEntry.24
[455]	.1.3.6.1.4.1.9.9.720.1.2.1.1.25	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnectionEntry.25
[456]	.1.3.6.1.4.1.9.9.720.1.2.1.1.26	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConnectionEntry.26
[457]	.1.3.6.1.4.1.9.9.720.1.3.1.1.1	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingVrfId
[458]	.1.3.6.1.4.1.9.9.720.1.3.1.1.2	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingAddrType
[459]	.1.3.6.1.4.1.9.9.720.1.3.1.1.3	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingAddr
[460]	.1.3.6.1.4.1.9.9.720.1.3.1.1.4	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingPeerAddrType
[461]	.1.3.6.1.4.1.9.9.720.1.3.1.1.5	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingPeerAddr
[462]	.1.3.6.1.4.1.9.9.720.1.3.1.1.6	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingSgt
[463]	.1.3.6.1.4.1.9.9.720.1.3.1.1.7	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingInstance
[464]	.1.3.6.1.4.1.9.9.720.1.3.1.1.8	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingVrfName
[465]	.1.3.6.1.4.1.9.9.720.1.3.1.1.9	CISCO-TRUSTSEC-SXP-MIB::ctsxIpSgtMappingStatus
[466]	.1.3.6.1.4.1.9.9.720.1.1.1	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpEnable
[467]	.1.3.6.1.4.1.9.9.720.1.1.2	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConfigDefaultPasswordType
[468]	.1.3.6.1.4.1.9.9.720.1.1.3	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpConfigDefaultPassword
[469]	.1.3.6.1.4.1.9.9.720.1.1.4	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpViewDefaultPasswordType
[470]	.1.3.6.1.4.1.9.9.720.1.1.5	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpViewDefaultPassword
[471]	.1.3.6.1.4.1.9.9.720.1.1.6	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpDefaultSourceAddrType
[472]	.1.3.6.1.4.1.9.9.720.1.1.7	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpDefaultSourceAddr
[473]	.1.3.6.1.4.1.9.9.720.1.1.8	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpRetryPeriod
[474]	.1.3.6.1.4.1.9.9.720.1.1.9	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpReconPeriod
[475]	.1.3.6.1.4.1.3076.2.1.2.26.1.1	ALTIGA-SSL-STATS-MIB::alSslStatsTotalSessions
[476]	.1.3.6.1.4.1.3076.2.1.2.26.1.2	ALTIGA-SSL-STATS-MIB::alSslStatsActiveSessions
[477]	.1.3.6.1.4.1.3076.2.1.2.26.1.3	ALTIGA-SSL-STATS-MIB::alSslStatsMaxSessions
[478]	.1.3.6.1.4.1.3076.2.1.2.26.1.4	ALTIGA-SSL-STATS-MIB::alSslStatsPreDecryptOctets
[479]	.1.3.6.1.4.1.3076.2.1.2.26.1.5	ALTIGA-SSL-STATS-MIB::alSslStatsPostDecryptOctets
[480]	.1.3.6.1.4.1.3076.2.1.2.26.1.6	ALTIGA-SSL-STATS-MIB::alSslStatsPreEncryptOctets
[481]	.1.3.6.1.4.1.3076.2.1.2.26.1.7	ALTIGA-SSL-STATS-MIB::alSslStatsPostEncryptOctets

[482]	.1.3.6.1.2.1.99.1.1.1.1	ENTITY-SENSOR-MIB::entPhySensorType
[483]	.1.3.6.1.2.1.99.1.1.1.2	ENTITY-SENSOR-MIB::entPhySensorScale
[484]	.1.3.6.1.2.1.99.1.1.1.3	ENTITY-SENSOR-MIB::entPhySensorPrecision
[485]	.1.3.6.1.2.1.99.1.1.1.4	ENTITY-SENSOR-MIB::entPhySensorValue
[486]	.1.3.6.1.2.1.99.1.1.1.5	ENTITY-SENSOR-MIB::entPhySensorOperStatus
[487]	.1.3.6.1.2.1.99.1.1.1.6	ENTITY-SENSOR-MIB::entPhySensorUnitsDisplay
[488]	.1.3.6.1.2.1.99.1.1.1.7	ENTITY-SENSOR-MIB::entPhySensorValueTimeStamp
[489]	.1.3.6.1.2.1.99.1.1.1.8	ENTITY-SENSOR-MIB::entPhySensorValueUpdateRate
[490]	.1.3.6.1.4.1.9.9.43.1.1.6.1.1	CISCO-CONFIG-MAN-MIB::ccmHistoryEventIndex
[491]	.1.3.6.1.4.1.9.9.43.1.1.6.1.2	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTime
[492]	.1.3.6.1.4.1.9.9.43.1.1.6.1.3	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSource
[493]	.1.3.6.1.4.1.9.9.43.1.1.6.1.4	CISCO-CONFIG-MAN-MIB::ccmHistoryEventConfigSource
[494]	.1.3.6.1.4.1.9.9.43.1.1.6.1.5	CISCO-CONFIG-MAN-MIB::ccmHistoryEventConfigDestination
[495]	.1.3.6.1.4.1.9.9.43.1.1.6.1.6	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalType
[496]	.1.3.6.1.4.1.9.9.43.1.1.6.1.7	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalNumber
[497]	.1.3.6.1.4.1.9.9.43.1.1.6.1.8	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalUser
[498]	.1.3.6.1.4.1.9.9.43.1.1.6.1.9	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalLocation
[499]	.1.3.6.1.4.1.9.9.43.1.1.6.1.10	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSourceAddress
[500]	.1.3.6.1.4.1.9.9.43.1.1.6.1.11	CISCO-CONFIG-MAN-MIB::ccmHistoryEventVirtualHostName
[501]	.1.3.6.1.4.1.9.9.43.1.1.6.1.12	CISCO-CONFIG-MAN-MIB::ccmHistoryEventServerAddress
[502]	.1.3.6.1.4.1.9.9.43.1.1.6.1.13	CISCO-CONFIG-MAN-MIB::ccmHistoryEventFile
[503]	.1.3.6.1.4.1.9.9.43.1.1.6.1.14	CISCO-CONFIG-MAN-MIB::ccmHistoryEventRcpUser
[504]	.1.3.6.1.4.1.9.9.43.1.1.6.1.15	CISCO-CONFIG-MAN-MIB::ccmHistoryCLICmdEntriesBumped
[505]	.1.3.6.1.4.1.9.9.43.1.1.6.1.16	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSourceAddrType
[506]	.1.3.6.1.4.1.9.9.43.1.1.6.1.17	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSourceAddrRev1
[507]	.1.3.6.1.4.1.9.9.43.1.1.6.1.18	CISCO-CONFIG-MAN-MIB::ccmHistoryEventServerAddrType
[508]	.1.3.6.1.4.1.9.9.43.1.1.6.1.19	CISCO-CONFIG-MAN-MIB::ccmHistoryEventServerAddrRev1
[509]	.1.3.6.1.4.1.9.9.43.1.2.4.1.1	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCommandIndex
[510]	.1.3.6.1.4.1.9.9.43.1.2.4.1.2	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCommand
[511]	.1.3.6.1.4.1.9.9.43.1.1.1	CISCO-CONFIG-MAN-MIB::ccmHistoryRunningLastChanged
[512]	.1.3.6.1.4.1.9.9.43.1.1.2	CISCO-CONFIG-MAN-MIB::ccmHistoryRunningLastSaved
[513]	.1.3.6.1.4.1.9.9.43.1.1.3	CISCO-CONFIG-MAN-MIB::ccmHistoryStartupLastChanged
[514]	.1.3.6.1.4.1.9.9.43.1.1.4	CISCO-CONFIG-MAN-MIB::ccmHistoryMaxEventEntries
[515]	.1.3.6.1.4.1.9.9.43.1.1.5	CISCO-CONFIG-MAN-MIB::ccmHistoryEventEntriesBumped
[516]	.1.3.6.1.4.1.9.9.43.1.2.2	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCmdEntries
[517]	.1.3.6.1.4.1.9.9.43.1.2.1	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryMaxCmdEntries
[518]	.1.3.6.1.4.1.9.9.43.1.2.3	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCmdEntriesAllowed
[519]	.1.3.6.1.4.1.9.9.43.1.3.1	CISCO-CONFIG-MAN-MIB::ccmCLICfgRunConfNotifEnable
[520]	.1.3.6.1.4.1.9.9.117.1.3.1	CISCO-ENTITY-FRU-CONTROL-MIB::cefcMIBEnableStatusNotification
[521]	.1.3.6.1.2.1.1.4	SNMPv2-MIB::sysContact
[522]	.1.3.6.1.2.1.1.1	SNMPv2-MIB::sysDescr
[523]	.1.3.6.1.2.1.1.6	SNMPv2-MIB::sysLocation
[524]	.1.3.6.1.2.1.1.5	SNMPv2-MIB::sysName
[525]	.1.3.6.1.2.1.1.2	SNMPv2-MIB::sysObjectID
[526]	.1.3.6.1.2.1.1.7	SNMPv2-MIB::sysServices
[527]	.1.3.6.1.2.1.1.3	SNMPv2-MIB::sysUpTime
[528]	.1.3.6.1.4.1.9.9.467.1.2.2.1.2	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclEntPhysicalIndex
[529]	.1.3.6.1.4.1.9.9.467.1.2.2.1.3	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclStatus
[530]	.1.3.6.1.4.1.9.9.467.1.2.2.1.4	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclType
[531]	.1.3.6.1.4.1.9.9.467.1.2.2.1.5	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclVersion
[532]	.1.3.6.1.4.1.9.9.467.1.2.2.1.6	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclSlot
[533]	.1.3.6.1.4.1.9.9.467.1.2.2.1.7	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclActiveTime
[534]	.1.3.6.1.4.1.9.9.467.1.2.2.1.8	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclInPkts
[535]	.1.3.6.1.4.1.9.9.467.1.2.2.1.9	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutPkts
[536]	.1.3.6.1.4.1.9.9.467.1.2.2.1.10	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutBadPkts
[537]	.1.3.6.1.4.1.9.9.467.1.2.2.1.11	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclInOctets

```

[538] .1.3.6.1.4.1.9.9.467.1.2.2.1.12 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutOctets
[539] .1.3.6.1.4.1.9.9.467.1.2.2.1.13
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashOutboundPkts
[540] .1.3.6.1.4.1.9.9.467.1.2.2.1.14
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashOutboundOctets
[541] .1.3.6.1.4.1.9.9.467.1.2.2.1.15
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashInboundPkts
[542] .1.3.6.1.4.1.9.9.467.1.2.2.1.16
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashInboundOctets
[543] .1.3.6.1.4.1.9.9.467.1.2.2.1.17 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclEncryptPkts
[544] .1.3.6.1.4.1.9.9.467.1.2.2.1.18 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclEncryptOctets
[545] .1.3.6.1.4.1.9.9.467.1.2.2.1.19 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDecryptPkts
[546] .1.3.6.1.4.1.9.9.467.1.2.2.1.20 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDecryptOctets
[547] .1.3.6.1.4.1.9.9.467.1.2.2.1.21
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclTransformsTotal
[548] .1.3.6.1.4.1.9.9.467.1.2.2.1.22 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDropsPkts
[549] .1.3.6.1.4.1.9.9.467.1.2.2.1.23 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRandRequests
[550] .1.3.6.1.4.1.9.9.467.1.2.2.1.24 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRandReqFails
[551] .1.3.6.1.4.1.9.9.467.1.2.2.1.25
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDHKeysGenerated
[552] .1.3.6.1.4.1.9.9.467.1.2.2.1.26
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDHDerivedSecretKeys
[553] .1.3.6.1.4.1.9.9.467.1.2.2.1.27
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAKeysGenerated
[554] .1.3.6.1.4.1.9.9.467.1.2.2.1.28 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSASignings
[555] .1.3.6.1.4.1.9.9.467.1.2.2.1.29
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAVerifications
[556] .1.3.6.1.4.1.9.9.467.1.2.2.1.30
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAEncryptPkts
[557] .1.3.6.1.4.1.9.9.467.1.2.2.1.31
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAEncryptOctets
[558] .1.3.6.1.4.1.9.9.467.1.2.2.1.32
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSADecryptPkts
[559] .1.3.6.1.4.1.9.9.467.1.2.2.1.33
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSADecryptOctets
[560] .1.3.6.1.4.1.9.9.467.1.2.2.1.34
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDSAKeysGenerated
[561] .1.3.6.1.4.1.9.9.467.1.2.2.1.35 CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDSASignings
[562] .1.3.6.1.4.1.9.9.467.1.2.2.1.36
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDSAVerifications
[563] .1.3.6.1.4.1.9.9.467.1.2.2.1.37
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutboundSSLRecords
[564] .1.3.6.1.4.1.9.9.467.1.2.2.1.38
CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclInboundSSLRecords
[565] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.2
CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktEncryptsReqs
[566] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.3
CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktDecryptsReqs
[567] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.4 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtHmacCalcReqs
[568] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.5 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtSaCreateReqs
[569] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.6 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtSaRekeyReqs
[570] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.7 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtSaDeleteReqs
[571] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.8 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktEncapReqs
[572] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.9 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktDecapReqs
[573] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.10
CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtNextPhaseKeyAllocReqs
[574] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.11 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtRndGenReqs
[575] .1.3.6.1.4.1.9.9.467.1.2.3.1.1.12 CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtFailedReqs
[576] .1.3.6.1.4.1.9.9.467.1.1.1 CISCO-CRYPTO-ACCELERATOR-MIB::ccaSupportsHwCrypto
[577] .1.3.6.1.4.1.9.9.467.1.1.2
CISCO-CRYPTO-ACCELERATOR-MIB::ccaSupportsModularHwCrypto
[578] .1.3.6.1.4.1.9.9.467.1.1.3 CISCO-CRYPTO-ACCELERATOR-MIB::ccaMaxAccelerators
[579] .1.3.6.1.4.1.9.9.467.1.1.4 CISCO-CRYPTO-ACCELERATOR-MIB::ccaMaxCryptoThroughput
[580] .1.3.6.1.4.1.9.9.467.1.1.5 CISCO-CRYPTO-ACCELERATOR-MIB::ccaMaxCryptoConnections

```

```

[581] .1.3.6.1.4.1.9.9.467.1.2.1.1
CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalNumActiveAccelerators
[582] .1.3.6.1.4.1.9.9.467.1.2.1.2
CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalNumNonOperAccelerators
[583] .1.3.6.1.4.1.9.9.467.1.2.1.3 CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalInOctets
[584] .1.3.6.1.4.1.9.9.467.1.2.1.4 CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalOutOctets
[585] .1.3.6.1.4.1.9.9.467.1.2.1.5 CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalInPkts
[586] .1.3.6.1.4.1.9.9.467.1.2.1.6 CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalOutPkts
[587] .1.3.6.1.4.1.9.9.467.1.2.1.7 CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalOutErrPkts
[588] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.1
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAddrType
[589] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.2 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAddress
[590] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.3 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerPort
[591] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.4 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerVendor
[592] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.5 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerStatus
[593] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.6
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerReqsNumProcessed
[594] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.7
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerReqsNumAllowed
[595] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.8
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerReqsNumDenied
[596] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.9
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerNumTimeouts
[597] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.10
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerNumRetries
[598] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.11
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerRespsNumReceived
[599] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.13
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAvgRespTime1
[600] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.14
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAvgRespTime5
[601] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.1 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGroupIndex
[602] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.2
CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpLastFailoverAt
[603] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.3 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpHastate
[604] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.4 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpUpTime
[605] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.5 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpContextCount
[606] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.1 CISCO-UNIFIED-FIREWALL-MIB::cufwConnProtocol
[607] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.2 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumAttempted
[608] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.3
CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumSetupsAborted
[609] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.4
CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumPolicyDeclined
[610] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.5
CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumResDeclined
[611] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.6 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumHalfOpen
[612] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.7 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumActive
[613] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.8 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumAborted
[614] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.9 CISCO-UNIFIED-FIREWALL-MIB::cufwConnSetupRate1
[615] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.10 CISCO-UNIFIED-FIREWALL-MIB::cufwConnSetupRate5
[616] .1.3.6.1.4.1.9.9.491.1.1.1.4
CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalNumResDeclined
[617] .1.3.6.1.4.1.9.9.491.1.1.1.6 CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalNumActive
[618] .1.3.6.1.4.1.9.9.491.1.1.1.10
CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalConnSetupRate1
[619] .1.3.6.1.4.1.9.9.491.1.1.1.11
CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalConnSetupRate5
[620] .1.3.6.1.4.1.9.9.491.1.3.1.17 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfNumServerRetries
[621] .1.3.6.1.4.1.9.9.491.1.3.1.16
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfNumServerTimeouts
[622] .1.3.6.1.4.1.9.9.491.1.3.1.15
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsResDropRate5
[623] .1.3.6.1.4.1.9.9.491.1.3.1.14
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsResDropRate1

```

## サポートされている SNMP MIB と OID のリスト

[624]	.1.3.6.1.4.1.9.9.491.1.3.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsProcRate5
[625]	.1.3.6.1.4.1.9.9.491.1.3.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsProcRate1
[626]	.1.3.6.1.4.1.9.9.491.1.3.1.13	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsNumResDropped
[627]	.1.3.6.1.4.1.9.9.491.1.3.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsNumProcessed
[628]	.1.3.6.1.4.1.9.9.491.1.3.1.6	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsNumDenied
[629]	.1.3.6.1.4.1.9.9.491.1.3.1.10	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsNumCacheDenied
[630]	.1.3.6.1.4.1.9.9.491.1.3.1.9	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsNumCacheAllowed
[631]	.1.3.6.1.4.1.9.9.491.1.3.1.5	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsNumAllowed
[632]	.1.3.6.1.4.1.9.9.491.1.3.1.8	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsDeniedRate5
[633]	.1.3.6.1.4.1.9.9.491.1.3.1.7	CISCO-UNIFIED-FIREWALL-MIB::cufwUrlfRequestsDeniedRate1
[634]	.1.3.6.1.4.1.9.9.491.1.8.1.1	CISCO-UNIFIED-FIREWALL-MIB::cufwCluEnabled
[635]	.1.3.6.1.4.1.9.9.491.1.8.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwCluInterfaceMode
[636]	.1.3.6.1.4.1.9.9.491.1.8.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwCluUnitState
[637]	.1.3.6.1.4.1.9.9.491.1.8.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwCCLink
[638]	.1.3.6.1.4.1.9.9.491.1.8.1.5	CISCO-UNIFIED-FIREWALL-MIB::cufwCluGroupName
[639]	.1.3.6.1.4.1.9.9.491.1.8.1.6	CISCO-UNIFIED-FIREWALL-MIB::cufwCluUnitName
[640]	.1.3.6.1.4.1.9.9.491.1.8.1.7	CISCO-UNIFIED-FIREWALL-MIB::cufwCluConsoleReplicate
[641]	.1.3.6.1.4.1.9.9.491.1.8.1.8	CISCO-UNIFIED-FIREWALL-MIB::cufwCluSiteID
[642]	.1.3.6.1.4.1.9.9.491.1.8.1.9	CISCO-UNIFIED-FIREWALL-MIB::cufwCluPriority
[643]	.1.3.6.1.4.1.9.9.491.1.8.1.10	CISCO-UNIFIED-FIREWALL-MIB::cufwCluSerialNum
[644]	.1.3.6.1.4.1.9.9.491.1.8.1.11	CISCO-UNIFIED-FIREWALL-MIB::cufwCClipAddr
[645]	.1.3.6.1.4.1.9.9.491.1.8.1.12	CISCO-UNIFIED-FIREWALL-MIB::cufwCCmacAddr
[646]	.1.3.6.1.4.1.9.9.491.1.8.1.13	CISCO-UNIFIED-FIREWALL-MIB::cufwCluSwVersion
[647]	.1.3.6.1.4.1.9.9.491.1.8.1.14	CISCO-UNIFIED-FIREWALL-MIB::cufwCluUnitHoldtime
[648]	.1.3.6.1.4.1.9.9.491.1.8.1.15	CISCO-UNIFIED-FIREWALL-MIB::cufwCluLastJoinAt
[649]	.1.3.6.1.4.1.9.9.491.1.8.1.16	CISCO-UNIFIED-FIREWALL-MIB::cufwCluLastLeaveAt
[650]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.1	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropIndex
[651]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropName
[652]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropDescription
[653]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropValue
[654]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.1	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropIndex
[655]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropName
[656]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropDescription
[657]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropValue
[658]	.1.3.6.1.4.1.9.9.745.1.1.1.1	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdIndex
[659]	.1.3.6.1.4.1.9.9.745.1.1.1.2	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdSeverity
[660]	.1.3.6.1.4.1.9.9.745.1.1.1.3	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdRelation
[661]	.1.3.6.1.4.1.9.9.745.1.1.1.4	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdValue
[662]	.1.3.6.1.4.1.9.9.745.1.1.1.5	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdEvaluation
[663]	.1.3.6.1.4.1.9.9.745.1.1.1.6	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdNotifEnable
[664]	.1.3.6.1.4.1.9.9.221.1.1.1.1.1	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolIndex
[665]	.1.3.6.1.4.1.9.9.221.1.1.1.1.2	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolType
[666]	.1.3.6.1.4.1.9.9.221.1.1.1.1.3	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolName
[667]	.1.3.6.1.4.1.9.9.221.1.1.1.1.5	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolAlternate
[668]	.1.3.6.1.4.1.9.9.221.1.1.1.1.6	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolValid
[669]	.1.3.6.1.4.1.9.9.221.1.1.1.1.7	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolUsed
[670]	.1.3.6.1.4.1.9.9.221.1.1.1.1.8	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolFree
[671]	.1.3.6.1.4.1.9.9.221.1.1.1.1.17	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolUsedOvrflw
[672]	.1.3.6.1.4.1.9.9.221.1.1.1.1.18	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolHCUsed

```

[673] .1.3.6.1.4.1.9.9.221.1.1.1.1.19 CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolFreeOvrflw
[674] .1.3.6.1.4.1.9.9.221.1.1.1.1.20 CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolLHCFree
[675] .1.3.6.1.2.1.47.1.1.1.1.1 ENTITY-MIB::entPhysicalIndex
[676] .1.3.6.1.2.1.47.1.1.1.1.2 ENTITY-MIB::entPhysicalDescr
[677] .1.3.6.1.2.1.47.1.1.1.1.3 ENTITY-MIB::entPhysicalVendorType
[678] .1.3.6.1.2.1.47.1.1.1.1.4 ENTITY-MIB::entPhysicalContainedIn
[679] .1.3.6.1.2.1.47.1.1.1.1.5 ENTITY-MIB::entPhysicalClass
[680] .1.3.6.1.2.1.47.1.1.1.1.6 ENTITY-MIB::entPhysicalParentRelPos
[681] .1.3.6.1.2.1.47.1.1.1.1.7 ENTITY-MIB::entPhysicalName
[682] .1.3.6.1.2.1.47.1.1.1.1.8 ENTITY-MIB::entPhysicalHardwareRev
[683] .1.3.6.1.2.1.47.1.1.1.1.9 ENTITY-MIB::entPhysicalFirmwareRev
[684] .1.3.6.1.2.1.47.1.1.1.1.10 ENTITY-MIB::entPhysicalSoftwareRev
[685] .1.3.6.1.2.1.47.1.1.1.1.11 ENTITY-MIB::entPhysicalSerialNum
[686] .1.3.6.1.2.1.47.1.1.1.1.12 ENTITY-MIB::entPhysicalMfgName
[687] .1.3.6.1.2.1.47.1.1.1.1.13 ENTITY-MIB::entPhysicalModelName
[688] .1.3.6.1.2.1.47.1.1.1.1.14 ENTITY-MIB::entPhysicalAlias
[689] .1.3.6.1.2.1.47.1.1.1.1.15 ENTITY-MIB::entPhysicalAssetID
[690] .1.3.6.1.2.1.47.1.1.1.1.16 ENTITY-MIB::entPhysicalIsFRU
[691] .1.3.6.1.2.1.47.1.2.1.1.1 ENTITY-MIB::entLogicalIndex
[692] .1.3.6.1.2.1.47.1.2.1.1.2 ENTITY-MIB::entLogicalDescr
[693] .1.3.6.1.2.1.47.1.2.1.1.3 ENTITY-MIB::entLogicalType
[694] .1.3.6.1.2.1.47.1.2.1.1.4 ENTITY-MIB::entLogicalCommunity
[695] .1.3.6.1.2.1.47.1.2.1.1.5 ENTITY-MIB::entLogicalAddress
[696] .1.3.6.1.2.1.47.1.2.1.1.6 ENTITY-MIB::entLogicalTDomain
[697] .1.3.6.1.2.1.47.1.2.1.1.7 ENTITY-MIB::entLogicalContextEngineID
[698] .1.3.6.1.2.1.47.1.2.1.1.8 ENTITY-MIB::entLogicalContextName
[699] .1.3.6.1.2.1.47.1.3.1.1.1 ENTITY-MIB::entLPPhysicalIndex
[700] .1.3.6.1.2.1.47.1.4.1 ENTITY-MIB::entLastChangeTime
[701] .1.3.6.1.4.1.9.9.480.1.1.2.1.2
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitType
[702] .1.3.6.1.4.1.9.9.480.1.1.2.1.3
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitValueType
[703] .1.3.6.1.4.1.9.9.480.1.1.2.1.4
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitMin
[704] .1.3.6.1.4.1.9.9.480.1.1.2.1.5
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitMax
[705] .1.3.6.1.4.1.9.9.480.1.1.2.1.6
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitStorageType
[706] .1.3.6.1.4.1.9.9.480.1.1.2.1.7
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitRowStatus
[707] .1.3.6.1.4.1.9.9.480.1.1.2.1.8
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitCurrentUsage
[708] .1.3.6.1.4.1.9.9.480.1.1.2.1.9
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitPeakUsage
[709] .1.3.6.1.4.1.9.9.480.1.1.2.1.10
CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitReqsDeniedCount
[710] .1.3.6.1.4.1.9.9.147.1.1.1.1 CISCO-FIREWALL-MIB::cfwBasicEventsTableLastRow
<--- More --->DHCP Client: can't enable DHCP Client when DHCP Server/Relay is running
on the interface.
DHCP: Interface 'inside' is currently configured as SERVER and cannot be changed to a
CLIENT by a CLIENT feature
DHCP: Interface 'inside' is currently configured as SERVER and cannot be changed to a
SERVER by a CLIENT feature
[711] .1.3.6.1.4.1.9.9.147.1.1.2.1 CISCO-FIREWALL-MIB::cfwNetEventsTableLastRow
[712] .1.3.6.1.4.1.9.9.147.1.2.2.3 CISCO-FIREWALL-MIB::cfwStatistics.3
[713] .1.3.6.1.4.1.9.9.147.1.2.2.4 CISCO-FIREWALL-MIB::cfwStatistics.4
[714] .1.3.6.1.4.1.9.9.147.1.1.1.2.1.1 CISCO-FIREWALL-MIB::cfwBasicEventIndex
[715] .1.3.6.1.4.1.9.9.147.1.1.1.2.1.2 CISCO-FIREWALL-MIB::cfwBasicEventTime
[716] .1.3.6.1.4.1.9.9.147.1.1.1.2.1.3 CISCO-FIREWALL-MIB::cfwBasicSecurityEventType
[717] .1.3.6.1.4.1.9.9.147.1.1.1.2.1.4 CISCO-FIREWALL-MIB::cfwBasicContentInspEventType
[718] .1.3.6.1.4.1.9.9.147.1.1.1.2.1.5 CISCO-FIREWALL-MIB::cfwBasicConnectionEventType
[719] .1.3.6.1.4.1.9.9.147.1.1.1.2.1.6 CISCO-FIREWALL-MIB::cfwBasicAccessEventType
[720] .1.3.6.1.4.1.9.9.147.1.1.1.2.1.7
CISCO-FIREWALL-MIB::cfwBasicAuthenticationEventType

```

## サポートされている SNMP MIB と OID のリスト

[721]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.8	CISCO-FIREWALL-MIB::cfwBasicGenericEventType
[722]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.9	CISCO-FIREWALL-MIB::cfwBasicEventDescription
[723]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.10	CISCO-FIREWALL-MIB::cfwBasicEventDetailsTableRow
[724]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.1	CISCO-FIREWALL-MIB::cfwNetEventIndex
[725]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.2	CISCO-FIREWALL-MIB::cfwNetEventInterface
[726]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.3	CISCO-FIREWALL-MIB::cfwNetEventSrcIpAddress
[727]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.4	CISCO-FIREWALL-MIB::cfwNetEventInsideSrcIpAddress
[728]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.5	CISCO-FIREWALL-MIB::cfwNetEventDstIpAddress
[729]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.6	CISCO-FIREWALL-MIB::cfwNetEventInsideDstIpAddress
[730]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.7	CISCO-FIREWALL-MIB::cfwNetEventSrcIpPort
[731]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.8	CISCO-FIREWALL-MIB::cfwNetEventInsideSrcIpPort
[732]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.9	CISCO-FIREWALL-MIB::cfwNetEventDstIpPort
[733]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.10	CISCO-FIREWALL-MIB::cfwNetEventInsideDstIpPort
[734]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.11	CISCO-FIREWALL-MIB::cfwNetEventService
[735]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.12	
	CISCO-FIREWALL-MIB::cfwNetEventServiceInformation	
[736]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.13	CISCO-FIREWALL-MIB::cfwNetEventIdentity
[737]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.14	CISCO-FIREWALL-MIB::cfwNetEventDescription
[738]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.1	CISCO-FIREWALL-MIB::cfwHardwareType
[739]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.2	CISCO-FIREWALL-MIB::cfwHardwareInformation
[740]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.3	CISCO-FIREWALL-MIB::cfwHardwareStatusValue
[741]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.4	CISCO-FIREWALL-MIB::cfwHardwareStatusDetail
[742]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.1	CISCO-FIREWALL-MIB::cfwBufferStatSize
[743]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.2	CISCO-FIREWALL-MIB::cfwBufferStatType
[744]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.3	CISCO-FIREWALL-MIB::cfwBufferStatInformation
[745]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.4	CISCO-FIREWALL-MIB::cfwBufferStatValue
[746]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.1	CISCO-FIREWALL-MIB::cfwConnectionStatService
[747]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.2	CISCO-FIREWALL-MIB::cfwConnectionStatType
[748]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.3	CISCO-FIREWALL-MIB::cfwConnectionStatDescription
[749]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.4	CISCO-FIREWALL-MIB::cfwConnectionStatCount
[750]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.5	CISCO-FIREWALL-MIB::cfwConnectionStatValue
[751]	.1.3.6.1.4.1.9.9.392.1.1.1	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasMaxSessionsSupportable	
[752]	.1.3.6.1.4.1.9.9.392.1.1.2	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasMaxUsersSupportable	
[753]	.1.3.6.1.4.1.9.9.392.1.1.3	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasMaxGroupsSupportable	
[754]	.1.3.6.1.4.1.9.9.392.1.1.4	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumCryptoAccelerators	
[755]	.1.3.6.1.4.1.9.9.392.1.3.1	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumSessions
[756]	.1.3.6.1.4.1.9.9.392.1.3.2	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumPrevSessions
[757]	.1.3.6.1.4.1.9.9.392.1.3.3	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumUsers
[758]	.1.3.6.1.4.1.9.9.392.1.3.4	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumGroups
[759]	.1.3.6.1.4.1.9.9.392.1.3.5	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInPkts
[760]	.1.3.6.1.4.1.9.9.392.1.3.6	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutPkts
[761]	.1.3.6.1.4.1.9.9.392.1.3.7	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInOctets
[762]	.1.3.6.1.4.1.9.9.392.1.3.8	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInDecompOctets	
[763]	.1.3.6.1.4.1.9.9.392.1.3.9	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutOctets
[764]	.1.3.6.1.4.1.9.9.392.1.3.10	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutUncompOctets	
[765]	.1.3.6.1.4.1.9.9.392.1.3.11	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInDropPkts
[766]	.1.3.6.1.4.1.9.9.392.1.3.12	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutDropPkts
[767]	.1.3.6.1.4.1.9.9.392.1.3.26	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasIPSecNumSessions
[768]	.1.3.6.1.4.1.9.9.392.1.3.27	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasIPSecCumulateSessions	
[769]	.1.3.6.1.4.1.9.9.392.1.3.28	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasIPSecPeakConcurrentSessions	
[770]	.1.3.6.1.4.1.9.9.392.1.3.29	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasL2LNumSessions
[771]	.1.3.6.1.4.1.9.9.392.1.3.30	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasL2LCumulateSessions	
[772]	.1.3.6.1.4.1.9.9.392.1.3.31	
	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasL2LPeakConcurrentSessions	
[773]	.1.3.6.1.4.1.9.9.392.1.3.32	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLBNumSessions

```
[774] .1.3.6.1.4.1.9.9.392.1.3.33
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLBCumulateSessions
[775] .1.3.6.1.4.1.9.9.392.1.3.34
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLBPeakConcurrentSessions
[776] .1.3.6.1.4.1.9.9.392.1.3.35 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSVCNumSessions
[777] .1.3.6.1.4.1.9.9.392.1.3.36
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSVCCumulateSessions
[778] .1.3.6.1.4.1.9.9.392.1.3.37
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSVCPeakConcurrentSessions
[779] .1.3.6.1.4.1.9.9.392.1.3.38 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasWebvpnNumSessions
[780] .1.3.6.1.4.1.9.9.392.1.3.39
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasWebvpnCumulateSessions
[781] .1.3.6.1.4.1.9.9.392.1.3.40
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasWebvpnPeakConcurrentSessions
[782] .1.3.6.1.4.1.9.9.392.1.4.1.2
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumDeclinedSessions
[783] .1.3.6.1.4.1.9.9.392.1.4.1.1 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumTotalFailures
[784] .1.3.6.1.4.1.9.9.392.1.4.1.3
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumSetupFailInsufResources
[785] .1.3.6.1.4.1.9.9.392.1.4.1.4
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumAbortedSessions
[786] .1.3.6.1.4.1.9.9.392.1.6.1 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasThrMaxSessions
[787] .1.3.6.1.4.1.9.9.392.1.6.2 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasThrMaxFailedAuths
[788] .1.3.6.1.4.1.9.9.392.1.6.3 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasThrMaxThroughput
[789] .1.3.6.1.4.1.9.9.392.1.3.41 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActivity.41
[790] .1.3.6.1.4.1.9.9.392.1.3.21.1.1 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasUsername
[791] .1.3.6.1.4.1.9.9.392.1.3.21.1.2 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGroup
[792] .1.3.6.1.4.1.9.9.392.1.3.21.1.3 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionIndex
[793] .1.3.6.1.4.1.9.9.392.1.3.21.1.4 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasAuthenMethod
[794] .1.3.6.1.4.1.9.9.392.1.3.21.1.5 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasAuthorMethod
[795] .1.3.6.1.4.1.9.9.392.1.3.21.1.6
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionDuration
[796] .1.3.6.1.4.1.9.9.392.1.3.21.1.7
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLocalAddressType
[797] .1.3.6.1.4.1.9.9.392.1.3.21.1.8 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLocalAddress
[798] .1.3.6.1.4.1.9.9.392.1.3.21.1.9
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasISPAddressType
[799] .1.3.6.1.4.1.9.9.392.1.3.21.1.10 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasISPAddress
[800] .1.3.6.1.4.1.9.9.392.1.3.21.1.11
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionProtocol
[801] .1.3.6.1.4.1.9.9.392.1.3.21.1.12
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasProtocolElement
[802] .1.3.6.1.4.1.9.9.392.1.3.21.1.13
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionEncryptionAlgo
[803] .1.3.6.1.4.1.9.9.392.1.3.21.1.14
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionPktAuthenAlgo
[804] .1.3.6.1.4.1.9.9.392.1.3.21.1.15
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionCompressionAlgo
[805] .1.3.6.1.4.1.9.9.392.1.3.21.1.16
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasHeartbeatInterval
[806] .1.3.6.1.4.1.9.9.392.1.3.21.1.17
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientVendorString
[807] .1.3.6.1.4.1.9.9.392.1.3.21.1.18
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientVersionString
[808] .1.3.6.1.4.1.9.9.392.1.3.21.1.19
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientOSVendorString
[809] .1.3.6.1.4.1.9.9.392.1.3.21.1.20
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientOSVersionString
[810] .1.3.6.1.4.1.9.9.392.1.3.21.1.21
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimWINSServerAddrType
[811] .1.3.6.1.4.1.9.9.392.1.3.21.1.22
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimWINSServer
[812] .1.3.6.1.4.1.9.9.392.1.3.21.1.23
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecWINSServerAddrType
```

```

[813] .1.3.6.1.4.1.9.9.392.1.3.21.1.24
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecWINSServer
[814] .1.3.6.1.4.1.9.9.392.1.3.21.1.25
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimDNSServerAddrType
[815] .1.3.6.1.4.1.9.9.392.1.3.21.1.26
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimDNSServer
[816] .1.3.6.1.4.1.9.9.392.1.3.21.1.27
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecDNSServerAddrType
[817] .1.3.6.1.4.1.9.9.392.1.3.21.1.28 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecDNSServer
[818] .1.3.6.1.4.1.9.9.392.1.3.21.1.29
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasDHCPSTServerAddrType
[819] .1.3.6.1.4.1.9.9.392.1.3.21.1.30 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasDHCPSTServer
[820] .1.3.6.1.4.1.9.9.392.1.3.21.1.31
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionInPkts
[821] .1.3.6.1.4.1.9.9.392.1.3.21.1.32
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionOutPkts
[822] .1.3.6.1.4.1.9.9.392.1.3.21.1.33
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionInDropPkts
[823] .1.3.6.1.4.1.9.9.392.1.3.21.1.34
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionOutDropPkts
[824] .1.3.6.1.4.1.9.9.392.1.3.21.1.35
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionInOctets
[825] .1.3.6.1.4.1.9.9.392.1.3.21.1.36
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionOutOctets
[826] .1.3.6.1.4.1.9.9.392.1.3.21.1.37 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionState
[827] .1.3.6.1.4.1.9.9.392.1.3.22.1.1 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpName
[828] .1.3.6.1.4.1.9.9.392.1.3.22.1.2 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrNumUsers
[829] .1.3.6.1.4.1.9.9.392.1.3.22.1.3 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpInPkts
[830] .1.3.6.1.4.1.9.9.392.1.3.22.1.4 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpOutPkts
[831] .1.3.6.1.4.1.9.9.392.1.3.22.1.5
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpInDropPkts
[832] .1.3.6.1.4.1.9.9.392.1.3.22.1.6
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpOutDropPkts
[833] .1.3.6.1.4.1.9.9.392.1.3.22.1.7
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpInOctets
[834] .1.3.6.1.4.1.9.9.392.1.3.22.1.8
CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpOutOctets
[835] .1.3.6.1.4.1.9.9.816.0.2.7.1.1
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerVPNLicType
[836] .1.3.6.1.4.1.9.9.816.0.2.7.1.2
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerNumLicCapacity
[837] .1.3.6.1.4.1.9.9.816.0.2.7.1.3
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerNumLicAvail
[838] .1.3.6.1.4.1.9.9.816.0.2.7.1.4
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUtilized
[839] .1.3.6.1.4.1.9.9.816.0.4.1.1.1
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntVPNLicType
[840] .1.3.6.1.4.1.9.9.816.0.4.1.1.2
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoDeviceID
[841] .1.3.6.1.4.1.9.9.816.0.4.1.1.3
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoHostName
[842] .1.3.6.1.4.1.9.9.816.0.4.1.1.4
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoPlatLmt
[843] .1.3.6.1.4.1.9.9.816.0.4.1.1.5
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoCurUsage
[844] .1.3.6.1.4.1.9.9.816.0.4.1.1.6
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoHigh
[845] .1.3.6.1.4.1.9.9.816.0.4.1.1.7
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRegReqTx
[846] .1.3.6.1.4.1.9.9.816.0.4.1.1.8
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRegReqRx
[847] .1.3.6.1.4.1.9.9.816.0.4.1.1.9
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRegReqError
[848] .1.3.6.1.4.1.9.9.816.0.4.1.1.10

```

```

CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoGetReqTx
[849] .1.3.6.1.4.1.9.9.816.0.4.1.1.11
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoGetReqRx
[850] .1.3.6.1.4.1.9.9.816.0.4.1.1.12
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoGetReqError
[851] .1.3.6.1.4.1.9.9.816.0.4.1.1.13
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRelReqTx
[852] .1.3.6.1.4.1.9.9.816.0.4.1.1.14
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRelReqRx
[853] .1.3.6.1.4.1.9.9.816.0.4.1.1.15
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRelReqError
[854] .1.3.6.1.4.1.9.9.816.0.4.1.1.16
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoTransferReqTx
[855] .1.3.6.1.4.1.9.9.816.0.4.1.1.17
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoTransferReqRx
[856] .1.3.6.1.4.1.9.9.816.0.4.1.1.18
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoTransferReqError
[857] .1.3.6.1.4.1.9.9.816.0.1 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicDeviceRole
[858] .1.3.6.1.4.1.9.9.816.0.2.1 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerAddrType
[859] .1.3.6.1.4.1.9.9.816.0.2.2 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerAddr
[860] .1.3.6.1.4.1.9.9.816.0.2.3 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpSerAddrType
[861] .1.3.6.1.4.1.9.9.816.0.2.4 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpSerAddr
[862] .1.3.6.1.4.1.9.9.816.0.2.5 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerVer
[863] .1.3.6.1.4.1.9.9.816.0.2.6 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerStatus
[864] .1.3.6.1.4.1.9.9.816.0.3.1
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerAddrType
[865] .1.3.6.1.4.1.9.9.816.0.3.2 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerAddr
[866] .1.3.6.1.4.1.9.9.816.0.3.3 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerDevID
[867] .1.3.6.1.4.1.9.9.816.0.3.4 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerVer
[868] .1.3.6.1.4.1.9.9.816.0.3.5 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerRegd
[869] .1.3.6.1.4.1.9.9.816.0.3.6
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerHAPeerDevID
[870] .1.3.6.1.4.1.9.9.816.0.3.7
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerHAPeerRegd
[871] .1.3.6.1.4.1.9.9.816.0.3.8 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerStatus
[872] .1.3.6.1.4.1.9.9.816.0.3.9 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerHelloTx
[873] .1.3.6.1.4.1.9.9.816.0.3.10 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerHelloRx
[874] .1.3.6.1.4.1.9.9.816.0.3.11
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerHelloError
[875] .1.3.6.1.4.1.9.9.816.0.3.12 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerSyncTx
[876] .1.3.6.1.4.1.9.9.816.0.3.13 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerSyncRx
[877] .1.3.6.1.4.1.9.9.816.0.3.14
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerSyncError
[878] .1.3.6.1.4.1.9.9.816.0.3.15 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUpdateTx
[879] .1.3.6.1.4.1.9.9.816.0.3.16 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUpdateRx
[880] .1.3.6.1.4.1.9.9.816.0.3.17
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUpdateError
[881] .1.3.6.1.6.3.12.1.2.1.1 SNMP-TARGET-MIB::snmpTargetAddrName
[882] .1.3.6.1.6.3.12.1.2.1.2 SNMP-TARGET-MIB::snmpTargetAddrTDomain
[883] .1.3.6.1.6.3.12.1.2.1.3 SNMP-TARGET-MIB::snmpTargetAddrTAddress
[884] .1.3.6.1.6.3.12.1.2.1.4 SNMP-TARGET-MIB::snmpTargetAddrTTimeout
[885] .1.3.6.1.6.3.12.1.2.1.5 SNMP-TARGET-MIB::snmpTargetAddrRetryCount
[886] .1.3.6.1.6.3.12.1.2.1.6 SNMP-TARGET-MIB::snmpTargetAddrTagList
[887] .1.3.6.1.6.3.12.1.2.1.7 SNMP-TARGET-MIB::snmpTargetAddrParams
[888] .1.3.6.1.6.3.12.1.2.1.8 SNMP-TARGET-MIB::snmpTargetAddrStorageType
[889] .1.3.6.1.6.3.12.1.2.1.9 SNMP-TARGET-MIB::snmpTargetAddrRowStatus
[890] .1.3.6.1.6.3.12.1.3.1.1 SNMP-TARGET-MIB::snmpTargetParamsName
[891] .1.3.6.1.6.3.12.1.3.1.2 SNMP-TARGET-MIB::snmpTargetParamsMPModel
[892] .1.3.6.1.6.3.12.1.3.1.3 SNMP-TARGET-MIB::snmpTargetParamsSecurityModel
[893] .1.3.6.1.6.3.12.1.3.1.4 SNMP-TARGET-MIB::snmpTargetParamsSecurityName
[894] .1.3.6.1.6.3.12.1.3.1.5 SNMP-TARGET-MIB::snmpTargetParamsSecurityLevel
[895] .1.3.6.1.6.3.12.1.3.1.6 SNMP-TARGET-MIB::snmpTargetParamsStorageType
[896] .1.3.6.1.6.3.12.1.3.1.7 SNMP-TARGET-MIB::snmpTargetParamsRowStatus
[897] .1.3.6.1.6.3.15.1.2.2.1.1 SNMP-USER-BASED-SM-MIB::usmUserEngineID

```

## サポートされている SNMP MIB と OID のリスト

```

[898] .1.3.6.1.6.3.15.1.2.2.1.2 SNMP-USER-BASED-SM-MIB::usmUserName
[899] .1.3.6.1.6.3.15.1.2.2.1.3 SNMP-USER-BASED-SM-MIB::usmUserSecurityName
[900] .1.3.6.1.6.3.15.1.2.2.1.4 SNMP-USER-BASED-SM-MIB::usmUserCloneFrom
[901] .1.3.6.1.6.3.15.1.2.2.1.5 SNMP-USER-BASED-SM-MIB::usmUserAuthProtocol
[902] .1.3.6.1.6.3.15.1.2.2.1.6 SNMP-USER-BASED-SM-MIB::usmUserAuthKeyChange
[903] .1.3.6.1.6.3.15.1.2.2.1.7 SNMP-USER-BASED-SM-MIB::usmUserOwnAuthKeyChange
[904] .1.3.6.1.6.3.15.1.2.2.1.8 SNMP-USER-BASED-SM-MIB::usmUserPrivProtocol
[905] .1.3.6.1.6.3.15.1.2.2.1.9 SNMP-USER-BASED-SM-MIB::usmUserPrivKeyChange
[906] .1.3.6.1.6.3.15.1.2.2.1.10 SNMP-USER-BASED-SM-MIB::usmUserOwnPrivKeyChange
[907] .1.3.6.1.6.3.15.1.2.2.1.11 SNMP-USER-BASED-SM-MIB::usmUserPublic
[908] .1.3.6.1.6.3.15.1.2.2.1.12 SNMP-USER-BASED-SM-MIB::usmUserStorageType
[909] .1.3.6.1.6.3.15.1.2.2.1.13 SNMP-USER-BASED-SM-MIB::usmUserStatus
===== MASTER AGENT SUPPORTING MIBS=====
[910] 1.3.6.1.2.1.11.1 SNMPv2-MIB::snmpInPkts
[911] 1.3.6.1.2.1.11.2 SNMPv2-MIB::snmpOutPkts
[912] 1.3.6.1.2.1.11.3 SNMPv2-MIB::snmpInBadVersions
[913] 1.3.6.1.2.1.11.4 SNMPv2-MIB::snmpInBadCommunityNames
[914] 1.3.6.1.2.1.11.5 SNMPv2-MIB::snmpInBadCommunityUses
[915] 1.3.6.1.2.1.11.6 SNMPv2-MIB::snmpInASNParseErrs
[916] 1.3.6.1.2.1.11.7 SNMPv2-MIB::snmp.7
[917] 1.3.6.1.2.1.11.8 SNMPv2-MIB::snmpInTooBig
[918] 1.3.6.1.2.1.11.9 SNMPv2-MIB::snmpInNoSuchNames
[919] 1.3.6.1.2.1.11.10 SNMPv2-MIB::snmpInBadValues
[920] 1.3.6.1.2.1.11.11 SNMPv2-MIB::snmpInReadOnly
[921] 1.3.6.1.2.1.11.12 SNMPv2-MIB::snmpInGenErrs
[922] 1.3.6.1.2.1.11.13 SNMPv2-MIB::snmpInTotalReqVars
[923] 1.3.6.1.2.1.11.14 SNMPv2-MIB::snmpInTotalSetVars
[924] 1.3.6.1.2.1.11.15 SNMPv2-MIB::snmpInGetRequests
[925] 1.3.6.1.2.1.11.16 SNMPv2-MIB::snmpInGetNexts
[926] 1.3.6.1.2.1.11.17 SNMPv2-MIB::snmpInSetRequests
[927] 1.3.6.1.2.1.11.18 SNMPv2-MIB::snmpInGetResponses
[928] 1.3.6.1.2.1.11.19 SNMPv2-MIB::snmpInTraps
[929] 1.3.6.1.2.1.11.20 SNMPv2-MIB::snmpOutTooBig
[930] 1.3.6.1.2.1.11.21 SNMPv2-MIB::snmpOutNoSuchNames
[931] 1.3.6.1.2.1.11.22 SNMPv2-MIB::snmpOutBadValues
[932] 1.3.6.1.2.1.11.23 SNMPv2-MIB::snmp.23
[933] 1.3.6.1.2.1.11.24 SNMPv2-MIB::snmpOutGenErrs
[934] 1.3.6.1.2.1.11.25 SNMPv2-MIB::snmpOutGetRequests
[935] 1.3.6.1.2.1.11.26 SNMPv2-MIB::snmpOutGetNexts
[936] 1.3.6.1.2.1.11.27 SNMPv2-MIB::snmpOutSetRequests
[937] 1.3.6.1.2.1.11.28 SNMPv2-MIB::snmpOutGetResponses
[938] 1.3.6.1.2.1.11.29 SNMPv2-MIB::snmpOutTraps
[939] 1.3.6.1.2.1.11.30 SNMPv2-MIB::snmpEnableAuthenTraps
[940] 1.3.6.1.2.1.11.31 SNMPv2-MIB::snmpSilentDrops
[941] 1.3.6.1.2.1.11.32 SNMPv2-MIB::snmpProxyDrops
[942] 1.3.6.1.2.1.90.1.2.2.1.1 DISMAN-EXPRESSION-MIB::expErrorTime
[943] 1.3.6.1.2.1.90.1.2.2.1.2 DISMAN-EXPRESSION-MIB::expErrorIndex
[944] 1.3.6.1.2.1.90.1.2.2.1.3 DISMAN-EXPRESSION-MIB::expErrorCode
[945] 1.3.6.1.2.1.90.1.2.2.1.4 DISMAN-EXPRESSION-MIB::expErrorInstance
[946] 1.3.6.1.6.3.16.1.2.1.3 SNMP-VIEW-BASED-ACM-MIB::vacmGroupName
[947] 1.3.6.1.6.3.16.1.2.1.4 SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupStorageType
[948] 1.3.6.1.6.3.16.1.2.1.5 SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupStatus
[949] 1.3.6.1.6.3.16.1.2.1.6 SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupEntry.6
[950] 1.3.6.1.6.3.16.1.2.1.7 SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupEntry.7
ciscoasa#

```

## 翻訳について

このドキュメントは、米国シスコ発行ドキュメントの参考和訳です。リンク情報につきましては、日本語版掲載時点で、英語版にアップデートがあり、リンク先のページが移動/変更されている場合がありますことをご了承ください。あくまでも参考和訳となりますので、正式な内容については米国サイトのドキュメントを参照ください。

## 翻訳について

このドキュメントは、米国シスコ発行ドキュメントの参考和訳です。リンク情報につきましては、日本語版掲載時点で、英語版にアップデートがあり、リンク先のページが移動/変更されている場合がありますことをご了承ください。あくまでも参考和訳となりますので、正式な内容については米国サイトのドキュメントを参照ください。

## 翻訳について

このドキュメントは、米国シスコ発行ドキュメントの参考和訳です。リンク情報につきましては、日本語版掲載時点で、英語版にアップデートがあり、リンク先のページが移動/変更されている場合がありますことをご了承ください。あくまでも参考和訳となりますので、正式な内容については米国サイトのドキュメントを参照ください。

## 翻訳について

このドキュメントは、米国シスコ発行ドキュメントの参考和訳です。リンク情報につきましては、日本語版掲載時点で、英語版にアップデートがあり、リンク先のページが移動/変更されている場合がありますことをご了承ください。あくまでも参考和訳となりますので、正式な内容については米国サイトのドキュメントを参照ください。