

如何解码调制解调器的DOCSIS证书停留状态诊断

目录

[简介](#)

[背景信息](#)

[要求](#)

[使用的组件](#)

[解码步骤](#)

[任务1.收集日志](#)

[任务2.清洁证书](#)

[任务3.准备xxd工具的文件](#)

[任务4.从Hexdump的转换证书到二进制格式](#)

[任务5.复核证书](#)

简介

本文描述步骤解码DOCSIS证书诊断电缆调制解调器为什么在reject(pk)或w reject(pk)状态停留在有线调制解调器终端系统(CMTS)。

背景信息

在几个案件中，调制解调器末端在reject(pk)状态。它可以由特定情况造成，例如在CM证书，CM发布者不匹配CA主题名称。

例如：

```
SLOT 5/0: May 10 10:13:48.272 CET: Got Issuer 0^A^A1^K0 ^F^CU^D^F^S^BTW1^\0^Z^F^CU^D
^S^SHitron Technologies1^00
^F^CU^D^K^S^FDOCSIS1C0A^F^CU^D^C^S:Hitron Technologies Cable Modem Root Certificate Authority
from Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Got a new Invalid CM cert from a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: CA Cert Subject does not match CM Cert Issuer
SLOT 5/0: May 10 10:13:48.272 CET: BPI+ CM Cert Dump:

SLOT 5/0: May 10 10:13:48.272 CET: Failed CM Issuer not found. CMTS sent AUTH reject.
SLOT 5/0: May 10 10:13:48.272 CET: Sending KEK REJECT. Reason Code:6 Reason:16
SLOT 5/0: May 10 10:13:48.272 CET: BPI Authorization Reject Packet: a84e.3fdd.84c4
```

此输出不清楚显示问题的根本原因。

此条款可以用于生产可以被openssl或密钥链打开在Mac)的一可读的证书(为了识别不匹配。

要求

Cisco 建议您了解以下主题：

- 基线保密性(BPI)在DOCSIS
- 有线调制解调器终端系统(CMTS)

提示：为了获得更加好了解在DOCSIS的基线保密性，推荐通过[在Cisco CMTS条款的DOCSIS 1.0基本保密功能](#)。

使用的组件

本文档不限于特定的软件和硬件版本。

本文档中的信息都是基于特定实验室环境中的设备编写的。本文档中使用的所有设备最初均采用原始（默认）配置。如果您的网络实际，请保证您了解所有命令潜在影响。

解码步骤

分派任务1.收集日志

在CMTS，为了获得证书HEX转储，您需要启用日志。键入这些命令。

```
debug cable mac-address <cm mac> ver
debug cable privacy
debug cable privacy tlvs
debug cable privacy auth-req
debug cable privacy auth-rep
debug cable privacy auth-rej
debug cable privacy auth-info
debug cable privacy ca-cert
debug cable bpi
```

远程登录到线卡并且从在CMTS的线路卡收集日志。

```
CMTS#telnet 127.0.0.XY
Trying 127.0.0.XY ... Open
```

```
clc_X_Y>en
clc_X_Y#
clc_X_Y#show log
```

您能得到一相似的输出到这一个。

```
SLOT 5/0: May 10 10:13:48.260 CET: BPI+ Manufacturer Cert Dump: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.260 CET: CA Certificate Dump:
SLOT 5/0: May 10 10:13:48.260 CET: 0x0000: 30 82 03 22 30 82 02 0A A0 03 02 01 02 02 10 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0010: 64 B5 50 E8 ED 7E E5 57 14 5A C0 A2 67 52 EC 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0020: 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05 00 30 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0030: 31 0B 30 09 06 03 55 04 06 13 02 42 45 31 1F 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0040: 1D 06 03 55 04 0A 13 16 74 43 6F 6D 4C 61 62 73
SLOT 5/0: May 10 10:13:48.260 CET: 0x0050: 20 2D 20 45 75 72 6F 2D 44 4F 43 53 49 53 31 15
SLOT 5/0: May 10 10:13:48.260 CET: 0x0060: 30 13 06 03 55 04 0B 13 0C 43 61 62 6C 65 20 4D
SLOT 5/0: May 10 10:13:48.260 CET: 0x0070: 6F 64 65 6D 73 31 28 30 26 06 03 55 04 03 13 1F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0080: 45 75 72 6F 2D 44 4F 43 53 49 53 20 43 61 62 6C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0090: 65 20 4D 6F 64 65 6D 20 52 6F 6F 74 20 43 41 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00A0: 1E 17 0D 30 34 30 38 31 33 30 30 30 30 30 5A
SLOT 5/0: May 10 10:13:48.260 CET: 0x00B0: 17 0D 32 34 30 38 31 32 32 33 35 39 35 39 5A 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00C0: 81 86 31 0B 30 09 06 03 55 04 06 13 02 54 57 31
```

SLOT 5/0: May 10 10:13:48.260 CET: 0x00D0: 1C 30 1A 06 03 55 04 0A 13 13 48 69 74 72 6F 6E
SLOT 5/0: May 10 10:13:48.260 CET: 0x00E0: 20 54 65 63 68 6E 6F 6C 6F 67 69 65 73 31 14 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00F0: 12 06 03 55 04 0B 13 0B 45 75 72 6F 2D 44 4F 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0100: 53 49 53 31 43 30 41 06 03 55 04 03 13 3A 48 69
SLOT 5/0: May 10 10:13:48.260 CET: 0x0110: 74 72 6F 6E 20 54 65 63 68 6E 6F 6C 6F 67 69 65
SLOT 5/0: May 10 10:13:48.260 CET: 0x0120: 73 20 43 61 62 6C 65 20 4D 6F 64 65 6D 20 52 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0130: 6F 74 20 43 65 72 74 69 66 69 63 61 74 65 20 41
SLOT 5/0: May 10 10:13:48.260 CET: 0x0140: 75 74 68 6F 72 69 74 79 30 81 9F 30 0D 06 09 2A
SLOT 5/0: May 10 10:13:48.260 CET: 0x0150: 86 48 86 F7 0D 01 01 01 05 00 03 81 8D 00 30 81
SLOT 5/0: May 10 10:13:48.260 CET: 0x0160: 89 02 81 81 00 B8 47 DA 9D F1 F6 30 1B 8E 79 BE
SLOT 5/0: May 10 10:13:48.260 CET: 0x0170: BE 10 C3 2D 9F 7D D6 C7 B2 50 16 AB 85 5C 1C 8C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0180: 9E 6B F7 15 60 B2 53 F4 2F 6D 49 0C 2C 3E 76 88
SLOT 5/0: May 10 10:13:48.260 CET: 0x0190: 8A 8A 23 6B 25 47 61 AE B9 DF A8 A7 8C 4D 51 FB
SLOT 5/0: May 10 10:13:48.260 CET: 0x01A0: E6 C2 0F D9 C7 27 DD F7 D8 CC F0 D8 70 F8 75 75
SLOT 5/0: May 10 10:13:48.260 CET: 0x01B0: F3 D8 B7 80 C2 36 B0 53 02 A4 E9 84 02 5F 66 AE
SLOT 5/0: May 10 10:13:48.260 CET: 0x01C0: E7 59 9A 17 4A A0 B1 B4 BA F3 3B 63 C4 75 05 11
SLOT 5/0: May 10 10:13:48.260 CET: 0x01D0: 40 F1 EB B3 C8 A0 E8 AD 6E 1B 59 CC 41 20 F8 94
SLOT 5/0: May 10 10:13:48.260 CET: 0x01E0: B3 94 23 A2 99 02 03 01 00 01 A3 26 30 24 30 12
SLOT 5/0: May 10 10:13:48.260 CET: 0x01F0: 06 03 55 1D 13 01 01 FF 04 08 30 06 01 01 FF 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0200: 01 00 30 0E 06 03 55 1D 0F 01 01 FF 04 04 03 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0210: 01 06 30 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05
SLOT 5/0: May 10 10:13:48.264 CET: 0x0220: 00 03 82 01 01 00 09 DB 24 B9 46 76 D7 D0 9F 70
SLOT 5/0: May 10 10:13:48.264 CET: 0x0230: 86 59 ED 7F 9B AC 96 FD AE 19 DD B3 51 3B A5 C0
SLOT 5/0: May 10 10:13:48.264 CET: 0x0240: 98 DA 80 2B 53 26 42 FA 6A 11 9F 6D 16 6F 76 F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x0250: 9A F3 81 53 E8 DB EF 22 DF AC 3F 57 78 0E 70 78
SLOT 5/0: May 10 10:13:48.264 CET: 0x0260: 07 30 1D FF 19 70 34 E5 7A 52 47 99 B0 EE 7F EA
SLOT 5/0: May 10 10:13:48.264 CET: 0x0270: 23 99 DF CB 72 FF 0D BE AB 68 20 9F 16 C0 7C 69
SLOT 5/0: May 10 10:13:48.264 CET: 0x0280: 88 2D 00 6A AF 4B FF 93 A5 07 D3 F2 A8 F9 5B C4
SLOT 5/0: May 10 10:13:48.264 CET: 0x0290: DD 9F BF 49 36 C4 12 8A 64 C8 35 41 BB E2 B9 9B
SLOT 5/0: May 10 10:13:48.264 CET: 0x02A0: 52 45 67 38 DC 92 55 E3 33 A4 70 68 FC E7 6E 54
SLOT 5/0: May 10 10:13:48.264 CET: 0x02B0: 96 CA 89 B4 65 8B 2C AA 58 24 FC 4D 68 D7 84 4E
SLOT 5/0: May 10 10:13:48.264 CET: 0x02C0: 36 3B B3 CA 9A 42 13 B1 FF 8C 66 D8 52 10 56 74
SLOT 5/0: May 10 10:13:48.264 CET: 0x02D0: C7 DD 58 C3 EE 9D E3 65 E6 C1 5D B9 75 C2 A8 C9
SLOT 5/0: May 10 10:13:48.264 CET: 0x02E0: 54 5B A1 85 38 3B E1 E1 DC 55 5D 3E DD 90 ED F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x02F0: 3A B0 68 93 E9 4A C2 D4 7F DC 90 E3 86 E2 CF C3
SLOT 5/0: May 10 10:13:48.264 CET: 0x0300: F2 A3 92 84 B3 A3 9A F8 71 30 F8 24 71 C2 07 BD
SLOT 5/0: May 10 10:13:48.264 CET: 0x0310: E8 6C 3C F7 FC 82 08 86 84 84 1B C4 D8 97 D3 50
SLOT 5/0: May 10 10:13:48.264 CET: 0x0320: 59 72 2D D5 4C 0B
SLOT 5/0: May 10 10:13:48.264 CET: Found existing manufacturer certificate for a84e.3fdd.84c4
with subject cn=Hitron Technologies Cable Modem Root Certificate Authority,ou=Euro-
DOCSIS,o=Hitron Technologies,c=TW
SLOT 5/0: May 10 10:13:48.264 CET: BPI: setting a84e.3fdd.84c4 caidx:3

SLOT 5/0: May 10 10:13:48.264 CET: Mfg serial no. from a84e.3fdd.84c4 certificate:
4364B550E8ED7EE557145AC0A26752EC
SLOT 5/0: May 10 10:13:48.264 CET: Finger print of a84e.3fdd.84c4 manufacturer certificate
matched.
SLOT 5/0: May 10 10:13:48.264 CET: crl0k_clc_snmp_bpiplus_broadcast_cert() CA idx:3
state:Chained rowStatus:Active prov:0 len:1078 idx:3 state:Chained rowState:Active prov:0
learn:1 idx:3
SLOT 5/0: May 10 10:13:48.268 CET: BPI: Sent CA Cert to RP successfully.
SLOT 5/0: May 10 10:13:48.268 CET: Success in validating AUTH Info message from a84e.3fdd.84c4.
SLOT 5/0: May 10 10:13:48.268 CET: CMTS Received AUTH REQ from a84e.3fdd.84c4.
SLOT 5/0: May 10 10:13:48.268 CET: BPI Authorization Request Packet: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.268 CET: BPKM Attributes: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.268 CET: Found COMPOUND CM Identification (length = 173):
SLOT 5/0: May 10 10:13:48.268 CET: Found Serial Number (length = 12):
32353331 36433030 38303433
SLOT 5/0: May 10 10:13:48.268 CET: Found Manufacturer ID (length = 3):
0050F1
SLOT 5/0: May 10 10:13:48.268 CET: Found MAC Address (length = 6):
A84E3FDD 84C4
SLOT 5/0: May 10 10:13:48.268 CET: Found RSA Public Key (length = 140):
30818902 818100B0 D4F2B649 87FCE340

```

SLOT 5/0: May 10 10:13:48.268 CET: B21FB1E0 8CFE04DD DB3D05D5 34170886
SLOT 5/0: May 10 10:13:48.268 CET: 7623EE25 4E4A61FC 6D134830 55F402CF
SLOT 5/0: May 10 10:13:48.268 CET: 89B11B34 867B3EF7 D9FE6CBE 8B4C251F
SLOT 5/0: May 10 10:13:48.268 CET: DA5A2E47 D65C2120 8EFC72E2 238D5443
SLOT 5/0: May 10 10:13:48.268 CET: 786F151A A7FE6C21 371957DD 3FEB8435
SLOT 5/0: May 10 10:13:48.268 CET: 8AA1B7A2 181DAF7A 4F7DD4E9 128D953C
SLOT 5/0: May 10 10:13:48.268 CET: 146B77F4 51A9F868 5D1A253F A9590AC0
SLOT 5/0: May 10 10:13:48.268 CET: F69D24DF 2B84C102 03010001
SLOT 5/0: May 10 10:13:48.268 CET: Found CM Certificate (length = 652):
SLOT 5/0: May 10 10:13:48.268 CET: 30820288 308201F1 A0030201 02020C41
SLOT 5/0: May 10 10:13:48.268 CET: 38344533 46444438 34433430 0D06092A
SLOT 5/0: May 10 10:13:48.268 CET: 864886F7 0D010105 05003081 81310B30
SLOT 5/0: May 10 10:13:48.268 CET: 09060355 04061302 5457311C 301A0603
SLOT 5/0: May 10 10:13:48.268 CET: 55040A13 13486974 726F6E20 54656368
SLOT 5/0: May 10 10:13:48.268 CET: 6E6F6C6F 67696573 310F300D 06035504
SLOT 5/0: May 10 10:13:48.268 CET: 0B130644 4F435349 53314330 41060355
SLOT 5/0: May 10 10:13:48.268 CET: 0403133A 48697472 6F6E2054 6563686E
SLOT 5/0: May 10 10:13:48.268 CET: 6F6C6F67 69657320 4361626C 65204D6F
SLOT 5/0: May 10 10:13:48.268 CET: 64656D20 526F6F74 20436572 74696669
SLOT 5/0: May 10 10:13:48.268 CET: 63617465 20417574 686F7269 7479301E
SLOT 5/0: May 10 10:13:48.268 CET: 170D3137 30313031 30303030 30305A17
SLOT 5/0: May 10 10:13:48.268 CET: 0D333631 32323832 33353935 395A3081
SLOT 5/0: May 10 10:13:48.268 CET: 86310B30 09060355 04061302 5457311C
SLOT 5/0: May 10 10:13:48.268 CET: 301A0603 55040A13 13486974 726F6E20
SLOT 5/0: May 10 10:13:48.268 CET: 54656368 6E6F6C6F 67696573 313D303B
SLOT 5/0: May 10 10:13:48.268 CET: 06035504 0B13344E 6F2E2034 302C2057
SLOT 5/0: May 10 10:13:48.268 CET: 752D6B75 6E672035 74682052 642E2C20
SLOT 5/0: May 10 10:13:48.268 CET: 57752D6B 752C2054 61697065 69204873
SLOT 5/0: May 10 10:13:48.268 CET: 69656E2C 20546169 77616E31 1A301806
SLOT 5/0: May 10 10:13:48.268 CET: 03550403 13114138 3A34453A 33463A44
SLOT 5/0: May 10 10:13:48.268 CET: 443A3834 3A433430 819F300D 06092A86
SLOT 5/0: May 10 10:13:48.268 CET: 4886F70D 01010105 0003818D 00308189
SLOT 5/0: May 10 10:13:48.268 CET: 02818100 B0D4F2B6 4987FCE3 40B21FB1
SLOT 5/0: May 10 10:13:48.268 CET: E08CFE04 DDD3D05 D5341708 867623EE
SLOT 5/0: May 10 10:13:48.268 CET: 254E4A61 FC6D1348 3055F402 CF89B11B
SLOT 5/0: May 10 10:13:48.268 CET: 34867B3E F7D9FE6C BE8B4C25 1FDA5A2E
SLOT 5/0: May 10 10:13:48.268 CET: 47D65C21 208EFC72 E2238D54 43786F15
SLOT 5/0: May 10 10:13:48.268 CET: 1AA7FE6C 21371957 DD3FEB84 358AA1B7
SLOT 5/0: May 10 10:13:48.268 CET: A2181DAF 7A4F7DD4 E9128D95 3C146B77
SLOT 5/0: May 10 10:13:48.268 CET: F451A9F8 685D1A25 3FA9590A C0F69D24
SLOT 5/0: May 10 10:13:48.268 CET: DF2B84C1 02030100 01300D06 092A8648
SLOT 5/0: May 10 10:13:48.268 CET: 86F70D01 01050500 03818100 08DFC2DA
SLOT 5/0: May 10 10:13:48.268 CET: 8C3ECCDA 98289410 E1B8657A 9A3F220D
SLOT 5/0: May 10 10:13:48.268 CET: AE368029 0E89923F 0DF09E06 8142BAB7
SLOT 5/0: May 10 10:13:48.268 CET: E8A6D5B3 6D7604FF 6A07A8B8 409D0B0B
SLOT 5/0: May 10 10:13:48.268 CET: 6D568AF4 F9395199 AB54126C E9C22F1B
SLOT 5/0: May 10 10:13:48.268 CET: 6390543A 3B67EFB8 FCF0E755 F642E1E0
SLOT 5/0: May 10 10:13:48.268 CET: 273A3853 F4DDBFF1 391E63CE 8BB7BBC0
SLOT 5/0: May 10 10:13:48.268 CET: 8AFC59FC 767C3FA5 A5EB255C 8878F4AB
SLOT 5/0: May 10 10:13:48.272 CET: 63665AA9 CDCF779A 3DFE0C4C
SLOT 5/0: May 10 10:13:48.272 CET: Found COMPOUND SA Capabilities (length = 13):
SLOT 5/0: May 10 10:13:48.272 CET: Found Crypto Suite List (length = 6):
SLOT 5/0: May 10 10:13:48.272 CET: 01000200 0300
SLOT 5/0: May 10 10:13:48.272 CET: Found BPI Version (length = 1):
SLOT 5/0: May 10 10:13:48.272 CET: 01
SLOT 5/0: May 10 10:13:48.272 CET: Found SAID (length = 2):
SLOT 5/0: May 10 10:13:48.272 CET: 0000
SLOT 5/0: May 10 10:13:48.272 CET: END BPKM Attributes: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Get a CM Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Cable5/0/12: Auth-Req contains 1 SID(s).
SLOT 5/0: May 10 10:13:48.272 CET: Cable5/0/12: AuthReq with NULL SAID - D3.0 modem.
SLOT 5/0: May 10 10:13:48.272 CET: EAE_BPI_REQ: DISABLE a84e.3fdd.84c4 - OK
SLOT 5/0: May 10 10:13:48.272 CET: BPI_AES: Encryption priority is: aes128-des56-des40.
SLOT 5/0: May 10 10:13:48.272 CET: BPI_AES: AES is a candidate.

```

```

SLOT 5/0: May 10 10:13:48.272 CET: BPI Crypto Algorithm: sid:0 cfg_mod:1, cm_cap:0x7, assigned:3
aes_support:1
SLOT 5/0: May 10 10:13:48.272 CET: CMTS generated AUTH_KEY.
SLOT 5/0: May 10 10:13:48.272 CET: CMTS received 0 as primary SAID - D3.0
SLOT 5/0: May 10 10:13:48.272 CET: CM state:2050 MAC:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Parsed/Matched MAC Address:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Got Issuer 0^A^A1^K0 ^F^CU^D^F^S^BTW1^\0^Z^F^CU^D
^S^SHitron Technologies1^00
^F^CU^D^K^S^FDOCSIS1C0A^F^CU^D^C^S:Hitron Technologies Cable Modem Root Certificate Authority
from Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Got a new Invalid CM cert from a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: CA Cert Subject does not match CM Cert Issuer
您在那些日志能看到，那那里是两独立的HEX转储。

```

1. CA证书的HEX转储。它从在粗体CA证书转储的一条线路开始：。
2. CM证书的HEX转储。它从在粗体被找到的CM证书(长度的一条线路开始= 652)：。

任务2.清洁证书

为了能将适当地处理的证书转储，您需要取消所有额外信息和保持仅HEX转储值。

注意：在证书转储的案件(上下)和空间为此进程是毫不相关的。

提示：快速和简单的方法去除所有线路报头(插槽编号、时间戳等等)是拿着在文本编辑的Alt键，类似壮观或Notepad++。

CA证书转储的示例。

```

SLOT 5/0: May 10 10:13:48.260 CET: BPI+ Manufacturer Cert Dump: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.260 CET: CA Certificate Dump:
SLOT 5/0: May 10 10:13:48.260 CET: 0x0000: 30 82 03 22 30 82 02 0A A0 03 02 01 02 02 10 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0010: 64 B5 50 E8 ED 7E E5 57 14 5A C0 A2 67 52 EC 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0020: 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05 00 30 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0030: 31 0B 30 09 06 03 55 04 06 13 02 42 45 31 1F 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0040: 1D 06 03 55 04 0A 13 16 74 43 6F 6D 4C 61 62 73
SLOT 5/0: May 10 10:13:48.260 CET: 0x0050: 20 2D 20 45 75 72 6F 2D 44 4F 43 53 49 53 31 15
SLOT 5/0: May 10 10:13:48.260 CET: 0x0060: 30 13 06 03 55 04 0B 13 0C 43 61 62 6C 65 20 4D
SLOT 5/0: May 10 10:13:48.260 CET: 0x0070: 6F 64 65 6D 73 31 28 30 26 06 03 55 04 03 13 1F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0080: 45 75 72 6F 2D 44 4F 43 53 49 53 20 43 61 62 6C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0090: 65 20 4D 6F 64 65 6D 20 52 6F 6F 74 20 43 41 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00A0: 1E 17 0D 30 34 30 38 31 33 30 30 30 30 30 5A
SLOT 5/0: May 10 10:13:48.260 CET: 0x00B0: 17 0D 32 34 30 38 31 32 32 33 35 39 35 39 5A 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00C0: 81 86 31 0B 30 09 06 03 55 04 06 13 02 54 57 31
SLOT 5/0: May 10 10:13:48.260 CET: 0x00D0: 1C 30 1A 06 03 55 04 0A 13 13 48 69 74 72 6F 6E
SLOT 5/0: May 10 10:13:48.260 CET: 0x00E0: 20 54 65 63 68 6E 6F 6C 6F 67 69 65 73 31 14 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00F0: 12 06 03 55 04 0B 13 0B 45 75 72 6F 2D 44 4F 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0100: 53 49 53 31 43 30 41 06 03 55 04 03 13 3A 48 69
SLOT 5/0: May 10 10:13:48.260 CET: 0x0110: 74 72 6F 6E 20 54 65 63 68 6E 6F 6C 6F 67 69 65
SLOT 5/0: May 10 10:13:48.260 CET: 0x0120: 73 20 43 61 62 6C 65 20 4D 6F 64 65 6D 20 52 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0130: 6F 74 20 43 65 72 74 69 66 69 63 61 74 65 20 41
SLOT 5/0: May 10 10:13:48.260 CET: 0x0140: 75 74 68 6F 72 69 74 79 30 81 9F 30 0D 06 09 2A
SLOT 5/0: May 10 10:13:48.260 CET: 0x0150: 86 48 86 F7 0D 01 01 01 05 00 03 81 8D 00 30 81
SLOT 5/0: May 10 10:13:48.260 CET: 0x0160: 89 02 81 81 00 B8 47 DA 9D F1 F6 30 1B 8E 79 BE
SLOT 5/0: May 10 10:13:48.260 CET: 0x0170: BE 10 C3 2D 9F 7D D6 C7 B2 50 16 AB 85 5C 1C 8C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0180: 9E 6B F7 15 60 B2 53 F4 2F 6D 49 0C 2C 3E 76 88
SLOT 5/0: May 10 10:13:48.260 CET: 0x0190: 8A 8A 23 6B 25 47 61 AE B9 DF A8 A7 8C 4D 51 FB
SLOT 5/0: May 10 10:13:48.260 CET: 0x01A0: E6 C2 0F D9 C7 27 DD F7 D8 CC F0 D8 70 F8 75 75

```

SLOT 5/0: May 10 10:13:48.260 CET: 0x01B0: F3 D8 B7 80 C2 36 B0 53 02 A4 E9 84 02 5F 66 AE
SLOT 5/0: May 10 10:13:48.260 CET: 0x01C0: E7 59 9A 17 4A A0 B1 B4 BA F3 3B 63 C4 75 05 11
SLOT 5/0: May 10 10:13:48.260 CET: 0x01D0: 40 F1 EB B3 C8 A0 E8 AD 6E 1B 59 CC 41 20 F8 94
SLOT 5/0: May 10 10:13:48.260 CET: 0x01E0: B3 94 23 A2 99 02 03 01 00 01 A3 26 30 24 30 12
SLOT 5/0: May 10 10:13:48.260 CET: 0x01F0: 06 03 55 1D 13 01 01 FF 04 08 30 06 01 01 FF 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0200: 01 00 30 0E 06 03 55 1D 0F 01 01 FF 04 04 03 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0210: 01 06 30 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05
SLOT 5/0: May 10 10:13:48.264 CET: 0x0220: 00 03 82 01 01 00 09 DB 24 B9 46 76 D7 D0 9F 70
SLOT 5/0: May 10 10:13:48.264 CET: 0x0230: 86 59 ED 7F 9B AC 96 FD AE 19 DD B3 51 3B A5 C0
SLOT 5/0: May 10 10:13:48.264 CET: 0x0240: 98 DA 80 2B 53 26 42 FA 6A 11 9F 6D 16 6F 76 F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x0250: 9A F3 81 53 E8 DB EF 22 DF AC 3F 57 78 0E 70 78
SLOT 5/0: May 10 10:13:48.264 CET: 0x0260: 07 30 1D FF 19 70 34 E5 7A 52 47 99 B0 EE 7F EA
SLOT 5/0: May 10 10:13:48.264 CET: 0x0270: 23 99 DF CB 72 FF 0D BE AB 68 20 9F 16 C0 7C 69
SLOT 5/0: May 10 10:13:48.264 CET: 0x0280: 88 2D 00 6A AF 4B FF 93 A5 07 D3 F2 A8 F9 5B C4
SLOT 5/0: May 10 10:13:48.264 CET: 0x0290: DD 9F BF 49 36 C4 12 8A 64 C8 35 41 BB E2 B9 9B
SLOT 5/0: May 10 10:13:48.264 CET: 0x02A0: 52 45 67 38 DC 92 55 E3 33 A4 70 68 FC E7 6E 54
SLOT 5/0: May 10 10:13:48.264 CET: 0x02B0: 96 CA 89 B4 65 8B 2C AA 58 24 FC 4D 68 D7 84 4E
SLOT 5/0: May 10 10:13:48.264 CET: 0x02C0: 36 3B B3 CA 9A 42 13 B1 FF 8C 66 D8 52 10 56 74
SLOT 5/0: May 10 10:13:48.264 CET: 0x02D0: C7 DD 58 C3 EE 9D E3 65 E6 C1 5D B9 75 C2 A8 C9
SLOT 5/0: May 10 10:13:48.264 CET: 0x02E0: 54 5B A1 85 38 3B E1 E1 DC 55 5D 3E DD 90 ED F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x02F0: 3A B0 68 93 E9 4A C2 D4 7F DC 90 E3 86 E2 CF C3
SLOT 5/0: May 10 10:13:48.264 CET: 0x0300: F2 A3 92 84 B3 A3 9A F8 71 30 F8 24 71 C2 07 BD
SLOT 5/0: May 10 10:13:48.264 CET: 0x0310: E8 6C 3C F7 FC 82 08 86 84 84 1B C4 D8 97 D3 50
SLOT 5/0: May 10 10:13:48.264 CET: 0x0320: 59 72 2D D5 4C 0B
SLOT 5/0: May 10 10:13:48.264 CET: Found existing manufacturer certificate for a84e.3fdd.84c4
with subject cn=Hitron Technologies Cable Modem Root Certificate Authority,ou=Euro-
DOCSIS,o=Hitron Technologies,c=TW
SLOT 5/0: May 10 10:13:48.264 CET: BPI: setting a84e.3fdd.84c4 caidx:3

SLOT 5/0: May 10 10:13:48.264 CET: Mfg serial no. from a84e.3fdd.84c4 certificate:
4364B550E8ED7EE557145AC0A26752EC
SLOT 5/0: May 10 10:13:48.264 CET: Finger print of a84e.3fdd.84c4 manufacturer certificate
matched.
SLOT 5/0: May 10 10:13:48.264 CET: crl0k_clc_snmp_bpiplus_broadcast_cert() CA idx:3
state:Chained rowStatus:Active prov:0 len:1078 idx:3 state:Chained rowState:Active prov:0
learn:1 idx:3
SLOT 5/0: May 10 10:13:48.268 CET: BPI: Sent CA Cert to RP successfully.
SLOT 5/0: May 10 10:13:48.268 CET: Success in validating AUTH Info message from a84e.3fdd.84c4.
SLOT 5/0: May 10 10:13:48.268 CET: CMTS Received AUTH REQ from a84e.3fdd.84c4.
SLOT 5/0: May 10 10:13:48.268 CET: BPI Authorization Request Packet: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.268 CET: BPKM Attributes: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.268 CET: Found COMPOUND CM Identification (length = 173):
SLOT 5/0: May 10 10:13:48.268 CET: Found Serial Number (length = 12):
32353331 36433030 38303433
SLOT 5/0: May 10 10:13:48.268 CET: Found Manufacturer ID (length = 3):
0050F1
SLOT 5/0: May 10 10:13:48.268 CET: Found MAC Address (length = 6):
A84E3FDD 84C4
SLOT 5/0: May 10 10:13:48.268 CET: Found RSA Public Key (length = 140):
SLOT 5/0: May 10 10:13:48.268 CET: 30818902 818100B0 D4F2B649 87FCE340
SLOT 5/0: May 10 10:13:48.268 CET: B21FB1E0 8CFE04DD DB3D05D5 34170886
SLOT 5/0: May 10 10:13:48.268 CET: 7623EE25 4E4A61FC 6D134830 55F402CF
SLOT 5/0: May 10 10:13:48.268 CET: 89B11B34 867B3EF7 D9FE6CBE 8B4C251F
SLOT 5/0: May 10 10:13:48.268 CET: DA5A2E47 D65C2120 8EFC72E2 238D5443
SLOT 5/0: May 10 10:13:48.268 CET: 786F151A A7FE6C21 371957DD 3FEB8435
SLOT 5/0: May 10 10:13:48.268 CET: 8AA1B7A2 181DAF7A 4F7DD4E9 128D953C
SLOT 5/0: May 10 10:13:48.268 CET: 146B77F4 51A9F868 5D1A253F A9590AC0
SLOT 5/0: May 10 10:13:48.268 CET: F69D24DF 2B84C102 03010001
SLOT 5/0: May 10 10:13:48.268 CET: Found CM Certificate (length = 652):
SLOT 5/0: May 10 10:13:48.268 CET: 30820288 308201F1 A0030201 02020C41
SLOT 5/0: May 10 10:13:48.268 CET: 38344533 46444438 34433430 0D06092A
SLOT 5/0: May 10 10:13:48.268 CET: 864886F7 0D010105 05003081 81310B30
SLOT 5/0: May 10 10:13:48.268 CET: 09060355 04061302 5457311C 301A0603
SLOT 5/0: May 10 10:13:48.268 CET: 55040A13 13486974 726F6E20 54656368

```

SLOT 5/0: May 10 10:13:48.268 CET: 6E6F6C6F 67696573 310F300D 06035504
SLOT 5/0: May 10 10:13:48.268 CET: 0B130644 4F435349 53314330 41060355
SLOT 5/0: May 10 10:13:48.268 CET: 0403133A 48697472 6F6E2054 6563686E
SLOT 5/0: May 10 10:13:48.268 CET: 6F6C6F67 69657320 4361626C 65204D6F
SLOT 5/0: May 10 10:13:48.268 CET: 64656D20 526F6F74 20436572 74696669
SLOT 5/0: May 10 10:13:48.268 CET: 63617465 20417574 686F7269 7479301E
SLOT 5/0: May 10 10:13:48.268 CET: 170D3137 30313031 30303030 30305A17
SLOT 5/0: May 10 10:13:48.268 CET: 0D333631 32323832 33353935 395A3081
SLOT 5/0: May 10 10:13:48.268 CET: 86310B30 09060355 04061302 5457311C
SLOT 5/0: May 10 10:13:48.268 CET: 301A0603 55040A13 13486974 726F6E20
SLOT 5/0: May 10 10:13:48.268 CET: 54656368 6E6F6C6F 67696573 313D303B
SLOT 5/0: May 10 10:13:48.268 CET: 06035504 0B13344E 6F2E2034 302C2057
SLOT 5/0: May 10 10:13:48.268 CET: 752D6B75 6E672035 74682052 642E2C20
SLOT 5/0: May 10 10:13:48.268 CET: 57752D6B 752C2054 61697065 69204873
SLOT 5/0: May 10 10:13:48.268 CET: 69656E2C 20546169 77616E31 1A301806
SLOT 5/0: May 10 10:13:48.268 CET: 03550403 13114138 3A34453A 33463A44
SLOT 5/0: May 10 10:13:48.268 CET: 443A3834 3A433430 819F300D 06092A86
SLOT 5/0: May 10 10:13:48.268 CET: 4886F70D 01010105 0003818D 00308189
SLOT 5/0: May 10 10:13:48.268 CET: 02818100 B0D4F2B6 4987FCE3 40B21FB1
SLOT 5/0: May 10 10:13:48.268 CET: E08CFE04 DDB3D05 D5341708 867623EE
SLOT 5/0: May 10 10:13:48.268 CET: 254E4A61 FC6D1348 3055F402 CF89B11B
SLOT 5/0: May 10 10:13:48.268 CET: 34867B3E F7D9FE6C BE8B4C25 1FDA5A2E
SLOT 5/0: May 10 10:13:48.268 CET: 47D65C21 208EFC72 E2238D54 43786F15
SLOT 5/0: May 10 10:13:48.268 CET: 1AA7FE6C 21371957 DD3FEB84 358AA1B7
SLOT 5/0: May 10 10:13:48.268 CET: A2181DAF 7A4F7DD4 E9128D95 3C146B77
SLOT 5/0: May 10 10:13:48.268 CET: F451A9F8 685D1A25 3FA9590A C0F69D24
SLOT 5/0: May 10 10:13:48.268 CET: DF2B84C1 02030100 01300D06 092A8648
SLOT 5/0: May 10 10:13:48.268 CET: 86F70D01 01050500 03818100 08DFC2DA
SLOT 5/0: May 10 10:13:48.268 CET: 8C3ECCDA 98289410 E1B8657A 9A3F220D
SLOT 5/0: May 10 10:13:48.268 CET: AE368029 0E89923F 0DF09E06 8142BAB7
SLOT 5/0: May 10 10:13:48.268 CET: E8A6D5B3 6D7604FF 6A07A8B8 409D0B0B
SLOT 5/0: May 10 10:13:48.268 CET: 6D568AF4 F9395199 AB54126C E9C22F1B
SLOT 5/0: May 10 10:13:48.268 CET: 6390543A 3B67EFB8 FCF0E755 F642E1E0
SLOT 5/0: May 10 10:13:48.268 CET: 273A3853 F4DDBFF1 391E63CE 8BB7BBC0
SLOT 5/0: May 10 10:13:48.268 CET: 8AFC59FC 767C3FA5 A5EB255C 8878F4AB
SLOT 5/0: May 10 10:13:48.272 CET: 63665AA9 CDCF779A 3DFE0C4C
SLOT 5/0: May 10 10:13:48.272 CET: Found COMPOUND SA Capabilities (length = 13):
SLOT 5/0: May 10 10:13:48.272 CET: Found Crypto Suite List (length = 6):
SLOT 5/0: May 10 10:13:48.272 CET: 01000200 0300
SLOT 5/0: May 10 10:13:48.272 CET: Found BPI Version (length = 1):
SLOT 5/0: May 10 10:13:48.272 CET: 01
SLOT 5/0: May 10 10:13:48.272 CET: Found SAID (length = 2):
SLOT 5/0: May 10 10:13:48.272 CET: 0000
SLOT 5/0: May 10 10:13:48.272 CET: END BPKM Attributes: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Get a CM Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Cable5/0/12: Auth-Req contains 1 SID(s).
SLOT 5/0: May 10 10:13:48.272 CET: Cable5/0/12: AuthReq with NULL SAID - D3.0 modem.
SLOT 5/0: May 10 10:13:48.272 CET: EAE_BPI_REQ: DISABLE a84e.3fdd.84c4 - OK
SLOT 5/0: May 10 10:13:48.272 CET: BPI_AES: Encryption priority is: aes128-des56-des40.
SLOT 5/0: May 10 10:13:48.272 CET: BPI_AES: AES is a candidate.
SLOT 5/0: May 10 10:13:48.272 CET: BPI Crypto Algorithm: sid:0 cfg_mod:1, cm_cap:0x7, assigned:3
aes_support:1
SLOT 5/0: May 10 10:13:48.272 CET: CMTS generated AUTH_KEY.
SLOT 5/0: May 10 10:13:48.272 CET: CMTS received 0 as primary SAID - D3.0
SLOT 5/0: May 10 10:13:48.272 CET: CM state:2050 MAC:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Parsed/Matched MAC Address:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Got Issuer 0^A^A1^K0 ^F^CU^D^F^S^BTW1^\0^Z^F^CU^D
^S^SHitron Technologies1^00
^F^CU^D^K^S^FDOCSIS1C0A^F^CU^D^C^S:Hitron Technologies Cable Modem Root Certificate Authority
from Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Got a new Invalid CM cert from a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: CA Cert Subject does not match CM Cert Issuer

```

保存有命名cacert.txt的此文件。

CM证书转储示例。

```
SLOT 5/0: May 10 10:13:48.260 CET: BPI+ Manufacturer Cert Dump: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.260 CET: CA Certificate Dump:
SLOT 5/0: May 10 10:13:48.260 CET: 0x0000: 30 82 03 22 30 82 02 0A A0 03 02 01 02 02 10 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0010: 64 B5 50 E8 ED 7E E5 57 14 5A C0 A2 67 52 EC 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0020: 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05 00 30 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0030: 31 0B 30 09 06 03 55 04 06 13 02 42 45 31 1F 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0040: 1D 06 03 55 04 0A 13 16 74 43 6F 6D 4C 61 62 73
SLOT 5/0: May 10 10:13:48.260 CET: 0x0050: 20 2D 20 45 75 72 6F 2D 44 4F 43 53 49 53 31 15
SLOT 5/0: May 10 10:13:48.260 CET: 0x0060: 30 13 06 03 55 04 0B 13 0C 43 61 62 6C 65 20 4D
SLOT 5/0: May 10 10:13:48.260 CET: 0x0070: 6F 64 65 6D 73 31 28 30 26 06 03 55 04 03 13 1F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0080: 45 75 72 6F 2D 44 4F 43 53 49 53 20 43 61 62 6C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0090: 65 20 4D 6F 64 65 6D 20 52 6F 6F 74 20 43 41 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00A0: 1E 17 0D 30 34 30 38 31 33 30 30 30 30 30 5A
SLOT 5/0: May 10 10:13:48.260 CET: 0x00B0: 17 0D 32 34 30 38 31 32 32 33 35 39 35 39 5A 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00C0: 81 86 31 0B 30 09 06 03 55 04 06 13 02 54 57 31
SLOT 5/0: May 10 10:13:48.260 CET: 0x00D0: 1C 30 1A 06 03 55 04 0A 13 13 48 69 74 72 6F 6E
SLOT 5/0: May 10 10:13:48.260 CET: 0x00E0: 20 54 65 63 68 6E 6F 6C 6F 67 69 65 73 31 14 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00F0: 12 06 03 55 04 0B 13 0B 45 75 72 6F 2D 44 4F 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0100: 53 49 53 31 43 30 41 06 03 55 04 03 13 3A 48 69
SLOT 5/0: May 10 10:13:48.260 CET: 0x0110: 74 72 6F 6E 20 54 65 63 68 6E 6F 6C 6F 67 69 65
SLOT 5/0: May 10 10:13:48.260 CET: 0x0120: 73 20 43 61 62 6C 65 20 4D 6F 64 65 6D 20 52 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0130: 6F 74 20 43 65 72 74 69 66 69 63 61 74 65 20 41
SLOT 5/0: May 10 10:13:48.260 CET: 0x0140: 75 74 68 6F 72 69 74 79 30 81 9F 30 0D 06 09 2A
SLOT 5/0: May 10 10:13:48.260 CET: 0x0150: 86 48 86 F7 0D 01 01 01 05 00 03 81 8D 00 30 81
SLOT 5/0: May 10 10:13:48.260 CET: 0x0160: 89 02 81 81 00 B8 47 DA 9D F1 F6 30 1B 8E 79 BE
SLOT 5/0: May 10 10:13:48.260 CET: 0x0170: BE 10 C3 2D 9F 7D D6 C7 B2 50 16 AB 85 5C 1C 8C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0180: 9E 6B F7 15 60 B2 53 F4 2F 6D 49 0C 2C 3E 76 88
SLOT 5/0: May 10 10:13:48.260 CET: 0x0190: 8A 8A 23 6B 25 47 61 AE B9 DF A8 A7 8C 4D 51 FB
SLOT 5/0: May 10 10:13:48.260 CET: 0x01A0: E6 C2 0F D9 C7 27 DD F7 D8 CC F0 D8 70 F8 75 75
SLOT 5/0: May 10 10:13:48.260 CET: 0x01B0: F3 D8 B7 80 C2 36 B0 53 02 A4 E9 84 02 5F 66 AE
SLOT 5/0: May 10 10:13:48.260 CET: 0x01C0: E7 59 9A 17 4A A0 B1 B4 BA F3 3B 63 C4 75 05 11
SLOT 5/0: May 10 10:13:48.260 CET: 0x01D0: 40 F1 EB B3 C8 A0 E8 AD 6E 1B 59 CC 41 20 F8 94
SLOT 5/0: May 10 10:13:48.260 CET: 0x01E0: B3 94 23 A2 99 02 03 01 00 01 A3 26 30 24 30 12
SLOT 5/0: May 10 10:13:48.260 CET: 0x01F0: 06 03 55 1D 13 01 01 FF 04 08 30 06 01 01 FF 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0200: 01 00 30 0E 06 03 55 1D 0F 01 01 FF 04 04 03 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0210: 01 06 30 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05
SLOT 5/0: May 10 10:13:48.264 CET: 0x0220: 00 03 82 01 01 00 09 DB 24 B9 46 76 D7 D0 9F 70
SLOT 5/0: May 10 10:13:48.264 CET: 0x0230: 86 59 ED 7F 9B AC 96 FD AE 19 DD B3 51 3B A5 C0
SLOT 5/0: May 10 10:13:48.264 CET: 0x0240: 98 DA 80 2B 53 26 42 FA 6A 11 9F 6D 16 6F 76 F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x0250: 9A F3 81 53 E8 DB EF 22 DF AC 3F 57 78 0E 70 78
SLOT 5/0: May 10 10:13:48.264 CET: 0x0260: 07 30 1D FF 19 70 34 E5 7A 52 47 99 B0 EE 7F EA
SLOT 5/0: May 10 10:13:48.264 CET: 0x0270: 23 99 DF CB 72 FF 0D BE AB 68 20 9F 16 C0 7C 69
SLOT 5/0: May 10 10:13:48.264 CET: 0x0280: 88 2D 00 6A AF 4B FF 93 A5 07 D3 F2 A8 F9 5B C4
SLOT 5/0: May 10 10:13:48.264 CET: 0x0290: DD 9F BF 49 36 C4 12 8A 64 C8 35 41 BB E2 B9 9B
SLOT 5/0: May 10 10:13:48.264 CET: 0x02A0: 52 45 67 38 DC 92 55 E3 33 A4 70 68 FC E7 6E 54
SLOT 5/0: May 10 10:13:48.264 CET: 0x02B0: 96 CA 89 B4 65 8B 2C AA 58 24 FC 4D 68 D7 84 4E
SLOT 5/0: May 10 10:13:48.264 CET: 0x02C0: 36 3B B3 CA 9A 42 13 B1 FF 8C 66 D8 52 10 56 74
SLOT 5/0: May 10 10:13:48.264 CET: 0x02D0: C7 DD 58 C3 EE 9D E3 65 E6 C1 5D B9 75 C2 A8 C9
SLOT 5/0: May 10 10:13:48.264 CET: 0x02E0: 54 5B A1 85 38 3B E1 E1 DC 55 5D 3E DD 90 ED F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x02F0: 3A B0 68 93 E9 4A C2 D4 7F DC 90 E3 86 E2 CF C3
SLOT 5/0: May 10 10:13:48.264 CET: 0x0300: F2 A3 92 84 B3 A3 9A F8 71 30 F8 24 71 C2 07 BD
SLOT 5/0: May 10 10:13:48.264 CET: 0x0310: E8 6C 3C F7 FC 82 08 86 84 84 1B C4 D8 97 D3 50
SLOT 5/0: May 10 10:13:48.264 CET: 0x0320: 59 72 2D D5 4C 0B
SLOT 5/0: May 10 10:13:48.264 CET: Found existing manufacturer certificate for a84e.3fdd.84c4
with subject cn=Hitron Technologies Cable Modem Root Certificate Authority,ou=Euro-
DOCSIS,o=Hitron Technologies,c=TW
SLOT 5/0: May 10 10:13:48.264 CET: BPI: setting a84e.3fdd.84c4 caidx:3

SLOT 5/0: May 10 10:13:48.264 CET: Mfg serial no. from a84e.3fdd.84c4 certificate:
4364B550E8ED7EE557145AC0A26752EC
SLOT 5/0: May 10 10:13:48.264 CET: Finger print of a84e.3fdd.84c4 manufacturer certificate
```


matched.

SLOT 5/0: May 10 10:13:48.264 CET: crl0k_clc_snmp_bpiplus_broadcast_cert() CA idx:3
state:Chained rowStatus:Active prov:0 len:1078 idx:3 state:Chained rowState:Active prov:0
learn:1 idx:3

SLOT 5/0: May 10 10:13:48.268 CET: BPI: Sent CA Cert to RP successfully.

SLOT 5/0: May 10 10:13:48.268 CET: Success in validating AUTH Info message from a84e.3fdd.84c4.

SLOT 5/0: May 10 10:13:48.268 CET: CMTS Received AUTH REQ from a84e.3fdd.84c4.

SLOT 5/0: May 10 10:13:48.268 CET: BPI Authorization Request Packet: a84e.3fdd.84c4

SLOT 5/0: May 10 10:13:48.268 CET: BPKM Attributes: a84e.3fdd.84c4

SLOT 5/0: May 10 10:13:48.268 CET: Found COMPOUND CM Identification (length = 173):

SLOT 5/0: May 10 10:13:48.268 CET: Found Serial Number (length = 12):

SLOT 5/0: May 10 10:13:48.268 CET: 32353331 36433030 38303433

SLOT 5/0: May 10 10:13:48.268 CET: Found Manufacturer ID (length = 3):

SLOT 5/0: May 10 10:13:48.268 CET: 0050F1

SLOT 5/0: May 10 10:13:48.268 CET: Found MAC Address (length = 6):

SLOT 5/0: May 10 10:13:48.268 CET: A84E3FDD 84C4

SLOT 5/0: May 10 10:13:48.268 CET: Found RSA Public Key (length = 140):

SLOT 5/0: May 10 10:13:48.268 CET: 30818902 818100B0 D4F2B649 87FCE340

SLOT 5/0: May 10 10:13:48.268 CET: B21FB1E0 8CFE04DD DB3D05D5 34170886

SLOT 5/0: May 10 10:13:48.268 CET: 7623EE25 4E4A61FC 6D134830 55F402CF

SLOT 5/0: May 10 10:13:48.268 CET: 89B11B34 867B3EF7 D9FE6CBE 8B4C251F

SLOT 5/0: May 10 10:13:48.268 CET: DA5A2E47 D65C2120 8EFC72E2 238D5443

SLOT 5/0: May 10 10:13:48.268 CET: 786F151A A7FE6C21 371957DD 3FEB8435

SLOT 5/0: May 10 10:13:48.268 CET: 8AA1B7A2 181DAF7A 4F7DD4E9 128D953C

SLOT 5/0: May 10 10:13:48.268 CET: 146B77F4 51A9F868 5D1A253F A9590AC0

SLOT 5/0: May 10 10:13:48.268 CET: F69D24DF 2B84C102 03010001

SLOT 5/0: May 10 10:13:48.268 CET: Found CM Certificate (length = 652):

SLOT 5/0: May 10 10:13:48.268 CET: 30820288 308201F1 A0030201 02020C41

SLOT 5/0: May 10 10:13:48.268 CET: 38344533 46444438 34433430 0D06092A

SLOT 5/0: May 10 10:13:48.268 CET: 864886F7 0D010105 05003081 81310B30

SLOT 5/0: May 10 10:13:48.268 CET: 09060355 04061302 5457311C 301A0603

SLOT 5/0: May 10 10:13:48.268 CET: 55040A13 13486974 726F6E20 54656368

SLOT 5/0: May 10 10:13:48.268 CET: 6E6F6C6F 67696573 310F300D 06035504

SLOT 5/0: May 10 10:13:48.268 CET: 0B130644 4F435349 53314330 41060355

SLOT 5/0: May 10 10:13:48.268 CET: 0403133A 48697472 6F6E2054 6563686E

SLOT 5/0: May 10 10:13:48.268 CET: 6F6C6F67 69657320 4361626C 65204D6F

SLOT 5/0: May 10 10:13:48.268 CET: 64656D20 526F6F74 20436572 74696669

SLOT 5/0: May 10 10:13:48.268 CET: 63617465 20417574 686F7269 7479301E

SLOT 5/0: May 10 10:13:48.268 CET: 170D3137 30313031 30303030 30305A17

SLOT 5/0: May 10 10:13:48.268 CET: 0D333631 32323832 33353935 395A3081

SLOT 5/0: May 10 10:13:48.268 CET: 86310B30 09060355 04061302 5457311C

SLOT 5/0: May 10 10:13:48.268 CET: 301A0603 55040A13 13486974 726F6E20

SLOT 5/0: May 10 10:13:48.268 CET: 54656368 6E6F6C6F 67696573 313D303B

SLOT 5/0: May 10 10:13:48.268 CET: 06035504 0B13344E 6F2E2034 302C2057

SLOT 5/0: May 10 10:13:48.268 CET: 752D6B75 6E672035 74682052 642E2C20

SLOT 5/0: May 10 10:13:48.268 CET: 57752D6B 752C2054 61697065 69204873

SLOT 5/0: May 10 10:13:48.268 CET: 69656E2C 20546169 77616E31 1A301806

SLOT 5/0: May 10 10:13:48.268 CET: 03550403 13114138 3A34453A 33463A44

SLOT 5/0: May 10 10:13:48.268 CET: 443A3834 3A433430 819F300D 06092A86

SLOT 5/0: May 10 10:13:48.268 CET: 4886F70D 01010105 0003818D 00308189

SLOT 5/0: May 10 10:13:48.268 CET: 02818100 B0D4F2B6 4987FCE3 40B21FB1

SLOT 5/0: May 10 10:13:48.268 CET: E08CFE04 DDBB3D05 D5341708 867623EE

SLOT 5/0: May 10 10:13:48.268 CET: 254E4A61 FC6D1348 3055F402 CF89B11B

SLOT 5/0: May 10 10:13:48.268 CET: 34867B3E F7D9FE6C BE8B4C25 1FDA5A2E

SLOT 5/0: May 10 10:13:48.268 CET: 47D65C21 208EFC72 E2238D54 43786F15

SLOT 5/0: May 10 10:13:48.268 CET: 1AA7FE6C 21371957 DD3FEB84 358AA1B7

SLOT 5/0: May 10 10:13:48.268 CET: A2181DAF 7A4F7DD4 E9128D95 3C146B77

SLOT 5/0: May 10 10:13:48.268 CET: F451A9F8 685D1A25 3FA9590A C0F69D24

SLOT 5/0: May 10 10:13:48.268 CET: DF2B84C1 02030100 01300D06 092A8648

SLOT 5/0: May 10 10:13:48.268 CET: 86F70D01 01050500 03818100 08DFC2DA

SLOT 5/0: May 10 10:13:48.268 CET: 8C3ECCDA 98289410 E1B8657A 9A3F220D

SLOT 5/0: May 10 10:13:48.268 CET: AE368029 0E89923F 0DF09E06 8142BAB7

SLOT 5/0: May 10 10:13:48.268 CET: E8A6D5B3 6D7604FF 6A07A8B8 409D0B0B

SLOT 5/0: May 10 10:13:48.268 CET: 6D568AF4 F9395199 AB54126C E9C22F1B

```

SLOT 5/0: May 10 10:13:48.268 CET:      6390543A 3B67EFB8 FCF0E755 F642E1E0
SLOT 5/0: May 10 10:13:48.268 CET:      273A3853 F4DDBFF1 391E63CE 8BB7BBC0
SLOT 5/0: May 10 10:13:48.268 CET:      8AFC59FC 767C3FA5 A5EB255C 8878F4AB
SLOT 5/0: May 10 10:13:48.272 CET:      63665AA9 CDCF779A 3DFE0C4C
SLOT 5/0: May 10 10:13:48.272 CET: Found COMPOUND SA Capabilities (length = 13):
SLOT 5/0: May 10 10:13:48.272 CET: Found Crypto Suite List (length = 6):
SLOT 5/0: May 10 10:13:48.272 CET:      01000200 0300
SLOT 5/0: May 10 10:13:48.272 CET: Found BPI Version (length = 1):
SLOT 5/0: May 10 10:13:48.272 CET:      01
SLOT 5/0: May 10 10:13:48.272 CET: Found SAID (length = 2):
SLOT 5/0: May 10 10:13:48.272 CET:      0000
SLOT 5/0: May 10 10:13:48.272 CET: END BPKM Attributes: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Get a CM Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Cable5/0/12: Auth-Req contains 1 SID(s).
SLOT 5/0: May 10 10:13:48.272 CET: Cable5/0/12: AuthReq with NULL SAID - D3.0 modem.
SLOT 5/0: May 10 10:13:48.272 CET: EAE_BPI_REQ: DISABLE a84e.3fdd.84c4 - OK
SLOT 5/0: May 10 10:13:48.272 CET: BPI_AES: Encryption priority is: aes128-des56-des40.
SLOT 5/0: May 10 10:13:48.272 CET: BPI_AES: AES is a candidate.
SLOT 5/0: May 10 10:13:48.272 CET: BPI Crypto Algorithm: sid:0 cfg_mod:1, cm_cap:0x7, assigned:3
aes_support:1
SLOT 5/0: May 10 10:13:48.272 CET: CMTS generated AUTH_KEY.
SLOT 5/0: May 10 10:13:48.272 CET: CMTS received 0 as primary SAID - D3.0
SLOT 5/0: May 10 10:13:48.272 CET: CM state:2050 MAC:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Parsed/Matched MAC Address:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: Got Issuer 0^A^A1^K0 ^F^CU^D^F^S^BTW1^\0^Z^F^CU^D
^S^SHitron Technologies1^00
^F^CU^D^K^S^FDOCISIS1C0A^F^CU^D^C^S:Hitron Technologies Cable Modem Root Certificate Authority
from Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Got a new Invalid CM cert from a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: CA Cert Subject does not match CM Cert Issuer

```

保存此filewith命名cmcert.txt。

任务3.准备xxd工具的文件

XXD是准许转换HEX转储到二进制文件反之亦然Linux/Mac工具。XXD需要六角形的数据有特定报头为了工作。请使用添加必要的报头的以下Python脚本：

```

SLOT 5/0: May 10 10:13:48.260 CET: BPI+ Manufacturer Cert Dump: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.260 CET: CA Certificate Dump:
SLOT 5/0: May 10 10:13:48.260 CET: 0x0000: 30 82 03 22 30 82 02 0A A0 03 02 01 02 02 10 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0010: 64 B5 50 E8 ED 7E E5 57 14 5A C0 A2 67 52 EC 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0020: 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05 00 30 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0030: 31 0B 30 09 06 03 55 04 06 13 02 42 45 31 1F 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x0040: 1D 06 03 55 04 0A 13 16 74 43 6F 6D 4C 61 62 73
SLOT 5/0: May 10 10:13:48.260 CET: 0x0050: 20 2D 20 45 75 72 6F 2D 44 4F 43 53 49 53 31 15
SLOT 5/0: May 10 10:13:48.260 CET: 0x0060: 30 13 06 03 55 04 0B 13 0C 43 61 62 6C 65 20 4D
SLOT 5/0: May 10 10:13:48.260 CET: 0x0070: 6F 64 65 6D 73 31 28 30 26 06 03 55 04 03 13 1F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0080: 45 75 72 6F 2D 44 4F 43 53 49 53 20 43 61 62 6C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0090: 65 20 4D 6F 64 65 6D 20 52 6F 6F 74 20 43 41 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00A0: 1E 17 0D 30 34 30 38 31 33 30 30 30 30 30 5A
SLOT 5/0: May 10 10:13:48.260 CET: 0x00B0: 17 0D 32 34 30 38 31 32 32 33 35 39 35 39 5A 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00C0: 81 86 31 0B 30 09 06 03 55 04 06 13 02 54 57 31
SLOT 5/0: May 10 10:13:48.260 CET: 0x00D0: 1C 30 1A 06 03 55 04 0A 13 13 48 69 74 72 6F 6E
SLOT 5/0: May 10 10:13:48.260 CET: 0x00E0: 20 54 65 63 68 6E 6F 6C 6F 67 69 65 73 31 14 30
SLOT 5/0: May 10 10:13:48.260 CET: 0x00F0: 12 06 03 55 04 0B 13 0B 45 75 72 6F 2D 44 4F 43
SLOT 5/0: May 10 10:13:48.260 CET: 0x0100: 53 49 53 31 43 30 41 06 03 55 04 03 13 3A 48 69
SLOT 5/0: May 10 10:13:48.260 CET: 0x0110: 74 72 6F 6E 20 54 65 63 68 6E 6F 6C 6F 67 69 65
SLOT 5/0: May 10 10:13:48.260 CET: 0x0120: 73 20 43 61 62 6C 65 20 4D 6F 64 65 6D 20 52 6F
SLOT 5/0: May 10 10:13:48.260 CET: 0x0130: 6F 74 20 43 65 72 74 69 66 69 63 61 74 65 20 41

```

SLOT 5/0: May 10 10:13:48.260 CET: 0x0140: 75 74 68 6F 72 69 74 79 30 81 9F 30 0D 06 09 2A
SLOT 5/0: May 10 10:13:48.260 CET: 0x0150: 86 48 86 F7 0D 01 01 01 05 00 03 81 8D 00 30 81
SLOT 5/0: May 10 10:13:48.260 CET: 0x0160: 89 02 81 81 00 B8 47 DA 9D F1 F6 30 1B 8E 79 BE
SLOT 5/0: May 10 10:13:48.260 CET: 0x0170: BE 10 C3 2D 9F 7D D6 C7 B2 50 16 AB 85 5C 1C 8C
SLOT 5/0: May 10 10:13:48.260 CET: 0x0180: 9E 6B F7 15 60 B2 53 F4 2F 6D 49 0C 2C 3E 76 88
SLOT 5/0: May 10 10:13:48.260 CET: 0x0190: 8A 8A 23 6B 25 47 61 AE B9 DF A8 A7 8C 4D 51 FB
SLOT 5/0: May 10 10:13:48.260 CET: 0x01A0: E6 C2 0F D9 C7 27 DD F7 D8 CC F0 D8 70 F8 75 75
SLOT 5/0: May 10 10:13:48.260 CET: 0x01B0: F3 D8 B7 80 C2 36 B0 53 02 A4 E9 84 02 5F 66 AE
SLOT 5/0: May 10 10:13:48.260 CET: 0x01C0: E7 59 9A 17 4A A0 B1 B4 BA F3 3B 63 C4 75 05 11
SLOT 5/0: May 10 10:13:48.260 CET: 0x01D0: 40 F1 EB B3 C8 A0 E8 AD 6E 1B 59 CC 41 20 F8 94
SLOT 5/0: May 10 10:13:48.260 CET: 0x01E0: B3 94 23 A2 99 02 03 01 00 01 A3 26 30 24 30 12
SLOT 5/0: May 10 10:13:48.260 CET: 0x01F0: 06 03 55 1D 13 01 01 FF 04 08 30 06 01 01 FF 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0200: 01 00 30 0E 06 03 55 1D 0F 01 01 FF 04 04 03 02
SLOT 5/0: May 10 10:13:48.264 CET: 0x0210: 01 06 30 0D 06 09 2A 86 48 86 F7 0D 01 01 05 05
SLOT 5/0: May 10 10:13:48.264 CET: 0x0220: 00 03 82 01 01 00 09 DB 24 B9 46 76 D7 D0 9F 70
SLOT 5/0: May 10 10:13:48.264 CET: 0x0230: 86 59 ED 7F 9B AC 96 FD AE 19 DD B3 51 3B A5 C0
SLOT 5/0: May 10 10:13:48.264 CET: 0x0240: 98 DA 80 2B 53 26 42 FA 6A 11 9F 6D 16 6F 76 F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x0250: 9A F3 81 53 E8 DB EF 22 DF AC 3F 57 78 0E 70 78
SLOT 5/0: May 10 10:13:48.264 CET: 0x0260: 07 30 1D FF 19 70 34 E5 7A 52 47 99 B0 EE 7F EA
SLOT 5/0: May 10 10:13:48.264 CET: 0x0270: 23 99 DF CB 72 FF 0D BE AB 68 20 9F 16 C0 7C 69
SLOT 5/0: May 10 10:13:48.264 CET: 0x0280: 88 2D 00 6A AF 4B FF 93 A5 07 D3 F2 A8 F9 5B C4
SLOT 5/0: May 10 10:13:48.264 CET: 0x0290: DD 9F BF 49 36 C4 12 8A 64 C8 35 41 BB E2 B9 9B
SLOT 5/0: May 10 10:13:48.264 CET: 0x02A0: 52 45 67 38 DC 92 55 E3 33 A4 70 68 FC E7 6E 54
SLOT 5/0: May 10 10:13:48.264 CET: 0x02B0: 96 CA 89 B4 65 8B 2C AA 58 24 FC 4D 68 D7 84 4E
SLOT 5/0: May 10 10:13:48.264 CET: 0x02C0: 36 3B B3 CA 9A 42 13 B1 FF 8C 66 D8 52 10 56 74
SLOT 5/0: May 10 10:13:48.264 CET: 0x02D0: C7 DD 58 C3 EE 9D E3 65 E6 C1 5D B9 75 C2 A8 C9
SLOT 5/0: May 10 10:13:48.264 CET: 0x02E0: 54 5B A1 85 38 3B E1 E1 DC 55 5D 3E DD 90 ED F8
SLOT 5/0: May 10 10:13:48.264 CET: 0x02F0: 3A B0 68 93 E9 4A C2 D4 7F DC 90 E3 86 E2 CF C3
SLOT 5/0: May 10 10:13:48.264 CET: 0x0300: F2 A3 92 84 B3 A3 9A F8 71 30 F8 24 71 C2 07 BD
SLOT 5/0: May 10 10:13:48.264 CET: 0x0310: E8 6C 3C F7 FC 82 08 86 84 84 1B C4 D8 97 D3 50
SLOT 5/0: May 10 10:13:48.264 CET: 0x0320: 59 72 2D D5 4C 0B
SLOT 5/0: May 10 10:13:48.264 CET: Found existing manufacturer certificate for a84e.3fdd.84c4
with subject cn=Hitron Technologies Cable Modem Root Certificate Authority,ou=Euro-
DOCSIS,o=Hitron Technologies,c=TW
SLOT 5/0: May 10 10:13:48.264 CET: BPI: setting a84e.3fdd.84c4 caidx:3

SLOT 5/0: May 10 10:13:48.264 CET: Mfg serial no. from a84e.3fdd.84c4 certificate:
4364B550E8ED7EE557145AC0A26752EC
SLOT 5/0: May 10 10:13:48.264 CET: Finger print of a84e.3fdd.84c4 manufacturer certificate
matched.
SLOT 5/0: May 10 10:13:48.264 CET: crl0k_clc_snmp_bpiplus_broadcast_cert() CA idx:3
state:Chained rowStatus:Active prov:0 len:1078 idx:3 state:Chained rowState:Active prov:0
learn:1 idx:3
SLOT 5/0: May 10 10:13:48.268 CET: BPI: Sent CA Cert to RP successfully.
SLOT 5/0: May 10 10:13:48.268 CET: Success in validating AUTH Info message from a84e.3fdd.84c4.
SLOT 5/0: May 10 10:13:48.268 CET: CMTS Received AUTH REQ from a84e.3fdd.84c4.
SLOT 5/0: May 10 10:13:48.268 CET: BPI Authorization Request Packet: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.268 CET: BPKM Attributes: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.268 CET: Found COMPOUND CM Identification (length = 173):
SLOT 5/0: May 10 10:13:48.268 CET: Found Serial Number (length = 12):
32353331 36433030 38303433
SLOT 5/0: May 10 10:13:48.268 CET: Found Manufacturer ID (length = 3):
0050F1
SLOT 5/0: May 10 10:13:48.268 CET: Found MAC Address (length = 6):
A84E3FDD 84C4
SLOT 5/0: May 10 10:13:48.268 CET: Found RSA Public Key (length = 140):
SLOT 5/0: May 10 10:13:48.268 CET: 30818902 818100B0 D4F2B649 87FCE340
SLOT 5/0: May 10 10:13:48.268 CET: B21FB1E0 8CFE04DD DB3D05D5 34170886
SLOT 5/0: May 10 10:13:48.268 CET: 7623EE25 4E4A61FC 6D134830 55F402CF
SLOT 5/0: May 10 10:13:48.268 CET: 89B11B34 867B3EF7 D9FE6CBE 8B4C251F
SLOT 5/0: May 10 10:13:48.268 CET: DA5A2E47 D65C2120 8EFC72E2 238D5443
SLOT 5/0: May 10 10:13:48.268 CET: 786F151A A7FE6C21 371957DD 3FEB8435
SLOT 5/0: May 10 10:13:48.268 CET: 8AA1B7A2 181DAF7A 4F7DD4E9 128D953C
SLOT 5/0: May 10 10:13:48.268 CET: 146B77F4 51A9F868 5D1A253F A9590AC0

```

SLOT 5/0: May 10 10:13:48.268 CET:      F69D24DF 2B84C102 03010001
SLOT 5/0: May 10 10:13:48.268 CET:      Found CM Certificate (length = 652):
SLOT 5/0: May 10 10:13:48.268 CET:      30820288 308201F1 A0030201 02020C41
SLOT 5/0: May 10 10:13:48.268 CET:      38344533 46444438 34433430 0D06092A
SLOT 5/0: May 10 10:13:48.268 CET:      864886F7 0D010105 05003081 81310B30
SLOT 5/0: May 10 10:13:48.268 CET:      09060355 04061302 5457311C 301A0603
SLOT 5/0: May 10 10:13:48.268 CET:      55040A13 13486974 726F6E20 54656368
SLOT 5/0: May 10 10:13:48.268 CET:      6E6F6C6F 67696573 310F300D 06035504
SLOT 5/0: May 10 10:13:48.268 CET:      0B130644 4F435349 53314330 41060355
SLOT 5/0: May 10 10:13:48.268 CET:      0403133A 48697472 6F6E2054 6563686E
SLOT 5/0: May 10 10:13:48.268 CET:      6F6C6F67 69657320 4361626C 65204D6F
SLOT 5/0: May 10 10:13:48.268 CET:      64656D20 526F6F74 20436572 74696669
SLOT 5/0: May 10 10:13:48.268 CET:      63617465 20417574 686F7269 7479301E
SLOT 5/0: May 10 10:13:48.268 CET:      170D3137 30313031 30303030 30305A17
SLOT 5/0: May 10 10:13:48.268 CET:      0D333631 32323832 33353935 395A3081
SLOT 5/0: May 10 10:13:48.268 CET:      86310B30 09060355 04061302 5457311C
SLOT 5/0: May 10 10:13:48.268 CET:      301A0603 55040A13 13486974 726F6E20
SLOT 5/0: May 10 10:13:48.268 CET:      54656368 6E6F6C6F 67696573 313D303B
SLOT 5/0: May 10 10:13:48.268 CET:      06035504 0B13344E 6F2E2034 302C2057
SLOT 5/0: May 10 10:13:48.268 CET:      752D6B75 6E672035 74682052 642E2C20
SLOT 5/0: May 10 10:13:48.268 CET:      57752D6B 752C2054 61697065 69204873
SLOT 5/0: May 10 10:13:48.268 CET:      69656E2C 20546169 77616E31 1A301806
SLOT 5/0: May 10 10:13:48.268 CET:      03550403 13114138 3A34453A 33463A44
SLOT 5/0: May 10 10:13:48.268 CET:      443A3834 3A433430 819F300D 06092A86
SLOT 5/0: May 10 10:13:48.268 CET:      4886F70D 01010105 0003818D 00308189
SLOT 5/0: May 10 10:13:48.268 CET:      02818100 B0D4F2B6 4987FCE3 40B21FB1
SLOT 5/0: May 10 10:13:48.268 CET:      E08CFE04 DDB3D05  D5341708 867623EE
SLOT 5/0: May 10 10:13:48.268 CET:      254E4A61 FC6D1348 3055F402 CF89B11B
SLOT 5/0: May 10 10:13:48.268 CET:      34867B3E F7D9FE6C BE8B4C25 1FDA5A2E
SLOT 5/0: May 10 10:13:48.268 CET:      47D65C21 208EFC72  E2238D54 43786F15
SLOT 5/0: May 10 10:13:48.268 CET:      1AA7FE6C 21371957  DD3FEB84 358AA1B7
SLOT 5/0: May 10 10:13:48.268 CET:      A2181DAF 7A4F7DD4  E9128D95 3C146B77
SLOT 5/0: May 10 10:13:48.268 CET:      F451A9F8 685D1A25  3FA9590A C0F69D24
SLOT 5/0: May 10 10:13:48.268 CET:      DF2B84C1 02030100 01300D06 092A8648
SLOT 5/0: May 10 10:13:48.268 CET:      86F70D01 01050500 03818100 08DFC2DA
SLOT 5/0: May 10 10:13:48.268 CET:      8C3ECCDA 98289410  E1B8657A 9A3F220D
SLOT 5/0: May 10 10:13:48.268 CET:      AE368029 0E89923F 0DF09E06 8142BAB7
SLOT 5/0: May 10 10:13:48.268 CET:      E8A6D5B3 6D7604FF  6A07A8B8 409D0B0B
SLOT 5/0: May 10 10:13:48.268 CET:      6D568AF4 F9395199  AB54126C E9C22F1B
SLOT 5/0: May 10 10:13:48.268 CET:      6390543A 3B67EFB8  FCF0E755 F642E1E0
SLOT 5/0: May 10 10:13:48.268 CET:      273A3853 F4DDBFF1 391E63CE 8BB7BBC0
SLOT 5/0: May 10 10:13:48.268 CET:      8AFC59FC 767C3FA5  A5EB255C 8878F4AB
SLOT 5/0: May 10 10:13:48.272 CET:      63665AA9 CDCF779A 3DFE0C4C
SLOT 5/0: May 10 10:13:48.272 CET:      Found COMPOUND SA Capabilities (length = 13):
SLOT 5/0: May 10 10:13:48.272 CET:      Found Crypto Suite List (length = 6):
SLOT 5/0: May 10 10:13:48.272 CET:      01000200 0300
SLOT 5/0: May 10 10:13:48.272 CET:      Found BPI Version (length = 1):
SLOT 5/0: May 10 10:13:48.272 CET:      01
SLOT 5/0: May 10 10:13:48.272 CET:      Found SAID (length = 2):
SLOT 5/0: May 10 10:13:48.272 CET:      0000
SLOT 5/0: May 10 10:13:48.272 CET:      END BPKM Attributes: a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET:      Get a CM Certificate.
SLOT 5/0: May 10 10:13:48.272 CET:      Cable5/0/12: Auth-Req contains 1 SID(s).
SLOT 5/0: May 10 10:13:48.272 CET:      Cable5/0/12: AuthReq with NULL SAID - D3.0 modem.
SLOT 5/0: May 10 10:13:48.272 CET:      EAE_BPI_REQ:  DISABLE a84e.3fdd.84c4 - OK
SLOT 5/0: May 10 10:13:48.272 CET:      BPI_AES:  Encryption priority is: aes128-des56-des40.
SLOT 5/0: May 10 10:13:48.272 CET:      BPI_AES:  AES is a candidate.
SLOT 5/0: May 10 10:13:48.272 CET:      BPI Crypto Algorithm: sid:0 cfg_mod:1, cm_cap:0x7, assigned:3
aes_support:1
SLOT 5/0: May 10 10:13:48.272 CET:      CMTS generated AUTH_KEY.
SLOT 5/0: May 10 10:13:48.272 CET:      CMTS received 0 as primary SAID - D3.0
SLOT 5/0: May 10 10:13:48.272 CET:      CM state:2050 MAC:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET:      Parsed/Matched MAC Address:a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET:      Got Issuer 0^A^A1^K0 ^F^CU^D^F^S^BTW1^\0^Z^F^CU^D

```

```
^S^SHitron Technologies1^00
^F^CU^D^K^S^FDOCSIS1C0A^F^CU^D^C^S:Hitron Technologies Cable Modem Root Certificate Authority
from Certificate.
SLOT 5/0: May 10 10:13:48.272 CET: Got a new Invalid CM cert from a84e.3fdd.84c4
SLOT 5/0: May 10 10:13:48.272 CET: CA Cert Subject does not match CM Cert Issuer
```

任务4.从Hexdump的转换证书到二进制格式

运行此命令转换CA证书。

```
python3.5 addoffset.py cacert.txt | xxd -r > cacert.crt
```

运行此命令转换CM证书。

```
python3.5 addoffset.py cmcert.txt | xxd -r > cmcert.crt
```

这些生成的CRT文件可以当前被检查所有不匹配。

任务5.复核证书

为了读文件用Openssl或密钥链工具使用。

一示例用CA证书的openssl工具。

```
TVANEGRO-M-N1QP:Desktop tvanegro$ openssl x509 -inform der -in cacert.crt -noout -text
Certificate:
Data:
Version: 3 (0x2)
Serial Number:
43:64:b5:50:e8:ed:7e:e5:57:14:5a:c0:a2:67:52:ec
Signature Algorithm: sha1WithRSAEncryption
Issuer: C=BE, O=tComLabs - Euro-DOCSIS, OU=Cable Modems, CN=Euro-DOCSIS Cable Modem Root CA
Validity
Not Before: Aug 13 00:00:00 2004 GMT
Not After : Aug 12 23:59:59 2024 GMT
Subject: C=TW, O=Hitron Technologies, OU=Euro-DOCSIS, CN=Hitron Technologies Cable Modem Root
Certificate Authority
Subject Public Key Info:
Public Key Algorithm: rsaEncryption
RSA Public Key: (1024 bit)
Modulus (1024 bit):
00:b8:47:da:9d:f1:f6:30:1b:8e:79:be:be:10:c3:
2d:9f:7d:d6:c7:b2:50:16:ab:85:5c:1c:8c:9e:6b:
f7:15:60:b2:53:f4:2f:6d:49:0c:2c:3e:76:88:8a:
8a:23:6b:25:47:61:ae:b9:df:a8:a7:8c:4d:51:fb:
e6:c2:0f:d9:c7:27:dd:f7:d8:cc:f0:d8:70:f8:75:
75:f3:d8:b7:80:c2:36:b0:53:02:a4:e9:84:02:5f:
66:ae:e7:59:9a:17:4a:a0:b1:b4:ba:f3:3b:63:c4:
75:05:11:40:f1:eb:b3:c8:a0:e8:ad:6e:1b:59:cc:
41:20:f8:94:b3:94:23:a2:99
Exponent: 65537 (0x10001)
X509v3 extensions:
X509v3 Basic Constraints: critical
CA:TRUE, pathlen:0
X509v3 Key Usage: critical
Certificate Sign, CRL Sign
Signature Algorithm: sha1WithRSAEncryption
09:db:24:b9:46:76:d7:d0:9f:70:86:59:ed:7f:9b:ac:96:fd:
ae:19:dd:b3:51:3b:a5:c0:98:da:80:2b:53:26:42:fa:6a:11:
9f:6d:16:6f:76:f8:9a:f3:81:53:e8:db:ef:22:df:ac:3f:57:
78:0e:70:78:07:30:1d:ff:19:70:34:e5:7a:52:47:99:b0:ee:
7f:ea:23:99:df:cb:72:ff:0d:be:ab:68:20:9f:16:c0:7c:69:
```

```
88:2d:00:6a:af:4b:ff:93:a5:07:d3:f2:a8:f9:5b:c4:dd:9f:
bf:49:36:c4:12:8a:64:c8:35:41:bb:e2:b9:9b:52:45:67:38:
dc:92:55:e3:33:a4:70:68:fc:e7:6e:54:96:ca:89:b4:65:8b:
2c:aa:58:24:fc:4d:68:d7:84:4e:36:3b:b3:ca:9a:42:13:b1:
ff:8c:66:d8:52:10:56:74:c7:dd:58:c3:ee:9d:e3:65:e6:c1:
5d:b9:75:c2:a8:c9:54:5b:a1:85:38:3b:e1:e1:dc:55:5d:3e:
dd:90:ed:f8:3a:b0:68:93:e9:4a:c2:d4:7f:dc:90:e3:86:e2:
cf:c3:f2:a3:92:84:b3:a3:9a:f8:71:30:f8:24:71:c2:07:bd:
e8:6c:3c:f7:fc:82:08:86:84:84:1b:c4:d8:97:d3:50:59:72:
2d:d5:4c:0b
```

一示例用CM证书的openssl工具。

```
TVANEGRO-M-N1QP:Desktop tvanegro$ openssl x509 -inform der -in cmcert.crt -noout -text
Certificate:
Data:
Version: 3 (0x2)
Serial Number:
41:38:34:45:33:46:44:44:38:34:43:34
Signature Algorithm: sha1WithRSAEncryption
Issuer: C=TW, O=Hitron Technologies, OU=DOCSIS, CN=Hitron Technologies Cable Modem Root
Certificate Authority
Validity
Not Before: Jan 1 00:00:00 2017 GMT
Not After : Dec 28 23:59:59 2036 GMT
Subject: C=TW, O=Hitron Technologies, OU=No. 40, Wu-kung 5th Rd., Wu-ku, Taipei Hsien, Taiwan,
CN=A8:4E:3F:DD:84:C4
Subject Public Key Info:
Public Key Algorithm: rsaEncryption
RSA Public Key: (1024 bit)
Modulus (1024 bit):
00:b0:d4:f2:b6:49:87:fc:e3:40:b2:1f:b1:e0:8c:
fe:04:dd:db:3d:05:d5:34:17:08:86:76:23:ee:25:
4e:4a:61:fc:6d:13:48:30:55:f4:02:cf:89:b1:1b:
34:86:7b:3e:f7:d9:fe:6c:be:8b:4c:25:1f:da:5a:
2e:47:d6:5c:21:20:8e:fc:72:e2:23:8d:54:43:78:
6f:15:1a:a7:fe:6c:21:37:19:57:dd:3f:eb:84:35:
8a:a1:b7:a2:18:1d:af:7a:4f:7d:d4:e9:12:8d:95:
3c:14:6b:77:f4:51:a9:f8:68:5d:1a:25:3f:a9:59:
0a:c0:f6:9d:24:df:2b:84:c1
Exponent: 65537 (0x10001)
Signature Algorithm: sha1WithRSAEncryption
08:df:c2:da:8c:3e:cc:da:98:28:94:10:e1:b8:65:7a:9a:3f:
22:0d:ae:36:80:29:0e:89:92:3f:0d:f0:9e:06:81:42:ba:b7:
e8:a6:d5:b3:6d:76:04:ff:6a:07:a8:b8:40:9d:0b:0b:6d:56:
8a:f4:f9:39:51:99:ab:54:12:6c:e9:c2:2f:1b:63:90:54:3a:
3b:67:ef:b8:fc:f0:e7:55:f6:42:e1:e0:27:3a:38:53:f4:dd:
bf:f1:39:1e:63:ce:8b:b7:bb:c0:8a:fc:59:fc:76:7c:3f:a5:
a5:eb:25:5c:88:78:f4:ab:63:66:5a:a9:cd:cf:77:9a:3d:fe:
0c:4c
```

您能看到OU= (组织单位)字段不配比。在示例中，您看到DOCSIS和Euro-DOCSIS。那是原因为什么CMTS拒绝证书。

您在Mac OS能使用密钥链工具查看证书。

Hitron Technologies Cable Modem Root Certificate Authority

Secure Sockets Layer (SSL) no value specified

Secure Mail (S/MIME) no value specified

Extensible Authentication (EAP) no value specified

IP Security (IPsec) no value specified

Code Signing no value specified

Time Stamping no value specified

X.509 Basic Policy no value specified

▼ Details

Subject Name _____

Country TW

Organization Hitron Technologies

Organizational Unit Euro-DOCSIS

Common Name Hitron Technologies Cable Modem Root Certificate Authority

Issuer Name _____

Country BE

Organization tComLabs - Euro-DOCSIS

Organizational Unit Cable Modems

Common Name Euro-DOCSIS Cable Modem Root CA

Serial Number 43 64 B5 50 E8 ED 7E E5 57 14 5A C0 A2 67 52 EC

A8:4E:3F:DD:84:C4

Time Stamping no value specified

X.509 Basic Policy no value specified

▼ Details

Subject Name _____

Country TW

Organization Hitron Technologies

Organizational Unit No. 40, Wu-kung 5th Rd., Wu-ku, Taipei Hsien, Taiwan

Common Name A8:4E:3F:DD:84:C4

Issuer Name _____

Country TW

Organization Hitron Technologies

Organizational Unit DOCSIS

Common Name Hitron Technologies Cable Modem Root Certificate Authority

Serial Number 41 38 34 45 33 46 44 44 38 34 43 34

Version 3

Signature Algorithm SHA-1 with RSA Encryption (1.2.840.113549.1.1.5)

Parameters none

Not Valid Before Sunday, 1 January 2017 at 01:00:00 Central European Standard Time