



支持的 SNMP MIB 和 OID

• 支持的 SNMP MIB 和 OID 列表，第 1 页

支持的 SNMP MIB 和 OID 列表

此列表显示设备的受支持 SNMP MIB 和 OID。

[1]	.1.3.6.1.2.1.2.1	IF-MIB::ifNumber
[2]	.1.3.6.1.2.1.2.2.1.1	IF-MIB::ifIndex
[3]	.1.3.6.1.2.1.2.2.1.2	IF-MIB::ifDescr
[4]	.1.3.6.1.2.1.2.2.1.3	IF-MIB::ifType
[5]	.1.3.6.1.2.1.2.2.1.4	IF-MIB::ifMtu
[6]	.1.3.6.1.2.1.2.2.1.5	IF-MIB::ifSpeed
[7]	.1.3.6.1.2.1.2.2.1.6	IF-MIB::ifPhysAddress
[8]	.1.3.6.1.2.1.2.2.1.7	IF-MIB::ifAdminStatus
[9]	.1.3.6.1.2.1.2.2.1.8	IF-MIB::ifOperStatus
[10]	.1.3.6.1.2.1.2.2.1.9	IF-MIB::ifLastChange
[11]	.1.3.6.1.2.1.2.2.1.10	IF-MIB::ifInOctets
[12]	.1.3.6.1.2.1.2.2.1.11	IF-MIB::ifInUcastPkts
[13]	.1.3.6.1.2.1.2.2.1.12	IF-MIB::ifInNUcastPkts
[14]	.1.3.6.1.2.1.2.2.1.13	IF-MIB::ifInDiscards
[15]	.1.3.6.1.2.1.2.2.1.14	IF-MIB::ifInErrors
[16]	.1.3.6.1.2.1.2.2.1.15	IF-MIB::ifInUnknownProtos
[17]	.1.3.6.1.2.1.2.2.1.16	IF-MIB::ifOutOctets
[18]	.1.3.6.1.2.1.2.2.1.17	IF-MIB::ifOutUcastPkts
[19]	.1.3.6.1.2.1.2.2.1.18	IF-MIB::ifOutNUcastPkts
[20]	.1.3.6.1.2.1.2.2.1.19	IF-MIB::ifOutDiscards
[21]	.1.3.6.1.2.1.2.2.1.20	IF-MIB::ifOutErrors
[22]	.1.3.6.1.2.1.2.2.1.21	IF-MIB::ifOutQLen
[23]	.1.3.6.1.2.1.2.2.1.22	IF-MIB::ifSpecific
[24]	.1.3.6.1.2.1.31.1.1.1.1	IF-MIB::ifName
[25]	.1.3.6.1.2.1.31.1.1.1.2	IF-MIB::ifInMulticastPkts
[26]	.1.3.6.1.2.1.31.1.1.1.3	IF-MIB::ifInBroadcastPkts
[27]	.1.3.6.1.2.1.31.1.1.1.4	IF-MIB::ifOutMulticastPkts
[28]	.1.3.6.1.2.1.31.1.1.1.5	IF-MIB::ifOutBroadcastPkts
[29]	.1.3.6.1.2.1.31.1.1.1.6	IF-MIB::ifHCInOctets
[30]	.1.3.6.1.2.1.31.1.1.1.7	IF-MIB::ifHCInUcastPkts
[31]	.1.3.6.1.2.1.31.1.1.1.8	IF-MIB::ifHCInMulticastPkts
[32]	.1.3.6.1.2.1.31.1.1.1.9	IF-MIB::ifHCInBroadcastPkts
[33]	.1.3.6.1.2.1.31.1.1.1.10	IF-MIB::ifHCOutOctets
[34]	.1.3.6.1.2.1.31.1.1.1.11	IF-MIB::ifHCOutUcastPkts
[35]	.1.3.6.1.2.1.31.1.1.1.12	IF-MIB::ifHCOutMulticastPkts
[36]	.1.3.6.1.2.1.31.1.1.1.13	IF-MIB::ifHCOutBroadcastPkts
[37]	.1.3.6.1.2.1.31.1.1.1.14	IF-MIB::ifLinkUpDownTrapEnable

支持的 SNMP MIB 和 OID 列表

[38]	.1.3.6.1.2.1.31.1.1.1.15	IF-MIB::ifHighSpeed
[39]	.1.3.6.1.2.1.31.1.1.1.16	IF-MIB::ifPromiscuousMode
[40]	.1.3.6.1.2.1.31.1.1.1.17	IF-MIB::ifConnectorPresent
[41]	.1.3.6.1.2.1.31.1.1.1.18	IF-MIB::ifAlias
[42]	.1.3.6.1.2.1.31.1.1.1.19	IF-MIB::ifCounterDiscontinuityTime
[43]	.1.3.6.1.4.1.9.9.276.1.1.2.1.20	CISCO-SMI::ciscoMgmt.276.1.1.2.1.20
[44]	.1.3.6.1.4.1.9.9.276.1.1.2.1.21	CISCO-SMI::ciscoMgmt.276.1.1.2.1.21
[45]	.1.3.6.1.2.1.4.30.1.1	IP-MIB::ipv6InterfaceIfIndex
[46]	.1.3.6.1.2.1.4.30.1.2	IP-MIB::ipv6InterfaceReasmMaxSize
[47]	.1.3.6.1.2.1.4.30.1.3	IP-MIB::ipv6InterfaceIdentifier
[48]	.1.3.6.1.2.1.4.30.1.5	IP-MIB::ipv6InterfaceEnableStatus
[49]	.1.3.6.1.2.1.4.30.1.6	IP-MIB::ipv6InterfaceReachableTime
[50]	.1.3.6.1.2.1.4.30.1.7	IP-MIB::ipv6InterfaceRetransmitTime
[51]	.1.3.6.1.2.1.4.30.1.8	IP-MIB::ipv6InterfaceForwarding
[52]	.1.3.6.1.4.1.9.9.109.1.1.1.1.1	CISCO-PROCESS-MIB::cpmCPUTotalIndex
[53]	.1.3.6.1.4.1.9.9.109.1.1.1.1.2	CISCO-PROCESS-MIB::cpmCPUTotalPhysicalIndex
[54]	.1.3.6.1.4.1.9.9.109.1.1.1.1.6	CISCO-PROCESS-MIB::cpmCPUTotal5secRev
[55]	.1.3.6.1.4.1.9.9.109.1.1.1.1.7	CISCO-PROCESS-MIB::cpmCPUTotal1minRev
[56]	.1.3.6.1.4.1.9.9.109.1.1.1.1.8	CISCO-PROCESS-MIB::cpmCPUTotal5minRev
[57]	.1.3.6.1.4.1.9.9.109.1.1.1.1.9	CISCO-PROCESS-MIB::cpmCPUMonInterval
[58]	.1.3.6.1.4.1.9.9.109.1.1.1.1.10	CISCO-PROCESS-MIB::cpmCPUTotalMonIntervalValue
[59]	.1.3.6.1.4.1.9.9.109.1.1.1.1.11	CISCO-PROCESS-MIB::cpmCPUInterruptMonIntervalValue
[60]	.1.3.6.1.4.1.9.9.109.1.2.1.1.1	CISCO-PROCESS-MIB::cpmProcessPID
[61]	.1.3.6.1.4.1.9.9.109.1.2.1.1.2	CISCO-PROCESS-MIB::cpmProcessName
[62]	.1.3.6.1.4.1.9.9.109.1.2.1.1.4	CISCO-PROCESS-MIB::cpmProcessuSecs
[63]	.1.3.6.1.4.1.9.9.109.1.2.1.1.5	CISCO-PROCESS-MIB::cpmProcessTimeCreated
[64]	.1.3.6.1.4.1.9.9.109.1.2.1.1.6	CISCO-PROCESS-MIB::cpmProcessAverageUsec
[65]	.1.3.6.1.4.1.9.9.109.1.2.3.1.1	CISCO-PROCESS-MIB::cpmProcExtMemAllocatedRev
[66]	.1.3.6.1.4.1.9.9.109.1.2.3.1.2	CISCO-PROCESS-MIB::cpmProcExtMemFreedRev
[67]	.1.3.6.1.4.1.9.9.109.1.2.3.1.3	CISCO-PROCESS-MIB::cpmProcExtInvokedRev
[68]	.1.3.6.1.4.1.9.9.109.1.2.3.1.4	CISCO-PROCESS-MIB::cpmProcExtRuntimeRev
[69]	.1.3.6.1.4.1.9.9.109.1.2.3.1.5	CISCO-PROCESS-MIB::cpmProcExtUtil5SecRev
[70]	.1.3.6.1.4.1.9.9.109.1.2.3.1.6	CISCO-PROCESS-MIB::cpmProcExtUtil1MinRev
[71]	.1.3.6.1.4.1.9.9.109.1.2.3.1.7	CISCO-PROCESS-MIB::cpmProcExtUtil5MinRev
[72]	.1.3.6.1.4.1.9.9.109.1.2.3.1.8	CISCO-PROCESS-MIB::cpmProcExtPriorityRev
[73]	.1.3.6.1.4.1.9.9.109.1.2.4.1.1	CISCO-PROCESS-MIB::cpmCPUThresholdClass
[74]	.1.3.6.1.4.1.9.9.109.1.2.4.1.2	CISCO-PROCESS-MIB::cpmCPURisingThresholdValue
[75]	.1.3.6.1.4.1.9.9.109.1.2.4.1.3	CISCO-PROCESS-MIB::cpmCPURisingThresholdPeriod
[76]	.1.3.6.1.4.1.9.9.109.1.2.4.1.4	CISCO-PROCESS-MIB::cpmCPUFallingThresholdValue
[77]	.1.3.6.1.4.1.9.9.109.1.2.4.1.5	CISCO-PROCESS-MIB::cpmCPUFallingThresholdPeriod
[78]	.1.3.6.1.4.1.9.9.109.1.2.4.1.6	CISCO-PROCESS-MIB::cpmCPUThresholdEntryStatus
[79]	.1.3.6.1.4.1.9.9.41.1.1.6	CISCO-SYSLOG-MIB::clogOriginIDType
[80]	.1.3.6.1.4.1.9.9.41.1.1.7	CISCO-SYSLOG-MIB::clogOriginID
[81]	.1.3.6.1.4.1.9.9.41.1.1.1	CISCO-SYSLOG-MIB::clogNotificationsSent
[82]	.1.3.6.1.4.1.9.9.41.1.1.2	CISCO-SYSLOG-MIB::clogNotificationsEnabled
[83]	.1.3.6.1.4.1.9.9.41.1.1.3	CISCO-SYSLOG-MIB::clogMaxSeverity
[84]	.1.3.6.1.4.1.9.9.41.1.1.4	CISCO-SYSLOG-MIB::clogMsgIgnores
[85]	.1.3.6.1.4.1.9.9.41.1.1.5	CISCO-SYSLOG-MIB::clogMsgDrops
[86]	.1.3.6.1.4.1.9.9.41.1.2.3.1.1	CISCO-SYSLOG-MIB::clogHistIndex
[87]	.1.3.6.1.4.1.9.9.41.1.2.3.1.2	CISCO-SYSLOG-MIB::clogHistFacility
[88]	.1.3.6.1.4.1.9.9.41.1.2.3.1.3	CISCO-SYSLOG-MIB::clogHistSeverity
[89]	.1.3.6.1.4.1.9.9.41.1.2.3.1.4	CISCO-SYSLOG-MIB::clogHistMsgName
[90]	.1.3.6.1.4.1.9.9.41.1.2.3.1.5	CISCO-SYSLOG-MIB::clogHistMsgText
[91]	.1.3.6.1.4.1.9.9.41.1.2.3.1.6	CISCO-SYSLOG-MIB::clogHistTimestamp
[92]	.1.3.6.1.2.1.123.1.4.1.1	NAT-MIB::natAddrMapIndex
[93]	.1.3.6.1.2.1.123.1.4.1.2	NAT-MIB::natAddrMapName
[94]	.1.3.6.1.2.1.123.1.4.1.10	NAT-MIB::natAddrMapGlobalAddrType
[95]	.1.3.6.1.2.1.123.1.4.1.11	NAT-MIB::natAddrMapGlobalAddrFrom
[96]	.1.3.6.1.2.1.123.1.4.1.12	NAT-MIB::natAddrMapGlobalAddrTo
[97]	.1.3.6.1.2.1.123.1.4.1.13	NAT-MIB::natAddrMapGlobalPortFrom
[98]	.1.3.6.1.2.1.123.1.4.1.14	NAT-MIB::natAddrMapGlobalPortTo
[99]	.1.3.6.1.2.1.123.1.4.1.15	NAT-MIB::natAddrMapProtocol
[100]	.1.3.6.1.2.1.123.1.4.1.19	NAT-MIB::natAddrMapAddrUsed
[101]	.1.3.6.1.4.1.9.9.532.1.1.1.1	CISCO-NAT-EXT-MIB::cneAddrTranslationNumActive

[102]	.1.3.6.1.4.1.9.9.532.1.1.1.2	CISCO-NAT-EXT-MIB::cneAddrTranslationNumPeak
[103]	.1.3.6.1.4.1.9.9.532.1.1.1.3	CISCO-NAT-EXT-MIB::cneAddrTranslationlmin
[104]	.1.3.6.1.4.1.9.9.532.1.1.1.4	CISCO-NAT-EXT-MIB::cneAddrTranslation5min
[105]	.1.3.6.1.4.1.3076.2.1.2.36.1.1	ALTIGA-LBSSF-STATS-MIB::allBSSFRole
[106]	.1.3.6.1.4.1.3076.2.1.2.36.1.2	ALTIGA-LBSSF-STATS-MIB::allBSSFDeviceType
[107]	.1.3.6.1.4.1.3076.2.1.2.36.1.3	ALTIGA-LBSSF-STATS-MIB::allBSSFActive
[108]	.1.3.6.1.4.1.3076.2.1.2.36.1.4	ALTIGA-LBSSF-STATS-MIB::allBSSFNumberOfPeers
[109]	.1.3.6.1.4.1.3076.2.1.2.36.1.5	ALTIGA-LBSSF-STATS-MIB::allBSSFLoad
[110]	.1.3.6.1.2.1.4.1	IP-MIB::ipForwarding
[111]	.1.3.6.1.2.1.4.24.6	IP-FORWARD-MIB::inetCidrRouteNumber
[112]	.1.3.6.1.2.1.4.35.1.1	IP-MIB::ipNetToPhysicalIfIndex
[113]	.1.3.6.1.2.1.4.35.1.2	IP-MIB::ipNetToPhysicalNetAddressType
[114]	.1.3.6.1.2.1.4.35.1.3	IP-MIB::ipNetToPhysicalNetAddress
[115]	.1.3.6.1.2.1.4.35.1.4	IP-MIB::ipNetToPhysicalPhysAddress
[116]	.1.3.6.1.2.1.4.35.1.5	IP-MIB::ipNetToPhysicalLastUpdated
[117]	.1.3.6.1.2.1.4.35.1.6	IP-MIB::ipNetToPhysicalType
[118]	.1.3.6.1.2.1.4.35.1.7	IP-MIB::ipNetToPhysicalState
[119]	.1.3.6.1.2.1.4.35.1.8	IP-MIB::ipNetToPhysicalRowStatus
[120]	.1.3.6.1.2.1.4.34.1.1	IP-MIB::ipAddressAddrType
[121]	.1.3.6.1.2.1.4.34.1.2	IP-MIB::ipAddressAddr
[122]	.1.3.6.1.2.1.4.34.1.3	IP-MIB::ipAddressIfIndex
[123]	.1.3.6.1.2.1.4.34.1.4	IP-MIB::ipAddressType
[124]	.1.3.6.1.2.1.4.34.1.5	IP-MIB::ipAddressPrefix
[125]	.1.3.6.1.2.1.4.34.1.6	IP-MIB::ipAddressOrigin
[126]	.1.3.6.1.2.1.4.34.1.7	IP-MIB::ipAddressStatus
[127]	.1.3.6.1.2.1.4.34.1.8	IP-MIB::ipAddressCreated
[128]	.1.3.6.1.2.1.4.34.1.9	IP-MIB::ipAddressLastChanged
[129]	.1.3.6.1.2.1.4.34.1.10	IP-MIB::ipAddressRowStatus
[130]	.1.3.6.1.2.1.4.34.1.11	IP-MIB::ipAddressStorageType
[131]	.1.3.6.1.2.1.4.20.1.1	IP-MIB::ipAdEntAddr
[132]	.1.3.6.1.2.1.4.20.1.2	IP-MIB::ipAdEntIfIndex
[133]	.1.3.6.1.2.1.4.20.1.3	IP-MIB::ipAdEntNetMask
[134]	.1.3.6.1.2.1.4.20.1.4	IP-MIB::ipAdEntBcastAddr
[135]	.1.3.6.1.2.1.4.20.1.5	IP-MIB::ipAdEntReasmMaxSize
[136]	.1.3.6.1.2.1.4.32.1.1	IP-MIB::ipAddressPrefixIfIndex
[137]	.1.3.6.1.2.1.4.32.1.2	IP-MIB::ipAddressPrefixType
[138]	.1.3.6.1.2.1.4.32.1.3	IP-MIB::ipAddressPrefixPrefix
[139]	.1.3.6.1.2.1.4.32.1.4	IP-MIB::ipAddressPrefixLength
[140]	.1.3.6.1.2.1.4.32.1.5	IP-MIB::ipAddressPrefixOrigin
[141]	.1.3.6.1.2.1.4.32.1.6	IP-MIB::ipAddressPrefixOnLinkFlag
[142]	.1.3.6.1.2.1.4.32.1.7	IP-MIB::ipAddressPrefixAutonomousFlag
[143]	.1.3.6.1.2.1.4.32.1.8	IP-MIB::ipAddressPrefixAdvPreferredLifetime
[144]	.1.3.6.1.2.1.4.32.1.9	IP-MIB::ipAddressPrefixAdvValidLifetime
[145]	.1.3.6.1.4.1.9.9.171.1.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecMibLevel
[146]	.1.3.6.1.4.1.9.9.171.1.2.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalActiveTunnels
[147]	.1.3.6.1.4.1.9.9.171.1.2.1.2	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalPreviousTunnels
[148]	.1.3.6.1.4.1.9.9.171.1.2.1.3	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInOctets
[149]	.1.3.6.1.4.1.9.9.171.1.2.1.4	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInPkts
[150]	.1.3.6.1.4.1.9.9.171.1.2.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInDropPkts
[151]	.1.3.6.1.4.1.9.9.171.1.2.1.6	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInNotifys
[152]	.1.3.6.1.4.1.9.9.171.1.2.1.7	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2Exchgs
[153]	.1.3.6.1.4.1.9.9.171.1.2.1.8	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2ExchgInvalids
[154]	.1.3.6.1.4.1.9.9.171.1.2.1.9	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2ExchgRejects
[155]	.1.3.6.1.4.1.9.9.171.1.2.1.10	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInP2SaDelRequests
[156]	.1.3.6.1.4.1.9.9.171.1.2.1.11	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutOctets
[157]	.1.3.6.1.4.1.9.9.171.1.2.1.12	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutPkts
[158]	.1.3.6.1.4.1.9.9.171.1.2.1.13	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutDropPkts
[159]	.1.3.6.1.4.1.9.9.171.1.2.1.14	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutNotifys
[160]	.1.3.6.1.4.1.9.9.171.1.2.1.15	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2Exchgs
[161]	.1.3.6.1.4.1.9.9.171.1.2.1.16	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2ExchgInvalids
[162]	.1.3.6.1.4.1.9.9.171.1.2.1.17	

```

CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2ExchgRejects
[163] .1.3.6.1.4.1.9.9.171.1.2.1.18
CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalOutP2SaDelRequests
[164] .1.3.6.1.4.1.9.9.171.1.2.1.19 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInitTunnels
[165] .1.3.6.1.4.1.9.9.171.1.2.1.20 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalInitTunnelFails
[166] .1.3.6.1.4.1.9.9.171.1.2.1.21 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalRespTunnelFails
[167] .1.3.6.1.4.1.9.9.171.1.2.1.22 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalSysCapFails
[168] .1.3.6.1.4.1.9.9.171.1.2.1.23 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalAuthFails
[169] .1.3.6.1.4.1.9.9.171.1.2.1.24 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalDecryptFails
[170] .1.3.6.1.4.1.9.9.171.1.2.1.25 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalHashValidFails
[171] .1.3.6.1.4.1.9.9.171.1.2.1.26 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeGlobalNoSaFails
[172] .1.3.6.1.4.1.9.9.171.1.3.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalActiveTunnels
[173] .1.3.6.1.4.1.9.9.171.1.3.1.2
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalPreviousTunnels
[174] .1.3.6.1.4.1.9.9.171.1.3.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInOctets
[175] .1.3.6.1.4.1.9.9.171.1.3.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcInOctets
[176] .1.3.6.1.4.1.9.9.171.1.3.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInOctWraps
[177] .1.3.6.1.4.1.9.9.171.1.3.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecompOctets
[178] .1.3.6.1.4.1.9.9.171.1.3.1.7
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcInDecompOctets
[179] .1.3.6.1.4.1.9.9.171.1.3.1.8
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecompOctWraps
[180] .1.3.6.1.4.1.9.9.171.1.3.1.9 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInPkts
[181] .1.3.6.1.4.1.9.9.171.1.3.1.10 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDrops
[182] .1.3.6.1.4.1.9.9.171.1.3.1.11 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInReplayDrops
[183] .1.3.6.1.4.1.9.9.171.1.3.1.12 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInAuths
[184] .1.3.6.1.4.1.9.9.171.1.3.1.13 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInAuthFails
[185] .1.3.6.1.4.1.9.9.171.1.3.1.14 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecrypts
[186] .1.3.6.1.4.1.9.9.171.1.3.1.15
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalInDecryptFails
[187] .1.3.6.1.4.1.9.9.171.1.3.1.16 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutOctets
[188] .1.3.6.1.4.1.9.9.171.1.3.1.17 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcOutOctets
[189] .1.3.6.1.4.1.9.9.171.1.3.1.18 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutOctWraps
[190] .1.3.6.1.4.1.9.9.171.1.3.1.19
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutUncompOctets
[191] .1.3.6.1.4.1.9.9.171.1.3.1.20
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalHcOutUncompOctets
[192] .1.3.6.1.4.1.9.9.171.1.3.1.21
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutUncompOctWraps
[193] .1.3.6.1.4.1.9.9.171.1.3.1.22 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutPkts
[194] .1.3.6.1.4.1.9.9.171.1.3.1.23 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutDrops
[195] .1.3.6.1.4.1.9.9.171.1.3.1.24 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutAuths
[196] .1.3.6.1.4.1.9.9.171.1.3.1.25 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutAuthFails
[197] .1.3.6.1.4.1.9.9.171.1.3.1.26 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutEncrypts
[198] .1.3.6.1.4.1.9.9.171.1.3.1.27
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalOutEncryptFails
[199] .1.3.6.1.4.1.9.9.171.1.3.1.28
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalProtocolUseFails
[200] .1.3.6.1.4.1.9.9.171.1.3.1.29 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalNoSaFails
[201] .1.3.6.1.4.1.9.9.171.1.3.1.30 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecGlobalSysCapFails
[202] .1.3.6.1.4.1.9.9.171.1.5.1.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecFailTableSize
[203] .1.3.6.1.4.1.9.9.171.1.2.2.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerLocalType
[204] .1.3.6.1.4.1.9.9.171.1.2.2.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerLocalValue
[205] .1.3.6.1.4.1.9.9.171.1.2.2.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerRemoteType
[206] .1.3.6.1.4.1.9.9.171.1.2.2.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerRemoteValue
[207] .1.3.6.1.4.1.9.9.171.1.2.2.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerIntIndex
[208] .1.3.6.1.4.1.9.9.171.1.2.2.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerLocalAddr
[209] .1.3.6.1.4.1.9.9.171.1.2.2.1.7 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerRemoteAddr
[210] .1.3.6.1.4.1.9.9.171.1.2.2.1.8 CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerActiveTime
[211] .1.3.6.1.4.1.9.9.171.1.2.2.1.9
CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerActiveTunnelIndex
[212] .1.3.6.1.4.1.9.9.171.1.2.3.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunIndex
[213] .1.3.6.1.4.1.9.9.171.1.2.3.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalType
[214] .1.3.6.1.4.1.9.9.171.1.2.3.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalValue

```

[215]	.1.3.6.1.4.1.9.9.171.1.2.3.1.4	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalAddr
[216]	.1.3.6.1.4.1.9.9.171.1.2.3.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLocalName
[217]	.1.3.6.1.4.1.9.9.171.1.2.3.1.6	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteType
[218]	.1.3.6.1.4.1.9.9.171.1.2.3.1.7	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteValue
[219]	.1.3.6.1.4.1.9.9.171.1.2.3.1.8	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteAddr
[220]	.1.3.6.1.4.1.9.9.171.1.2.3.1.9	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunRemoteName
[221]	.1.3.6.1.4.1.9.9.171.1.2.3.1.10	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunNegoMode
[222]	.1.3.6.1.4.1.9.9.171.1.2.3.1.11	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunDiffHellmanGrp
[223]	.1.3.6.1.4.1.9.9.171.1.2.3.1.12	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunEncryptAlgo
[224]	.1.3.6.1.4.1.9.9.171.1.2.3.1.13	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunHashAlgo
[225]	.1.3.6.1.4.1.9.9.171.1.2.3.1.14	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunAuthMethod
[226]	.1.3.6.1.4.1.9.9.171.1.2.3.1.15	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunLifeTime
[227]	.1.3.6.1.4.1.9.9.171.1.2.3.1.16	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunActiveTime
[228]	.1.3.6.1.4.1.9.9.171.1.2.3.1.17	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunSaRefreshThreshold
[229]	.1.3.6.1.4.1.9.9.171.1.2.3.1.18	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunTotalRefreshes
[230]	.1.3.6.1.4.1.9.9.171.1.2.3.1.19	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInOctets
[231]	.1.3.6.1.4.1.9.9.171.1.2.3.1.20	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInPkts
[232]	.1.3.6.1.4.1.9.9.171.1.2.3.1.21	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInDropPkts
[233]	.1.3.6.1.4.1.9.9.171.1.2.3.1.22	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInNotifys
[234]	.1.3.6.1.4.1.9.9.171.1.2.3.1.23	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2Exchg
[235]	.1.3.6.1.4.1.9.9.171.1.2.3.1.24	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2ExchgInvalids
[236]	.1.3.6.1.4.1.9.9.171.1.2.3.1.25	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2ExchgRejects
[237]	.1.3.6.1.4.1.9.9.171.1.2.3.1.26	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunInP2SaDelRequests
[238]	.1.3.6.1.4.1.9.9.171.1.2.3.1.27	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutOctets
[239]	.1.3.6.1.4.1.9.9.171.1.2.3.1.28	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutPkts
[240]	.1.3.6.1.4.1.9.9.171.1.2.3.1.29	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutDropPkts
[241]	.1.3.6.1.4.1.9.9.171.1.2.3.1.30	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutNotifys
[242]	.1.3.6.1.4.1.9.9.171.1.2.3.1.31	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2Exchg
[243]	.1.3.6.1.4.1.9.9.171.1.2.3.1.32	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2ExchgInvalids
[244]	.1.3.6.1.4.1.9.9.171.1.2.3.1.33	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2ExchgRejects
[245]	.1.3.6.1.4.1.9.9.171.1.2.3.1.34	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunOutP2SaDelRequests
[246]	.1.3.6.1.4.1.9.9.171.1.2.3.1.35	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeTunStatus
[247]	.1.3.6.1.4.1.9.9.171.1.2.4.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrLocalType
[248]	.1.3.6.1.4.1.9.9.171.1.2.4.1.2	CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrLocalValue
[249]	.1.3.6.1.4.1.9.9.171.1.2.4.1.3	CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrRemoteType
[250]	.1.3.6.1.4.1.9.9.171.1.2.4.1.4	CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrRemoteValue
[251]	.1.3.6.1.4.1.9.9.171.1.2.4.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrIntIndex
[252]	.1.3.6.1.4.1.9.9.171.1.2.4.1.6	CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrSeqNum
[253]	.1.3.6.1.4.1.9.9.171.1.2.4.1.7	CISCO-IPSEC-FLOW-MONITOR-MIB::cikePeerCorrIpSecTunIndex
[254]	.1.3.6.1.4.1.9.9.171.1.3.2.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunIndex
[255]	.1.3.6.1.4.1.9.9.171.1.3.2.1.2	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunIkeTunnelIndex
[256]	.1.3.6.1.4.1.9.9.171.1.3.2.1.3	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunIkeTunnelAlive
[257]	.1.3.6.1.4.1.9.9.171.1.3.2.1.4	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunLocalAddr
[258]	.1.3.6.1.4.1.9.9.171.1.3.2.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunRemoteAddr
[259]	.1.3.6.1.4.1.9.9.171.1.3.2.1.6	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunKeyType
[260]	.1.3.6.1.4.1.9.9.171.1.3.2.1.7	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunEncapMode
[261]	.1.3.6.1.4.1.9.9.171.1.3.2.1.8	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunLifeSize
[262]	.1.3.6.1.4.1.9.9.171.1.3.2.1.9	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunLifeTime
[263]	.1.3.6.1.4.1.9.9.171.1.3.2.1.10	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunActiveTime
[264]	.1.3.6.1.4.1.9.9.171.1.3.2.1.11	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunSaLifeSizeThreshold
[265]	.1.3.6.1.4.1.9.9.171.1.3.2.1.12	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunSaLifeTimeThreshold
[266]	.1.3.6.1.4.1.9.9.171.1.3.2.1.13	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunTotalRefreshes
[267]	.1.3.6.1.4.1.9.9.171.1.3.2.1.14	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunExpiredSaInstances
[268]	.1.3.6.1.4.1.9.9.171.1.3.2.1.15	

```

CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunCurrentSaInstances
[269] .1.3.6.1.4.1.9.9.171.1.3.2.1.16
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaDiffHellmanGrp
[270] .1.3.6.1.4.1.9.9.171.1.3.2.1.17
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaEncryptAlgo
[271] .1.3.6.1.4.1.9.9.171.1.3.2.1.18 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaAhAuthAlgo
[272] .1.3.6.1.4.1.9.9.171.1.3.2.1.19
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaEspAuthAlgo
[273] .1.3.6.1.4.1.9.9.171.1.3.2.1.20 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInSaDecompAlgo
[274] .1.3.6.1.4.1.9.9.171.1.3.2.1.21
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaDiffHellmanGrp
[275] .1.3.6.1.4.1.9.9.171.1.3.2.1.22
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaEncryptAlgo
[276] .1.3.6.1.4.1.9.9.171.1.3.2.1.23
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaAhAuthAlgo
[277] .1.3.6.1.4.1.9.9.171.1.3.2.1.24
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaEspAuthAlgo
[278] .1.3.6.1.4.1.9.9.171.1.3.2.1.25 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutSaCompAlgo
[279] .1.3.6.1.4.1.9.9.171.1.3.2.1.26 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInOctets
[280] .1.3.6.1.4.1.9.9.171.1.3.2.1.27 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcInOctets
[281] .1.3.6.1.4.1.9.9.171.1.3.2.1.28 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInOctWraps
[282] .1.3.6.1.4.1.9.9.171.1.3.2.1.29 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecompOctets
[283] .1.3.6.1.4.1.9.9.171.1.3.2.1.30
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcInDecompOctets
[284] .1.3.6.1.4.1.9.9.171.1.3.2.1.31
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecompOctWraps
[285] .1.3.6.1.4.1.9.9.171.1.3.2.1.32 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInPkts
[286] .1.3.6.1.4.1.9.9.171.1.3.2.1.33 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDropPkts
[287] .1.3.6.1.4.1.9.9.171.1.3.2.1.34
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInReplayDropPkts
[288] .1.3.6.1.4.1.9.9.171.1.3.2.1.35 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInAuths
[289] .1.3.6.1.4.1.9.9.171.1.3.2.1.36 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInAuthFails
[290] .1.3.6.1.4.1.9.9.171.1.3.2.1.37 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecrypts
[291] .1.3.6.1.4.1.9.9.171.1.3.2.1.38 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunInDecryptFails
[292] .1.3.6.1.4.1.9.9.171.1.3.2.1.39 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutOctets
[293] .1.3.6.1.4.1.9.9.171.1.3.2.1.40 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcOutOctets
[294] .1.3.6.1.4.1.9.9.171.1.3.2.1.41 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutOctWraps
[295] .1.3.6.1.4.1.9.9.171.1.3.2.1.42
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutUncompOctets
[296] .1.3.6.1.4.1.9.9.171.1.3.2.1.43
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHcOutUncompOctets
[297] .1.3.6.1.4.1.9.9.171.1.3.2.1.44
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutUncompOctWraps
[298] .1.3.6.1.4.1.9.9.171.1.3.2.1.45 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutPkts
[299] .1.3.6.1.4.1.9.9.171.1.3.2.1.46 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutDropPkts
[300] .1.3.6.1.4.1.9.9.171.1.3.2.1.47 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutAuths
[301] .1.3.6.1.4.1.9.9.171.1.3.2.1.48 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutAuthFails
[302] .1.3.6.1.4.1.9.9.171.1.3.2.1.49 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutEncrypts
[303] .1.3.6.1.4.1.9.9.171.1.3.2.1.50
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunOutEncryptFails
[304] .1.3.6.1.4.1.9.9.171.1.3.2.1.51 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunStatus
[305] .1.3.6.1.4.1.9.9.171.1.3.3.1.1 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtIndex
[306] .1.3.6.1.4.1.9.9.171.1.3.3.1.2 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalName
[307] .1.3.6.1.4.1.9.9.171.1.3.3.1.3 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalType
[308] .1.3.6.1.4.1.9.9.171.1.3.3.1.4 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalAddr1
[309] .1.3.6.1.4.1.9.9.171.1.3.3.1.5 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalAddr2
[310] .1.3.6.1.4.1.9.9.171.1.3.3.1.6 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalProtocol
[311] .1.3.6.1.4.1.9.9.171.1.3.3.1.7 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtLocalPort
[312] .1.3.6.1.4.1.9.9.171.1.3.3.1.8 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteName
[313] .1.3.6.1.4.1.9.9.171.1.3.3.1.9 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteType
[314] .1.3.6.1.4.1.9.9.171.1.3.3.1.10 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteAddr1
[315] .1.3.6.1.4.1.9.9.171.1.3.3.1.11 CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteAddr2
[316] .1.3.6.1.4.1.9.9.171.1.3.3.1.12
CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemoteProtocol

```

[317]	.1.3.6.1.4.1.9.9.171.1.3.3.1.13	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecEndPtRemotePort
[318]	.1.3.6.1.4.1.9.9.171.1.3.4.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiIndex
[319]	.1.3.6.1.4.1.9.9.171.1.3.4.1.2	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiDirection
[320]	.1.3.6.1.4.1.9.9.171.1.3.4.1.3	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiValue
[321]	.1.3.6.1.4.1.9.9.171.1.3.4.1.4	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiProtocol
[322]	.1.3.6.1.4.1.9.9.171.1.3.4.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecSpiStatus
[323]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistIndex
[324]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.2	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistTermReason	
[325]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.3	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistActiveIndex	
[326]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.4	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistIkeTunnelIndex	
[327]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistLocalAddr
[328]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.6	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistRemoteAddr	
[329]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.7	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistKeyType
[330]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.8	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistEncapMode
[331]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.9	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistLifeSize
[332]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.10	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistLifeTime
[333]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.11	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistStartTime	
[334]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.12	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistActiveTime	
[335]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.13	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistTotalRefreshes	
[336]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.14	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistTotalSas
[337]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.15	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaDiffHellmanGrp	
[338]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.16	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaEncryptAlgo	
[339]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.17	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaAhAuthAlgo	
[340]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.18	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaEspAuthAlgo	
[341]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.19	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInSaDecompAlgo	
[342]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.20	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaDiffHellmanGrp	
[343]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.21	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaEncryptAlgo	
[344]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.22	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaAhAuthAlgo	
[345]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.23	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaEspAuthAlgo	
[346]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.24	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutSaCompAlgo	
[347]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.25	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInOctets
[348]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.26	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcInOctets	
[349]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.27	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInOctWraps	
[350]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.28	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecompOctets	
[351]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.29	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcInDecompOctets	
[352]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.30	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecompOctWraps	
[353]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.31	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInPkts
[354]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.32	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDropPkts	
[355]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.33	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInReplayDropPkts	
[356]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.34	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInAuths

[357]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.35	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInAuthFails	
[358]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.36	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecrypts	
[359]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.37	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistInDecryptFails	
[360]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.38	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutOctets	
[361]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.39	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcOutOctets	
[362]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.40	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutOctWraps	
[363]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.41	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutUncompOctets	
[364]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.42	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistHcOutUncompOctets	
[365]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.43	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutUncompOctWraps	
[366]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.44	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutPkts
[367]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.45	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutDropPkts	
[368]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.46	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutAuths
[369]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.47	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutAuthFails	
[370]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.48	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutEncrypts	
[371]	.1.3.6.1.4.1.9.9.171.1.4.3.1.1.49	
	CISCO-IPSEC-FLOW-MONITOR-MIB::cipSecTunHistOutEncryptFails	
[372]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.1	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailIndex
[373]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.2	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailReason
[374]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.3	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailTime
[375]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.4	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailLocalType
[376]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.5	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailLocalValue
[377]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.6	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailRemoteType
[378]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.7	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailRemoteValue
[379]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.8	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailLocalAddr
[380]	.1.3.6.1.4.1.9.9.171.1.5.2.1.1.9	CISCO-IPSEC-FLOW-MONITOR-MIB::cikeFailRemoteAddr
[381]	.1.3.6.1.2.1.88.1.2.2.1.1	DISMAN-EVENT-MIB::mteOwner
[382]	.1.3.6.1.2.1.88.1.2.2.1.2	DISMAN-EVENT-MIB::mteTriggerName
[383]	.1.3.6.1.2.1.88.1.2.2.1.3	DISMAN-EVENT-MIB::mteTriggerComment
[384]	.1.3.6.1.2.1.88.1.2.2.1.4	DISMAN-EVENT-MIB::mteTriggerTest
[385]	.1.3.6.1.2.1.88.1.2.2.1.5	DISMAN-EVENT-MIB::mteTriggerSampleType
[386]	.1.3.6.1.2.1.88.1.2.2.1.6	DISMAN-EVENT-MIB::mteTriggerValueID
[387]	.1.3.6.1.2.1.88.1.2.2.1.7	DISMAN-EVENT-MIB::mteTriggerValueIDWildcard
[388]	.1.3.6.1.2.1.88.1.2.2.1.8	DISMAN-EVENT-MIB::mteTriggerTargetTag
[389]	.1.3.6.1.2.1.88.1.2.2.1.9	DISMAN-EVENT-MIB::mteTriggerContextName
[390]	.1.3.6.1.2.1.88.1.2.2.1.10	DISMAN-EVENT-MIB::mteTriggerContextNameWildcard
[391]	.1.3.6.1.2.1.88.1.2.2.1.11	DISMAN-EVENT-MIB::mteTriggerFrequency
[392]	.1.3.6.1.2.1.88.1.2.2.1.12	DISMAN-EVENT-MIB::mteTriggerObjectsOwner
[393]	.1.3.6.1.2.1.88.1.2.2.1.13	DISMAN-EVENT-MIB::mteTriggerObjects
[394]	.1.3.6.1.2.1.88.1.2.2.1.14	DISMAN-EVENT-MIB::mteTriggerEnabled
[395]	.1.3.6.1.2.1.88.1.2.2.1.15	DISMAN-EVENT-MIB::mteTriggerEntryStatus
[396]	.1.3.6.1.2.1.88.1.2.6.1.1	DISMAN-EVENT-MIB::mteTriggerThresholdStartup
[397]	.1.3.6.1.2.1.88.1.2.6.1.2	DISMAN-EVENT-MIB::mteTriggerThresholdRising
[398]	.1.3.6.1.2.1.88.1.2.6.1.3	DISMAN-EVENT-MIB::mteTriggerThresholdFalling
[399]	.1.3.6.1.2.1.88.1.2.6.1.4	DISMAN-EVENT-MIB::mteTriggerThresholdDeltaRising
[400]	.1.3.6.1.2.1.88.1.2.6.1.5	DISMAN-EVENT-MIB::mteTriggerThresholdDeltaFalling
[401]	.1.3.6.1.2.1.88.1.2.6.1.6	DISMAN-EVENT-MIB::mteTriggerThresholdObjectsOwner
[402]	.1.3.6.1.2.1.88.1.2.6.1.7	DISMAN-EVENT-MIB::mteTriggerThresholdObjects
[403]	.1.3.6.1.2.1.88.1.2.6.1.8	DISMAN-EVENT-MIB::mteTriggerThresholdRisingEventOwner
[404]	.1.3.6.1.2.1.88.1.2.6.1.9	DISMAN-EVENT-MIB::mteTriggerThresholdRisingEvent
[405]	.1.3.6.1.2.1.88.1.2.6.1.10	DISMAN-EVENT-MIB::mteTriggerThresholdFallingEventOwner
[406]	.1.3.6.1.2.1.88.1.2.6.1.11	DISMAN-EVENT-MIB::mteTriggerThresholdFallingEvent
[407]	.1.3.6.1.2.1.88.1.2.6.1.12	DISMAN-EVENT-MIB::mteTriggerThresholdDeltaRisingEventOwner

[408]	.1.3.6.1.2.1.88.1.2.6.1.13	DISMAN-EVENT-MIB::mteTriggerThresholdDeltaRisingEvent
[409]	.1.3.6.1.2.1.88.1.2.6.1.14	DISMAN-EVENT-MIB::mteTriggerThresholdDeltaFallingEventOwner
[410]	.1.3.6.1.2.1.88.1.2.6.1.15	DISMAN-EVENT-MIB::mteTriggerThresholdDeltaFallingEvent
[411]	.1.3.6.1.2.1.88.1.3.1.1.1	DISMAN-EVENT-MIB::mteObjectsName
[412]	.1.3.6.1.2.1.88.1.3.1.1.2	DISMAN-EVENT-MIB::mteObjectsIndex
[413]	.1.3.6.1.2.1.88.1.3.1.1.3	DISMAN-EVENT-MIB::mteObjectsID
[414]	.1.3.6.1.2.1.88.1.3.1.1.4	DISMAN-EVENT-MIB::mteObjectsIDWildcard
[415]	.1.3.6.1.2.1.88.1.3.1.1.5	DISMAN-EVENT-MIB::mteObjectsEntryStatus
[416]	.1.3.6.1.2.1.88.1.4.2.1.1	DISMAN-EVENT-MIB::mteEventName
[417]	.1.3.6.1.2.1.88.1.4.2.1.2	DISMAN-EVENT-MIB::mteEventComment
[418]	.1.3.6.1.2.1.88.1.4.2.1.3	DISMAN-EVENT-MIB::mteEventActions
[419]	.1.3.6.1.2.1.88.1.4.2.1.4	DISMAN-EVENT-MIB::mteEventEnabled
[420]	.1.3.6.1.2.1.88.1.4.2.1.5	DISMAN-EVENT-MIB::mteEventEntryStatus
[421]	.1.3.6.1.2.1.88.1.4.3.1.1	DISMAN-EVENT-MIB::mteEventNotification
[422]	.1.3.6.1.2.1.88.1.4.3.1.2	DISMAN-EVENT-MIB::mteEventNotificationObjectsOwner
[423]	.1.3.6.1.2.1.88.1.4.3.1.3	DISMAN-EVENT-MIB::mteEventNotificationObjects
[424]	.1.3.6.1.2.1.88.1.1.1	DISMAN-EVENT-MIB::mteResourceSampleMinimum
[425]	.1.3.6.1.2.1.88.1.1.2	DISMAN-EVENT-MIB::mteResourceSampleInstanceMaximum
[426]	.1.3.6.1.2.1.88.1.1.3	DISMAN-EVENT-MIB::mteResourceSampleInstances
[427]	.1.3.6.1.2.1.88.1.1.4	DISMAN-EVENT-MIB::mteResourceSampleInstancesHigh
[428]	.1.3.6.1.2.1.88.1.1.5	DISMAN-EVENT-MIB::mteResourceSampleInstanceLacks
[429]	.1.3.6.1.2.1.88.1.2.1	DISMAN-EVENT-MIB::mteTriggerFailures
[430]	.1.3.6.1.2.1.88.1.4.1	DISMAN-EVENT-MIB::mteEventFailures
[431]	.1.3.6.1.4.1.9.9.720.1.2.1.1.1	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnVrfName
[432]	.1.3.6.1.4.1.9.9.720.1.2.1.1.2	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnPeerAddrType
[433]	.1.3.6.1.4.1.9.9.720.1.2.1.1.3	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnPeerAddr
[434]	.1.3.6.1.4.1.9.9.720.1.2.1.1.4	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnSourceAddrType
[435]	.1.3.6.1.4.1.9.9.720.1.2.1.1.5	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnSourceAddr
[436]	.1.3.6.1.4.1.9.9.720.1.2.1.1.6	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnOperSourceAddrType
[437]	.1.3.6.1.4.1.9.9.720.1.2.1.1.7	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnOperSourceAddr
[438]	.1.3.6.1.4.1.9.9.720.1.2.1.1.8	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnPasswordUsed
[439]	.1.3.6.1.4.1.9.9.720.1.2.1.1.9	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnConfigPasswordType
[440]	.1.3.6.1.4.1.9.9.720.1.2.1.1.10	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnConfigPassword
[441]	.1.3.6.1.4.1.9.9.720.1.2.1.1.11	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnViewPasswordType
[442]	.1.3.6.1.4.1.9.9.720.1.2.1.1.12	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnViewPassword
[443]	.1.3.6.1.4.1.9.9.720.1.2.1.1.13	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnModeLocation
[444]	.1.3.6.1.4.1.9.9.720.1.2.1.1.14	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnMode
[445]	.1.3.6.1.4.1.9.9.720.1.2.1.1.15	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnInstance
[446]	.1.3.6.1.4.1.9.9.720.1.2.1.1.16	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnStatusLastChange
[447]	.1.3.6.1.4.1.9.9.720.1.2.1.1.17	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnStatus
[448]	.1.3.6.1.4.1.9.9.720.1.2.1.1.18	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpVrfId
[449]	.1.3.6.1.4.1.9.9.720.1.2.1.1.19	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnStorageType
[450]	.1.3.6.1.4.1.9.9.720.1.2.1.1.20	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnRowStatus
[451]	.1.3.6.1.4.1.9.9.720.1.2.1.1.21	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnVersion
[452]	.1.3.6.1.4.1.9.9.720.1.2.1.1.22	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnectionEntry.22
[453]	.1.3.6.1.4.1.9.9.720.1.2.1.1.23	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnectionEntry.23
[454]	.1.3.6.1.4.1.9.9.720.1.2.1.1.24	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnectionEntry.24
[455]	.1.3.6.1.4.1.9.9.720.1.2.1.1.25	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnectionEntry.25
[456]	.1.3.6.1.4.1.9.9.720.1.2.1.1.26	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConnectionEntry.26
[457]	.1.3.6.1.4.1.9.9.720.1.3.1.1.1	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingVrfId
[458]	.1.3.6.1.4.1.9.9.720.1.3.1.1.2	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingAddrType
[459]	.1.3.6.1.4.1.9.9.720.1.3.1.1.3	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingAddr
[460]	.1.3.6.1.4.1.9.9.720.1.3.1.1.4	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingPeerAddrType
[461]	.1.3.6.1.4.1.9.9.720.1.3.1.1.5	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingPeerAddr
[462]	.1.3.6.1.4.1.9.9.720.1.3.1.1.6	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingSgt
[463]	.1.3.6.1.4.1.9.9.720.1.3.1.1.7	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingInstance
[464]	.1.3.6.1.4.1.9.9.720.1.3.1.1.8	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingVrfName
[465]	.1.3.6.1.4.1.9.9.720.1.3.1.1.9	CISCO-TRUSTSEC-SXP-MIB::ctsxxIpSgtMappingStatus
[466]	.1.3.6.1.4.1.9.9.720.1.1.1	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpEnable
[467]	.1.3.6.1.4.1.9.9.720.1.1.2	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConfigDefaultPasswordType
[468]	.1.3.6.1.4.1.9.9.720.1.1.3	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpConfigDefaultPassword
[469]	.1.3.6.1.4.1.9.9.720.1.1.4	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpViewDefaultPasswordType
[470]	.1.3.6.1.4.1.9.9.720.1.1.5	CISCO-TRUSTSEC-SXP-MIB::ctsxxSxpViewDefaultPassword

支持的 SNMP MIB 和 OID 列表

[471]	.1.3.6.1.4.1.9.9.720.1.1.6	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpDefaultSourceAddrType
[472]	.1.3.6.1.4.1.9.9.720.1.1.7	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpDefaultSourceAddr
[473]	.1.3.6.1.4.1.9.9.720.1.1.8	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpRetryPeriod
[474]	.1.3.6.1.4.1.9.9.720.1.1.9	CISCO-TRUSTSEC-SXP-MIB::ctsxSxpReconPeriod
[475]	.1.3.6.1.4.1.3076.2.1.2.26.1.1	ALTIGA-SSL-STATS-MIB::alSslStatsTotalSessions
[476]	.1.3.6.1.4.1.3076.2.1.2.26.1.2	ALTIGA-SSL-STATS-MIB::alSslStatsActiveSessions
[477]	.1.3.6.1.4.1.3076.2.1.2.26.1.3	ALTIGA-SSL-STATS-MIB::alSslStatsMaxSessions
[478]	.1.3.6.1.4.1.3076.2.1.2.26.1.4	ALTIGA-SSL-STATS-MIB::alSslStatsPreDecryptOctets
[479]	.1.3.6.1.4.1.3076.2.1.2.26.1.5	ALTIGA-SSL-STATS-MIB::alSslStatsPostDecryptOctets
[480]	.1.3.6.1.4.1.3076.2.1.2.26.1.6	ALTIGA-SSL-STATS-MIB::alSslStatsPreEncryptOctets
[481]	.1.3.6.1.4.1.3076.2.1.2.26.1.7	ALTIGA-SSL-STATS-MIB::alSslStatsPostEncryptOctets
[482]	.1.3.6.1.2.1.99.1.1.1.1	ENTITY-SENSOR-MIB::entPhySensorType
[483]	.1.3.6.1.2.1.99.1.1.1.2	ENTITY-SENSOR-MIB::entPhySensorScale
[484]	.1.3.6.1.2.1.99.1.1.1.3	ENTITY-SENSOR-MIB::entPhySensorPrecision
[485]	.1.3.6.1.2.1.99.1.1.1.4	ENTITY-SENSOR-MIB::entPhySensorValue
[486]	.1.3.6.1.2.1.99.1.1.1.5	ENTITY-SENSOR-MIB::entPhySensorOperStatus
[487]	.1.3.6.1.2.1.99.1.1.1.6	ENTITY-SENSOR-MIB::entPhySensorUnitsDisplay
[488]	.1.3.6.1.2.1.99.1.1.1.7	ENTITY-SENSOR-MIB::entPhySensorValueTimeStamp
[489]	.1.3.6.1.2.1.99.1.1.1.8	ENTITY-SENSOR-MIB::entPhySensorValueUpdateRate
[490]	.1.3.6.1.4.1.9.9.43.1.1.6.1.1	CISCO-CONFIG-MAN-MIB::ccmHistoryEventIndex
[491]	.1.3.6.1.4.1.9.9.43.1.1.6.1.2	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTime
[492]	.1.3.6.1.4.1.9.9.43.1.1.6.1.3	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSource
[493]	.1.3.6.1.4.1.9.9.43.1.1.6.1.4	CISCO-CONFIG-MAN-MIB::ccmHistoryEventConfigSource
[494]	.1.3.6.1.4.1.9.9.43.1.1.6.1.5	CISCO-CONFIG-MAN-MIB::ccmHistoryEventConfigDestination
[495]	.1.3.6.1.4.1.9.9.43.1.1.6.1.6	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalType
[496]	.1.3.6.1.4.1.9.9.43.1.1.6.1.7	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalNumber
[497]	.1.3.6.1.4.1.9.9.43.1.1.6.1.8	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalUser
[498]	.1.3.6.1.4.1.9.9.43.1.1.6.1.9	CISCO-CONFIG-MAN-MIB::ccmHistoryEventTerminalLocation
[499]	.1.3.6.1.4.1.9.9.43.1.1.6.1.10	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSourceAddress
[500]	.1.3.6.1.4.1.9.9.43.1.1.6.1.11	CISCO-CONFIG-MAN-MIB::ccmHistoryEventVirtualHostName
[501]	.1.3.6.1.4.1.9.9.43.1.1.6.1.12	CISCO-CONFIG-MAN-MIB::ccmHistoryEventServerAddress
[502]	.1.3.6.1.4.1.9.9.43.1.1.6.1.13	CISCO-CONFIG-MAN-MIB::ccmHistoryEventFile
[503]	.1.3.6.1.4.1.9.9.43.1.1.6.1.14	CISCO-CONFIG-MAN-MIB::ccmHistoryEventRcpUser
[504]	.1.3.6.1.4.1.9.9.43.1.1.6.1.15	CISCO-CONFIG-MAN-MIB::ccmHistoryCLICmdEntriesBumped
[505]	.1.3.6.1.4.1.9.9.43.1.1.6.1.16	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSourceAddrType
[506]	.1.3.6.1.4.1.9.9.43.1.1.6.1.17	CISCO-CONFIG-MAN-MIB::ccmHistoryEventCommandSourceAddrRev1
[507]	.1.3.6.1.4.1.9.9.43.1.1.6.1.18	CISCO-CONFIG-MAN-MIB::ccmHistoryEventServerAddrType
[508]	.1.3.6.1.4.1.9.9.43.1.1.6.1.19	CISCO-CONFIG-MAN-MIB::ccmHistoryEventServerAddrRev1
[509]	.1.3.6.1.4.1.9.9.43.1.2.4.1.1	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCommandIndex
[510]	.1.3.6.1.4.1.9.9.43.1.2.4.1.2	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCommand
[511]	.1.3.6.1.4.1.9.9.43.1.1.1	CISCO-CONFIG-MAN-MIB::ccmHistoryRunningLastChanged
[512]	.1.3.6.1.4.1.9.9.43.1.1.2	CISCO-CONFIG-MAN-MIB::ccmHistoryRunningLastSaved
[513]	.1.3.6.1.4.1.9.9.43.1.1.3	CISCO-CONFIG-MAN-MIB::ccmHistoryStartupLastChanged
[514]	.1.3.6.1.4.1.9.9.43.1.1.4	CISCO-CONFIG-MAN-MIB::ccmHistoryMaxEventEntries
[515]	.1.3.6.1.4.1.9.9.43.1.1.5	CISCO-CONFIG-MAN-MIB::ccmHistoryEventEntriesBumped
[516]	.1.3.6.1.4.1.9.9.43.1.2.2	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCmdEntries
[517]	.1.3.6.1.4.1.9.9.43.1.2.1	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryMaxCmdEntries
[518]	.1.3.6.1.4.1.9.9.43.1.2.3	CISCO-CONFIG-MAN-MIB::ccmCLIHistoryCmdEntriesAllowed
[519]	.1.3.6.1.4.1.9.9.43.1.3.1	CISCO-CONFIG-MAN-MIB::ccmCLICfgRunConfNotifEnable
[520]	.1.3.6.1.4.1.9.9.117.1.3.1	CISCO-ENTITY-FRU-CONTROL-MIB::cefcMIBEnableStatusNotification
[521]	.1.3.6.1.2.1.1.4	SNMPv2-MIB::sysContact
[522]	.1.3.6.1.2.1.1.1	SNMPv2-MIB::sysDescr
[523]	.1.3.6.1.2.1.1.6	SNMPv2-MIB::sysLocation
[524]	.1.3.6.1.2.1.1.5	SNMPv2-MIB::sysName
[525]	.1.3.6.1.2.1.1.2	SNMPv2-MIB::sysObjectID
[526]	.1.3.6.1.2.1.1.7	SNMPv2-MIB::sysServices
[527]	.1.3.6.1.2.1.1.3	SNMPv2-MIB::sysUpTime
[528]	.1.3.6.1.4.1.9.9.467.1.2.2.1.2	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclEntPhysicalIndex
[529]	.1.3.6.1.4.1.9.9.467.1.2.2.1.3	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclStatus
[530]	.1.3.6.1.4.1.9.9.467.1.2.2.1.4	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclType

[531]	.1.3.6.1.4.1.9.9.467.1.2.2.1.5	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclVersion
[532]	.1.3.6.1.4.1.9.9.467.1.2.2.1.6	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclSlot
[533]	.1.3.6.1.4.1.9.9.467.1.2.2.1.7	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclActiveTime
[534]	.1.3.6.1.4.1.9.9.467.1.2.2.1.8	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclInPkts
[535]	.1.3.6.1.4.1.9.9.467.1.2.2.1.9	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutPkts
[536]	.1.3.6.1.4.1.9.9.467.1.2.2.1.10	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutBadPkts
[537]	.1.3.6.1.4.1.9.9.467.1.2.2.1.11	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclInOctets
[538]	.1.3.6.1.4.1.9.9.467.1.2.2.1.12	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutOctets
[539]	.1.3.6.1.4.1.9.9.467.1.2.2.1.13	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashOutboundPkts
[540]	.1.3.6.1.4.1.9.9.467.1.2.2.1.14	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashOutboundOctets
[541]	.1.3.6.1.4.1.9.9.467.1.2.2.1.15	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashInboundPkts
[542]	.1.3.6.1.4.1.9.9.467.1.2.2.1.16	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclHashInboundOctets
[543]	.1.3.6.1.4.1.9.9.467.1.2.2.1.17	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclEncryptPkts
[544]	.1.3.6.1.4.1.9.9.467.1.2.2.1.18	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclEncryptOctets
[545]	.1.3.6.1.4.1.9.9.467.1.2.2.1.19	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDecryptPkts
[546]	.1.3.6.1.4.1.9.9.467.1.2.2.1.20	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDecryptOctets
[547]	.1.3.6.1.4.1.9.9.467.1.2.2.1.21	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclTransformsTotal
[548]	.1.3.6.1.4.1.9.9.467.1.2.2.1.22	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDropsPkts
[549]	.1.3.6.1.4.1.9.9.467.1.2.2.1.23	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRandRequests
[550]	.1.3.6.1.4.1.9.9.467.1.2.2.1.24	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRandReqFails
[551]	.1.3.6.1.4.1.9.9.467.1.2.2.1.25	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDHKeysGenerated
[552]	.1.3.6.1.4.1.9.9.467.1.2.2.1.26	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDHDerivedSecretKeys
[553]	.1.3.6.1.4.1.9.9.467.1.2.2.1.27	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAKeysGenerated
[554]	.1.3.6.1.4.1.9.9.467.1.2.2.1.28	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSASignings
[555]	.1.3.6.1.4.1.9.9.467.1.2.2.1.29	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAVerifications
[556]	.1.3.6.1.4.1.9.9.467.1.2.2.1.30	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAEncryptPkts
[557]	.1.3.6.1.4.1.9.9.467.1.2.2.1.31	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSAEncryptOctets
[558]	.1.3.6.1.4.1.9.9.467.1.2.2.1.32	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSADecryptPkts
[559]	.1.3.6.1.4.1.9.9.467.1.2.2.1.33	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclRSADecryptOctets
[560]	.1.3.6.1.4.1.9.9.467.1.2.2.1.34	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDSAKeysGenerated
[561]	.1.3.6.1.4.1.9.9.467.1.2.2.1.35	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDSASignings
[562]	.1.3.6.1.4.1.9.9.467.1.2.2.1.36	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclDSAVerifications
[563]	.1.3.6.1.4.1.9.9.467.1.2.2.1.37	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclOutboundSSLRecords
[564]	.1.3.6.1.4.1.9.9.467.1.2.2.1.38	CISCO-CRYPTO-ACCELERATOR-MIB::ccaAcclInboundSSLRecords
[565]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.2	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktEncryptsReqs
[566]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.3	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktDecryptsReqs
[567]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.4	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtHmacCalcReqs
[568]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.5	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtSaCreateReqs
[569]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.6	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtSaRekeyReqs
[570]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.7	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtSaDeleteReqs
[571]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.8	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktEncapReqs
[572]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.9	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtPktDecapReqs
[573]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.10	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtNextPhaseKeyAllocReqs
[574]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.11	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtRndGenReqs
[575]	.1.3.6.1.4.1.9.9.467.1.2.3.1.1.12	CISCO-CRYPTO-ACCELERATOR-MIB::ccaProtFailedReqs
[576]	.1.3.6.1.4.1.9.9.467.1.1.1	CISCO-CRYPTO-ACCELERATOR-MIB::ccaSupportsHwCrypto
[577]	.1.3.6.1.4.1.9.9.467.1.1.2	CISCO-CRYPTO-ACCELERATOR-MIB::ccaSupportsModularHwCrypto
[578]	.1.3.6.1.4.1.9.9.467.1.1.3	CISCO-CRYPTO-ACCELERATOR-MIB::ccaMaxAccelerators
[579]	.1.3.6.1.4.1.9.9.467.1.1.4	CISCO-CRYPTO-ACCELERATOR-MIB::ccaMaxCryptoThroughput
[580]	.1.3.6.1.4.1.9.9.467.1.1.5	CISCO-CRYPTO-ACCELERATOR-MIB::ccaMaxCryptoConnections
[581]	.1.3.6.1.4.1.9.9.467.1.2.1.1	CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalNumActiveAccelerators
[582]	.1.3.6.1.4.1.9.9.467.1.2.1.2	CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalNumNonOperAccelerators
[583]	.1.3.6.1.4.1.9.9.467.1.2.1.3	CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalInOctets
[584]	.1.3.6.1.4.1.9.9.467.1.2.1.4	CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalOutOctets
[585]	.1.3.6.1.4.1.9.9.467.1.2.1.5	CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalInPkts
[586]	.1.3.6.1.4.1.9.9.467.1.2.1.6	CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalOutPkts

```

[587] .1.3.6.1.4.1.9.9.467.1.2.1.7 CISCO-CRYPTO-ACCELERATOR-MIB::ccaGlobalOutErrPkts
[588] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.1 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAddrType
[589] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.2 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAddress
[590] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.3 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerPort
[591] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.4 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerVendor
[592] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.5 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerStatus
[593] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.6
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerReqsNumProcessed
[594] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.7
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerReqsNumAllowed
[595] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.8
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerReqsNumDenied
[596] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.9
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerNumTimeouts
[597] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.10
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerNumRetries
[598] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.11
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerRespsNumReceived
[599] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.13
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAvgRespTime1
[600] .1.3.6.1.4.1.9.9.491.1.3.3.1.1.14
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfServerAvgRespTime5
[601] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.1 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGroupIndex
[602] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.2 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpLastFailoverAt
[603] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.3 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpHastate
[604] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.4 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpUpTime
[605] .1.3.6.1.4.1.9.9.491.1.4.2.1.1.5 CISCO-UNIFIED-FIREWALL-MIB::cufwFOGrpContextCount
[606] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.1 CISCO-UNIFIED-FIREWALL-MIB::cufwConnProtocol
[607] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.2 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumAttempted
[608] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.3 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumSetupsAborted
[609] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.4
CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumPolicyDeclined
[610] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.5 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumResDeclined
[611] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.6 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumHalfOpen
[612] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.7 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumActive
[613] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.8 CISCO-UNIFIED-FIREWALL-MIB::cufwConnNumAborted
[614] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.9 CISCO-UNIFIED-FIREWALL-MIB::cufwConnSetupRate1
[615] .1.3.6.1.4.1.9.9.491.1.1.4.1.1.10 CISCO-UNIFIED-FIREWALL-MIB::cufwConnSetupRate5
[616] .1.3.6.1.4.1.9.9.491.1.1.1.4 CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalNumResDeclined
[617] .1.3.6.1.4.1.9.9.491.1.1.1.6 CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalNumActive
[618] .1.3.6.1.4.1.9.9.491.1.1.1.10
CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalConnSetupRate1
[619] .1.3.6.1.4.1.9.9.491.1.1.1.11
CISCO-UNIFIED-FIREWALL-MIB::cufwConnGlobalConnSetupRate5
[620] .1.3.6.1.4.1.9.9.491.1.3.1.17 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfNumServerRetries
[621] .1.3.6.1.4.1.9.9.491.1.3.1.16 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfNumServerTimeouts
[622] .1.3.6.1.4.1.9.9.491.1.3.1.15
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsResDropRate5
[623] .1.3.6.1.4.1.9.9.491.1.3.1.14
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsResDropRate1
[624] .1.3.6.1.4.1.9.9.491.1.3.1.4 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsProcRate5
[625] .1.3.6.1.4.1.9.9.491.1.3.1.3 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsProcRate1
[626] .1.3.6.1.4.1.9.9.491.1.3.1.13
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsNumResDropped
[627] .1.3.6.1.4.1.9.9.491.1.3.1.2 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsNumProcessed
[628] .1.3.6.1.4.1.9.9.491.1.3.1.6 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsNumDenied
[629] .1.3.6.1.4.1.9.9.491.1.3.1.10
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsNumCacheDenied
[630] .1.3.6.1.4.1.9.9.491.1.3.1.9
CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsNumCacheAllowed
[631] .1.3.6.1.4.1.9.9.491.1.3.1.5 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsNumAllowed
[632] .1.3.6.1.4.1.9.9.491.1.3.1.8 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsDeniedRate5
[633] .1.3.6.1.4.1.9.9.491.1.3.1.7 CISCO-UNIFIED-FIREWALL-MIB::cufwUrfRequestsDeniedRate1
[634] .1.3.6.1.4.1.9.9.491.1.5.3.1.1 CISCO-UNIFIED-FIREWALL-MIB::cufwAaicPassedSnortCount

```

[635]	.1.3.6.1.4.1.9.9.491.1.5.3.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicBlockedSnortCount
[636]	.1.3.6.1.4.1.9.9.491.1.5.3.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicInjbySnortCount
[637]	.1.3.6.1.4.1.9.9.491.1.5.3.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicBypassSnortDownCount
[638]	.1.3.6.1.4.1.9.9.491.1.5.3.1.5	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicBypassSnortBusyCount
[639]	.1.3.6.1.4.1.9.9.491.1.5.3.1.6	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicFastfwdFlowsCount
[640]	.1.3.6.1.4.1.9.9.491.1.5.3.1.7	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicBlacklistedFlowsCount
[641]	.1.3.6.1.4.1.9.9.491.1.5.3.1.8	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicStartofFlowEvCount
[642]	.1.3.6.1.4.1.9.9.491.1.5.3.1.9	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicEndofFlowEvCount
[643]	.1.3.6.1.4.1.9.9.491.1.5.3.1.10	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicDeniedFlowEvCount
[644]	.1.3.6.1.4.1.9.9.491.1.5.3.1.11	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicFwdbeforeDropCount
[645]	.1.3.6.1.4.1.9.9.491.1.5.3.1.12	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicInjDropCount
[646]	.1.3.6.1.4.1.9.9.491.1.5.3.2.1	CISCO-UNIFIED-FIREWALL-MIB::cufwAaicIntrusionEvtRate
[647]	.1.3.6.1.4.1.9.9.491.1.8.1.1	CISCO-UNIFIED-FIREWALL-MIB::cufwCluEnabled
[648]	.1.3.6.1.4.1.9.9.491.1.8.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwCluInterfaceMode
[649]	.1.3.6.1.4.1.9.9.491.1.8.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwCluUnitState
[650]	.1.3.6.1.4.1.9.9.491.1.8.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwCCLink
[651]	.1.3.6.1.4.1.9.9.491.1.8.1.5	CISCO-UNIFIED-FIREWALL-MIB::cufwCluGroupName
[652]	.1.3.6.1.4.1.9.9.491.1.8.1.6	CISCO-UNIFIED-FIREWALL-MIB::cufwCluUnitName
[653]	.1.3.6.1.4.1.9.9.491.1.8.1.7	CISCO-UNIFIED-FIREWALL-MIB::cufwCluConsoleReplicate
[654]	.1.3.6.1.4.1.9.9.491.1.8.1.8	CISCO-UNIFIED-FIREWALL-MIB::cufwCluSiteID
[655]	.1.3.6.1.4.1.9.9.491.1.8.1.9	CISCO-UNIFIED-FIREWALL-MIB::cufwCluPriority
[656]	.1.3.6.1.4.1.9.9.491.1.8.1.10	CISCO-UNIFIED-FIREWALL-MIB::cufwCluSerialNum
[657]	.1.3.6.1.4.1.9.9.491.1.8.1.11	CISCO-UNIFIED-FIREWALL-MIB::cufwCClipAddr
[658]	.1.3.6.1.4.1.9.9.491.1.8.1.12	CISCO-UNIFIED-FIREWALL-MIB::cufwCCLmacAddr
[659]	.1.3.6.1.4.1.9.9.491.1.8.1.13	CISCO-UNIFIED-FIREWALL-MIB::cufwCluSwVersion
[660]	.1.3.6.1.4.1.9.9.491.1.8.1.14	CISCO-UNIFIED-FIREWALL-MIB::cufwCluUnitHoldtime
[661]	.1.3.6.1.4.1.9.9.491.1.8.1.15	CISCO-UNIFIED-FIREWALL-MIB::cufwCluLastJoinAt
[662]	.1.3.6.1.4.1.9.9.491.1.8.1.16	CISCO-UNIFIED-FIREWALL-MIB::cufwCluLastLeaveAt
[663]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.1	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropIndex
[664]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropName
[665]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropDescription
[666]	.1.3.6.1.4.1.9.9.491.1.5.3.3.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFrameDropValue
[667]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.1	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropIndex
[668]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.2	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropName
[669]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.3	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropDescription
[670]	.1.3.6.1.4.1.9.9.491.1.5.3.4.1.4	CISCO-UNIFIED-FIREWALL-MIB::cufwAspFlowDropValue
[671]	.1.3.6.1.4.1.9.9.745.1.1.1.1	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdIndex
[672]	.1.3.6.1.4.1.9.9.745.1.1.1.2	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdSeverity
[673]	.1.3.6.1.4.1.9.9.745.1.1.1.3	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdRelation
[674]	.1.3.6.1.4.1.9.9.745.1.1.1.4	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdValue
[675]	.1.3.6.1.4.1.9.9.745.1.1.1.5	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdEvaluation
[676]	.1.3.6.1.4.1.9.9.745.1.1.1.6	CISCO-ENTITY-SENSOR-EXT-MIB::ceSensorExtThresholdNotifEnable
[677]	.1.3.6.1.4.1.9.9.221.1.1.1.1.1	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolIndex
[678]	.1.3.6.1.4.1.9.9.221.1.1.1.1.2	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolType
[679]	.1.3.6.1.4.1.9.9.221.1.1.1.1.3	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolName
[680]	.1.3.6.1.4.1.9.9.221.1.1.1.1.5	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolAlternate
[681]	.1.3.6.1.4.1.9.9.221.1.1.1.1.6	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolValid
[682]	.1.3.6.1.4.1.9.9.221.1.1.1.1.7	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolUsed
[683]	.1.3.6.1.4.1.9.9.221.1.1.1.1.8	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolFree
[684]	.1.3.6.1.4.1.9.9.221.1.1.1.1.17	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolUsedOvrflw
[685]	.1.3.6.1.4.1.9.9.221.1.1.1.1.18	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolHCUsed
[686]	.1.3.6.1.4.1.9.9.221.1.1.1.1.19	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolFreeOvrflw
[687]	.1.3.6.1.4.1.9.9.221.1.1.1.1.20	CISCO-ENHANCED-MEMPOOL-MIB::cempMemPoolHCFree
[688]	.1.3.6.1.2.1.47.1.1.1.1.1	ENTITY-MIB::entPhysicalIndex

支持的 SNMP MIB 和 OID 列表

[689]	.1.3.6.1.2.1.47.1.1.1.1.2	ENTITY-MIB::entPhysicalDescr
[690]	.1.3.6.1.2.1.47.1.1.1.1.3	ENTITY-MIB::entPhysicalVendorType
[691]	.1.3.6.1.2.1.47.1.1.1.1.4	ENTITY-MIB::entPhysicalContainedIn
[692]	.1.3.6.1.2.1.47.1.1.1.1.5	ENTITY-MIB::entPhysicalClass
[693]	.1.3.6.1.2.1.47.1.1.1.1.6	ENTITY-MIB::entPhysicalParentRelPos
[694]	.1.3.6.1.2.1.47.1.1.1.1.7	ENTITY-MIB::entPhysicalName
[695]	.1.3.6.1.2.1.47.1.1.1.1.8	ENTITY-MIB::entPhysicalHardwareRev
[696]	.1.3.6.1.2.1.47.1.1.1.1.9	ENTITY-MIB::entPhysicalFirmwareRev
[697]	.1.3.6.1.2.1.47.1.1.1.1.10	ENTITY-MIB::entPhysicalSoftwareRev
[698]	.1.3.6.1.2.1.47.1.1.1.1.11	ENTITY-MIB::entPhysicalSerialNum
[699]	.1.3.6.1.2.1.47.1.1.1.1.12	ENTITY-MIB::entPhysicalMfgName
[700]	.1.3.6.1.2.1.47.1.1.1.1.13	ENTITY-MIB::entPhysicalModelName
[701]	.1.3.6.1.2.1.47.1.1.1.1.14	ENTITY-MIB::entPhysicalAlias
[702]	.1.3.6.1.2.1.47.1.1.1.1.15	ENTITY-MIB::entPhysicalAssetID
[703]	.1.3.6.1.2.1.47.1.1.1.1.16	ENTITY-MIB::entPhysicalIsFRU
[704]	.1.3.6.1.2.1.47.1.2.1.1.1	ENTITY-MIB::entLogicalIndex
[705]	.1.3.6.1.2.1.47.1.2.1.1.2	ENTITY-MIB::entLogicalDescr
[706]	.1.3.6.1.2.1.47.1.2.1.1.3	ENTITY-MIB::entLogicalType
[707]	.1.3.6.1.2.1.47.1.2.1.1.4	ENTITY-MIB::entLogicalCommunity
[708]	.1.3.6.1.2.1.47.1.2.1.1.5	ENTITY-MIB::entLogicalTAddress
[709]	.1.3.6.1.2.1.47.1.2.1.1.6	ENTITY-MIB::entLogicalTDomain
[710]	.1.3.6.1.2.1.47.1.2.1.1.7	ENTITY-MIB::entLogicalContextEngineID
[711]	.1.3.6.1.2.1.47.1.2.1.1.8	ENTITY-MIB::entLogicalContextName
[712]	.1.3.6.1.2.1.47.1.3.1.1.1	ENTITY-MIB::entLPPPhysicalIndex
[713]	.1.3.6.1.2.1.47.1.4.1	ENTITY-MIB::entLastChangeTime
[714]	.1.3.6.1.4.1.9.9.480.1.1.2.1.2	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitType	
[715]	.1.3.6.1.4.1.9.9.480.1.1.2.1.3	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitValueType	
[716]	.1.3.6.1.4.1.9.9.480.1.1.2.1.4	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitMin	
[717]	.1.3.6.1.4.1.9.9.480.1.1.2.1.5	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitMax	
[718]	.1.3.6.1.4.1.9.9.480.1.1.2.1.6	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitStorageType	
[719]	.1.3.6.1.4.1.9.9.480.1.1.2.1.7	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitRowStatus	
[720]	.1.3.6.1.4.1.9.9.480.1.1.2.1.8	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitCurrentUsage	
[721]	.1.3.6.1.4.1.9.9.480.1.1.2.1.9	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitPeakUsage	
[722]	.1.3.6.1.4.1.9.9.480.1.1.2.1.10	
	CISCO-L4L7MODULE-RESOURCE-LIMIT-MIB::crlResourceLimitReqsDeniedCount	
[723]	.1.3.6.1.4.1.9.9.147.1.1.1.1	CISCO-FIREWALL-MIB::cfwBasicEventsTableLastRow
[724]	.1.3.6.1.4.1.9.9.147.1.1.2.1	CISCO-FIREWALL-MIB::cfwNetEventsTableLastRow
[725]	.1.3.6.1.4.1.9.9.147.1.2.2.3	CISCO-FIREWALL-MIB::cfwStatistics.3
[726]	.1.3.6.1.4.1.9.9.147.1.2.2.4	CISCO-FIREWALL-MIB::cfwStatistics.4
[727]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.1	CISCO-FIREWALL-MIB::cfwBasicEventIndex
[728]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.2	CISCO-FIREWALL-MIB::cfwBasicEventTime
[729]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.3	CISCO-FIREWALL-MIB::cfwBasicSecurityEventType
[730]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.4	CISCO-FIREWALL-MIB::cfwBasicContentInspEventType
[731]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.5	CISCO-FIREWALL-MIB::cfwBasicConnectionEventType
[732]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.6	CISCO-FIREWALL-MIB::cfwBasicAccessEventType
[733]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.7	CISCO-FIREWALL-MIB::cfwBasicAuthenticationEventType
[734]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.8	CISCO-FIREWALL-MIB::cfwBasicGenericEventType
[735]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.9	CISCO-FIREWALL-MIB::cfwBasicEventDescription
[736]	.1.3.6.1.4.1.9.9.147.1.1.1.2.1.10	CISCO-FIREWALL-MIB::cfwBasicEventDetailsTableRow
[737]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.1	CISCO-FIREWALL-MIB::cfwNetEventIndex
[738]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.2	CISCO-FIREWALL-MIB::cfwNetEventInterface
[739]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.3	CISCO-FIREWALL-MIB::cfwNetEventSrcIpAddress
[740]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.4	CISCO-FIREWALL-MIB::cfwNetEventInsideSrcIpAddress
[741]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.5	CISCO-FIREWALL-MIB::cfwNetEventDstIpAddress
[742]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.6	CISCO-FIREWALL-MIB::cfwNetEventInsideDstIpAddress
[743]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.7	CISCO-FIREWALL-MIB::cfwNetEventSrcIpPort

[744]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.8	CISCO-FIREWALL-MIB::cfwNetEventInsideSrcIpPort
[745]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.9	CISCO-FIREWALL-MIB::cfwNetEventDstIpPort
[746]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.10	CISCO-FIREWALL-MIB::cfwNetEventInsideDstIpPort
[747]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.11	CISCO-FIREWALL-MIB::cfwNetEventService
[748]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.12	CISCO-FIREWALL-MIB::cfwNetEventServiceInformation
[749]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.13	CISCO-FIREWALL-MIB::cfwNetEventIdentity
[750]	.1.3.6.1.4.1.9.9.147.1.1.2.2.1.14	CISCO-FIREWALL-MIB::cfwNetEventDescription
[751]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.1	CISCO-FIREWALL-MIB::cfwHardwareType
[752]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.2	CISCO-FIREWALL-MIB::cfwHardwareInformation
[753]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.3	CISCO-FIREWALL-MIB::cfwHardwareStatusValue
[754]	.1.3.6.1.4.1.9.9.147.1.2.1.1.1.4	CISCO-FIREWALL-MIB::cfwHardwareStatusDetail
[755]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.1	CISCO-FIREWALL-MIB::cfwBufferStatSize
[756]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.2	CISCO-FIREWALL-MIB::cfwBufferStatType
[757]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.3	CISCO-FIREWALL-MIB::cfwBufferStatInformation
[758]	.1.3.6.1.4.1.9.9.147.1.2.2.1.1.4	CISCO-FIREWALL-MIB::cfwBufferStatValue
[759]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.1	CISCO-FIREWALL-MIB::cfwConnectionStatService
[760]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.2	CISCO-FIREWALL-MIB::cfwConnectionStatType
[761]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.3	CISCO-FIREWALL-MIB::cfwConnectionStatDescription
[762]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.4	CISCO-FIREWALL-MIB::cfwConnectionStatCount
[763]	.1.3.6.1.4.1.9.9.147.1.2.2.2.1.5	CISCO-FIREWALL-MIB::cfwConnectionStatValue
[764]	.1.3.6.1.4.1.9.9.392.1.1.1	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasMaxSessionsSupportable
[765]	.1.3.6.1.4.1.9.9.392.1.1.2	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasMaxUsersSupportable
[766]	.1.3.6.1.4.1.9.9.392.1.1.3	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasMaxGroupsSupportable
[767]	.1.3.6.1.4.1.9.9.392.1.1.4	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumCryptoAccelerators
[768]	.1.3.6.1.4.1.9.9.392.1.3.1	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumSessions
[769]	.1.3.6.1.4.1.9.9.392.1.3.2	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumPrevSessions
[770]	.1.3.6.1.4.1.9.9.392.1.3.3	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumUsers
[771]	.1.3.6.1.4.1.9.9.392.1.3.4	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumGroups
[772]	.1.3.6.1.4.1.9.9.392.1.3.5	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInPkts
[773]	.1.3.6.1.4.1.9.9.392.1.3.6	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutPkts
[774]	.1.3.6.1.4.1.9.9.392.1.3.7	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInOctets
[775]	.1.3.6.1.4.1.9.9.392.1.3.8	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInDecompOctets
[776]	.1.3.6.1.4.1.9.9.392.1.3.9	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutOctets
[777]	.1.3.6.1.4.1.9.9.392.1.3.10	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutUncompOctets
[778]	.1.3.6.1.4.1.9.9.392.1.3.11	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalInDropPkts
[779]	.1.3.6.1.4.1.9.9.392.1.3.12	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGlobalOutDropPkts
[780]	.1.3.6.1.4.1.9.9.392.1.3.26	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasIPSecNumSessions
[781]	.1.3.6.1.4.1.9.9.392.1.3.27	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasIPSecCumulateSessions
[782]	.1.3.6.1.4.1.9.9.392.1.3.28	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasIPSecPeakConcurrentSessions
[783]	.1.3.6.1.4.1.9.9.392.1.3.29	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasL2LNumSessions
[784]	.1.3.6.1.4.1.9.9.392.1.3.30	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasL2LCumulateSessions
[785]	.1.3.6.1.4.1.9.9.392.1.3.31	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasL2LPeakConcurrentSessions
[786]	.1.3.6.1.4.1.9.9.392.1.3.32	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLBNumSessions
[787]	.1.3.6.1.4.1.9.9.392.1.3.33	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLBCumulateSessions
[788]	.1.3.6.1.4.1.9.9.392.1.3.34	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLBPeakConcurrentSessions
[789]	.1.3.6.1.4.1.9.9.392.1.3.35	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSVCCumulateSessions
[790]	.1.3.6.1.4.1.9.9.392.1.3.36	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSVCCumulateSessions
[791]	.1.3.6.1.4.1.9.9.392.1.3.37	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSVCPeakConcurrentSessions
[792]	.1.3.6.1.4.1.9.9.392.1.3.38	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasWebvpnNumSessions
[793]	.1.3.6.1.4.1.9.9.392.1.3.39	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasWebvpnCumulateSessions
[794]	.1.3.6.1.4.1.9.9.392.1.3.40	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasWebvpnPeakConcurrentSessions
[795]	.1.3.6.1.4.1.9.9.392.1.4.1.2	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumDeclinedSessions
[796]	.1.3.6.1.4.1.9.9.392.1.4.1.1	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumTotalFailures
[797]	.1.3.6.1.4.1.9.9.392.1.4.1.3	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumSetupFailInsufResources

支持的 SNMP MIB 和 OID 列表

[798]	.1.3.6.1.4.1.9.9.392.1.4.1.4	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasNumAbortedSessions
[799]	.1.3.6.1.4.1.9.9.392.1.6.1	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasThrMaxSessions
[800]	.1.3.6.1.4.1.9.9.392.1.6.2	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasThrMaxFailedAuths
[801]	.1.3.6.1.4.1.9.9.392.1.6.3	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasThrMaxThroughput
[802]	.1.3.6.1.4.1.9.9.392.1.3.41	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActivity.41
[803]	.1.3.6.1.4.1.9.9.392.1.3.21.1.1	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasUsername
[804]	.1.3.6.1.4.1.9.9.392.1.3.21.1.2	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasGroup
[805]	.1.3.6.1.4.1.9.9.392.1.3.21.1.3	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionIndex
[806]	.1.3.6.1.4.1.9.9.392.1.3.21.1.4	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasAuthenMethod
[807]	.1.3.6.1.4.1.9.9.392.1.3.21.1.5	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasAuthorMethod
[808]	.1.3.6.1.4.1.9.9.392.1.3.21.1.6	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionDuration
[809]	.1.3.6.1.4.1.9.9.392.1.3.21.1.7	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLocalAddressType
[810]	.1.3.6.1.4.1.9.9.392.1.3.21.1.8	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasLocalAddress
[811]	.1.3.6.1.4.1.9.9.392.1.3.21.1.9	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasISPAddressType
[812]	.1.3.6.1.4.1.9.9.392.1.3.21.1.10	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasISPAddress
[813]	.1.3.6.1.4.1.9.9.392.1.3.21.1.11	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionProtocol
[814]	.1.3.6.1.4.1.9.9.392.1.3.21.1.12	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasProtocolElement
[815]	.1.3.6.1.4.1.9.9.392.1.3.21.1.13	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionEncryptionAlgo
[816]	.1.3.6.1.4.1.9.9.392.1.3.21.1.14	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionPktAuthenAlgo
[817]	.1.3.6.1.4.1.9.9.392.1.3.21.1.15	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionCompressionAlgo
[818]	.1.3.6.1.4.1.9.9.392.1.3.21.1.16	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasHeartbeatInterval
[819]	.1.3.6.1.4.1.9.9.392.1.3.21.1.17	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientVendorString
[820]	.1.3.6.1.4.1.9.9.392.1.3.21.1.18	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientVersionString
[821]	.1.3.6.1.4.1.9.9.392.1.3.21.1.19	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientOSVendorString
[822]	.1.3.6.1.4.1.9.9.392.1.3.21.1.20	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasClientOSVersionString
[823]	.1.3.6.1.4.1.9.9.392.1.3.21.1.21	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimWINSServerAddrType
[824]	.1.3.6.1.4.1.9.9.392.1.3.21.1.22	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimWINSServer
[825]	.1.3.6.1.4.1.9.9.392.1.3.21.1.23	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecWINSServerAddrType
[826]	.1.3.6.1.4.1.9.9.392.1.3.21.1.24	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecWINSServer
[827]	.1.3.6.1.4.1.9.9.392.1.3.21.1.25	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimDNSServerAddrType
[828]	.1.3.6.1.4.1.9.9.392.1.3.21.1.26	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasPrimDNSServer
[829]	.1.3.6.1.4.1.9.9.392.1.3.21.1.27	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecDNSServerAddrType
[830]	.1.3.6.1.4.1.9.9.392.1.3.21.1.28	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSecDNSServer
[831]	.1.3.6.1.4.1.9.9.392.1.3.21.1.29	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasDHCPServerAddrType
[832]	.1.3.6.1.4.1.9.9.392.1.3.21.1.30	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasDHCPServer
[833]	.1.3.6.1.4.1.9.9.392.1.3.21.1.31	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionInPkts
[834]	.1.3.6.1.4.1.9.9.392.1.3.21.1.32	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionOutPkts
[835]	.1.3.6.1.4.1.9.9.392.1.3.21.1.33	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionInDropPkts
[836]	.1.3.6.1.4.1.9.9.392.1.3.21.1.34	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionOutDropPkts
[837]	.1.3.6.1.4.1.9.9.392.1.3.21.1.35	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionInOctets
[838]	.1.3.6.1.4.1.9.9.392.1.3.21.1.36	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionOutOctets
[839]	.1.3.6.1.4.1.9.9.392.1.3.21.1.37	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasSessionState
[840]	.1.3.6.1.4.1.9.9.392.1.3.22.1.1	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpName
[841]	.1.3.6.1.4.1.9.9.392.1.3.22.1.2	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpNumUsers
[842]	.1.3.6.1.4.1.9.9.392.1.3.22.1.3	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpInPkts
[843]	.1.3.6.1.4.1.9.9.392.1.3.22.1.4	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpOutPkts
[844]	.1.3.6.1.4.1.9.9.392.1.3.22.1.5	CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpInDropPkts
[845]	.1.3.6.1.4.1.9.9.392.1.3.22.1.6	

```

CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpOutDropPkts
[846] .1.3.6.1.4.1.9.9.392.1.3.22.1.7 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpInOctets
[847] .1.3.6.1.4.1.9.9.392.1.3.22.1.8 CISCO-REMOTE-ACCESS-MONITOR-MIB::crasActGrpOutOctets
[848] .1.3.6.1.4.1.9.9.816.0.2.7.1.1
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerVPNLicType
[849] .1.3.6.1.4.1.9.9.816.0.2.7.1.2
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerNumLicCapacity
[850] .1.3.6.1.4.1.9.9.816.0.2.7.1.3
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerNumLicAvail
[851] .1.3.6.1.4.1.9.9.816.0.2.7.1.4 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUtilized
[852] .1.3.6.1.4.1.9.9.816.0.4.1.1.1 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntVPNLicType
[853] .1.3.6.1.4.1.9.9.816.0.4.1.1.2
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoDeviceID
[854] .1.3.6.1.4.1.9.9.816.0.4.1.1.3
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoHostName
[855] .1.3.6.1.4.1.9.9.816.0.4.1.1.4
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoPlatLmt
[856] .1.3.6.1.4.1.9.9.816.0.4.1.1.5
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoCurUsage
[857] .1.3.6.1.4.1.9.9.816.0.4.1.1.6 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoHigh
[858] .1.3.6.1.4.1.9.9.816.0.4.1.1.7
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRegReqTx
[859] .1.3.6.1.4.1.9.9.816.0.4.1.1.8
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRegReqRx
[860] .1.3.6.1.4.1.9.9.816.0.4.1.1.9
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRegReqError
[861] .1.3.6.1.4.1.9.9.816.0.4.1.1.10
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoGetReqTx
[862] .1.3.6.1.4.1.9.9.816.0.4.1.1.11
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoGetReqRx
[863] .1.3.6.1.4.1.9.9.816.0.4.1.1.12
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoGetReqError
[864] .1.3.6.1.4.1.9.9.816.0.4.1.1.13
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRelReqTx
[865] .1.3.6.1.4.1.9.9.816.0.4.1.1.14
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRelReqRx
[866] .1.3.6.1.4.1.9.9.816.0.4.1.1.15
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoRelReqError
[867] .1.3.6.1.4.1.9.9.816.0.4.1.1.16
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoTransferReqTx
[868] .1.3.6.1.4.1.9.9.816.0.4.1.1.17
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoTransferReqRx
[869] .1.3.6.1.4.1.9.9.816.0.4.1.1.18
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicClntInfoTransferReqError
[870] .1.3.6.1.4.1.9.9.816.0.1 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicDeviceRole
[871] .1.3.6.1.4.1.9.9.816.0.2.1 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerAddrType
[872] .1.3.6.1.4.1.9.9.816.0.2.2 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerAddr
[873] .1.3.6.1.4.1.9.9.816.0.2.3 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpSerAddrType
[874] .1.3.6.1.4.1.9.9.816.0.2.4 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpSerAddr
[875] .1.3.6.1.4.1.9.9.816.0.2.5 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerVer
[876] .1.3.6.1.4.1.9.9.816.0.2.6 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerStatus
[877] .1.3.6.1.4.1.9.9.816.0.3.1 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerAddrType
[878] .1.3.6.1.4.1.9.9.816.0.3.2 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerAddr
[879] .1.3.6.1.4.1.9.9.816.0.3.3 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerDevID
[880] .1.3.6.1.4.1.9.9.816.0.3.4 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerVer
[881] .1.3.6.1.4.1.9.9.816.0.3.5 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerRegd
[882] .1.3.6.1.4.1.9.9.816.0.3.6
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerHAPeerDevID
[883] .1.3.6.1.4.1.9.9.816.0.3.7
CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerHAPeerRegd
[884] .1.3.6.1.4.1.9.9.816.0.3.8 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicBkpServerStatus
[885] .1.3.6.1.4.1.9.9.816.0.3.9 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerHelloTx
[886] .1.3.6.1.4.1.9.9.816.0.3.10 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerHelloRx
[887] .1.3.6.1.4.1.9.9.816.0.3.11 CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerHelloError

```

[888]	.1.3.6.1.4.1.9.9.816.0.3.12	CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerSyncTx
[889]	.1.3.6.1.4.1.9.9.816.0.3.13	CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerSyncRx
[890]	.1.3.6.1.4.1.9.9.816.0.3.14	CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerSyncError
[891]	.1.3.6.1.4.1.9.9.816.0.3.15	CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUpdateTx
[892]	.1.3.6.1.4.1.9.9.816.0.3.16	CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUpdateRx
[893]	.1.3.6.1.4.1.9.9.816.0.3.17	CISCO-VPN-LIC-USAGE-MONITOR-MIB::cvpnLicServerUpdateError
[894]	.1.3.6.1.6.3.12.1.2.1.1	SNMP-TARGET-MIB::snmpTargetAddrName
[895]	.1.3.6.1.6.3.12.1.2.1.2	SNMP-TARGET-MIB::snmpTargetAddrTDomain
[896]	.1.3.6.1.6.3.12.1.2.1.3	SNMP-TARGET-MIB::snmpTargetAddrTAddress
[897]	.1.3.6.1.6.3.12.1.2.1.4	SNMP-TARGET-MIB::snmpTargetAddrTimeout
[898]	.1.3.6.1.6.3.12.1.2.1.5	SNMP-TARGET-MIB::snmpTargetAddrRetryCount
[899]	.1.3.6.1.6.3.12.1.2.1.6	SNMP-TARGET-MIB::snmpTargetAddrTagList
[900]	.1.3.6.1.6.3.12.1.2.1.7	SNMP-TARGET-MIB::snmpTargetAddrParams
[901]	.1.3.6.1.6.3.12.1.2.1.8	SNMP-TARGET-MIB::snmpTargetAddrStorageType
[902]	.1.3.6.1.6.3.12.1.2.1.9	SNMP-TARGET-MIB::snmpTargetAddrRowStatus
[903]	.1.3.6.1.6.3.12.1.3.1.1	SNMP-TARGET-MIB::snmpTargetParamsName
[904]	.1.3.6.1.6.3.12.1.3.1.2	SNMP-TARGET-MIB::snmpTargetParamsMPModel
[905]	.1.3.6.1.6.3.12.1.3.1.3	SNMP-TARGET-MIB::snmpTargetParamsSecurityModel
[906]	.1.3.6.1.6.3.12.1.3.1.4	SNMP-TARGET-MIB::snmpTargetParamsSecurityName
[907]	.1.3.6.1.6.3.12.1.3.1.5	SNMP-TARGET-MIB::snmpTargetParamsSecurityLevel
[908]	.1.3.6.1.6.3.12.1.3.1.6	SNMP-TARGET-MIB::snmpTargetParamsStorageType
[909]	.1.3.6.1.6.3.12.1.3.1.7	SNMP-TARGET-MIB::snmpTargetParamsRowStatus
[910]	.1.3.6.1.6.3.15.1.2.2.1.1	SNMP-USER-BASED-SM-MIB::usmUserEngineID
[911]	.1.3.6.1.6.3.15.1.2.2.1.2	SNMP-USER-BASED-SM-MIB::usmUserName
[912]	.1.3.6.1.6.3.15.1.2.2.1.3	SNMP-USER-BASED-SM-MIB::usmUserSecurityName
[913]	.1.3.6.1.6.3.15.1.2.2.1.4	SNMP-USER-BASED-SM-MIB::usmUserCloneFrom
[914]	.1.3.6.1.6.3.15.1.2.2.1.5	SNMP-USER-BASED-SM-MIB::usmUserAuthProtocol
[915]	.1.3.6.1.6.3.15.1.2.2.1.6	SNMP-USER-BASED-SM-MIB::usmUserAuthKeyChange
[916]	.1.3.6.1.6.3.15.1.2.2.1.7	SNMP-USER-BASED-SM-MIB::usmUserOwnAuthKeyChange
[917]	.1.3.6.1.6.3.15.1.2.2.1.8	SNMP-USER-BASED-SM-MIB::usmUserPrivProtocol
[918]	.1.3.6.1.6.3.15.1.2.2.1.9	SNMP-USER-BASED-SM-MIB::usmUserPrivKeyChange
[919]	.1.3.6.1.6.3.15.1.2.2.1.10	SNMP-USER-BASED-SM-MIB::usmUserOwnPrivKeyChange
[920]	.1.3.6.1.6.3.15.1.2.2.1.11	SNMP-USER-BASED-SM-MIB::usmUserPublic
[921]	.1.3.6.1.6.3.15.1.2.2.1.12	SNMP-USER-BASED-SM-MIB::usmUserStorageType
[922]	.1.3.6.1.6.3.15.1.2.2.1.13	SNMP-USER-BASED-SM-MIB::usmUserStatus
===== MASTER AGENT SUPPORTING MIBS=====		
[923]	1.3.6.1.2.1.11.1	SNMPv2-MIB::snmpInPkts
[924]	1.3.6.1.2.1.11.2	SNMPv2-MIB::snmpOutPkts
[925]	1.3.6.1.2.1.11.3	SNMPv2-MIB::snmpInBadVersions
[926]	1.3.6.1.2.1.11.4	SNMPv2-MIB::snmpInBadCommunityNames
[927]	1.3.6.1.2.1.11.5	SNMPv2-MIB::snmpInBadCommunityUses
[928]	1.3.6.1.2.1.11.6	SNMPv2-MIB::snmpInASNParseErrs
[929]	1.3.6.1.2.1.11.7	SNMPv2-MIB::snmp.7
[930]	1.3.6.1.2.1.11.8	SNMPv2-MIB::snmpInTooBig
[931]	1.3.6.1.2.1.11.9	SNMPv2-MIB::snmpInNoSuchNames
[932]	1.3.6.1.2.1.11.10	SNMPv2-MIB::snmpInBadValues
[933]	1.3.6.1.2.1.11.11	SNMPv2-MIB::snmpInReadOnly
[934]	1.3.6.1.2.1.11.12	SNMPv2-MIB::snmpInGenErrs
[935]	1.3.6.1.2.1.11.13	SNMPv2-MIB::snmpInTotalReqVars
[936]	1.3.6.1.2.1.11.14	SNMPv2-MIB::snmpInTotalSetVars
[937]	1.3.6.1.2.1.11.15	SNMPv2-MIB::snmpInGetRequests
[938]	1.3.6.1.2.1.11.16	SNMPv2-MIB::snmpInGetNexts
[939]	1.3.6.1.2.1.11.17	SNMPv2-MIB::snmpInSetRequests
[940]	1.3.6.1.2.1.11.18	SNMPv2-MIB::snmpInGetResponses
[941]	1.3.6.1.2.1.11.19	SNMPv2-MIB::snmpInTraps
[942]	1.3.6.1.2.1.11.20	SNMPv2-MIB::snmpOutTooBig
[943]	1.3.6.1.2.1.11.21	SNMPv2-MIB::snmpOutNoSuchNames
[944]	1.3.6.1.2.1.11.22	SNMPv2-MIB::snmpOutBadValues
[945]	1.3.6.1.2.1.11.23	SNMPv2-MIB::snmp.23
[946]	1.3.6.1.2.1.11.24	SNMPv2-MIB::snmpOutGenErrs
[947]	1.3.6.1.2.1.11.25	SNMPv2-MIB::snmpOutGetRequests
[948]	1.3.6.1.2.1.11.26	SNMPv2-MIB::snmpOutGetNexts
[949]	1.3.6.1.2.1.11.27	SNMPv2-MIB::snmpOutSetRequests
[950]	1.3.6.1.2.1.11.28	SNMPv2-MIB::snmpOutGetResponses

[951]	1.3.6.1.2.1.11.29	SNMPv2-MIB::snmpOutTraps
[952]	1.3.6.1.2.1.11.30	SNMPv2-MIB::snmpEnableAuthenTraps
[953]	1.3.6.1.2.1.11.31	SNMPv2-MIB::snmpSilentDrops
[954]	1.3.6.1.2.1.11.32	SNMPv2-MIB::snmpProxyDrops
[955]	1.3.6.1.2.1.90.1.2.2.1.1	DISMAN-EXPRESSION-MIB::expErrorTime
[956]	1.3.6.1.2.1.90.1.2.2.1.2	DISMAN-EXPRESSION-MIB::expErrorIndex
[957]	1.3.6.1.2.1.90.1.2.2.1.3	DISMAN-EXPRESSION-MIB::expErrorCode
[958]	1.3.6.1.2.1.90.1.2.2.1.4	DISMAN-EXPRESSION-MIB::expErrorInstance
[959]	1.3.6.1.6.3.16.1.2.1.3	SNMP-VIEW-BASED-ACM-MIB::vacmGroupName
[960]	1.3.6.1.6.3.16.1.2.1.4	SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupStorageType
[961]	1.3.6.1.6.3.16.1.2.1.5	SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupStatus
[962]	1.3.6.1.6.3.16.1.2.1.6	SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupEntry.6
[963]	1.3.6.1.6.3.16.1.2.1.7	SNMP-VIEW-BASED-ACM-MIB::vacmSecurityToGroupEntry.7

当地语言翻译版本说明

思科可能会在某些地方提供本内容的当地语言翻译版本。请注意，翻译版本仅供参考，如有任何不一致之处，以本内容的英文版本为准。