

ReadMe for Cisco Unified Communications Manager Release 11.5(1)SU3

Revision 3

Updated September 18, 2017

Changes in this revision, Revision 3

Added a new Open Caveat:

[CSCvf96778](#): CTI based SSO fails when defining CUCM sever as IP address in CCMAAdmin//System/Sever

CSCvf96778 describes a critical issue introduced in 11.5(1)SU3. Please see the Release-note Enclosure for additional details about this issue and the resolution.

Changes in Revision 2

Added the complete list of fixes included in this SU.

This ReadMe file discusses the following topics:

- [Introduction, page 2](#)
- [System Requirements, page 2](#)
- [Version and Description, page 2](#)
- [New to this Release, page 3](#)
- [Important Notes, page 4](#)
- [Firmware Upgrade Issues, page 5](#)
- [Related Documentation, page 5](#)
- [Before You Begin, page 5](#)
- [Installation Instructions, page 5](#)
- [Reverting to a Previous Version, page 6](#)
- [Caveats, page 7](#)
- [Obtaining Documentation and Submitting a Service Request, page 22](#)



Note

To view the release notes for previous versions of Cisco Unified Communications Manager, choose the Cisco Unified Communications Manager version from the following URL:

<http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-call-manager/products-release-notes-list.html>

**Note**

Please review all sections in this document pertaining to installation before you install this Service Update (SU). Failure to install this SU as described may result in inconsistent Cisco Unified Communications Manager behavior.

Before you install Cisco Unified Communications Manager, Cisco recommends that you review the “Important Notes” section on page 4 for information about issues that may affect your system.

Introduction

This 11.5(1)SU3 ReadMe file contains important information about installation procedures and resolved caveats for Cisco Unified Communications Manager release 11.5(1)SU3. This SU can be applied to Cisco Unified Communications Manager, Business Edition 6000, Session Management Edition, and Cisco Unity Connection.

System Requirements

The following sections comprise the system requirements for this release.

Server Support

In this release, you cannot install or run Cisco Unified Communications Manager on server hardware; you must run these applications on virtual machines. Please refer to the “Platform requirements” section of the *Upgrade Guide for Cisco Unified Communications Manager and IM and Presence Service, Release 11.5(1)*, for additional details:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/11_5_1/cucm_b_upgrade-guide-cucm-115.html

Uninterruptible Power Supply

Ensure that you connect each node to an uninterruptible power supply (UPS) to provide backup power and protect your system.

**Caution**

Failure to connect the Cisco Unified Communication Manager nodes to a UPS may result in damage to physical media and require a new installation of Cisco Unified CM.

Version and Description

This SU is a cumulative update that incorporates all of the fixes and changes from Cisco Unified Communications Manager 11.5(1) through 11.5(1)SU2 along with additional changes that are specific to this SU.

**Note**

You can only install this SU on Cisco Unified Communications Manager Release 6.1(4x), 6.1(5x), 7.1(3x), 7.1(5x), 8.0(x), 8.5(1x), 8.6(x), 9.0(x), 9.1(x), 10.0(1), 10.5(x), 11.0(1x), 11.5(1), 11.5(1)SU1, 11.5(1)SU2, or any 11.5(1)ES from 11.5.1.11001-2 to 11.5.1.13050-1. Upgrades from 6x through 10x need to be requested via PUT (www.cisco.com/upgrade) to obtain the necessary license. This SU should not be installed on a Business Edition 3000 server.

See the Compatibility Matrix for further details:

<http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-call-manager/products-device-support-tables-list.html>

New to this Release

For additional details about the features included in this release, refer to *Release Notes for Cisco Unified Communications Manager and IM and Presence Service, Release 11.5(1)SU3* at:

<http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-call-manager/products-release-notes-list.html>

The following enhancements were introduced in 11.5(1)SU3:

- **Mixed Mode requires an Encryption License**

This release requires that you have an encryption license installed in order to run Cisco Unified Communications Manager in mixed mode.
- **Push Notifications Enhancements for Cisco Jabber on iPhone and iPad**

With this release, the Push Notifications for Cisco Jabber on iPhone and iPad solution has been enhanced with Voice and Video Call Support; High Availability for IM and Presence; and more.
- **Minimum TLS Version Control**

This release includes the minimum Transport Layer Security (TLS) protocol version configuration support. Use this feature to configure the minimum TLS version to comply with the organization security policies.
- **Enhanced CTL and ITL Phone Trust and Migration**

Provides a common trust anchor and the ability to create a long term trust.
- **Emergency Notifications Paging**

This release comes with a provisioning wizard that allows you to quickly provision and configure advanced notification services.
- **Authenticated Network Time Protocol Support**

With this release, the authenticated Network Time Protocol (NTP) capability for Cisco Unified Communications Manager is supported
- **Cisco Jabber Authentication via OAuth Refresh Logins**

Cisco Jabber clients, as of Jabber Release 11.9, can use OAuth Refresh Logins to authenticate with Cisco Unified Communications Manager and the IM and Presence Service.
- **Compliance to Common Criteria**

With Release 11.5(1) SU3, both Cisco Unified Communications Manager and IM and Presence Service can run in Common Criteria mode. This running mode runs on a FIPS-enabled system, and allows the system to comply with Common Criteria guidelines.

The following enhancements were introduced in 11.5(1)SU2:

- **Cisco Meeting Server Conference Bridge**
Cisco Unified Communications Manager supports the Cisco Meeting Server conference bridge, which supports Ad Hoc, Meet-Me, Conference Now and Rendezvous conferences
- **Cisco Spark Remote Device**
Cisco Spark is supported as a device type for connecting your on-premises environment to Cisco cloud services.
- **MRA Support for Shared Line**
Mobile and Remote Access (MRA) endpoints that register to Cisco Unified Communications Manager via Expressway now support shared lines. To use this feature, you must be connecting to Expressway X8.9.Push Notifications
- **Push Notifications**
With Apple iOS release 11 on Apple iPhone and Apple iPad, you must enable Push Notifications in Cisco Unified Communications Manager to maintain a persistent instant messaging channel to Cisco Jabber on iPhone and iPad. Push Notifications is mandatory for Cisco Jabber on iPhone and iPad. Android and Windows users are unaffected.
- **TLS Support for Common Criteria Compliance**
Transport Layer Security (TLS) 1.2 can now be used as a communication protocol for syslog and FileBeat audit logging. This feature enables Cisco Unified Communications Manager and IM and Presence Service to comply with Common Criteria guidelines.

The following enhancements were introduced in 11.5(1)SU1:

- **Enhanced Security Mode implementation.**

Important Notes

SUs do not impact system compatibility unless specifically stated.

Cisco provides the following guidance to help you successfully upgrade Cisco Unified Communications Manager software:

- To minimize call-processing interruptions during the upgrade process, register all devices to servers that are running the same version of Cisco Unified Communications Manager software. Make sure that you register all devices to the backup Cisco Unified Communications Manager server or to the primary Cisco Unified Communications Manager server, but not to both the backup and primary servers.

Firmware Upgrade Issues

For all SCCP and SIP firmware upgrades from firmware release versions earlier than 8.3(3) to version 8.5(2)SR1 or greater, you must first upgrade your firmware to version 8.5(2). Once you have upgraded to version 8.5(2), you can upgrade your IP Phone to version 8.5(2)SR1 or later. Refer to the *Firmware Versions in this Release* section of this document to determine the firmware load provided in this SU.

For additional details, Firmware Upgrade Instructions, and Firmware Download locations please see:

SCCP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp57602

SIP

http://www.cisco.com/en/US/docs/voice_ip_comm/cuipph/firmware/8_5_2/english/release/notes/7900_852SR1.html#wp147343

Related Documentation

To view documentation that supports Cisco Unified CM Release 11.5(x), go to:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/docguide/11_5_1/cucm_b_documentation-guide-cucm-imp-1151.html

Before You Begin

Before you upgrade the software version of Cisco Unified Communications Manager, verify your current software version.

To do that, open Cisco Unified Communications Manager Administration. The following information displays:

- Cisco Unified Communications Manager Administration System version

Installation Instructions



Note

Apply this SU to all of your Cisco Unified Communications Manager servers, beginning with the publisher server and TFTP server.

Refer to the *Upgrade Guide for Cisco Unified Communications Manager and IM and Presence Service, Release 11.5(1)* for detailed information about doing this upgrade:

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/11_5_1/cucm_b_upgrade-guide-cucm-115.html



Note

Because the 11.5.1.13900-52 build is a non-bootable ISO, it proves useful only for upgrades. You cannot use it for new installations. You may however install with the base version 11.5.1.10000-6 and apply 11.5.1.13900-52 as a patch during the installation.

Release 11.5(x) is available in both restricted (which is the release type that has always been available from Cisco) and unrestricted versions of software to comply with import / export restrictions to various countries. The unrestricted version is available in limited markets. Please refer to the “Export Unrestricted” section in the **Upgrade Planning** chapter, of the *Upgrade Guide for Cisco Unified Communications Manager, Release 11.5(1)* referenced above for a more detailed description.

**Caution**

For both restricted and unrestricted upgrades from an 8.5(x) or earlier release to a 11.5(x) release, a patch (COP file) must be applied prior to initiating the upgrade. Before you upgrade from compatible versions of Unified CUCM, install the COP file named `ciscocm.refresh_upgrade_v1.5.cop.sgn`. Please refer to the “Refresh Upgrades” section in the **Upgrade overview** chapter at the *Upgrade Guide for Cisco Unified Communications Manager and IM and Presence Service, Release 11.5(1)* referenced earlier in this document for detailed installation instructions and download location.

The file names and hash values you will use for this upgrade are:

- UCSInstall_UCOS_11.5.1.13900-52.sgn.iso

The **MD5** for the Restricted combined download is: 176a266b7c552e9db1e56d415ada15b4

The **SHA-512** for the Restricted combined download is:

```
77f40640417b959783e6596d0544c67604b41a68892ea9413ad7b6fefabe95bf7c3dc1a5e1d5912
5257c406183a5e0969a786d12e34c919d869a36fee7ddd10b
```

**Note**

Once installed, UNRST releases can never be converted or upgraded to releases which support full encryption capabilities

For the Unrestricted version:

- UCSInstall_UCOS_UNRST_11.5.1.13900-52.sgn.iso

The **MD5** for the Unrestricted combined download is: 71163bd759f19b9ee47c3e00466cf02f

The **SHA-512** for the Unrestricted combined download is:

```
17324694f97349a45137839bdd37df3f8f9cb651a5c67583bcd415bc5c302c6ee9fc56ddc359c04
394b685c45fb4d3629bb671698cd042b53ce782bc4ecb01d8
```

Reverting to a Previous Version

**Note**

Revert the SU on all servers in the cluster in the same order in which you performed the installation.

Refer to the “Switch to Previous Version” section in the **Upgrade Procedures** chapter at *Upgrade Guide for Cisco Unified Communications Manager and IM and Presence Service, Release 11.5(1)* for detailed instructions on “Reverting to a Previous Version.”

http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/upgrade/11_5_1/cucm_b_upgrade-guide-cucm-115/cucm_b_upgrade-guide-cucm-115_chapter_0111.html

Caveats

Caveats describe unexpected behavior on a Cisco Unified Communications server. The following sections contain lists and descriptions of resolved and open caveats in this release.

Resolved Caveats

Resolved Caveats for Cisco Unified Communications Manager Release 11.5(1)SU3 describes possible unexpected behaviors in previous Cisco Unified Communications Manager 11.5(1) releases.

Resolved Caveats for Cisco Unified Communications Manager Release 11.5(1)SU3

The following information comprises unexpected behavior that is addressed by this SU of Cisco Unified Communications Manager.

Resolved CUCM Caveats in 11.5(1)SU3

- [CSCve68409](#) : Submit Date Time is incorrect
- [CSCvf46179](#) : Jabber user login fails after OAUTH login page
- [CSCvf24628](#) : Error message thrown immediately after install of PLM
- [CSCvf29013](#) : 11.5(1)su3 upgrade rules to prevent install over ineligible ES's
- [CSCvf28690](#) : CPNS does not release connection properly when getting an error response
- [CSCvf09585](#) : Held Call Not Torn Down When Disconnected By CTI Application
- [CSCve96309](#) : Hybrid call leak on RemoteDevice
- [CSCve45417](#) : CCM core due to no response from SIP endpoint to action=restart NOTIFY
- [CSCvf03091](#) : Issue with cluster creation and Incorrect message created in InformaCast
- [CSCve17370](#) : Blended identity modified after refresh INVITE from MRA device
- [CSCvd60926](#) : Tsp Instance doesn't gets loaded up automatically after AutoUpgrade
- [CSCve92916](#) : NTP Auth Phase 1 - Symmetric Key is seen in plain text format in Audit Logs
- [CSCve31627](#) : Delay in population the SAN entries in SAN auto populated domain field
- [CSCvd77762](#) : QED checkin for CP-8800-A-KEM and CP-8800-V-KEM
- [CSCvd17692](#) : Users who haven't authenticated for the configured days are not becoming inactiv
- [CSCve87316](#) : Handling of proxy password by CPNS
- [CSCve53316](#) : Read Only user can access Emergency Notification Paging wizard
- [CSCve13688](#) : Cisco Unified Communications ManagerDenial of Service Vulnerability SSL
- [CSCvd28501](#) : Field name "Feature Group Template" not visible for existing user
- [CSCve62948](#) : Disable RC4 ciphers
- [CSCve58868](#) : Unable to retrieve the Changes made under Advanced calling rules of CallForward
- [CSCve82034](#) : Panic Button functionality not working
- [CSCve70235](#) : Syslog hostname verification does not use recommend OpenSSL API
- [CSCve59303](#) : SSLv3 not disabled in libcurl on 11.5
- [CSCve13796](#) : Cisco Unified Communications Manager Directory Traversal Vulnerability
- [CSCve77662](#) : Issue with Emergency notification paging(Informacast)
- [CSCve66949](#) : utils ntp auth symmetric-key enable not accepting 1 as a KeyID
- [CSCve39558](#) : GUI not loading properly in IE11
- [CSCvd24473](#) : VoH cannot be added
- [CSCve21045](#) : utils system restart results in switch version script execution
- [CSCve50058](#) : CUCM subscriber Node exhibited CCM process core dump under V6 trunk transfer

[CSCve13786](#) : Cisco Unified Communications Manager SQL Injection Vulnerability
[CSCve54935](#) : Retry of access token fetch is not happening when proxy setting is wrong
[CSCve31947](#) : Encrypted configuration files requested via TFTP protocol are invalid
[CSCve31804](#) : LDAP Certificate not verified error when saving under LDAP Directory
[CSCve27331](#) : Cisco Unified Communications Manager Horizontal Privilege Escalation
[CSCvc89887](#) : CUCM 11.5.X - Support for RSA-SHA256 when signing SAML AuthnRequest
[CSCuz70398](#) : IM&P 10.5.2 - RisDC core dumps
[CSCvd76378](#) : Proxy TFTP cores when serving file for Static file when isStatic variable is set to fal
[CSCvd48752](#) : Call park reversion uses wrong CSS, when E.164 is configured on line
[CSCve32473](#) : Troubleshooting Trace Settings page broken
[CSCve29776](#) : Outbound NuRD calls anchored via CTIRD/SparkRD not extended to RD
[CSCve10019](#) : CUCM - Tomcat Remote Code Execution / Info Disclosure Vulnerabilities
[CSCvc83712](#) : Cisco Unified Communications Manager Cross Site Scripting Vulnerability
[CSCvc03490](#) : No audio after MMOH call hold and resume
[CSCve18606](#) : Issue in RemoteDestinationrules procedure - RI406-452 introduced as part of F343
[CSCve04934](#) : CUCM en_US.UTF-8 locale missing on initial installation
[CSCvd84831](#) : CUCM 11.5 Cores when MRA phones register
[CSCvd67978](#) : Update logic for urlencoding to comply with CVE-2016-6816 in Tomcat 7.0.73 and
[CSCve09612](#) : TLSv1.1 and TLSv1.2 support on SRST
[CSCvd99817](#) : updateGatewayEndpointAnalogAccess AXL failed when there is no change was
[CSCve08738](#) : Update the CPU reservation number for CUCM and IMP
[CSCve08600](#) : ISR4331 T1CAS - Product Specific Configuration Layout Missing
[CSCvd73980](#) : CTI core dump due to incorrect offset and size of devicename in LineCallAnswerR
[CSCvc52774](#) : Enable DEBUG level by default for XCP Components
[CSCvc43429](#) : Enable DEBUG level by default for PE,SIP Proxy,ConfigAgent & tsoft/ttlogin.
[CSCvc42899](#) : SparkRD - isPrefRD is False (owner shutdown) but CTI reports it as True
[CSCvb70021](#) : Credential reset via Cross Site Request Forgery on /ucmuser/auth-update
[CSCva94191](#) : TFTP core generated while signing files during callmanager cert regen
[CSCus40797](#) : NTP authentication support for CUCM
[CSCvd87648](#) : OpenJdk 1.7 32 bit Upgrade for ccm
[CSCve07423](#) : Unable retrieve configuration files from TFTP via Edge with OAuth 2
[CSCuw01044](#) : Call Forwarding options missing on Self care portal
[CSCvb23402](#) : CMUI fails to list certificates with exception on certain certificate(s)
[CSCvd97858](#) : Updated 11.5(1)SU3 online help
[CSCvd47668](#) : Jabber DVO-R call gets a ring back on Mobile as well as on Spark device
[CSCvd08233](#) : Calling party CPIC event is reported with incorrect reason after RDD answers the c
[CSCuw79913](#) : Feature request for IM&P support with Office 365 for calendaring
[CSCvd18917](#) : CUCM sending UPDATE after 180 Ringing
[CSCvc87410](#) : Need Audit data for certificate validation failure during SIPTrunk and Endpoint regis
[CSCvd72823](#) : Changes required for status messages being displayed in Cisco Cloud Onboarding
[CSCvd45532](#) : client doing auth code flow with state parameter larger than 4 bytes cause CM db r
[CSCvc26558](#) : server.xml is not getting updated with TLS minimum version after upgrade
[CSCvc19176](#) : Forcedatasyncsubcli - Not working
[CSCvb33700](#) : Secure Provider Open is failing from TAPI when CUCM in CC mode
[CSCux01473](#) : SEC-TLS-CURR-3 - Support current TLS versions
[CSCup62153](#) : Universal Device Template page limits Line Label length for #tags#
[CSCvb85025](#) : Audit log prints wrong table being modified for application user device association
[CSCvd09452](#) : Mobility forward the "PolicyAndCACRegisterRes" to the wrong ProcessParkingLot

[CSCvd54336](#) : CUC secondary is not attaching to CUC primary.
[CSCvc58517](#) : self care portal give option to change password for LDAP user
[CSCvc55964](#) : CTI testing failed with oauth token in new format
[CSCvc69428](#) : Failure of Validation of Access Token in Auth Code Grant Flow
[CSCvb80514](#) : Generating Syslog Alert on failure to send logs by filebeat to logstash server
[CSCvc91774](#) : UniversalLineTemplate call forward destination fields have hidden limits
[CSCvc16564](#) : Database Replication failure after ignoring SQL Failure 195 error
[CSCvc12071](#) : Hard disk size is not displaying correctly on CLI
[CSCvc07063](#) : Commit for IDS 12.10 to fix PMR 90618,227,000
[CSCvb98664](#) : The timestamp will show in UTC even if other time zone is configured
[CSCvb50965](#) : PMR 53856,227,000 - Informix assert error causes DBReplication mismatch
[CSCvb34868](#) : CUCM - Change Web Inactivity Default in EnhancedSecurityMode
[CSCuz97524](#) : Outbound NuRD call via CTIRD fails when active RDD is URI

Resolved Cisco Unity Connection Caveats in 11.5(1)SU3

[CSCvf24544](#) : Online Help check in for Authorization Code Grant Flow feature for 11.5.1 SU 3
[CSCvf14390](#) : Secure Jetty Not Working due to Invalid javax.net.ssl.trustStore set in the SSLCon
[CSCve77589](#) : Enhance Cipher support for Jetty on 7443 Port after reboot
[CSCve74071](#) : CiscoSSOValve causing the accumulation of session data resulting in Tomcat Cra
[CSCve64501](#) : DRS does not check the health of dbchunks before taking backup
[CSCvb49975](#) : SQL NullPointerException while syncing CUC's user information via PCP
[CSCva82761](#) : UC - VVM Race Condition Locks Miu Threads - Causes RNA
[CSCve32987](#) : Port Status Monitor is not working with Min TLS version 1.1/1.2
[CSCvd05508](#) : HTTPs networking does not sync modified SMTP address to remote node
[CSCvd18814](#) : UCxN SSL Server Supports Weak Encryption Vulnerability
[CSCvd16195](#) : Phone Notification request UserID when option is unchecked after 2 dial outs
[CSCvc89048](#) : 11.5.1SU2 - "Cisco Unity Connection Serviceability > Help >This Page" Not handle

Resolved CUCM Caveats in 11.5(1.13050-1); base ES for 11.5(1)SU3

[CSCve64910](#) : BAT Export of Regions is failing with "cannot open database" error
[CSCve16870](#) : Add device enablers for Cisco Spark Room Kit 55
[CSCvc21620](#) : Data Retrieval Via Search Manipulation
[CSCvb61698](#) : CUCM arbitrary file write in Cisco Unified Reporting
[CSCuz18994](#) : CTI Manager restart is needed after CallManager cert regeneration
[CSCve35541](#) : CUCM - LDAP Sync fails when OCSP is enabled
[CSCve08528](#) : Service param "LRG for redirected calls" is overridden for redirected call when Ss
[CSCvd13175](#) : CUCM core sipSPISendBye
[CSCvc94740](#) : Evaluation of ciscocm for OpenSSL Jan 2017
[CSCvc23572](#) : Evaluation of ciscocm for NTP November 2016
[CSCva88855](#) : TFTP expect 7+ characters in device name and crashes when name too short
[CSCuo31473](#) : We get a error msg when we Maximize the CDR CMR DUMP window in Chrome
[CSCve10656](#) : CUCM not appending "sip.cisco.multistream;x-cisco-multiple-screen=2" in 200 OK
[CSCvd61606](#) : CPU Spiking Due To Certificate Change Notification Service
[CSCvc91499](#) : UnSol notify DTMF failure after hold-resume
[CSCvc46039](#) : Error parsing XML for 88XX phones
[CSCve33543](#) : No TerminalConnections in a Connection after call is forwarded to same DN with

[CSCvd52056](#) : Call Drop when Call Pickup is pressed on 2 phones simultaneously
[CSCvd45794](#) : Verint Start Recording/hold/resume/Start Recording causes audio cap 0. Call fails
[CSCvd15723](#) : In 200 OK if contact header does not have port CUCM does DNS query and adds
[CSCvd42948](#) : DST/TZ data upgrade with 2017b
[CSCvb28438](#) : CCM Core - New mobile registration ip port does not remove prior one
[CSCva57444](#) : DRS cli throws null pointer exception.
[CSCvd38861](#) : CUCM does not forward updated crypto keys after re-invite.
[CSCvd75546](#) : TFTP serves the unsigned version of static files when requested for signed files
[CSCvc65519](#) : CUCM - Unable to Transfer Call From UCCX Finesse Application
[CSCvd97113](#) : Assign all presence users contains misleading statement
[CSCuz76525](#) : Remove All Associated button removes all users from PG,not just returned results
[CSCvd67687](#) : IPMA service gets unstable after some time
[CSCvd51937](#) : Recording failure due to wrong NodeID provided to CTI when transfer between nod
[CSCvc90657](#) : CTI connection dropped due to junk value in CtiLineGetForwardInfoRes to Genes
[CSCvc83768](#) : Missing ipsec trust store on node-2 during 11.5 fresh install
[CSCvc80169](#) : Upgrade JDK for January 2017 Critical Patch Updates
[CSCvb18980](#) : ServM core while stopping CUIC service
[CSCvb03393](#) : CUCM backup looping, completed three time in an hour
[CSCvd81660](#) : DNA Server crashes at every attemp to be started
[CSCvd78861](#) : Issue with vendorConfigHelp for Fallback feature configuration and EMCC feature
[CSCvd42284](#) : ServerDown alert does not work for different network segment nodes
[CSCvc99698](#) : BAT update doesn't work for "secureserviceurl" for device profiles
[CSCvc25859](#) : CURT broken on Fresh Installation and Upgrade
[CSCvb61689](#) : CUCM arbitrary XML file reads in Cisco Unified Reporting
[CSCvc37554](#) : Secure Calls with Video Enabled Not Showing The Lock Icon with unsecure audio
[CSCva40238](#) : CTI Manager core when the CIPC EM looking process takes long time
[CSCvd67269](#) : Callback crashing ccm service with Non-US locale
[CSCvd39551](#) : Media send Term Capabilities Set with 0 caps, instead of allocating xcoder and sen
[CSCvd01097](#) : CUCM is not sending the 200 ok to a re-invite, so the call is disconnected with code
[CSCvc86757](#) : No response for SUBSCRIBE and a retry to the next destination in the list on trunk
[CSCvc06608](#) : Cisco Unified Communications Manager Cross Site Scripting Vulnerability
[CSCvd63310](#) : Error while installing the DST file on the CUCM that already has previous DST CO
[CSCvd56512](#) : 8821 - Include 8821 IP-Phone loads version 11.0(3)SR1 into the CUCM DevPacks
[CSCvd53768](#) : Access to the requested resource has been denied seen in a scenario
[CSCvd52821](#) : Dialed Number Analyzer service will not start in CUCM 11.5(1)
[CSCvd49840](#) : Evaluation of ciscocm for struts2-jakarta rce vulnerability
[CSCvd34176](#) : Webdialer setting for 'Do not display call confirmation dialog' does not apply until re
[CSCvc30999](#) : CUCM - Reflected XSS is possible on vendorConfigHelp.do page
[CSCvb70033](#) : XSS, firewall bypass, and DoS via /ucmuser/serviceProfile proxy functionality
[CSCvd56923](#) : One file is corrupted in the cmterm-69xx-SCCP.9-4-1-3SR3.k3.cop
[CSCvd54375](#) : Commit 11.7(1) IP Phone FW in CUCM DB
[CSCvd35353](#) : IPMA only forwards call to one assistant when using shared line + Redirect Failure
[CSCvd22846](#) : Fixup consistency of model number in rules file
[CSCvd22836](#) : Add support for provisioning auto wake up detection setting on DX/SX/MX and Cis
[CSCvd22818](#) : Add device enablers for Cisco Spark Room Kit and Cisco Spark Room Kit Plus
[CSCvc79347](#) : UCM - Sudo Arbitrary Command Execution Vulnerability
[CSCvc79337](#) : UCM - Libgcrypt PRNG Vulnerability
[CSCvc49348](#) : Cross-Site Scripting - Non-Persistent

[CSCvc21945](#) : CUCM - NSS and NSS-Util Vulnerabilities
[CSCvc20679](#) : HTTP GET method is allowed in login request
[CSCvc10812](#) : Buffer overflow in InstallWizard
[CSCvb85328](#) : CUCM IPVMS MTP incorrectly detects tone when marker bit is not set
[CSCvb67807](#) : VMware Tools 10.0 update fails due to SELinux denials
[CSCvd35756](#) : Update the image 9.4(2)SR3 for 7900 series
[CSCvd17187](#) : Call placed to CTIRD would not be proceeded when RemoteDestinationProfile is a
[CSCvc83631](#) : High CPU utilization because of LBM Service
[CSCvc80950](#) : SIP stack does not respond to 200 OK without SDP
[CSCvc74291](#) : Cisco Unified Communications Manager SQL Injection Vulnerability
[CSCvc10862](#) : CUCM fails to pass DTMF digits via SIP notify after call connects
[CSCvc79350](#) : UCM - VIM Privilege Escalation Vulnerability
[CSCvc74573](#) : CUCM OVAs do not install with ESXi 6.5
[CSCvb89326](#) : Deleted Certificate entries still exist in the CUCM DB
[CSCvc92264](#) : Spark endpoints don't right when spark user has RemoteDestinationProfile confi
[CSCvd16496](#) : "Mobility" softkey should work for line2 on the phone as well. (Part 2)
[CSCvc70110](#) : MTP Resource leak during SDLLinkOOS state
[CSCvb47580](#) : 802.1x Authentication Override check box missing
[CSCva87971](#) : Partition information is invalid for the line
[CSCvc71577](#) : Updated 11.5(1)SU2 online help
[CSCvc71090](#) : Combine Cloud Onboarding Push Notification and Troubleshooting settings
[CSCvc51134](#) : CUCM Cloud onboarding cannot be completed because orgname is not populated i
[CSCvc48788](#) : Cloud onboarding http proxy field missing syntax check
[CSCvc35320](#) : UUID retrieved from ListServiceParameter response does not work in update req
[CSCvc28368](#) : CUCM/IMP 11.5.1 - 'set password user admin' invalid password error
[CSCvc24140](#) : Adding changes for better user visibility
[CSCvc23833](#) : CCM process exhibits cores dump due to memory Leak in SIPCdpc process.
[CSCvc22501](#) : Unable to access Enterprise Parameter and Service Parameter pages
[CSCvc21306](#) : Syslog Messages are having incorrect time format.
[CSCvc17148](#) : Enhanced security mode - remote syslog connection switching back to TCP
[CSCvc13654](#) : Restriction for cucm-uds -url patterns to access uds api through 9443 port
[CSCvc12634](#) : SDP Contains m=audio 4000 Instead of MTP Port Response Value during Redirect
[CSCvc12386](#) : Password stored in plain text
[CSCvc10923](#) : Outbound NuRD call anchored through all SparkRDs sharing enterprise DN associ
[CSCvc05089](#) : Online help updates for CUCM 11.5(1)SU2
[CSCvc01640](#) : Enabling TLS on filebeat
[CSCvb98055](#) : QED changes for adding new service module
[CSCvb97359](#) : CUCM sends out of dialog notify which results in barge failure incase of MRA devi
[CSCvb95951](#) : Insufficient fix for cucreports XSS defect
[CSCvb90243](#) : Search not working on End User -> Add To Access Control Group page
[CSCvb89818](#) : CUCM - Tomcat Vulnerabilities
[CSCvb86846](#) : Unable to update Associated PC field for LDAP synced users
[CSCvb86767](#) : CallManager Intentional Abort when DNS Server Not Responding from HTTPMana
[CSCvb82169](#) : Upgrade JDK for October 2016 Critical Patch Updates
[CSCvb81092](#) : Axl GetGatewaySccpEndpointsapi is not returning response
[CSCvb64641](#) : CUCM - Reflected XSS attack is possible on ccmadmin page
[CSCvb53712](#) : AXL error (-1) thrown while removing two of the optional fields while adding Confer
[CSCvb34407](#) : Support for TLS in remote syslog connection

[CSCvb32581](#) : Access Control Group list shows "Unmapped Exception null"
[CSCvb24086](#) : CCM process cored due to memory corruption during transfer scenarios.
[CSCvb14741](#) : ExistingCallCompleted event is not reported after a line is open.
[CSCvb03124](#) : Add CUCM support to Cisco Meeting Server as a video conference bridge
[CSCva95766](#) : Implement log compression for PE,SIP Proxy,ConfigAgent & ttsoft/ttlogin.
[CSCva92690](#) : Inconsistent behavior with UpdateRemoteDestination Handler
[CSCva89408](#) : Complete support of Path header and shared line for MRA
[CSCva88127](#) : "Expansion Module Information" parameter missing from UDP config
[CSCva72384](#) : CM 11.5.1 selfcare-page\Conferecing doesnot allow scheduling meeting
[CSCva61135](#) : The message in Audit logs for CAR page login is not proper
[CSCva57792](#) : utils reset_application_ui_administrator_password throws error
[CSCva24658](#) : not able to upload 2 intermidiate certs without CN in DN
[CSCuz99917](#) : Support RTMT 11.5 on Windows 10 and higher.
[CSCuz98393](#) : Implement log file compression for XCP components
[CSCuz94997](#) : GWY Alpha CTIManager Core Dump
[CSCts33572](#) : U1 Upgrade - Remove extra Error Screen which appears before second reboot
[CSCvc15253](#) : Increase in hash limit for Multicast Source Port Number
[CSCvc58855](#) : RTMT shows wrong time in the logs collection window for other servers
[CSCvb59936](#) : MTP leak caused by inactive 200 OK for a INVITE to connect sip-323 after redirect
[CSCvc61500](#) : 9.4(1)SR3 SCCP/SIP firmware files for 6921/41/61/45 IP Phones
[CSCvc49569](#) : TFTP Doesn't Serve Signed Files When No Unsigned Version Present
[CSCvc46034](#) : JTAPI 32-bit SDK and applications no longer work on Windows.
[CSCvb99066](#) : IPMA stops routing calls after some time
[CSCvb98777](#) : CUCM - Reflected XSS attack is possible on serviceability page
[CSCvb97237](#) : CUCM - Do Not Echo Malicious Characters in Banner Acknowledgement Form
[CSCvb91643](#) : install_cop script to install cop files -- is not referencing unsigned file after authentic
[CSCvb02508](#) : DST/TZ data upgrade with 2016g & Leap Second update
[CSCva84316](#) : After upgrade platform CLI admin password removed on pub, unable to ssh
[CSCvc37783](#) : Phones Provided Old TZ Data Files After TZ Update Applied
[CSCvc10807](#) : InstallWizard uses unsafe temporary file for password encryption
[CSCvb89860](#) : CUCM - Bind DoS Vulnerabilities
[CSCvb37121](#) : Insufficient XSS protection in ccmivr page
[CSCva26497](#) : Associate end user in line template config has an issue
[CSCva13076](#) : Recording Tone is always played for Extend and Connect RD phones
[CSCva04370](#) : CTI Manager Cores when CEF passes the invalid user key
[CSCuy67794](#) : CLI command 'utils update dst' does not update database
[CSCvc40853](#) : CUCM - SNMP Master agent service cored twice at random times
[CSCvc37627](#) : Call recording failures on transferred calls, while updating BIB enabled value
[CSCvc26581](#) : Fix up mistake in description fields on DX80 and DX70 + default value on DX80
[CSCvc21883](#) : Call to user with CTIRD not routing to RD due to "stale" call on CTIRD
[CSCvc11159](#) : Exceptions During LDAP Sync Result in Inactive Users
[CSCvb78438](#) : Active and standby CTI RD due to SdLinkOOS
[CSCvb77869](#) : install_cop script to install cop files -- tftp option not working
[CSCvb72000](#) : Add New functionality broken for Access Control Group
[CSCvb48691](#) : Evaluation of ciscocm for Openssl September 2016
[CSCvb43506](#) : Filebeat service logs not visible in RTMT
[CSCva58623](#) : CUCM inappropriately waits for PRACK with SDP for Early Offer call
[CSCva58112](#) : Audit log for alarm config shows node id null when value set to Default

[CSCva51770](#) : Change in warning message while entering the command `utils auditd enable`

[CSCuz85042](#) : Universal Line Template Issue During the Update due to Number Mask tag

[CSCuz71983](#) : Server Time Displayed in UTC Format in several pages

[CSCvb92459](#) : Webdialer setting is not saved sometimes

[CSCva07455](#) : UCMUSER - Missing notifications for PIN/PASS reset/expiration - LDAP users

[CSCuu06649](#) : SIP Message. Subscription-State. Expires contains a negative value.

[CSCvb32513](#) : PCD Migration will regenerate certificates when migrating to 10.5.2SU3 or 11.x

[CSCvc05878](#) : CUCM10.5.2 Personal Directory values are garbled after the login

[CSCvc01007](#) : Unable to select BRI Protocol in 4431 router

[CSCvb95805](#) : CUCM LDAP Directory Sync - Improve Error Reporting When Sync Completed

[CSCvb77474](#) : Restrict sending CAPF attributes when certificate operation is "No Pending Operat

[CSCvb56791](#) : Unable to login CUCM admin page using IPV6 address

[CSCvc07334](#) : Calls are hung after 503 service unavailable is seen as normal call clearing

[CSCvb21486](#) : Reboot of node may result in FATAL error

[CSCva55963](#) : unable to save LDAP directory config if admin user has case mismatch

[CSCuz91655](#) : Exception while performing sync using secure port in LDAP directory page

[CSCvc05651](#) : 8821 - Include 8821 IP-Phone loads version 11.0(2)SR2 into the CUCM DevPaks

[CSCvb97582](#) : Product specific config changes for CE8.3 release

[CSCvb93599](#) : Phone firmware for 78xx/88xx 11.5.1SR1 release

[CSCvb86555](#) : Blind Conferences with recording, JTAPI handling CallConferenceChangedEvent

[CSCvb82789](#) : CTI reports device to be OutOfService although it is registered for EM controlled de

[CSCvb59232](#) : CallManager Cores on Caused by DNS lookup in Alarm Code

[CSCva69297](#) : call leak happens over shared line MRA jabber clients.

[CSCuz97529](#) : Call not cleared/dropped on SparkRD when callingParty drops while call is ringing

[CSCuz79366](#) : SNMP port 161 was not added to iptable rules

[CSCvb45435](#) : Reroute Remote Destination call to Enterprise number feature dont work

[CSCvb39142](#) : SparkRD should support end to end dtmf

[CSCvb36159](#) : ATA 187 Not registering after CTL change on CUCM 11.5

[CSCvb23366](#) : One way audio in redirected call over EO with DTMF mismatch

[CSCvb22671](#) : Timer based stale Directed Call Park instance clean up in case any error

[CSCva88701](#) : Evaluation of ciscocm for TCP August 2016

[CSCva82068](#) : locale changes on Self-care portal are not automatically pushed to phone

[CSCva58795](#) : Blind Xfer w/Early Media Uses an MTP Unnecessarily

[CSCuz72455](#) : Cisco Unified Communications Manager Denial of Service Vulnerability

[CSCvb57716](#) : CUCM 10.5.2 Unable to update primary extension of end user via AXL

[CSCvb53096](#) : Fail to search contacts through UDS proxy feature with OpenLDAP

[CSCvb22603](#) : Record-route header corrupted, ccm cores while deleting memory

[CSCva74508](#) : BAT export TURN (ICE) Password in clear text

[CSCva55016](#) : Upgrade JDK for July 2016 Critical Patch Updates

[CSCvb78297](#) : the content of phone button template for 8865NR is blank

[CSCvb72477](#) : 11.5(1)SR add Admin Configurable Ringer parameter for 78xx 88xx IP Phones

[CSCvb55996](#) : "RecordingSessionTerminatedUnexpectedly"Alarm generated by CUCM incorrect

[CSCvb49086](#) : GetHostByName Call in Sdl Router Thread Leads to Intentional Abort and Core

[CSCvb44508](#) : Standalone PLM 11.5 presents EC(elliptical curve) cert to web browser.

[CSCvb13614](#) : dnsdomainname returns null instead of (none) when domainname is not set

[CSCva96332](#) : Phones reboot when domainname is set and domainname command returns null

[CSCva93755](#) : CUCM Queuing Caller doesn't hear ringback tone when call is ring agent

[CSCva74274](#) : CUCM - LibTiff Remote Execution Vulnerabilities

[CSCva38637](#) : ccCallID is leaking in case of "500 Internal Server Error"
[CSCvb60680](#) : User Group Name added with OU details when user id Attribute used as 'mail'
[CSCva97139](#) : Race condition causes Directed Call Park leak
[CSCva82202](#) : TFTP fails to serve updated signed static files
[CSCva27918](#) : logout/signout in selfcare page doesnot land to login page
[CSCuz65339](#) : CCM Cores when MTP resources doubled
[CSCty06667](#) : Remote syslog messages not showing in the Local syslog file CiscoSyslog
[CSCvb42106](#) : Stale entries in hash map leading to CCM core
[CSCvb41952](#) : PhoneSetDisplay return error when null is passed for Ipsdisplay
[CSCvb38463](#) : CUCM 10.5.2 pick up failing when call is transfered by CUC to phone
[CSCvb33598](#) : Incorrect number is set to Calling Party Number in Mobility Call
[CSCva81560](#) : 11.5(1)SR supported files for 8865NR IP Phones
[CSCva80135](#) : listchange API does not return for Line ForwardAll destination
[CSCva63426](#) : Call forward fails through secure MGCP GW with non-secure phone profile
[CSCva20265](#) : CUCM - LibXML Arbitrary Code Execution and DoS Vulnerabilities
[CSCva18486](#) : CUCM - SEtroubleshoot Arbitrary Code Execution Vulnerabilities
[CSCva18469](#) : CUCM - Tomcat Fileupload Info Disclosure Vulnerability (CVE-2016-3092)
[CSCvb54922](#) : Null pointer dereference when recording is invoked from a SIP Phone
[CSCvb40013](#) : Getting ring back tone along with audio
[CSCvb24480](#) : ResourcePartyNodeId not updated for multinode Conference Now call
[CSCvb09481](#) : RTMT 11.5 - Session Trace Log View > Real Time Data not displaying calls
[CSCva22547](#) : Proxy TFTP returns 503 while Cluster Router Map DB is initializing
[CSCvb11256](#) : CUCM Does not send CANCEL to the second leg
[CSCvb29852](#) : Phones don't recognize 2016d TZ Updates
[CSCvb14537](#) : Error accessing self care portal
[CSCvb00248](#) : CUC/CUCM 11.5(1) does not support passwords longer than 15 characters
[CSCvb26712](#) : 9.4(2)SR3 phone firmware for 894x series phones
[CSCvb23291](#) : Bad audio quality for Ringtones on 78XX/88XX phones
[CSCvb03745](#) : updateUser returns "Syntax Error" if linePrimaryUri tag has apostrophe.
[CSCvb00502](#) : unable to edit old phone contact after the CUCM upgrade
[CSCva65161](#) : The parameter max-red=0 strips while outbound invite from CUCM
[CSCuw87889](#) : CUCM doesn't insert transcoder - codec change & inact media w/ SIP phone
[CSCvb17829](#) : Unified Communications Manager Information Disclosure Vulnerability
[CSCvb17284](#) : Bad audio quality for Ringtones on 78XX and 88XX phones
[CSCvb13675](#) : CDR is written even if "CDR Log Calls with Zero Duration Flag" is false.
[CSCva86484](#) : RISDC Cores on CUCM
[CSCva26711](#) : G711U law used instead of G711A law for the calls over SIP trunk
[CSCva20234](#) : NGE RSA Cipher Support on TAPI
[CSCva95927](#) : BAT Insert phone fails if "override existing configuration" is unchecked
[CSCva94660](#) : Internal CLI error detected while enabling enhancedSecurityMode on PCD
[CSCva91800](#) : Conference call fails to revert to 2 party call when 3rd party hangs up
[CSCva91711](#) : CUCM Self-Care does not reset after inactivity timeout
[CSCug82909](#) : on secondary directoryURI
[CSCva94169](#) : Caller doesn't get ringback tone for SME transit call
[CSCva82316](#) : [ESM]Contact search authentication warning messages are not coming properly in
[CSCva56086](#) : "Table out of Sync Detection " on IM&P not working
[CSCva54558](#) : RBAC error seen during FlowReq
[CSCva46509](#) : DNS A Record Lookup Memory Leak while Handling SdIGetHostByNameRsp

[CSCva43339](#) : Indexing of user rank on ACG configuration page is not right
[CSCuz94584](#) : Transfer Fails when Destination Device in Shadow Location
[CSCuz81488](#) : CUCM - Directed CallPark fails when SDLink down in multinode cluster
[CSCva80036](#) : ICT not passing the original called number when QSIG is Enabled.
[CSCva77130](#) : Resume on one sided call doesn't restart Recording
[CSCva76688](#) : Change the keyword to "EnhancedSecurityMode" in CLI commands and logs
[CSCva80503](#) : Online Help terminology update for CUCM 11.5(1)
[CSCva68226](#) : DRS should not re-try bad password 3 times
[CSCva71953](#) : CallPickup not working for phones sending hostname in INVITE-From header
[CSCva67977](#) : User with apostrophe in username can't log in to IM&P server
[CSCva61081](#) : Update the image 9.4(2)SR2 for 7900 series
[CSCva07481](#) : 8821 - Add default English-US dictionary into CUCM for IP-Phone 8821
[CSCva00034](#) : Unnecessary DNS A Record Lookup While Resolving SRV Request
[CSCuz34436](#) : Audit Logs not Generated
[CSCuz05077](#) : Call Drops after Jabber Stops & Starts Video
[CSCva56740](#) : Main menu missing in SAML Single Sign-On Configuration
[CSCva47954](#) : [ESM]Misleading securitywarning when FIPS is enabled/disabled in PCD
[CSCva43426](#) : Unable to delete lower ranked users from Quick User/Phone Add page
[CSCva43349](#) : Able to create Rank1 user after logging in as Rank2 user
[CSCva43327](#) : User rank field shows true or false instead of the ranks
[CSCva42885](#) : End user with Read Only access can create User Rank
[CSCva42803](#) : QED changes adding SHA-512 support for 78xx/88xx phones & Jabber clients
[CSCva40071](#) : Sorting of Rank by Name and Description leads to error
[CSCva36619](#) : Unable to add a new access control group after logging in as admin user?
[CSCva34890](#) : [ESM] Ccmcip url patterns are not getting added after DB restore
[CSCva34874](#) : The cucm mode changes to FiPs from ESM after migration
[CSCva34863](#) : [ESM] Contact Search auth is showing disabled after migration
[CSCva28852](#) : LDAP authentication error due to Null Pointer Exception
[CSCva28050](#) : [ESM] Contact search auth mode enabled message is shown in IM/P
[CSCva27938](#) : TFTP goes to throttle state when EMCC configured
[CSCva26317](#) : SNMP walk returns unsupported security level for v3 user
[CSCva25596](#) : changing PIN on selfcare showed successful but actually failed
[CSCva24151](#) : Regarding the system behaviour issue in PCD system
[CSCva24077](#) : Cannot upload signed certificate to CUCM
[CSCva18439](#) : NGE RSA Cipher Support on JTAPI
[CSCva11987](#) : F5185 - ESM - File permission for SNMPD.cnf
[CSCva08074](#) : UCM DB - update the dbl2j.jar in vob vos to match vob ccm
[CSCva08043](#) : Migration/upgrade failed with Car DB post installation scripts
[CSCva06971](#) : DRS-Backup - Non Fips algorithms during SFTP Connection in FiPs mode
[CSCva06831](#) : Need help page text to CUCM Access control Group pages for RBAC changes
[CSCva05618](#) : 11.5(1)su1 upgrade rules to prevent install over ineligible ES's
[CSCva05592](#) : Connection error thrown when trying to access CUCM SUB from PUB
[CSCva04931](#) : Disable User accounts
[CSCva04753](#) : dtmf test failing in few EO-EO scenarios of F4125 SIP DTMF Suite in 11.5
[CSCva03814](#) : SELinux blocks switch back to old partition after RU failure
[CSCva02233](#) : Click thru Banner behavior in SSO mode
[CSCva01313](#) : Perfmon counter incorrectly escaped for user with apostrophe in username
[CSCva01131](#) : Expired User Accounts status check -Jabber SSO Login during ESM

[CSCva00462](#) : TCP syslog not following RFC
[CSCuz99226](#) : Multiple logs were getting printed in CiscoSyslog regarding file pointer
[CSCuz93144](#) : Directory Number Alias Server cannot be added
[CSCuz84403](#) : Missing web.xml security constraints for contact search after upgrade
[CSCuz74970](#) : Changes to LDAP Directory pages and Directory Sync for RBAC
[CSCuz70863](#) : CMUI - Link Deprecated Phone Warning to Find/List by Model
[CSCuz70820](#) : CMUI - Remove deprecated models from list for Add New Phone/Template
[CSCuz69905](#) : Enable Common Criteria (CC) Mode to remove support of TLS1.0 for UCM and IM/
[CSCuz51426](#) : DST/TZ data upgrade with 2016d
[CSCuz32703](#) : F5185 - RBAC changes
[CSCuz30245](#) : DB enhancement to support RBAC (ESM - US233304)
[CSCuz24801](#) : F5185 - Audit details for DRF
[CSCuz23871](#) : Invalid remote syslog server delays in logging to valid remote syslog
[CSCuz04727](#) : New APIC-EM API Integration (Phase 2)
[CSCuy95946](#) : F5185 - Audit details for OS admin
[CSCuy41450](#) : CUCM - Tomcat Info Disclosure / Session Fixation / CSRF Token Leak Vuls
[CSCux37889](#) : Cisco Unified Communications Manager Apache Struts Vulnerabilities
[CSCty67386](#) : Tomcat manager returns HTTP 403 instead of 404 error
[CSCva26198](#) : Missing Check For "Unity Connection ELM" causing DST (2016d) cop to fail
[CSCuz90005](#) : Personal Address Book should sort the users by nick name
[CSCuz85612](#) : "dbaxlweb" AXL connections are crossing the threshold 100
[CSCuz85584](#) : Empty ipccExtension tag blanks primaryExtension & extensionsInfo
[CSCuu63399](#) : Server Time Displayed in UTC Format in BAT scheduler page
[CSCva32290](#) : SOAP API selectCmDevice function no longer returns results
[CSCva24593](#) : SIP Refer pass-through cause VMSize usage growing for CCM
[CSCva16043](#) : Saml-sso does not function after migration
[CSCuz94249](#) : Corporate Directory Search issue with Cisco 9951/9971 Phones
[CSCuz85694](#) : UCMUser login failed credentials messaging allows user ID identification
[CSCva31517](#) : CONTENT_DIGEST_TAG.len having the wrong value when SHA512 is enabled
[CSCva29077](#) : CCM Memory Leak With Dual Mode SIP Phones
[CSCva05265](#) : MGCP will not take Locale form Common Device Configuration
[CSCuz89754](#) : BIB Call recording fail when observed "RecordingResourcesNotAvailable"
[CSCva01767](#) : Remove "TFTP IP Address" and "Server IP Track" TFTP service paramaters
[CSCva00208](#) : TSP 32 bit installation error in windows machine
[CSCuz63133](#) : Race condition when redirect is received, before transfer is complete
[CSCuz40639](#) : IX5000 Telepresence endpoint - add TMS, streams,proximity,multi-mode
[CSCva19546](#) : 'Operation Completes By' code change to maintain backward compatiblity
[CSCva07788](#) : CUCM 11.5.1 BAT Insert Phones Specific Details failing with syntax error
[CSCva00228](#) : Upgrade rules to prevent 11.5(1) Respins from installing over ES's
[CSCuz85688](#) : Mail Server and FTP Server in Preferences are blank when logged with SSO
[CSCuz80519](#) : Add new QED for Cisco TelePresence DX70/80
[CSCuz40162](#) : CUCM GUI incorrect port numbers in slot 1 of ISR 4451 MGCP gateway
[CSCuz93189](#) : pwrecovery not updating platformconfig with new dynamic encryption
[CSCuz91049](#) : Upgrade to 11.5 breaks encryption due to SRTP Cipher parameter setting
[CSCuz89773](#) : Initialize CallParkCount to zero to send SdLinkOOS
[CSCuz89293](#) : Unable to register 3rd Party SIP client while in Mixed mode
[CSCuz59456](#) : Phone FW and support file for 78xx/88xx 11.5.1 release
[CSCuz56695](#) : Rebroadcast External Multicast Source not forwarding IGMPv2

[CSCuz84221](#) : OS admin login works with Subscriber. Does not work with Publisher
[CSCuz64811](#) : Endpoints stay in rejected state after upgrading to latest 11.5 version
[CSCuz11051](#) : Spark Licensing Adjustment for Spark Remote Device Users
[CSCuz76275](#) : Error thrown while adding phones
[CSCuz74241](#) : Connection timeout failure while enabling indexes during migration.
[CSCuz72547](#) : Outbound calls not working for hybrid call service connect user in some cases
[CSCuz72315](#) : Update CSF,BOT,TCT and TAB devices to have new security related features
[CSCuz68432](#) : SIP MXTimeout due to MediaExchange stuck in waitInterfacesCapabilities
[CSCuz68370](#) : CUCM silently drops requests with Unexpected Method
[CSCuz65146](#) : CM ELIN Number sends backslash character to PSAP calls when using (\\+)
[CSCuz64683](#) : CUCM - Incorporate X-Frame-Options Header for /cmplatform after login
[CSCuz62466](#) : Add warning about CAPF/TVS service restart for trace level change
[CSCuz50894](#) : VMware Tools 10.0 update fails on CUCM/CUC 10.5/11.0 part2
[CSCux95485](#) : Need updation for copyright message
[CSCuv86726](#) : UC Fusion - Spark-Only Remote Device - cmcti

Resolved Cisco Unity Connection Caveats in 11.5(1)ES32; base ES for 11.5(1)SU3

[CSCve31730](#) : Greeting gets disabled on silence timeout
[CSCve49875](#) : CUC User Template gets default partition instead of partition passed in Request bo
[CSCve56869](#) : Entries from tbl_eventservicesubscription getting deleted if tomcat restarts from any
[CSCve52949](#) : Able to Create video service using "Manage User - Full access" privilege
[CSCve29158](#) : Directory URI getting sync issue to remote node over HTTPS Networking
[CSCvd08269](#) : Upgrade JDK to 1.7.0_131
[CSCve44826](#) : CUC Routing Rules do not save in proper order when the Save used more than on
[CSCve17912](#) : CallHandlerTemplate display issue
[CSCvd65131](#) : Preupgrade CLI - Report bad data(tbl_dtmfaccessid) for upgrade from 9.x to latest
[CSCve29823](#) : Media Master not displaying proper message during error while playback/record.
[CSCve16444](#) : Conversation Manager Core dump while adding ports
[CSCve06372](#) : Popup "Error while Uploading message to server " while sending/replying message
[CSCvd96993](#) : Unable to send message to message to user on remote location via HTTPS/DIGIN
[CSCuu07123](#) : Core of CUSysAgent on HIT
[CSCve01409](#) : Media Master not displaying proper message during error while playback/record.
[CSCvd90118](#) : Cisco Unity Connection ImageID Parameter Unauthorized Access Vulnerability
[CSCvd63984](#) : Voicenames marked as deleted in tbl_streamfile when User Attribute Changes
[CSCve05392](#) : 404 Error Code on Custom Graphics when incorrect content-type
[CSCvd61639](#) : Voice mail User is able to update other user details via REST API
[CSCvd49841](#) : Evaluation of connection for struts2-jakarta rce vulnerability
[CSCvd02492](#) : Unified Messaging Service Test failing in case of AutoDiscovery
[CSCuy44601](#) : CuDbProxy core due to Database level changes by IBM in 10.x and 11.x CUC
[CSCvc54767](#) : DB Backup&Restore or PUB/SUB rebuilt causes IMS Exception on login
[CSCvc92818](#) : UC 11.5 - VNMap HTTPS Network - Always Shows 'Unable to connect to remote h
[CSCvc84307](#) : AXL connection to Unity Connection/Call Manager fails (v. 11.5.1.11900-26)
[CSCvc78781](#) : Increase the Tomcat throttling parameter value from 5 to 10 when an "upgrade" is d
[CSCvc74433](#) : Alternate extension updated as null
[CSCvc65616](#) : Temp table (valiasstack) already exists in session using CUC csp_CredentialModif
[CSCvc58859](#) : Unable to set replication timeout and process timeout on 11.5.1SU1 and later versi
[CSCvc57643](#) : Connection SNMP Agent not running on Unity Connection in enforcing mode

[CSCvc36899](#) : Unity connection - Switch version to 11.5.1 SU2 - Services & Database services d

[CSCvc28406](#) : HTTPS link not Synchronizing Directory after renaming partitions

[CSCvc25878](#) : Upgrade JDK to 1.7.0_121

[CSCvc04657](#) : CUC fix - Support for TLS in remote syslog connection

[CSCvb99697](#) : Bulk Edit Fields Getting Changed

[CSCvb77367](#) : Not able to upload Custom Graphic. Errors out with "Invalid Image file"

[CSCvb09921](#) : Getting 'Database Error -284' when trying to update partition of a user

[CSCva81803](#) : Caller name incorrect on Unity transferred calls

[CSCva61738](#) : Cookie REQUEST_TOKEN_KEY should have HTTPOnly flag

[CSCvc04647](#) : Rest API should allow update BLOCK field of default restriction pattern

[CSCvc51075](#) : "Disable Save Recording As Option" missing in 11.5

[CSCvb66195](#) : CUC 11.5 does not allow to save a SMS Notification Device

[CSCvb57329](#) : Incoming video call falls back to audio only after greeting

[CSCvb59567](#) : When generate Report on CUC, get blank page

[CSCva38762](#) : Unity connection upgrade failed - Failed to connect to datasource

[CSCuz20806](#) : Jabber unable to access VoiceMail after Upgrade is performed in SSO Mode

[CSCvb35772](#) : SCCP ports don't register back when multiple CM goes down & brought up

[CSCva61873](#) : 'Europe/Kaliningrad' time zone is set to (GMT+0300)

[CSCvb23448](#) : edit pin request API in Common pin throwing 500 internal server error

[CSCvb05270](#) : UC Handle 491 Request Pending when multiple CUCM configured with TCP/TLS

[CSCva84379](#) : User with Help Desk Administrator Role not changing user PIN

[CSCva93713](#) : Unable to assign callhandler owners using user without system admin role

[CSCvb02774](#) : Unity Connection Upgrade to 11.5(1)SU1 fails

[CSCva68365](#) : RSS feed throwing error "HTTP status 404"

[CSCva51189](#) : Cisco Unity Connection Apache Struts Vulnerabilities Mitigation

[CSCva48035](#) : A user with read access to system can read certificate details in CUC

[CSCva29467](#) : Checkin CUCA help in Unity Connection 11.5(1) SU 1 build

[CSCva24276](#) : IMAP session count values are not updated correctly.

[CSCva19663](#) : Python upgrade for CUC libs

[CSCva14718](#) : CUC Jetty stderrout log is growing enormously

[CSCva06949](#) : Voicemail PIN not working in SRSV mode for end users

[CSCva00511](#) : CUC prim can't access second service control center for password locked

[CSCuz96504](#) : SpeechView Activity Report Truncates Phone Extension

[CSCuz91830](#) : Struts 1.x Vulnerability Mitigation - CPCA,CUC Admin,CUC Serviceability

[CSCuz83764](#) : Upgrade JDK to 1.7.0_101 for 11.5 Release

[CSCuz80965](#) : Not getting Caller Name for Outside caller in "Missed call" notification

[CSCuz75437](#) : Hack count doesn't gets reset on successful login through WEB interfaces

[CSCuz55172](#) : CUC - Diginet alternate extensions listing remote partitions

[CSCuz48432](#) : CUC - Dates for March alternating greeting listed wrongly via TUI

[CSCuz29570](#) : Safari 7 and 9 web & mini inbox not loading properly

[CSCuz26312](#) : Drs needs to check db consistency before Database backup

[CSCuz07421](#) : Users are receiving messages even after their mailbox size exceeds.

[CSCuz06264](#) : Not able to create SIP certificate in FIPS enabled mode

[CSCuy83478](#) : Auto-discovery over LDAPS fails for UMS Test Button

Open Caveats

Open Caveats for Cisco Unified Communications Manager Release 11.5(1)SU3 describes a few of the possible unexpected behaviors still remaining in Cisco Unified Communications Manager Release 11.5(1)SU3. For a complete list of open caveats please access the bug toolkit located at: https://tools.cisco.com/bugsearch?referring_site=btk



Tip

For more information about an individual defect, click the associated Identifier in the to access the online record for that defect, including workarounds.

Open Caveats

- [CSCvf96778](#) : CTI based SSO fails when defining CUCM sever as IP address in CCMAAdmin//System/Sever
- [CSCvf57440](#) : No push is sent to devices during rapid link OOS and link ISV between nodes
- [CSCvf42769](#) : Cisco Support Token "null" after Cloud Onboarding
- [CSCvf50629](#) : Error occurred during find. A syntax error has occurred
- [CSCvf41297](#) : SIP Profile Settings page does not display the field description help
- [CSCvf29569](#) : Alerts not sent from Cisco Management Agent Service to the Cisco Cloud
- [CSCvf45528](#) : vendorConfigHelp getting displayed for VPN feature configuration in Unrestricted
- [CSCvd28795](#) : ANI changed to 'unknown' if the calling party field is a name starting with small letter 'b' or 'c'

Firmware / Device Loads

SUs contain firmware loads, however, Cisco recommends that you always download the latest firmware load from the Voice Software Download Center.

Phone Firmware

To download phone firmware, follow this procedure:

Step 1 Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>

Step 2 Select **Collaboration Endpoints** in the center column

Step 3 Select **IP Phones** in the right most column

Step 4 Select the desired phone series in the right most column

Step 5 Select the desired phone model in the right most column

Step 6 From the options that display, select the desired software type for your deployment.

Device Packages

Firmware upgrades not explicitly addressed in the Phone Firmware section can be obtained via Dev Packs. To download Dev Packs for this release, follow this procedure:

Step 1 Go <http://www.cisco.com/cisco/software/navigator.html?mdfid=278875240&i=rp>

Step 2 Select **Call Control** in the right most column

Step 3 Select **Unified Communications Manager (CallManager)** in the right most column

Step 4 Select **Unified Communications Manager Version 11.5** in the right most column

Step 5 From the options that display, select **Unified Communications Manager/CallManager Device Packages**

Step 6 From the options that display, select the desired release for your deployment.

Firmware Versions in this Release

Device type	Load name	Version
3905	3905.9-4-1SR2-2	9.4(1SR2.2)
3911_3951-sip	3911_3951-sip.8-1-4a	8.1(4.0)
6608	6608-4.0.0.32-mgcp	4.0(0.32)
6608cfb	6608cfb-4.0.0.03-sccp	4.0(0.3)
6608mtp	6608mtp-4.0.0.06-sccp	4.0(0.6)
6624	6624-4.0.0.13-mgcp	4.0(0.13)
6901-sccp	6901-sccp.9-3-1-SR2-2	9.3(1.0)
6901-sip	6901-sip.9-3-1-SR2-3	9.3(1.0)
6911-sccp	6911-sccp.9-3-1-SR2-3	9.3(1.0)
6911-sip	6911-sip.9-3-1-SR2-4	9.3(1.0)
6945-SCCP	6945-SCCP-9-4-1-3SR3	9.4(1.3)
6945-SIP	6945-SIP-9-4-1-3SR3	9.4(1.3)
69xx-SCCP	69xx-SCCP-9-4-1-3SR3	9.4(1.3)
69xx-SIP	69xx-SIP-9-4-1-3SR3	9.4(1.3)
78xx	78xx.11-7-1-17.k3	11.7(1.17)
7902	7902-8.0.2-sccp	8.0(2.0)
7905	7905-8.0.1.1-sip	8.0(1.1)
7905	7905-8.0.3-sccp	8.0(3.0)
7910	7910-5.0.7.0-sccp	5.0(7.0)
7911_7906-sccp	7911_7906-sccp.9-4-2SR3-1	9.4(2SR3.1)
7911_7906-sip	7911_7906-sip.9-4-2SR3-1	9.4(2SR3.1)
7912	7912-8.0.1.1-sip	8.0(1.1)
7912	7912-8.0.4-sccp	8.0(4.0)
7914-sccp	7914-sccp.5-0-4	5.0(4.0)
7915	7915.1-0-4-2	1.0(4.2)
7916	7916.1-0-4-2	1.0(4.2)
7920-sccp	7920-sccp.3-0-2	3.0(2.0)
7921-sccp	7921-sccp.1-4-6-3	1.4(6.3)
7925-sccp	7925-sccp.1-4-8-4.k3	1.4(8.4)
7926-sccp	7926-sccp.1-4-8-4.k3	1.4(8.4)
7931-sccp	7931-sccp.9-4-2SR2-2	9.4(2SR2.2)
7931-sip	7931-sip.9-4-2SR2-2	9.4(2SR2.2)
7935-sccp	7935-sccp.3-2-19	3.2(19.0)
7936-sccp	7936-sccp.3-3-21	3.3(21.0)
7937	7937-1-4-4-SCCP	1.4(4.0)
7937	7937-1-4-5-7-SCCP	1.4(5.7)

7940-7960	7940-7960-8.12.00-sip	8.12(00.0)
7940-7960-sccp	7940-7960-sccp.8-1-2SR2	8.1(2SR2.0)
7941_7961-sccp	7941_7961-sccp.9-4-2SR3-1	9.4(2SR3.1)
7941_7961-sip	7941_7961-sip.9-4-2SR3-1	9.4(2SR3.1)
7942_7962-sccp	7942_7962-sccp.9-4-2SR3-1	9.4(2SR3.1)
7942_7962-sip	7942_7962-sip.9-4-2SR3-1	9.4(2SR3.1)
7945_7965-sccp	7945_7965-sccp.9-4-2SR3-1	9.4(2SR3.1)
7945_7965-sip	7945_7965-sip.9-4-2SR3-1	9.4(2SR3.1)
7970_7971-sccp	7970_7971-sccp.9-4-2SR3-1	9.4(2SR3.1)
7970_7971-sip	7970_7971-sip.9-4-2SR3-1	9.4(2SR3.1)
7975-sccp	7975-sccp.9-4-2SR3-1	9.4(2SR3.1)
7975-sip	7975-sip.9-4-2SR3-1	9.4(2SR3.1)
7985	7985-4-1-7-0-sccp	4.1(7.0)
8821-sip	8821-sip.11-0-3SR1-1	11.0(3SR1.1)
8831-sip	8831-sip.10-3-1SR2-2	10.3(1SR2.2)
8845_65-sip	8845_65-sip.11-7-1-17.k3	11.7(1.17)
88xx-sip	88xx-sip.11-7-1-17.k3	11.7(1.17)
894x-sccp	894x-sccp.9-4-2SR3-1	9.4(2SR3.1)
894x-sip	894x-sip.9-4-2SR3-1	9.4(2SR3.1)
8961	8961.9-4-2SR2-2	9.4(2SR2.2)
9951	9951.9-4-2SR2-2	9.4(2SR2.2)
9971	9971.9-4-2SR2-2	9.4(2SR2.2)
ata	ata-3.2.4-sccp	3.2(4.0)
ata187	ata187.9-2-3-1	9.2(3.1)
ata190	ata190.1-2-2-003	1.2(2.3)

Cisco Unity Connection RPMs

CCM Reference Build: 11.5.1.13900-52

Cisco Unity RPMs:

BuiltRPMsList

NRec-10.2.6-14289.x86_64.rpm
 NRec-en-US-10.0.0-10.0.0-12059.i686-linux.rpm
 NSS-6.2.7-14290.i686.rpm
 Nuance-Common-10.2.7-14289.i686.rpm
 Nuance-Common64-10.2.7-14289.x86_64.rpm
 Nuance-NRS64-10.2.7-14289.x86_64.rpm
 Nuance-OAM-10.2.7-14289.i686.rpm
 cuc-11.5.1.13900-1680.i386.rpm
 cuc-base-11.5.1.13900-1680.i386.rpm
 cuc-bin-11.5.1.13900-1680.i386.rpm
 cuc-etc-11.5.1.13900-1680.i386.rpm
 cuc-install-11.5.1.13900-1680.i386.rpm
 cuc-jetty-11.5.1.13900-1680.i386.rpm
 cuc-languagepack-enu-11.5.1.13900-1680.i386.rpm
 cuc-lib-ext-11.5.1.13900-1680.i386.rpm

```
cuc-lib-jar-11.5.1.13900-1680.i386.rpm
cuc-lib-so-11.5.1.13900-1680.i386.rpm
cuc-links-11.5.1.13900-1680.i386.rpm
cuc-productid-11.5.1.13900-1680.i386.rpm
cuc-python-11.5.1.13900-1680.i386.rpm
cuc-python-site-11.5.1.13900-1680.i386.rpm
cuc-selinux-11.5.1.13900-1680.i386.rpm
cuc-share-11.5.1.13900-1680.i386.rpm
nve-api-6.0.2-14049.i686.rpm
nve-en-US-Samantha-bet1-6.0.1-13043.i686.rpm
openssl097a-0.9.7a-9.el5_4.2.i386.rpm
```

Plug-In Report

```
-----
cm-rtmt-client-plugin-11.5.0.0-0.i386.rpm
cm-taps-plugin-7.0.2.0-1.i386.rpm
cm-axlsqltoolkit-plugin-1.1.0.0-1.i386.rpm
cm-tsp-plugin-11.5.1.7-0.i386.rpm
cm-ctlc-plugin-6.0.0.1-1.i386.rpm
cm-jtapi-plugin-11.5.1.13045-1.i386.rpm
```

TZDATA file

```
-----
platform-tzdata-2017b-1.el6.i386.rpm
Version
2017-b
```

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2017 Cisco Systems, Inc. All rights reserved.