

Troubleshooting Authentication Proxy

Document ID: 13896

Contents

Introduction

Prerequisites

- Requirements
- Components Used
- Conventions

debug and clear Commands

The show ip access-lists Command – Outbound

Debugs

- Good Router Debug – TACACS – Outbound
- Good Router Debug – RADIUS – Outbound

Potential Problems

- RADIUS Server is Unreachable
- TACACS Server is Unreachable
- RADIUS User Enters Wrong Username or Password
- TACACS User Enters Wrong Username or Password
- TACACS User Enters Correct Username and Password but Fails Authorization
- RADIUS User Enters Correct Username and Password but ACL Returns in Invalid Format
- TACACS User Enters Correct Username and Password but ACL Returns in Invalid Format
- RADIUS User Enters Correct Username and Password but Priv-lvl 15 Not Returned
- TACACS User Enters Correct Username and Password but Priv-lvl 15 Not Returned

Related Information

Introduction

This document defines and demonstrates the available troubleshooting mechanisms within Cisco IOS® to troubleshoot Authentication Proxy (Auth-Proxy) related problems. This document defines the **debug** and **show** commands and then illustrates examples of these debugs and commands.

Prerequisites

Requirements

There are no specific requirements for this document.

Components Used

This document is not restricted to specific software and hardware versions.

Conventions

For more information on document conventions, refer to the Cisco Technical Tips Conventions.

debug and clear Commands

Before attempting any of the debug commands, please see Important Information on Debug Commands.

- **debug tacacs | radius** – Displays information associated with TACACS or RADIUS.
- **debug aaa authentication** – Displays information on AAA/TACACS+ authentication. Used to see what methods of authentication are being used and what the results of these methods are.
- **debug aaa authorization** – Displays information on AAA/TACACS+ authorization. Used to see what methods of authorization are being used and what the results of these methods are.

If necessary, use these commands:

- **debug ip auth-proxy {function – trace}** – Displays the authentication proxy functions.
- **debug ip auth-proxy {http}** – Displays HTTP events related to the authentication proxy.

To clear between sessions, use this command:

- **clear ip auth-proxy cache {*/ host ip address}** – Clears all authentication proxy entries, including user profiles and dynamic access control lists (ACLs). If the IP address is specified, it clears the authentication proxy entry for the specified host.

The show ip access-lists Command – Outbound

Before the **access-list** command is passed down:

```
sec-3640#show ip access-lists
Extended IP access list 116
  permit tcp host 10.31.1.47 host 10.31.1.150 eq www
  deny tcp host 10.31.1.47 any (16 matches)
  deny udp host 10.31.1.47 any (26 matches)
  deny icmp host 10.31.1.47 any
  permit tcp 10.31.1.0 0.0.0.255 any (53 matches)
  permit udp 10.31.1.0 0.0.0.255 any (74 matches)
  permit icmp 10.31.1.0 0.0.0.255 any
  permit icmp 171.68.118.0 0.0.0.255 any
  permit tcp 171.68.118.0 0.0.0.255 any (242 matches)
  permit udp 171.68.118.0 0.0.0.255 any
```

After the **access-list** command is passed down:

```
Extended IP access list 116
  permit udp host 10.31.1.47 any (3 matches) < added by authproxy
  permit tcp host 10.31.1.47 any < added by authproxy
  permit icmp host 10.31.1.47 any < added by authproxy

  permit tcp host 10.31.1.47 host 10.31.1.150 eq www
  deny tcp host 10.31.1.47 any (18 matches)
  deny udp host 10.31.1.47 any (26 matches)
  deny icmp host 10.31.1.47 any
  permit tcp 10.31.1.0 0.0.0.255 any (53 matches)
  permit udp 10.31.1.0 0.0.0.255 any (74 matches)
  permit icmp 10.31.1.0 0.0.0.255 any
  permit icmp 171.68.118.0 0.0.0.255 any
  permit tcp 171.68.118.0 0.0.0.255 any (264 matches)
  permit udp 171.68.118.0 0.0.0.255 any
```

Debugs

Good Router Debug – TACACS – Outbound

```
00:32:30: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:30: AUTH-PROXY auth_proxy_find_conn_info :
        find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
            ip-srcaddr 10.31.1.47
            pak-srcaddr 0.0.0.0

00:32:30: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:30: F ack 1260991237 seq 410073(0)
00:32:30: dst_addr 185273100 src_addr 169804079 DST_port 80 src_port 4521
00:32:30: AUTH-PROXY auth_proxy_find_conn_info :
        find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
            ip-srcaddr 10.31.1.47
            pak-srcaddr 0.0.0.0

00:32:30: AUTH_PROXY: not a SYN packet

00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
        find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
            ip-srcaddr 10.31.1.47
            pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: F ack 1260991237 seq 410073(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4521
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
        find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
            ip-srcaddr 10.31.1.47
            pak-srcaddr 0.0.0.0

00:32:32: AUTH_PROXY: not a SYN packet

00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
        find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
            ip-srcaddr 10.31.1.47
            pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
00:32:32: AUTH-PROXY FUNC: auth_proxy_get_idbsb
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: S seq 410077(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
        find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
            ip-srcaddr 10.31.1.47
            pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
00:32:32: AUTH-PROXY FUNC: auth_proxy_get_idbsb
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
00:32:32: AUTH-PROXY FUNC: auth_proxy_new_connection
00:32:32: AUTH-PROXY FUNC: auth_proxy_add_conn_info
00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
        find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
            ip-srcaddr 10.31.1.47
            pak-srcaddr 0.0.0.0
```

```
00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: ack 2957488078 seq 410078(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0
00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: P ack 2957488078 seq 410078(290)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:32: AUTH-PROXY : auth_proxy_find_cache
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
00:32:32: AUTH-PROXY FUNC: auth_proxy_received_get
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:32: AUTH-PROXY : auth_proxy_find_cache
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_save_timestamp
00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: ack 2957489275 seq 410368(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0
00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: F ack 2957489275 seq 410368(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
```

```
pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0
00:32:36: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:36: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:36: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:36: F ack 1260991237 seq 410073(0)
00:32:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4521
00:32:36: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:36: clientport 4535 state 0
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:45: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:45: S seq 410193(0)
00:32:45: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:45: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:45: clientport 4521 state 0
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:45: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:45: ack 2970312961 seq 410194(0)
00:32:45: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:45: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:45: clientport 4542 state 0
00:32:45: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:45: P ack 2970312961 seq 410194(449)
00:32:45: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:45: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:45: clientport 4542 state 0
00:32:45: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:45: AUTH-PROXY : auth_proxy_find_cache
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
```

ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

```
00:32:45: AUTH-PROXY FUNC: auth_proxy_required_reauth
00:32:45: AUTH-PROXY FUNC: auth_proxy_same_timestamp
00:32:45: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
00:32:45: AAA: parse name=a} idb type=-1 tty=-1
00:32:45: AAA/MEMORY: create_user (0x61C23FE4) user='' ruser=''
port='a}' rem_addr='' authen_type=ASCII service=LOGIN priv=0
00:32:45: AAA/AUTHEN/START (3351494599): port='a}' list='default'
action=LOGIN service=LOGIN
00:32:45: AAA/AUTHEN/START (3351494599): found list default
00:32:45: AAA/AUTHEN/START (3351494599): Method=RTP (tacacs+)
00:32:45: TAC+: send AUTHEN/START packet ver=192 id=3351494599
00:32:45: TAC+: Using default tacacs server-group "RTP" list.
00:32:45: TAC+: Opening TCP/IP to 171.68.118.84/49 timeout=5
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: Opened TCP/IP handle 0x61CA39A0 to 171.68.118.84/49
00:32:45: TAC+: 171.68.118.84 (3351494599) AUTHEN/START/LOGIN/ASCII queued
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: (3351494599) AUTHEN/START/LOGIN/ASCII processed
00:32:45: TAC+: ver=192 id=3351494599 received AUTHEN status = GETUSER
00:32:45: AAA/AUTHEN (3351494599): status = GETUSER
00:32:45: AAA/AUTHEN/CONT (3351494599): continue_login (user='(undef)')
00:32:45: AAA/AUTHEN (3351494599): status = GETUSER
00:32:45: AAA/AUTHEN (3351494599): Method=RTP (tacacs+)
00:32:45: TAC+: send AUTHEN/CONT packet id=3351494599
00:32:45: TAC+: 171.68.118.84 (3351494599) AUTHEN/CONT queued
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: (3351494599) AUTHEN/CONT processed
00:32:45: TAC+: ver=192 id=3351494599 received AUTHEN status = GETPASS
00:32:45: AAA/AUTHEN (3351494599): status = GETPASS
00:32:45: AAA/AUTHEN/CONT (3351494599): continue_login (user='proxyonly')
00:32:45: AAA/AUTHEN (3351494599): status = GETPASS
00:32:45: AAA/AUTHEN (3351494599): Method=RTP (tacacs+)
00:32:45: TAC+: send AUTHEN/CONT packet id=3351494599
00:32:45: TAC+: 171.68.118.84 (3351494599) AUTHEN/CONT queued
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: (3351494599) AUTHEN/CONT processed
00:32:45: TAC+: ver=192 id=3351494599 received AUTHEN status = PASS
00:32:45: AAA/AUTHEN (3351494599): status = PASS
00:32:45: TAC+: Closing TCP/IP 0x61CA39A0 connection to 171.68.118.84/49
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): Port='a}' list='default'
service=AUTH-PROXY
00:32:45: AAA/AUTHOR/HTTP: a} (4113551585) user='proxyonly'
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): send AV service=auth-proxy
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): send AV cmd*
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): found list "default"
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): Method=RTP (tacacs+)
00:32:45: AAA/AUTHOR/TAC+: (4113551585): user=proxyonly
00:32:45: AAA/AUTHOR/TAC+: (4113551585): send AV service=auth-proxy
00:32:45: AAA/AUTHOR/TAC+: (4113551585): send AV cmd*
00:32:45: TAC+: using previously set server 171.68.118.84 from group RTP
00:32:45: TAC+: Opening TCP/IP to 171.68.118.84/49 timeout=5
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: Opened TCP/IP handle 0x61CA3E1C to 171.68.118.84/49
00:32:45: TAC+: Opened 171.68.118.84 index=1
00:32:45: TAC+: 171.68.118.84 (4113551585) AUTHOR/START queued
00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: TAC+: (4113551585) AUTHOR/START processed
00:32:46: TAC+: (4113551585): received author response status = PASS_ADD
00:32:46: TAC+: Closing TCP/IP 0x61CA3E1C connection to 171.68.118.84/49
00:32:46: AAA/AUTHOR (4113551585): Post authorization status = PASS_ADD
00:32:46: AUTH-PROXY FUNC: auth_proxy_copy_attrs
```

```
00:32:46: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:46: AUTH-PROXY : auth_proxy_find_cache
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
      ip-srcaddr 10.31.1.47
      pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:46: AUTH-PROXY : auth_proxy_find_cache
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
      ip-srcaddr 10.31.1.47
      pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_http_accept
00:32:46: AUTH-PROXY FUNC: auth_proxy_proc_profile
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AAA/MEMORY: free_user (0x61C23FE4) user='proxyonly'
ruser='' port='a}' rem_addr='' authen_type=ASCII service=LOGIN priv=0
00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
      ip-srcaddr 10.31.1.47
      pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
      ip-srcaddr 10.31.1.47
      pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:46: ack 2970313958 seq 410643(0)
00:32:46: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
      ip-srcaddr 10.31.1.47
      pak-srcaddr 0.0.0.0

00:32:46: clientport 4542 state 2
00:32:46: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:46: F ack 2970313958 seq 410643(0)
00:32:46: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
      ip-srcaddr 10.31.1.47
      pak-srcaddr 0.0.0.0

00:32:46: clientport 4542 state 2
00:32:49: AUTH-PROXY FUNC: auth_proxy_timers
00:32:49: AUTH-PROXY FUNC: auth_proxy_handle_finwait_timeout
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
      ip-srcaddr 10.31.1.47
      pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
      find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
```

```
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:54: AUTH-PROXY FUNC: auth_proxy_fast_path
```

Good Router Debug – RADIUS – Outbound

```
01:23:18: AUTH-PROXY FUNC: auth_proxy_destroy_all_conn_info
01:23:18: AUTH-PROXY FUNC: auth_proxy_remove_conn_info
01:23:18: AUTH-PROXY FUNC: auth_proxy_delete_conn_info
01:23:18: AUTH-PROXY FUNC: auth_proxy_remove_all_acl
01:23:21: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:21: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:21: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:21: F ack 3679167246 seq 413771(0)
01:23:21: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4851
01:23:21: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:21: AUTH_PROXY: not a SYN packet

01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
01:23:23: AUTH-PROXY FUNC: auth_proxy_get_idbsb
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: S seq 414827(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
01:23:23: AUTH-PROXY FUNC: auth_proxy_get_idbsb
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
01:23:23: AUTH-PROXY FUNC: auth_proxy_new_connection
01:23:23: AUTH-PROXY FUNC: auth_proxy_add_conn_info
01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
```


01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: ack 1713887638 seq 414828(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: P ack 1713887638 seq 414828(290)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:23: AUTH-PROXY : auth_proxy_find_cache
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
01:23:23: AUTH-PROXY FUNC: auth_proxy_received_get
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:23: AUTH-PROXY : auth_proxy_find_cache
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_save_timestamp
01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: ack 1713888835 seq 415118(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path

01:23:23: F ack 1713888835 seq 415118(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:24: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:24: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:24: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:24: F ack 3679167246 seq 413771(0)
01:23:24: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4851
01:23:24: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:24: clientport 4943 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: S seq 414841(0)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:36: clientport 4851 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: ack 1726143121 seq 414842(0)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:36: clientport 4944 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: P ack 1726143121 seq 414842(449)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

```
01:23:36: clientport 4944 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:36: AUTH-PROXY : auth_proxy_find_cache
                find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
                ip-srcaddr 10.31.1.47
                pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_required_reauth
01:23:36: AUTH-PROXY FUNC: auth_proxy_same_timestamp
01:23:36: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
01:23:36: AAA: parse name=a} idb type=-1 TTY=-1
01:23:36: AAA/MEMORY: create_user (0x61c52DD8) user='' ruser='' port='a}'
rem_addr='' authen_type=ASCII service=LOGIN priv=0
01:23:36: AAA/AUTHEN/START (1504053479): port='a}' list='default'
action=LOGIN service=LOGIN
01:23:36: AAA/AUTHEN/START (1504053479): found list default
01:23:36: AAA/AUTHEN/START (1504053479): Method=LOCAL
01:23:36: AAA/AUTHEN (1504053479): status = GETUSER
01:23:36: AAA/AUTHEN/CONT (1504053479): continue_login (user='(undef)')
01:23:36: AAA/AUTHEN (1504053479): status = GETUSER
01:23:36: AAA/AUTHEN/CONT (1504053479): Method=LOCAL
01:23:36: AAA/AUTHEN (1504053479): User not found, emulating local-override
01:23:36: AAA/AUTHEN (1504053479): status = ERROR
01:23:36: AAA/AUTHEN/START (58099628): port='a}' list='' action=LOGIN service=LOGIN
01:23:36: AAA/AUTHEN/START (58099628): Restart
01:23:36: AAA/AUTHEN/START (58099628): Method=RTP (radius)
01:23:36: AAA/AUTHEN (58099628): status = GETPASS
01:23:36: AAA/AUTHEN/CONT (58099628): continue_login (user='proxyonly')
01:23:36: AAA/AUTHEN (58099628): status = GETPASS
01:23:36: AAA/AUTHEN (58099628): Method=RTP (radius)
01:23:36: RADIUS: ustruct sharecount=1
01:23:36: RADIUS: Initial Transmit a} id 2 171.68.118.84:1645,
Access-Request, len 67
01:23:36:         Attribute 4 6 0A1F0196
01:23:36:         Attribute 61 6 00000000
01:23:36:         Attribute 1 11 70726F78
01:23:36:         Attribute 2 18 7CC79416
01:23:36:         Attribute 6 6 00000005
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: RADIUS: Received from id 2 171.68.118.84:1645, Access-Accept, Len 207
01:23:36:         Attribute 6 6 00000005
01:23:36:         Attribute 26 30 0000000901186175
01:23:36:         Attribute 26 49 00000009012B6175
01:23:36:         Attribute 26 48 00000009012A6175
01:23:36:         Attribute 26 48 00000009012A6175
01:23:36:         Attribute 8 6 FFFFFFFF
01:23:36: RADIUS: saved authorization data for user 61c52DD8 at 619E0D8C
01:23:36: AAA/AUTHEN (58099628): status = PASS
01:23:36: a} AAA/AUTHOR/HTTP (147390869): Port='a}' list='default'
service=AUTH-PROXY
01:23:36: AAA/AUTHOR/HTTP: a} (147390869) user='proxyonly'
01:23:36: a} AAA/AUTHOR/HTTP (147390869): send AV service=auth-proxy
01:23:36: a} AAA/AUTHOR/HTTP (147390869): send AV cmd*
01:23:36: a} AAA/AUTHOR/HTTP (147390869): found list "default"
01:23:36: a} AAA/AUTHOR/HTTP (147390869): Method=RTP (radius)
01:23:36: RADIUS: cisco AVPair "auth-proxy:priv-lvl=15"
01:23:36: RADIUS: cisco AVPair "auth-proxy:proxyacl#1=permit icmp any any"
01:23:36: RADIUS: cisco AVPair "auth-proxy:proxyacl#2=permit tcp any any"
01:23:36: RADIUS: cisco AVPair "auth-proxy:proxyacl#3=permit udp any any"
01:23:36: AAA/AUTHOR (147390869): Post authorization status = PASS_ADD
01:23:36: AUTH-PROXY FUNC: auth_proxy_copy_attrs
01:23:36: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:36: AUTH-PROXY : auth_proxy_find_cache
                find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
                ip-srcaddr 10.31.1.47
```

pak-srcaddr 0.0.0.0

```
01:23:36: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:36: AUTH-PROXY : auth_proxy_find_cache
          find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
          ip-srcaddr 10.31.1.47
          pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_http_accept
01:23:36: AUTH-PROXY FUNC: auth_proxy_proc_profile
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AAA/MEMORY: free_user (0x61C52DD8) user='proxyonly'
ruser='' port='a}' rem_addr='' authen_type=ASCII service=LOGIN priv=0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
          find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
          ip-srcaddr 10.31.1.47
          pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: ack 1726144118 seq 415291(0)
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
          find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
          ip-srcaddr 10.31.1.47
          pak-srcaddr 0.0.0.0

01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
          find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
          ip-srcaddr 10.31.1.47
          pak-srcaddr 0.0.0.0

01:23:36: clientport 4944 state 2
01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: F ack 1726144118 seq 415291(0)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
          find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
          ip-srcaddr 10.31.1.47
          pak-srcaddr 0.0.0.0

01:23:36: clientport 4944 state 2
01:23:39: AUTH-PROXY FUNC: auth_proxy_timers
01:23:39: AUTH-PROXY FUNC: auth_proxy_handle_finwait_timeout
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
          find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
          ip-srcaddr 10.31.1.47
          pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
          find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
          ip-srcaddr 10.31.1.47
          pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
```

```
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
```

Potential Problems

RADIUS Server is Unreachable

Debug shows:

```
01:30:39: RADIUS: Initial Transmit id 6 171.68.118.115:1645,
Access-Request, Len 67
01:30:39: Attribute 4 6 0A1F0196
01:30:39: Attribute 61 6 00000000
01:30:39: Attribute 1 11 70726F78
01:30:39: Attribute 2 18 E552A3E5
01:30:39: Attribute 6 6 00000005
01:30:44: RADIUS: Retransmit id 6
01:30:49: RADIUS: Retransmit id 6
01:30:59: RADIUS: Marking server 171.68.118.115 dead
01:30:59: RADIUS: Tried all servers.
01:30:59: RADIUS: No valid server found. Trying any viable server
01:30:59: RADIUS: Tried all servers.
01:30:59: RADIUS: No response for id 6
01:30:59: RADIUS: No response from server
01:30:59: AAA/AUTHEN (1597176845): status = ERROR
```

User eventually sees "500 Internal Server Error."

TACACS Server is Unreachable

Debug shows:

```
02:13:41: AAA/AUTHEN/START (3727404152): Method=RTP (tacacs+)
02:13:41: TAC+: send AUTHEN/START packet ver=192 id=3727404152
02:13:41: TAC+: Using default tacacs server-group "RTP" list.
02:13:41: TAC+: Opening TCP/IP to 171.68.118.115/49 timeout=5
02:13:41: TAC+: TCP/IP open to 171.68.118.115/49 failed
-- Connection refused by remote host
02:13:41: AAA/AUTHEN (3727404152): status = ERROR
```

User eventually sees "500 Internal Server Error."

RADIUS User Enters Wrong Username or Password

Debug shows:

```
01:37:42: RADIUS: Received from id 10 171.68.118.115:1645, Access-Reject, Len 20
01:37:42: AAA/AUTHEN (3558550985): status = FAIL
01:37:42: AAA/MEMORY: free_user (0x61C549F0) user='junk' ruser=''
port='' rem_addr='' authen_type=ASCII service=LOGIN priv=0
```

User sees "Authentication Failed!"

TACACS User Enters Wrong Username or Password

Debug shows:

```
02:15:03: AAA/AUTHEN/START (1400571814): Method=RTP (tacacs+)
02:15:03: TAC+: send AUTHEN/START packet ver=192 id=1400571814
02:15:03: TAC+: Using default tacacs server-group "RTP" list.
02:15:03: TAC+: Opening TCP/IP to 171.68.118.115/49 timeout=5
02:15:03: TAC+: Opened TCP/IP handle 0x61CAFEA8 to 171.68.118.115/49
02:15:03: TAC+: 171.68.118.115 (1400571814) AUTHEN/START/LOGIN/ASCII queued
02:15:04: TAC+: (1400571814) AUTHEN/START/LOGIN/ASCII processed
02:15:04: TAC+: ver=192 id=1400571814 received AUTHEN status = GETPASS
02:15:04: AAA/AUTHEN (1400571814): status = GETPASS
02:15:04: AAA/AUTHEN/CONT (1400571814): continue_login (user='junkuser')
02:15:04: AAA/AUTHEN (1400571814): status = GETPASS
02:15:04: AAA/AUTHEN (1400571814): Method=RTP (tacacs+)
02:15:04: TAC+: send AUTHEN/CONT packet id=1400571814
02:15:04: TAC+: 171.68.118.115 (1400571814) AUTHEN/CONT queued
02:15:04: TAC+: (1400571814) AUTHEN/CONT processed
02:15:04: TAC+: ver=192 id=1400571814 received AUTHEN status = FAIL
02:15:04: AAA/AUTHEN (1400571814): status = FAIL
```

User sees "Authentication Failed!"

TACACS User Enters Correct Username and Password but Fails Authorization

Debug shows:

```
02:17:01: TAC+: ver=192 id=945629484 received AUTHEN status = PASS
02:17:02: TAC+: (1368282367): received author response status = FAIL
02:17:02: TAC+: Closing TCP/IP 0x61CAFFC8 connection to 171.68.118.115/49
02:17:02: AAA/AUTHOR (1368282367): Post authorization status = FAIL
```

User sees "Authentication Failed!"

RADIUS User Enters Correct Username and Password but ACL Returns in Invalid Format

The debug shows the ACL(s) coming down but they are not applied and the user cannot get through the firewall.

User sees "Authentication Successful!"

TACACS User Enters Correct Username and Password but ACL Returns in Invalid Format

Debug does not look any different than on successful authentication, but ACLs are not applied and the user cannot get through firewall.

User sees "Authentication Successful!"

RADIUS User Enters Correct Username and Password but Priv-lvl 15 Not Returned

Debug shows:

```
02:00:54: RADIUS: saved authorization data for user 61CA670C at 61C5585C
02:00:54: AAA/AUTHEN (706562375): status = PASS
02:00:54: AAA/AUTHOR/HTTP (4224202114): Port='' list='default' service=AUTH-PROXY
02:00:54: AAA/AUTHOR/HTTP: (4224202114) user='baduser'
02:00:54: AAA/AUTHOR/HTTP (4224202114): send AV service=auth-proxy
02:00:54: AAA/AUTHOR/HTTP (4224202114): send AV cmd*
02:00:54: AAA/AUTHOR/HTTP (4224202114): found list "default"
02:00:54: AAA/AUTHOR/HTTP (4224202114): Method=RTP (radius)
02:00:54: RADIUS: cisco AVPair "auth-proxy:priv-lvl=1"
```


User sees "Authentication Failed" even though the router debug indicates nothing unusual except the wrong privilege level. ACLs are not applied.

TACACS User Enters Correct Username and Password but Priv-lvl 15 Not Returned

The debug does not look any different than on successful authentication.

User will see "Authentication Failed!"

Related Information

- [Cisco IOS Firewall Support Page](#)
- [RADIUS Support Page](#)
- [Requests for Comments \(RFCs\)](#) 
- [TACACS+ Support Page](#)
- [Technical Support & Documentation – Cisco Systems](#)

[Contacts & Feedback](#) | [Help](#) | [Site Map](#)

© 2014 – 2015 Cisco Systems, Inc. All rights reserved. [Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)

Updated: Jan 14, 2008

Document ID: 13896
