



Cisco Unified Workforce Optimization

Desktop Requirements Guide Version 10.0(1)

First Published: November 30, 2013 Last Modified: January 31, 2014

Americas Headquarters

Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA

http://www.cisco.com Tel: 408 526-4000

800 553-NETS (6387)

Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

Desktop Requirements Guide
© 2013-2014 Cisco Systems, Inc. All rights reserved.
© 2013-2014 Calabrio Inc. All rights reserved.

Contents

Introduction	5
Compatibility	Matrix 7
Desktop Hard	ware Requirements 9
Call Recording	 g and Quality Management Desktop Requirements Operating System 11 Desktop Client Software 11 Web Browser 11 GPO for PCI Compliance 12 Web Browser Plug-ins 12 Supported Third-Party Software 12 Screen Recording for Citrix or Windows Terminal Services 13 Citrix Requirements 14
Workforce Ma	 nagement Desktop Requirements 15 Operating System 15 Desktop Client Software 15 Web Browser 15 GPO for PCI Compliance 16 Supported Third-Party Software 16

Introduction

This document describes the required desktop hardware and software for the Cisco Unified Workforce Optimization suite of products and includes requirements for the following products:

- Cisco Unified Workforce Optimization Call Recording and Quality Management version 10.0
- Cisco Unified Workforce Optimization Workforce Management (WFM) version 10.0

Compatibility Matrix

Key:

- x—Supported
- NS—Not supported

	Cisco Products		
	Call Recording and Quality Management	WFM	
	10.0	10.0	
Operating System			
Windows 7, latest SP, 32 and 64-bit (Professional, Ultimate)	х	NS	
Windows Vista, latest SP, 32 or 64-bit (Ultimate, Enterprise, Business)	х	NS	
Windows XP, latest SP, 32 or 64-bit (Professional)	х	NS	
Desktop Client Software			
Monitoring and Recording Administrator	х	NS	
Desktop Recording Service	х	NS	
Calabrio Screen Player Plug-in	х	NS	
Calabrio Recording Controls	х	NS	
Web Browser			
Internet Explorer 9 (32-bit)	х	Х	
Internet Explorer 8 (32-bit)	х	Х	
Internet Explorer 7 (32-bit)	NS	NS	
Mozilla Firefox 3.x	NS	NS	
Web Browser Plug-ins			

	Cisco Products	
	Call Recording and Quality Management	WFM
	10.0	10.0
Java Plug-in 1.6u31, 32-bit	NS	NS
Java Plug-in 1.7u21, 32-bit	х	NS
Java Plug-in 1.7u45, 32-bit	х	NS
Supported Third-Party Software		
Adobe Acrobat Reader 6.0 or later	х	Х
Java 1.6.31	NS	NS
Java 1.7_11, 32-bit	х	NS
Java Runtime Environment (JRE) 1.6u31, 32-bit	NS	NS
Java JRE 1.7u21, 32-bit	х	NS
Java JRE 1.7u45, 32-bit	х	NS
Microsoft .NET Framework 4 Client Profile	NS	NS
Screen Recording for Citrix or Windows Terminal Services Client		
Citrix versions 4.5, 4.6, 5.0, 6.5, and XenApp client	х	NS
Recording Thin Client for Citrix client sessions	х	NS

Desktop Hardware Requirements

The desktop hardware requirements applies to all products in the Cisco Unified Workforce Optimization product suite.

PC Hardware				
Memory	2 GB RAM			
Processor Speed	2 GHz			
NIC	100 Mbit NIC NICs must support Promiscuous Mode.			
Monitor	 1280 × 800 1280 × 1024 1440 × 900 1920 × 1080 			
Sound and Video Cards	Optional for administrators			
Peripherals	Keyboard and mouse			
Disk Space	Work with your Solutions engineer to determine the disk space size based on your specific workflow.			

Call Recording and Quality Management Desktop Requirements

This topic provides desktop requirements for Call Recording and Quality Management version 10.0.

Operating System

- Windows 7—Professional or Ultimate (32 or 64-bit)
- Windows Vista—Business, Enterprise, or Ultimate (32 or 64-bit)
- Windows XP—Professional (32 or 64-bit)

NOTE: Cisco also supports the operating system's latest Service Pack.

Desktop Client Software

- Quality Management Administrator
- Desktop Recording service
- · Calabrio Screen Player Plug-in
- Calabrio Recording Controls

Web Browser

- Internet Explorer 9, 32-bit
- Internet Explorer 8, 32-bit
- Required web browser options:
 - Security Level for this Zone must be Medium High
 - ActiveX Controls and Plug-ins must be enabled
 - File Downloads must be enabled

NOTE: This option is required for downloading a dashboard

Active Scripting must be enabled

NOTE: JavaScript depends on this setting being enabled.

- Allow ActiveX Filtering must be enabled for Run ActiveX controls and plug-ins
- Cookies must be enabled

NOTE: The Base server uses the browser cookies to return state information to the Base server. The state information is used for authentication, user session identification, and user preferences (for example, language preference).

Pop-ups must be disabled for the Base server

NOTE: You may try other browsers (for example, Firefox or Chrome) if you want to improve performance, but note that these browsers were not tested and are not supported by Cisco. If problems are found while using an unsupported browser, you will be asked to recreate the problem while using a supported browser.

GPO for PCI Compliance

If you apply Group Policy Object (GPO) for Payment Card Industry Data Security Standard (PCI DSS) compliance to your web browsers, apply the following values to the settings in the Group Policy Management Editor:

- All Processes—Disabled
- Internet Explorer Processes—Enabled

Web Browser Plug-ins

Choose one of the following required web browser plug-ins:

- Java Plug-in 1.7u21, 32-bit
- Java Plug-in 1.7u45, 32-bit

NOTE: Cisco recommends installing the latest Java Plug-in.

Supported Third-Party Software

 Adobe Reader 6.0 or later—the Adobe Reader is required to open PDF-based reports and user documentation. A free Acrobat Reader download is available at www.adobe.com.

- Java 1.7_11, 32-bit
- Java Runtime Environment (JRE) 1.7u21, 32-bit
- Java Runtime Environment (JRE) 1.7u45, 32-bit

Screen Recording for Citrix or Windows Terminal Services

Install Citrix or Windows Terminal Services per the product documentation. When installing Citrix or Windows Terminal Services, use the following settings:

- Servers must include a supported web browser to access the Workforce Optimization Container.
 - Publish the web browser locally to each server.
 - Ensure the security settings allows end users to play back recordings through Citrix or Windows Terminal Services. For more information on security settings, see KB 933991 available at:
 - http://support.microsoft.com/kb/933991
- Each server can support a maximum of 25 concurrent screen recordings.
- Additional configuration settings are required to fully access the Workforce Optimization Container. See the "Installing Server Applications" in the Installation Guide for complete details.
- Limit the number of simultaneous sessions per user to a single session.
 - For Citrix, follow the instructions at http://support.citrix.com/proddocs/topic/xenapp5fp-w2k8/ps-sf-connec tions-limit-v2.html
 - For Windows Terminal Services, follow the instructions for "Restrict Terminal Services users to a single remote session" at http://technet.microsoft.com/en-us/library/cc731606%28v=ws.10%29. aspx

You also need to configure the following settings:

- The Audio Player for Citrix requires the QmWmpAudioPlayer class
- On the server that hosts the Quality Management database, set the dbProperties flag in SQMDB to isCitrix

For Citrix client services, you must also install the Recording Thin Client. The Recording Thin Client records screens from Citrix Client sessions.

When these settings are configured, Quality Management supports recording playback with screen.

Citrix Requirements

Quality Management supports Citrix versions 4.5, 4.6, 5.0, 6.5, and XenApp.

Quality Management only supports Citrix on the following servers:

• 64-bit Windows Server 2012

64-bit Windows Server 2008, R2 or later

For more information on the operating environment, see "Operating Environment" in the *Installation Guide*.

Workforce Management Desktop Requirements

This topic provides desktop requirements for Workforce Management version 10.0.

Operating System

WFM is operating system-independent. The only requirement is that the operating system can run the supported web browsers.

Desktop Client Software

There is no desktop client software requirement for WFM.

Web Browser

- Internet Explorer 9, 32-bit
- Internet Explorer 8, 32-bit
- Required web browser options:
 - Security Level for this Zone must be Medium High
 - ActiveX Controls and Plug-ins must be enabled
 - File Downloads must be enabled

NOTE: This option is required for downloading a dashboard

- Active Scripting must be enabled

NOTE: JavaScript depends on this setting being enabled.

- Allow ActiveX Filtering must be enabled for Run ActiveX controls and plug-ins
- Cookies must be enabled

NOTE: The Base server uses the browser cookies to return state information to the Base server. The state information is used for

authentication, user session identification, and user preferences (for example, language preference).

Pop-ups must be disabled for the Base server

NOTE: You may try other browsers (for example, Firefox or Chrome) if you want to improve performance, but note that these browsers were not tested and are not supported by Cisco. If problems are found while using an unsupported browser, you will be asked to recreate the problem while using a supported browser.

GPO for PCI Compliance

If you apply Group Policy Object (GPO) for Payment Card Industry Data Security Standard (PCI DSS) compliance to your web browsers, apply the following values to the settings in the Group Policy Management Editor:

- All Processes—Disabled
- Internet Explorer Processes—Enabled

Supported Third-Party Software

 Adobe Reader 6.0 or later—the Adobe Reader is required to open PDF-based reports and user documentation. A free Acrobat Reader download is available at www.adobe.com.