

MeetingPlace Web Uses a Different IP Address than the NT Server

Document ID: 50204

Introduction

Prerequisites

Requirements

Components Used

Conventions

Assign the IP Address to the Server

Assign the IP Address to Cisco MeetingPlace Web

Related Information

Introduction

Microsoft IIS allows a Windows NT Server to utilize multiple IP addresses for multiple web sites. This document describes the process used to assign a different IP address to Cisco MeetingPlace Web than the IP address for the rest of the Windows NT Server.

Prerequisites

Requirements

There are no specific requirements for this document.

Components Used

The information in this document is based on the Cisco MeetingPlace Web, all versions. This is not applicable to Cisco MeetingPlace Web version 4.3 or later with the MeetingPlace IP Gateway installed on the same machine.

The information in this document was created from the devices in a specific lab environment. All of the devices used in this document started with a cleared (default) configuration. If your network is live, make sure that you understand the potential impact of any command.

Conventions

For more information on document conventions, refer to the Cisco Technical Tips Conventions.

Assign the IP Address to the Server

Complete these steps to assign the IP address to the server:

Note: If this is already done, you can skip this section.

1. Obtain the new IP address and subnet mask that will be installed on the NT server.
2. Log on to the NT Server as an Administrator (or to an account with Administrator privileges).
3. Right-click the **Network Neighborhood** icon on the desktop, and choose **Properties**.

4. Click the **Protocols** tab.
5. Double-click **TCP/IP Protocol**.
6. Click **Advanced**.
7. Under IP Addresses, click **Add**.
8. Enter the new IP address and subnet mask.
9. Click **Add**.
10. In the Advanced IP Addressing window, click **OK**.
11. In the Microsoft TCP/IP Properties window, click **Apply**, then click **OK**.
12. In the Network window, click **OK**.
13. Reboot the NT Server.

Assign the IP Address to Cisco MeetingPlace Web

Complete these steps to assign the IP address to Cisco MeetingPlace Web:

1. Log on to the NT Server as an Administrator (or equivalent).
2. To open the Microsoft Management Console (MMC), choose **Start > Programs > Windows NT 4.0 Option Pack > Microsoft Internet Information Server > Internet Service Manager**.
3. In MMC, right-click the **Default Web Site** (or the name of the web site used for MeetingPlace Web), and choose **Properties**.
4. Click the down arrow in the IP Address box. Select the IP address that you want to assign to Cisco MeetingPlace Web.
5. Click **Apply**, then click **OK**.
6. Click on the black square icon on the MMC toolbar to stop the Web Server.
7. Click on the black triangle on the MMC toolbar to start the Web Server.

Cisco recommends you assign a hostname to the IP address that you just used. This is so that users have a "friendlier" address (URL) to type into their browsers.

After you complete this procedure, Cisco MeetingPlace Web can be accessed by using the new IP address (or hostname) that you just assigned.

Related Information

- **Voice Technology Support**
- **Voice and IP Communications Product Support**
- **Recommended Reading: Troubleshooting Cisco IP Telephony**
- **Technical Support – Cisco Systems**

All contents are Copyright © 2006–2007 Cisco Systems, Inc. All rights reserved. Important Notices and Privacy Statement.

Updated: Jan 31, 2006

Document ID: 50204
