



Open Source Used In AppDynamics_Cloud_Analytics_Age nt 23.1.0

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1539557780

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1539557780

Contents

- 1.1 kotlin-reflect 1.2.71**
- 1.2 bean-validation-api 2.0.2**
 - 1.2.1 Available under license
- 1.3 asm-tree 8.0.1**
 - 1.3.1 Available under license
- 1.4 junit 4.13.2**
 - 1.4.1 Available under license
- 1.5 compiler-com-github-spullara-mustache-java-compiler 0.8.15**
 - 1.5.1 Available under license
- 1.6 jersey's-jersey 2.35**
 - 1.6.1 Available under license
- 1.7 pact-jvm-provider_2.12 3.5.25**
 - 1.7.1 Available under license
- 1.8 commons-bcel 6.5.0**
 - 1.8.1 Available under license
- 1.9 annotations-for-metrics 4.1.31**
 - 1.9.1 Available under license
- 1.10 jetbrains-annotations 13.0**
 - 1.10.1 Available under license
- 1.11 caffeine-cache 2.8.1**
 - 1.11.1 Available under license
- 1.12 json-java 20200518**
 - 1.12.1 Available under license
- 1.13 apache-common-codec 1.14**
 - 1.13.1 Available under license
- 1.14 prometheus-java-simpleclient 0.15.0**

- 1.14.1 Available under license
- 1.15 jna 5.11.0**
 - 1.15.1 Available under license
- 1.16 kotlin-stdlib-common 1.2.51**
 - 1.16.1 Available under license
- 1.17 pact-jvm-matchers_2.12 3.5.25**
 - 1.17.1 Available under license
- 1.18 jboss-logging 3.4.1.Final**
 - 1.18.1 Available under license
- 1.19 scala-logging_2.12 3.7.2**
 - 1.19.1 Available under license
- 1.20 unfiltered 0.9.1**
 - 1.20.1 Available under license
- 1.21 apache-commons-beanutils 1.9.4**
 - 1.21.1 Available under license
- 1.22 netty-project 4.1.78.Final**
 - 1.22.1 Available under license
- 1.23 java-architecture-for-xml-binding 2.3.3**
 - 1.23.1 Available under license
- 1.24 apache-commons-collections 3.2.2**
 - 1.24.1 Available under license
- 1.25 metrics-utility-servlets 4.1.31**
 - 1.25.1 Available under license
- 1.26 junit-platform-junit-platform-engine 1.8.2**
 - 1.26.1 Available under license
- 1.27 jool 0.9.11**
 - 1.27.1 Available under license
- 1.28 scala-parser-combinators 1.0.5**
 - 1.28.1 Available under license
- 1.29 apache-commons-configuration 1.8**
 - 1.29.1 Available under license
- 1.30 java-semver 0.9.0**
 - 1.30.1 Available under license
- 1.31 netty-project 4.1.9.Final**
 - 1.31.1 Available under license
- 1.32 testng 7.5**
 - 1.32.1 Available under license
- 1.33 unfiltered-netty 0.9.1**
 - 1.33.1 Available under license

- 1.34 saxon-xslt-and-xquery-processor 10.1**
 - 1.34.1 Available under license
- 1.35 javax-inject1-as-osgi-bundle 2.6.1**
 - 1.35.1 Available under license
- 1.36 scala-xml 1.0.6**
 - 1.36.1 Available under license
- 1.37 junit-platform-junit-platform-launcher 1.8.2**
 - 1.37.1 Available under license
- 1.38 jakarta-expression-language-3.0-api 3.0.3**
 - 1.38.1 Available under license
- 1.39 java-servlet-api 4.0.4**
 - 1.39.1 Available under license
- 1.40 metrics-integration-for-jersey-2.x 4.1.31**
 - 1.40.1 Available under license
- 1.41 hibernate-validator 6.2.0.Final**
 - 1.41.1 Available under license
- 1.42 jackson-bom 2.14.1**
 - 1.42.1 Available under license
- 1.43 slf4j-api-module 1.8.0-beta4**
 - 1.43.1 Available under license
- 1.44 mockito v2.24.5**
 - 1.44.1 Available under license
- 1.45 args4j 2.32**
 - 1.45.1 Available under license
- 1.46 log4j-over-slf4j 1.7.36**
 - 1.46.1 Available under license
- 1.47 asm-analysis 9.1**
 - 1.47.1 Available under license
- 1.48 jcl-1-2-implemented-over-slf4j 1.7.32**
 - 1.48.1 Available under license
- 1.49 kotlin 1.2.51**
 - 1.49.1 Available under license
- 1.50 project-lombok 1.18.20**
 - 1.50.1 Available under license
- 1.51 metrics-core 3.2.5**
 - 1.51.1 Available under license
- 1.52 apache-ant 1.10.12**
 - 1.52.1 Available under license
- 1.53 pact-jvm-pact-broker 3.5.25**

- 1.53.1 Available under license
- 1.54 apache-commons-text 1.10.0**
 - 1.54.1 Available under license
- 1.55 jacoco 0.8.7**
 - 1.55.1 Available under license
- 1.56 jakarta-mail 1.5.0-b01**
 - 1.56.1 Available under license
- 1.57 jaxen 1.1.6**
 - 1.57.1 Available under license
- 1.58 qdox 1.12.1**
 - 1.58.1 Available under license
- 1.59 logback-access-module 1.2.11**
 - 1.59.1 Available under license
- 1.60 argparse 0.8.1**
 - 1.60.1 Available under license
- 1.61 dropwizard-jersey-support 2.0.29**
 - 1.61.1 Available under license
- 1.62 javabeans-activation-framework-api 1.2.2**
 - 1.62.1 Available under license
- 1.63 google-guava v30.0**
 - 1.63.1 Available under license
- 1.64 kotlin-logging 1.4.4**
 - 1.64.1 Available under license
- 1.65 jersey-ext-bean-validation 2.35**
 - 1.65.1 Available under license
- 1.66 jakarta-ws-rs-api 2.1.6**
 - 1.66.1 Available under license
- 1.67 scala-java8-compat_2.12 0.8.0**
 - 1.67.1 Available under license
- 1.68 netty-codec-smtp 4.1.78.Final**
 - 1.68.1 Available under license
- 1.69 jcl-1-2-implemented-over-slf4j 1.7.36**
 - 1.69.1 Available under license
- 1.70 jakarta-activation 1.1**
 - 1.70.1 Available under license
- 1.71 dropwizard-configuration-support 2.0.29**
 - 1.71.1 Available under license
- 1.72 junit-jupiter-junit-jupiter-engine 5.8.2**
 - 1.72.1 Available under license

- 1.73 jackson-jaxrs 2.14.1**
 - 1.73.1 Available under license
- 1.74 j2objc-annotations 1.3**
 - 1.74.1 Available under license
- 1.75 byte-buddy-agent 1.9.7**
 - 1.75.1 Available under license
- 1.76 metrics-health-checks 4.1.31**
 - 1.76.1 Available under license
- 1.77 google-gson 2.9.0**
 - 1.77.1 Available under license
- 1.78 feign-core 8.15.1**
 - 1.78.1 Available under license
- 1.79 slf4j-api-module 1.7.36**
 - 1.79.1 Available under license
- 1.80 hibernate-validator 6.1.6.Final**
 - 1.80.1 Available under license
- 1.81 osgi-resource-locator-bundle 1.0.3**
 - 1.81.1 Available under license
- 1.82 commons-logging 1.1.3**
 - 1.82.1 Available under license
- 1.83 jul-to-slf4j-bridge 1.7.36**
 - 1.83.1 Available under license
- 1.84 dropwizard-validation-support 2.0.29**
 - 1.84.1 Available under license
- 1.85 jackson-module-afterburner 2.14.1**
 - 1.85.1 Available under license
- 1.86 dropwizard-jackson-support 2.0.29**
 - 1.86.1 Available under license
- 1.87 jcommander-library 1.78**
 - 1.87.1 Available under license
- 1.88 joda-time 2.10.14**
 - 1.88.1 Available under license
- 1.89 jackson-annotations 2.14.1**
 - 1.89.1 Available under license
- 1.90 error_prone_annotations 2.0.2**
 - 1.90.1 Available under license
- 1.91 apache-commons-lang 2.6**
 - 1.91.1 Available under license
- 1.92 dropwizard 2.0.29**

- 1.92.1 Available under license
- 1.93 javabeans-activation-framework-api 1.2.0**
 - 1.93.1 Available under license
- 1.94 picocli 4.6.1**
 - 1.94.1 Available under license
- 1.95 jline-java-console-input-library 2.14.6**
 - 1.95.1 Available under license
- 1.96 jvm-integration-for-metrics 4.1.31**
 - 1.96.1 Available under license
- 1.97 jetbrains-kotlin-kotlin-stdlib-jdk7 1.2.71**
 - 1.97.1 Available under license
- 1.98 metrics-integration-with-jmx 4.1.31**
 - 1.98.1 Available under license
- 1.99 jna 5.9.0**
 - 1.99.1 Available under license
- 1.100 apache-commons-lang 3.4**
 - 1.100.1 Available under license
- 1.101 java-architecture-for-xml-binding 2.3.1**
 - 1.101.1 Available under license
- 1.102 jackson-dataformats-binary 2.14.1**
 - 1.102.1 Available under license
- 1.103 netty-transport-native-unix-common 4.1.78.Final**
 - 1.103.1 Available under license
- 1.104 apache-groovy 3.0.11**
 - 1.104.1 Available under license
- 1.105 archaius-core 0.7.1**
 - 1.105.1 Available under license
- 1.106 unfiltered-netty-server 0.9.1**
 - 1.106.1 Available under license
- 1.107 spotbugs-annotations 4.1.1**
 - 1.107.1 Available under license
- 1.108 zt-process 1.3**
 - 1.108.1 Available under license
- 1.109 objenesis 2.6**
 - 1.109.1 Available under license
- 1.110 apache-commons-collections 4.1**
 - 1.110.1 Available under license
- 1.111 jackson-datatype-joda 2.14.1**
 - 1.111.1 Available under license

- 1.112 checker-qual 3.1.0**
 - 1.112.1 Available under license
- 1.113 jetbrains-kotlin-kotlin-stdlib-jdk8 1.2.71**
 - 1.113.1 Available under license
- 1.114 java-concurrency-in-practice-book-annotations 1.0**
 - 1.114.1 Available under license
- 1.115 generex 1.0.1**
 - 1.115.1 Available under license
- 1.116 metrics---dropwizard 4.0.2**
 - 1.116.1 Available under license
- 1.117 dropwizard-jetty-support 2.0.29**
 - 1.117.1 Available under license
- 1.118 java-classmate 1.1.0**
 - 1.118.1 Available under license
- 1.119 junit-platform-junit-platform-commons 1.8.2**
 - 1.119.1 Available under license
- 1.120 jackson-integration-for-metrics 4.1.31**
 - 1.120.1 Available under license
- 1.121 jackson-databind 2.14.1**
 - 1.121.1 Available under license
- 1.122 rfc3986-uri 0.8**
 - 1.122.1 Available under license
- 1.123 dropwizard-metrics-support 2.0.29**
 - 1.123.1 Available under license
- 1.124 throttling-appender 1.1.9**
 - 1.124.1 Available under license
- 1.125 metrics-integration-for-apache-httpasyncclient 3.2.5**
 - 1.125.1 Available under license
- 1.126 jackson-datatype-jdk8 2.14.1**
 - 1.126.1 Available under license
- 1.127 hk2-api-module 2.6.1**
 - 1.127.1 Available under license
- 1.128 jersey-ext-metainf-services 2.35**
 - 1.128.1 Available under license
- 1.129 jackson-jaxrs-base 2.14.1**
 - 1.129.1 Available under license
- 1.130 aop-alliance 1.0**
 - 1.130.1 Available under license
- 1.131 bean-validation-api 2.0.1**

- 1.131.1 Available under license
- 1.132 asm-commons 9.1**
 - 1.132.1 Available under license
- 1.133 expression-language 3.0.0**
 - 1.133.1 Available under license
- 1.134 asm-analysis 8.0.1**
 - 1.134.1 Available under license
- 1.135 servicelocator-default-implementation 2.6.1**
 - 1.135.1 Available under license
- 1.136 archunit 0.22.0**
 - 1.136.1 Available under license
- 1.137 aws-sdk-for-java 1.11.30**
 - 1.137.1 Available under license
- 1.138 netty/transport/classes/kqueue 4.1.78.Final**
 - 1.138.1 Available under license
- 1.139 hk2-implementation-utilities 2.6.1**
 - 1.139.1 Available under license
- 1.140 findbugs-jsr305 2.0.3**
 - 1.140.1 Available under license
- 1.141 javassist rel_3_25_0_ga**
 - 1.141.1 Available under license
- 1.142 jackson-dataformat-yaml 2.14.1**
 - 1.142.1 Available under license
- 1.143 guava-listenablefuture-only 9999.0-empty-to-avoid-conflict-with-guava**
 - 1.143.1 Available under license
- 1.144 javax-ws-rs-api 2.0.1**
 - 1.144.1 Available under license
- 1.145 asm-tree 9.1**
 - 1.145.1 Available under license
- 1.146 jetty-toolchain 1.0.4**
 - 1.146.1 Available under license
- 1.147 metrics-jetty 4.1.31**
 - 1.147.1 Available under license
- 1.148 json-path 0.6.9**
 - 1.148.1 Available under license
- 1.149 jmes-path-query-library 1.0**
 - 1.149.1 Available under license
- 1.150 kotson 2.5.0**
 - 1.150.1 Available under license

- 1.151 jackson-xc 2.14.1**
 - 1.151.1 Available under license
- 1.152 jersey-container-servlet-core 2.35**
 - 1.152.1 Available under license
- 1.153 netty-codec-redis 4.1.78.Final**
 - 1.153.1 Available under license
- 1.154 prometheus-java-simpleclient-common 0.15.0**
 - 1.154.1 Available under license
- 1.155 guava-retrying 2.0.0**
- 1.156 apache-httpcomponents-asyncclient 4.1.4**
 - 1.156.1 Available under license
- 1.157 javaparser-core 3.24.2**
- 1.158 apache-httpcomponents-core 4.4.5**
 - 1.158.1 Available under license
- 1.159 reflections 0.9.12**
 - 1.159.1 Available under license
- 1.160 jakarta-annotations-api 1.3.5**
 - 1.160.1 Available under license
- 1.161 unfiltered-util 0.9.1**
 - 1.161.1 Available under license
- 1.162 jackson-module-parameter-names 2.14.1**
 - 1.162.1 Available under license
- 1.163 dropwizard-logging-support 2.0.29**
 - 1.163.1 Available under license
- 1.164 findbugs-jsr305 3.0.2**
 - 1.164.1 Available under license
- 1.165 jersey-inject-hk2 2.35**
 - 1.165.1 Available under license
- 1.166 simpleclient-servlet 0.15.0**
 - 1.166.1 Available under license
- 1.167 apache-groovy 3.0.11**
 - 1.167.1 Available under license
- 1.168 dropwizard-utility-classes 2.0.29**
 - 1.168.1 Available under license
- 1.169 json-java 20160212**
 - 1.169.1 Available under license
- 1.170 pact-jvm-model 3.5.25**
 - 1.170.1 Available under license
- 1.171 rxjava 1.1.2**

- 1.171.1 Available under license
- 1.172 apache-httpcomponents-core 4.4.14**
 - 1.172.1 Available under license
- 1.173 apache-http-client 4.5.13**
 - 1.173.1 Available under license
- 1.174 javax-annotation-api 1.3.2**
 - 1.174.1 Available under license
- 1.175 pact-jvm-consumer-java8_2.12 3.5.25**
 - 1.175.1 Available under license
- 1.176 netty/transport/classes/epoll 4.1.78.Final**
 - 1.176.1 Available under license
- 1.177 logback-core 1.2.11**
 - 1.177.1 Available under license
- 1.178 javax.inject:javax.inject 1**
 - 1.178.1 Available under license
- 1.179 automation 1.11-8**
 - 1.179.1 Available under license
- 1.180 hamcrest 1.3**
 - 1.180.1 Available under license
- 1.181 pact-jvm-consumer_2.12 3.5.25**
 - 1.181.1 Available under license
- 1.182 dmfs/optional 0.3**
 - 1.182.1 Available under license
- 1.183 jansi 1.16**
 - 1.183.1 Available under license
- 1.184 google-guice 4.0**
 - 1.184.1 Available under license
- 1.185 junit-5-bill-of-materials 5.8.2**
 - 1.185.1 Available under license
- 1.186 iterators 1.5**
 - 1.186.1 Available under license
- 1.187 dom4j-flexible-xml-framework-for-java 2.1.3**
 - 1.187.1 Available under license
- 1.188 dropwizard-lifecycle-support 2.0.29**
 - 1.188.1 Available under license
- 1.189 ant-antlr 1.10.12**
 - 1.189.1 Available under license
- 1.190 jackson-datatype-guava 2.14.1**
 - 1.190.1 Available under license

- 1.191 asm 8.0.1**
 - 1.191.1 Available under license
- 1.192 metrics-integration-for-logback 4.1.31**
 - 1.192.1 Available under license
- 1.193 jackson-datatype-jsr310 2.14.1**
 - 1.193.1 Available under license
- 1.194 asm-commons 8.0.1**
 - 1.194.1 Available under license
- 1.195 dropwizard-servlet-support 2.0.29**
 - 1.195.1 Available under license
- 1.196 apache-commons-lang 3.12.0**
 - 1.196.1 Available under license
- 1.197 jakarta-expression-language-3.0-implementation 3.0.4**
 - 1.197.1 Available under license
- 1.198 pact-jvm-consumer-junit 3.5.25**
 - 1.198.1 Available under license
- 1.199 hamcrest 2.1**
 - 1.199.1 Available under license
- 1.200 feign-jackson 8.15.1**
 - 1.200.1 Available under license
- 1.201 snake-yaml 1.33**
 - 1.201.1 Available under license
- 1.202 nuprocess 2.0.5**
 - 1.202.1 Available under license
- 1.203 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.4.48.v20220622**
 - 1.203.1 Available under license
- 1.204 scala 2.12.5**
 - 1.204.1 Available under license
- 1.205 asm-util 8.0.1**
 - 1.205.1 Available under license
- 1.206 java-diff-utils 1.3.0**
 - 1.206.1 Available under license
- 1.207 netty/resolver/dns/classes/macos 4.1.78.Final**
 - 1.207.1 Available under license
- 1.208 jackson-core 2.14.1**
 - 1.208.1 Available under license
- 1.209 junit-jupiter-junit-jupiter-api 5.8.2**
 - 1.209.1 Available under license
- 1.210 jersey-core-server 2.35**

- 1.210.1 Available under license
- 1.211 asm 9.1**
 - 1.211.1 Available under license
- 1.212 slf4j-simple-binding 1.8.0-beta4**
 - 1.212.1 Available under license
- 1.213 pact-jvm-provider-junit_2.12 3.5.25**
 - 1.213.1 Available under license
- 1.214 apache-commons-i-o 2.8.0**
 - 1.214.1 Available under license
- 1.215 spotbugs 4.1.1**
 - 1.215.1 Available under license
- 1.216 guava-internalfuturefailureaccess-and-internalfutures 1.0.1**
 - 1.216.1 Available under license
- 1.217 prometheus-java-simpleclient-dropwizard 0.15.0**
 - 1.217.1 Available under license
- 1.218 jersey-container-servlet 2.35**
 - 1.218.1 Available under license
- 1.219 byte-buddy byte-buddy-1.9.7**
 - 1.219.1 Available under license
- 1.220 dropwizard-request-logging-support 2.0.29**
 - 1.220.1 Available under license
- 1.221 apache-httpmime 4.5.5**
 - 1.221.1 Available under license
- 1.222 opentest4j-opentest4j 1.2.0**
 - 1.222.1 Available under license

1.1 kotlin-reflect 1.2.71

1.2 bean-validation-api 2.0.2

1.2.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2013 Cognifide Limited

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.3 asm-tree 8.0.1

1.3.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/MethodInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LocalVariableNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/TypeInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/Util.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/FieldNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/TypeAnnotationNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/MethodNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleProvideNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ClassNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/LdcInsnNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/ModuleNode.java  
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-  
jar/org/objectweb/asm/tree/InsnNode.java
```

* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/FrameNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/FieldInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/ModuleOpenNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/LabelNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/ModuleRequireNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/InsnList.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/ModuleExportNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/ParameterNode.java
* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/RecordComponentNode.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1104664895_1604644145.26/0/asm-tree-8-0-1-sources-1-jar/org/objectweb/asm/tree/package.html

1.4 junit 4.13.2

1.4.1 Available under license :

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby

assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the

intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

1.5 compiler-com-github-spullara-mustache-java-compiler 0.8.15

1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<name>Apache License 2.0</name>  
<url>http://www.apache.org/licenses/LICENSE-2.0</url>
```

Found in path(s):

```
* /opt/cola/permits/1343907305_1655313226.794729/0/compiler-0-8-15-jar/META-INF/maven/com.github.spullara.mustache.java/compiler/pom.xml
```

1.6 jersey's-jersey 2.35

1.6.1 Available under license :

Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Google Guava Version 18.0

- * License: Apache License, 2.0

- * Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

- * License: Creative Commons 1.0 (CC0)

- * No copyright

- * Written by Doug Lea with assistance from members of JCP JSR-166

- * Expert Group and released to the public domain, as explained at

- * <http://creativecommons.org/publicdomain/zero/1.0/>

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

- * Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

* Project: <http://getbootstrap.com>

* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0

* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

* License: Apache License, 2.0

* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

* License: Apache License, 2.0

* Project: <http://www.javassist.org/>

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

* License: Apache License, 2.0

* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- * Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License

(if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add

their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing

version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to

make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major

components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked

independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.7 pact-jvm-provider_2.12 3.5.25

1.7.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.8 commons-bcel 6.5.0

1.8.1 Available under license :

Apache Commons BCEL
Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.9 annotations-for-metrics 4.1.31

1.9.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics.annotation
Build-Jdk-Spec: 1.8
Bundle-Description: A dependency-less package of just the annotations used by other Metrics modules.
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>
Bundle-ManifestVersion: 2
Bundle-Name: Annotations for Metrics
Bundle-SymbolicName: io.dropwizard.metrics.annotation
Bundle-Version: 4.1.17
Created-By: Apache Maven Bundle Plugin
Export-Package: com.codahale.metrics.annotation;version="4.1.17"
Implementation-Title: Annotations for Metrics
Implementation-Version: 4.1.17
Private-Package: com.codahale.metrics.annotation
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337069873_1654215265.519441/0/metrics-annotation-4-1-17-jar/META-INF/MANIFEST.MF

1.10 jetbrains-annotations 13.0

1.10.1 Available under license :

Copyright 2000-2012 JetBrains s.r.o.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.11 caffeine-cache 2.8.1

1.11.1 Available under license :

The trace files are copyrighted by "headissue GmbH, Jens Wilke" and provided under the CC BY 4.0 license.

File: orm-busy.trace.xz

Description: Database object access of a e-commerce web application during a busy daytime.

File: orm-night.trace.xz

Description: Database object access of a e-commerce web application during the night time.

File: web07.trace.xz

Description: Normalized access trace (HTTP requests) a product detail page in July 2013.

File: web12.trace.xz

Description: Normalized access trace (HTTP requests) on a product detail page in December 2013.

Format: The accessed objects comprise of a mixture of product inventory, availability per price and also customer data. Objects are keyed by type, id and a index (e.g. the 3rd price of a product). All data is normalized into numbers starting at 0 (or 1 for sub-ids) and then collapsed into a single integer consisting of,

- Bits 27-31: type
- Bits 9-26: id
- Bits 0-9: index

Attribution 4.0 International

=====
Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The

following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public: wiki.creativecommons.org/Considerations_for_licensees

=====

Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such

as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.

j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.

k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:

a. reproduce and Share the Licensed Material, in whole or in part; and

b. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a)

(4) never produces Adapted Material.

5. Downstream recipients.

a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the

following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.

3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.

4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE. WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.
- b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent

possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 -- Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:
 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
 2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully

be made without permission under this Public License.

- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.
Copyright © Ben Manes. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.12 json-java 20200518

1.12.1 Available under license :

=====
Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.13 apache-common-codec 1.14

1.13.1 Available under license :

Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>
with permission from the original authors.

Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.14 prometheus-java-simpleclient 0.15.0

1.14.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * Written by Doug Lea with assistance from members of JCP JSR-166
- * Expert Group and released to the public domain, as explained at
- * <http://creativecommons.org/publicdomain/zero/1.0/>
- *
- * Source: <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/Striped64.java?revision=1.10>
- */

Found in path(s):

* /opt/cola/permits/1341561591_1654802717.0915134/0/simpleclient-0-15-0-sources-jar/io/prometheus/client/Striped64.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Written by Doug Lea with assistance from members of JCP JSR-166
 * Expert Group and released to the public domain, as explained at
 * http://creativecommons.org/publicdomain/zero/1.0/
 *
 * Source: http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/DoubleAdder.java?revision=1.12
 */
```

Found in path(s):

```
*/opt/cola/permits/1341561591_1654802717.0915134/0/simpleclient-0-15-0-sources-
jar/io/prometheus/client/DoubleAdder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
Copyright 2012 Andrew Wang (andrew@umbrant.com)
```

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
*/
```

Found in path(s):

```
*/opt/cola/permits/1341561591_1654802717.0915134/0/simpleclient-0-15-0-sources-
jar/io/prometheus/client/CKMSQuantiles.java
```

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

```
*/opt/cola/permits/1341561591_1654802717.0915134/0/simpleclient-0-15-0-sources-jar/META-
INF/maven/io.prometheus/simpleclient/pom.xml
```

1.15 jna 5.11.0

1.15.1 Available under license :

SPDX-License-Identifier: Apache-2.0 OR LGPL-2.1

Java Native Access (JNA) is licensed under the LGPL, version 2.1
or later, or (from version 4.0 onward) the Apache License,

version 2.0.

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1", under the same directory as this file.

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0", under the same directory as this file.

Commercial support may be available, please e-mail [twall\[at\]users\[dot\]sf\[dot\]net](mailto:twall[at]users[dot]sf[dot]net).

1.16 kotlin-stdlib-common 1.2.51

1.16.1 Available under license :

Apache-2.0

1.17 pact-jvm-matchers_2.12 3.5.25

1.17.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.18 jboss-logging 3.4.1.Final

1.18.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.19 scala-logging_2.12 3.7.2

1.19.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.20 unfiltered 0.9.1

1.20.1 Available under license :

Copyright (c) 2010-2014 Nathan Hamblen / Doug Tangren

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.21 apache-commons-beanutils 1.9.4

1.21.1 Available under license :

Apache Commons BeanUtils
Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.22 netty-project 4.1.78.Final

1.22.1 Available under license :

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicator holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

/*

* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.

*

* @APPLE_LICENSE_HEADER_START@

*

* This file contains Original Code and/or Modifications of Original Code

* as defined in and that are subject to the Apple Public Source License

* Version 2.0 (the 'License'). You may not use this file except in

* compliance with the License. Please obtain a copy of the License at

* <https://www.opensource.apple.com/apsl/> and read it before using this

* file.

*

* The Original Code and all software distributed under the License are

* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER

* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,

* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.

* Please see the License for the specific language governing rights and

* limitations under the License.

*

* @APPLE_LICENSE_HEADER_END@

*/

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the

"Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.

(<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

(BSD License: <https://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesøy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* Copyright (c) 2004-2007 QOS.ch

* All rights reserved.

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be

* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*/

The Netty Project

=====

Please visit the Netty web site for more information:

* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in

the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

This product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

* LICENSE:

* license/LICENSE.jsr166y.txt (Public Domain)

* HOMEPAGE:

* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

* LICENSE:

* license/LICENSE.base64.txt (Public Domain)

* HOMEPAGE:

* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

* LICENSE:

* license/LICENSE.webbit.txt (BSD License)

* HOMEPAGE:

* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

* LICENSE:

* license/LICENSE.slf4j.txt (MIT License)

* HOMEPAGE:

* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

* NOTICE:

* license/NOTICE.harmony.txt

* LICENSE:

* license/LICENSE.harmony.txt (Apache License 2.0)

* HOMEPAGE:

* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression

and decompression library written by Matthew J. Francis. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.jbzip2.txt (MIT License)
- * HOMEPAGE:
 - * <https://code.google.com/p/jbzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.libdivsufsort.txt (MIT License)
- * HOMEPAGE:
 - * <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.jctools.txt (ASL2 License)
- * HOMEPAGE:
 - * <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.jzlib.txt (BSD style License)
- * HOMEPAGE:
 - * <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.compress-lzf.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.lz4.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.lzma-java.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/jponge/lzma-java>

This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.zstd-jni.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/luben/zstd-jni>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.jfastlz.txt (MIT License)
- * HOMEPAGE:
 - * <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.protobuf.txt (New BSD License)
- * HOMEPAGE:
 - * <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.bouncycastle.txt (MIT License)
- * HOMEPAGE:
 - * <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.snappy.txt (New BSD License)
- * HOMEPAGE:
 - * <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/jboss-remoting/jboss-marshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.caliper.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.commons-logging.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.log4j.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.aalto-xml.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.hpack.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.hyper-hpack.txt (MIT License)
- * HOMEPAGE:
 - * <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

- * LICENSE:
 - * license/LICENSE.nghttp2-hpack.txt (MIT License)
- * HOMEPAGE:
 - * <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- * LICENSE:
 - * license/LICENSE.commons-lang.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

- * LICENSE:
 - * license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
- * HOMEPAGE:
 - * <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

- * LICENSE:
 - * license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
- * HOMEPAGE:
 - * <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

This product optionally depends on 'Brotli4j', Brotli compression and decompression for Java., which can be obtained at:

- * LICENSE:

* license/LICENSE.brotli4j.txt (Apache License 2.0)

* HOMEPAGE:

* <https://github.com/hyperxpro/Brotli4j>

Protocol Buffers - Google's data interchange format

Copyright 2013 Google Inc. All rights reserved.

<https://developers.google.com/protocol-buffers/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

This copy of Aalto XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<https://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases,

that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/" Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at The Apache Software Foundation (<https://www.apache.org/>).

1.23 java-architecture-for-xml-binding 2.3.3

1.23.1 Available under license :

(See license.txt for the actual license terms)

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

Copyright 2001--@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rserve. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de proprit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de proprit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution,

et la compilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux États-Unis et dans d'autres pays. Ce produit inclut le logiciel développé par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des États-Unis est requis avant l'exportation du produit.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2004 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this

* software without prior written permission. For written

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache",

* nor may "Apache" appear in their name, without prior written

* permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., <http://www.apache.org>. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.

*/

THIS LICENSE IS INTENDED TO BE USED FOR DEBUGGING THE INSTALLER.

Amendment I

Congress shall make no law respecting an establishment of religion, or prohibiting the free exercise thereof; or abridging the freedom of speech, or of the press; or the right of the people peaceably to assemble, and to petition the government for a redress of grievances.

Amendment II

A well regulated militia, being necessary to the security of a free state, the right of the people to keep and bear arms, shall not be infringed.

Amendment III

No soldier shall, in time of peace be quartered in any house, without the consent of the owner, nor in time of war, but in a manner to be prescribed by law.

Amendment IV

The right of the people to be secure in their persons, houses, papers, and effects, against unreasonable searches and seizures, shall not be violated, and no warrants shall issue, but upon probable cause, supported by oath or affirmation, and particularly describing the place to be searched, and the persons or things to be seized.

Amendment V

No person shall be held to answer for a capital, or otherwise infamous crime, unless on a presentment or indictment of a grand jury, except in cases arising in the land or naval forces, or in the militia, when in actual service in time of war or public danger; nor shall any person be subject for the same offense to be twice put in jeopardy of life or limb;

nor shall be compelled in any criminal case to be a witness against himself, nor be deprived of life, liberty, or property, without due process of law; nor shall private property be taken for public use, without just compensation.

Amendment VI

In all criminal prosecutions, the accused shall enjoy the right to a speedy and public trial, by an impartial jury of the state and district wherein the crime shall have been committed, which district shall have been previously ascertained by law, and to be informed of the nature and cause of the accusation; to be confronted with the witnesses against him; to have compulsory process for obtaining witnesses in his favor, and to have the assistance of counsel for his defense.

Amendment VII

In suits at common law, where the value in controversy shall exceed twenty dollars, the right of trial by jury shall be preserved, and no fact tried by a jury, shall be otherwise reexamined in any court of the United States, than according to the rules of the common law.

Amendment VIII

Excessive bail shall not be required, nor excessive fines imposed, nor cruel and unusual punishments inflicted.

Amendment IX

The enumeration in the Constitution, of certain rights, shall not be construed to deny or disparage others retained by the people.

Amendment X

The powers not delegated to the United States by the Constitution, nor prohibited by it to the states, are reserved to the states respectively, or to the people.

(See license.txt for the actual license terms)

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by

the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, California 94303 tats-Unis. Tous droits rservs. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de propriit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de propriit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est protg par un copyright et licenci par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques d'pos'es de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Ce produit inclut le logiciel dvelopp par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des tats Unis est requis avant l'exportation du produit.

/* =====

- * The Apache Software License, Version 1.1
- *
- * Copyright (c) 2001-2003 The Apache Software Foundation. All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
- *
- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- *
- * 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*
* 4. The names "Apache" and "Apache Software Foundation" must
* not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*
* 5. Products derived from this software may not be called "Apache",
* nor may "Apache" appear in their name, without prior written
* permission of the Apache Software Foundation.

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.

*/

/* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in

- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation" must
- * not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache",
- * nor may "Apache" appear in their name, without prior written
- * permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- *
- * Portions of this software are based upon public domain software
- * originally written at the National Center for Supercomputing Applications,
- * University of Illinois, Urbana-Champaign.
- * /

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the

Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or

otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the

applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a

distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO

NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to

distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Copyright (c) 2001, Sun Microsystems, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Sun Microsystems, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at <http://www.saxproject.org/> for more up-to-date releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for

XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com

2000-05-05

This license came from:

<http://www.w3.org/Consortium/Legal/copyright-software-19980720>

W3C SOFTWARE NOTICE AND LICENSE

Copyright 1994-2001 World

Wide Web Consortium, (World

Wide Web Consortium, (<a href="

"http://www.lcs.mit.edu/">Massachusetts Institute of

Technology, Institut National de

Recherche en Informatique et en Automatique, <a href="

"http://www.keio.ac.jp/">Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, a short notice of the following form (hypertext is preferred, text is permitted) should be used within the body of any redistributed or derivative code:

"Copyright [\$date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
<http://www.w3.org/Consortium/Legal/>"

Notice of any changes or modifications to the W3C files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on August 14 1998 so as to improve compatibility with GPL. This version ensures that W3C software licensing terms are no more restrictive than GPL and consequently W3C software may be distributed in GPL packages. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

webmaster
Sun Microsystems, Inc.
Binary Code License Agreement

READ THE TERMS OF THIS AGREEMENT AND ANY PROVIDED SUPPLEMENTAL LICENSE TERMS (COLLECTIVELY "AGREEMENT") CAREFULLY BEFORE OPENING THE SOFTWARE MEDIA PACKAGE. BY OPENING THE SOFTWARE MEDIA PACKAGE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELECTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO YOUR PLACE OF PURCHASE FOR A REFUND OR, IF THE SOFTWARE IS ACCESSED ELECTRONICALLY, SELECT THE "DECLINE" BUTTON AT THE END OF THIS AGREEMENT.

1. LICENSE TO USE. Sun grants you a non-exclusive and non-transferable license for the internal use only of the accompanying software and documentation and any error

corrections provided by Sun (collectively "Software"), by the number of users and the class of computer hardware for which the corresponding fee has been paid.

2. **RESTRICTIONS.** Software is confidential and copyrighted.

Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Except as specifically authorized in any Supplemental License Terms, you may not make copies of Software, other than a single copy of Software for archival purposes. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement.

3. **LIMITED WARRANTY.** Sun warrants to you that for a period

of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software.

4. **DISCLAIMER OF WARRANTY.** UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

5. **LIMITATION OF LIABILITY.** TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement.

The foregoing limitations will apply even if the above stated warranty fails of its essential purpose.

6. Termination. This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Upon Termination, you must destroy all copies of Software.

7. Export Regulations. All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

8. U.S. Government Restricted Rights. If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

9. Governing Law. Any action related to this Agreement will be governed by California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

10. Severability. If any provision of this Agreement is held to be unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

11. Integration. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will

be binding, unless in writing and signed by an authorized representative of each party.

SUN XML INSTANCE GENERATOR, VERSION 1.0 SUPPLEMENTAL LICENSE TERMS

These supplemental license terms ("Supplemental Terms") add to or modify the terms of the Binary Code License Agreement (collectively, the "Agreement"). Capitalized terms not defined in these Supplemental Terms shall have the same meanings ascribed to them in the Agreement. These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Agreement, or in any license contained within the Software.

1. Software Internal Use and Development License Grant. Subject to the terms and conditions of this Agreement, including, but not limited to Section 4 (Java(TM) Technology Restrictions) of these Supplemental Terms, Sun grants to you, a non-exclusive, non-transferable, royalty-free and limited license to reproduce, modify, and create derivative works of the Software for the sole purpose of adding value and improving the Software for the development of applications ("Programs").
2. License to Distribute Software. Subject to the terms and conditions of this Agreement, including, but not limited to Section 4 (Java (TM) Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce and distribute the Software modified by you as permitted in Section 1 of these Supplemental Terms ("Modified Software") in source or binary code form, provided that (i) you distribute the Modified Software only bundled as part of, and for the sole purpose of running, your Programs, (ii) the Modified Software adds value and improveS the function of the Software, (iv) you do not remove or alter any proprietary legends or notices contained in the Software, (v) you only distribute the Modified Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (vi) you agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim, lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Modified Software.

3. Experimental Software. You acknowledge that the Software is experimental and may contain errors, defects, or deficiencies which cannot or will not be corrected by Sun. You shall have the sole responsibility to protect adequately and backup your data and/or equipment used in connection with the Software. You shall not claim against Sun for lost data, re-run time, inaccurate output, work delays or lost profits resulting from your use of the Licensed Software.

4. Java Technology Restrictions. You may not modify the Java Platform Interface ("JPI", identified as classes contained within the "java" package or any subpackages of the "java" package), by creating additional classes within the JPI or otherwise causing the addition to or modification of the classes in the JPI. In the event that you create an additional class and associated API(s) which (i) extends the functionality of the Java platform, and (ii) is exposed to third party software developers for the purpose of developing additional software which invokes such additional API, you must promptly publish broadly an accurate specification for such API for free use by all developers. You may not create, or authorize your licensees to create, additional classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

5. Trademarks and Logos. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

6. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

For inquiries please contact:

Sun Microsystems, Inc.

901 San Antonio Road, Palo Alto, California 94303

(LFI#100313/Form ID#011801)

Copyright (c) 2003, Kohsuke Kawaguchi
All rights reserved.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided
that the following conditions are met:

- * Redistributions of source code must retain
the above copyright notice, this list of
conditions and the following disclaimer.
- * Redistributions in binary form must reproduce
the above copyright notice, this list of
conditions and the following disclaimer in
the documentation and/or other materials
provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT
HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

-Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

-Redistribution in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may
be used to endorse or promote products derived from this software without
specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN MICROSYSTEMS, INC. ("SUN") AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THIS SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE THIS SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that this software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

Sun Microsystems, Inc.
Binary Code License Agreement

READ THE TERMS OF THIS AGREEMENT AND ANY PROVIDED SUPPLEMENTAL LICENSE TERMS (COLLECTIVELY "AGREEMENT") CAREFULLY BEFORE OPENING THE SOFTWARE MEDIA PACKAGE. BY OPENING THE SOFTWARE MEDIA PACKAGE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE TERMS BY SELECTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO YOUR PLACE OF PURCHASE FOR A REFUND OR, IF THE SOFTWARE IS ACCESSED ELECTRONICALLY, SELECT THE "DECLINE" BUTTON AT THE END OF THIS AGREEMENT.

1. LICENSE TO USE. Sun grants you a non-exclusive and non-transferable license for the internal use only of the accompanying software and documentation and any error corrections provided by Sun (collectively "Software"), by the number of users and the class of computer hardware for which the corresponding fee has been paid.

2. RESTRICTIONS. Software is confidential and copyrighted. Title to Software and all associated intellectual property rights is retained by Sun and/or its licensors. Except as specifically authorized in any Supplemental License Terms, you may not make copies of Software, other than a single copy of Software for archival purposes. Unless enforcement is prohibited by applicable law, you may not modify, decompile, or reverse engineer Software. You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility. Sun disclaims any express or implied warranty of fitness for such uses. No right, title or interest in or to any trademark, service mark, logo or trade name of Sun or its licensors is granted under this Agreement.

3. LIMITED WARRANTY. Sun warrants to you that for a period of ninety (90) days from the date of purchase, as evidenced by a copy of the receipt, the media on which Software is furnished (if any) will be free of defects in

materials and workmanship under normal use. Except for the foregoing, Software is provided "AS IS". Your exclusive remedy and Sun's entire liability under this limited warranty will be at Sun's option to replace Software media or refund the fee paid for Software.

4. **DISCLAIMER OF WARRANTY.** UNLESS SPECIFIED IN THIS AGREEMENT, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT THESE DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

5. **LIMITATION OF LIABILITY.** TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED TO THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. In no event will Sun's liability to you, whether in contract, tort (including negligence), or otherwise, exceed the amount paid by you for Software under this Agreement. The foregoing limitations will apply even if the above stated warranty fails of its essential purpose.

6. **Termination.** This Agreement is effective until terminated. You may terminate this Agreement at any time by destroying all copies of Software. This Agreement will terminate immediately without notice from Sun if you fail to comply with any provision of this Agreement. Upon Termination, you must destroy all copies of Software.

7. **Export Regulations.** All Software and technical data delivered under this Agreement are subject to US export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all such laws and regulations and acknowledge that you have the responsibility to obtain such licenses to export, re-export, or import as may be required after delivery to you.

8. **U.S. Government Restricted Rights.** If Software is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in Software and accompanying documentation will be only as set forth in this Agreement; this is in accordance with 48 CFR 227.7201 through 227.7202-4 (for Department of Defense (DOD) acquisitions) and with 48 CFR 2.101 and 12.212 (for non-DOD acquisitions).

9. **Governing Law.** Any action related to this Agreement will be governed by California law and controlling U.S. federal law. No choice of law rules of any jurisdiction will apply.

10. **Severability.** If any provision of this Agreement is held to be

unenforceable, this Agreement will remain in effect with the provision omitted, unless omission would frustrate the intent of the parties, in which case this Agreement will immediately terminate.

11. Integration. This Agreement is the entire agreement between you and Sun relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification of this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

JAVA OPTIONAL PACKAGE

JAVABEANS(TM) ACTIVATION FRAMEWORK, VERSION 1.0.2 SUPPLEMENTAL LICENSE TERMS

These supplemental license terms ("Supplemental Terms") add to or modify the terms of the Binary Code License Agreement (collectively, the "Agreement"). Capitalized terms not defined in these Supplemental Terms shall have the same meanings ascribed to them in the Agreement. These Supplemental Terms shall supersede any inconsistent or conflicting terms in the Agreement, or in any license contained within the Software.

1. Software Internal Use and Development License Grant. Subject to the terms and conditions of this Agreement, including, but not limited to Section 3 (Java(TM) Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce internally and use internally the binary form of the Software, complete and unmodified, for the sole purpose of designing, developing and testing your Java applets and applications ("Programs").

2. License to Distribute Software. In addition to the license granted in Section 1 (Software Internal Use and Development License Grant) of these Supplemental Terms, subject to the terms and conditions of this Agreement, including but not limited to, Section 3 (Java Technology Restrictions) of these Supplemental Terms, Sun grants you a non-exclusive, non-transferable, limited license to reproduce and distribute the Software in binary code form only, provided that you (i) distribute the Software complete and unmodified and only bundled as part of your Programs, (ii) do not distribute additional software intended to replace any component(s) of the Software, (iii) do not remove or alter any proprietary legends or notices contained in the Software, (iv) only distribute the Software subject to a license agreement that protects Sun's interests consistent with the terms contained in this Agreement, and (v) agree to defend and indemnify Sun and its licensors from and against any damages, costs, liabilities, settlement amounts and/or expenses (including attorneys' fees) incurred in connection with any claim,

lawsuit or action by any third party that arises or results from the use or distribution of any and all Programs and/or Software.

3. Java Technology Restrictions. You may not modify the Java Platform Interface ("JPI", identified as classes contained within the "java" package or any subpackages of the "java" package), by creating additional classes within the JPI or otherwise causing the addition to or modification of the classes in the JPI. In the event that you create an additional class and associated API(s) which (i) extends the functionality of the Java platform, and (ii) is exposed to third party software developers for the purpose of developing additional software which invokes such additional API, you must promptly publish broadly an accurate specification for such API for free use by all developers. You may not create, or authorize your licensees to create additional classes, interfaces, or subpackages that are in any way identified as "java", "javax", "sun" or similar convention as specified by Sun in any naming convention designation.

4. No Support. Sun is under no obligation to support the Software or to provide you with updates or error corrections. You acknowledge that the Software may have defects or deficiencies which cannot or will not be corrected by Sun.

5. Trademarks and Logos. You acknowledge and agree as between you and Sun that Sun owns the SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET trademarks and all SUN, SOLARIS, JAVA, JINI, FORTE, and iPLANET-related trademarks, service marks, logos and other brand designations ("Sun Marks"), and you agree to comply with the Sun Trademark and Logo Usage Requirements currently located at <http://www.sun.com/policies/trademarks>. Any use you make of the Sun Marks inures to Sun's benefit.

6. Source Code. Software may contain source code that is provided solely for reference purposes pursuant to the terms of this Agreement. Source code may not be redistributed unless expressly provided for in this Agreement.

7. Termination for Infringement. Either party may terminate this Agreement immediately should any Software become, or in either party's opinion be likely to become, the subject of a claim of infringement of any intellectual property right.

For inquiries please contact: Sun Microsystems, Inc. 901 San Antonio Road,
Palo Alto, California 94303
(LFI#115020/Form ID#011801)

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2002 The Apache Software Foundation. All rights

* reserved.

*
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Xerces" and "Apache Software Foundation" must
 * not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache",
 * nor may "Apache" appear in their name, without prior written
 * permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation and was
 * originally based on software copyright (c) 1999, International
 * Business Machines, Inc., <http://www.ibm.com>. For more
 * information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*/

Copyright (c) 2004 Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or

such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new

license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall

not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this

service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY

SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an

executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.
Copyright (c) 2001-@@YEAR@@ Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

Copyright (c) 2003, Kohsuke Kawaguchi
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact dom4j-info@metastuff.com.
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered

trademark of MetaStuff, Ltd.

5. Due credit should be given to the DOM4J Project -
<http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS
"AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto,
California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to
technology embodied in this product. In particular, and without
limitation, these intellectual property rights may include one or more
of the U.S. patents listed at <http://www.sun.com/patents> and one or
more additional patents or pending patent applications in the U.S. and
other countries. This product is distributed under licenses
restricting its use, copying, distribution, and decompilation. No part
of this product may be reproduced in any form by any means without
prior written authorization of Sun and its licensors, if any. Third
party software, including font technology, is copyrighted and licensed
from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are
trademarks or registered trademarks of Sun Microsystems, Inc. in the
U.S. and other countries. This product includes software developed by
the Apache Software Foundation (<http://www.apache.org/>). Federal
Acquisitions: Commercial Software - Government Users Subject to
Standard License Terms and Conditions.

Copyright 2001-@@YEAR@@ Sun Microsystems, Inc., 901 San Antonio Road, Palo
Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue
par des licences qui en restreignent l'utilisation. Sun Microsystems,
Inc. a les droits de propriit intellectuels relatants la
technologie incorpore dans ce produit. En particulier, et sans la
limitation, ces droits de propriit intellectuels peuvent inclure un
ou plus des brevets amricains numrs <http://www.sun.com/patents>
et un ou les brevets plus supplmentaires ou les applications de
brevet en attente dans les Etats Unis et les autres pays. Ce produit

ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux États-Unis et dans d'autres pays. Ce produit inclut le logiciel développé par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des États-Unis est requis avant l'exportation du produit.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally

released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions

thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms

which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the

jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the

software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of

any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time

to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Copyright (c) 2001-2005 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility.

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Apache Ant distribution.        ==
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :
- the W3C consortium (<http://www.w3c.org>) ,
- the SAX project (<http://www.saxproject.org>)

Please read the different LICENSE files present in the root directory of
this distribution.

/*

* The Apache Software License, Version 1.1

*

* Copyright (c) 2001-2003 Ant-Contrib project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution, if
* any, must include the following acknowledgement:

* "This product includes software developed by the
* Ant-Contrib project (<http://sourceforge.net/projects/ant-contrib>)."
* Alternately, this acknowledgement may appear in the software itself,
* if and wherever such third-party acknowledgements normally appear.

*

* 4. The name Ant-Contrib must not be used to endorse or promote products
* derived from this software without prior written permission. For
* written permission, please contact
* ant-contrib-developers@lists.sourceforge.net.

*

* 5. Products derived from this software may not be called "Ant-Contrib"
* nor may "Ant-Contrib" appear in their names without prior written
* permission of the Ant-Contrib project.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE ANT-CONTRIB PROJECT OR ITS
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*/

/*

* \$Id: license.txt,v 1.2 2006/04/01 06:01:50 jeffsuttor Exp \$

* %W% %E%

*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0 1.

Definitions.

- 1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License means this document.
- 1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to,

deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the

Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code

form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer

and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE

INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL

INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2002-@@YEAR@@ Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

The CyberNeko Software License, Version 1.0

(C) Copyright 2002-2005, Andy Clark. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
"This product includes software developed by Andy Clark."
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "CyberNeko" and "NekoHTML" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact andyc@cyberneko.net.
5. Products derived from this software may not be called "CyberNeko", nor may "CyberNeko" appear in their name, without prior written permission of the author.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR OTHER CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
This license is based on the Apache Software License, version 1.1.
Copyright 2001 Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto,
California, 94303, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in this product. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and other countries. This product is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third party software, including font technology, is copyrighted and licensed from Sun suppliers. Sun, the Sun logo, and Sun Microsystems are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Federal Acquisitions: Commercial Software - Government Users Subject to Standard License Terms and Conditions.

Copyright 2001 Sun Microsystems, Inc., 901 San Antonio Road, Palo Alto, Californie 94303 tats-Unis. Tous droits rservs. Distribue par des licences qui en restreignent l'utilisation. Sun Microsystems, Inc. a les droits de propriit intellectuels relatants la technologie incorpore dans ce produit. En particulier, et sans la limitation, ces droits de propriit intellectuels peuvent inclure un ou plus des brevets amricains numrs <http://www.sun.com/patents> et un ou les brevets plus supplmentaires ou les applications de brevet en attente dans les Etats Unis et les autres pays. Ce produit ou document est protg par un copyright et distribu avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la dcompilation. Aucune partie de ce produit ou document ne peut tre reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation pralable et crite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel dtenu par des tiers, et qui comprend la technologie relative aux polices de caractres, est protg par un copyright et licenci par des fournisseurs de Sun. Sun, le logo Sun, Sun Microsystems et sont des marques de fabrique ou des marques d'pos?es de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Ce produit inclut le logiciel dvelopp par la base de Apache Software Foundation (<http://www.apache.org/>). L'accord du gouvernement des tats Unis est requis avant l'exportation du produit.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a

Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable

form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to

time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that

version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

/*

* Apache License
* Version 2.0, January 2004
* <http://www.apache.org/licenses/>

/*

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

/*

* 1. Definitions.

/*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

/*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

/*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.

/*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.

/*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.

/*

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.

/*

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).

/*

* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain

* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.

*

* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."

*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.

*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.

*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.

*

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:

- *
* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*
- *
* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and
*
- *
* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and
*
- *
* (d) If the Work includes a "NOTICE" text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that such additional attribution notices cannot be construed
* as modifying the License.
*
- *
* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*
- *
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*
- *
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the

* origin of the Work and reproducing the content of the NOTICE file.

*

* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

*

* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

*

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

*

* END OF TERMS AND CONDITIONS

*

* APPENDIX: How to apply the Apache License to your work.

*

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.

*

* Copyright [yyyy] [name of copyright owner]

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2001 The Apache Software Foundation. All rights

* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. The end-user documentation included with the redistribution,

* if any, must include the following acknowledgment:

* "This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation" and

* "Apache BCEL" must not be used to endorse or promote products

* derived from this software without prior written permission. For

* written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache",

* "Apache BCEL", nor may "Apache" appear in their name, without

* prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if
any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima
and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or
promote products derived from this software without prior written
permission. For written permission, please contact the copyright
holders.
5. Products derived from this software may not be called "RELAXNGCC",

nor may "RELAXNGCC" appear in their name, without prior written permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
DO NOT TRANSLATE OR LOCALIZE

%% The following software may be included in this product:

XML-Namespacesupport

Use of any of this software is governed by the terms of the license below:

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing

this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
 - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Additional License(s)

Copyright (c) 2001-2005 Robin Berjon. All rights reserved.

%%The following software may be included in this product:

iso-relax.jar

Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 200

Additional License(s)

"copyright" and "license" results in the following hits:

- > * The above copyright notice and this permission notice shall be included
- > * distribute, sublicense, and/or sell copies of the Software, and to

GNU, GPL, LGPL reveals no hit. "?" hits a lot of things but none of them are relevant to the licensing terms.

%%The following software may be included in this product:

relaxngDatatype.jar

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2001, Thai Open Source Software Center Ltd, Sun Microsystems.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the names of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional License(s)

Got the following hits. No hit for GNU, GPL, LGPL.

> Redistributions of source code must retain the above copyright

> Neither the names of the copyright holders nor the names of its

> this license is the BSD license.

%% The following software may be included in this product:

RELAX NG Object Model/Parser

Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional License(s)

See <https://rngom.dev.java.net/doc/index.html>

%% The following software may be included in this product:

RelaxNGCC

Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact the copyright holders.
5. Products derived from this software may not be called "RELAXNGCC", nor may "RELAXNGCC" appear in their name, without prior written permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional License(s)

None found

%The following software may be included in this product:

XML Resolver library

Use of any of this software is governed by the terms of the license below:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Additional License(s)

All occurrences of copyright, license and (c) refer to the Apache 1.1 license.

No occurrences of GNU, GPL, LGPL.

% The following software may be included in this product:

Stax API (only)

Use of any of this software is governed by the terms of the license below:

Streaming API for XML (JSR-173) Specification

Reference Implementation

License Agreement

READ THE TERMS OF THIS (THE "AGREEMENT") CAREFULLY BEFORE VIEWING OR USING THE SOFTWARE LICENS
ED HEREUNDER. BY VIEWING OR USING THE SOFTWARE, YOU AGREE TO THE TERMS OF THIS AGREEMENT. IF
YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF THESE
TERMS BY SELE

CTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ALL THESE TERMS, PROMPTLY RETURN THE UNUSED SOFTWARE TO ORIGINAL CONTRIBUTOR, DEFINED HEREIN.

1.0 DEFINITIONS.

1.1. "BEA" means BEA Systems, Inc., the licensor of the Original Code.

1.2. "Contributor" means BEA and each entity that creates or contributes to the creation of Modifications.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Executable" means Covered Code in any form other than Source Code.

1.5. "FCS" means first commercial shipment of a product.

1.6. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

(a) Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

(b) Any new file that contains any part of the Original Code or previous Modifications.

1.7. "Original Code" means Source Code of computer software code Reference Implementation.

1.8. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent for which the grantor has the right to grant a license.

1.9. "Reference Implementation" means the prototype or "proof of concept" implementation of the Specification developed and made available for license by or on behalf of BEA.

1.10. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice.

1.11. "Specification" means the written specification for the Streaming API for XML, Java technology developed pursuant to the Java Community Process.

1.12. "Technology Compatibility Kit" or "TCK" means the documentation, testing tools and test suites associated with the Specification as may be revised by BEA from time to time, that is provided so that an implementer of the Specification may determine if its implementation is compliant with the Specification.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this Agreement or a future version of this Agreement issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2.0 SOURCE CODE LICENSE.

2.1. Copyright Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Covered Code of such Contributor, if any, and such derivative works, in Source Code and Executable form.

2.2. Patent Grant. Subject to the terms of this Agreement, each Contributor hereby grants You

u a non-exclusive, worldwide, royalty-free patent license under the Patent Claims to make, use, sell, offer to sell, import and otherwise transfer the Covered Code prepared and provided by such Contributor, if any, in Source Code and Executable form. This patent license shall apply to the Covered Code if, at the time a Modification is added by the Contributor, such addition of the Modification causes such combination to be covered by the Patent Claims. The patent license shall not apply to any other combinations which include the Modification.

2.3. Conditions to Grants. You understand that although each Contributor grants the licenses to the Covered Code prepared by it, no assurances are provided by any Contributor that the Covered Code does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to You for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, You hereby assume sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow You to distribute Covered Code, it is Your responsibility to acquire that license before distributing such code.

2.4. Contributors' Representation. Each Contributor represents that to its knowledge it has sufficient copyright rights in the Covered Code it provides, if any, to grant the copyright license set forth in this Agreement.

3.0 DISTRIBUTION RESTRICTIONS.

3.1. Application of Agreement.

The Modifications which You create or to which You contribute are governed by the terms of this Agreement, including without limitation Section 2.0. The Source Code version of Covered Code may be distributed only under the terms of this Agreement or a future version of this Agreement released under Section 6.1, and You must include a copy of this Agreement with every copy of

f the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this Agreement or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.3.

3.2. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by BEA and including the name of BEA in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

%%The following software may be included in this product:

XMLWriter

Use of any of this software is governed by the terms of the license below:

XMLWriter IS FREE

I hereby abandon any property rights to XMLWriter 0.1, and release all of the XMLWriter 0.1 source code, compiled code, and documentation contained in this distribution into the Public Domain. XMLWriter comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson
david@megginson.com
2000-04-19

Additional License(s)

I grep-ed the source. GNU and GPL has no hits, '?' yields 11 hits but none of them are license related. "copyright" and "license" yield no hits either.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2004 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., <http://www.ibm.com>. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.

*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b)

associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48C.F.R.2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48C.F.R.12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

xml-commons/LICENSE.txt \$Id: LICENSE.txt 226068 2003-07-06 03:27:45Z crossley \$

See README.txt for additional licensing information.

/* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2001-2003 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
* "This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

1.24 apache-commons-collections 3.2.2

1.24.1 Available under license :

Apache Commons Collections

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.25 metrics-utility-servlets 4.1.31

1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.logback

Build-Jdk-Spec: 1.8

Bundle-Description: An instrumented appender for Logback.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Logback
Bundle-SymbolicName: io.dropwizard.metrics.logback
Bundle-Version: 4.1.31
Created-By: Apache Maven Bundle Plugin 5.1.4
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"
Implementation-Title: Metrics Integration for Logback
Implementation-Version: 4.1.31
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337069981_1654205986.5498152/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

1.26 junit-platform-junit-platform-engine 1.8.2

1.26.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and

* **b)** in the case of each subsequent Contributor:

* **i)** changes to the Program, and

* **ii)** additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable),

including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of ****a)**** distributing or ****b)**** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

****a)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

****b)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

****c)**** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

****d)**** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

****e)**** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

****3.1**** If a Contributor Distributes the Program in any form, then:

****a)**** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

****b)**** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

****i)**** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

****ii)**** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

****iii)**** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

****iv)**** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

****3.2**** When the Program is Distributed as Source Code:

****a)**** it must be made available under this Agreement, or if the Program ****i)**** is combined with other material in a separate file or files made available under a Secondary License, and ****ii)**** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

****b)**** a copy of this Agreement must be included with each copy of the Program.

****3.3**** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: ****a)**** promptly notify the Commercial Contributor in writing of such claim, and ****b)**** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the

Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

1.27 jool 0.9.11

1.27.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright (c) 2014-2016, Data Geekery GmbH, contact@datageekery.com

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedBinaryOperator.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedDoubleUnaryOperator.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedDoubleConsumer.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedObjDoubleConsumer.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedToLongBiFunction.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedLongBinaryOperator.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/SQL.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedBiConsumer.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedToDoubleFunction.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedIntUnaryOperator.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedObjLongConsumer.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedDoubleFunction.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedIntConsumer.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedDoublePredicate.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedDoubleBinaryOperator.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedBiPredicate.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Range.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedObjIntConsumer.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/ftl/function/CheckedLongToDoubleFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedToIntFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedLongPredicate.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedDoubleToLongFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/tuple/Tuples.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/lang/CheckedRunnable.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedUnaryOperator.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedIntPredicate.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedDoubleSupplier.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/CheckedComparator.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedLongUnaryOperator.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/lambda/checked/function/CheckedConsumer.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/package-info.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedIntToDoubleFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedLongFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedPredicate.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedLongConsumer.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedBooleanSupplier.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Unchecked.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/UncheckedException.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedIntToLongFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedSupplier.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedBiFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedToLongFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/checked/function/CheckedIntFunction.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/fi/util/function/package-info.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/package-info.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer15.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer4.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple5.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer2.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function8.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function13.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/WindowImpl.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple7.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer14.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function15.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/exception/TooManyElementsException.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/package-info.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Sum.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/FunctionalSpliterator.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function2.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function16.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer1.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function6.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer12.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/WindowSpecificationImpl.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function10.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple8.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple9.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple16.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Seq.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function1.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Partition.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function12.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function5.java

* /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple6.java

- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Functions.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/SeqImpl.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer8.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer13.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/SeqUtils.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer10.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple2.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function11.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer6.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple4.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/WindowSpecification.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Blocking.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple1.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer9.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer0.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple11.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function4.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer3.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple12.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/Agg.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function14.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple0.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Consumer5.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple14.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple3.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/function/Function0.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/fi/package-info.java
- * /opt/cola/permits/1290493546_1647560268.44/0/jool-0-9-11-sources-jar/org/jooq/lambda/tuple/Tuple15.java

1.28 scala-parser-combinators 1.0.5

1.28.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR

CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: HOW TO APPLY THE APACHE LICENSE TO YOUR WORK

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.29 apache-commons-configuration 1.8

1.29.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and

reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.30 java-semver 0.9.0

1.30.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* The MIT License

*

* Copyright 2012-2015 Zafar Khaja <zafarkhaja@gmail.com>.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal

* in the Software without restriction, including without limitation the rights

* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

* copies of the Software, and to permit persons to whom the Software is

* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in

* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

* THE SOFTWARE.

*/

Found in path(s):

- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/UnexpectedCharacterException.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/LexerException.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/package-info.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Greater.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Expression.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/MetadataVersion.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/VersionParser.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/NormalVersion.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Not.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/ExpressionParser.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/package-info.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/util/package-info.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/util/Stream.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/UnexpectedTokenException.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Less.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/LessOrEqual.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Equal.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/NotEqual.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/GreaterOrEqual.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/Lexer.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/CompositeExpression.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/ParseException.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-jar/com/github/zafarkhaja/semver/expr/And.java
- * /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-

```
jar/com/github/zafarkhaja/semver/expr/Or.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/Parser.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/Version.java
* /opt/cola/permits/1274705241_1645234225.55/0/java-semver-0-9-0-sources-
jar/com/github/zafarkhaja/semver/util/UnexpectedElementException.java
```

1.31 netty-project 4.1.9.Final

1.31.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/HostsFileEntriesResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/DefaultAddressResolverGroup.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/CompositeNameResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
```

jar/io/netty/resolver/HostsFileParser.java

* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-

jar/io/netty/resolver/InetAddressResolver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-

jar/io/netty/resolver/HostsFileEntries.java

* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-

jar/io/netty/resolver/ResolvedAddressTypes.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-

jar/io/netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/NoopAddressResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/AddressResolverGroup.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/NameResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/NoopAddressResolverGroup.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-
jar/io/netty/resolver/SimpleNameResolver.java
* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/io/netty/resolver/package-
info.java
```

No license file was found, but licenses were detected in source scan.

```
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ http://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

Found in path(s):

* /opt/cola/permits/1274700152_1649800590.85/0/netty-resolver-4-1-9-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

1.32 testng 7.5

1.32.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.33 unfiltered-netty 0.9.1

1.33.1 Available under license :

Copyright (c) 2010-2014 Nathan Hamblen / Doug Tangren

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.34 saxon-xslt-and-xquery-processor 10.1

1.34.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Font Module ..... -->
<!-- file: svg-font.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-font.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Font//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-font.mod"
```

```
..... -->
```

```
<!-- Font
```

```
font, font-face, glyph, missing-glyph, hkern, vkern, font-face-src,
font-face-uri, font-face-format, font-face-name, definition-src
```

This module declares markup to provide support for template.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.font.qname "font" >
<!ENTITY % SVG.font-face.qname "font-face" >
<!ENTITY % SVG.glyph.qname "glyph" >
<!ENTITY % SVG.missing-glyph.qname "missing-glyph" >
<!ENTITY % SVG.hkern.qname "hkern" >
<!ENTITY % SVG.vkern.qname "vkern" >
<!ENTITY % SVG.font-face-src.qname "font-face-src" >
<!ENTITY % SVG.font-face-uri.qname "font-face-uri" >
<!ENTITY % SVG.font-face-format.qname "font-face-format" >
<!ENTITY % SVG.font-face-name.qname "font-face-name" >
<!ENTITY % SVG.definition-src.qname "definition-src" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
```

```

<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Font.class ..... -->

<!ENTITY % SVG.Font.extra.class "" >

<!ENTITY % SVG.Font.class
  "%SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
  "%SVG.Container.attrib;
  %SVG.Viewport.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.ColorProfile.attrib;
  %SVG.Gradient.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.FilterColor.attrib;
  %SVG.Cursor.attrib;
  flood-color %SVGColor.datatype; #IMPLIED
  flood-opacity %OpacityValue.datatype; #IMPLIED

```

```

    lighting-color %SVGColor.datatype; #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- font: Font Element ..... -->

<!ENTITY % SVG.font.extra.content "" >

<!ENTITY % SVG.font.element "INCLUDE" >
<![%SVG.font.element;[
<!ENTITY % SVG.font.content
    "( (%SVG.Description.class;)*, %SVG.font-face.qname;,
     %SVG.missing-glyph.qname;, ( %SVG.glyph.qname; | %SVG.hkern.qname;
     | %SVG.vkern.qname; %SVG.font.extra.content; )*)"
>
<!ELEMENT %SVG.font.qname; %SVG.font.content; >
<!-- end of SVG.font.element -->]]>

<!ENTITY % SVG.font.attlist "INCLUDE" >
<![%SVG.font.attlist;[
<!ATTLIST %SVG.font.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.External.attrib;
    horiz-origin-x %Number.datatype; #IMPLIED
    horiz-origin-y %Number.datatype; #IMPLIED
    horiz-adv-x %Number.datatype; #REQUIRED
    vert-origin-x %Number.datatype; #IMPLIED
    vert-origin-y %Number.datatype; #IMPLIED
    vert-adv-y %Number.datatype; #IMPLIED
>
<!-- end of SVG.font.attlist -->]]>

<!-- font-face: Font Face Element ..... -->

<!ENTITY % SVG.font-face.extra.content "" >

<!ENTITY % SVG.font-face.element "INCLUDE" >
<![%SVG.font-face.element;[
<!ENTITY % SVG.font-face.content
    "( (%SVG.Description.class;)*, %SVG.font-face-src.qname;?,
     %SVG.definition-src.qname;? %SVG.font-face.extra.content; )"
>
<!ELEMENT %SVG.font-face.qname; %SVG.font-face.content; >
<!-- end of SVG.font-face.element -->]]>

<!ENTITY % SVG.font-face.attlist "INCLUDE" >

```

```

<![%SVG.font-face.attlist;[
<!ATTLIST %SVG.font-face.qname;
  %SVG.Core.attrib;
  font-family CDATA #IMPLIED
  font-style CDATA #IMPLIED
  font-variant CDATA #IMPLIED
  font-weight CDATA #IMPLIED
  font-stretch CDATA #IMPLIED
  font-size CDATA #IMPLIED
  unicode-range CDATA #IMPLIED
  units-per-em %Number.datatype; #IMPLIED
  panose-1 CDATA #IMPLIED
  stemv %Number.datatype; #IMPLIED
  stemh %Number.datatype; #IMPLIED
  slope %Number.datatype; #IMPLIED
  cap-height %Number.datatype; #IMPLIED
  x-height %Number.datatype; #IMPLIED
  accent-height %Number.datatype; #IMPLIED
  ascent %Number.datatype; #IMPLIED
  descent %Number.datatype; #IMPLIED
  widths CDATA #IMPLIED
  bbox CDATA #IMPLIED
  ideographic %Number.datatype; #IMPLIED
  alphabetic %Number.datatype; #IMPLIED
  mathematical %Number.datatype; #IMPLIED
  hanging %Number.datatype; #IMPLIED
  v-ideographic %Number.datatype; #IMPLIED
  v-alphabetic %Number.datatype; #IMPLIED
  v-mathematical %Number.datatype; #IMPLIED
  v-hanging %Number.datatype; #IMPLIED
  underline-position %Number.datatype; #IMPLIED
  underline-thickness %Number.datatype; #IMPLIED
  strikethrough-position %Number.datatype; #IMPLIED
  strikethrough-thickness %Number.datatype; #IMPLIED
  overline-position %Number.datatype; #IMPLIED
  overline-thickness %Number.datatype; #IMPLIED
>
<!-- end of SVG.font-face.attlist -->]]>

<!-- glyph: Glyph Element ..... -->

<!ENTITY % SVG.glyph.extra.content "" >

<!ENTITY % SVG.glyph.element "INCLUDE" >
<![%SVG.glyph.element;[
<!ENTITY % SVG.glyph.content
  "( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
  %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;

```

```

    %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.glyph.extra.content; )*"
>
<!ELEMENT %SVG.glyph.qname; %SVG.glyph.content; >
<!-- end of SVG.glyph.element -->]]>

```

```

<!ENTITY % SVG.glyph.attlist "INCLUDE" >
<![%SVG.glyph.attlist;[
<!ATTLIST %SVG.glyph.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    unicode CDATA #IMPLIED
    glyph-name CDATA #IMPLIED
    d %PathData.datatype; #IMPLIED
    orientation CDATA #IMPLIED
    arabic-form CDATA #IMPLIED
    lang %LanguageCodes.datatype; #IMPLIED
    horiz-adv-x %Number.datatype; #IMPLIED
    vert-origin-x %Number.datatype; #IMPLIED
    vert-origin-y %Number.datatype; #IMPLIED
    vert-adv-y %Number.datatype; #IMPLIED
>
<!-- end of SVG.glyph.attlist -->]]>

```

```

<!-- missing-glyph: Missing Glyph Element ..... -->

```

```

<!ENTITY % SVG.missing-glyph.extra.content "" >

```

```

<!ENTITY % SVG.missing-glyph.element "INCLUDE" >
<![%SVG.missing-glyph.element;[
<!ENTITY % SVG.missing-glyph.content
    "( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
    %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
    %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.missing-glyph.extra.content; )*"
>
<!ELEMENT %SVG.missing-glyph.qname; %SVG.missing-glyph.content; >
<!-- end of SVG.missing-glyph.element -->]]>

```

```

<!ENTITY % SVG.missing-glyph.attlist "INCLUDE" >
<![%SVG.missing-glyph.attlist;[

```

```

<!ATTLIST %SVG.missing-glyph.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  d %PathData.datatype; #IMPLIED
  horiz-adv-x %Number.datatype; #IMPLIED
  vert-origin-x %Number.datatype; #IMPLIED
  vert-origin-y %Number.datatype; #IMPLIED
  vert-adv-y %Number.datatype; #IMPLIED
>
<!-- end of SVG.missing-glyph.attlist -->]]>

<!-- hkern: Horizontal Kerning Element ..... -->

<!ENTITY % SVG.hkern.element "INCLUDE" >
<![%SVG.hkern.element;[
<!ENTITY % SVG.hkern.content "EMPTY" >
<!ELEMENT %SVG.hkern.qname; %SVG.hkern.content; >
<!-- end of SVG.hkern.element -->]]>

<!ENTITY % SVG.hkern.attlist "INCLUDE" >
<![%SVG.hkern.attlist;[
<!ATTLIST %SVG.hkern.qname;
  %SVG.Core.attrib;
  u1 CDATA #IMPLIED
  g1 CDATA #IMPLIED
  u2 CDATA #IMPLIED
  g2 CDATA #IMPLIED
  k %Number.datatype; #REQUIRED
>
<!-- end of SVG.hkern.attlist -->]]>

<!-- vkern: Vertical Kerning Element ..... -->

<!ENTITY % SVG.vkern.element "INCLUDE" >
<![%SVG.vkern.element;[
<!ENTITY % SVG.vkern.content "EMPTY" >
<!ELEMENT %SVG.vkern.qname; %SVG.vkern.content; >
<!-- end of SVG.vkern.element -->]]>

<!ENTITY % SVG.vkern.attlist "INCLUDE" >
<![%SVG.vkern.attlist;[
<!ATTLIST %SVG.vkern.qname;
  %SVG.Core.attrib;
  u1 CDATA #IMPLIED
  g1 CDATA #IMPLIED
  u2 CDATA #IMPLIED
  g2 CDATA #IMPLIED

```

```

k %Number.datatype; #REQUIRED
>
<!-- end of SVG.vkern.attlist -->]]>

<!-- font-face-src: Font Face Source Element ..... -->

<!ENTITY % SVG.font-face-src.extra.content "" >

<!ENTITY % SVG.font-face-src.element "INCLUDE" >
<![%SVG.font-face-src.element;[
<!ENTITY % SVG.font-face-src.content
  "( %SVG.font-face-uri.qname; | %SVG.font-face-name.qname;
   %SVG.font-face-src.extra.content; )+"
>
<!ELEMENT %SVG.font-face-src.qname; %SVG.font-face-src.content; >
<!-- end of SVG.font-face-src.element -->]]>

<!ENTITY % SVG.font-face-src.attlist "INCLUDE" >
<![%SVG.font-face-src.attlist;[
<!ATTLIST %SVG.font-face-src.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.font-face-src.attlist -->]]>

<!-- font-face-uri: Font Face URI Element ..... -->

<!ENTITY % SVG.font-face-uri.extra.content "" >

<!ENTITY % SVG.font-face-uri.element "INCLUDE" >
<![%SVG.font-face-uri.element;[
<!ENTITY % SVG.font-face-uri.content
  "( %SVG.font-face-format.qname; %SVG.font-face-uri.extra.content; )*"
>
<!ELEMENT %SVG.font-face-uri.qname; %SVG.font-face-uri.content; >
<!-- end of SVG.font-face-uri.element -->]]>

<!ENTITY % SVG.font-face-uri.attlist "INCLUDE" >
<![%SVG.font-face-uri.attlist;[
<!ATTLIST %SVG.font-face-uri.qname;
  %SVG.Core.attrib;
  %SVG.XLinkRequired.attrib;
>
<!-- end of SVG.font-face-uri.attlist -->]]>

<!-- font-face-format: Font Face Format Element ..... -->

<!ENTITY % SVG.font-face-format.element "INCLUDE" >
<![%SVG.font-face-format.element;[

```

```

<!ENTITY % SVG.font-face-format.content "EMPTY" >
<!ELEMENT %SVG.font-face-format.qname; %SVG.font-face-format.content; >
<!-- end of SVG.font-face-format.element -->]]>

<!ENTITY % SVG.font-face-format.attlist "INCLUDE" >
<![%SVG.font-face-format.attlist;[
<!ATTLIST %SVG.font-face-format.qname;
    %SVG.Core.attrib;
    string CDATA #IMPLIED
>
<!-- end of SVG.font-face-format.attlist -->]]>

<!-- font-face-name: Font Face Name Element ..... -->

<!ENTITY % SVG.font-face-name.element "INCLUDE" >
<![%SVG.font-face-name.element;[
<!ENTITY % SVG.font-face-name.content "EMPTY" >
<!ELEMENT %SVG.font-face-name.qname; %SVG.font-face-name.content; >
<!-- end of SVG.font-face-name.element -->]]>

<!ENTITY % SVG.font-face-name.attlist "INCLUDE" >
<![%SVG.font-face-name.attlist;[
<!ATTLIST %SVG.font-face-name.qname;
    %SVG.Core.attrib;
    name CDATA #IMPLIED
>
<!-- end of SVG.font-face-name.attlist -->]]>

<!-- definition-src: Definition Source Element ..... -->

<!ENTITY % SVG.definition-src.element "INCLUDE" >
<![%SVG.definition-src.element;[
<!ENTITY % SVG.definition-src.content "EMPTY" >
<!ELEMENT %SVG.definition-src.qname; %SVG.definition-src.content; >
<!-- end of SVG.definition-src.element -->]]>

<!ENTITY % SVG.definition-src.attlist "INCLUDE" >
<![%SVG.definition-src.attlist;[
<!ATTLIST %SVG.definition-src.qname;
    %SVG.Core.attrib;
    %SVG.XLinkRequired.attrib;
>
<!-- end of SVG.definition-src.attlist -->]]>

<!-- end of svg-font.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-

font.mod

No license file was found, but licenses were detected in source scan.

<!--

File isoamsn.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (︀)
should match the uses listed in Unicode Technical Report 25.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES Added Math Symbols: Negated Relations//EN//XML`

System identifier: `http://www.w3.org/2003/entities/2007/isoamsn.ent`

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsn PUBLIC
  "-//W3C//ENTITIES Added Math Symbols: Negated Relations//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamsn.ent"
>
%isoamsn;
```

-->

<!ENTITY gnap "⪊" ><!--GREATER-THAN AND NOT APPROXIMATE -->
<!ENTITY gne "⪈" ><!--GREATER-THAN AND SINGLE-LINE NOT EQUAL TO -->
<!ENTITY gnE "≩" ><!--GREATER-THAN BUT NOT EQUAL TO -->
<!ENTITY gnsim "⋧" ><!--GREATER-THAN BUT NOT EQUIVALENT TO -->
<!ENTITY gvnE "≩︀" ><!--GREATER-THAN BUT NOT EQUAL TO - with vertical stroke -->
<!ENTITY lnap "⪉" ><!--LESS-THAN AND NOT APPROXIMATE -->
<!ENTITY lne "⪇" ><!--LESS-THAN AND SINGLE-LINE NOT EQUAL TO -->
<!ENTITY lnE "≨" ><!--LESS-THAN BUT NOT EQUAL TO -->
<!ENTITY lnsim "⋦" ><!--LESS-THAN BUT NOT EQUIVALENT TO -->
<!ENTITY lvnE "≨︀" ><!--LESS-THAN BUT NOT EQUAL TO - with vertical stroke ->
<!ENTITY nap "≉" ><!--NOT ALMOST EQUAL TO -->
<!ENTITY napE "⩰̸" ><!--APPROXIMATELY EQUAL OR EQUAL TO with slash -->
<!ENTITY napid "≋̸" ><!--TRIPLE TILDE with slash -->
<!ENTITY ncong "≇" ><!--NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO -->
<!ENTITY ncongdot "⩭̸" ><!--CONGRUENT WITH DOT ABOVE with slash -->
<!ENTITY nequiv "≢" ><!--NOT IDENTICAL TO -->
<!ENTITY nge "≱" ><!--NEITHER GREATER-THAN NOR EQUAL TO -->
<!ENTITY ngE "≧̸" ><!--GREATER-THAN OVER EQUAL TO with slash -->
<!ENTITY nges "⩾̸" ><!--GREATER-THAN OR SLANTED EQUAL TO with slash ->
<!ENTITY nGg "⋙̸" ><!--VERY MUCH GREATER-THAN with slash -->
<!ENTITY ngsim "≵" ><!--NEITHER GREATER-THAN NOR EQUIVALENT TO -->
<!ENTITY ngt "≯" ><!--NOT GREATER-THAN -->
<!ENTITY nGt "≫⃒" ><!--MUCH GREATER THAN with vertical line -->
<!ENTITY nGtv "≫̸" ><!--MUCH GREATER THAN with slash -->
<!ENTITY nle "≰" ><!--NEITHER LESS-THAN NOR EQUAL TO -->
<!ENTITY nlE "≦̸" ><!--LESS-THAN OVER EQUAL TO with slash -->
<!ENTITY nles "⩽̸" ><!--LESS-THAN OR SLANTED EQUAL TO with slash -->
<!ENTITY nLl "⋘̸" ><!--VERY MUCH LESS-THAN with slash -->
<!ENTITY nlsim "≴" ><!--NEITHER LESS-THAN NOR EQUIVALENT TO -->
<!ENTITY nlt "≮" ><!--NOT LESS-THAN -->
<!ENTITY nLt "≪⃒" ><!--MUCH LESS THAN with vertical line -->
<!ENTITY nltri "⋪" ><!--NOT NORMAL SUBGROUP OF -->
<!ENTITY nltrie "⋬" ><!--NOT NORMAL SUBGROUP OF OR EQUAL TO -->
<!ENTITY nLtv "≪̸" ><!--MUCH LESS THAN with slash -->
<!ENTITY nmid "∤" ><!--DOES NOT DIVIDE -->
<!ENTITY npar "∦" ><!--NOT PARALLEL TO -->
<!ENTITY npr "⊀" ><!--DOES NOT PRECEDE -->
<!ENTITY nprcue "⋠" ><!--DOES NOT PRECEDE OR EQUAL -->
<!ENTITY npre "⪯̸" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN with slash -->
<!ENTITY nrtri "⋫" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP -->

<!ENTITY nrtrie	"⋭" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL -->
<!ENTITY nsc	"⊁" ><!--DOES NOT SUCCEED -->
<!ENTITY nsccue	"⋡" ><!--DOES NOT SUCCEED OR EQUAL -->
<!ENTITY nsce slash -->	"⪰̸" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN with slash -->
<!ENTITY nsim	"≁" ><!--NOT TILDE -->
<!ENTITY nsime	"≄" ><!--NOT ASYMPTOTICALLY EQUAL TO -->
<!ENTITY nsmid	"∤" ><!--DOES NOT DIVIDE -->
<!ENTITY nspar	"∦" ><!--NOT PARALLEL TO -->
<!ENTITY nsqsube	"⋢" ><!--NOT SQUARE IMAGE OF OR EQUAL TO -->
<!ENTITY nsqsupe	"⋣" ><!--NOT SQUARE ORIGINAL OF OR EQUAL TO -->
<!ENTITY nsub	"⊄" ><!--NOT A SUBSET OF -->
<!ENTITY nsube	"⊈" ><!--NEITHER A SUBSET OF NOR EQUAL TO -->
<!ENTITY nsubE	"⫅̸" ><!--SUBSET OF ABOVE EQUALS SIGN with slash -->
<!ENTITY nsup	"⊅" ><!--NOT A SUPERSET OF -->
<!ENTITY nsupe	"⊉" ><!--NEITHER A SUPERSET OF NOR EQUAL TO -->
<!ENTITY nsupE	"⫆̸" ><!--SUPERSET OF ABOVE EQUALS SIGN with slash -->
<!ENTITY ntgl	"≹" ><!--NEITHER GREATER-THAN NOR LESS-THAN -->
<!ENTITY ntlg	"≸" ><!--NEITHER LESS-THAN NOR GREATER-THAN -->
<!ENTITY nvap	"≍⃒" ><!--EQUIVALENT TO with vertical line -->
<!ENTITY nvdash	"⊬" ><!--DOES NOT PROVE -->
<!ENTITY nvDash	"⊭" ><!--NOT TRUE -->
<!ENTITY nVdash	"⊮" ><!--DOES NOT FORCE -->
<!ENTITY nVDash	"⊯" ><!--NEGATED DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE -->
<!ENTITY nvge	"≥⃒" ><!--GREATER-THAN OR EQUAL TO with vertical line -->
<!ENTITY nvgt	">⃒" ><!--GREATER-THAN SIGN with vertical line -->
<!ENTITY nvle	"≤⃒" ><!--LESS-THAN OR EQUAL TO with vertical line -->
<!ENTITY nvlt	"<⃒" ><!--LESS-THAN SIGN with vertical line -->
<!ENTITY nvltrie line -->	"⊴⃒" ><!--NORMAL SUBGROUP OF OR EQUAL TO with vertical line -->
<!ENTITY nvrtrie with vertical line -->	"⊵⃒" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO with vertical line -->
<!ENTITY nvsim	"∼⃒" ><!--TILDE OPERATOR with vertical line -->
<!ENTITY parsim	"⫳" ><!--PARALLEL WITH TILDE OPERATOR -->
<!ENTITY prnap	"⪹" ><!--PRECEDES ABOVE NOT ALMOST EQUAL TO -->
<!ENTITY prnE	"⪵" ><!--PRECEDES ABOVE NOT EQUAL TO -->
<!ENTITY prnsim	"⋨" ><!--PRECEDES BUT NOT EQUIVALENT TO -->
<!ENTITY rnmid	"⫮" ><!--DOES NOT DIVIDE WITH REVERSED NEGATION SLASH -->
<!ENTITY scnep	"⪺" ><!--SUCCEEDS ABOVE NOT ALMOST EQUAL TO -->
<!ENTITY scnE	"⪶" ><!--SUCCEEDS ABOVE NOT EQUAL TO -->
<!ENTITY scnsim	"⋩" ><!--SUCCEEDS BUT NOT EQUIVALENT TO -->
<!ENTITY simne	"≆" ><!--APPROXIMATELY BUT NOT ACTUALLY EQUAL TO -->
<!ENTITY solbar	"⌿" ><!--APL FUNCTIONAL SYMBOL SLASH BAR -->
<!ENTITY subne	"⊊" ><!--SUBSET OF WITH NOT EQUAL TO -->
<!ENTITY subnE	"⫋" ><!--SUBSET OF ABOVE NOT EQUAL TO -->
<!ENTITY supne	"⊋" ><!--SUPERSET OF WITH NOT EQUAL TO -->
<!ENTITY supnE	"⫌" ><!--SUPERSET OF ABOVE NOT EQUAL TO -->

<!ENTITY vnsb "⊂⃒" ><!--SUBSET OF with vertical line -->
 <!ENTITY vnsup "⊃⃒" ><!--SUPERSET OF with vertical line -->
 <!ENTITY vsubne "⊊࿠" ><!--SUBSET OF WITH NOT EQUAL TO - variant with
 stroke through bottom members -->
 <!ENTITY vsubnE "⫋࿠" ><!--SUBSET OF ABOVE NOT EQUAL TO - variant with
 stroke through bottom members -->
 <!ENTITY vsupne "⊋࿠" ><!--SUPERSET OF WITH NOT EQUAL TO - variant with
 stroke through bottom members -->
 <!ENTITY vsupnE "⫌࿠" ><!--SUPERSET OF ABOVE NOT EQUAL TO - variant
 with stroke through bottom members -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsn.ent

No license file was found, but licenses were detected in source scan.

2009 W3C® (MIT, ERCIM, Keio), All Rights

Reserved. W3C liability, trademark, document use and software
licensing rules apply.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and
its accompanying documentation for any purpose and without fee is
hereby granted in perpetuity, provided that the above copyright notice
and this paragraph appear in all copies. The copyright holders make
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

This entity may be identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/mathml3.dtd

No license file was found, but licenses were detected in source scan.

<!-- -->
 <!-- XHTML Basic Table Module -->
 <!-- file: xhtml-basic-table-1.mod

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic-table-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Basic Tables 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml1-basic-table-1.mod"

Revisions:

(none)

..... -->

<!-- Basic Tables

table, caption, tr, th, td

This table module declares elements and attributes defining a table model based fundamentally on features found in the widely-deployed HTML 3.2 table model. While this module mimics the content model and table attributes of HTML 3.2 tables, the element types declared herein also includes all HTML 4 common and most of the HTML 4 table attributes.

-->

<!-- declare qualified element type names:

-->

<!ENTITY % table.qname "table" >

<!ENTITY % caption.qname "caption" >

<!ENTITY % tr.qname "tr" >

<!ENTITY % th.qname "th" >

<!ENTITY % td.qname "td" >

<!-- horizontal alignment attributes for cell contents

-->

<!ENTITY % CellHAlign.attrib

"align (left
| center
| right) #IMPLIED"

>

<!-- vertical alignment attributes for cell contents

-->

<!ENTITY % CellVAlign.attrib

"valign (top
| middle
| bottom) #IMPLIED"

>

<!-- scope is simpler than axes attribute for common tables

-->

<!ENTITY % scope.attrib

"scope (row | col) #IMPLIED"

>

<!-- table: Table Element -->

```
<!ENTITY % table.element "INCLUDE" >
<![%table.element;[
<!ENTITY % table.content
    "( %caption.qname;?, %tr.qname;+ )"
>
<!ELEMENT %table.qname; %table.content; >
<!-- end of table.element -->]]>
```

```
<!ENTITY % table.attlist "INCLUDE" >
<![%table.attlist;[
<!ATTLIST %table.qname;
    %Common.attrib;
    summary %Text.datatype; #IMPLIED
    width %Length.datatype; #IMPLIED
>
<!-- end of table.attlist -->]]>
```

<!-- caption: Table Caption -->

```
<!ENTITY % caption.element "INCLUDE" >
<![%caption.element;[
<!ENTITY % caption.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %caption.qname; %caption.content; >
<!-- end of caption.element -->]]>
```

```
<!ENTITY % caption.attlist "INCLUDE" >
<![%caption.attlist;[
<!ATTLIST %caption.qname;
    %Common.attrib;
>
<!-- end of caption.attlist -->]]>
```

<!-- tr: Table Row -->

```
<!ENTITY % tr.element "INCLUDE" >
<![%tr.element;[
<!ENTITY % tr.content "( %th.qname; | %td.qname; )+" >
<!ELEMENT %tr.qname; %tr.content; >
<!-- end of tr.element -->]]>
```

```
<!ENTITY % tr.attlist "INCLUDE" >
<![%tr.attlist;[
<!ATTLIST %tr.qname;
    %Common.attrib;
```

```

    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tr.attlist -->]]>

<!-- th: Table Header Cell ..... -->

<!-- th is for header cells, td for data,
    but for cells acting as both use td
-->

<!ENTITY % th.element "INCLUDE" >
<![%th.element;[
<!ENTITY % th.content
    "( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %th.qname; %th.content; >
<!-- end of th.element -->]]>

<!ENTITY % th.attlist "INCLUDE" >
<![%th.attlist;[
<!ATTLIST %th.qname;
    %Common.attrib;
    abbr    %Text.datatype;    #IMPLIED
    axis    CDATA              #IMPLIED
    headers IDREFS             #IMPLIED
    %scope.attrib;
    rowspan %Number.datatype;  '1'
    colspan %Number.datatype;  '1'
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of th.attlist -->]]>

<!-- td: Table Data Cell ..... -->

<!ENTITY % td.element "INCLUDE" >
<![%td.element;[
<!ENTITY % td.content
    "( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %td.qname; %td.content; >
<!-- end of td.element -->]]>

<!ENTITY % td.attlist "INCLUDE" >
<![%td.attlist;[
<!ATTLIST %td.qname;
    %Common.attrib;

```

```
abbr      %Text.datatype;      #IMPLIED
axis      CDATA              #IMPLIED
headers   IDREFS             #IMPLIED
%scope.attrib;
rowspan   %Number.datatype;  '1'
colspan   %Number.datatype;  '1'
%CellHAlign.attrib;
%CellVAlign.attrib;
>
<!-- end of td.attlist -->]]>
```

```
<!-- end of xhtml-basic-table-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic-table-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isomopf.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

```
-->
```

```
<!--
```

Public identifier: `--//W3C//ENTITIES Math Alphabets: Open Face//EN//XML`

System identifier: <http://www.w3.org/2003/entities/2007/isomopf.ent>

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isomopf PUBLIC
  "-//W3C//ENTITIES Math Alphabets: Open Face//EN//XML"
  "http://www.w3.org/2003/entities/2007/isomopf.ent"
>
%isomopf;

-->

<!ENTITY Aopf "&#x1D538;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL A -->
<!ENTITY Bopf "&#x1D539;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL B -->
<!ENTITY Copf "&#x02102;" ><!--DOUBLE-STRUCK CAPITAL C -->
<!ENTITY Dopf "&#x1D53B;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL D -->
<!ENTITY Eopf "&#x1D53C;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL E -->
<!ENTITY Fopf "&#x1D53D;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL F -->
<!ENTITY Gopf "&#x1D53E;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL G -->
<!ENTITY Hopf "&#x0210D;" ><!--DOUBLE-STRUCK CAPITAL H -->
<!ENTITY Iopf "&#x1D540;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL I -->
<!ENTITY Jopf "&#x1D541;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL J -->
<!ENTITY Kopf "&#x1D542;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL K -->
<!ENTITY Lopf "&#x1D543;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL L -->
<!ENTITY Mopf "&#x1D544;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL M -->
<!ENTITY Nopf "&#x02115;" ><!--DOUBLE-STRUCK CAPITAL N -->
<!ENTITY Oopf "&#x1D546;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL O -->
<!ENTITY Popf "&#x02119;" ><!--DOUBLE-STRUCK CAPITAL P -->
<!ENTITY Qopf "&#x0211A;" ><!--DOUBLE-STRUCK CAPITAL Q -->
<!ENTITY Ropf "&#x0211D;" ><!--DOUBLE-STRUCK CAPITAL R -->
<!ENTITY Sopf "&#x1D54A;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL S -->
<!ENTITY Topf "&#x1D54B;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL T -->
<!ENTITY Uopf "&#x1D54C;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL U -->
<!ENTITY Vopf "&#x1D54D;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL V -->
<!ENTITY Wopf "&#x1D54E;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL W -->
<!ENTITY Xopf "&#x1D54F;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL X -->
<!ENTITY Yopf "&#x1D550;" ><!--MATHEMATICAL DOUBLE-STRUCK CAPITAL Y -->
<!ENTITY Zopf "&#x02124;" ><!--DOUBLE-STRUCK CAPITAL Z -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isomopf.ent
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

<!-- SVG 1.1 Basic Filter Module -->

<!-- file: svg-basic-filter.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-basic-filter.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Filter//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-filter.mod"

..... -->

<!-- Basic Filter

filter, feBlend, feColorMatrix, feComponentTransfer, feComposite,
feFlood, feGaussianBlur, feImage, feMerge, feMergeNode, feOffset,
feTile, feFuncR, feFuncG, feFuncB, feFuncA

This module declares markup to provide support for filter effect.

-->

<!-- 'filter' property/attribute value (e.g., 'none', <uri>) -->

<!ENTITY % FilterValue.datatype "CDATA" >

<!-- list of <number>s, but at least one and at most two -->

<!ENTITY % NumberOptionalNumber.datatype "CDATA" >

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.filter.qname "filter" >

<!ENTITY % SVG.feBlend.qname "feBlend" >

<!ENTITY % SVG.feColorMatrix.qname "feColorMatrix" >

<!ENTITY % SVG.feComponentTransfer.qname "feComponentTransfer" >

<!ENTITY % SVG.feComposite.qname "feComposite" >

<!ENTITY % SVG.feFlood.qname "feFlood" >

<!ENTITY % SVG.feGaussianBlur.qname "feGaussianBlur" >

<!ENTITY % SVG.feImage.qname "feImage" >

<!ENTITY % SVG.feMerge.qname "feMerge" >

<!ENTITY % SVG.feMergeNode.qname "feMergeNode" >

<!ENTITY % SVG.feOffset.qname "feOffset" >

<!ENTITY % SVG.feTile.qname "feTile" >

<!ENTITY % SVG.feFuncR.qname "feFuncR" >

<!ENTITY % SVG.feFuncG.qname "feFuncG" >

<!ENTITY % SVG.feFuncB.qname "feFuncB" >

<!ENTITY % SVG.feFuncA.qname "feFuncA" >

<!-- Attribute Collections (Default) -->

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >
```

<!-- SVG.Filter.class -->

```
<!ENTITY % SVG.Filter.extra.class "" >
```

```
<!ENTITY % SVG.Filter.class
  "| %SVG.filter.qname; %SVG.Filter.extra.class;"
>
```

<!-- SVG.FilterPrimitive.class -->

```
<!ENTITY % SVG.FilterPrimitive.extra.class "" >
```

```
<!ENTITY % SVG.FilterPrimitive.class
  "| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
  | %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;
  | %SVG.feFlood.qname; | %SVG.feGaussianBlur.qname; | %SVG.feImage.qname;
  | %SVG.feMerge.qname; | %SVG.feOffset.qname; | %SVG.feTile.qname;
  %SVG.FilterPrimitive.extra.class;"
>
```

<!-- SVG.Filter.attrib -->

```
<!ENTITY % SVG.Filter.extra.attrib "" >
```

```
<!ENTITY % SVG.Filter.attrib
```

```

"filter %FilterValue.datatype; #IMPLIED
%SVG.Filter.extra.attrib;"
>

<!-- SVG.FilterColor.attrib ..... -->

<!ENTITY % SVG.FilterColor.extra.attrib "" >

<!ENTITY % SVG.FilterColor.attrib
"color-interpolation-filters ( auto | sRGB | linearRGB | inherit )
#IMPLIED
%SVG.FilterColor.extra.attrib;"
>

<!-- SVG.FilterPrimitive.attrib ..... -->

<!ENTITY % SVG.FilterPrimitive.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitive.attrib
"x %Coordinate.datatype; #IMPLIED
y %Coordinate.datatype; #IMPLIED
width %Length.datatype; #IMPLIED
height %Length.datatype; #IMPLIED
result CDATA #IMPLIED
%SVG.FilterPrimitive.extra.attrib;"
>

<!-- SVG.FilterPrimitiveWithIn.attrib ..... -->

<!ENTITY % SVG.FilterPrimitiveWithIn.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitiveWithIn.attrib
"%SVG.FilterPrimitive.attrib;
in CDATA #IMPLIED
%SVG.FilterPrimitiveWithIn.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;

```

```

%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"
>

<!-- filter: Filter Element ..... -->

<!ENTITY % SVG.filter.extra.content "" >

<!ENTITY % SVG.filter.element "INCLUDE" >
<![%SVG.filter.element;[
<!ENTITY % SVG.filter.content
  "(( %SVG.Description.class; )*, ( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.FilterPrimitive.class; %SVG.filter.extra.content; )*)"
>
<!ELEMENT %SVG.filter.qname; %SVG.filter.content; >
<!-- end of SVG.filter.element -->]]>

<!ENTITY % SVG.filter.attlist "INCLUDE" >
<![%SVG.filter.attlist;[
<!ATTLIST %SVG.filter.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.XLink.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  filterRes %NumberOptionalNumber.datatype; #IMPLIED
  filterUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
  primitiveUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.filter.attlist -->]]>

```

```

<!-- feBlend: Filter Effect Blend Element ..... -->

<!ENTITY % SVG.feBlend.extra.content "" >

<!ENTITY % SVG.feBlend.element "INCLUDE" >
<![%SVG.feBlend.element;[
<!ENTITY % SVG.feBlend.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feBlend.extra.content; )*"
>
<!ELEMENT %SVG.feBlend.qname; %SVG.feBlend.content; >
<!-- end of SVG.feBlend.element -->]]>

<!ENTITY % SVG.feBlend.attlist "INCLUDE" >
<![%SVG.feBlend.attlist;[
<!ATTLIST %SVG.feBlend.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
    in2 CDATA #REQUIRED
    mode ( normal | multiply | screen | darken | lighten ) 'normal'
>
<!-- end of SVG.feBlend.attlist -->]]>

<!-- feColorMatrix: Filter Effect Color Matrix Element . -->

<!ENTITY % SVG.feColorMatrix.extra.content "" >

<!ENTITY % SVG.feColorMatrix.element "INCLUDE" >
<![%SVG.feColorMatrix.element;[
<!ENTITY % SVG.feColorMatrix.content
    "( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.feColorMatrix.extra.content; )*"
>
<!ELEMENT %SVG.feColorMatrix.qname; %SVG.feColorMatrix.content; >
<!-- end of SVG.feColorMatrix.element -->]]>

<!ENTITY % SVG.feColorMatrix.attlist "INCLUDE" >
<![%SVG.feColorMatrix.attlist;[
<!ATTLIST %SVG.feColorMatrix.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
    type ( matrix | saturate | hueRotate | luminanceToAlpha ) 'matrix'
    values CDATA #IMPLIED
>
<!-- end of SVG.feColorMatrix.attlist -->]]>

<!-- feComponentTransfer: Filter Effect Component Transfer Element -->

```

```

<!ENTITY % SVG.feComponentTransfer.extra.content "" >

<!ENTITY % SVG.feComponentTransfer.element "INCLUDE" >
<![%SVG.feComponentTransfer.element;[
<!ENTITY % SVG.feComponentTransfer.content
    "( %SVG.feFuncR.qname;?, %SVG.feFuncG.qname;?, %SVG.feFuncB.qname;?,
    %SVG.feFuncA.qname;? %SVG.feComponentTransfer.extra.content; )"
>
<!ELEMENT %SVG.feComponentTransfer.qname; %SVG.feComponentTransfer.content; >
<!-- end of SVG.feComponentTransfer.element -->]]>

<!ENTITY % SVG.feComponentTransfer.attlist "INCLUDE" >
<![%SVG.feComponentTransfer.attlist;[
<!ATTLIST %SVG.feComponentTransfer.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feComponentTransfer.attlist -->]]>

<!-- feComposite: Filter Effect Composite Element ..... -->

<!ENTITY % SVG.feComposite.extra.content "" >

<!ENTITY % SVG.feComposite.element "INCLUDE" >
<![%SVG.feComposite.element;[
<!ENTITY % SVG.feComposite.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feComposite.extra.content; )"
>
<!ELEMENT %SVG.feComposite.qname; %SVG.feComposite.content; >
<!-- end of SVG.feComposite.element -->]]>

<!ENTITY % SVG.feComposite.attlist "INCLUDE" >
<![%SVG.feComposite.attlist;[
<!ATTLIST %SVG.feComposite.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
in2 CDATA #REQUIRED
operator ( over | in | out | atop | xor | arithmetic ) 'over'
k1 %Number.datatype; #IMPLIED
k2 %Number.datatype; #IMPLIED
k3 %Number.datatype; #IMPLIED
k4 %Number.datatype; #IMPLIED
>
<!-- end of SVG.feComposite.attlist -->]]>

```

```

<!-- feFlood: Filter Effect Flood Element ..... -->

<!ENTITY % SVG.feFlood.extra.content "" >

<!ENTITY % SVG.feFlood.element "INCLUDE" >
<![%SVG.feFlood.element;[
<!ENTITY % SVG.feFlood.content
  "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
   %SVG.feFlood.extra.content; )*"
>
<!ELEMENT %SVG.feFlood.qname; %SVG.feFlood.content; >
<!-- end of SVG.feFlood.element -->]]>

<!ENTITY % SVG.feFlood.attlist "INCLUDE" >
<![%SVG.feFlood.attlist;[
<!ATTLIST %SVG.feFlood.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  flood-color %SVGColor.datatype; #IMPLIED
  flood-opacity %OpacityValue.datatype; #IMPLIED
>
<!-- end of SVG.feFlood.attlist -->]]>

<!-- feGaussianBlur: Filter Effect Gaussian Blur Element -->

<!ENTITY % SVG.feGaussianBlur.extra.content "" >

<!ENTITY % SVG.feGaussianBlur.element "INCLUDE" >
<![%SVG.feGaussianBlur.element;[
<!ENTITY % SVG.feGaussianBlur.content
  "( %SVG.animate.qname; | %SVG.set.qname;
   %SVG.feGaussianBlur.extra.content; )*"
>
<!ELEMENT %SVG.feGaussianBlur.qname; %SVG.feGaussianBlur.content; >
<!-- end of SVG.feGaussianBlur.element -->]]>

<!ENTITY % SVG.feGaussianBlur.attlist "INCLUDE" >
<![%SVG.feGaussianBlur.attlist;[
<!ATTLIST %SVG.feGaussianBlur.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  stdDeviation %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feGaussianBlur.attlist -->]]>

```

```

<!-- feImage: Filter Effect Image Element ..... -->

<!ENTITY % SVG.feImage.extra.content "" >

<!ENTITY % SVG.feImage.element "INCLUDE" >
<![%SVG.feImage.element;[
<!ENTITY % SVG.feImage.content
    "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateTransform.qname;
    %SVG.feImage.extra.content; )*"
>
<!ELEMENT %SVG.feImage.qname; %SVG.feImage.content; >
<!-- end of SVG.feImage.element -->]]>

<!ENTITY % SVG.feImage.attlist "INCLUDE" >
<![%SVG.feImage.attlist;[
<!ATTLIST %SVG.feImage.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.FilterPrimitive.attrib;
    %SVG.XLinkEmbed.attrib;
    %SVG.External.attrib;
    preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.feImage.attlist -->]]>

<!-- feMerge: Filter Effect Merge Element ..... -->

<!ENTITY % SVG.feMerge.extra.content "" >

<!ENTITY % SVG.feMerge.element "INCLUDE" >
<![%SVG.feMerge.element;[
<!ENTITY % SVG.feMerge.content
    "( %SVG.feMergeNode.qname; %SVG.feMerge.extra.content; )*"
>
<!ELEMENT %SVG.feMerge.qname; %SVG.feMerge.content; >
<!-- end of SVG.feMerge.element -->]]>

<!ENTITY % SVG.feMerge.attlist "INCLUDE" >
<![%SVG.feMerge.attlist;[
<!ATTLIST %SVG.feMerge.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitive.attrib;
>
<!-- end of SVG.feMerge.attlist -->]]>

```

```

<!-- feMergeNode: Filter Effect Merge Node Element ..... -->

<!ENTITY % SVG.feMergeNode.extra.content "" >

<!ENTITY % SVG.feMergeNode.element "INCLUDE" >
<![%SVG.feMergeNode.element;[
<!ENTITY % SVG.feMergeNode.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feMergeNode.extra.content; )*"
>
>
<!ELEMENT %SVG.feMergeNode.qname; %SVG.feMergeNode.content; >
<!-- end of SVG.feMergeNode.element -->]]>

<!ENTITY % SVG.feMergeNode.attlist "INCLUDE" >
<![%SVG.feMergeNode.attlist;[
<!ATTLIST %SVG.feMergeNode.qname;
    %SVG.Core.attrib;
    in CDATA #IMPLIED
>
>
<!-- end of SVG.feMergeNode.attlist -->]]>

<!-- feOffset: Filter Effect Offset Element ..... -->

<!ENTITY % SVG.feOffset.extra.content "" >

<!ENTITY % SVG.feOffset.element "INCLUDE" >
<![%SVG.feOffset.element;[
<!ENTITY % SVG.feOffset.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feOffset.extra.content; )*"
>
>
<!ELEMENT %SVG.feOffset.qname; %SVG.feOffset.content; >
<!-- end of SVG.feOffset.element -->]]>

<!ENTITY % SVG.feOffset.attlist "INCLUDE" >
<![%SVG.feOffset.attlist;[
<!ATTLIST %SVG.feOffset.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
    dx %Number.datatype; #IMPLIED
    dy %Number.datatype; #IMPLIED
>
>
<!-- end of SVG.feOffset.attlist -->]]>

<!-- feTile: Filter Effect Tile Element ..... -->

<!ENTITY % SVG.feTile.extra.content "" >

<!ENTITY % SVG.feTile.element "INCLUDE" >

```

```

<![%SVG.feTile.element;[
<!ENTITY % SVG.feTile.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feTile.extra.content; )*"
>
<!ELEMENT %SVG.feTile.qname; %SVG.feTile.content; >
<!-- end of SVG.feTile.element -->]]>

<!ENTITY % SVG.feTile.attlist "INCLUDE" >
<![%SVG.feTile.attlist;[
<!ATTLIST %SVG.feTile.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feTile.attlist -->]]>

<!-- feFuncR: Filter Effect Function Red Element ..... -->

<!ENTITY % SVG.feFuncR.extra.content "" >

<!ENTITY % SVG.feFuncR.element "INCLUDE" >
<![%SVG.feFuncR.element;[
<!ENTITY % SVG.feFuncR.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncR.extra.content; )*"
>
<!ELEMENT %SVG.feFuncR.qname; %SVG.feFuncR.content; >
<!-- end of SVG.feFuncR.element -->]]>

<!ENTITY % SVG.feFuncR.attlist "INCLUDE" >
<![%SVG.feFuncR.attlist;[
<!ATTLIST %SVG.feFuncR.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED
    amplitude %Number.datatype; #IMPLIED
    exponent %Number.datatype; #IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncR.attlist -->]]>

<!-- feFuncG: Filter Effect Function Green Element ..... -->

<!ENTITY % SVG.feFuncG.extra.content "" >

<!ENTITY % SVG.feFuncG.element "INCLUDE" >
<![%SVG.feFuncG.element;[

```

```

<!ENTITY % SVG.feFuncG.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncG.extra.content; )*"
>
<!ELEMENT %SVG.feFuncG.qname; %SVG.feFuncG.content; >
<!-- end of SVG.feFuncG.element -->]]>

<!ENTITY % SVG.feFuncG.attlist "INCLUDE" >
<![%SVG.feFuncG.attlist;[
<!ATTLIST %SVG.feFuncG.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear | gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype; #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncG.attlist -->]]>

<!-- feFuncB: Filter Effect Function Blue Element ..... -->

<!ENTITY % SVG.feFuncB.extra.content "" >

<!ENTITY % SVG.feFuncB.element "INCLUDE" >
<![%SVG.feFuncB.element;[
<!ENTITY % SVG.feFuncB.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncB.extra.content; )*"
>
<!ELEMENT %SVG.feFuncB.qname; %SVG.feFuncB.content; >
<!-- end of SVG.feFuncB.element -->]]>

<!ENTITY % SVG.feFuncB.attlist "INCLUDE" >
<![%SVG.feFuncB.attlist;[
<!ATTLIST %SVG.feFuncB.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear | gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype; #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncB.attlist -->]]>

<!-- feFuncA: Filter Effect Function Alpha Element ..... -->

```

```

<!ENTITY % SVG.feFuncA.extra.content "" >

<!ENTITY % SVG.feFuncA.element "INCLUDE" >
<![%SVG.feFuncA.element;[
<!ENTITY % SVG.feFuncA.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncA.extra.content; )*"
>
<!ELEMENT %SVG.feFuncA.qname; %SVG.feFuncA.content; >
<!-- end of SVG.feFuncA.element -->]]>

<!ENTITY % SVG.feFuncA.attlist "INCLUDE" >
<![%SVG.feFuncA.attlist;[
<!ATTLIST %SVG.feFuncA.qname;
  %SVG.Core.attrib;
  type ( identity | table | discrete | linear | gamma ) #REQUIRED
  tableValues CDATA #IMPLIED
  slope %Number.datatype; #IMPLIED
  intercept %Number.datatype; #IMPLIED
  amplitude %Number.datatype; #IMPLIED
  exponent %Number.datatype; #IMPLIED
  offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncA.attlist -->]]>

<!-- end of svg-basic-filter.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-filter.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Common Attributes Module ..... -->
<!-- file: xhtml-attrs-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-attrs-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-attrs-1.mod"

```

Revisions:

```

(none)
..... -->

```

<!-- Common Attributes

This module declares many of the common attributes for the XHTML DTD.
%NS.decl.attrib; is declared in the XHTML QName module.

Note that this file was extended in XHTML Modularization 1.1 to include declarations of "global" versions of the attribute collections. The global versions of the attributes are for use on elements in other namespaces. The global version of "common" includes the xmlns declaration for the prefixed version of the xhtml namespace. If you are only using a specific attribute or an individual attribute collection, you must also include the XHTML.xmlns.attrib.prefixed PE on your elements.

-->

```
<!ENTITY % id.attrib
  "id      ID          #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.id.attrib
  "%XHTML.prefix;id      ID      #IMPLIED"
>
]]>
```

```
<!ENTITY % class.attrib
  "class   NMTOKENS    #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.class.attrib
  "%XHTML.prefix;:class  NMTOKENS    #IMPLIED"
>
]]>
```

```
<!ENTITY % title.attrib
  "title   %Text.datatype;  #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.title.attrib
  "%XHTML.prefix;:title  %Text.datatype;  #IMPLIED"
>
]]>
```

```
<!ENTITY % Core.extra.attrib "" >
```

```
<!ENTITY % Core.attrib
  "%XHTML.xmlns.attrib;
```

```

    %id.attrib;
    %class.attrib;
    %title.attrib;
    xml:space ( preserve )      #FIXED 'preserve'
    %Core.extra.attrib;"
>

<!ENTITY % XHTML.global.core.extra.attrib "" >

<![%XHTML.global.attrs.prefixed;[

<!ENTITY % XHTML.global.core.attrib
    "%XHTML.global.id.attrib;
    %XHTML.global.class.attrib;
    %XHTML.global.title.attrib;
    %XHTML.global.core.extra.attrib;"
>
]]>

<!ENTITY % XHTML.global.core.attrib "" >

<!ENTITY % lang.attrib
    "xml:lang %LanguageCode.datatype; #IMPLIED"
>

<![%XHTML.bidi;[
<!ENTITY % dir.attrib
    "dir ( ltr | rtl )      #IMPLIED"
>

<!ENTITY % I18n.attrib
    "%dir.attrib;
    %lang.attrib;"
>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY XHTML.global.i18n.attrib
    "%XHTML.prefix;:dir ( ltr | rtl )      #IMPLIED
    %lang.attrib;"
>
]]>
<!ENTITY XHTML.global.i18n.attrib "" >

]]>
<!ENTITY % I18n.attrib
    "%lang.attrib;"
>

```

```

<!ENTITY % XHTML.global.i18n.attrib
    "%lang.attrib;"
>

<!ENTITY % Common.extra.attrib "" >
<!ENTITY % XHTML.global.common.extra.attrib "" >

<!-- intrinsic event attributes declared previously
-->
<!ENTITY % Events.attrib "" >

<!ENTITY % XHTML.global.events.attrib "" >

<!ENTITY % Common.attrib
    "%Core.attrib;
    %I18n.attrib;
    %Events.attrib;
    %Common.extra.attrib;"
>

<!ENTITY % XHTML.global.common.attrib
    "%XHTML.xmlns.attrib.prefixed;
    %XHTML.global.core.attrib;
    %XHTML.global.i18n.attrib;
    %XHTML.global.events.attrib;
    %XHTML.global.common.extra.attrib;"
>

<!-- end of xhtml-attribs-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-attribs-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Inline Phrasal Module ..... -->
<!-- file: xhtml-inlphras-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-inlphras-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-inlphras-1.mod"

```

Revisions:

(none)

..... -->

<!-- Inline Phrasal

abbr, acronym, cite, code, dfn, em, kbd, q, samp, strong, var

This module declares the elements and their attributes used to support inline-level phrasal markup.

-->

```
<!ENTITY % abbr.element "INCLUDE" >
<![%abbr.element;[
<!ENTITY % abbr.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % abbr.qname "abbr" >
<!ELEMENT %abbr.qname; %abbr.content; >
<!-- end of abbr.element -->]]>
```

```
<!ENTITY % abbr.attlist "INCLUDE" >
<![%abbr.attlist;[
<!ATTLIST %abbr.qname;
    %Common.attrib;
>
<!-- end of abbr.attlist -->]]>
```

```
<!ENTITY % acronym.element "INCLUDE" >
<![%acronym.element;[
<!ENTITY % acronym.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % acronym.qname "acronym" >
<!ELEMENT %acronym.qname; %acronym.content; >
<!-- end of acronym.element -->]]>
```

```
<!ENTITY % acronym.attlist "INCLUDE" >
<![%acronym.attlist;[
<!ATTLIST %acronym.qname;
    %Common.attrib;
>
<!-- end of acronym.attlist -->]]>
```

```
<!ENTITY % cite.element "INCLUDE" >
<![%cite.element;[
<!ENTITY % cite.content
    "( #PCDATA | %Inline.mix; )*"
>
```

```

>
<!ENTITY % cite.qname "cite" >
<!ELEMENT %cite.qname; %cite.content; >
<!-- end of cite.element -->]]>

<!ENTITY % cite.attlist "INCLUDE" >
<![%cite.attlist;[
<!ATTLIST %cite.qname;
    %Common.attrib;
>
<!-- end of cite.attlist -->]]>

<!ENTITY % code.element "INCLUDE" >
<![%code.element;[
<!ENTITY % code.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % code.qname "code" >
<!ELEMENT %code.qname; %code.content; >
<!-- end of code.element -->]]>

<!ENTITY % code.attlist "INCLUDE" >
<![%code.attlist;[
<!ATTLIST %code.qname;
    %Common.attrib;
>
<!-- end of code.attlist -->]]>

<!ENTITY % dfn.element "INCLUDE" >
<![%dfn.element;[
<!ENTITY % dfn.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % dfn.qname "dfn" >
<!ELEMENT %dfn.qname; %dfn.content; >
<!-- end of dfn.element -->]]>

<!ENTITY % dfn.attlist "INCLUDE" >
<![%dfn.attlist;[
<!ATTLIST %dfn.qname;
    %Common.attrib;
>
<!-- end of dfn.attlist -->]]>

<!ENTITY % em.element "INCLUDE" >
<![%em.element;[
<!ENTITY % em.content
    "( #PCDATA | %Inline.mix; )*"

```

```

>
<!ENTITY % em.qname "em" >
<!ELEMENT %em.qname; %em.content; >
<!-- end of em.element -->]]>

<!ENTITY % em.attlist "INCLUDE" >
<![%em.attlist;[
<!ATTLIST %em.qname;
    %Common.attrib;
>
<!-- end of em.attlist -->]]>

<!ENTITY % kbd.element "INCLUDE" >
<![%kbd.element;[
<!ENTITY % kbd.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % kbd.qname "kbd" >
<!ELEMENT %kbd.qname; %kbd.content; >
<!-- end of kbd.element -->]]>

<!ENTITY % kbd.attlist "INCLUDE" >
<![%kbd.attlist;[
<!ATTLIST %kbd.qname;
    %Common.attrib;
>
<!-- end of kbd.attlist -->]]>

<!ENTITY % q.element "INCLUDE" >
<![%q.element;[
<!ENTITY % q.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % q.qname "q" >
<!ELEMENT %q.qname; %q.content; >
<!-- end of q.element -->]]>

<!ENTITY % q.attlist "INCLUDE" >
<![%q.attlist;[
<!ATTLIST %q.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
>
<!-- end of q.attlist -->]]>

<!ENTITY % samp.element "INCLUDE" >
<![%samp.element;[
<!ENTITY % samp.content

```

```

    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % samp.qname "samp" >
<!ELEMENT %samp.qname; %samp.content; >
<!-- end of samp.element -->]]>

<!ENTITY % samp.attlist "INCLUDE" >
<![%samp.attlist;[
<!ATTLIST %samp.qname;
    %Common.attrib;
>
<!-- end of samp.attlist -->]]>

<!ENTITY % strong.element "INCLUDE" >
<![%strong.element;[
<!ENTITY % strong.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % strong.qname "strong" >
<!ELEMENT %strong.qname; %strong.content; >
<!-- end of strong.element -->]]>

<!ENTITY % strong.attlist "INCLUDE" >
<![%strong.attlist;[
<!ATTLIST %strong.qname;
    %Common.attrib;
>
<!-- end of strong.attlist -->]]>

<!ENTITY % var.element "INCLUDE" >
<![%var.element;[
<!ENTITY % var.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % var.qname "var" >
<!ELEMENT %var.qname; %var.content; >
<!-- end of var.element -->]]>

<!ENTITY % var.attlist "INCLUDE" >
<![%var.attlist;[
<!ATTLIST %var.qname;
    %Common.attrib;
>
<!-- end of var.attlist -->]]>

<!-- end of xhtml-inlphras-1.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtmll-inlphras-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File isomscr.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES Math Alphabets: Script//EN//XML`
System identifier: `http://www.w3.org/2003/entities/2007/isomscr.ent`

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isomscr PUBLIC
  "-//W3C//ENTITIES Math Alphabets: Script//EN//XML"
  "http://www.w3.org/2003/entities/2007/isomscr.ent"
>
%isomscr;
```

-->

<!ENTITY ascr	"𝒶" ><!--MATHEMATICAL SCRIPT SMALL A -->
<!ENTITY Ascr	"𝒜" ><!--MATHEMATICAL SCRIPT CAPITAL A -->
<!ENTITY bscr	"𝒷" ><!--MATHEMATICAL SCRIPT SMALL B -->
<!ENTITY Bscr	"ℬ" ><!--SCRIPT CAPITAL B -->
<!ENTITY cscr	"𝒸" ><!--MATHEMATICAL SCRIPT SMALL C -->
<!ENTITY Cscr	"𝒞" ><!--MATHEMATICAL SCRIPT CAPITAL C -->
<!ENTITY dscr	"𝒹" ><!--MATHEMATICAL SCRIPT SMALL D -->
<!ENTITY Dscr	"𝒟" ><!--MATHEMATICAL SCRIPT CAPITAL D -->
<!ENTITY escr	"ℯ" ><!--SCRIPT SMALL E -->
<!ENTITY Escr	"ℰ" ><!--SCRIPT CAPITAL E -->
<!ENTITY fscr	"𝒻" ><!--MATHEMATICAL SCRIPT SMALL F -->
<!ENTITY Fscr	"ℱ" ><!--SCRIPT CAPITAL F -->
<!ENTITY gscr	"ℊ" ><!--SCRIPT SMALL G -->
<!ENTITY Gscr	"𝒢" ><!--MATHEMATICAL SCRIPT CAPITAL G -->
<!ENTITY hscr	"𝒽" ><!--MATHEMATICAL SCRIPT SMALL H -->
<!ENTITY Hscr	"ℋ" ><!--SCRIPT CAPITAL H -->
<!ENTITY iscr	"𝒾" ><!--MATHEMATICAL SCRIPT SMALL I -->
<!ENTITY Iscr	"ℐ" ><!--SCRIPT CAPITAL I -->
<!ENTITY jscr	"𝒿" ><!--MATHEMATICAL SCRIPT SMALL J -->
<!ENTITY Jscr	"𝒥" ><!--MATHEMATICAL SCRIPT CAPITAL J -->
<!ENTITY kscr	"𝓀" ><!--MATHEMATICAL SCRIPT SMALL K -->
<!ENTITY Kscr	"𝒦" ><!--MATHEMATICAL SCRIPT CAPITAL K -->
<!ENTITY lscr	"𝓁" ><!--MATHEMATICAL SCRIPT SMALL L -->
<!ENTITY Lscr	"ℒ" ><!--SCRIPT CAPITAL L -->
<!ENTITY mscr	"𝓂" ><!--MATHEMATICAL SCRIPT SMALL M -->
<!ENTITY Mscr	"ℳ" ><!--SCRIPT CAPITAL M -->
<!ENTITY nscr	"𝓃" ><!--MATHEMATICAL SCRIPT SMALL N -->
<!ENTITY Nscr	"𝒩" ><!--MATHEMATICAL SCRIPT CAPITAL N -->
<!ENTITY oscr	"ℴ" ><!--SCRIPT SMALL O -->
<!ENTITY Oscr	"𝒪" ><!--MATHEMATICAL SCRIPT CAPITAL O -->
<!ENTITY pscr	"𝓅" ><!--MATHEMATICAL SCRIPT SMALL P -->
<!ENTITY Pscr	"𝒫" ><!--MATHEMATICAL SCRIPT CAPITAL P -->
<!ENTITY qscr	"𝓆" ><!--MATHEMATICAL SCRIPT SMALL Q -->
<!ENTITY Qscr	"𝒬" ><!--MATHEMATICAL SCRIPT CAPITAL Q -->
<!ENTITY rscr	"𝓇" ><!--MATHEMATICAL SCRIPT SMALL R -->
<!ENTITY Rscr	"ℛ" ><!--SCRIPT CAPITAL R -->
<!ENTITY sscr	"𝓈" ><!--MATHEMATICAL SCRIPT SMALL S -->
<!ENTITY Sscr	"𝒮" ><!--MATHEMATICAL SCRIPT CAPITAL S -->
<!ENTITY tscr	"𝓉" ><!--MATHEMATICAL SCRIPT SMALL T -->
<!ENTITY Tscr	"𝒯" ><!--MATHEMATICAL SCRIPT CAPITAL T -->
<!ENTITY uscr	"𝓊" ><!--MATHEMATICAL SCRIPT SMALL U -->
<!ENTITY Uscr	"𝒰" ><!--MATHEMATICAL SCRIPT CAPITAL U -->
<!ENTITY vscr	"𝓋" ><!--MATHEMATICAL SCRIPT SMALL V -->
<!ENTITY Vscr	"𝒱" ><!--MATHEMATICAL SCRIPT CAPITAL V -->
<!ENTITY wscr	"𝓌" ><!--MATHEMATICAL SCRIPT SMALL W -->
<!ENTITY Wscr	"𝒲" ><!--MATHEMATICAL SCRIPT CAPITAL W -->
<!ENTITY xscr	"𝓍" ><!--MATHEMATICAL SCRIPT SMALL X -->

```

<!ENTITY Xscr      "𝒳" ><!--MATHEMATICAL SCRIPT CAPITAL X -->
<!ENTITY yscr     "𝓎" ><!--MATHEMATICAL SCRIPT SMALL Y -->
<!ENTITY Yscr     "𝒴" ><!--MATHEMATICAL SCRIPT CAPITAL Y -->
<!ENTITY zscr     "𝓏" ><!--MATHEMATICAL SCRIPT SMALL Z -->
<!ENTITY Zscr     "𝒵" ><!--MATHEMATICAL SCRIPT CAPITAL Z -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isomscr.ent

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Document Scripting Module ..... -->
<!-- file: xhtml-script-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-script-1.mod,v 4.0 2001/04/02 22:42:49 althaim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Scripting 1.0/EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-script-1.mod"

```

Revisions:

```

(none)
..... -->

```

```

<!-- Scripting

```

```

    script, noscript

```

This module declares element types and attributes used to provide support for executable scripts as well as an alternate content container where scripts are not supported.

```

-->

```

```

<!-- script: Scripting Statement ..... -->

```

```

<!ENTITY % script.element "INCLUDE" >
<![%script.element;[
<!ENTITY % script.content "( #PCDATA )" >
<!ENTITY % script.qname "script" >
<!ELEMENT %script.qname; %script.content; >
<!-- end of script.element -->]]>

```

```

<!ENTITY % script.attlist "INCLUDE" >
<![%script.attlist;[

```

```

<!ATTLIST %script.qname;
  %XHTML.xmlns.attrib;
  %id.attrib;
  xml:space ( preserve )      #FIXED 'preserve'
  charset   %Charset.datatype; #IMPLIED
  type      %ContentType.datatype; #REQUIRED
  src       %URI.datatype;     #IMPLIED
  defer     ( defer )         #IMPLIED
>
<!-- end of script.attlist -->]]>

<!-- noscript: No-Script Alternate Content ..... -->

<!ENTITY % noscript.element "INCLUDE" >
<![%noscript.element;[
<!ENTITY % noscript.content
  "( %Block.mix; )+"
>
<!ENTITY % noscript.qname "noscript" >
<!ELEMENT %noscript.qname; %noscript.content; >
<!-- end of noscript.element -->]]>

<!ENTITY % noscript.attlist "INCLUDE" >
<![%noscript.attlist;[
<!ATTLIST %noscript.qname;
  %Common.attrib;
>
<!-- end of noscript.attlist -->]]>

<!-- end of xhtml-script-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-script-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Basic Text Module ..... -->
<!-- file: svg-basic-text.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-basic-text.mod,v 1.4 2002/11/13 20:14:30 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Text//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-text.mod"

```

```

..... -->

<!-- Basic Text

    text

    This module declares markup to provide support for text.
-->

<!-- 'font-family' property/attribute value (i.e., list of fonts) -->
<!ENTITY % FontFamilyValue.datatype "CDATA" >

<!-- 'font-size' property/attribute value -->
<!ENTITY % FontSizeValue.datatype "CDATA" >

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.text.qname "text" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Text.class ..... -->

<!ENTITY % SVG.Text.extra.class "" >

<!ENTITY % SVG.Text.class
    "| %SVG.text.qname; %SVG.Text.extra.class;"
>

<!-- SVG.TextContent.attrib ..... -->

<!ENTITY % SVG.TextContent.extra.attrib "" >

```

```

<!ENTITY % SVG.TextContent.attrib
"text-anchor ( start | middle | end | inherit ) #IMPLIED
%SVG.TextContent.extra.attrib;"
>

<!-- SVG.Font.attrib ..... -->

<!ENTITY % SVG.Font.extra.attrib "" >

<!ENTITY % SVG.Font.attrib
"font-family %FontFamilyValue.datatype; #IMPLIED
font-size %FontSizeValue.datatype; #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrib;"
>

<!-- text: Text Element ..... -->

<!ENTITY % SVG.text.extra.content "" >

<!ENTITY % SVG.text.element "INCLUDE" >
<![%SVG.text.element;[
<!ENTITY % SVG.text.content
"( #PCDATA | %SVG.Description.class; | %SVG.Animation.class;
%SVG.Hyperlink.class; %SVG.text.extra.content; )*"
>
<!ELEMENT %SVG.text.qname; %SVG.text.content; >
<!-- end of SVG.text.element -->]]>

<!ENTITY % SVG.text.attlist "INCLUDE" >
<![%SVG.text.attlist;[
<!ATTLIST %SVG.text.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;

```

```
%SVG.External.attrib;
x %Coordinates.datatype; #IMPLIED
y %Coordinates.datatype; #IMPLIED
rotate %Numbers.datatype; #IMPLIED
transform %TransformList.datatype; #IMPLIED
```

```
>
<!-- end of SVG.text.attlist -->]]>
```

```
<!-- end of svg-basic-text.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-text.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG Template Qualified Name Module ..... -->
<!-- file: svg-template-qname.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-template-qname.mod,v 1.1 2002/04/20 18:08:11 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG Template Qualified Name//EN"
SYSTEM "svg-template-qname.mod"
```

```
..... -->
```

```
<!-- Template Qualified Name
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for SVG and extensions.

Section B declares parameter entities used to provide namespace-qualified names for all SVG element types:

```
-->
```

```
<!-- Section A: Template XML Namespace Framework ..... -->
```

```
<!-- 1. Declare a %MODULE.prefixed; conditional section keyword, used
to activate namespace prefixing. The default value should
inherit '%NS.prefixed;' from the DTD driver, so that unless
overridden, the default behaviour follows the overall DTD
```

prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >

<!ENTITY % MODULE.prefixed "%NS.prefixed;" >

<!-- 2. Declare a parameter entity (eg., %MODULE.xmlns;) containing the URI reference used to identify the Template namespace:

-->

<!ENTITY % MODULE.xmlns "http://template-namespace-uri" >

<!-- 3. Declare parameter entities (eg., %MODULE.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

-->

<!ENTITY % MODULE.prefix "" >

<!-- 4. Declare parameter entities (eg., %MODULE.pfx;) containing the colonized prefix(es) (eg., %MODULE.prefix;) used when prefixing is active, an empty string when it is not.

-->

<![%MODULE.prefixed;[

<!ENTITY % MODULE.pfx "%MODULE.prefix;:" >

]]>

<!ENTITY % MODULE.pfx "" >

<!-- 5. The parameter entity %MODULE.xmlns.extra.attrib; may be redeclared to contain any non-Template namespace declaration attributes for namespaces embedded in SVG. The default is an empty string.

-->

<![%MODULE.prefixed;[

<!ENTITY % MODULE.xmlns.extra.attrib

"xmlns:%MODULE.prefix; %URI.datatype; #FIXED '%MODULE.xmlns;'" >

]]>

<!ENTITY % MODULE.xmlns.extra.attrib "" >

<!ENTITY % SVG.xmlns.extra.attrib

"%MODULE.xmlns.extra.attrib;"

>

<!-- Section B: SVG Qualified Names :::::::::::::::::::::::::::: -->

<!-- 6. This section declares parameter entities used to provide namespace-qualified names for all Template element types.

-->

```
<!-- module: svg-template.mod ..... -->

<!ENTITY % MODULE.element.qname "%MODULE.pfx;element" >

<!-- end of svg-template-qname.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/svg11/templates/svg-template.mod
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/svg11/templates/svg-template-qname.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Lists Module ..... -->
<!-- file: xhtml-list-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-list-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Lists 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-list-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Lists
```

dl, dt, dd, ol, ul, li

This module declares the list-oriented element types
and their attributes.

```
-->
```

```
<!ENTITY % dl.qname "dl" >
<!ENTITY % dt.qname "dt" >
<!ENTITY % dd.qname "dd" >
<!ENTITY % ol.qname "ol" >
<!ENTITY % ul.qname "ul" >
<!ENTITY % li.qname "li" >
```

```
<!-- dl: Definition List ..... -->
```

```
<!ENTITY % dl.element "INCLUDE" >
```

```
<![%dl.element;[
<!ENTITY % dl.content "( %dt.qname; | %dd.qname; )+" >
<!ELEMENT %dl.qname; %dl.content; >
<!-- end of dl.element -->]]>
```

```
<!ENTITY % dl.attlist "INCLUDE" >
<![%dl.attlist;[
<!ATTLIST %dl.qname;
    %Common.attrib;
>
<!-- end of dl.attlist -->]]>
```

```
<!-- dt: Definition Term ..... -->
```

```
<!ENTITY % dt.element "INCLUDE" >
<![%dt.element;[
<!ENTITY % dt.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %dt.qname; %dt.content; >
<!-- end of dt.element -->]]>
```

```
<!ENTITY % dt.attlist "INCLUDE" >
<![%dt.attlist;[
<!ATTLIST %dt.qname;
    %Common.attrib;
>
<!-- end of dt.attlist -->]]>
```

```
<!-- dd: Definition Description ..... -->
```

```
<!ENTITY % dd.element "INCLUDE" >
<![%dd.element;[
<!ENTITY % dd.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %dd.qname; %dd.content; >
<!-- end of dd.element -->]]>
```

```
<!ENTITY % dd.attlist "INCLUDE" >
<![%dd.attlist;[
<!ATTLIST %dd.qname;
    %Common.attrib;
>
<!-- end of dd.attlist -->]]>
```

```
<!-- ol: Ordered List (numbered styles) ..... -->
```

```

<!ENTITY % ol.element "INCLUDE" >
<![%ol.element;[
<!ENTITY % ol.content "( %li.qname; )+" >
<!ELEMENT %ol.qname; %ol.content; >
<!-- end of ol.element -->]]>

<!ENTITY % ol.attlist "INCLUDE" >
<![%ol.attlist;[
<!ATTLIST %ol.qname;
    %Common.attrib;
>
<!-- end of ol.attlist -->]]>

<!-- ul: Unordered List (bullet styles) ..... -->

<!ENTITY % ul.element "INCLUDE" >
<![%ul.element;[
<!ENTITY % ul.content "( %li.qname; )+" >
<!ELEMENT %ul.qname; %ul.content; >
<!-- end of ul.element -->]]>

<!ENTITY % ul.attlist "INCLUDE" >
<![%ul.attlist;[
<!ATTLIST %ul.qname;
    %Common.attrib;
>
<!-- end of ul.attlist -->]]>

<!-- li: List Item ..... -->

<!ENTITY % li.element "INCLUDE" >
<![%li.element;[
<!ENTITY % li.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %li.qname; %li.content; >
<!-- end of li.element -->]]>

<!ENTITY % li.attlist "INCLUDE" >
<![%li.attlist;[
<!ATTLIST %li.qname;
    %Common.attrib;
>
<!-- end of li.attlist -->]]>

<!-- end of xhtml-list-1.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-list-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Mask Module ..... -->  
<!-- file: svg-mask.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-mask.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Mask//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-mask.mod"
```

```
..... -->
```

```
<!-- Mask
```

```
    mask
```

This module declares markup to provide support for masking.

```
-->
```

```
<!-- 'mask' property/attribute value (e.g., 'none', <uri>) -->  
<!ENTITY % MaskValue.datatype "CDATA" >
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.mask.qname "mask" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >  
<!ENTITY % SVG.Container.attrib "" >  
<!ENTITY % SVG.Conditional.attrib "" >  
<!ENTITY % SVG.Style.attrib "" >  
<!ENTITY % SVG.Viewport.attrib "" >  
<!ENTITY % SVG.Text.attrib "" >  
<!ENTITY % SVG.TextContent.attrib "" >  
<!ENTITY % SVG.Font.attrib "" >  
<!ENTITY % SVG.Paint.attrib "" >  
<!ENTITY % SVG.Color.attrib "" >  
<!ENTITY % SVG.Opacity.attrib "" >  
<!ENTITY % SVG.Graphics.attrib "" >  
<!ENTITY % SVG.Marker.attrib "" >
```

```

<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Mask.class ..... -->

<!ENTITY % SVG.Mask.extra.class "" >

<!ENTITY % SVG.Mask.class
  "| %SVG.mask.qname; %SVG.Mask.extra.class;"
>

<!-- SVG.Mask.attrib ..... -->

<!ENTITY % SVG.Mask.extra.attrib "" >

<!ENTITY % SVG.Mask.attrib
  "mask %MaskValue.datatype; #IMPLIED
  %SVG.Mask.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
  "%SVG.Container.attrib;
  %SVG.Viewport.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.ColorProfile.attrib;
  %SVG.Gradient.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.FilterColor.attrib;
  %SVG.Cursor.attrib;
  flood-color %SVGColor.datatype; #IMPLIED

```

```

    flood-opacity %OpacityValue.datatype; #IMPLIED
    lighting-color %SVGColor.datatype; #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- mask: Mask Element ..... -->

<!ENTITY % SVG.mask.extra.content "" >

<!ENTITY % SVG.mask.element "INCLUDE" >
<![%SVG.mask.element;[
<!ENTITY % SVG.mask.content
    "( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
    %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
    %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.mask.extra.content; )*"
>
<!ELEMENT %SVG.mask.qname; %SVG.mask.content; >
<!-- end of SVG.mask.element -->]]>

<!ENTITY % SVG.mask.attlist "INCLUDE" >
<![%SVG.mask.attlist;[
<!ATTLIST %SVG.mask.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.External.attrib;
    x %Coordinate.datatype; #IMPLIED
    y %Coordinate.datatype; #IMPLIED
    width %Length.datatype; #IMPLIED
    height %Length.datatype; #IMPLIED
    maskUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
    maskContentUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.mask.attlist -->]]>

<!-- end of svg-mask.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-mask.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

<!-- XHTML Document Metainformation Module -->

<!-- file: xhtml-meta-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-meta-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Metainformation 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-meta-1.mod"

Revisions:

(none)

..... -->

<!-- Meta Information

meta

This module declares the meta element type and its attributes,
used to provide declarative document metainformation.

-->

<!-- meta: Generic Metainformation -->

<!ENTITY % meta.element "INCLUDE" >

<![%meta.element;[

<!ENTITY % meta.content "EMPTY" >

<!ENTITY % meta.qname "meta" >

<!ELEMENT %meta.qname; %meta.content; >

<!-- end of meta.element -->]]>

<!ENTITY % meta.attlist "INCLUDE" >

<![%meta.attlist;[

<!ATTLIST %meta.qname;

 %XHTML.xmlns.attrib;

 %I18n.attrib;

 http-equiv NMTOKEN #IMPLIED

 name NMTOKEN #IMPLIED

 content CDATA #REQUIRED

 scheme CDATA #IMPLIED

>

<!-- end of meta.attlist -->]]>

<!-- end of xhtml-meta-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-meta-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Inline Structural Module ..... -->
<!-- file: xhtml-instruct-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-instruct-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-instruct-1.mod"
```

Revisions:
(none)

```
..... -->
```

```
<!-- Inline Structural
```

br, span

This module declares the elements and their attributes
used to support inline-level structural markup.

```
-->
```

```
<!-- br: forced line break ..... -->
```

```
<!ENTITY % br.element "INCLUDE" >
<![%br.element;
```

```
<!ENTITY % br.content "EMPTY" >
<!ENTITY % br.qname "br" >
<!ELEMENT %br.qname; %br.content; >
```

```
<!-- end of br.element -->]]>
```

```
<!ENTITY % br.attlist "INCLUDE" >
<![%br.attlist;
<!ATTLIST %br.qname;
    %Core.attrib;
>
<!-- end of br.attlist -->]]>
```

```
<!-- span: generic inline container ..... -->
```

```
<!ENTITY % span.element "INCLUDE" >
<![%span.element;[
<!ENTITY % span.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % span.qname "span" >
<!ELEMENT %span.qname; %span.content; >
<!-- end of span.element -->]]>
```

```
<!ENTITY % span.attlist "INCLUDE" >
<![%span.attlist;[
<!ATTLIST %span.qname;
    %Common.attrib;
>
<!-- end of span.attlist -->]]>
```

```
<!-- end of xhtml-instruct-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
instruct-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Basic Table Module ..... -->
<!-- file: xhtml-basic-table-1.mod
```

This is XHTML Basic, a proper subset of XHTML.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-basic-table-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Basic Tables 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-basic-table-1.mod"
```

Revisions:
(none)
..... -->

```
<!-- Basic Tables
```

```
    table, caption, tr, th, td
```

This table module declares elements and attributes defining a table model based fundamentally on features found in the widely-deployed HTML 3.2 table model. While this module

mimics the content model and table attributes of HTML 3.2 tables, the element types declared herein also includes all HTML 4 common and most of the HTML 4 table attributes.

-->

<!-- declare qualified element type names:

-->

<!ENTITY % table.qname "table" >

<!ENTITY % caption.qname "caption" >

<!ENTITY % tr.qname "tr" >

<!ENTITY % th.qname "th" >

<!ENTITY % td.qname "td" >

<!-- horizontal alignment attributes for cell contents

-->

<!ENTITY % CellHAlign.attrib

"align (left
| center
| right) #IMPLIED"

>

<!-- vertical alignment attributes for cell contents

-->

<!ENTITY % CellVAlign.attrib

"valign (top
| middle
| bottom) #IMPLIED"

>

<!-- scope is simpler than axes attribute for common tables

-->

<!ENTITY % scope.attrib

"scope (row | col) #IMPLIED"

>

<!-- table: Table Element -->

<!ENTITY % table.element "INCLUDE" >

<![%table.element;[

<!ENTITY % table.content

"(%caption.qname;?, %tr.qname;+)"

>

<!ELEMENT %table.qname; %table.content; >

<!-- end of table.element -->]]>

<!ENTITY % table.attlist "INCLUDE" >

<![%table.attlist;[

<!ATTLIST %table.qname;

```

    %Common.attrib;
    summary %Text.datatype; #IMPLIED
>
<!-- end of table.attlist -->]]>

<!-- caption: Table Caption ..... -->

<!ENTITY % caption.element "INCLUDE" >
<![%caption.element;[
<!ENTITY % caption.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %caption.qname; %caption.content; >
<!-- end of caption.element -->]]>

<!ENTITY % caption.attlist "INCLUDE" >
<![%caption.attlist;[
<!ATTLIST %caption.qname;
    %Common.attrib;
>
<!-- end of caption.attlist -->]]>

<!-- tr: Table Row ..... -->

<!ENTITY % tr.element "INCLUDE" >
<![%tr.element;[
<!ENTITY % tr.content "( %th.qname; | %td.qname; )+" >
<!ELEMENT %tr.qname; %tr.content; >
<!-- end of tr.element -->]]>

<!ENTITY % tr.attlist "INCLUDE" >
<![%tr.attlist;[
<!ATTLIST %tr.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tr.attlist -->]]>

<!-- th: Table Header Cell ..... -->

<!-- th is for header cells, td for data,
    but for cells acting as both use td
-->

<!ENTITY % th.element "INCLUDE" >
<![%th.element;[
<!ENTITY % th.content

```

```

"( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %th.qname; %th.content; >
<!-- end of th.element -->]]>

<!ENTITY % th.attlist "INCLUDE" >
<![%th.attlist;[
<!ATTLIST %th.qname;
  %Common.attrib;
  abbr      %Text.datatype;      #IMPLIED
  axis      CDATA                 #IMPLIED
  headers   IDREFS                #IMPLIED
  %scope.attrib;
  rowspan   %Number.datatype;    '1'
  colspan   %Number.datatype;    '1'
  %CellHAlign.attrib;
  %CellVAlign.attrib;
>
<!-- end of th.attlist -->]]>

<!-- td: Table Data Cell ..... -->

<!ENTITY % td.element "INCLUDE" >
<![%td.element;[
<!ENTITY % td.content
  "( #PCDATA | %FlowNoTable.mix; )*"
>
<!ELEMENT %td.qname; %td.content; >
<!-- end of td.element -->]]>

<!ENTITY % td.attlist "INCLUDE" >
<![%td.attlist;[
<!ATTLIST %td.qname;
  %Common.attrib;
  abbr      %Text.datatype;      #IMPLIED
  axis      CDATA                 #IMPLIED
  headers   IDREFS                #IMPLIED
  %scope.attrib;
  rowspan   %Number.datatype;    '1'
  colspan   %Number.datatype;    '1'
  %CellHAlign.attrib;
  %CellVAlign.attrib;
>
<!-- end of td.attlist -->]]>

<!-- end of xhtml-basic-table-1.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-basic-table-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File isoamsr.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (࿠) should match the uses listed in Unicode Technical Report 25.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with conforming SGML systems and applications as defined in ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Added Math Symbols: Relations//EN//XML
System identifier: <http://www.w3.org/2003/entities/2007/isoamsr.ent>

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsr PUBLIC
"-//W3C//ENTITIES Added Math Symbols: Relations//EN//XML"
"http://www.w3.org/2003/entities/2007/isoamsr.ent"
>
```

%isoamsr;

-->

| | |
|-------------------|---|
| <!ENTITY ape | "≊" ><!--ALMOST EQUAL OR EQUAL TO --> |
| <!ENTITY apE | "⩰" ><!--APPROXIMATELY EQUAL OR EQUAL TO --> |
| <!ENTITY apid | "≋" ><!--TRIPLE TILDE --> |
| <!ENTITY asymp | "≈" ><!--ALMOST EQUAL TO --> |
| <!ENTITY Barv | "⫧" ><!--SHORT DOWN TACK WITH OVERBAR --> |
| <!ENTITY bcong | "≌" ><!--ALL EQUAL TO --> |
| <!ENTITY bepsi | "϶" ><!--GREEK REVERSED LUNATE EPSILON SYMBOL --> |
| <!ENTITY bowtie | "⋈" ><!--BOWTIE --> |
| <!ENTITY bsim | "∽" ><!--REVERSED TILDE --> |
| <!ENTITY bsime | "⋍" ><!--REVERSED TILDE EQUALS --> |
| <!ENTITY bsolhsub | "⟈" ><!--REVERSE SOLIDUS PRECEDING SUBSET --> |
| <!ENTITY bump | "≎" ><!--GEOMETRICALLY EQUIVALENT TO --> |
| <!ENTITY bumpe | "≏" ><!--DIFFERENCE BETWEEN --> |
| <!ENTITY bumpE | "⪮" ><!--EQUALS SIGN WITH BUMPY ABOVE --> |
| <!ENTITY cire | "≗" ><!--RING EQUAL TO --> |
| <!ENTITY Colon | "∷" ><!--PROPORTION --> |
| <!ENTITY colone | "≔" ><!--COLON EQUALS --> |
| <!ENTITY Colone | "⩴" ><!--DOUBLE COLON EQUAL --> |
| <!ENTITY congdot | "⩭" ><!--CONGRUENT WITH DOT ABOVE --> |
| <!ENTITY csub | "⫏" ><!--CLOSED SUBSET --> |
| <!ENTITY csube | "⫑" ><!--CLOSED SUBSET OR EQUAL TO --> |
| <!ENTITY csup | "⫐" ><!--CLOSED SUPERSET --> |
| <!ENTITY csupe | "⫒" ><!--CLOSED SUPERSET OR EQUAL TO --> |
| <!ENTITY cuepr | "⋞" ><!--EQUAL TO OR PRECEDES --> |
| <!ENTITY cuesc | "⋟" ><!--EQUAL TO OR SUCCEEDS --> |
| <!ENTITY dashv | "⊣" ><!--LEFT TACK --> |
| <!ENTITY Dashv | "⫤" ><!--VERTICAL BAR DOUBLE LEFT TURNSTILE --> |
| <!ENTITY easter | "⩮" ><!--EQUALS WITH ASTERISK --> |
| <!ENTITY ecir | "≖" ><!--RING IN EQUAL TO --> |
| <!ENTITY ecolon | "≕" ><!--EQUALS COLON --> |
| <!ENTITY eDDot | "⩷" ><!--EQUALS SIGN WITH TWO DOTS ABOVE AND TWO DOTS BELOW --> |
| <!ENTITY eDot | "≑" ><!--GEOMETRICALLY EQUAL TO --> |
| <!ENTITY efDot | "≒" ><!--APPROXIMATELY EQUAL TO OR THE IMAGE OF --> |
| <!ENTITY eg | "⪚" ><!--DOUBLE-LINE EQUAL TO OR GREATER-THAN --> |
| <!ENTITY egs | "⪖" ><!--SLANTED EQUAL TO OR GREATER-THAN --> |
| <!ENTITY egsdot | "⪘" ><!--SLANTED EQUAL TO OR GREATER-THAN WITH DOT INSIDE --> |
| <!--> | |
| <!ENTITY el | "⪙" ><!--DOUBLE-LINE EQUAL TO OR LESS-THAN --> |
| <!ENTITY els | "⪕" ><!--SLANTED EQUAL TO OR LESS-THAN --> |
| <!ENTITY elsdot | "⪗" ><!--SLANTED EQUAL TO OR LESS-THAN WITH DOT INSIDE --> |
| <!ENTITY equest | "≟" ><!--QUESTIONED EQUAL TO --> |
| <!ENTITY equivDD | "⩸" ><!--EQUIVALENT WITH FOUR DOTS ABOVE --> |
| <!ENTITY erDot | "≓" ><!--IMAGE OF OR APPROXIMATELY EQUAL TO --> |

| | |
|-------------------|---|
| <!ENTITY esdot | "≐" ><!--APPROACHES THE LIMIT --> |
| <!ENTITY esim | "≂" ><!--MINUS TILDE --> |
| <!ENTITY Esim | "⩳" ><!--EQUALS SIGN ABOVE TILDE OPERATOR --> |
| <!ENTITY fork | "⋔" ><!--PITCHFORK --> |
| <!ENTITY forkv | "⫙" ><!--ELEMENT OF OPENING DOWNWARDS --> |
| <!ENTITY frown | "⌢" ><!--FROWN --> |
| <!ENTITY gap | "⪆" ><!--GREATER-THAN OR APPROXIMATE --> |
| <!ENTITY gE | "≧" ><!--GREATER-THAN OVER EQUAL TO --> |
| <!ENTITY gel | "⋛" ><!--GREATER-THAN EQUAL TO OR LESS-THAN --> |
| <!ENTITY gEl | "⪌" ><!--GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN --> |
| <!ENTITY ges | "⩾" ><!--GREATER-THAN OR SLANTED EQUAL TO --> |
| <!ENTITY gesc | "⪩" ><!--GREATER-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL --> |
| <!ENTITY gesdot | "⪀" ><!--GREATER-THAN OR SLANTED EQUAL TO WITH DOT INSIDE --> |
| <!ENTITY gesdoto | "⪂" ><!--GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE --> |
| <!ENTITY gesdotol | "⪄" ><!--GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE LEFT --> |
| <!ENTITY gesl | "⋛࿠" ><!--GREATER-THAN slanted EQUAL TO OR LESS-THAN --> |
| <!ENTITY gesles | "⪔" ><!--GREATER-THAN ABOVE SLANTED EQUAL ABOVE LESS-THAN ABOVE SLANTED EQUAL --> |
| <!ENTITY Gg | "⋙" ><!--VERY MUCH GREATER-THAN --> |
| <!ENTITY gl | "≷" ><!--GREATER-THAN OR LESS-THAN --> |
| <!ENTITY gla | "⪥" ><!--GREATER-THAN BESIDE LESS-THAN --> |
| <!ENTITY glE | "⪒" ><!--GREATER-THAN ABOVE LESS-THAN ABOVE DOUBLE-LINE EQUAL --> |
| <!ENTITY glj | "⪤" ><!--GREATER-THAN OVERLAPPING LESS-THAN --> |
| <!ENTITY gsim | "≳" ><!--GREATER-THAN OR EQUIVALENT TO --> |
| <!ENTITY gsime | "⪎" ><!--GREATER-THAN ABOVE SIMILAR OR EQUAL --> |
| <!ENTITY gsiml | "⪐" ><!--GREATER-THAN ABOVE SIMILAR ABOVE LESS-THAN --> |
| <!ENTITY Gt | "≫" ><!--MUCH GREATER-THAN --> |
| <!ENTITY gtcc | "⪧" ><!--GREATER-THAN CLOSED BY CURVE --> |
| <!ENTITY gtcir | "⩺" ><!--GREATER-THAN WITH CIRCLE INSIDE --> |
| <!ENTITY gtdot | "⋗" ><!--GREATER-THAN WITH DOT --> |
| <!ENTITY gtquest | "⩼" ><!--GREATER-THAN WITH QUESTION MARK ABOVE --> |
| <!ENTITY gtrarr | "⥸" ><!--GREATER-THAN ABOVE RIGHTWARDS ARROW --> |
| <!ENTITY homtht | "∻" ><!--HOMOTHETIC --> |
| <!ENTITY lap | "⪅" ><!--LESS-THAN OR APPROXIMATE --> |
| <!ENTITY lat | "⪫" ><!--LARGER THAN --> |
| <!ENTITY late | "⪭" ><!--LARGER THAN OR EQUAL TO --> |
| <!ENTITY lates | "⪭࿠" ><!--LARGER THAN OR slanted EQUAL --> |
| <!ENTITY lE | "≦" ><!--LESS-THAN OVER EQUAL TO --> |
| <!ENTITY leg | "⋚" ><!--LESS-THAN EQUAL TO OR GREATER-THAN --> |
| <!ENTITY lEG | "⪋" ><!--LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN --> |

| | |
|------------------------------|--|
| <!ENTITY les | "⩽" ><!--LESS-THAN OR SLANTED EQUAL TO --> |
| <!ENTITY lescc | "⪨" ><!--LESS-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL --> |
| <!ENTITY lesdot | "⩿" ><!--LESS-THAN OR SLANTED EQUAL TO WITH DOT INSIDE --> |
| <!ENTITY lesdoto | "⪁" ><!--LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE --> |
| <!ENTITY lesdotor | "⪃" ><!--LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE |
| RIGHT --> | |
| <!ENTITY lesg | "⋚︀" ><!--LESS-THAN slanted EQUAL TO OR GREATER-THAN - |
| -> | |
| <!ENTITY lesges | "⪓" ><!--LESS-THAN ABOVE SLANTED EQUAL ABOVE GREATER- |
| THAN ABOVE SLANTED EQUAL --> | |
| <!ENTITY lg | "≶" ><!--LESS-THAN OR GREATER-THAN --> |
| <!ENTITY lgE | "⪑" ><!--LESS-THAN ABOVE GREATER-THAN ABOVE DOUBLE-LINE |
| EQUAL --> | |
| <!ENTITY LI | "⋘" ><!--VERY MUCH LESS-THAN --> |
| <!ENTITY lsim | "≲" ><!--LESS-THAN OR EQUIVALENT TO --> |
| <!ENTITY lsime | "⪍" ><!--LESS-THAN ABOVE SIMILAR OR EQUAL --> |
| <!ENTITY lsimg | "⪏" ><!--LESS-THAN ABOVE SIMILAR ABOVE GREATER-THAN --> |
| <!ENTITY Lt | "≪" ><!--MUCH LESS-THAN --> |
| <!ENTITY ltcc | "⪦" ><!--LESS-THAN CLOSED BY CURVE --> |
| <!ENTITY ltcir | "⩹" ><!--LESS-THAN WITH CIRCLE INSIDE --> |
| <!ENTITY ltdot | "⋖" ><!--LESS-THAN WITH DOT --> |
| <!ENTITY ltlarr | "⥶" ><!--LESS-THAN ABOVE LEFTWARDS ARROW --> |
| <!ENTITY ltquest | "⩻" ><!--LESS-THAN WITH QUESTION MARK ABOVE --> |
| <!ENTITY ltrie | "⊴" ><!--NORMAL SUBGROUP OF OR EQUAL TO --> |
| <!ENTITY mcomma | "⨩" ><!--MINUS SIGN WITH COMMA ABOVE --> |
| <!ENTITY mDDot | "∺" ><!--GEOMETRIC PROPORTION --> |
| <!ENTITY mid | "∣" ><!--DIVIDES --> |
| <!ENTITY mlcp | "⫛" ><!--TRANSVERSAL INTERSECTION --> |
| <!ENTITY models | "⊧" ><!--MODELS --> |
| <!ENTITY mstpos | "∾" ><!--INVERTED LAZY S --> |
| <!ENTITY pr | "≺" ><!--PRECEDES --> |
| <!ENTITY Pr | "⪻" ><!--DOUBLE PRECEDES --> |
| <!ENTITY prap | "⪷" ><!--PRECEDES ABOVE ALMOST EQUAL TO --> |
| <!ENTITY prcue | "≼" ><!--PRECEDES OR EQUAL TO --> |
| <!ENTITY pre | "⪯" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN --> |
| <!ENTITY prE | "⪳" ><!--PRECEDES ABOVE EQUALS SIGN --> |
| <!ENTITY prsim | "≾" ><!--PRECEDES OR EQUIVALENT TO --> |
| <!ENTITY prurel | "⊰" ><!--PRECEDES UNDER RELATION --> |
| <!ENTITY ratio | "∶" ><!--RATIO --> |
| <!ENTITY rtrie | "⊵" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO --> |
| <!ENTITY rtriltri | "⧎" ><!--RIGHT TRIANGLE ABOVE LEFT TRIANGLE --> |
| <!ENTITY sc | "≻" ><!--SUCCEEDS --> |
| <!ENTITY Sc | "⪼" ><!--DOUBLE SUCCEEDS --> |
| <!ENTITY scap | "⪸" ><!--SUCCEEDS ABOVE ALMOST EQUAL TO --> |
| <!ENTITY sccue | "≽" ><!--SUCCEEDS OR EQUAL TO --> |
| <!ENTITY sce | "⪰" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN --> |
| <!ENTITY scE | "⪴" ><!--SUCCEEDS ABOVE EQUALS SIGN --> |
| <!ENTITY scsim | "≿" ><!--SUCCEEDS OR EQUIVALENT TO --> |

| | |
|------------------|---|
| <!ENTITY sdote | "⩦" ><!--EQUALS SIGN WITH DOT BELOW --> |
| <!ENTITY sfrown | "⌢" ><!--FROWN --> |
| <!ENTITY simg | "⪞" ><!--SIMILAR OR GREATER-THAN --> |
| <!ENTITY simgE | "⪠" ><!--SIMILAR ABOVE GREATER-THAN ABOVE EQUALS SIGN --> |
| <!ENTITY siml | "⪝" ><!--SIMILAR OR LESS-THAN --> |
| <!ENTITY simlE | "⪟" ><!--SIMILAR ABOVE LESS-THAN ABOVE EQUALS SIGN --> |
| <!ENTITY smid | "∣" ><!--DIVIDES --> |
| <!ENTITY smile | "⌣" ><!--SMILE --> |
| <!ENTITY smt | "⪪" ><!--SMALLER THAN --> |
| <!ENTITY smte | "⪬" ><!--SMALLER THAN OR EQUAL TO --> |
| <!ENTITY smtes | "⪬࿠" ><!--SMALLER THAN OR slanted EQUAL --> |
| <!ENTITY spar | "∥" ><!--PARALLEL TO --> |
| <!ENTITY sqsub | "⊏" ><!--SQUARE IMAGE OF --> |
| <!ENTITY sqsube | "⊑" ><!--SQUARE IMAGE OF OR EQUAL TO --> |
| <!ENTITY sqsup | "⊐" ><!--SQUARE ORIGINAL OF --> |
| <!ENTITY sqsupE | "⊒" ><!--SQUARE ORIGINAL OF OR EQUAL TO --> |
| <!ENTITY ssmile | "⌣" ><!--SMILE --> |
| <!ENTITY Sub | "⋐" ><!--DOUBLE SUBSET --> |
| <!ENTITY subE | "⫅" ><!--SUBSET OF ABOVE EQUALS SIGN --> |
| <!ENTITY subedot | "⫃" ><!--SUBSET OF OR EQUAL TO WITH DOT ABOVE --> |
| <!ENTITY submult | "⫁" ><!--SUBSET WITH MULTIPLICATION SIGN BELOW --> |
| <!ENTITY subplus | "⪿" ><!--SUBSET WITH PLUS SIGN BELOW --> |
| <!ENTITY subrarr | "⥹" ><!--SUBSET ABOVE RIGHTWARDS ARROW --> |
| <!ENTITY subsim | "⫇" ><!--SUBSET OF ABOVE TILDE OPERATOR --> |
| <!ENTITY subsub | "⫕" ><!--SUBSET ABOVE SUBSET --> |
| <!ENTITY subsup | "⫓" ><!--SUBSET ABOVE SUPERSET --> |
| <!ENTITY Sup | "⋑" ><!--DOUBLE SUPERSET --> |
| <!ENTITY supdsub | "⫘" ><!--SUPERSET BESIDE AND JOINED BY DASH WITH SUBSET --> |
| <!ENTITY supE | "⫆" ><!--SUPERSET OF ABOVE EQUALS SIGN --> |
| <!ENTITY supedot | "⫄" ><!--SUPERSET OF OR EQUAL TO WITH DOT ABOVE --> |
| <!ENTITY suphsol | "⟉" ><!--SUPERSET PRECEDING SOLIDUS --> |
| <!ENTITY suphsup | "⫗" ><!--SUPERSET BESIDE SUBSET --> |
| <!ENTITY suplarr | "⥻" ><!--SUPERSET ABOVE LEFTWARDS ARROW --> |
| <!ENTITY supmult | "⫂" ><!--SUPERSET WITH MULTIPLICATION SIGN BELOW --> |
| <!ENTITY supplus | "⫀" ><!--SUPERSET WITH PLUS SIGN BELOW --> |
| <!ENTITY supsim | "⫈" ><!--SUPERSET OF ABOVE TILDE OPERATOR --> |
| <!ENTITY supsub | "⫔" ><!--SUPERSET ABOVE SUBSET --> |
| <!ENTITY supsup | "⫖" ><!--SUPERSET ABOVE SUPERSET --> |
| <!ENTITY thkap | "≈" ><!--ALMOST EQUAL TO --> |
| <!ENTITY thksim | "∼" ><!--TILDE OPERATOR --> |
| <!ENTITY topfork | "⫚" ><!--PITCHFORK WITH TEE TOP --> |
| <!ENTITY trie | "≜" ><!--DELTA EQUAL TO --> |
| <!ENTITY twixt | "≬" ><!--BETWEEN --> |
| <!ENTITY vBar | "⫨" ><!--SHORT UP TACK WITH UNDERBAR --> |
| <!ENTITY Vbar | "⫫" ><!--DOUBLE UP TACK --> |
| <!ENTITY vBarv | "⫩" ><!--SHORT UP TACK ABOVE SHORT DOWN TACK --> |
| <!ENTITY vdash | "⊢" ><!--RIGHT TACK --> |
| <!ENTITY vDash | "⊨" ><!--TRUE --> |

```

<!ENTITY Vdash      "⊩" ><!--FORCES -->
<!ENTITY VDash     "⊫" ><!--DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE -->
<!ENTITY Vdashl    "⫦" ><!--LONG DASH FROM LEFT MEMBER OF DOUBLE VERTICAL --
>
<!ENTITY vltri     "⊲" ><!--NORMAL SUBGROUP OF -->
<!ENTITY vprop     "∝" ><!--PROPORTIONAL TO -->
<!ENTITY vrtri     "⊳" ><!--CONTAINS AS NORMAL SUBGROUP -->
<!ENTITY Vvdash    "⊪" ><!--TRIPLE VERTICAL BAR RIGHT TURNSTILE -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsr.ent

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML BDO Element Module ..... -->
<!-- file: xhtml-bdo-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-bdo-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML BDO Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-bdo-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Bidirectional Override (bdo) Element

```

This modules declares the element 'bdo', used to override the
 Unicode bidirectional algorithm for selected fragments of text.

DEPENDENCIES:

Relies on the conditional section keyword %XHTML.bidi; declared
 as "INCLUDE". Bidirectional text support includes both the bdo
 element and the 'dir' attribute.

```

-->

```

```

<!ENTITY % bdo.element "INCLUDE" >
<![%bdo.element;[
<!ENTITY % bdo.content
  "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % bdo.qname "bdo" >

```

```

<!ELEMENT %bdo.qname; %bdo.content; >
<!-- end of bdo.element -->]]>

<!ENTITY % bdo.attlist "INCLUDE" >
<![%bdo.attlist;[
<!ATTLIST %bdo.qname;
    %Core.attrib;
    xml:lang    %LanguageCode.datatype; #IMPLIED
    dir        ( ltr | rtl )          #REQUIRED
>
]]>

<!-- end of xhtml-bdo-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-bdo-1.mod
```

No license file was found, but licenses were detected in source scan.

XHTML 1.1 plus MathML 2.0 plus SVG 1.1 DTD

This is a prototype extension of XHTML 1.1 incorporating MathML 2.0 and SVG 1.1.

Copyright 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute this DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <altheim@eng.sun.com> (XHTML modules)
David Carlisle <davidc@nag.co.uk> (MathML modules)
Jun Fujisawa <fujisawa.jun@canon.co.jp> (SVG modules)
Masayasu Ishikawa <mimasa@w3.org> (DTD driver)

Revision:

\$Id: xhtml

2001 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Murray M. Altheim <altheim@eng.sun.com>

Revision: \$Id: xhtml

2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: xhtml

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml2/xhtml-math11-f-a.dtd

No license file was found, but licenses were detected in source scan.

<!--

File isoamsc.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Added Math Symbols: Delimiters//EN//XML
System identifier: <http://www.w3.org/2003/entities/2007/isoamsc.ent>

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsc PUBLIC
  "-//W3C//ENTITIES Added Math Symbols: Delimiters//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamsc.ent"
>
%isoamsc;
```

-->

```
<!ENTITY dlcorn    "&#x0231E;" ><!--BOTTOM LEFT CORNER -->
<!ENTITY drcorn    "&#x0231F;" ><!--BOTTOM RIGHT CORNER -->
<!ENTITY gtlPar     "&#x02995;" ><!--DOUBLE LEFT ARC GREATER-THAN BRACKET -->
<!ENTITY langd      "&#x02991;" ><!--LEFT ANGLE BRACKET WITH DOT -->
<!ENTITY lbrke      "&#x0298B;" ><!--LEFT SQUARE BRACKET WITH UNDERBAR -->
<!ENTITY lbrksld    "&#x0298F;" ><!--LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER -->
<!ENTITY lbrkslu    "&#x0298D;" ><!--LEFT SQUARE BRACKET WITH TICK IN TOP CORNER -->
<!ENTITY lceil      "&#x02308;" ><!--LEFT CEILING -->
<!ENTITY lfloor     "&#x0230A;" ><!--LEFT FLOOR -->
<!ENTITY lmoust     "&#x023B0;" ><!--UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION --
>
<!ENTITY lparlt     "&#x02993;" ><!--LEFT ARC LESS-THAN BRACKET -->
<!ENTITY ltrPar     "&#x02996;" ><!--DOUBLE RIGHT ARC LESS-THAN BRACKET -->
<!ENTITY rangd      "&#x02992;" ><!--RIGHT ANGLE BRACKET WITH DOT -->
<!ENTITY rbrke      "&#x0298C;" ><!--RIGHT SQUARE BRACKET WITH UNDERBAR -->
<!ENTITY rbrksld    "&#x0298E;" ><!--RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER --
>
<!ENTITY rbrkslu    "&#x02990;" ><!--RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER -->
<!ENTITY rceil      "&#x02309;" ><!--RIGHT CEILING -->
<!ENTITY rfloor     "&#x0230B;" ><!--RIGHT FLOOR -->
<!ENTITY rmoust     "&#x023B1;" ><!--UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION --
```

```
>
<!ENTITY rpargt      "&#x02994;" ><!--RIGHT ARC GREATER-THAN BRACKET -->
<!ENTITY ulcorn     "&#x0231C;" ><!--TOP LEFT CORNER -->
<!ENTITY urcorn     "&#x0231D;" ><!--TOP RIGHT CORNER -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsc.ent
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Basic Graphics Attribute Module ..... -->
<!-- file: svg-basic-graphics-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-basic-graphics-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Graphics Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-graphics-attrib.mod"
```

```
..... -->
```

```
<!-- Basic Graphics Attribute
```

```
    display, visibility
```

This module defines the Graphics attribute set.

```
-->
```

```
<!ENTITY % SVG.display.attrib
"display ( inline | block | list-item | run-in | compact | marker |
    table | inline-table | table-row-group | table-header-group |
    table-footer-group | table-row | table-column-group |
    table-column | table-cell | table-caption | none | inherit )
    #IMPLIED"
```

```
>
```

```
<!ENTITY % SVG.visibility.attrib
"visibility ( visible | hidden | inherit ) #IMPLIED"
```

```
>
```

```
<!ENTITY % SVG.Graphics.extra.attrib "" >
```

```
<!ENTITY % SVG.Graphics.attrib
"%SVG.display.attrib;
```

```
%SVG.visibility.attrib;
%SVG.Graphics.extra.attrib;"
```

>

```
<!-- end of svg-basic-graphics-attrib.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-graphics-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML MetaAttributes Module ..... -->
```

```
<!-- file: xhtml-metaAttributes-1.mod
```

This is XHTML-RDFa, modules to annotate XHTML family documents.

Copyright 2007-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-metaAttributes-1.mod,v 1.6 2008/08/01 20:01:00 smccarro Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML MetaAttributes 1.0//EN"
```

```
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-metaAttributes-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!ENTITY % XHTML.global.attrs.prefixes "IGNORE" >
```

```
<!-- Placeholder Compact URI-related types -->
```

```
<!ENTITY % CURIE.datatype "CDATA" >
```

```
<!ENTITY % CURIEs.datatype "CDATA" >
```

```
<!ENTITY % SafeCURIE.datatype "CDATA" >
```

```
<!ENTITY % SafeCURIEs.datatype "CDATA" >
```

```
<!ENTITY % URIorSafeCURIE.datatype "CDATA" >
```

```
<!ENTITY % URIorSafeCURIEs.datatype "CDATA" >
```

```
<!-- Common Attributes
```

This module declares a collection of meta-information related attributes.

%NS.decl.attrib; is declared in the XHTML QName module.

This file also includes declarations of "global" versions of the attributes. The global versions of the attributes are for use on elements in other namespaces.

-->

```
<!ENTITY % about.attrib
  "about      %URIorSafeCURIE.datatype;      #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.about.attrib
  "%XHTML.prefix;:about      %URIorSafeCURIE.datatype;      #IMPLIED"
>
]]>
```

```
<!ENTITY % typeof.attrib
  "typeof    %CURIes.datatype;      #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.typeof.attrib
  "%XHTML.prefix;:typeof    %CURIes.datatype;      #IMPLIED"
>
]]>
```

```
<!ENTITY % property.attrib
  "property  %CURIes.datatype;      #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.property.attrib
  "%XHTML.prefix;:property  %CURIes.datatype;      #IMPLIED"
>
]]>
```

```
<!ENTITY % resource.attrib
  "resource  %URIorSafeCURIE.datatype;      #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.resource.attrib
  "%XHTML.prefix;:resource  %URIorSafeCURIE.datatype;      #IMPLIED"
>
]]>
```

```
<!ENTITY % content.attrib
  "content  CDATA      #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.content.attrib
```

```

    "%XHTML.prefix;:content    CDATA    #IMPLIED"
  >
]]>

<!ENTITY % datatype.attrib
  "datatype    %CURIE.datatype;    #IMPLIED"
  >

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.datatype.attrib
  "%XHTML.prefix;:datatype    %CURIE.datatype;    #IMPLIED"
  >
]]>

<!ENTITY % rel.attrib
  "rel    %CURIEs.datatype;    #IMPLIED"
  >

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.rel.attrib
  "%XHTML.prefix;:rel    %CURIEs.datatype;    #IMPLIED"
  >
]]>

<!ENTITY % rev.attrib
  "rev    %CURIEs.datatype;    #IMPLIED"
  >

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.rev.attrib
  "%XHTML.prefix;:rev    %CURIEs.datatype;    #IMPLIED"
  >
]]>

<!ENTITY % Metainformation.extra.attrib "" >

<!ENTITY % Metainformation.attrib
  "%about.attrib;
  %content.attrib;
  %datatype.attrib;
  %typeof.attrib;
  %property.attrib;
  %rel.attrib;
  %resource.attrib;
  %rev.attrib;
  %Metainformation.extra.attrib;"
  >

```

<!ENTITY % XHTML.global.metainformation.extra.attrib "" >

<![%XHTML.global.attrs.prefixed;[

<!ENTITY % XHTML.global.metainformation.attrib

"%XHTML.global.about.attrib;
%XHTML.global.content.attrib;
%XHTML.global.datatype.attrib;
%XHTML.global.typeof.attrib;
%XHTML.global.property.attrib;
%XHTML.global.rel.attrib;
%XHTML.global.resource.attrib;
%XHTML.global.rev.attrib;
%XHTML.global.metainformation.extra.attrib;"

>

]]>

<!ENTITY % XHTML.global.metainformation.attrib "" >

<!-- end of xhtml-metaAttributes-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-metaAttributes-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Structure Module -->

<!-- file: xhtml-struct-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-struct-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Document Structure 1.0//EN"

SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-struct-1.mod"

Revisions:

(none)

..... -->

<!-- Document Structure

title, head, body, html

The Structure Module defines the major structural elements and their attributes.

Note that the content model of the head element type is redeclared when the Base Module is included in the DTD.

The parameter entity containing the XML namespace URI value used for XHTML is '%XHTML.xmlns;', defined in the Qualified Names module.

-->

<!-- title: Document Title -->

<!-- The title element is not considered part of the flow of text.

It should be displayed, for example as the page header or window title. Exactly one title is required per document.

-->

```
<!ENTITY % title.element "INCLUDE" >
<![%title.element;[
<!ENTITY % title.content "( #PCDATA )" >
<!ENTITY % title.qname "title" >
<!ELEMENT %title.qname; %title.content; >
<!-- end of title.element -->]]>
```

```
<!ENTITY % title.attlist "INCLUDE" >
<![%title.attlist;[
<!ATTLIST %title.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
>
<!-- end of title.attlist -->]]>
```

<!-- head: Document Head -->

```
<!ENTITY % head.element "INCLUDE" >
<![%head.element;[
<!ENTITY % head.content
    "( %HeadOpts.mix;, %title.qname;, %HeadOpts.mix; )"
>
<!ENTITY % head.qname "head" >
<!ELEMENT %head.qname; %head.content; >
<!-- end of head.element -->]]>
```

```
<!ENTITY % head.attlist "INCLUDE" >
<![%head.attlist;[
<!-- reserved for future use with document profiles
-->
<!ENTITY % profile.attrib
```

```

    "profile    %URI.datatype;    '%XHTML.profile;"
>

<!ATTLIST %head.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
    %profile.attrib;
>
<!-- end of head.attlist -->]]>

<!-- body: Document Body ..... -->

<!ENTITY % body.element "INCLUDE" >
<![%body.element;[
<!ENTITY % body.content
    "( %Block.mix; )+"
>
<!ENTITY % body.qname "body" >
<!ELEMENT %body.qname; %body.content; >
<!-- end of body.element -->]]>

<!ENTITY % body.attlist "INCLUDE" >
<![%body.attlist;[
<!ATTLIST %body.qname;
    %Common.attrib;
>
<!-- end of body.attlist -->]]>

<!-- html: XHTML Document Element ..... -->

<!ENTITY % html.element "INCLUDE" >
<![%html.element;[
<!ENTITY % html.content "( %head.qname;, %body.qname; )" >
<!ENTITY % html.qname "html" >
<!ELEMENT %html.qname; %html.content; >
<!-- end of html.element -->]]>

<!ENTITY % html.attlist "INCLUDE" >
<![%html.attlist;[
<!-- version attribute value defined in driver
-->
<!ENTITY % XHTML.version.attrib
    "version    %FPI.datatype;    #FIXED '%XHTML.version;"
>

<!-- see the Qualified Names module for information
    on how to extend XHTML using XML namespaces
-->

```

```
<!ATTLIST %html.qname;  
  %XHTML.xmlns.attrib;  
  %XHTML.version.attrib;  
  %I18n.attrib;  
>  
<!-- end of html.attlist -->]]>
```

```
<!-- end of xhtml-struct-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtmll-struct-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isocyr1.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

```
-->
```

```
<!--
```

Public identifier: `--//W3C//ENTITIES Russian Cyrillic//EN//XML`
System identifier: <http://www.w3.org/2003/entities/2007/isocyr1.ent>

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isocyr1 PUBLIC
  "-//W3C//ENTITIES Russian Cyrillic//EN//XML"
  "http://www.w3.org/2003/entities/2007/isocyr1.ent"
>
%isocyr1;
```

-->

```
<!ENTITY acy      "&#x00430;" ><!--CYRILLIC SMALL LETTER A -->
<!ENTITY Acy     "&#x00410;" ><!--CYRILLIC CAPITAL LETTER A -->
<!ENTITY bcy     "&#x00431;" ><!--CYRILLIC SMALL LETTER BE -->
<!ENTITY Bcy     "&#x00411;" ><!--CYRILLIC CAPITAL LETTER BE -->
<!ENTITY chcy    "&#x00447;" ><!--CYRILLIC SMALL LETTER CHE -->
<!ENTITY CHcy    "&#x00427;" ><!--CYRILLIC CAPITAL LETTER CHE -->
<!ENTITY dcy     "&#x00434;" ><!--CYRILLIC SMALL LETTER DE -->
<!ENTITY Dcy     "&#x00414;" ><!--CYRILLIC CAPITAL LETTER DE -->
<!ENTITY ecy     "&#x0044D;" ><!--CYRILLIC SMALL LETTER E -->
<!ENTITY Ecy     "&#x0042D;" ><!--CYRILLIC CAPITAL LETTER E -->
<!ENTITY fcy     "&#x00444;" ><!--CYRILLIC SMALL LETTER EF -->
<!ENTITY Fcy     "&#x00424;" ><!--CYRILLIC CAPITAL LETTER EF -->
<!ENTITY gcy     "&#x00433;" ><!--CYRILLIC SMALL LETTER GHE -->
<!ENTITY Gcy     "&#x00413;" ><!--CYRILLIC CAPITAL LETTER GHE -->
<!ENTITY hardcy  "&#x0044A;" ><!--CYRILLIC SMALL LETTER HARD SIGN -->
<!ENTITY HARDcy  "&#x0042A;" ><!--CYRILLIC CAPITAL LETTER HARD SIGN -->
<!ENTITY icy     "&#x00438;" ><!--CYRILLIC SMALL LETTER I -->
<!ENTITY Icy     "&#x00418;" ><!--CYRILLIC CAPITAL LETTER I -->
<!ENTITY iecy    "&#x00435;" ><!--CYRILLIC SMALL LETTER IE -->
<!ENTITY IEcy    "&#x00415;" ><!--CYRILLIC CAPITAL LETTER IE -->
<!ENTITY iocy    "&#x00451;" ><!--CYRILLIC SMALL LETTER IO -->
<!ENTITY IOcy    "&#x00401;" ><!--CYRILLIC CAPITAL LETTER IO -->
<!ENTITY jcy     "&#x00439;" ><!--CYRILLIC SMALL LETTER SHORT I -->
<!ENTITY Jcy     "&#x00419;" ><!--CYRILLIC CAPITAL LETTER SHORT I -->
<!ENTITY kcy     "&#x0043A;" ><!--CYRILLIC SMALL LETTER KA -->
<!ENTITY Kcy     "&#x0041A;" ><!--CYRILLIC CAPITAL LETTER KA -->
<!ENTITY khey    "&#x00445;" ><!--CYRILLIC SMALL LETTER HA -->
<!ENTITY KHcy    "&#x00425;" ><!--CYRILLIC CAPITAL LETTER HA -->
<!ENTITY lcy     "&#x0043B;" ><!--CYRILLIC SMALL LETTER EL -->
<!ENTITY Lcy     "&#x0041B;" ><!--CYRILLIC CAPITAL LETTER EL -->
<!ENTITY mcy     "&#x0043C;" ><!--CYRILLIC SMALL LETTER EM -->
<!ENTITY Mcy     "&#x0041C;" ><!--CYRILLIC CAPITAL LETTER EM -->
<!ENTITY ncy     "&#x0043D;" ><!--CYRILLIC SMALL LETTER EN -->
<!ENTITY Ncy     "&#x0041D;" ><!--CYRILLIC CAPITAL LETTER EN -->
<!ENTITY numero  "&#x02116;" ><!--NUMERO SIGN -->
<!ENTITY ocy     "&#x0043E;" ><!--CYRILLIC SMALL LETTER O -->
<!ENTITY Ocy     "&#x0041E;" ><!--CYRILLIC CAPITAL LETTER O -->
```

```

<!ENTITY pcy      "п" ><!--CYRILLIC SMALL LETTER PE -->
<!ENTITY Pcy     "П" ><!--CYRILLIC CAPITAL LETTER PE -->
<!ENTITY rcy     "р" ><!--CYRILLIC SMALL LETTER ER -->
<!ENTITY Rcy     "Р" ><!--CYRILLIC CAPITAL LETTER ER -->
<!ENTITY scy     "с" ><!--CYRILLIC SMALL LETTER ES -->
<!ENTITY Scy     "С" ><!--CYRILLIC CAPITAL LETTER ES -->
<!ENTITY shchcy  "щ" ><!--CYRILLIC SMALL LETTER SHCHA -->
<!ENTITY SHCHcy  "Щ" ><!--CYRILLIC CAPITAL LETTER SHCHA -->
<!ENTITY shey    "ш" ><!--CYRILLIC SMALL LETTER SHA -->
<!ENTITY SHcy    "Ш" ><!--CYRILLIC CAPITAL LETTER SHA -->
<!ENTITY softcy  "ь" ><!--CYRILLIC SMALL LETTER SOFT SIGN -->
<!ENTITY SOFTcy  "Ь" ><!--CYRILLIC CAPITAL LETTER SOFT SIGN -->
<!ENTITY tcy     "т" ><!--CYRILLIC SMALL LETTER TE -->
<!ENTITY Tcy     "Т" ><!--CYRILLIC CAPITAL LETTER TE -->
<!ENTITY tscy    "ц" ><!--CYRILLIC SMALL LETTER TSE -->
<!ENTITY TScy    "Ц" ><!--CYRILLIC CAPITAL LETTER TSE -->
<!ENTITY ucy     "у" ><!--CYRILLIC SMALL LETTER U -->
<!ENTITY Ucy     "У" ><!--CYRILLIC CAPITAL LETTER U -->
<!ENTITY vcy     "в" ><!--CYRILLIC SMALL LETTER VE -->
<!ENTITY Vcy     "В" ><!--CYRILLIC CAPITAL LETTER VE -->
<!ENTITY yacy    "я" ><!--CYRILLIC SMALL LETTER YA -->
<!ENTITY YAcy    "Я" ><!--CYRILLIC CAPITAL LETTER YA -->
<!ENTITY ycy     "ы" ><!--CYRILLIC SMALL LETTER YERU -->
<!ENTITY Ycy     "Ы" ><!--CYRILLIC CAPITAL LETTER YERU -->
<!ENTITY yucy    "ю" ><!--CYRILLIC SMALL LETTER YU -->
<!ENTITY YUcy    "Ю" ><!--CYRILLIC CAPITAL LETTER YU -->
<!ENTITY zcy     "з" ><!--CYRILLIC SMALL LETTER ZE -->
<!ENTITY Zcy     "З" ><!--CYRILLIC CAPITAL LETTER ZE -->
<!ENTITY zhcy    "ж" ><!--CYRILLIC SMALL LETTER ZHE -->
<!ENTITY ZHcy    "Ж" ><!--CYRILLIC CAPITAL LETTER ZHE -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isocyr1.ent

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Tiny Attribute Collection Module ..... -->
<!-- file: svg11-tiny-attribs.mod

```

This is SVG Tiny, a proper subset of SVG.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg11-tiny-attribs.mod,v 1.3 2002/11/13 20:14:31 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES SVG 1.1 Tiny Attribute Collection//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-tiny-attribs.mod"

```

```

..... -->

<!-- SVG 1.1 Tiny Attribute Collection

This module defines the set of common attributes that can be present
on many SVG elements.

-->

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % ExtensionList.datatype "CDATA" >
<!ENTITY % FeatureList.datatype "CDATA" >

<!ENTITY % SVG.Conditional.extra.attrib "" >
<!ENTITY % SVG.Conditional.attrib
"requiredFeatures %FeatureList.datatype; #IMPLIED
requiredExtensions %ExtensionList.datatype; #IMPLIED
systemLanguage %LanguageCodes.datatype; #IMPLIED
%SVG.Conditional.extra.attrib;"
>

<!-- module: svg-basic-text.mod ..... -->

<!ENTITY % FontFamilyValue.datatype "CDATA" >
<!ENTITY % FontSizeValue.datatype "CDATA" >

<!ENTITY % SVG.TextContent.extra.attrib "" >
<!ENTITY % SVG.TextContent.attrib
"text-anchor ( start | middle | end | inherit ) #IMPLIED
%SVG.TextContent.extra.attrib;"
>

<!ENTITY % SVG.Font.extra.attrib "" >
<!ENTITY % SVG.Font.attrib
"font-family %FontFamilyValue.datatype; #IMPLIED
font-size %FontSizeValue.datatype; #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrib;"
>

<!-- end of svg11-tiny-attribs.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-
tiny-attribs.mod

```

No license file was found, but licenses were detected in source scan.

SVG 1.1 Tiny DTD

This is SVG Tiny, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its
accompanying documentation for any purpose and without fee is hereby
granted in perpetuity, provided that the above copyright notice and
this paragraph appear in all copies. The copyright holders make no
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-  
tiny.dtd
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Tiny Document Model Module ..... -->  
<!-- file: svg11-tiny-model.mod
```

This is SVG Tiny, a proper subset of SVG.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg11-tiny-model.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Tiny Document Model//EN"
```

```
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-tiny-model.mod"
```

```
..... -->
```

```
<!-- SVG 1.1 Tiny Document Model
```

This module describes the groupings of elements that make up
common content models for SVG elements.

```
-->
```

```

<!-- Content Models (Default) ..... -->

<!ENTITY % SVG.Style.class "" >
<!ENTITY % SVG.TextContent.class "" >
<!ENTITY % SVG.Marker.class "" >
<!ENTITY % SVG.ColorProfile.class "" >
<!ENTITY % SVG.Gradient.class "" >
<!ENTITY % SVG.Pattern.class "" >
<!ENTITY % SVG.Clip.class "" >
<!ENTITY % SVG.Mask.class "" >
<!ENTITY % SVG.Filter.class "" >
<!ENTITY % SVG.FilterPrimitive.class "" >
<!ENTITY % SVG.Cursor.class "" >
<!ENTITY % SVG.View.class "" >
<!ENTITY % SVG.Script.class "" >

<!-- module: svg-basic-structure.mod ..... -->

<!ENTITY % SVG.Description.extra.class "" >
<!ENTITY % SVG.Description.class
"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
%SVG.Description.extra.class;"
>

<!ENTITY % SVG.Use.extra.class "" >
<!ENTITY % SVG.Use.class
"| %SVG.use.qname; %SVG.Use.extra.class;"
>

<!ENTITY % SVG.Structure.extra.class "" >
<!ENTITY % SVG.Structure.class
"| %SVG.g.qname; | %SVG.defs.qname; %SVG.Use.class;
%SVG.Structure.extra.class;"
>

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % SVG.Conditional.extra.class "" >
<!ENTITY % SVG.Conditional.class
"| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.Image.extra.class "" >
<!ENTITY % SVG.Image.class
"| %SVG.image.qname; %SVG.Image.extra.class;"

```

```

>

<!-- module: svg-shape.mod ..... -->

<!ENTITY % SVG.Shape.extra.class "" >
<!ENTITY % SVG.Shape.class
  "| %SVG.path.qname; | %SVG.rect.qname; | %SVG.circle.qname;
  | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
  | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- module: svg-basic-text.mod ..... -->

<!ENTITY % SVG.Text.extra.class "" >
<!ENTITY % SVG.Text.class
  "| %SVG.text.qname; %SVG.Text.extra.class;"
>

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >
<!ENTITY % SVG.Hyperlink.class
  "| %SVG.a.qname; %SVG.Hyperlink.extra.class;"
>

<!-- module: svg-animation.mod ..... -->

<!ENTITY % SVG.Animation.extra.class "" >
<!ENTITY % SVG.Animation.class
  "%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
  %SVG.animateColor.qname; | %SVG.animateTransform.qname;
  %SVG.Animation.extra.class;"
>

<!-- module: svg-basic-font.mod ..... -->

<!ENTITY % SVG.Font.extra.class "" >
<!ENTITY % SVG.Font.class
  "| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>

<!-- module: svg-extensibility.mod ..... -->

<!ENTITY % SVG.Extensibility.extra.class "" >
<!ENTITY % SVG.Extensibility.class
  "| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
>

```

<!-- end of svg11-tiny-model.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-tiny-model.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Block Phrasal Module -->

<!-- file: xhtml-blkphras-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-blkphras-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"

SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-blkphras-1.mod"

Revisions:

(none)

..... -->

<!-- Block Phrasal

address, blockquote, pre, h1, h2, h3, h4, h5, h6

This module declares the elements and their attributes used to support block-level phrasal markup.

-->

<!ENTITY % address.element "INCLUDE" >

<![%address.element;[

<!ENTITY % address.content

"(#PCDATA | %Inline.mix;)*" >

<!ENTITY % address.qname "address" >

<!ELEMENT %address.qname; %address.content; >

<!-- end of address.element -->]]>

<!ENTITY % address.attlist "INCLUDE" >

<![%address.attlist;[

<!ATTLIST %address.qname;

%Common.attrib;

>

<!-- end of address.attlist -->]]>

<!ENTITY % blockquote.element "INCLUDE" >

```

<![%blockquote.element;[
<!ENTITY % blockquote.content
    "( %Block.mix; )+"
>
<!ENTITY % blockquote.qname "blockquote" >
<!ELEMENT %blockquote.qname; %blockquote.content; >
<!-- end of blockquote.element -->]]>

```

```

<!ENTITY % blockquote.attlist "INCLUDE" >
<![%blockquote.attlist;[
<!ATTLIST %blockquote.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
>
<!-- end of blockquote.attlist -->]]>

```

```

<!ENTITY % pre.element "INCLUDE" >
<![%pre.element;[
<!ENTITY % pre.content
    "( #PCDATA
    | %InlStruct.class;
    %InlPhras.class;
    | %tt.qname; | %i.qname; | %b.qname;
    %I18n.class;
    %Anchor.class;
    | %script.qname; | %map.qname;
    %Inline.extra; )"
>
<!ENTITY % pre.qname "pre" >
<!ELEMENT %pre.qname; %pre.content; >
<!-- end of pre.element -->]]>

```

```

<!ENTITY % pre.attlist "INCLUDE" >
<![%pre.attlist;[
<!ATTLIST %pre.qname;
    %Common.attrib;
    xml:space (default|preserve)    #FIXED 'preserve'
>
<!-- end of pre.attlist -->]]>

```

```

<!-- ..... Heading Elements ..... -->

```

```

<!ENTITY % Heading.content "( #PCDATA | %Inline.mix; )" >

```

```

<!ENTITY % h1.element "INCLUDE" >
<![%h1.element;[
<!ENTITY % h1.qname "h1" >
<!ELEMENT %h1.qname; %Heading.content; >

```

```
<!-- end of h1.element -->]]>
```

```
<!ENTITY % h1.attlist "INCLUDE" >
```

```
<![%h1.attlist;
```

```
<!ATTLIST %h1.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h1.attlist -->]]>
```

```
<!ENTITY % h2.element "INCLUDE" >
```

```
<![%h2.element;
```

```
<!ENTITY % h2.qname "h2" >
```

```
<!ELEMENT %h2.qname; %Heading.content; >
```

```
<!-- end of h2.element -->]]>
```

```
<!ENTITY % h2.attlist "INCLUDE" >
```

```
<![%h2.attlist;
```

```
<!ATTLIST %h2.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h2.attlist -->]]>
```

```
<!ENTITY % h3.element "INCLUDE" >
```

```
<![%h3.element;
```

```
<!ENTITY % h3.qname "h3" >
```

```
<!ELEMENT %h3.qname; %Heading.content; >
```

```
<!-- end of h3.element -->]]>
```

```
<!ENTITY % h3.attlist "INCLUDE" >
```

```
<![%h3.attlist;
```

```
<!ATTLIST %h3.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h3.attlist -->]]>
```

```
<!ENTITY % h4.element "INCLUDE" >
```

```
<![%h4.element;
```

```
<!ENTITY % h4.qname "h4" >
```

```
<!ELEMENT %h4.qname; %Heading.content; >
```

```
<!-- end of h4.element -->]]>
```

```
<!ENTITY % h4.attlist "INCLUDE" >
```

```
<![%h4.attlist;
```

```
<!ATTLIST %h4.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h4.attlist -->]]>
```

```
<!ENTITY % h5.element "INCLUDE" >
<![%h5.element;[
<!ENTITY % h5.qname "h5" >
<!ELEMENT %h5.qname; %Heading.content; >
<!-- end of h5.element -->]]>
```

```
<!ENTITY % h5.attlist "INCLUDE" >
<![%h5.attlist;[
<!ATTLIST %h5.qname;
    %Common.attrib;
>
<!-- end of h5.attlist -->]]>
```

```
<!ENTITY % h6.element "INCLUDE" >
<![%h6.element;[
<!ENTITY % h6.qname "h6" >
<!ELEMENT %h6.qname; %Heading.content; >
<!-- end of h6.element -->]]>
```

```
<!ENTITY % h6.attlist "INCLUDE" >
<![%h6.attlist;[
<!ATTLIST %h6.qname;
    %Common.attrib;
>
<!-- end of h6.attlist -->]]>
```

```
<!-- end of xhtml-blkphras-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
blkphras-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Animation Events Attribute Module ..... -->
<!-- file: svg-animevents-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-animevents-attrib.mod,v 1.3 2002/04/28 13:50:23 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Animation Events Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-animevents-attrib.mod"
```

```
..... -->
```

<!-- Animation Events Attribute

onbegin, onend, onrepeat, onload

This module defines the AnimationEvents attribute set.

-->

```
<!ENTITY % SVG.onbegin.attrib
  "onbegin %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onend.attrib
  "onend %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onrepeat.attrib
  "onrepeat %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.onload.attrib
  "onload %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.AnimationEvents.extra.attrib "" >
```

```
<!ENTITY % SVG.AnimationEvents.attrib
  "%SVG.onbegin.attrib;
  %SVG.onend.attrib;
  %SVG.onrepeat.attrib;
  %SVG.onload.attrib;
  %SVG.AnimationEvents.extra.attrib;"
>
```

<!-- end of svg-animevents-attrib.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-animevents-attrib.mod

No license file was found, but licenses were detected in source scan.

2002 W3C (MIT, INRIA, Keio),
All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml10/xhtml11-frameset.dtd
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Qualified Name Module ..... -->  
<!-- file: svg-qname.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-qname.mod,v 1.3 2002/11/03 15:54:14 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Qualified Name//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-qname.mod"
```

```
..... -->
```

```
<!-- Qualified Name
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for SVG and extensions.

Section B declares parameter entities used to provide namespace-qualified names for all SVG element types:

```
-->
```

```
<!-- Section A: SVG XML Namespace Framework ::::::::::::::: -->
```

```
<!-- 1. Declare a %SVG.prefixed; conditional section keyword, used  
to activate namespace prefixing. The default value should  
inherit '%NS.prefixed;' from the DTD driver, so that unless  
overridden, the default behaviour follows the overall DTD  
prefixing scheme.
```

```
-->
```

```
<!ENTITY % NS.prefixed "IGNORE" >  
<!ENTITY % SVG.prefixed "%NS.prefixed;" >
```

```
<!-- 2. Declare a parameter entity (eg., %SVG.xmlns;) containing  
the URI reference used to identify the SVG namespace:
```

```
-->
```

```
<!ENTITY % SVG.xmlns "http://www.w3.org/2000/svg" >  
<!ENTITY % XLINK.xmlns "http://www.w3.org/1999/xlink" >
```

<!-- 3. Declare parameter entities (eg., %SVG.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

-->

```
<!ENTITY % SVG.prefix "" >
```

```
<!ENTITY % XLINK.prefix "xlink" >
```

<!-- 4. Declare parameter entities (eg., %SVG.pfx;) containing the colonized prefix(es) (eg., %SVG.prefix;') used when prefixing is active, an empty string when it is not.

-->

```
<![%SVG.prefixed;
```

```
<!ENTITY % SVG.pfx "%SVG.prefix;" >
```

```
]]>
```

```
<!ENTITY % SVG.pfx "" >
```

```
<!ENTITY % XLINK.pfx "%XLINK.prefix;" >
```

<!-- 5. The parameter entity %SVG.xmlns.extra.attrib; may be redeclared to contain any non-SVG namespace declaration attributes for namespaces embedded in SVG. The default is an empty string.

-->

```
<!ENTITY % SVG.xmlns.extra.attrib "" >
```

<!-- Declare a parameter entity XLINK.xmlns.attrib containing the XML Namespace declarations for XLink.

-->

```
<!ENTITY % XLINK.xmlns.attrib
```

```
"xmlns:%XLINK.prefix; %URI.datatype; #FIXED '%XLINK.xmlns;'"
```

```
>
```

<!-- Declare a parameter entity %NS.decl.attrib; containing all XML Namespace declarations used in the DTD, plus the xmlns declaration for SVG, its form dependent on whether prefixing is active.

-->

```
<![%SVG.prefixed;
```

```
<!ENTITY % NS.decl.attrib
```

```
"xmlns:%SVG.prefix; %URI.datatype; #FIXED '%SVG.xmlns;'
```

```
%XLINK.xmlns.attrib;
```

```
%SVG.xmlns.extra.attrib;"
```

```
>
```

```
]]>
```

```
<!ENTITY % NS.decl.attrib
```

```
"%XLINK.xmlns.attrib;
```

```
%SVG.xmlns.extra.attrib;"
```

```

>

<!-- Declare a parameter entity %SVG.xmlns.attrib; containing
      all XML namespace declaration attributes used by SVG,
      including a default xmlns attribute when prefixing is
      inactive.
-->
<![%SVG.prefixed;[
<!ENTITY % SVG.xmlns.attrib
      "%NS.decl.attrib;"
>
]]>
<!ENTITY % SVG.xmlns.attrib
      "xmlns %URI.datatype; #FIXED '%SVG.xmlns;!'
      %XLINK.xmlns.attrib;"
>

<!-- Section B: SVG Qualified Names :::::::::::::::::::: -->

<!-- 6. This section declares parameter entities used to provide
      namespace-qualified names for all SVG element types.
-->

<!-- module: svg-structure.mod ..... -->

<!ENTITY % SVG.svg.qname "%SVG.pfx;svg" >
<!ENTITY % SVG.g.qname "%SVG.pfx;g" >
<!ENTITY % SVG.defs.qname "%SVG.pfx;defs" >
<!ENTITY % SVG.desc.qname "%SVG.pfx;desc" >
<!ENTITY % SVG.title.qname "%SVG.pfx;title" >
<!ENTITY % SVG.metadata.qname "%SVG.pfx;metadata" >
<!ENTITY % SVG.symbol.qname "%SVG.pfx;symbol" >
<!ENTITY % SVG.use.qname "%SVG.pfx;use" >

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % SVG.switch.qname "%SVG.pfx;switch" >

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.image.qname "%SVG.pfx;image" >

<!-- module: svg-style.mod ..... -->

<!ENTITY % SVG.style.qname "%SVG.pfx;style" >

<!-- module: svg-shape.mod ..... -->

```

```
<!ENTITY % SVG.path.qname "%SVG.pfx;path" >
<!ENTITY % SVG.rect.qname "%SVG.pfx;rect" >
<!ENTITY % SVG.circle.qname "%SVG.pfx;circle" >
<!ENTITY % SVG.line.qname "%SVG.pfx;line" >
<!ENTITY % SVG.ellipse.qname "%SVG.pfx;ellipse" >
<!ENTITY % SVG.polyline.qname "%SVG.pfx;polyline" >
<!ENTITY % SVG.polygon.qname "%SVG.pfx;polygon" >

<!-- module: svg-text.mod ..... -->

<!ENTITY % SVG.text.qname "%SVG.pfx;text" >
<!ENTITY % SVG.tspan.qname "%SVG.pfx;tspan" >
<!ENTITY % SVG.tref.qname "%SVG.pfx;tref" >
<!ENTITY % SVG.textPath.qname "%SVG.pfx;textPath" >
<!ENTITY % SVG.altGlyph.qname "%SVG.pfx;altGlyph" >
<!ENTITY % SVG.altGlyphDef.qname "%SVG.pfx;altGlyphDef" >
<!ENTITY % SVG.altGlyphItem.qname "%SVG.pfx;altGlyphItem" >
<!ENTITY % SVG.glyphRef.qname "%SVG.pfx;glyphRef" >

<!-- module: svg-marker.mod ..... -->

<!ENTITY % SVG.marker.qname "%SVG.pfx;marker" >

<!-- module: svg-profile.mod ..... -->

<!ENTITY % SVG.color-profile.qname "%SVG.pfx;color-profile" >

<!-- module: svg-gradient.mod ..... -->

<!ENTITY % SVG.linearGradient.qname "%SVG.pfx;linearGradient" >
<!ENTITY % SVG.radialGradient.qname "%SVG.pfx;radialGradient" >
<!ENTITY % SVG.stop.qname "%SVG.pfx;stop" >

<!-- module: svg-pattern.mod ..... -->

<!ENTITY % SVG.pattern.qname "%SVG.pfx;pattern" >

<!-- module: svg-clip.mod ..... -->

<!ENTITY % SVG.clipPath.qname "%SVG.pfx;clipPath" >

<!-- module: svg-mask.mod ..... -->

<!ENTITY % SVG.mask.qname "%SVG.pfx;mask" >

<!-- module: svg-filter.mod ..... -->

<!ENTITY % SVG.filter.qname "%SVG.pfx;filter" >
```

```

<!ENTITY % SVG.feBlend.qname "%SVG.pfx;feBlend" >
<!ENTITY % SVG.feColorMatrix.qname "%SVG.pfx;feColorMatrix" >
<!ENTITY % SVG.feComponentTransfer.qname "%SVG.pfx;feComponentTransfer" >
<!ENTITY % SVG.feComposite.qname "%SVG.pfx;feComposite" >
<!ENTITY % SVG.feConvolveMatrix.qname "%SVG.pfx;feConvolveMatrix" >
<!ENTITY % SVG.feDiffuseLighting.qname "%SVG.pfx;feDiffuseLighting" >
<!ENTITY % SVG.feDisplacementMap.qname "%SVG.pfx;feDisplacementMap" >
<!ENTITY % SVG.feFlood.qname "%SVG.pfx;feFlood" >
<!ENTITY % SVG.feGaussianBlur.qname "%SVG.pfx;feGaussianBlur" >
<!ENTITY % SVG.feImage.qname "%SVG.pfx;feImage" >
<!ENTITY % SVG.feMerge.qname "%SVG.pfx;feMerge" >
<!ENTITY % SVG.feMergeNode.qname "%SVG.pfx;feMergeNode" >
<!ENTITY % SVG.feMorphology.qname "%SVG.pfx;feMorphology" >
<!ENTITY % SVG.feOffset.qname "%SVG.pfx;feOffset" >
<!ENTITY % SVG.feSpecularLighting.qname "%SVG.pfx;feSpecularLighting" >
<!ENTITY % SVG.feTile.qname "%SVG.pfx;feTile" >
<!ENTITY % SVG.feTurbulence.qname "%SVG.pfx;feTurbulence" >
<!ENTITY % SVG.feDistantLight.qname "%SVG.pfx;feDistantLight" >
<!ENTITY % SVG.fePointLight.qname "%SVG.pfx;fePointLight" >
<!ENTITY % SVG.feSpotLight.qname "%SVG.pfx;feSpotLight" >
<!ENTITY % SVG.feFuncR.qname "%SVG.pfx;feFuncR" >
<!ENTITY % SVG.feFuncG.qname "%SVG.pfx;feFuncG" >
<!ENTITY % SVG.feFuncB.qname "%SVG.pfx;feFuncB" >
<!ENTITY % SVG.feFuncA.qname "%SVG.pfx;feFuncA" >

<!-- module: svg-cursor.mod ..... -->

<!ENTITY % SVG.cursor.qname "%SVG.pfx;cursor" >

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.a.qname "%SVG.pfx;a" >

<!-- module: svg-view.mod ..... -->

<!ENTITY % SVG.view.qname "%SVG.pfx;view" >

<!-- module: svg-script.mod ..... -->

<!ENTITY % SVG.script.qname "%SVG.pfx;script" >

<!-- module: svg-animation.mod ..... -->

<!ENTITY % SVG.animate.qname "%SVG.pfx;animate" >
<!ENTITY % SVG.set.qname "%SVG.pfx;set" >
<!ENTITY % SVG.animateMotion.qname "%SVG.pfx;animateMotion" >
<!ENTITY % SVG.animateColor.qname "%SVG.pfx;animateColor" >
<!ENTITY % SVG.animateTransform.qname "%SVG.pfx;animateTransform" >

```

```

<!ENTITY % SVG.mpath.qname "%SVG.pfx;mpath" >

<!-- module: svg-font.mod ..... -->

<!ENTITY % SVG.font.qname "%SVG.pfx;font" >
<!ENTITY % SVG.font-face.qname "%SVG.pfx;font-face" >
<!ENTITY % SVG.glyph.qname "%SVG.pfx;glyph" >
<!ENTITY % SVG.missing-glyph.qname "%SVG.pfx;missing-glyph" >
<!ENTITY % SVG.hkern.qname "%SVG.pfx;hkern" >
<!ENTITY % SVG.vkern.qname "%SVG.pfx;vkern" >
<!ENTITY % SVG.font-face-src.qname "%SVG.pfx;font-face-src" >
<!ENTITY % SVG.font-face-uri.qname "%SVG.pfx;font-face-uri" >
<!ENTITY % SVG.font-face-format.qname "%SVG.pfx;font-face-format" >
<!ENTITY % SVG.font-face-name.qname "%SVG.pfx;font-face-name" >
<!ENTITY % SVG.definition-src.qname "%SVG.pfx;definition-src" >

<!-- module: svg-extensibility.mod ..... -->

<!ENTITY % SVG.foreignObject.qname "%SVG.pfx;foreignObject" >

<!-- end of svg-qname.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-qname.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Datatypes Module ..... -->
<!-- file: xhtml-datatypes-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-datatypes-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-datatypes-1.mod"

```

Revisions:

(none)

```
..... -->
```

```
<!-- Datatypes
```

defines containers for the following datatypes, many of these imported from other specifications and standards.

-->

<!-- Length defined for cellpadding/cellspacing -->

<!-- nn for pixels or nn% for percentage length -->
<!ENTITY % Length.datatype "CDATA" >

<!-- space-separated list of link types -->
<!ENTITY % LinkTypes.datatype "NMTOKENS" >

<!-- single or comma-separated list of media descriptors -->
<!ENTITY % MediaDesc.datatype "CDATA" >

<!-- pixel, percentage, or relative -->
<!ENTITY % MultiLength.datatype "CDATA" >

<!-- one or more digits (NUMBER) -->
<!ENTITY % Number.datatype "CDATA" >

<!-- integer representing length in pixels -->
<!ENTITY % Pixels.datatype "CDATA" >

<!-- script expression -->
<!ENTITY % Script.datatype "CDATA" >

<!-- textual content -->
<!ENTITY % Text.datatype "CDATA" >

<!-- Imported Datatypes -->

<!-- a single character from [ISO10646] -->
<!ENTITY % Character.datatype "CDATA" >

<!-- a character encoding, as per [RFC2045] -->
<!ENTITY % Charset.datatype "CDATA" >

<!-- a space separated list of character encodings, as per [RFC2045] -->
<!ENTITY % Charsets.datatype "CDATA" >

<!-- media type, as per [RFC2045] -->
<!ENTITY % ContentType.datatype "CDATA" >

<!-- comma-separated list of media types, as per [RFC2045] -->
<!ENTITY % ContentTypes.datatype "CDATA" >

<!-- date and time information. ISO date format -->
<!ENTITY % Datetime.datatype "CDATA" >

```
<!-- formal public identifier, as per [ISO8879] -->
<!ENTITY % FPI.datatype "CDATA" >

<!-- a language code, as per [RFC1766] -->
<!ENTITY % LanguageCode.datatype "NMTOKEN" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!ENTITY % URI.datatype "CDATA" >

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->
<!ENTITY % URIs.datatype "CDATA" >

<!-- end of xhtml-datatypes-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
datatypes-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Role QName Module ..... -->
<!-- file: xhtml-role-qname-1.mod
```

This is XHTML Role - the Role Attribute Module for XHTML.

Copyright 2006 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Role Attribute Qnames 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-role-qname-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- XHTML Role Attribute QName (Qualified Name) Module
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML Role and extensions.

Section B declares parameter entities used to provide namespace-qualified names for the XHTML role attribute:

%role.qname; the xmlns-qualified name for @role

...

XHTML Role extensions would create a module similar to this one.

-->

<!-- Section A: XHTML Role Attribute XML Namespace Framework ::::::::::::::: -->

<!-- 1. Declare a %XHTML-ROLE.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behavior follows the overall DTD prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >

<!ENTITY % XHTML-ROLE.prefixed "%NS.prefixed;" >

<!-- 2. Declare a parameter entity (eg., %XHTML-ROLE.xmlns;) containing the URI reference used to identify the XHTML Role Attribute namespace

-->

<!ENTITY % XHTML-ROLE.xmlns "http://www.w3.org/1999/xhtml" >

<!-- 3. Declare parameter entities (eg., %XML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of a document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

<!ENTITY % XHTML-ROLE.prefix "" >

<!-- 4. Declare parameter entities (eg., %XHTML-ROLE.pfx;) containing the colonized prefix(es) (eg., '%XHTML-ROLE.prefix;:') used when prefixing is active, an empty string when it is not.

-->

<![%XHTML-ROLE.prefixed;[

<!ENTITY % XHTML-ROLE.pfx "%XHTML-ROLE.prefix;:" >

]]>

<!ENTITY % XHTML-ROLE.pfx "" >

<!-- declare qualified name extensions here -->

<!ENTITY % xhtml-role-qname-extra.mod "" >

%xhtml-role-qname-extra.mod;

<!-- 5. The parameter entity %XHTML-ROLE.xmlns.extra.attrib; may be redeclared to contain any non-XHTML Role Attribute namespace declaration attributes for namespaces embedded in XML. The default

is an empty string. XLink should be included here if used in the DTD.

-->

<!ENTITY % XHTML-ROLE.xmlns.extra.attrib "" >

<!-- Section B: XML Qualified Names -->

<!-- 6. This section declares parameter entities used to provide namespace-qualified names for the XHTML role attribute.

-->

<!ENTITY % xhtml-role.role.qname "%XHTML-ROLE.pfx;role" >

<!-- The following defines a PE for use in the attribute sets of elements in other namespaces that want to incorporate the XML Event attributes. Note that in this case the XHTML-ROLE.pfx should always be defined. -->

<!ENTITY % xhtml-role.attrs.qname
"%XHTML-ROLE.pfx;role CDATA #IMPLIED"
>

<!-- end of xhtml-role-qname-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-role-qname-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML 1.1 Document Model Module -->

<!-- file: xhtml11-model-1.mod

This is XHTML 1.1, a reformulation of HTML as a modular XML application.

Copyright 1998-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml11-model-1.mod,v 1.18 2009/06/24 17:24:55 ahby Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML 1.1 Document Model 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml11-model-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML 1.1 Document Model

This module describes the groupings of elements that make up common content models for XHTML elements.

XHTML has three basic content models:

- %Inline.mix; character-level elements
- %Block.mix; block-like elements, eg., paragraphs and lists
- %Flow.mix; any block or inline elements

Any parameter entities declared in this module may be used to create element content models, but the above three are considered 'global' (insofar as that term applies here).

The reserved word '#PCDATA' (indicating a text string) is now included explicitly with each element declaration that is declared as mixed content, as XML requires that this token occur first in a content model specification.

-->

<!-- Extending the Model

While in some cases this module may need to be rewritten to accommodate changes to the document model, minor extensions may be accomplished by redeclaring any of the three *.extra; parameter entities to contain extension element types as follows:

%Misc.extra; whose parent may be any block or inline element.

%Inline.extra; whose parent may be any inline element.

%Block.extra; whose parent may be any block element.

If used, these parameter entities must be an OR-separated list beginning with an OR separator ("|"), eg., "| a | b | c"

All block and inline *.class parameter entities not part of the *struct.class classes begin with "|" to allow for exclusion from mixes.

-->

<!-- Optional Elements in head -->

```
<!ENTITY % HeadOpts.mix
  "( %script.qname; | %style.qname; | %meta.qname;
  | %link.qname; | %object.qname; )*"
>
```

<!-- Miscellaneous Elements -->

<!-- ins and del are used to denote editing changes

-->

<!ENTITY % Edit.class "| %ins.qname; | %del.qname;" >

<!-- script and noscript are used to contain scripts
and alternative content

-->

<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >

<!ENTITY % Misc.extra "" >

<!-- These elements are neither block nor inline, and can
essentially be used anywhere in the document body.

-->

<!ENTITY % Misc.class

"%Edit.class;

%Script.class;

%Misc.extra;"

>

<!-- Inline Elements -->

<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >

<!ENTITY % InlPhras.class

"| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;

| %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;

| %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class

"| %tt.qname; | %i.qname; | %b.qname; | %big.qname;

| %small.qname; | %sub.qname; | %sup.qname;" >

<!ENTITY % I18n.class "| %bdo.qname;" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class

"| %img.qname; | %map.qname;

| %object.qname;" >

<!ENTITY % InlForm.class

"| %input.qname; | %select.qname; | %textarea.qname;

| %label.qname; | %button.qname;" >

<!ENTITY % Inline.extra "" >

```

<!ENTITY % Ruby.class "| %ruby.qname;" >

<!-- %Inline.class; includes all inline elements,
      used as a component in mixes
-->
<!ENTITY % Inline.class
      "%InlStruct.class;
      %InlPhras.class;
      %InlPres.class;
      %I18n.class;
      %Anchor.class;
      %InlSpecial.class;
      %InlForm.class;
      %Ruby.class;
      %Inline.extra;"
>

<!-- %InlNoRuby.class; includes all inline elements
      except ruby, used as a component in mixes
-->
<!ENTITY % InlNoRuby.class
      "%InlStruct.class;
      %InlPhras.class;
      %InlPres.class;
      %I18n.class;
      %Anchor.class;
      %InlSpecial.class;
      %InlForm.class;
      %Inline.extra;"
>

<!-- %NoRuby.content; includes all inlines except ruby
-->
<!ENTITY % NoRuby.content
      "( #PCDATA
      | %InlNoRuby.class;
      %Misc.class; )"
>

<!-- %InlNoAnchor.class; includes all non-anchor inlines,
      used as a component in mixes
-->
<!ENTITY % InlNoAnchor.class
      "%InlStruct.class;
      %InlPhras.class;
      %InlPres.class;
      %I18n.class;

```

```

    %InlSpecial.class;
    %InlForm.class;
    %Ruby.class;
    %Inline.extra;"
>

<!-- %InlNoAnchor.mix; includes all non-anchor inlines
-->
<!ENTITY % InlNoAnchor.mix
    "%InlNoAnchor.class;
    %Misc.class;"
>

<!-- %Inline.mix; includes all inline elements, including %Misc.class;
-->
<!ENTITY % Inline.mix
    "%Inline.class;
    %Misc.class;"
>

<!-- ..... Block Elements ..... -->

<!-- In the HTML 4.0 DTD, heading and list elements were included
in the %block; parameter entity. The %Heading.class; and
%List.class; parameter entities must now be included explicitly
on element declarations where desired.
-->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;" >

<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % Fieldset.class "| %fieldset.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
    "| %pre.qname; | %blockquote.qname; | %address.qname;" >

<!ENTITY % BlkPres.class "| %hr.qname;" >

<!ENTITY % BlkSpecial.class

```

```

    "%Table.class;
    %Form.class;
    %Fieldset.class;"
>

<!ENTITY % Block.extra "" >

<!-- %Block.class; includes all block elements,
    used as an component in mixes
-->
<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkPres.class;
    %BlkSpecial.class;
    %Block.extra;"
>

<!-- %Block.mix; includes all block elements plus %Misc.class;
-->
<!ENTITY % Block.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    %Misc.class;"
>

<!-- ..... All Content Elements ..... -->

<!-- %Flow.mix; includes all text content, block and inline
-->
<!ENTITY % Flow.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    | %Inline.class;
    %Misc.class;"
>

<!-- end of xhtml11-model-1.mod -->

Found in path(s):
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml11-model-1.mod
No license file was found, but licenses were detected in source scan.

<!-- ..... -->
<!-- SVG 1.1 Basic Structure Module ..... -->

```

<!-- file: svg-basic-structure.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-basic-structure.mod,v 1.6 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Structure//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-structure.mod"

..... -->

<!-- Basic Structure

svg, g, defs, desc, title, metadata, use

This module declares the major structural elements and their attributes.

-->

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.svg.qname "svg" >
<!ENTITY % SVG.g.qname "g" >
<!ENTITY % SVG.defs.qname "defs" >
<!ENTITY % SVG.desc.qname "desc" >
<!ENTITY % SVG.title.qname "title" >
<!ENTITY % SVG.metadata.qname "metadata" >
<!ENTITY % SVG.use.qname "use" >

<!-- Attribute Collections (Default) -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >

```

<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.DocumentEvents.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Description.class ..... -->

<!ENTITY % SVG.Description.extra.class "" >

<!ENTITY % SVG.Description.class
"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
 %SVG.Description.extra.class;"
>

<!-- SVG.Use.class ..... -->

<!ENTITY % SVG.Use.extra.class "" >

<!ENTITY % SVG.Use.class
"| %SVG.use.qname; %SVG.Use.extra.class;"
>

<!-- SVG.Structure.class ..... -->

<!ENTITY % SVG.Structure.extra.class "" >

<!ENTITY % SVG.Structure.class
"| %SVG.g.qname; | %SVG.defs.qname; %SVG.Use.class;
 %SVG.Structure.extra.class;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
 %SVG.Viewport.attrib;
 %SVG.Text.attrib;
 %SVG.TextContent.attrib;
 %SVG.Font.attrib;
 %SVG.Paint.attrib;
 %SVG.Color.attrib;
 %SVG.Opacity.attrib;

```

```

%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"
>

<!-- svg: SVG Document Element ..... -->

<!ENTITY % SVG.svg.extra.content "" >

<!ENTITY % SVG.svg.element "INCLUDE" >
<![%SVG.svg.element;[
<!ENTITY % SVG.svg.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
  %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
  %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
  %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
  %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
  %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
  %SVG.Font.class; %SVG.svg.extra.content; )*"
>
<!ELEMENT %SVG.svg.qname; %SVG.svg.content; >
<!-- end of SVG.svg.element -->]]>

<!ENTITY % SVG.svg.attlist "INCLUDE" >
<![%SVG.svg.attlist;[
<!ATTLIST %SVG.svg.qname;
  %SVG.xmlns.attrib;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.DocumentEvents.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED

```

```

viewBox %ViewBoxSpec.datatype; #IMPLIED
preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
zoomAndPan ( disable | magnify ) 'magnify'
version %Number.datatype; #FIXED '1.1'
baseProfile %Text.datatype; #IMPLIED
>
<!-- end of SVG.svg.attlist -->]]>

<!-- g: Group Element ..... -->

<!ENTITY % SVG.g.extra.content "" >

<!ENTITY % SVG.g.element "INCLUDE" >
<![%SVG.g.element;[
<!ENTITY % SVG.g.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.g.extra.content; )*"
>
<!ELEMENT %SVG.g.qname; %SVG.g.content; >
<!-- end of SVG.g.element -->]]>

<!ENTITY % SVG.g.attlist "INCLUDE" >
<![%SVG.g.attlist;[
<!ATTLIST %SVG.g.qname;
 %SVG.Core.attrib;
 %SVG.Conditional.attrib;
 %SVG.Style.attrib;
 %SVG.Presentation.attrib;
 %SVG.GraphicalEvents.attrib;
 %SVG.External.attrib;
 transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.g.attlist -->]]>

<!-- defs: Definitions Element ..... -->

<!ENTITY % SVG.defs.extra.content "" >

<!ENTITY % SVG.defs.element "INCLUDE" >
<![%SVG.defs.element;[
<!ENTITY % SVG.defs.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;

```

```

    %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.defs.extra.content; )*"
>
<!ELEMENT %SVG.defs.qname; %SVG.defs.content; >
<!-- end of SVG.defs.element -->]]>

<!ENTITY % SVG.defs.attlist "INCLUDE" >
<![%SVG.defs.attlist;[
<!ATTLIST %SVG.defs.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.External.attrib;
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.defs.attlist -->]]>

<!-- desc: Description Element ..... -->

<!ENTITY % SVG.desc.extra.content "" >

<!ENTITY % SVG.desc.element "INCLUDE" >
<![%SVG.desc.element;[
<!ENTITY % SVG.desc.content
    "( #PCDATA %SVG.desc.extra.content; )*"
>
<!ELEMENT %SVG.desc.qname; %SVG.desc.content; >
<!-- end of SVG.desc.element -->]]>

<!ENTITY % SVG.desc.attlist "INCLUDE" >
<![%SVG.desc.attlist;[
<!ATTLIST %SVG.desc.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
>
<!-- end of SVG.desc.attlist -->]]>

<!-- title: Title Element ..... -->

<!ENTITY % SVG.title.extra.content "" >

<!ENTITY % SVG.title.element "INCLUDE" >
<![%SVG.title.element;[

```

```

<!ENTITY % SVG.title.content
  "( #PCDATA %SVG.title.extra.content; )*"
>
<!ELEMENT %SVG.title.qname; %SVG.title.content; >
<!-- end of SVG.title.element -->]]>

<!ENTITY % SVG.title.attlist "INCLUDE" >
<![%SVG.title.attlist;[
<!ATTLIST %SVG.title.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
>
<!-- end of SVG.title.attlist -->]]>

<!-- metadata: Metadata Element ..... -->

<!ENTITY % SVG.metadata.extra.content "" >

<!ENTITY % SVG.metadata.element "INCLUDE" >
<![%SVG.metadata.element;[
<!ENTITY % SVG.metadata.content
  "( #PCDATA %SVG.metadata.extra.content; )*"
>
<!ELEMENT %SVG.metadata.qname; %SVG.metadata.content; >
<!-- end of SVG.metadata.element -->]]>

<!ENTITY % SVG.metadata.attlist "INCLUDE" >
<![%SVG.metadata.attlist;[
<!ATTLIST %SVG.metadata.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.metadata.attlist -->]]>

<!-- use: Use Element ..... -->

<!ENTITY % SVG.use.extra.content "" >

<!ENTITY % SVG.use.element "INCLUDE" >
<![%SVG.use.element;[
<!ENTITY % SVG.use.content
  "(( %SVG.Description.class; )*, ( %SVG.Animation.class;
  %SVG.use.extra.content; )*)"
>
<!ELEMENT %SVG.use.qname; %SVG.use.content; >
<!-- end of SVG.use.element -->]]>

<!ENTITY % SVG.use.attlist "INCLUDE" >
<![%SVG.use.attlist;[

```

```

<!ATTLIST %SVG.use.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.XLinkEmbed.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.use.attlist -->]]>

```

```

<!-- end of svg-basic-structure.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-structure.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Datatypes Module ..... -->
<!-- file: svg-datatypes.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-datatypes.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES SVG 1.1 Datatypes//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-datatypes.mod"

```

```

..... -->

```

```

<!-- Datatypes

```

This module declares common data types for properties and attributes.

```

-->

```

```

<!-- feature specification -->

```

```

<!ENTITY % Boolean.datatype "( false | true )" >

```

```

<!-- 'clip-rule' or 'fill-rule' property/attribute value -->

```

```

<!ENTITY % ClipFillRule.datatype "( nonzero | evenodd | inherit )" >

```

```
<!-- media type, as per [RFC2045] -->
<!ENTITY % ContentType.datatype "CDATA" >

<!-- a <coordinate> -->
<!ENTITY % Coordinate.datatype "CDATA" >

<!-- a list of <coordinate>s -->
<!ENTITY % Coordinates.datatype "CDATA" >

<!-- a <color> value -->
<!ENTITY % Color.datatype "CDATA" >

<!-- a <integer> -->
<!ENTITY % Integer.datatype "CDATA" >

<!-- a language code, as per [RFC3066] -->
<!ENTITY % LanguageCode.datatype "NMTOKEN" >

<!-- comma-separated list of language codes, as per [RFC3066] -->
<!ENTITY % LanguageCodes.datatype "CDATA" >

<!-- a <length> -->
<!ENTITY % Length.datatype "CDATA" >

<!-- a list of <length>s -->
<!ENTITY % Lengths.datatype "CDATA" >

<!-- a <number> -->
<!ENTITY % Number.datatype "CDATA" >

<!-- a list of <number>s -->
<!ENTITY % Numbers.datatype "CDATA" >

<!-- opacity value (e.g., <number>) -->
<!ENTITY % OpacityValue.datatype "CDATA" >

<!-- a path data specification -->
<!ENTITY % PathData.datatype "CDATA" >

<!-- 'preserveAspectRatio' attribute specification -->
<!ENTITY % PreserveAspectRatioSpec.datatype "CDATA" >

<!-- script expression -->
<!ENTITY % Script.datatype "CDATA" >

<!-- An SVG color value (RGB plus optional ICC) -->
<!ENTITY % SVGColor.datatype "CDATA" >
```

```
<!-- arbitrary text string -->
<!ENTITY % Text.datatype "CDATA" >

<!-- list of transforms -->
<!ENTITY % TransformList.datatype "CDATA" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!ENTITY % URI.datatype "CDATA" >

<!-- 'viewBox' attribute specification -->
<!ENTITY % ViewBoxSpec.datatype "CDATA" >

<!-- end of svg-datatypes.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
datatypes.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Simplified Forms Module ..... -->
<!-- file: xhtml-basic-form-1.mod
```

This is XHTML Basic, a proper subset of XHTML.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-basic-form-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Basic Forms 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-basic-form-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Basic Forms
```

This forms module is based on the HTML 3.2 forms model, with the WAI-requested addition of the label element. While this module essentially mimics the content model and attributes of HTML 3.2 forms, the element types declared herein also include all HTML 4 common attributes.

form, label, input, select, option, textarea

```
-->
```

```

<!-- declare qualified element type names:
-->
<!ENTITY % form.qname "form" >
<!ENTITY % label.qname "label" >
<!ENTITY % input.qname "input" >
<!ENTITY % select.qname "select" >
<!ENTITY % option.qname "option" >
<!ENTITY % textarea.qname "textarea" >

<!-- %BlkNoForm.mix; includes all non-form block elements,
    plus %Misc.class;
-->
<!ENTITY % BlkNoForm.mix
    "%Heading.class;
    | %List.class;
    | %BlkStruct.class;
    %BlkPhras.class;
    %BlkPres.class;
    | %table.qname;
    %Block.extra;
    %Misc.class;"
>

<!-- form: Form Element ..... -->

<!ENTITY % form.element "INCLUDE" >
<![%form.element;[
<!ENTITY % form.content
    "( %BlkNoForm.mix; )+"
>
<!ELEMENT %form.qname; %form.content; >
<!-- end of form.element -->]]>

<!ENTITY % form.attlist "INCLUDE" >
<![%form.attlist;[
<!ATTLIST %form.qname;
    %Common.attrib;
    action    %URI.datatype;    #REQUIRED
    method    ( get | post )    'get'
    enctype   %ContentType.datatype; 'application/x-www-form-urlencoded'
>
<!-- end of form.attlist -->]]>

<!-- label: Form Field Label Text ..... -->

<!ENTITY % label.element "INCLUDE" >
<![%label.element;[
<!-- Each label must not contain more than ONE field

```

```

-->
<!ENTITY % label.content
  "( #PCDATA
   | %input.qname; | %select.qname; | %textarea.qname;
   | %InlStruct.class;
   %InlPhras.class;
   %I18n.class;
   %InlPres.class;
   %InlSpecial.class;
   %Misc.class; )*"
>
<!ELEMENT %label.qname; %label.content; >
<!-- end of label.element -->]]>

```

```

<!ENTITY % label.attlist "INCLUDE" >
<![%label.attlist;[
<!ATTLIST %label.qname;
  %Common.attrib;
  for      IDREF          #IMPLIED
  accesskey %Character.datatype; #IMPLIED
>
<!-- end of label.attlist -->]]>

```

```

<!-- input: Form Control ..... -->

```

```

<!ENTITY % input.element "INCLUDE" >
<![%input.element;[
<!ENTITY % input.content "EMPTY" >
<!ELEMENT %input.qname; %input.content; >
<!-- end of input.element -->]]>

```

```

<!-- Basic Forms removes 'image' and 'file' input types.

```

```

-->
<!ENTITY % input.attlist "INCLUDE" >
<![%input.attlist;[
<!ENTITY % InputType.class
  "( text | password | checkbox | radio
   | submit | reset | hidden )"
>
<!-- attribute name required for all but submit & reset
-->

```

```

<!ATTLIST %input.qname;
  %Common.attrib;
  type      %InputType.class;    'text'
  name      CDATA                 #IMPLIED
  value     CDATA                 #IMPLIED
  checked   ( checked )          #IMPLIED
  size     CDATA                 #IMPLIED

```

```

    maxlength %Number.datatype;    #IMPLIED
    src      %URI.datatype;        #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of input.attlist -->]]>

<!-- select: Option Selector ..... -->

<!ENTITY % select.element "INCLUDE" >
<![%select.element;[
<!ENTITY % select.content "( %option.qname; )" >
<!ELEMENT %select.qname; %select.content; >
<!-- end of select.element -->]]>

<!ENTITY % select.attlist "INCLUDE" >
<![%select.attlist;[
<!ATTLIST %select.qname;
    %Common.attrib;
    name      CDATA          #IMPLIED
    size      %Number.datatype; #IMPLIED
    multiple  ( multiple )   #IMPLIED
>
<!-- end of select.attlist -->]]>

<!-- option: Selectable Choice ..... -->

<!ENTITY % option.element "INCLUDE" >
<![%option.element;[
<!ENTITY % option.content "( #PCDATA )" >
<!ELEMENT %option.qname; %option.content; >
<!-- end of option.element -->]]>

<!ENTITY % option.attlist "INCLUDE" >
<![%option.attlist;[
<!ATTLIST %option.qname;
    %Common.attrib;
    selected  ( selected )   #IMPLIED
    value     CDATA          #IMPLIED
>
<!-- end of option.attlist -->]]>

<!-- textarea: Multi-Line Text Field ..... -->

<!ENTITY % textarea.element "INCLUDE" >
<![%textarea.element;[
<!ENTITY % textarea.content "( #PCDATA )" >
<!ELEMENT %textarea.qname; %textarea.content; >
<!-- end of textarea.element -->]]>

```

```

<!ENTITY % textarea.attlist "INCLUDE" >
<![%textarea.attlist;[
<!ATTLIST %textarea.qname;
    %Common.attrib;
    name      CDATA          #IMPLIED
    rows      %Number.datatype; #REQUIRED
    cols      %Number.datatype; #REQUIRED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of textarea.attlist -->]]>

<!-- end of xhtml-basic-form-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
basic-form-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Conditional Processing Module ..... -->
<!-- file: svg-conditional.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-conditional.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Conditional Processing//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-conditional.mod"

```

```
..... -->
```

```
<!-- Conditional Processing
```

```
    switch
```

This module declares markup to provide support for conditional processing.

```
-->
```

```

<!-- extension list specification -->
<!ENTITY % ExtensionList.datatype "CDATA" >

```

```

<!-- feature list specification -->
<!ENTITY % FeatureList.datatype "CDATA" >

```

```
<!-- Qualified Names (Default) ..... -->
```

```

<!ENTITY % SVG.switch.qname "switch" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrb "" >
<!ENTITY % SVG.Container.attrb "" >
<!ENTITY % SVG.Style.attrb "" >
<!ENTITY % SVG.Viewport.attrb "" >
<!ENTITY % SVG.Text.attrb "" >
<!ENTITY % SVG.TextContent.attrb "" >
<!ENTITY % SVG.Font.attrb "" >
<!ENTITY % SVG.Paint.attrb "" >
<!ENTITY % SVG.Color.attrb "" >
<!ENTITY % SVG.Opacity.attrb "" >
<!ENTITY % SVG.Graphics.attrb "" >
<!ENTITY % SVG.Marker.attrb "" >
<!ENTITY % SVG.ColorProfile.attrb "" >
<!ENTITY % SVG.Gradient.attrb "" >
<!ENTITY % SVG.Clip.attrb "" >
<!ENTITY % SVG.Mask.attrb "" >
<!ENTITY % SVG.Filter.attrb "" >
<!ENTITY % SVG.FilterColor.attrb "" >
<!ENTITY % SVG.GraphicalEvents.attrb "" >
<!ENTITY % SVG.Cursor.attrb "" >
<!ENTITY % SVG.External.attrb "" >

<!-- SVG.Conditional.class ..... -->

<!ENTITY % SVG.Conditional.extra.class "" >

<!ENTITY % SVG.Conditional.class
  "| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>

<!-- SVG.Conditional.attrb ..... -->

<!ENTITY % SVG.Conditional.extra.attrb "" >

<!ENTITY % SVG.Conditional.attrb
  "requiredFeatures %FeatureList.datatype; #IMPLIED
  requiredExtensions %ExtensionList.datatype; #IMPLIED
  systemLanguage %LanguageCodes.datatype; #IMPLIED
  %SVG.Conditional.extra.attrb;"
>

<!-- SVG.Presentation.attrb ..... -->

```

<!ENTITY % SVG.Presentation.extra.attrib "" >

```
<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"
>
```

<!-- switch: Switch Element -->

<!ENTITY % SVG.switch.extra.content "" >

```
<!ENTITY % SVG.switch.element "INCLUDE" >
<![%SVG.switch.element;[
<!ENTITY % SVG.switch.content
"(( %SVG.Description.class; )*, ( %SVG.svg.qname; | %SVG.g.qname;
| %SVG.use.qname; | %SVG.text.qname; | %SVG.Animation.class;
%SVG.Conditional.class; %SVG.Image.class; %SVG.Shape.class;
%SVG.Hyperlink.class; %SVG.Extensibility.class;
%SVG.switch.extra.content; )*)"
>
<!ELEMENT %SVG.switch.qname; %SVG.switch.content; >
<!-- end of SVG.switch.element -->]]>
```

<!ENTITY % SVG.switch.attlist "INCLUDE" >

```
<![%SVG.switch.attlist;[
<!ATTLIST %SVG.switch.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
```

```
%SVG.Presentation.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.External.attrib;
transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.switch.attlist -->]]>
```

```
<!-- end of svg-conditional.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-conditional.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

File isoamsb.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (︀) should match the uses listed in Unicode Technical Report 25.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with conforming SGML systems and applications as defined in ISO 8879, provided this notice is included in all copies.

```
-->
```

```
<!--
```

Public identifier: `--W3C//ENTITIES Added Math Symbols: Binary Operators//EN//XML`

System identifier: `http://www.w3.org/2003/entities/2007/isoamsb.ent`

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsb PUBLIC
  "-//W3C//ENTITIES Added Math Symbols: Binary Operators//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamsb.ent"
>
%isoamsb;

-->

<!ENTITY ac      "&#x0223E;" ><!--INVERTED LAZY S -->
<!ENTITY acE    "&#x0223E;&#x00333;" ><!--INVERTED LAZY S with double underline -->
<!ENTITY amalg  "&#x02A3F;" ><!--AMALGAMATION OR COPRODUCT -->
<!ENTITY barvee "&#x022BD;" ><!--NOR -->
<!ENTITY barwed "&#x02305;" ><!--PROJECTIVE -->
<!ENTITY Barwed "&#x02306;" ><!--PERSPECTIVE -->
<!ENTITY bsolb  "&#x029C5;" ><!--SQUARED FALLING DIAGONAL SLASH -->
<!ENTITY Cap    "&#x022D2;" ><!--DOUBLE INTERSECTION -->
<!ENTITY capand "&#x02A44;" ><!--INTERSECTION WITH LOGICAL AND -->
<!ENTITY capbrcup "&#x02A49;" ><!--INTERSECTION ABOVE BAR ABOVE UNION -->
<!ENTITY capcap "&#x02A4B;" ><!--INTERSECTION BESIDE AND JOINED WITH INTERSECTION -->
>
<!ENTITY capcup "&#x02A47;" ><!--INTERSECTION ABOVE UNION -->
<!ENTITY capdot "&#x02A40;" ><!--INTERSECTION WITH DOT -->
<!ENTITY caps   "&#x02229;&#x0FE00;" ><!--INTERSECTION with serifs -->
<!ENTITY ccaps  "&#x02A4D;" ><!--CLOSED INTERSECTION WITH SERIFS -->
<!ENTITY ccups  "&#x02A4C;" ><!--CLOSED UNION WITH SERIFS -->
<!ENTITY ccupssm "&#x02A50;" ><!--CLOSED UNION WITH SERIFS AND SMASH PRODUCT -->
<!ENTITY coprod "&#x02210;" ><!--N-ARY COPRODUCT -->
<!ENTITY Cup    "&#x022D3;" ><!--DOUBLE UNION -->
<!ENTITY cupbrcap "&#x02A48;" ><!--UNION ABOVE BAR ABOVE INTERSECTION -->
<!ENTITY cupcap  "&#x02A46;" ><!--UNION ABOVE INTERSECTION -->
<!ENTITY cupcup  "&#x02A4A;" ><!--UNION BESIDE AND JOINED WITH UNION -->
<!ENTITY cupdot  "&#x0228D;" ><!--MULTISET MULTIPLICATION -->
<!ENTITY cupor   "&#x02A45;" ><!--UNION WITH LOGICAL OR -->
<!ENTITY cups    "&#x0222A;&#x0FE00;" ><!--UNION with serifs -->
<!ENTITY cuvee   "&#x022CE;" ><!--CURLY LOGICAL OR -->
<!ENTITY cuwed   "&#x022CF;" ><!--CURLY LOGICAL AND -->
<!ENTITY dagger "&#x02020;" ><!--DAGGER -->
<!ENTITY Dagger "&#x02021;" ><!--DOUBLE DAGGER -->
<!ENTITY diam    "&#x022C4;" ><!--DIAMOND OPERATOR -->
<!ENTITY divonx  "&#x022C7;" ><!--DIVISION TIMES -->
<!ENTITY eplus   "&#x02A71;" ><!--EQUALS SIGN ABOVE PLUS SIGN -->
<!ENTITY hercon  "&#x022B9;" ><!--HERMITIAN CONJUGATE MATRIX -->
```

<!ENTITY intcal	"⊺" ><!--INTERCALATE -->
<!ENTITY iprod	"⨼" ><!--INTERIOR PRODUCT -->
<!ENTITY loplus	"⨭" ><!--PLUS SIGN IN LEFT HALF CIRCLE -->
<!ENTITY lotimes	"⨴" ><!--MULTIPLICATION SIGN IN LEFT HALF CIRCLE -->
<!ENTITY lthree	"⋋" ><!--LEFT SEMIDIRECT PRODUCT -->
<!ENTITY ltimes	"⋉" ><!--LEFT NORMAL FACTOR SEMIDIRECT PRODUCT -->
<!ENTITY midast	"*" ><!--ASTERISK -->
<!ENTITY minusb	"⊟" ><!--SQUARED MINUS -->
<!ENTITY minusd	"∸" ><!--DOT MINUS -->
<!ENTITY minusdu	"⨪" ><!--MINUS SIGN WITH DOT BELOW -->
<!ENTITY ncap	"⩃" ><!--INTERSECTION WITH OVERBAR -->
<!ENTITY ncup	"⩂" ><!--UNION WITH OVERBAR -->
<!ENTITY oast	"⊛" ><!--CIRCLED ASTERISK OPERATOR -->
<!ENTITY ocir	"⊚" ><!--CIRCLED RING OPERATOR -->
<!ENTITY odash	"⊝" ><!--CIRCLED DASH -->
<!ENTITY odiv	"⨸" ><!--CIRCLED DIVISION SIGN -->
<!ENTITY odot	"⊙" ><!--CIRCLED DOT OPERATOR -->
<!ENTITY odsold	"⦼" ><!--CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN -->
<!ENTITY ofcir	"⦿" ><!--CIRCLED BULLET -->
<!ENTITY ogt	"⧁" ><!--CIRCLED GREATER-THAN -->
<!ENTITY ohbar	"⦵" ><!--CIRCLE WITH HORIZONTAL BAR -->
<!ENTITY olcir	"⦾" ><!--CIRCLED WHITE BULLET -->
<!ENTITY olt	"⧀" ><!--CIRCLED LESS-THAN -->
<!ENTITY omid	"⦶" ><!--CIRCLED VERTICAL BAR -->
<!ENTITY ominus	"⊖" ><!--CIRCLED MINUS -->
<!ENTITY opar	"⦷" ><!--CIRCLED PARALLEL -->
<!ENTITY operp	"⦹" ><!--CIRCLED PERPENDICULAR -->
<!ENTITY oplus	"⊕" ><!--CIRCLED PLUS -->
<!ENTITY osol	"⊘" ><!--CIRCLED DIVISION SLASH -->
<!ENTITY otimes	"⊗" ><!--CIRCLED TIMES -->
<!ENTITY Otimes	"⨷" ><!--MULTIPLICATION SIGN IN DOUBLE CIRCLE -->
<!ENTITY otimesas	"⨶" ><!--CIRCLED MULTIPLICATION SIGN WITH CIRCUMFLEX
ACCENT -->	
<!ENTITY ovbar	"⌽" ><!--APL FUNCTIONAL SYMBOL CIRCLE STILE -->
<!ENTITY plusacir	"⨣" ><!--PLUS SIGN WITH CIRCUMFLEX ACCENT ABOVE -->
<!ENTITY plusb	"⊞" ><!--SQUARED PLUS -->
<!ENTITY pluscir	"⨢" ><!--PLUS SIGN WITH SMALL CIRCLE ABOVE -->
<!ENTITY plusdo	"∔" ><!--DOT PLUS -->
<!ENTITY plusdu	"⨥" ><!--PLUS SIGN WITH DOT BELOW -->
<!ENTITY pluse	"⩲" ><!--PLUS SIGN ABOVE EQUALS SIGN -->
<!ENTITY plussim	"⨦" ><!--PLUS SIGN WITH TILDE BELOW -->
<!ENTITY plustwo	"⨧" ><!--PLUS SIGN WITH SUBSCRIPT TWO -->
<!ENTITY prod	"∏" ><!--N-ARY PRODUCT -->
<!ENTITY race	"∽̱" ><!--REVERSED TILDE with underline -->
<!ENTITY roplus	"⨮" ><!--PLUS SIGN IN RIGHT HALF CIRCLE -->
<!ENTITY rotimes	"⨵" ><!--MULTIPLICATION SIGN IN RIGHT HALF CIRCLE -->
<!ENTITY rthree	"⋌" ><!--RIGHT SEMIDIRECT PRODUCT -->
<!ENTITY rtimes	"⋊" ><!--RIGHT NORMAL FACTOR SEMIDIRECT PRODUCT -->

<!ENTITY sdot	"⋅" ><!--DOT OPERATOR -->
<!ENTITY sdotb	"⊡" ><!--SQUARED DOT OPERATOR -->
<!ENTITY setmn	"∖" ><!--SET MINUS -->
<!ENTITY simplus	"⨤" ><!--PLUS SIGN WITH TILDE ABOVE -->
<!ENTITY smashp	"⨳" ><!--SMASH PRODUCT -->
<!ENTITY solb	"⧄" ><!--SQUARED RISING DIAGONAL SLASH -->
<!ENTITY sqcap	"⊓" ><!--SQUARE CAP -->
<!ENTITY sqcaps	"⊓︀" ><!--SQUARE CAP with serifs -->
<!ENTITY sqcup	"⊔" ><!--SQUARE CUP -->
<!ENTITY sqcups	"⊔︀" ><!--SQUARE CUP with serifs -->
<!ENTITY ssetmn	"∖" ><!--SET MINUS -->
<!ENTITY sstarf	"⋆" ><!--STAR OPERATOR -->
<!ENTITY subdot	"⪽" ><!--SUBSET WITH DOT -->
<!ENTITY sum	"∑" ><!--N-ARY SUMMATION -->
<!ENTITY supdot	"⪾" ><!--SUPERSET WITH DOT -->
<!ENTITY timesb	"⊠" ><!--SQUARED TIMES -->
<!ENTITY timesbar	"⨱" ><!--MULTIPLICATION SIGN WITH UNDERBAR -->
<!ENTITY timesd	"⨰" ><!--MULTIPLICATION SIGN WITH DOT ABOVE -->
<!ENTITY tridot	"◬" ><!--WHITE UP-POINTING TRIANGLE WITH DOT -->
<!ENTITY triminus	"⨺" ><!--MINUS SIGN IN TRIANGLE -->
<!ENTITY triplus	"⨹" ><!--PLUS SIGN IN TRIANGLE -->
<!ENTITY trisb	"⧍" ><!--TRIANGLE WITH SERIFS AT BOTTOM -->
<!ENTITY tritime	"⨻" ><!--MULTIPLICATION SIGN IN TRIANGLE -->
<!ENTITY uplus	"⊎" ><!--MULTISET UNION -->
<!ENTITY veebar	"⊻" ><!--XOR -->
<!ENTITY wedbar	"⩟" ><!--LOGICAL AND WITH UNDERBAR -->
<!ENTITY wreath	"≀" ><!--WREATH PRODUCT -->
<!ENTITY xcap	"⋂" ><!--N-ARY INTERSECTION -->
<!ENTITY xcirc	"◯" ><!--LARGE CIRCLE -->
<!ENTITY xcup	"⋃" ><!--N-ARY UNION -->
<!ENTITY xdtri	"▽" ><!--WHITE DOWN-POINTING TRIANGLE -->
<!ENTITY xodot	"⨀" ><!--N-ARY CIRCLED DOT OPERATOR -->
<!ENTITY xoplus	"⨁" ><!--N-ARY CIRCLED PLUS OPERATOR -->
<!ENTITY xotime	"⨂" ><!--N-ARY CIRCLED TIMES OPERATOR -->
<!ENTITY xsqcup	"⨆" ><!--N-ARY SQUARE UNION OPERATOR -->
<!ENTITY xuplus	"⨄" ><!--N-ARY UNION OPERATOR WITH PLUS -->
<!ENTITY xutri	"△" ><!--WHITE UP-POINTING TRIANGLE -->
<!ENTITY xvee	"⋁" ><!--N-ARY LOGICAL OR -->
<!ENTITY xwedge	"⋀" ><!--N-ARY LOGICAL AND -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsb.ent

No license file was found, but licenses were detected in source scan.

<!-- -->
<!-- SVG 1.1 Shape Module -->
<!-- file: svg-shape.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-shape.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Shape//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-shape.mod"
```

```
..... -->
```

```
<!-- Shape
```

```
    path, rect, circle, line, ellipse, polyline, polygon
```

```
    This module declares markup to provide support for graphical shapes.
```

```
-->
```

```
<!-- a list of points -->
```

```
<!ENTITY % Points.datatype "CDATA" >
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.path.qname "path" >
```

```
<!ENTITY % SVG.rect.qname "rect" >
```

```
<!ENTITY % SVG.circle.qname "circle" >
```

```
<!ENTITY % SVG.line.qname "line" >
```

```
<!ENTITY % SVG.ellipse.qname "ellipse" >
```

```
<!ENTITY % SVG.polyline.qname "polyline" >
```

```
<!ENTITY % SVG.polygon.qname "polygon" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
```

```
<!ENTITY % SVG.Conditional.attrib "" >
```

```
<!ENTITY % SVG.Style.attrib "" >
```

```
<!ENTITY % SVG.Paint.attrib "" >
```

```
<!ENTITY % SVG.Color.attrib "" >
```

```
<!ENTITY % SVG.Opacity.attrib "" >
```

```
<!ENTITY % SVG.Graphics.attrib "" >
```

```
<!ENTITY % SVG.Marker.attrib "" >
```

```
<!ENTITY % SVG.Clip.attrib "" >
```

```
<!ENTITY % SVG.Mask.attrib "" >
```

```
<!ENTITY % SVG.Filter.attrib "" >
```

```
<!ENTITY % SVG.GraphicalEvents.attrib "" >
```

```
<!ENTITY % SVG.Cursor.attrib "" >
```

```
<!ENTITY % SVG.External.attrib "" >
```

```

<!-- SVG.Shape.class ..... -->

<!ENTITY % SVG.Shape.extra.class "" >

<!ENTITY % SVG.Shape.class
  "| %SVG.path.qname; | %SVG.rect.qname; | %SVG.circle.qname;
  | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
  | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- path: Path Element ..... -->

<!ENTITY % SVG.path.extra.content "" >

<!ENTITY % SVG.path.element "INCLUDE" >
<![%SVG.path.element;[
<!ENTITY % SVG.path.content
  "(( %SVG.Description.class; )* ( %SVG.Animation.class;
    %SVG.path.extra.content; )*)"
>
<!ELEMENT %SVG.path.qname; %SVG.path.content; >
<!-- end of SVG.path.element -->]]>

<!ENTITY % SVG.path.attlist "INCLUDE" >
<![%SVG.path.attlist;[
<!ATTLIST %SVG.path.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  d %PathData.datatype; #REQUIRED
  pathLength %Number.datatype; #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.path.attlist -->]]>

<!-- rect: Rectangle Element ..... -->

```

```

<!ENTITY % SVG.rect.extra.content "" >

<!ENTITY % SVG.rect.element "INCLUDE" >
<![%SVG.rect.element;[
<!ENTITY % SVG.rect.content
  "(( %SVG.Description.class; )* ( %SVG.Animation.class;
    %SVG.rect.extra.content; )*)"
>
<!ELEMENT %SVG.rect.qname; %SVG.rect.content; >
<!-- end of SVG.rect.element -->]]>

```

```

<!ENTITY % SVG.rect.attlist "INCLUDE" >
<![%SVG.rect.attlist;[
<!ATTLIST %SVG.rect.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #REQUIRED
  height %Length.datatype; #REQUIRED
  rx %Length.datatype; #IMPLIED
  ry %Length.datatype; #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.rect.attlist -->]]>

```

```

<!-- circle: Circle Element ..... -->

```

```

<!ENTITY % SVG.circle.extra.content "" >

<!ENTITY % SVG.circle.element "INCLUDE" >
<![%SVG.circle.element;[
<!ENTITY % SVG.circle.content
  "(( %SVG.Description.class; )* ( %SVG.Animation.class;
    %SVG.circle.extra.content; )*)"
>

```

<!ELEMENT %SVG.circle.qname; %SVG.circle.content; >

<!-- end of SVG.circle.element -->]]>

<!ENTITY % SVG.circle.attlist "INCLUDE" >

<![%SVG.circle.attlist;[

<!ATTLIST %SVG.circle.qname;

%SVG.Core.attrib;

%SVG.Conditional.attrib;

%SVG.Style.attrib;

%SVG.Paint.attrib;

%SVG.Color.attrib;

%SVG.Opacity.attrib;

%SVG.Graphics.attrib;

%SVG.Clip.attrib;

%SVG.Mask.attrib;

%SVG.Filter.attrib;

%SVG.GraphicalEvents.attrib;

%SVG.Cursor.attrib;

%SVG.External.attrib;

cx %Coordinate.datatype; #IMPLIED

cy %Coordinate.datatype; #IMPLIED

r %Length.datatype; #REQUIRED

transform %TransformList.datatype; #IMPLIED

>

<!-- end of SVG.circle.attlist -->]]>

<!-- line: Line Element -->

<!ENTITY % SVG.line.extra.content "" >

<!ENTITY % SVG.line.element "INCLUDE" >

<![%SVG.line.element;[

<!ENTITY % SVG.line.content

"((%SVG.Description.class;)*, (%SVG.Animation.class;

%SVG.line.extra.content;)*)"

>

<!ELEMENT %SVG.line.qname; %SVG.line.content; >

<!-- end of SVG.line.element -->]]>

<!ENTITY % SVG.line.attlist "INCLUDE" >

<![%SVG.line.attlist;[

<!ATTLIST %SVG.line.qname;

%SVG.Core.attrib;

%SVG.Conditional.attrib;

%SVG.Style.attrib;

%SVG.Paint.attrib;

%SVG.Color.attrib;

%SVG.Opacity.attrib;

```

%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
x1 %Coordinate.datatype; #IMPLIED
y1 %Coordinate.datatype; #IMPLIED
x2 %Coordinate.datatype; #IMPLIED
y2 %Coordinate.datatype; #IMPLIED
transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.line.attlist -->]]>

<!-- ellipse: Ellipse Element ..... -->

<!ENTITY % SVG.ellipse.extra.content "" >

<!ENTITY % SVG.ellipse.element "INCLUDE" >
<![%SVG.ellipse.element;[
<!ENTITY % SVG.ellipse.content
  "( (%SVG.Description.class;)*, ( %SVG.Animation.class;
    %SVG.ellipse.extra.content; )*)"
>
<!ELEMENT %SVG.ellipse.qname; %SVG.ellipse.content; >
<!-- end of SVG.ellipse.element -->]]>

<!ENTITY % SVG.ellipse.attlist "INCLUDE" >
<![%SVG.ellipse.attlist;[
<!ATTLIST %SVG.ellipse.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.External.attrib;
  cx %Coordinate.datatype; #IMPLIED
  cy %Coordinate.datatype; #IMPLIED
  rx %Length.datatype; #REQUIRED

```

```

    ry %Length.datatype; #REQUIRED
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.ellipse.attlist -->]]>

<!-- polyline: Polyline Element ..... -->

<!ENTITY % SVG.polyline.extra.content "" >

<!ENTITY % SVG.polyline.element "INCLUDE" >
<![%SVG.polyline.element;[
<!ENTITY % SVG.polyline.content
    "( (%SVG.Description.class;)*, ( %SVG.Animation.class;
        %SVG.polyline.extra.content; )*)"
>
<!ELEMENT %SVG.polyline.qname; %SVG.polyline.content; >
<!-- end of SVG.polyline.element -->]]>

<!ENTITY % SVG.polyline.attlist "INCLUDE" >
<![%SVG.polyline.attlist;[
<!ATTLIST %SVG.polyline.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Paint.attrib;
    %SVG.Color.attrib;
    %SVG.Opacity.attrib;
    %SVG.Graphics.attrib;
    %SVG.Marker.attrib;
    %SVG.Clip.attrib;
    %SVG.Mask.attrib;
    %SVG.Filter.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.Cursor.attrib;
    %SVG.External.attrib;
    points %Points.datatype; #REQUIRED
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.polyline.attlist -->]]>

<!-- polygon: Polygon Element ..... -->

<!ENTITY % SVG.polygon.extra.content "" >

<!ENTITY % SVG.polygon.element "INCLUDE" >
<![%SVG.polygon.element;[
<!ENTITY % SVG.polygon.content
    "( (%SVG.Description.class;)*, ( %SVG.Animation.class;

```

```

    %SVG.polygon.extra.content; )*)"
>
<!ELEMENT %SVG.polygon.qname; %SVG.polygon.content; >
<!-- end of SVG.polygon.element -->]]>

<!ENTITY % SVG.polygon.attlist "INCLUDE" >
<![%SVG.polygon.attlist;[
<!ATTLIST %SVG.polygon.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Paint.attrib;
    %SVG.Color.attrib;
    %SVG.Opacity.attrib;
    %SVG.Graphics.attrib;
    %SVG.Marker.attrib;
    %SVG.Clip.attrib;
    %SVG.Mask.attrib;
    %SVG.Filter.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.Cursor.attrib;
    %SVG.External.attrib;
    points %Points.datatype; #REQUIRED
    transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.polygon.attlist -->]]>

<!-- end of svg-shape.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-shape.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Document Style Sheet Module ..... -->
<!-- file: xhtml-style-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-style-1.mod,v 4.1 2001/04/05 06:57:40 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//DTD XHTML Style Sheets 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-style-1.mod"

```

Revisions:

(none)

..... -->

<!-- Style Sheets

style

This module declares the style element type and its attributes,
used to embed style sheet information in the document head element.

-->

<!-- style: Style Sheet Information -->

```
<!ENTITY % style.element "INCLUDE" >
<![%style.element;[
<!ENTITY % style.content "( #PCDATA )" >
<!ENTITY % style.qname "style" >
<!ELEMENT %style.qname; %style.content; >
<!-- end of style.element -->]]>
```

```
<!ENTITY % style.attlist "INCLUDE" >
<![%style.attlist;[
<!ATTLIST %style.qname;
  %XHTML.xmlns.attrib;
  %id.attrib;
  %title.attrib;
  %I18n.attrib;
  xml:space ( preserve )      #FIXED 'preserve'
  type      %ContentType.datatype; #REQUIRED
  media     %MediaDesc.datatype;  #IMPLIED
>
<!-- end of style.attlist -->]]>
```

<!-- end of xhtml-style-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-style-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- SVG 1.1 Marker Module -->

<!-- file: svg-marker.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-marker.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Marker//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-marker.mod"
```

```
..... -->
```

```
<!-- Marker
```

```
    marker
```

```
    This module declares markup to provide support for marker.
```

```
-->
```

```
<!-- 'marker' property/attribute value (e.g., 'none', <uri>) -->
```

```
<!ENTITY % MarkerValue.datatype "CDATA" >
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.marker.qname "marker" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >  
<!ENTITY % SVG.Container.attrib "" >  
<!ENTITY % SVG.Style.attrib "" >  
<!ENTITY % SVG.Viewport.attrib "" >  
<!ENTITY % SVG.Text.attrib "" >  
<!ENTITY % SVG.TextContent.attrib "" >  
<!ENTITY % SVG.Font.attrib "" >  
<!ENTITY % SVG.Paint.attrib "" >  
<!ENTITY % SVG.Color.attrib "" >  
<!ENTITY % SVG.Opacity.attrib "" >  
<!ENTITY % SVG.Graphics.attrib "" >  
<!ENTITY % SVG.ColorProfile.attrib "" >  
<!ENTITY % SVG.Gradient.attrib "" >  
<!ENTITY % SVG.Clip.attrib "" >  
<!ENTITY % SVG.Mask.attrib "" >  
<!ENTITY % SVG.Filter.attrib "" >  
<!ENTITY % SVG.FilterColor.attrib "" >  
<!ENTITY % SVG.Cursor.attrib "" >  
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.Marker.class ..... -->
```

```
<!ENTITY % SVG.Marker.extra.class "" >
```

```
<!ENTITY % SVG.Marker.class
```

```

    "| %SVG.marker.qname; %SVG.Marker.extra.class;"
>

<!-- SVG.Marker.attrib ..... -->

<!ENTITY % SVG.Marker.extra.attrib "" >

<!ENTITY % SVG.Marker.attrib
"marker-start %MarkerValue.datatype; #IMPLIED
marker-mid %MarkerValue.datatype; #IMPLIED
marker-end %MarkerValue.datatype; #IMPLIED
%SVG.Marker.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"
>

<!-- marker: Marker Element ..... -->

<!ENTITY % SVG.marker.extra.content "" >

<!ENTITY % SVG.marker.element "INCLUDE" >
<![%SVG.marker.element;[

```

```

<!ENTITY % SVG.marker.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.marker.extra.content; )*"
>
<!ELEMENT %SVG.marker.qname; %SVG.marker.content; >
<!-- end of SVG.marker.element -->]]>

```

```

<!ENTITY % SVG.marker.attlist "INCLUDE" >
<![%SVG.marker.attlist;[
<!ATTLIST %SVG.marker.qname;
 %SVG.Core.attrib;
 %SVG.Style.attrib;
 %SVG.Presentation.attrib;
 %SVG.External.attrib;
 refX %Coordinate.datatype; #IMPLIED
 refY %Coordinate.datatype; #IMPLIED
 markerUnits ( strokeWidth | userSpaceOnUse ) #IMPLIED
 markerWidth %Length.datatype; #IMPLIED
 markerHeight %Length.datatype; #IMPLIED
 orient CDATA #IMPLIED
 viewBox %ViewBoxSpec.datatype; #IMPLIED
 preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.marker.attlist -->]]>

```

<!-- end of svg-marker.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-marker.mod

No license file was found, but licenses were detected in source scan.

<!--

File isotech.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle

via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity (should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with conforming SGML systems and applications as defined in ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES General Technical//EN//XML`
System identifier: `http://www.w3.org/2003/entities/2007/isotech.ent`

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isotech PUBLIC
  "-//W3C//ENTITIES General Technical//EN//XML"
  "http://www.w3.org/2003/entities/2007/isotech.ent"
>
%isotech;
```

-->

```
<!ENTITY acd      "∿" ><!--SINE WAVE -->
<!ENTITY aleph   "ℵ" ><!--ALEF SYMBOL -->
<!ENTITY and     "∧" ><!--LOGICAL AND -->
<!ENTITY And     "⩓" ><!--DOUBLE LOGICAL AND -->
<!ENTITY andand  "⩕" ><!--TWO INTERSECTING LOGICAL AND -->
<!ENTITY andd    "⩜" ><!--LOGICAL AND WITH HORIZONTAL DASH -->
<!ENTITY andslope "⩘" ><!--SLOPING LARGE AND -->
<!ENTITY andv    "⩚" ><!--LOGICAL AND WITH MIDDLE STEM -->
<!ENTITY angrt   "∟" ><!--RIGHT ANGLE -->
<!ENTITY angsph  "∢" ><!--SPHERICAL ANGLE -->
<!ENTITY angst   "Å" ><!--LATIN CAPITAL LETTER A WITH RING ABOVE -->
<!ENTITY ap      "≈" ><!--ALMOST EQUAL TO -->
<!ENTITY apacir  "⩯" ><!--ALMOST EQUAL TO WITH CIRCUMFLEX ACCENT -->
<!ENTITY awconint "∳" ><!--ANTICLOCKWISE CONTOUR INTEGRAL -->
```

| | |
|-------------------|---|
| <!ENTITY awint | "⨑" ><!--ANTICLOCKWISE INTEGRATION --> |
| <!ENTITY becaus | "∵" ><!--BECAUSE --> |
| <!ENTITY bernou | "ℬ" ><!--SCRIPT CAPITAL B --> |
| <!ENTITY bne | "=⃥" ><!--EQUALS SIGN with reverse slash --> |
| <!ENTITY bnequiv | "≡⃥" ><!--IDENTICAL TO with reverse slash --> |
| <!ENTITY bnot | "⌐" ><!--REVERSED NOT SIGN --> |
| <!ENTITY bNot | "⫭" ><!--REVERSED DOUBLE STROKE NOT SIGN --> |
| <!ENTITY bottom | "⊥" ><!--UP TACK --> |
| <!ENTITY cap | "∩" ><!--INTERSECTION --> |
| <!ENTITY Cconint | "∰" ><!--VOLUME INTEGRAL --> |
| <!ENTITY cirfnint | "⨐" ><!--CIRCULATION FUNCTION --> |
| <!ENTITY compfn | "∘" ><!--RING OPERATOR --> |
| <!ENTITY cong | "≅" ><!--APPROXIMATELY EQUAL TO --> |
| <!ENTITY conint | "∮" ><!--CONTOUR INTEGRAL --> |
| <!ENTITY Conint | "∯" ><!--SURFACE INTEGRAL --> |
| <!ENTITY ctdot | "⋯" ><!--MIDLINE HORIZONTAL ELLIPSIS --> |
| <!ENTITY cup | "∪" ><!--UNION --> |
| <!ENTITY cwconint | "∲" ><!--CLOCKWISE CONTOUR INTEGRAL --> |
| <!ENTITY cwint | "∱" ><!--CLOCKWISE INTEGRAL --> |
| <!ENTITY cylcty | "⌭" ><!--CYLINDRICITY --> |
| <!ENTITY disin | "⋲" ><!--ELEMENT OF WITH LONG HORIZONTAL STROKE --> |
| <!ENTITY Dot | "¨" ><!--DIAERESIS --> |
| <!ENTITY DotDot | "⃜" ><!--COMBINING FOUR DOTS ABOVE --> |
| <!ENTITY dsol | "⧶" ><!--SOLIDUS WITH OVERBAR --> |
| <!ENTITY dtdot | "⋱" ><!--DOWN RIGHT DIAGONAL ELLIPSIS --> |
| <!ENTITY dwangle | "⦦" ><!--OBLIQUE ANGLE OPENING UP --> |
| <!ENTITY elinters | "⏧" ><!--ELECTRICAL INTERSECTION --> |
| <!ENTITY epar | "⋕" ><!--EQUAL AND PARALLEL TO --> |
| <!ENTITY eparsl | "⧣" ><!--EQUALS SIGN AND SLANTED PARALLEL --> |
| <!ENTITY equiv | "≡" ><!--IDENTICAL TO --> |
| <!ENTITY eqvparsl | "⧥" ><!--IDENTICAL TO AND SLANTED PARALLEL --> |
| <!ENTITY exist | "∃" ><!--THERE EXISTS --> |
| <!ENTITY fltns | "▱" ><!--WHITE PARALLELOGRAM --> |
| <!ENTITY fnof | "ƒ" ><!--LATIN SMALL LETTER F WITH HOOK --> |
| <!ENTITY forall | "∀" ><!--FOR ALL --> |
| <!ENTITY fpartint | "⨍" ><!--FINITE PART INTEGRAL --> |
| <!ENTITY ge | "≥" ><!--GREATER-THAN OR EQUAL TO --> |
| <!ENTITY hamilt | "ℋ" ><!--SCRIPT CAPITAL H --> |
| <!ENTITY iff | "⇔" ><!--LEFT RIGHT DOUBLE ARROW --> |
| <!ENTITY iinfin | "⧜" ><!--INCOMPLETE INFINITY --> |
| <!ENTITY imped | "Ƶ" ><!--LATIN CAPITAL LETTER Z WITH STROKE --> |
| <!ENTITY infin | "∞" ><!--INFINITY --> |
| <!ENTITY infintie | "⧝" ><!--TIE OVER INFINITY --> |
| <!ENTITY int | "∫" ><!--INTEGRAL --> |
| <!ENTITY Int | "∬" ><!--DOUBLE INTEGRAL --> |
| <!ENTITY intlarhk | "⨗" ><!--INTEGRAL WITH LEFTWARDS ARROW WITH HOOK --> |
| <!ENTITY isin | "∈" ><!--ELEMENT OF --> |
| <!ENTITY isindot | "⋵" ><!--ELEMENT OF WITH DOT ABOVE --> |

| | |
|-------------------|---|
| <!ENTITY isinE | "⋹" ><!--ELEMENT OF WITH TWO HORIZONTAL STROKES --> |
| <!ENTITY isins | "⋴" ><!--SMALL ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE --> |
| <!ENTITY isinsv | "⋳" ><!--ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE --> |
| <!ENTITY isinv | "∈" ><!--ELEMENT OF --> |
| <!ENTITY lagran | "ℒ" ><!--SCRIPT CAPITAL L --> |
| <!ENTITY lang | "⟨" ><!--MATHEMATICAL LEFT ANGLE BRACKET --> |
| <!ENTITY Lang | "⟪" ><!--MATHEMATICAL LEFT DOUBLE ANGLE BRACKET --> |
| <!ENTITY lArr | "⇐" ><!--LEFTWARDS DOUBLE ARROW --> |
| <!ENTITY lbrkl | "❲" ><!--LIGHT LEFT TORTOISE SHELL BRACKET ORNAMENT --> |
| <!ENTITY le | "≤" ><!--LESS-THAN OR EQUAL TO --> |
| <!ENTITY loang | "⟬" ><!--MATHEMATICAL LEFT WHITE TORTOISE SHELL BRACKET --> |
| > | |
| <!ENTITY lbrk | "⟦" ><!--MATHEMATICAL LEFT WHITE SQUARE BRACKET --> |
| <!ENTITY lopar | "⦅" ><!--LEFT WHITE PARENTHESIS --> |
| <!ENTITY lowast | "∗" ><!--ASTERISK OPERATOR --> |
| <!ENTITY minus | "−" ><!--MINUS SIGN --> |
| <!ENTITY mnplus | "∓" ><!--MINUS-OR-PLUS SIGN --> |
| <!ENTITY nabla | "∇" ><!--NABLA --> |
| <!ENTITY ne | "≠" ><!--NOT EQUAL TO --> |
| <!ENTITY nedot | "≐̸" ><!--APPROACHES THE LIMIT with slash --> |
| <!ENTITY nhpar | "⫲" ><!--PARALLEL WITH HORIZONTAL STROKE --> |
| <!ENTITY ni | "∋" ><!--CONTAINS AS MEMBER --> |
| <!ENTITY nis | "⋼" ><!--SMALL CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE --> |
| <!ENTITY nisd | "⋺" ><!--CONTAINS WITH LONG HORIZONTAL STROKE --> |
| <!ENTITY niv | "∋" ><!--CONTAINS AS MEMBER --> |
| <!ENTITY Not | "⫬" ><!--DOUBLE STROKE NOT SIGN --> |
| <!ENTITY notin | "∉" ><!--NOT AN ELEMENT OF --> |
| <!ENTITY notindot | "⋵̸" ><!--ELEMENT OF WITH DOT ABOVE with slash --> |
| <!ENTITY notinE | "⋹̸" ><!--ELEMENT OF WITH TWO HORIZONTAL STROKES with slash --> |
| <!ENTITY notinva | "∉" ><!--NOT AN ELEMENT OF --> |
| <!ENTITY notinvb | "⋷" ><!--SMALL ELEMENT OF WITH OVERBAR --> |
| <!ENTITY notinvc | "⋶" ><!--ELEMENT OF WITH OVERBAR --> |
| <!ENTITY notni | "∌" ><!--DOES NOT CONTAIN AS MEMBER --> |
| <!ENTITY notniva | "∌" ><!--DOES NOT CONTAIN AS MEMBER --> |
| <!ENTITY notnivb | "⋾" ><!--SMALL CONTAINS WITH OVERBAR --> |
| <!ENTITY notnive | "⋽" ><!--CONTAINS WITH OVERBAR --> |
| <!ENTITY nparsl | "⫽⃥" ><!--DOUBLE SOLIDUS OPERATOR with reverse slash --> |
| <!ENTITY npart | "∂̸" ><!--PARTIAL DIFFERENTIAL with slash --> |
| <!ENTITY npolint | "⨔" ><!--LINE INTEGRATION NOT INCLUDING THE POLE --> |
| <!ENTITY nvinfin | "⧞" ><!--INFINITY NEGATED WITH VERTICAL BAR --> |
| <!ENTITY olcross | "⦻" ><!--CIRCLE WITH SUPERIMPOSED X --> |
| <!ENTITY or | "∨" ><!--LOGICAL OR --> |
| <!ENTITY Or | "⩔" ><!--DOUBLE LOGICAL OR --> |
| <!ENTITY ord | "⩝" ><!--LOGICAL OR WITH HORIZONTAL DASH --> |

| | |
|-------------------|--|
| <!ENTITY order | "ℴ" ><!--SCRIPT SMALL O --> |
| <!ENTITY oror | "⩖" ><!--TWO INTERSECTING LOGICAL OR --> |
| <!ENTITY orslope | "⩗" ><!--SLOPING LARGE OR --> |
| <!ENTITY orv | "⩛" ><!--LOGICAL OR WITH MIDDLE STEM --> |
| <!ENTITY par | "∥" ><!--PARALLEL TO --> |
| <!ENTITY parsl | "⫽" ><!--DOUBLE SOLIDUS OPERATOR --> |
| <!ENTITY part | "∂" ><!--PARTIAL DIFFERENTIAL --> |
| <!ENTITY permil | "‰" ><!--PER MILLE SIGN --> |
| <!ENTITY perp | "⊥" ><!--UP TACK --> |
| <!ENTITY pertenk | "‱" ><!--PER TEN THOUSAND SIGN --> |
| <!ENTITY phmmat | "ℳ" ><!--SCRIPT CAPITAL M --> |
| <!ENTITY pointint | "⨕" ><!--INTEGRAL AROUND A POINT OPERATOR --> |
| <!ENTITY prime | "′" ><!--PRIME --> |
| <!ENTITY Prime | "″" ><!--DOUBLE PRIME --> |
| <!ENTITY profalar | "⌮" ><!--ALL AROUND-PROFILE --> |
| <!ENTITY profline | "⌒" ><!--ARC --> |
| <!ENTITY profsurf | "⌓" ><!--SEGMENT --> |
| <!ENTITY prop | "∝" ><!--PROPORTIONAL TO --> |
| <!ENTITY qint | "⨌" ><!--QUADRUPLE INTEGRAL OPERATOR --> |
| <!ENTITY qprime | "⁗" ><!--QUADRUPLE PRIME --> |
| <!ENTITY quatint | "⨖" ><!--QUATERNION INTEGRAL OPERATOR --> |
| <!ENTITY radic | "√" ><!--SQUARE ROOT --> |
| <!ENTITY rang | "⟩" ><!--MATHEMATICAL RIGHT ANGLE BRACKET --> |
| <!ENTITY Rang | "⟫" ><!--MATHEMATICAL RIGHT DOUBLE ANGLE BRACKET --> |
| <!ENTITY rArr | "⇒" ><!--RIGHTWARDS DOUBLE ARROW --> |
| <!ENTITY rbrk | "❳" ><!--LIGHT RIGHT TORTOISE SHELL BRACKET ORNAMENT --> |
| <!ENTITY roang | "⟭" ><!--MATHEMATICAL RIGHT WHITE TORTOISE SHELL BRACKET --> |
| <!ENTITY robrk | "⟧" ><!--MATHEMATICAL RIGHT WHITE SQUARE BRACKET --> |
| <!ENTITY ropar | "⦆" ><!--RIGHT WHITE PARENTHESIS --> |
| <!ENTITY rppolint | "⨒" ><!--LINE INTEGRATION WITH RECTANGULAR PATH AROUND POLE --> |
| <!ENTITY scpolint | "⨓" ><!--LINE INTEGRATION WITH SEMICIRCULAR PATH AROUND POLE --> |
| <!ENTITY sim | "∼" ><!--TILDE OPERATOR --> |
| <!ENTITY simdot | "⩪" ><!--TILDE OPERATOR WITH DOT ABOVE --> |
| <!ENTITY sime | "≃" ><!--ASYMPTOTICALLY EQUAL TO --> |
| <!ENTITY smeparsl | "⧤" ><!--EQUALS SIGN AND SLANTED PARALLEL WITH TILDE ABOVE --> |
| <!ENTITY square | "□" ><!--WHITE SQUARE --> |
| <!ENTITY squarf | "▪" ><!--BLACK SMALL SQUARE --> |
| <!ENTITY strns | "¯" ><!--MACRON --> |
| <!ENTITY sub | "⊂" ><!--SUBSET OF --> |
| <!ENTITY sube | "⊆" ><!--SUBSET OF OR EQUAL TO --> |
| <!ENTITY sup | "⊃" ><!--SUPERSET OF --> |
| <!ENTITY supe | "⊇" ><!--SUPERSET OF OR EQUAL TO --> |
| <!ENTITY tdot | "⃛" ><!--COMBINING THREE DOTS ABOVE --> |
| <!ENTITY there4 | "∴" ><!--THEREFORE --> |

| | |
|------------------|---|
| <!ENTITY tint | "∭" ><!--TRIPLE INTEGRAL --> |
| <!ENTITY top | "⊤" ><!--DOWN TACK --> |
| <!ENTITY topbot | "⌶" ><!--APL FUNCTIONAL SYMBOL I-BEAM --> |
| <!ENTITY topcir | "⫱" ><!--DOWN TACK WITH CIRCLE BELOW --> |
| <!ENTITY tprime | "‴" ><!--TRIPLE PRIME --> |
| <!ENTITY utdot | "⋰" ><!--UP RIGHT DIAGONAL ELLIPSIS --> |
| <!ENTITY uwangle | "⦧" ><!--OBLIQUE ANGLE OPENING DOWN --> |
| <!ENTITY vangrt | "⦜" ><!--RIGHT ANGLE VARIANT WITH SQUARE --> |
| <!ENTITY veeeq | "≚" ><!--EQUIANGULAR TO --> |
| <!ENTITY Verbar | "‖" ><!--DOUBLE VERTICAL LINE --> |
| <!ENTITY wedgeq | "≙" ><!--ESTIMATES --> |
| <!ENTITY xnis | "⋻" ><!--CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE --> |

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isotech.ent

No license file was found, but licenses were detected in source scan.

<!--

File isolat2.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Added Latin 2//EN//XML
System identifier: http://www.w3.org/2003/entities/2007/isolat2.ent

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isolat2 PUBLIC
"-//W3C//ENTITIES Added Latin 2//EN//XML"
"http://www.w3.org/2003/entities/2007/isolat2.ent"
>
%isolat2;

-->

<!ENTITY abreve      "&#x00103;" ><!--LATIN SMALL LETTER A WITH BREVE -->
<!ENTITY Abreve     "&#x00102;" ><!--LATIN CAPITAL LETTER A WITH BREVE -->
<!ENTITY amacr      "&#x00101;" ><!--LATIN SMALL LETTER A WITH MACRON -->
<!ENTITY Amacr      "&#x00100;" ><!--LATIN CAPITAL LETTER A WITH MACRON -->
<!ENTITY aogon      "&#x00105;" ><!--LATIN SMALL LETTER A WITH OGONEK -->
<!ENTITY Aogon      "&#x00104;" ><!--LATIN CAPITAL LETTER A WITH OGONEK -->
<!ENTITY cacute     "&#x00107;" ><!--LATIN SMALL LETTER C WITH ACUTE -->
<!ENTITY Cacute     "&#x00106;" ><!--LATIN CAPITAL LETTER C WITH ACUTE -->
<!ENTITY ccaron     "&#x0010D;" ><!--LATIN SMALL LETTER C WITH CARON -->
<!ENTITY Ccaron     "&#x0010C;" ><!--LATIN CAPITAL LETTER C WITH CARON -->
<!ENTITY ccirc      "&#x00109;" ><!--LATIN SMALL LETTER C WITH CIRCUMFLEX -->
<!ENTITY Ccirc      "&#x00108;" ><!--LATIN CAPITAL LETTER C WITH CIRCUMFLEX -->
<!ENTITY cdot       "&#x0010B;" ><!--LATIN SMALL LETTER C WITH DOT ABOVE -->
<!ENTITY Cdot       "&#x0010A;" ><!--LATIN CAPITAL LETTER C WITH DOT ABOVE -->
<!ENTITY dcaron     "&#x0010F;" ><!--LATIN SMALL LETTER D WITH CARON -->
<!ENTITY Dcaron     "&#x0010E;" ><!--LATIN CAPITAL LETTER D WITH CARON -->
<!ENTITY dstrok     "&#x00111;" ><!--LATIN SMALL LETTER D WITH STROKE -->
<!ENTITY Dstrok     "&#x00110;" ><!--LATIN CAPITAL LETTER D WITH STROKE -->
<!ENTITY ecaron     "&#x0011B;" ><!--LATIN SMALL LETTER E WITH CARON -->
<!ENTITY Ecaron     "&#x0011A;" ><!--LATIN CAPITAL LETTER E WITH CARON -->
<!ENTITY edot       "&#x00117;" ><!--LATIN SMALL LETTER E WITH DOT ABOVE -->
<!ENTITY Edot       "&#x00116;" ><!--LATIN CAPITAL LETTER E WITH DOT ABOVE -->
<!ENTITY emacr      "&#x00113;" ><!--LATIN SMALL LETTER E WITH MACRON -->
<!ENTITY Emacr      "&#x00112;" ><!--LATIN CAPITAL LETTER E WITH MACRON -->
<!ENTITY eng        "&#x0014B;" ><!--LATIN SMALL LETTER ENG -->
<!ENTITY ENG        "&#x0014A;" ><!--LATIN CAPITAL LETTER ENG -->
<!ENTITY eogon      "&#x00119;" ><!--LATIN SMALL LETTER E WITH OGONEK -->
<!ENTITY Eogon      "&#x00118;" ><!--LATIN CAPITAL LETTER E WITH OGONEK -->
<!ENTITY gacute     "&#x001F5;" ><!--LATIN SMALL LETTER G WITH ACUTE -->
<!ENTITY gbreve     "&#x0011F;" ><!--LATIN SMALL LETTER G WITH BREVE -->
<!ENTITY Gbreve     "&#x0011E;" ><!--LATIN CAPITAL LETTER G WITH BREVE -->
<!ENTITY Gcedil     "&#x00122;" ><!--LATIN CAPITAL LETTER G WITH CEDILLA -->
```

| | |
|-----------------|--|
| <!ENTITY gcirc | "ĝ" ><!--LATIN SMALL LETTER G WITH CIRCUMFLEX --> |
| <!ENTITY Gcirc | "Ĝ" ><!--LATIN CAPITAL LETTER G WITH CIRCUMFLEX --> |
| <!ENTITY gdot | "ġ" ><!--LATIN SMALL LETTER G WITH DOT ABOVE --> |
| <!ENTITY Gdot | "Ġ" ><!--LATIN CAPITAL LETTER G WITH DOT ABOVE --> |
| <!ENTITY hcirc | "ĥ" ><!--LATIN SMALL LETTER H WITH CIRCUMFLEX --> |
| <!ENTITY Hcirc | "Ĥ" ><!--LATIN CAPITAL LETTER H WITH CIRCUMFLEX --> |
| <!ENTITY hstrok | "ħ" ><!--LATIN SMALL LETTER H WITH STROKE --> |
| <!ENTITY Hstrok | "Ħ" ><!--LATIN CAPITAL LETTER H WITH STROKE --> |
| <!ENTITY Idot | "İ" ><!--LATIN CAPITAL LETTER I WITH DOT ABOVE --> |
| <!ENTITY ijlig | "ĳ" ><!--LATIN SMALL LIGATURE IJ --> |
| <!ENTITY IJlig | "Ĳ" ><!--LATIN CAPITAL LIGATURE IJ --> |
| <!ENTITY imacr | "ī" ><!--LATIN SMALL LETTER I WITH MACRON --> |
| <!ENTITY Imacr | "Ī" ><!--LATIN CAPITAL LETTER I WITH MACRON --> |
| <!ENTITY inodot | "ı" ><!--LATIN SMALL LETTER DOTLESS I --> |
| <!ENTITY iogon | "į" ><!--LATIN SMALL LETTER I WITH OGONEK --> |
| <!ENTITY Iogon | "Į" ><!--LATIN CAPITAL LETTER I WITH OGONEK --> |
| <!ENTITY itilde | "ĩ" ><!--LATIN SMALL LETTER I WITH TILDE --> |
| <!ENTITY Itilde | "Ĩ" ><!--LATIN CAPITAL LETTER I WITH TILDE --> |
| <!ENTITY jcirc | "ĵ" ><!--LATIN SMALL LETTER J WITH CIRCUMFLEX --> |
| <!ENTITY Jcirc | "Ĵ" ><!--LATIN CAPITAL LETTER J WITH CIRCUMFLEX --> |
| <!ENTITY kcedil | "ķ" ><!--LATIN SMALL LETTER K WITH CEDILLA --> |
| <!ENTITY Kcedil | "Ķ" ><!--LATIN CAPITAL LETTER K WITH CEDILLA --> |
| <!ENTITY kgreen | "ĸ" ><!--LATIN SMALL LETTER KRA --> |
| <!ENTITY lacute | "ĺ" ><!--LATIN SMALL LETTER L WITH ACUTE --> |
| <!ENTITY Lacute | "Ĺ" ><!--LATIN CAPITAL LETTER L WITH ACUTE --> |
| <!ENTITY lcaron | "ľ" ><!--LATIN SMALL LETTER L WITH CARON --> |
| <!ENTITY Lcaron | "Ľ" ><!--LATIN CAPITAL LETTER L WITH CARON --> |
| <!ENTITY lcedil | "ļ" ><!--LATIN SMALL LETTER L WITH CEDILLA --> |
| <!ENTITY Lcedil | "Ļ" ><!--LATIN CAPITAL LETTER L WITH CEDILLA --> |
| <!ENTITY lmidot | "ŀ" ><!--LATIN SMALL LETTER L WITH MIDDLE DOT --> |
| <!ENTITY Lmidot | "Ŀ" ><!--LATIN CAPITAL LETTER L WITH MIDDLE DOT --> |
| <!ENTITY lstrok | "ł" ><!--LATIN SMALL LETTER L WITH STROKE --> |
| <!ENTITY Lstrok | "Ł" ><!--LATIN CAPITAL LETTER L WITH STROKE --> |
| <!ENTITY nacute | "ń" ><!--LATIN SMALL LETTER N WITH ACUTE --> |
| <!ENTITY Nacute | "Ń" ><!--LATIN CAPITAL LETTER N WITH ACUTE --> |
| <!ENTITY napos | "ŉ" ><!--LATIN SMALL LETTER N PRECEDED BY APOSTROPHE --> |
| <!ENTITY ncaron | "ň" ><!--LATIN SMALL LETTER N WITH CARON --> |
| <!ENTITY Ncaron | "Ň" ><!--LATIN CAPITAL LETTER N WITH CARON --> |
| <!ENTITY ncedil | "ņ" ><!--LATIN SMALL LETTER N WITH CEDILLA --> |
| <!ENTITY Ncedil | "Ņ" ><!--LATIN CAPITAL LETTER N WITH CEDILLA --> |
| <!ENTITY odblac | "ő" ><!--LATIN SMALL LETTER O WITH DOUBLE ACUTE --> |
| <!ENTITY Odblac | "Ő" ><!--LATIN CAPITAL LETTER O WITH DOUBLE ACUTE --> |
| <!ENTITY oelig | "œ" ><!--LATIN SMALL LIGATURE OE --> |
| <!ENTITY Oelig | "Œ" ><!--LATIN CAPITAL LIGATURE OE --> |
| <!ENTITY omacr | "ō" ><!--LATIN SMALL LETTER O WITH MACRON --> |
| <!ENTITY Omacr | "Ō" ><!--LATIN CAPITAL LETTER O WITH MACRON --> |
| <!ENTITY racute | "ŕ" ><!--LATIN SMALL LETTER R WITH ACUTE --> |
| <!ENTITY Racute | "Ŕ" ><!--LATIN CAPITAL LETTER R WITH ACUTE --> |

| | |
|-----------------|---|
| <!ENTITY rcaron | "ř" ><!--LATIN SMALL LETTER R WITH CARON --> |
| <!ENTITY Rcaron | "Ř" ><!--LATIN CAPITAL LETTER R WITH CARON --> |
| <!ENTITY rcedil | "ŗ" ><!--LATIN SMALL LETTER R WITH CEDILLA --> |
| <!ENTITY Rcedil | "Ŗ" ><!--LATIN CAPITAL LETTER R WITH CEDILLA --> |
| <!ENTITY sacute | "ś" ><!--LATIN SMALL LETTER S WITH ACUTE --> |
| <!ENTITY Sacute | "Ś" ><!--LATIN CAPITAL LETTER S WITH ACUTE --> |
| <!ENTITY scaron | "š" ><!--LATIN SMALL LETTER S WITH CARON --> |
| <!ENTITY Scaron | "Š" ><!--LATIN CAPITAL LETTER S WITH CARON --> |
| <!ENTITY scedil | "ş" ><!--LATIN SMALL LETTER S WITH CEDILLA --> |
| <!ENTITY Scedil | "Ş" ><!--LATIN CAPITAL LETTER S WITH CEDILLA --> |
| <!ENTITY scirc | "ŝ" ><!--LATIN SMALL LETTER S WITH CIRCUMFLEX --> |
| <!ENTITY Scirc | "Ŝ" ><!--LATIN CAPITAL LETTER S WITH CIRCUMFLEX --> |
| <!ENTITY tcaron | "ť" ><!--LATIN SMALL LETTER T WITH CARON --> |
| <!ENTITY Tcaron | "Ť" ><!--LATIN CAPITAL LETTER T WITH CARON --> |
| <!ENTITY tcedil | "ţ" ><!--LATIN SMALL LETTER T WITH CEDILLA --> |
| <!ENTITY Tcedil | "Ţ" ><!--LATIN CAPITAL LETTER T WITH CEDILLA --> |
| <!ENTITY tstrok | "ŧ" ><!--LATIN SMALL LETTER T WITH STROKE --> |
| <!ENTITY Tstrok | "Ŧ" ><!--LATIN CAPITAL LETTER T WITH STROKE --> |
| <!ENTITY ubreve | "ŭ" ><!--LATIN SMALL LETTER U WITH BREVE --> |
| <!ENTITY Ubreve | "Ŭ" ><!--LATIN CAPITAL LETTER U WITH BREVE --> |
| <!ENTITY udblac | "ű" ><!--LATIN SMALL LETTER U WITH DOUBLE ACUTE --> |
| <!ENTITY Udblac | "Ű" ><!--LATIN CAPITAL LETTER U WITH DOUBLE ACUTE --> |
| <!ENTITY umacr | "ū" ><!--LATIN SMALL LETTER U WITH MACRON --> |
| <!ENTITY Umacr | "Ū" ><!--LATIN CAPITAL LETTER U WITH MACRON --> |
| <!ENTITY uogon | "ų" ><!--LATIN SMALL LETTER U WITH OGONEK --> |
| <!ENTITY Uogon | "Ų" ><!--LATIN CAPITAL LETTER U WITH OGONEK --> |
| <!ENTITY uring | "ů" ><!--LATIN SMALL LETTER U WITH RING ABOVE --> |
| <!ENTITY Uring | "Ů" ><!--LATIN CAPITAL LETTER U WITH RING ABOVE --> |
| <!ENTITY utilde | "ũ" ><!--LATIN SMALL LETTER U WITH TILDE --> |
| <!ENTITY Utilde | "Ũ" ><!--LATIN CAPITAL LETTER U WITH TILDE --> |
| <!ENTITY wcirc | "ŵ" ><!--LATIN SMALL LETTER W WITH CIRCUMFLEX --> |
| <!ENTITY Weirc | "Ŵ" ><!--LATIN CAPITAL LETTER W WITH CIRCUMFLEX --> |
| <!ENTITY ycirc | "ŷ" ><!--LATIN SMALL LETTER Y WITH CIRCUMFLEX --> |
| <!ENTITY Ycirc | "Ŷ" ><!--LATIN CAPITAL LETTER Y WITH CIRCUMFLEX --> |
| <!ENTITY Yuml | "Ÿ" ><!--LATIN CAPITAL LETTER Y WITH DIAERESIS --> |
| <!ENTITY zacute | "ź" ><!--LATIN SMALL LETTER Z WITH ACUTE --> |
| <!ENTITY Zacute | "Ź" ><!--LATIN CAPITAL LETTER Z WITH ACUTE --> |
| <!ENTITY zcaron | "ž" ><!--LATIN SMALL LETTER Z WITH CARON --> |
| <!ENTITY Zcaron | "Ž" ><!--LATIN CAPITAL LETTER Z WITH CARON --> |
| <!ENTITY zdot | "ż" ><!--LATIN SMALL LETTER Z WITH DOT ABOVE --> |
| <!ENTITY Zdot | "Ż" ><!--LATIN CAPITAL LETTER Z WITH DOT ABOVE --> |

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isolat2.ent

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML QName Module -->

<!-- file: xhtml-qname-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-qname-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-qname-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML QName (Qualified Name) Module

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML and extensions.

Section B declares parameter entities used to provide namespace-qualified names for all XHTML element types:

%applet.qname; the xmlns-qualified name for <applet>
%base.qname; the xmlns-qualified name for <base>
...

XHTML extensions would create a module similar to this one.
Included in the XHTML distribution is a template module ('template-qname-1.mod') suitable for this purpose.

-->

<!-- Section A: XHTML XML Namespace Framework -->

<!-- 1. Declare a %XHTML.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behaviour follows the overall DTD prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >
<!ENTITY % XHTML.prefixed "%NS.prefixed;" >

<!-- 2. Declare a parameter entity (eg., %XHTML.xmlns;) containing

the URI reference used to identify the XHTML namespace:

-->

```
<!ENTITY % XHTML.xmlns "http://www.w3.org/1999/xhtml" >
```

<!-- 3. Declare parameter entities (eg., %XHTML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

```
<!ENTITY % XHTML.prefix "" >
```

<!-- 4. Declare parameter entities (eg., %XHTML.pfx;) containing the colonized prefix(es) (eg., %XHTML.prefix;') used when prefixing is active, an empty string when it is not.

-->

```
<![%XHTML.prefixed;[  
<!ENTITY % XHTML.pfx "%XHTML.prefix;" >  
]]>  
<!ENTITY % XHTML.pfx "" >
```

<!-- declare qualified name extensions here -->

```
<!ENTITY % xhtml-qname-extra.mod "" >  
%xhtml-qname-extra.mod;
```

<!-- 5. The parameter entity %XHTML.xmlns.extra.attrib; may be redeclared to contain any non-XHTML namespace declaration attributes for namespaces embedded in XHTML. The default is an empty string. XLink should be included here if used in the DTD.

-->

```
<!ENTITY % XHTML.xmlns.extra.attrib "" >
```

<!-- The remainder of Section A is only followed in XHTML, not extensions. -->

<!-- Declare a parameter entity %NS.decl.attrib; containing all XML Namespace declarations used in the DTD, plus the xmlns declaration for XHTML, its form dependent on whether prefixing is active.

-->

```
<![%XHTML.prefixed;[  
<!ENTITY % NS.decl.attrib  
  "xmlns:%XHTML.prefix; %URI.datatype; #FIXED %XHTML.xmlns;  
  %XHTML.xmlns.extra.attrib;"  
>
```

```

]]>
<!ENTITY % NS.decl.attrib
  "%XHTML.xmlns.extra.attrib;"
>

<!-- This is a placeholder for future XLink support.
-->
<!ENTITY % XLINK.xmlns.attrib "" >

<!-- Declare a parameter entity %NS.decl.attrib; containing all
XML namespace declaration attributes used by XHTML, including
a default xmlns attribute when prefixing is inactive.
-->
<![%XHTML.prefixed;[
<!ENTITY % XHTML.xmlns.attrib
  "%NS.decl.attrib;
  %XLINK.xmlns.attrib;"
>
]]>
<!ENTITY % XHTML.xmlns.attrib
  "xmlns %URI.datatype; #FIXED '%XHTML.xmlns;'
  %XLINK.xmlns.attrib;"
>

<!-- placeholder for qualified name redeclarations -->
<!ENTITY % xhtml-qname.redecl "" >
%xhtml-qname.redecl;

<!-- Section B: XHTML Qualified Names :::::::::::::::::::::::::::: -->

<!-- 6. This section declares parameter entities used to provide
namespace-qualified names for all XHTML element types.
-->

<!-- module: xhtml-applet-1.mod -->
<!ENTITY % applet.qname "%XHTML.pfx;applet" >

<!-- module: xhtml-base-1.mod -->
<!ENTITY % base.qname "%XHTML.pfx;base" >

<!-- module: xhtml-bdo-1.mod -->
<!ENTITY % bdo.qname "%XHTML.pfx;bdo" >

<!-- module: xhtml-blkphras-1.mod -->
<!ENTITY % address.qname "%XHTML.pfx;address" >
<!ENTITY % blockquote.qname "%XHTML.pfx;blockquote" >
<!ENTITY % pre.qname "%XHTML.pfx;pre" >
<!ENTITY % h1.qname "%XHTML.pfx;h1" >

```

```
<!ENTITY % h2.qname    "%XHTML.pfx;h2" >
<!ENTITY % h3.qname    "%XHTML.pfx;h3" >
<!ENTITY % h4.qname    "%XHTML.pfx;h4" >
<!ENTITY % h5.qname    "%XHTML.pfx;h5" >
<!ENTITY % h6.qname    "%XHTML.pfx;h6" >

<!-- module: xhtml-blkpres-1.mod -->
<!ENTITY % hr.qname    "%XHTML.pfx;hr" >

<!-- module: xhtml-blkstruct-1.mod -->
<!ENTITY % div.qname   "%XHTML.pfx;div" >
<!ENTITY % p.qname    "%XHTML.pfx;p" >

<!-- module: xhtml-edit-1.mod -->
<!ENTITY % ins.qname   "%XHTML.pfx;ins" >
<!ENTITY % del.qname   "%XHTML.pfx;del" >

<!-- module: xhtml-form-1.mod -->
<!ENTITY % form.qname  "%XHTML.pfx;form" >
<!ENTITY % label.qname "%XHTML.pfx;label" >
<!ENTITY % input.qname "%XHTML.pfx;input" >
<!ENTITY % select.qname "%XHTML.pfx;select" >
<!ENTITY % optgroup.qname "%XHTML.pfx;optgroup" >
<!ENTITY % option.qname "%XHTML.pfx;option" >
<!ENTITY % textarea.qname "%XHTML.pfx;textarea" >
<!ENTITY % fieldset.qname "%XHTML.pfx;fieldset" >
<!ENTITY % legend.qname "%XHTML.pfx;legend" >
<!ENTITY % button.qname "%XHTML.pfx;button" >

<!-- module: xhtml-hypertext-1.mod -->
<!ENTITY % a.qname     "%XHTML.pfx;a" >

<!-- module: xhtml-image-1.mod -->
<!ENTITY % img.qname   "%XHTML.pfx;img" >

<!-- module: xhtml-inlphras-1.mod -->
<!ENTITY % abbr.qname  "%XHTML.pfx;abbr" >
<!ENTITY % acronym.qname "%XHTML.pfx;acronym" >
<!ENTITY % cite.qname   "%XHTML.pfx;cite" >
<!ENTITY % code.qname   "%XHTML.pfx;code" >
<!ENTITY % dfn.qname    "%XHTML.pfx;dfn" >
<!ENTITY % em.qname     "%XHTML.pfx;em" >
<!ENTITY % kbd.qname    "%XHTML.pfx;kbd" >
<!ENTITY % q.qname      "%XHTML.pfx;q" >
<!ENTITY % samp.qname   "%XHTML.pfx;samp" >
<!ENTITY % strong.qname "%XHTML.pfx;strong" >
<!ENTITY % var.qname    "%XHTML.pfx;var" >
```

```
<!-- module: xhtml-inlpres-1.mod -->
<!ENTITY % b.qname      "%XHTML.pfx;b" >
<!ENTITY % big.qname    "%XHTML.pfx;big" >
<!ENTITY % i.qname      "%XHTML.pfx;i" >
<!ENTITY % small.qname  "%XHTML.pfx;small" >
<!ENTITY % sub.qname    "%XHTML.pfx;sub" >
<!ENTITY % sup.qname    "%XHTML.pfx;sup" >
<!ENTITY % tt.qname     "%XHTML.pfx;tt" >

<!-- module: xhtml-inlstruct-1.mod -->
<!ENTITY % br.qname     "%XHTML.pfx;br" >
<!ENTITY % span.qname   "%XHTML.pfx;span" >

<!-- module: xhtml-ismap-1.mod (also csismap, ssismap) -->
<!ENTITY % map.qname    "%XHTML.pfx;map" >
<!ENTITY % area.qname   "%XHTML.pfx;area" >

<!-- module: xhtml-link-1.mod -->
<!ENTITY % link.qname   "%XHTML.pfx;link" >

<!-- module: xhtml-list-1.mod -->
<!ENTITY % dl.qname     "%XHTML.pfx;dl" >
<!ENTITY % dt.qname     "%XHTML.pfx;dt" >
<!ENTITY % dd.qname     "%XHTML.pfx;dd" >
<!ENTITY % ol.qname     "%XHTML.pfx;ol" >
<!ENTITY % ul.qname     "%XHTML.pfx;ul" >
<!ENTITY % li.qname     "%XHTML.pfx;li" >

<!-- module: xhtml-meta-1.mod -->
<!ENTITY % meta.qname   "%XHTML.pfx;meta" >

<!-- module: xhtml-param-1.mod -->
<!ENTITY % param.qname  "%XHTML.pfx;param" >

<!-- module: xhtml-object-1.mod -->
<!ENTITY % object.qname "%XHTML.pfx;object" >

<!-- module: xhtml-script-1.mod -->
<!ENTITY % script.qname "%XHTML.pfx;script" >
<!ENTITY % noscript.qname "%XHTML.pfx;noscript" >

<!-- module: xhtml-struct-1.mod -->
<!ENTITY % html.qname   "%XHTML.pfx;html" >
<!ENTITY % head.qname   "%XHTML.pfx;head" >
<!ENTITY % title.qname  "%XHTML.pfx;title" >
<!ENTITY % body.qname   "%XHTML.pfx;body" >

<!-- module: xhtml-style-1.mod -->
```

```

<!ENTITY % style.qname "%XHTML.pfx;style" >

<!-- module: xhtml-table-1.mod -->
<!ENTITY % table.qname "%XHTML.pfx;table" >
<!ENTITY % caption.qname "%XHTML.pfx;caption" >
<!ENTITY % thead.qname "%XHTML.pfx;thead" >
<!ENTITY % tfoot.qname "%XHTML.pfx;tfoot" >
<!ENTITY % tbody.qname "%XHTML.pfx;tbody" >
<!ENTITY % colgroup.qname "%XHTML.pfx;colgroup" >
<!ENTITY % col.qname "%XHTML.pfx;col" >
<!ENTITY % tr.qname "%XHTML.pfx;tr" >
<!ENTITY % th.qname "%XHTML.pfx;th" >
<!ENTITY % td.qname "%XHTML.pfx;td" >

<!-- Provisional XHTML 2.0 Qualified Names ..... -->

<!-- module: xhtml-image-2.mod -->
<!ENTITY % alt.qname "%XHTML.pfx;alt" >

<!-- end of xhtml-qname-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-qname-1.mod
```

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/CollationMatchKey.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/DecimalSortComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/CompressedWhitespace.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/StaticProperty.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/ComponentInvocation.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLSort.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/SaxonApiUncheckedException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/UseAttributeSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/EmptyTextNodeRemover.java

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/KeyDefinition.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/JPCConverter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/DocumentBuilder.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/EquivalenceComparison.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/FunctionSequenceCoercer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/wrapper/AbstractVirtualNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/AxisIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/NamespaceForPrefix.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/ExtensionFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/UnresolvedXQueryFunctionItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/ContextItemAccessorFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/QNameException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/CollatingFunctionFixed.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/map/KeyValuePair.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/XmlProcessingException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/CopyOptions.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/AnchorPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/CurrentGroupingKeyCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/DescendantIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/jaxp/StreamingTransformerImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/SortedIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntUniversalSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/jaxp/TemplatesHandlerImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/PrincipalStylesheetModule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLContextItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/CommandLineOptions.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/MapUntypedContains.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/SubstringAfter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/MergeGroupingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/AbstractXMLFilter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ValueTailIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NamespaceBindingSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/ContextStackIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/ConstrainedIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLOnNonEmpty.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/ConfigurationReader.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/OriginalFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/WindowClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/TransformFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/GDayValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XPathSelector.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/ItemTypePattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAccumulator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/LastPositionFinder.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XPathExecutable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ExternalObjectModel.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/EmptyAtomicSequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/arrays/ArraySort.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/EnvironmentVariable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sapling/SaplingComment.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/QuantifiedExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/FunctionLookup.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/LetExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/ItemOrderComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charcode/JavaCharacterSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GroupEndingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/HexBinaryValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLKey.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ErrorIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/StylesheetPackage.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/IsLastExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomWriter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/LocalParamBlock.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GroupStartingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/CloseNotifier.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/StructuredQName.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/xom/XOMObjectModel.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/PullConsumer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sapling/SaplingElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLNamespace.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/SpaceStrippedNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/xpath/XPathFactoryImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Component.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XQueryEvaluator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/NextMatch.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/TypeHierarchy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SlashExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/event/ContentHandlerProxyLocator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/PipelineConfiguration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/RoundHalfToEven.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLGlobalContextItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/streams/AxisStep.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/Version.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/MonotonicIntSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/NamespaceConstructor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/InScopePrefixes.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/NormalizeUnicode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/HTMLTagHashSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/AppendableCharSequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardDiagnostics.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/DateTimeConstructor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/OneOrMore.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/Affinity.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NamespaceResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/SortKeyDefinitionList.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/AtomicArray.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/UnicodeNormalizer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/StyleElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ConversionResult.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/TimingCodeInjector.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/NodeImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/DecimalFormatManager.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CodepointsToString.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/SingleEntryMap.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/ComplexContentOutputter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ListType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/MissingComponentException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/stax/StAXResultHandlerImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/UnparsedEntity.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLDecimalFormat.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/StyleNodeFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ValueComparison.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/UnknownResource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/NumericComparer11.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Abs.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/JavaRegularExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/SimpleNodeConstructor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/TreatFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CollectionFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/NoOpenStartTagException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ForEachGroup.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/AbstractXsltTransformer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/HTML5CaseBlindCollator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/ContextItemStaticInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/ValidationMode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ItemMappingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Root_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GroupMatchingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/PullPushTee.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/WrappingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/dom/DOMNodeList.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/XSLTTraceCodeInjector.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/UnionCastableFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/StylesheetModule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/DataElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/TupleItemType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/CombinedNodeTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/LetClause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ApplyFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Adjust_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAssert.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Builder.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/XPathContextMinor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/CardinalityChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardEnvironmentVariableResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ParentNodeConstructor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/Timer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/Alphanumeric.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyDocumentImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/FunctionLiteral.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Callable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/CDATAFilter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/IndexOf.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/BuildingStreamWriterImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/UnparsedText.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charcode/ASCIICharacterSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Choose.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/instruct/TraceExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/PublicStylesheetFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/TuplePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/ReverseListIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/SchemaNodeTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/SequenceIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/LocalBinding.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Tokenize_3.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardCollationURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/StringConverter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/StringValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomObjectModel.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLSortOrMergeKey.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/ClauseInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/NotFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/NamedChildIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/BuiltInFunctionSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/MapType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLComment.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardLogger.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/DocumentSorter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/LocalVariableBinding.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/Orphan.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sapling/SaplingProcessingInstruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/AnyType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/XPathException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardModuleURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/IntegerRange.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/tree/NamespaceNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/PushableFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/Sort_3.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/AndExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_nIbE.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/XPathContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLMergeKey.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/Navigator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/DescendantIteratorSansText.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyNodeImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/TypeInfoImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/PIOverNodeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/FoldRightFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CodepointEqual.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/Processor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SubsequenceIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/SpecificFunctionType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/BlockIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/EndsWith.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CurrentMergeGroup.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/FollowingEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyTree.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/MessageWarner.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Calculator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/XsltController.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/NumericType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/HasChildren_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomAttributeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/TraceCodeInjector.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/StaticQueryContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/TextLinesIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLNamespaceAlias.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardErrorReporter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XsltPackage.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/BuiltInAtomicType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/PrefixPool.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/DataURIScheme.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/compat/TypeChecker10.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/MapCreate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GlobalOrderComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardUnparsedTextResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/java/JavaPlatform.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/BasePatternWithPredicate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/ZeroOrOne.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/FormatInteger.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLLeafNodeConstructor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/EnvironmentVariableResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLNextIteration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/StaxBridge.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SimpleStepExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/AbstractFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAnalyzeString.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ContextMappingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sapling/SaplingNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Locatable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CurrentOutputUri.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Serialize.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/NamedTimeZone.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/BigDecimalValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/SchemaComponent.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/accum/FailedAccumulatorData.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/TextValueTemplateNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/GYearValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/NumberSequenceFormatter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/FocusIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/CharSlice.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/xpath/XPathExpressionImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/ARegularExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/ContentHandlerProxy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/accum/AccumulatorRegistry.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/Mode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/EmptyIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAttribute.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/AugmentedSource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/BooleanValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/FunctionAnnotationHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/IdentityComparable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ContextOriginator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/arrays/AbstractArrayItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/AtomicSortComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/Emitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/PatternParser30.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/WhereClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ValidationStatisticsRecipient.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/LetClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/AbsolutePath.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/BuildingContentHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Error.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/CodepointCollator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DOMObjectModel.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardInvalidityHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/jdom2/JDOM2ObjectModel.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ForExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ErrorException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charset/UTF16CharacterSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/compat/GeneralComparison10.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/MapItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/QNameParser.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/DocumentInstr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/NoDynamicContextException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/AbstractTransformerImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/SchemaType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Debugger.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Sort_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/MessageEmitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/gizmo/Talker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Current.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/NonDelegatingURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ExtensionFunctionDefinition.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_it.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/Sequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/UnparsedTextIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/XHTML5Emitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/RegexFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/PreparedStylesheet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/MessageListenerProxy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/CollatingAtomicComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Average.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/ReceivingDestination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/UserFunctionParameter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/xom/XOMWriter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/Xslt30Transformer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/StringToCodepoints.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/exslt/Math.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/WithParam.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NameSpaceMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/LinkedBuilderMonitor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntSingletonSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/DirectoryCollection.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/VirtualUntypedCopy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/Location.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/TailFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/exslt/Random.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/ReversibleIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/xpath/JAXPVariableReference.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XQueryExecutable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/SchemaException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/TEXTEmitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/BuiltInListType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/QuitParsingException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Idref.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/tree/iter/UnfailingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/FilterImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardErrorListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/xpath/JAXPXPathStaticContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/ConstructedItemType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/LargeAttributeMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Empty.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/ForEachFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Doc.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/UTF8Writer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Trace.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/Clause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/BinaryResource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/HTML40Emitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/GeneralNodePattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLModuleRoot.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/NumberInstruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/LastItemExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/RegexIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/CardinalityCheckingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/exslt/Sets.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SequenceCollector.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/TextOnlyCopyRuleSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/NumericComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/XQueryFunctionBinder.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/ExpressionTool.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/TraceListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/StreamingFilterImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/SequenceTool.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/OutputterEventBuffer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/Tuple.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/FingerprintedQName.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ContextItemExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/NamespaceDifferencer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/PrecedingEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/charclass/IntSetCharacterClass.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GroupToBeSorted.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XsltCompiler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/LocalOrderComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/SequenceWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/OnEmptyExpr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/AttributeMapWithIdentity.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/QName.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/UncheckedXPathException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/EscapeHtmlUri.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/RoleDiagnostic.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/IdentityTransformer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/Action.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Round.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SequenceWriter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/TextImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/UserFunctionReference.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/Operation.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/IntersectPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/SequenceSlice.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/DictionaryMap.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/TemplatesImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/IgnorableSpaceStrippingRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/CommentImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/CaseFirstCollator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/JSONSerializer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ComplexType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ArithmeticExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/EventMonitor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/ItemToBeSorted.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/OuterForExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ComputedElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charcode/CharacterSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLMergeSource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/SaxonErrorCode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Fork.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/RepairingContentHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/BMPString.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLIterate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/FailedResource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardOutputResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/OrderByClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/LiteralResultElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/gizmo/DefaultTalker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/TransformerHandlerImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/PrependAxisIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/XPath31FunctionSet.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntValuePredicate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/AxisAtomizingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/Push.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/number/RegularGroupFormatter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/InvalidityHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/BreakInstr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/DoubleSortComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/NoElementsSpaceStrippingRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/jiter/PairIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/DecimalValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/CurrentGroupingKey.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/dom/TextOverNodeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/UniversalPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/SelectedElementsSpaceStrippingRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/UntypedNumericComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/ReceivingContentHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/TreeReceiver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XdmMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/TinyBuilder.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/trie/Tuple2.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Lang.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/rules/DeepSkipRuleSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/GroupAdjacentIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/SerializationProperties.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/dom/TextOverAttrInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/wrapper/RebasedNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/SystemFunctionWithBoundContextItem.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/LowerCase.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/PrecedingSiblingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SequenceNormalizer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyAttributeImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ItemChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/json/JsonDoc.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomDocumentNodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/StandardCollectionFinder.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Minimax.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/FLWORExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/StringLength_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sapling/Saplings.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/LookupExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XsltTransformer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/RawDestination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/packages/IPackageLoader.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLFallback.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Unordered.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/UnparsedEntity.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/MemoClosure.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/CalendarValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/SingletonClosure.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/RebindingMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/json/ParseJsonFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/AtomicComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NameChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/dom4j/DOM4JWriter.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sxpath/XPathExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/Function.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/InvalidityHandlerWrappingErrorListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/DocumentPool.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/Genre.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/CountClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/SchemaDeclaration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/IterateInstr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/json/JsonHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLCallTemplate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/RawResult.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/NodeTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/AncestorQualifiedPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StaticQueryContextFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Outermost.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/Gizmo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/DynamicContextAccessor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/ElementImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/FunctionLibraryList.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/AxisInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/VirtualNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/ExternalObject.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/OutputURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ExtensionFunctionCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/XQueryFunctionAnnotationHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/LocalNameTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Sort_2.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ContextMappingIterator.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Executable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SignificantItemDetector.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/UnionConstructorFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/GMonthDayValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/PatternThatSetsCurrent.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntToIntHashMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/AttributeAxisIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/SimpleCollation.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/ImportedFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/LocalName_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StringCollator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/SequenceInstr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/QueryLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SubscriptExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Substring.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_he.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/SimplePositionalPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DocumentWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/dom4j/DOM4JNodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/GlobalVariable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Operand.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/TypeStrippedNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/ComponentDeclaration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/OperandUsage.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/Platform.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NoNamespaceName.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/arrays/ArrayFunctionSet.java

- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ValidationFailure.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/XSLTTraceListener.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ResultDocumentResolver.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/NodeSetPattern.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/EmptyString.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/AncestorEnumeration.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/DocumentUri_1.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ExpressionOwner.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ItemType.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XmlProcessingError.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLEvaluate.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/QueryReader.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/FunctionName.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/LinkedTreeBuilder.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Sink.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Matches.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyTextualElement.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/AttributeIterator.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ScalarSystemFunction.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLOtherwise.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/UncommittedSerializer.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/SteppingNode.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLMapEntry.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/StylesheetComponent.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/accum/AccumulatorData.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/XHTMLPrefixRemover.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/TraceableComponent.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLCharacterMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/FloatingPointConverter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_fr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/ExtensionInstruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/SourceDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/EqualityComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NotationSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/LicenseException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/parray/ImmList.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/CharSequenceConsumer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/BuildingStreamWriter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/AttributeValueTemplate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/SingleNodeIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/StreamingFunctionArgumentPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/FirstItemExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SingletonAtomizer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/charclass/SingletonCharacterClass.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/FunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAcceptExpose.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/SortExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/SchemaManager.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/ForClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmNodeKind.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/WrappingIterator.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charcode/CharacterSetFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CollationKeyFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/UnprefixedElementMatchingPolicy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sxpath/XPathVariable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Data_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/FilterFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ApplyImports.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/WhereClause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/RuleTarget.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ItemMappingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/TeeDestination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/YearMonthDurationValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Sender.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/UndeclaredVariable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/AttributeGetter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/TreeEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DOMImplementationImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/CastingExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/AdjacentTextNodeMergingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/LocationCopier.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/VariableReference.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/AnySimpleType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/SortKeyEvaluator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/ShallowSkipRuleSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/PackageData.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/RetainedStaticContext.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/HashTrieMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DocumentOverNodeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/RootExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/GeneralPositionalPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/StylesheetFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/streams/XdmCollectors.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/packages/UsePack.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/ParserExtension.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/SerializationParamsHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/OptionsParameter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/String_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/Token.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/CalendarValueComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/Instrumentation.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/UntypedAtomicValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/DescendingComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Comment.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/SingletonIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/CastingTarget.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/FixedElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/UseWhenStaticContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/CharacterMapExpander.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/ModeTraceListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/StaticFunctionCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/NamedTemplate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/CodedName.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/TailCallReturner.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Block.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/InvalidityHandlerWrappingErrorReporter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/History.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/PrimitiveUType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/HTML50Emitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/LookupAllExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/PIGrabber.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyCommentImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/XMLIndenter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ItemTypeCheckingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/QNameTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/NumericGroupFormatter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/MapFunctionSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ValidationException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/jiter/ConcatenatingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SimpleExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ResolveURI.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/accum/Accumulator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/Resource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/CoercedFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLNextMatch.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/AttributeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/packages/PackageLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/SnapshotFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/AbstractNumberer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DOMEnvelope.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/rules/Rule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/XmlProcessingIncident.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/FilterExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/XHTML1Emitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/VennPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/ExceptPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trace/InstructionInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/json/JsonHandlerMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/stax/ReceiverToXMLStreamWriter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/DifferenceEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ValueOf.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/WherePopulated.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/WhereClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/ZeroOrMore.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/LatinString.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/rules/FailRuleSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/TinyParentNodeImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/GlobalContextRequirement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/packages/VersionedPackageName.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/AccumulatorFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/SaxonDuration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/CompareToIntegerConstant.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/SmallAttributeMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/TinyBuilderMonitor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/ErrorReporterToListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/ma/arrays/ArrayItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/TimeValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/JarCollection.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/DocumentNumberAllocator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/IsIdRef.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardURIChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/JRegexIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/json/XMLToJsonFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/Untyped.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ContextAccessorFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/DateValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/UserFunctionResolvable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/CallTemplate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLForEach.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyProcInstImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/WhitespaceTextImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/FunctionArity.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/BuiltInRuleSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/HTMLIndenter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/DocumentValidator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/XHTMLURIEscaper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/FormatNumber.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_nl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/EagerLetExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/FoldLeftFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/AnccestorIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DocumentBuilderImpl.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/dom4j/DOM4JObjectModel.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/OrderByClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntHashMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/json/JsonHandlerXML.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/Action.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLMessage.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/AnyURIValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/AnyFunctionTypeWithAssertions.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/IntegratedFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/LookaheadIteratorImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/StringLiteral.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntBlockSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/RegexGroup.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/CopyOf.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/HeadFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Count.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/Evaluator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/exslt/Date.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/GeneralComparison.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/ScopedBindingElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/GenericTreeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/WherePopulatedOutputter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/TailCallLoop.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/ParseIetfDate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/AnyNodeTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLOutputCharacter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/ProxyOutputter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ConditionalBlock.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/XML10ContentChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/ExtensionFunctionFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/ContentTypeTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/NamespaceConstant.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardErrorHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntExceptPredicate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/Initializer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SequenceNormalizerWithItemSeparator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GroupByIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLInclude.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/json/JsonReceiver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StAXResultHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/UcaCollatorUsingJava.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ComputedAttribute.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/Visibility.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/MessageListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/FollowingSiblingEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/InsertBefore.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/AbstractResourceCollection.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLOnEmpty.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntSetPredicate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/InstanceOfExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/packages/PackageDetails.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/jdom2/JDOM2Transform.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/Serializer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/NameTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyBuilderCondensed.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/AbsentExtensionElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/SourceBinding.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/MappingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/ItemConsumer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/jdom2/JDOM2Query.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/IDFilter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/OrderByClause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DOMNodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/SingleAtomicIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLPerformSort.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/ExpressionAction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/FollowingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/MappingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/TransformerImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLOriginalLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/PackageVersionRanges.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/DurationValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntSingletonIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/json/JsonParser.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/IdentityComparison.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ResourceCollection.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GroupIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/QueryModule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/ListIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLImport.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/StringToDouble.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/expr/AdjacentTextNodeMerger.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/Pattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/OccurrenceIndicator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/Annotation.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/CopyInformee.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/accum/VirtualAccumulatorData.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/StatefulSystemFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLElement.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/xpath/XPathFunctionCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/UnboundFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/TypeStrippedDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/DeepCopyRuleSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/DeepEqual.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/XQueryTraceListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLChoose.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/DayTimeDurationValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLSourceDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/accum/PathMappedAccumulatorData.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/VirtualCopy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/UserFunctionCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntComplementSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/One.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/AnalyzeString.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/jdom2/JDOM2DocumentWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/CharacterReferenceGenerator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/DocumentImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/AttributeImpl.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/TreatExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/PathMaintainer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Ceiling.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/ForClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/XMLEmitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/UnaryExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/GDateValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Reverse.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/AtomizedValueIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmEmptySequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLPreserveSpace.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/LookaheadIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/SaxonOutputKeys.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/parray/ImmList1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/ArrayIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/charclass/InverseCharacterClass.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmAtomicValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/UntypedSequenceConverter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLMode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TinyAttributeMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/RuleBasedSubstringMatcher.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/SourceResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/RegexPrecondition.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/AnyExternalObjectType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/BasicTransformerFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/AttributeLocation.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/AccessorFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/jdom2/JDOM2NodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/AnnotationList.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmSequenceIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XPathCompiler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Innermost.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/MetaTagAdjuster.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLTemplate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/JTokenIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/ChildEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/FeatureKeys.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/TracingFilter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLCopy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/GeneralComparison20.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ReverseRangeIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Replace.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntEmptySet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/CharacterMapIndex.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/IdentityTransformerHandler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/BuiltInType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/CompoundMode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/XQueryExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ConsumingOperand.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_frBE.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/LargeStringBuffer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/IntersectionEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Subsequence_3.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLFork.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/trans/rules/RuleManager.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/functions/CallableFunction.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/style/XSLForEachGroup.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/pattern/PatternMaker.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/expr/Literal.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/ma/parray/ImmList2.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/dom/DOMTransform.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/lib/Validation.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/expr/instruct/Doctype.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/expr/BooleanExpression.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/functions/ResolveQName.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/event/ProxyReceiver.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/s9api/NullDestination.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/pattern/BooleanExpressionPattern.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/tree/iter/ManualIterator.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/tree/linked/LineNumberMap.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/expr/flwor/ForClause.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/tree/iter/GroundedIterator.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/style/UseWhenFilter.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/expr/PendingUpdateList.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/expr/instruct/MemoFunction.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/tree/linked/NodeFactory.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/tree/util/FastStringBuffer.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/functions/registry/ExsltCommonFunctionSet.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/style/XSLExpose.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/om/NamePool.java
 * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
 zip/net/sf/saxon/functions/Adjust_2.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomParentNodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/VendorFunctionSetHE.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/arrays/SimpleArrayItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/HexCharacterReferenceGenerator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ErrorExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ComparisonExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/SequenceType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/NumberFormatter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/Numberer_en.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomElementNodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/SchemaValidator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/UnionType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/charclass/CharacterClass.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/UnionPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/XmlResource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/ExternalObjectType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntStepIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/DOMDestination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/NamespaceResolverWithDefault.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/DestinationHelper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/WhitespaceStrippingPolicy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/PrecedingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/GlobalParameterSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/XQueryFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Outputter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/Err.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLApplyImports.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/EmptySequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/PackageVersion.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/SpaceStrippedDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/TryCatch.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAttributeSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Aggregate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/ReceiverOption.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SequenceReceiver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/jdom2/JDOM2Writer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/BinaryExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DOMSender.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/TailIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/Chain.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/GenericAtomicComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CurrentGroup.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/FoldingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/AttributeSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Stripper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/NamespaceReducer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/StreamWriterToReceiver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/EarlyEvaluationContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/dom4j/DOM4JDocumentWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLLocalParam.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/DocumentFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/EvaluationMode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/style/ExpressionContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/TraceClause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/arrays/SquareArrayConstructor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/SpaceStrippingRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/FunctionStreamability.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/BigRangeIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/Numberer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/UnionEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/codenorm/UnicodeDataGenerator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/GMonthValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/NodeKindTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/NodeOverNodeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/ProcInstParser.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/HostLanguage.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/TraceEventMulticaster.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/SAXDestination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/codenorm/Normalizer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/StreamAvailable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ResourceFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/PushToReceiver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/parray/ImmList0.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/streams/Steps.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ContainsToken.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/CurriedFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/PrecedingOrAncestorEnumeration.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/AtomicType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLWherePopulated.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/TinyTextImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/EventBuffer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/util/AttributeCollectionImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/dom/ElementOverNodeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Put.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/DummyNamespaceResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/rules/RuleSetWithWarnings.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/TreeModel.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/OptimizerOptions.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/ConstantFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLMerge.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/ReceiverWithOutputProperties.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/DocAvailable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/DocumentURI.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/StylesheetCache.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ForEach.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/REFlags.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/PrincipalOutputGatekeeper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/TupleExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Floor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLProcessingInstruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/SingletonIntersectExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/EvaluateInstr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/dom/DOMAttributeMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/jiter/MappingJavaIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLOverride.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/Converter.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/TreeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/CompilerInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLCopyOf.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/EventSource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/LRUCache.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntUnionPredicate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/BindingReference.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/UserFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/CurrentGroupCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/CastExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/arrays/ImmutableArrayItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/DocumentNodeTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/TransformerReceiver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLOnCompletion.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/LocalUnionType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pull/PullProvider.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/Invalidity.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ProcessingInstruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/SchemaURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/GroupByClause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/streams/XdmStream.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLTry.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/Loc.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/XQueryCompiler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/WindowClause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/TypeAliasManager.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/ARegexIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/xpath/XPathEvaluator.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ElementAvailable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Instruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/ComponentTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLMergeAction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/EnumSetTool.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/AnyFunctionType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/CollectionFinder.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/ForEachPairFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/WindowClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/TerminationException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntHashSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/IrregularGroupFormatter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/CastableExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/QNameValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/CompareToConstant.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/ConditionalSorter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmArray.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XsltExecutable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/NamePoolConverter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/TraceClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/TemplateRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/charclass/Categories.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/Whitespace.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/FunctionCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/HomogeneityCheckerIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/CharacterMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/GeneralUnicodeString.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/SymbolicName.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ListConstructorFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CopyOfFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/CommentStripper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/charclass/EmptyCharacterClass.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmFunctionItem.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/Axis.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/AbstractDestination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/EmptyGreatestComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ComponentBinding.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/LocalizerFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLIf.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charcode/UTF8CharacterSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/Item.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/SequenceExtent.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/HTMLEmitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLSequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/ExpressionVisitor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/RandomNumberGenerator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/ConcatenatingAxisIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SystemFunctionCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/Optimizer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Actor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/ItemWithMergeKeys.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/NamespaceTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/Transform.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/TraceClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLGlobalParam.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/UnionQNameTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NameOfNode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/RuleSearchState.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/PrecedingSiblingEnumeration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SequenceCopier.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/DocumentOrderIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/LoopLifter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/RelativeURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/ComparableAtomicValueComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/JavaExternalObjectType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Subsequence_2.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLLocalVariable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/DynamicQueryContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/CountClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/CodeInjector.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLValueOf.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/OperandProcessor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/StringToDouble11.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Event.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/CaseVariants.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ExportAgent.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/SingularityPull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/UnparsedTextLines.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/QNameFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/trans/packages/PackageInspector.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/Int64Value.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLApplyTemplates.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/GroupedValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/SystemFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/ParseOptions.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/accum/AccumulatorManager.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/Controller.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/MemoSequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ParameterSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/EmptyAttributeMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/charcode/XMLCharacterData.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/NotationValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/registry/XSLT30FunctionSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/ComparisonException.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/UntypedAtomizingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/query/UpdateAgent.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/local/Numberer_de.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/ItemTypeFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/StylesheetSpaceStrippingRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/VennExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/wrapper/RebasedDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/NamespaceDeltaMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/CompareToStringConstant.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Concat.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/NextIteration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLGlobalVariable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trace/AbstractTraceListener.java

- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CollatingFunctionFree.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/ForClauseOuterPush.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sapling/SaplingDocument.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/MutableDocumentInfo.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/UpperCase.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLUsePackage.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/LazySequence.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntRangeSet.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/NestedIntegerValue.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/FloatValue.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/XPathContextMajor.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/CurrentMergeKey.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmExternalObject.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/RangeIterator.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/SerializerFactory.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/PatternWithPredicate.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/oper/OperandArray.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charcode/ISO88591CharacterSet.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Number_1.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/AlphaCode.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/AtomicMatchKey.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/XPath20FunctionSet.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/streams/Step.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/RegularExpression.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/UriCollection.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/BinaryTextDecoder.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/Traceable.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/style/XSLWithParam.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/StaticError.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/CurrentItemExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/CountingFilter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/DistinctValues.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ConditionalInstruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/EncodeForUri.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/XmlCatalogResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ResultDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/Feature.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NamespaceBinding.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/KeyDefinitionSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/UnparsedTextURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/SystemProperty.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLNumber.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/PullSource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ModuleURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/accum/AccumulatorRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Name_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ElementCreator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/TuplePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/AvailableSystemProperties.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/xom/XomUriResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntArraySet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/AtomicSequenceConverter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/AttributeInfoIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/ErrorReporter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/RangeExpression.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/Compilation.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/BooleanFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/ValidationParams.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/Copy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/ForClauseOuterPull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/Destination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLCatch.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/AnalyzeMappingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/codenorm/UnicodeDataParserFromXML.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/query/XQueryParser.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/MergeIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/EmptyIntIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/MultiIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/Type.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/GlobalVariableManager.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/ICompilerService.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/OnNonEmptyExpr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/BuilderMonitor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/SubstringBefore.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/Base64BinaryValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/GenerateId_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/xom/XOMDocumentWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/AxisExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/SequenceType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Exists.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/NodeTestPattern.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/ProcInstImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/map/TupleType.java

- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DOMExceptionImpl.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/SiblingCountingNode.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Nilled_1.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/ReturnClausePush.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/SaxonApiException.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/StandardResultDocumentResolver.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/Configuration.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/FunctionItemType.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/SiblingIterator.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/TailExpression.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/NodeName_1.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/TextValueTemplateContext.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/HTMLURIEscaper.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/MutableNodeInfo.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAccept.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/PlainType.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/StandardNames.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/xom/XOMNodeWrapper.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/stax/XMLStreamWriterDestination.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/SnapshotNode.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/SlotManager.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/JSONResource.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLMatchingSubstring.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Remove.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntToIntArrayMap.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/FunctionAvailable.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/IntToIntMap.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-

zip/net/sf/saxon/functions/RegexFunctionSansFlags.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/StaticContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/ShallowCopyRuleSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/JSONEmitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/jaxp/SaxonTransformerFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/LoadXqueryModule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/map/RangeKey.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/OutputURIResolverWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/KeyManager.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/AdaptiveEmitter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SingleItemFilter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/DOMWriter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/DecimalSymbols.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/QualifiedNameValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/NumericValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/Closure.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ExecutableFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/GroupByClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/GroupByClausePull.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/AtomicConstructorFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Valve.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/TypeAvailable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/TextComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/CountClause.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/UnfailingPullProvider.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/streams/Predicates.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/AtomicValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/CopyNamespaceSensitiveException.java

- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLBreak.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/SimpleMode.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Sum.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/UnparsedTextFunction.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/sort/SortKeyDefinition.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/Bindery.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLGeneralIncorporate.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/SaxonXMLGregorianCalendar.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pull/PullFilter.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/registry/XPath30FunctionSet.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/IriToUri.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/sxpath/AbstractStaticContext.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/jiter/MonoIterator.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/NormalizeSpace_1.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/accum/IAccumulatorData.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/UnicodeBlocks.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ITemplateCall.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/ParseXml.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/PartialApply.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/ChecksumFilter.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/DoubleValue.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/rules/RuleChain.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/option/local/Numberer_da.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/sapling/SaplingText.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/StackFrame.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/AnalyzeStringFn.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/IgnorableWhitespaceStripper.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLPackage.java
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/ObjectValue.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ValidatingInstruction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Binding.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/charclass/PredicateCharacterClass.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/UType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/gizmo/JLine2Talker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/MetadataResource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/UnparsedTextResource.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLGeneralVariable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Doc_2.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/MultipleNodeKindTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/FocusTrackingIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/MessageListener2Proxy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/MergeInstr.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/QueryResult.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/GYearMonthValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/Capture.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ComponentTracer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/SortedGroupIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/ConstructorFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Compare.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/RegularSequenceChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/GlobalParam.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/AtomicSequence.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sxpath/XPathEvaluator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/KeyFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/AttributeMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLAccumulatorRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/UnicodeString.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Translate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/TypeChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/Expression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/Maker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/json/JsonToXMLFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/PseudoExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/NodeWrappingFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/SingletonAttributeMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/InstructionWithComplexContent.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/ApplyNextMatchingTemplate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLOutput.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/ProtocolRestricter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/Statistics.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/InvalidityReportGenerator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/regex/ATokenIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/value/TextFragmentValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/IntegerRangeTest.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLWhen.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/StandardEntityResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/tiny/TinyElementImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/TailCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/om/AllElementsSpaceStrippingRule.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/event/OutputterEvent.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/linked/SystemIdMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/style/XSLResultDocument.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trans/DynamicLoader.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pattern/SameNameTest.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/VisibilityProvenance.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/DateTimeValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sxpath/XPathDynamicContext.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/NodeVectorTree.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/HomogeneityChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/StaticBaseUri.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmDestination.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Assignment.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/BigIntegerValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/EquivalenceComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/ParseXmlFragment.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/PrependSequenceIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/LocalVariableReference.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/SimpleType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pattern/PatternParser.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/ContextStackFrame.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/Declaration.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/resource/CatalogCollection.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/NegateExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/CodepointCollatingComparer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/AttributeCreator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/Query.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/OrExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLBreakOrContinue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLStylesheet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NodeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/tiny/TreeStatistics.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/compat/ArithmeticExpression10.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/Negatable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/KeyIndex.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/PJConverter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/XdmValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/AvailableEnvironmentVariables.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/StartsWith.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/AlphanumericCollator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/SequenceNormalizerWithSpaceSeparator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/URIQueryParameters.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/XQueryFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/SuppliedParameterReference.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/Instantiator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Contains.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/MathFunctionSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/UseWhen30FunctionSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/SuperId.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ListCastableFunction.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/PositionAndLast.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/FeatureCode.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLImportSchema.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/AttrOverNodeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/PullPushCopier.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/Message.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/VirtualTreeInfo.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/RecoveryPolicy.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/Receiver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/java/JavaCollationFactory.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/Logger.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/Atomizer.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/iter/AtomicIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/IntegratedFunctionCall.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/tree/util/SteppingNavigator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/FormatDate.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trace/TimingTraceListener.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/parser/PathMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/hof/FilterFn.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/trace/ExpressionPresenter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/BaseUri_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/type/AnyItemType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/TransformerFactoryImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/FixedAttribute.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Tokenize_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/Path_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/pull/NamespaceContextImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/GlobalVariableReference.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/UnparsedTextAvailable.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/instruct/LocalParam.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/z/IntSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/functions/StringJoin.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/serialize/ExpandedStreamResult.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/MessageListener2.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/expr/flwor/LetClausePush.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/trie/ImmutableList.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/lib/ConversionRules.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/ContextSwitchingExpression.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/TypeCheckingFilter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/SubstringMatcher.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/NamespaceUri_1.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/NodeWrappingAxisIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/instruct/ApplyTemplates.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/axiom/AxiomLeafNodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/hof/CallableWithBoundFocus.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/flwor/ReturnClauseIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/ObjectToBeSorted.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/FilterIterator.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/om/NodeName.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/Cardinality.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/OperandRole.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/CollationURIResolver.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/XSLText.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/TeeOutputter.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/AbstractNodeWrapper.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/StaticContextAccessor.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_sv.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/arrays/ArrayItemType.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/ParentNodeImpl.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/registry/OnDemandFunctionSet.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/IntegerValue.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/URIChecker.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/xpath/XPathFunctionLibrary.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/Fold.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/AtomizingIterator.java

No license file was found, but licenses were detected in source scan.

2007 World Wide Web Consortium

(Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML Basic DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <mailto:altheim@eng.sun.com>

Peter Stark <mailto:Peter.Stark@ecs.ericsson.se>

Shane McCarron <mailto:shane@aptest.com>

Revision: \$Id: xhtml

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic11.dtd

No license file was found, but licenses were detected in source scan.

dev/

Permission to use, copy, modify and distribute the RDDL DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

This is the driver file for version 1.0 of the RDDL 1.0 DTD as an extension of XHTML Basic 1.0.

This DTD is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC: "

2000 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML Basic DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice

and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <mailto:altheim@eng.sun.com>
Peter Stark <mailto:Peter.Stark@ecs.ericsson.se>
Revision: \$Id: rddl

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/rddl-xhtml.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Hypertext Module ..... -->
<!-- file: xhtml-hypertext-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-hypertext-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Hypertext 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-hypertext-1.mod"
```

Revisions:
(none)
..... -->

```
<!-- Hypertext
```

a

This module declares the anchor ('a') element type, which defines the source of a hypertext link. The destination (or link 'target') is identified via its 'id' attribute rather than the 'name' attribute as was used in HTML.

```
-->
```

```
<!-- ..... Anchor Element ..... -->
```

```
<!ENTITY % a.element "INCLUDE" >
<![%a.element;[
<!ENTITY % a.content
"( #PCDATA | %InlNoAnchor.mix; )*"
>
```

```
<!ENTITY % a.qname "a" >
<!ELEMENT %a.qname; %a.content; >
<!-- end of a.element -->]]>
```

```
<!ENTITY % a.attlist "INCLUDE" >
<![%a.attlist;[
<!ATTLIST %a.qname;
  %Common.attrib;
  href      %URI.datatype;      #IMPLIED
  charset   %Charset.datatype;  #IMPLIED
  type      %ContentType.datatype; #IMPLIED
  hreflang  %LanguageCode.datatype; #IMPLIED
  rel       %LinkTypes.datatype; #IMPLIED
  rev       %LinkTypes.datatype; #IMPLIED
  accesskey %Character.datatype; #IMPLIED
  tabindex  %Number.datatype;   #IMPLIED
>
<!-- end of a.attlist -->]]>
```

```
<!-- end of xhtml-hypertext-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
hypertext-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Editing Elements Module ..... -->
<!-- file: xhtml-edit-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-edit-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Editing Markup 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-edit-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Editing Elements
```

```
  ins, del
```

This module declares element types and attributes used to indicate

inserted and deleted content while editing a document.

-->

<!-- ins: Inserted Text -->

```
<!ENTITY % ins.element "INCLUDE" >
<![%ins.element;[
<!ENTITY % ins.content
  "( #PCDATA | %Flow.mix; )*"
>
<!ENTITY % ins.qname "ins" >
<!ELEMENT %ins.qname; %ins.content; >
<!-- end of ins.element -->]]>
```

```
<!ENTITY % ins.attlist "INCLUDE" >
<![%ins.attlist;[
<!ATTLIST %ins.qname;
  %Common.attrib;
  cite    %URI.datatype;    #IMPLIED
  datetime %Datetime.datatype; #IMPLIED
>
<!-- end of ins.attlist -->]]>
```

<!-- del: Deleted Text -->

```
<!ENTITY % del.element "INCLUDE" >
<![%del.element;[
<!ENTITY % del.content
  "( #PCDATA | %Flow.mix; )*"
>
<!ENTITY % del.qname "del" >
<!ELEMENT %del.qname; %del.content; >
<!-- end of del.element -->]]>
```

```
<!ENTITY % del.attlist "INCLUDE" >
<![%del.attlist;[
<!ATTLIST %del.qname;
  %Common.attrib;
  cite    %URI.datatype;    #IMPLIED
  datetime %Datetime.datatype; #IMPLIED
>
<!-- end of del.attlist -->]]>
```

<!-- end of xhtml-edit-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-edit-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Attribute Collection Module ..... -->
<!-- file: svg11-attribs.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg11-attribs.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Attribute Collection//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-attribs.mod"
```

```
..... -->
```

```
<!-- SVG 1.1 Attribute Collection
```

This module defines the set of common attributes that can be present
on many SVG elements.

```
-->
```

```
<!-- module: svg-conditional.mod ..... -->
```

```
<!ENTITY % ExtensionList.datatype "CDATA" >
```

```
<!ENTITY % FeatureList.datatype "CDATA" >
```

```
<!ENTITY % SVG.Conditional.extra.attrib "" >
```

```
<!ENTITY % SVG.Conditional.attrib
```

```
"requiredFeatures %FeatureList.datatype; #IMPLIED
requiredExtensions %ExtensionList.datatype; #IMPLIED
systemLanguage %LanguageCodes.datatype; #IMPLIED
%SVG.Conditional.extra.attrib;"
```

```
>
```

```
<!-- module: svg-style.mod ..... -->
```

```
<!ENTITY % ClassList.datatype "CDATA" >
```

```
<!ENTITY % StyleSheet.datatype "CDATA" >
```

```
<!ENTITY % SVG.Style.extra.attrib "" >
```

```
<!ENTITY % SVG.Style.attrib
```

```
"style %StyleSheet.datatype; #IMPLIED
class %ClassList.datatype; #IMPLIED
%SVG.Style.extra.attrib;"
```

```
>
```

```

<!-- module: svg-text.mod ..... -->

<!ENTITY % BaselineShiftValue.datatype "CDATA" >
<!ENTITY % FontFamilyValue.datatype "CDATA" >
<!ENTITY % FontSizeValue.datatype "CDATA" >
<!ENTITY % FontSizeAdjustValue.datatype "CDATA" >
<!ENTITY % GlyphOrientationHorizontalValue.datatype "CDATA" >
<!ENTITY % GlyphOrientationVerticalValue.datatype "CDATA" >
<!ENTITY % KerningValue.datatype "CDATA" >
<!ENTITY % SpacingValue.datatype "CDATA" >
<!ENTITY % TextDecorationValue.datatype "CDATA" >

<!ENTITY % SVG.Text.extra.attrib "" >
<!ENTITY % SVG.Text.attrib
  "writing-mode ( lr-tb | rl-tb | tb-rl | lr | rl | tb | inherit ) #IMPLIED
  %SVG.Text.extra.attrib;"
>

<!ENTITY % SVG.TextContent.extra.attrib "" >
<!ENTITY % SVG.TextContent.attrib
  "alignment-baseline ( auto | baseline | before-edge | text-before-edge |
    middle | central | after-edge | text-after-edge |
    ideographic | alphabetic | hanging | mathematical |
    inherit ) #IMPLIED
  baseline-shift %BaselineShiftValue.datatype; #IMPLIED
  direction ( ltr | rtl | inherit ) #IMPLIED
  dominant-baseline ( auto | use-script | no-change | reset-size |
    ideographic | alphabetic | hanging | mathematical |
    central | middle | text-after-edge | text-before-edge |
    inherit ) #IMPLIED
  glyph-orientation-horizontal %GlyphOrientationHorizontalValue.datatype;
    #IMPLIED
  glyph-orientation-vertical %GlyphOrientationVerticalValue.datatype;
    #IMPLIED
  kerning %KerningValue.datatype; #IMPLIED
  letter-spacing %SpacingValue.datatype; #IMPLIED
  text-anchor ( start | middle | end | inherit ) #IMPLIED
  text-decoration %TextDecorationValue.datatype; #IMPLIED
  unicode-bidi ( normal | embed | bidi-override | inherit ) #IMPLIED
  word-spacing %SpacingValue.datatype; #IMPLIED
  %SVG.TextContent.extra.attrib;"
>

<!ENTITY % SVG.Font.extra.attrib "" >
<!ENTITY % SVG.Font.attrib
  "font-family %FontFamilyValue.datatype; #IMPLIED
  font-size %FontSizeValue.datatype; #IMPLIED
  font-size-adjust %FontSizeAdjustValue.datatype; #IMPLIED

```

```
font-stretch ( normal | wider | narrower | ultra-condensed |
    extra-condensed | condensed | semi-condensed |
    semi-expanded | expanded | extra-expanded |
    ultra-expanded | inherit ) #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED
font-variant ( normal | small-caps | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
    500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrib;"
>
```

```
<!-- module: svg-marker.mod ..... -->
```

```
<!ENTITY % MarkerValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.Marker.extra.attrib "" >
```

```
<!ENTITY % SVG.Marker.attrib
"marker-start %MarkerValue.datatype; #IMPLIED
marker-mid %MarkerValue.datatype; #IMPLIED
marker-end %MarkerValue.datatype; #IMPLIED
%SVG.Marker.extra.attrib;"
>
```

```
<!-- module: svg-profile.mod ..... -->
```

```
<!ENTITY % SVG.ColorProfile.extra.attrib "" >
```

```
<!ENTITY % SVG.ColorProfile.attrib
"color-profile CDATA #IMPLIED
%SVG.ColorProfile.extra.attrib;"
>
```

```
<!-- module: svg-gradient.mod ..... -->
```

```
<!ENTITY % NumberOrPercentage.datatype "CDATA" >
```

```
<!ENTITY % SVG.Gradient.extra.attrib "" >
```

```
<!ENTITY % SVG.Gradient.attrib
"stop-color %SVGColor.datatype; #IMPLIED
stop-opacity %OpacityValue.datatype; #IMPLIED
%SVG.Gradient.extra.attrib;"
>
```

```
<!-- module: svg-clip.mod ..... -->
```

```
<!ENTITY % ClipPathValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.Clip.extra.attrib "" >
```

```
<!ENTITY % SVG.Clip.attrib
```

```

"clip-path %ClipPathValue.datatype; #IMPLIED
clip-rule %ClipFillRule.datatype; #IMPLIED
%SVG.Clip.extra.attrib;"
>

<!-- module: svg-mask.mod ..... -->

<!ENTITY % MaskValue.datatype "CDATA" >

<!ENTITY % SVG.Mask.extra.attrib "" >
<!ENTITY % SVG.Mask.attrib
"mask %MaskValue.datatype; #IMPLIED
%SVG.Mask.extra.attrib;"
>

<!-- module: svg-filter.mod ..... -->

<!ENTITY % FilterValue.datatype "CDATA" >
<!ENTITY % NumberOptionalNumber.datatype "CDATA" >

<!ENTITY % SVG.Filter.extra.attrib "" >
<!ENTITY % SVG.Filter.attrib
"filter %FilterValue.datatype; #IMPLIED
%SVG.Filter.extra.attrib;"
>

<!ENTITY % SVG.FilterColor.extra.attrib "" >
<!ENTITY % SVG.FilterColor.attrib
"color-interpolation-filters ( auto | sRGB | linearRGB | inherit )
#IMPLIED
%SVG.FilterColor.extra.attrib;"
>

<!-- module: svg-cursor.mod ..... -->

<!ENTITY % CursorValue.datatype "CDATA" >

<!ENTITY % SVG.Cursor.extra.attrib "" >
<!ENTITY % SVG.Cursor.attrib
"cursor %CursorValue.datatype; #IMPLIED
%SVG.Cursor.extra.attrib;"
>

<!-- end of svg11-attribs.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-
attribs.mod

```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Basic Clip Module ..... -->
<!-- file: svg-basic-clip.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-basic-clip.mod,v 1.4 2002/11/03 15:54:14 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Clip//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-clip.mod"
```

```
..... -->
```

```
<!-- Basic Clip
```

```
clipPath
```

This module declares markup to provide support for clipping.

```
-->
```

```
<!-- 'clip-path' property/attribute value (e.g., 'none', <uri>) -->
```

```
<!ENTITY % ClipPathValue.datatype "CDATA" >
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.clipPath.qname "clipPath" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >
```

```

<!-- SVG.Clip.class ..... -->

<!ENTITY % SVG.Clip.extra.class "" >

<!ENTITY % SVG.Clip.class
  "%SVG.clipPath.qname; %SVG.Clip.extra.class;"
>

<!-- SVG.Clip.attrib ..... -->

<!ENTITY % SVG.Clip.extra.attrib "" >

<!ENTITY % SVG.Clip.attrib
  "clip-path %ClipPathValue.datatype; #IMPLIED
  clip-rule %ClipFillRule.datatype; #IMPLIED
  %SVG.Clip.extra.attrib;"
>

<!-- clipPath: Clip Path Element ..... -->

<!ENTITY % SVG.clipPath.extra.content "" >

<!ENTITY % SVG.clipPath.element "INCLUDE" >
<![%SVG.clipPath.element;[
<!ENTITY % SVG.clipPath.content
  "(( %SVG.Description.class; )*, (( %SVG.Animation.class; %SVG.Use.class;
  %SVG.clipPath.extra.content; )*, ( %SVG.Animation.class; %SVG.Use.class;
  %SVG.Shape.class; )?, ( %SVG.Animation.class; %SVG.Use.class;
  %SVG.clipPath.extra.content; )*))"
>
<!ELEMENT %SVG.clipPath.qname; %SVG.clipPath.content; >
<!-- end of SVG.clipPath.element -->]]>

<!ENTITY % SVG.clipPath.attlist "INCLUDE" >
<![%SVG.clipPath.attlist;[
<!ATTLIST %SVG.clipPath.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;

```

```
%SVG.Filter.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
transform %TransformList.datatype; #IMPLIED
clipPathUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
```

```
>
<!-- end of SVG.clipPath.attlist -->]]>
```

```
<!-- end of svg-basic-clip.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-clip.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Document Model Module ..... -->
<!-- file: svg11-model.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg11-model.mod,v 1.3 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Document Model//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-model.mod"
```

```
..... -->
```

```
<!-- SVG 1.1 Document Model
```

This module describes the groupings of elements that make up
common content models for SVG elements.

```
-->
```

```
<!-- module: svg-structure.mod ..... -->
```

```
<!ENTITY % SVG.Description.extra.class "" >
<!ENTITY % SVG.Description.class
"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
%SVG.Description.extra.class;"
>
```

```
<!ENTITY % SVG.Use.extra.class "" >
<!ENTITY % SVG.Use.class
"| %SVG.use.qname; %SVG.Use.extra.class;"
>
```

```

<!ENTITY % SVG.Structure.extra.class "" >
<!ENTITY % SVG.Structure.class
  "| %SVG.svg.qname; | %SVG.g.qname; | %SVG.defs.qname; | %SVG.symbol.qname;
  %SVG.Use.class; %SVG.Structure.extra.class;"
>

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % SVG.Conditional.extra.class "" >
<!ENTITY % SVG.Conditional.class
  "| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.Image.extra.class "" >
<!ENTITY % SVG.Image.class
  "| %SVG.image.qname; %SVG.Image.extra.class;"
>

<!-- module: svg-style.mod ..... -->

<!ENTITY % SVG.Style.extra.class "" >
<!ENTITY % SVG.Style.class
  "| %SVG.style.qname; %SVG.Style.extra.class;"
>

<!-- module: svg-shape.mod ..... -->

<!ENTITY % SVG.Shape.extra.class "" >
<!ENTITY % SVG.Shape.class
  "| %SVG.path.qname; | %SVG.rect.qname; | %SVG.circle.qname;
  | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
  | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- module: svg-text.mod ..... -->

<!ENTITY % SVG.Text.extra.class "" >
<!ENTITY % SVG.Text.class
  "| %SVG.text.qname; | %SVG.altGlyphDef.qname; %SVG.Text.extra.class;"
>

<!ENTITY % SVG.TextContent.extra.class "" >
<!ENTITY % SVG.TextContent.class
  "| %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.textPath.qname;
  | %SVG.altGlyph.qname; %SVG.TextContent.extra.class;"

```

>

<!-- module: svg-marker.mod -->

<!ENTITY % SVG.Marker.extra.class "" >

<!ENTITY % SVG.Marker.class

"| %SVG.marker.qname; %SVG.Marker.extra.class;"

>

<!-- module: svg-profile.mod -->

<!ENTITY % SVG.ColorProfile.extra.class "" >

<!ENTITY % SVG.ColorProfile.class

"| %SVG.color-profile.qname; %SVG.ColorProfile.extra.class;"

>

<!-- module: svg-gradient.mod -->

<!ENTITY % SVG.Gradient.extra.class "" >

<!ENTITY % SVG.Gradient.class

"| %SVG.linearGradient.qname; | %SVG.radialGradient.qname;
%SVG.Gradient.extra.class;"

>

<!-- module: svg-pattern.mod -->

<!ENTITY % SVG.Pattern.extra.class "" >

<!ENTITY % SVG.Pattern.class

"| %SVG.pattern.qname; %SVG.Pattern.extra.class;"

>

<!-- module: svg-clip.mod -->

<!ENTITY % SVG.Clip.extra.class "" >

<!ENTITY % SVG.Clip.class

"| %SVG.clipPath.qname; %SVG.Clip.extra.class;"

>

<!-- module: svg-mask.mod -->

<!ENTITY % SVG.Mask.extra.class "" >

<!ENTITY % SVG.Mask.class

"| %SVG.mask.qname; %SVG.Mask.extra.class;"

>

<!-- module: svg-filter.mod -->

<!ENTITY % SVG.Filter.extra.class "" >

```

<!ENTITY % SVG.Filter.class
  "| %SVG.filter.qname; %SVG.Filter.extra.class;"
>

<!ENTITY % SVG.FilterPrimitive.extra.class "" >
<!ENTITY % SVG.FilterPrimitive.class
  "| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
  | %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;
  | %SVG.feConvolveMatrix.qname; | %SVG.feDiffuseLighting.qname;
  | %SVG.feDisplacementMap.qname; | %SVG.feFlood.qname;
  | %SVG.feGaussianBlur.qname; | %SVG.feImage.qname; | %SVG.feMerge.qname;
  | %SVG.feMorphology.qname; | %SVG.feOffset.qname;
  | %SVG.feSpecularLighting.qname; | %SVG.feTile.qname;
  | %SVG.feTurbulence.qname; %SVG.FilterPrimitive.extra.class;"
>

<!-- module: svg-cursor.mod ..... -->

<!ENTITY % SVG.Cursor.extra.class "" >
<!ENTITY % SVG.Cursor.class
  "| %SVG.cursor.qname; %SVG.Cursor.extra.class;"
>

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >
<!ENTITY % SVG.Hyperlink.class
  "| %SVG.a.qname; %SVG.Hyperlink.extra.class;"
>

<!-- module: svg-view.mod ..... -->

<!ENTITY % SVG.View.extra.class "" >
<!ENTITY % SVG.View.class
  "| %SVG.view.qname; %SVG.View.extra.class;"
>

<!-- module: svg-script.mod ..... -->

<!ENTITY % SVG.Script.extra.class "" >
<!ENTITY % SVG.Script.class
  "| %SVG.script.qname; %SVG.Script.extra.class;"
>

<!-- module: svg-animation.mod ..... -->

<!ENTITY % SVG.Animation.extra.class "" >
<!ENTITY % SVG.Animation.class

```

```

"%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
%SVG.animateColor.qname; | %SVG.animateTransform.qname;
%SVG.Animation.extra.class;"
>

<!-- module: svg-font.mod ..... -->

<!ENTITY % SVG.Font.extra.class "" >
<!ENTITY % SVG.Font.class
"| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>

<!-- module: svg-extensibility.mod ..... -->

<!ENTITY % SVG.Extensibility.extra.class "" >
<!ENTITY % SVG.Extensibility.class
"| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
>

<!-- end of svg11-model.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-model.mod
```

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

// Original author: Michael Froh (published on Github). Released under MPL 2.0

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/trie/ImmutableHashMap.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/ma/trie/ImmutableMap.java
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Document Metainformation Module ..... -->
<!-- file: xhtml-meta-2.mod

```

This is XHTML-RDFa, modules to annotate XHTML family documents.

Copyright 2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-meta-2.mod,v 1.1 2007/04/02 16:44:01 jigsaw Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Metainformation 2.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-meta-2.mod"

Revisions:

(none)

..... -->

<!-- Meta Information

meta

link

This module declares the meta and link element types,
used to provide declarative document metainformation.

-->

<!-- meta: Generic Metainformation -->

```
<!ENTITY % meta.element "INCLUDE" >
<![%meta.element;[
<!ENTITY % meta.content "( #PCDATA | %Inline.mix; )*" >
<!ENTITY % meta.qname "meta" >
<!ELEMENT %meta.qname; %meta.content; >
<!-- end of meta.element -->]]>
```

```
<!ENTITY % meta.attlist "INCLUDE" >
<![%meta.attlist;[
<!ATTLIST %meta.qname;
    %Common.attrib;
    http-equiv  NMTOKEN          #IMPLIED
    name        NMTOKEN          #IMPLIED
    scheme      CDATA            #IMPLIED
>
<!-- end of meta.attlist -->]]>
```

<!-- link: Media-Independent Link -->

```
<!ENTITY % link.element "INCLUDE" >
<![%link.element;[
<!ENTITY % link.content "( %link.qname; | %meta.qname; )*" >
<!ENTITY % link.qname "link" >
<!ELEMENT %link.qname; %link.content; >
<!-- end of link.element -->]]>
```

```
<!ENTITY % link.attlist "INCLUDE" >
<![%link.attlist;[
<!ATTLIST %link.qname;
    %Common.attrib;
```

```
charset %Charset.datatype; #IMPLIED
type %ContentType.datatype; #IMPLIED
media %MediaDesc.datatype; #IMPLIED
>
<!-- end of link.attlist -->]]>
```

```
<!-- end of xhtml-meta-2.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-meta-2.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.
2.0.
```

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
```

```
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-xml/net/sf/saxon/regex/REProgram.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-xml/net/sf/saxon/regex/RECompiler.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-xml/net/sf/saxon/regex/REMatcher.java
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/RESyntaxException.java
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 Filter Module ..... -->
```

```
<!-- file: svg-filter.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-filter.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Filter//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-filter.mod"

..... -->

<!-- Filter

filter, feBlend, feColorMatrix, feComponentTransfer, feComposite,
feConvolveMatrix, feDiffuseLighting, feDisplacementMap, feFlood,
feGaussianBlur, feImage, feMerge, feMergeNode, feMorphology, feOffset,
feSpecularLighting, feTile, feTurbulence, feDistantLight, fePointLight,
feSpotLight, feFuncR, feFuncG, feFuncB, feFuncA

This module declares markup to provide support for filter effect.

-->

<!-- 'filter' property/attribute value (e.g., 'none', <uri>) -->

<!ENTITY % FilterValue.datatype "CDATA" >

<!-- list of <number>s, but at least one and at most two -->

<!ENTITY % NumberOptionalNumber.datatype "CDATA" >

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.filter.qname "filter" >

<!ENTITY % SVG.feBlend.qname "feBlend" >

<!ENTITY % SVG.feColorMatrix.qname "feColorMatrix" >

<!ENTITY % SVG.feComponentTransfer.qname "feComponentTransfer" >

<!ENTITY % SVG.feComposite.qname "feComposite" >

<!ENTITY % SVG.feConvolveMatrix.qname "feConvolveMatrix" >

<!ENTITY % SVG.feDiffuseLighting.qname "feDiffuseLighting" >

<!ENTITY % SVG.feDisplacementMap.qname "feDisplacementMap" >

<!ENTITY % SVG.feFlood.qname "feFlood" >

<!ENTITY % SVG.feGaussianBlur.qname "feGaussianBlur" >

<!ENTITY % SVG.feImage.qname "feImage" >

<!ENTITY % SVG.feMerge.qname "feMerge" >

<!ENTITY % SVG.feMergeNode.qname "feMergeNode" >

<!ENTITY % SVG.feMorphology.qname "feMorphology" >

<!ENTITY % SVG.feOffset.qname "feOffset" >

<!ENTITY % SVG.feSpecularLighting.qname "feSpecularLighting" >

<!ENTITY % SVG.feTile.qname "feTile" >

<!ENTITY % SVG.feTurbulence.qname "feTurbulence" >

<!ENTITY % SVG.feDistantLight.qname "feDistantLight" >

<!ENTITY % SVG.fePointLight.qname "fePointLight" >

<!ENTITY % SVG.feSpotLight.qname "feSpotLight" >

```
<!ENTITY % SVG.feFuncR.qname "feFuncR" >
<!ENTITY % SVG.feFuncG.qname "feFuncG" >
<!ENTITY % SVG.feFuncB.qname "feFuncB" >
<!ENTITY % SVG.feFuncA.qname "feFuncA" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.Filter.class ..... -->
```

```
<!ENTITY % SVG.Filter.extra.class "" >
```

```
<!ENTITY % SVG.Filter.class
  "| %SVG.filter.qname; %SVG.Filter.extra.class;"
>
```

```
<!-- SVG.FilterPrimitive.class ..... -->
```

```
<!ENTITY % SVG.FilterPrimitive.extra.class "" >
```

```
<!ENTITY % SVG.FilterPrimitive.class
  "| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
  | %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;
  | %SVG.feConvolveMatrix.qname; | %SVG.feDiffuseLighting.qname;
  | %SVG.feDisplacementMap.qname; | %SVG.feFlood.qname;
  | %SVG.feGaussianBlur.qname; | %SVG.feImage.qname; | %SVG.feMerge.qname;
  | %SVG.feMorphology.qname; | %SVG.feOffset.qname;
  | %SVG.feSpecularLighting.qname; | %SVG.feTile.qname;
```

```

    | %SVG.feTurbulence.qname; %SVG.FilterPrimitive.extra.class;"
>

<!-- SVG.Filter.attrib ..... -->

<!ENTITY % SVG.Filter.extra.attrib "" >

<!ENTITY % SVG.Filter.attrib
"filter %FilterValue.datatype; #IMPLIED
%SVG.Filter.extra.attrib;"
>

<!-- SVG.FilterColor.attrib ..... -->

<!ENTITY % SVG.FilterColor.extra.attrib "" >

<!ENTITY % SVG.FilterColor.attrib
"color-interpolation-filters ( auto | sRGB | linearRGB | inherit )
#IMPLIED
%SVG.FilterColor.extra.attrib;"
>

<!-- SVG.FilterPrimitive.attrib ..... -->

<!ENTITY % SVG.FilterPrimitive.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitive.attrib
"x %Coordinate.datatype; #IMPLIED
y %Coordinate.datatype; #IMPLIED
width %Length.datatype; #IMPLIED
height %Length.datatype; #IMPLIED
result CDATA #IMPLIED
%SVG.FilterPrimitive.extra.attrib;"
>

<!-- SVG.FilterPrimitiveWithIn.attrib ..... -->

<!ENTITY % SVG.FilterPrimitiveWithIn.extra.attrib "" >

<!ENTITY % SVG.FilterPrimitiveWithIn.attrib
"%SVG.FilterPrimitive.attrib;
in CDATA #IMPLIED
%SVG.FilterPrimitiveWithIn.extra.attrib;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

```

```

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"

```

>

```

<!-- filter: Filter Element ..... -->

```

```

<!ENTITY % SVG.filter.extra.content "" >

```

```

<!ENTITY % SVG.filter.element "INCLUDE" >
<![%SVG.filter.element;[
<!ENTITY % SVG.filter.content
"(( %SVG.Description.class; )*, ( %SVG.animate.qname; | %SVG.set.qname;
%SVG.FilterPrimitive.class; %SVG.filter.extra.content; )*)"

```

>

```

<!ELEMENT %SVG.filter.qname; %SVG.filter.content; >

```

```

<!-- end of SVG.filter.element -->]]>

```

```

<!ENTITY % SVG.filter.attlist "INCLUDE" >

```

```

<![%SVG.filter.attlist;[
<!ATTLIST %SVG.filter.qname;
%SVG.Core.attrib;
%SVG.Style.attrib;
%SVG.Presentation.attrib;
%SVG.XLink.attrib;
%SVG.External.attrib;
x %Coordinate.datatype; #IMPLIED
y %Coordinate.datatype; #IMPLIED

```

```

width %Length.datatype; #IMPLIED
height %Length.datatype; #IMPLIED
filterRes %NumberOptionalNumber.datatype; #IMPLIED
filterUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
primitiveUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.filter.attlist -->]]>

<!-- feBlend: Filter Effect Blend Element ..... -->

<!ENTITY % SVG.feBlend.extra.content "" >

<!ENTITY % SVG.feBlend.element "INCLUDE" >
<![%SVG.feBlend.element;[
<!ENTITY % SVG.feBlend.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feBlend.extra.content; )*"
>
<!ELEMENT %SVG.feBlend.qname; %SVG.feBlend.content; >
<!-- end of SVG.feBlend.element -->]]>

<!ENTITY % SVG.feBlend.attlist "INCLUDE" >
<![%SVG.feBlend.attlist;[
<!ATTLIST %SVG.feBlend.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  in2 CDATA #REQUIRED
  mode ( normal | multiply | screen | darken | lighten ) 'normal'
>
<!-- end of SVG.feBlend.attlist -->]]>

<!-- feColorMatrix: Filter Effect Color Matrix Element . -->

<!ENTITY % SVG.feColorMatrix.extra.content "" >

<!ENTITY % SVG.feColorMatrix.element "INCLUDE" >
<![%SVG.feColorMatrix.element;[
<!ENTITY % SVG.feColorMatrix.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feColorMatrix.extra.content; )*"
>
<!ELEMENT %SVG.feColorMatrix.qname; %SVG.feColorMatrix.content; >
<!-- end of SVG.feColorMatrix.element -->]]>

<!ENTITY % SVG.feColorMatrix.attlist "INCLUDE" >
<![%SVG.feColorMatrix.attlist;[
<!ATTLIST %SVG.feColorMatrix.qname;
  %SVG.Core.attrib;

```

```

    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
    type ( matrix | saturate | hueRotate | luminanceToAlpha ) 'matrix'
    values CDATA #IMPLIED
>
<!-- end of SVG.feColorMatrix.attlist -->]]>

<!-- feComponentTransfer: Filter Effect Component Transfer Element -->

<!ENTITY % SVG.feComponentTransfer.extra.content "" >

<!ENTITY % SVG.feComponentTransfer.element "INCLUDE" >
<![%SVG.feComponentTransfer.element;[
<!ENTITY % SVG.feComponentTransfer.content
    "( %SVG.feFuncR.qname;?, %SVG.feFuncG.qname;?, %SVG.feFuncB.qname;?,
    %SVG.feFuncA.qname;? %SVG.feComponentTransfer.extra.content; )"
>
<!ELEMENT %SVG.feComponentTransfer.qname; %SVG.feComponentTransfer.content; >
<!-- end of SVG.feComponentTransfer.element -->]]>

<!ENTITY % SVG.feComponentTransfer.attlist "INCLUDE" >
<![%SVG.feComponentTransfer.attlist;[
<!ATTLIST %SVG.feComponentTransfer.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feComponentTransfer.attlist -->]]>

<!-- feComposite: Filter Effect Composite Element ..... -->

<!ENTITY % SVG.feComposite.extra.content "" >

<!ENTITY % SVG.feComposite.element "INCLUDE" >
<![%SVG.feComposite.element;[
<!ENTITY % SVG.feComposite.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feComposite.extra.content; )"
>
<!ELEMENT %SVG.feComposite.qname; %SVG.feComposite.content; >
<!-- end of SVG.feComposite.element -->]]>

<!ENTITY % SVG.feComposite.attlist "INCLUDE" >
<![%SVG.feComposite.attlist;[
<!ATTLIST %SVG.feComposite.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
    in2 CDATA #REQUIRED

```

```

operator ( over | in | out | atop | xor | arithmetic ) 'over'
k1 %Number.datatype; #IMPLIED
k2 %Number.datatype; #IMPLIED
k3 %Number.datatype; #IMPLIED
k4 %Number.datatype; #IMPLIED
>
<!-- end of SVG.feComposite.attlist -->]]>

<!-- feConvolveMatrix: Filter Effect Convolve Matrix Element -->

<!ENTITY % SVG.feConvolveMatrix.extra.content "" >

<!ENTITY % SVG.feConvolveMatrix.element "INCLUDE" >
<![%SVG.feConvolveMatrix.element;[
<!ENTITY % SVG.feConvolveMatrix.content
  "( %SVG.animate.qname; | %SVG.set.qname;
   %SVG.feConvolveMatrix.extra.content; )*"
>
<!ELEMENT %SVG.feConvolveMatrix.qname; %SVG.feConvolveMatrix.content; >
<!-- end of SVG.feConvolveMatrix.element -->]]>

<!ENTITY % SVG.feConvolveMatrix.attlist "INCLUDE" >
<![%SVG.feConvolveMatrix.attlist;[
<!ATTLIST %SVG.feConvolveMatrix.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  order %NumberOptionalNumber.datatype; #REQUIRED
  kernelMatrix CDATA #REQUIRED
  divisor %Number.datatype; #IMPLIED
  bias %Number.datatype; #IMPLIED
  targetX %Integer.datatype; #IMPLIED
  targetY %Integer.datatype; #IMPLIED
  edgeMode ( duplicate | wrap | none ) 'duplicate'
  kernelUnitLength %NumberOptionalNumber.datatype; #IMPLIED
  preserveAlpha %Boolean.datatype; #IMPLIED
>
<!-- end of SVG.feConvolveMatrix.attlist -->]]>

<!-- feDiffuseLighting: Filter Effect Diffuse Lighting Element -->

<!ENTITY % SVG.feDiffuseLighting.extra.content "" >

<!ENTITY % SVG.feDiffuseLighting.element "INCLUDE" >
<![%SVG.feDiffuseLighting.element;[
<!ENTITY % SVG.feDiffuseLighting.content
  "(( %SVG.feDistantLight.qname; | %SVG.fePointLight.qname;
   | %SVG.feSpotLight.qname; ), ( %SVG.animate.qname; | %SVG.set.qname;

```

```

    | %SVG.animateColor.qname; %SVG.feDiffuseLighting.extra.content; )*)"
>
<!ELEMENT %SVG.feDiffuseLighting.qname; %SVG.feDiffuseLighting.content; >
<!-- end of SVG.feDiffuseLighting.element -->]]>

<!ENTITY % SVG.feDiffuseLighting.attlist "INCLUDE" >
<![%SVG.feDiffuseLighting.attlist;[
<!ATTLIST %SVG.feDiffuseLighting.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Color.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
    lighting-color %SVGColor.datatype; #IMPLIED
    surfaceScale %Number.datatype; #IMPLIED
    diffuseConstant %Number.datatype; #IMPLIED
    kernelUnitLength %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feDiffuseLighting.attlist -->]]>

<!-- feDisplacementMap: Filter Effect Displacement Map Element -->

<!ENTITY % SVG.feDisplacementMap.extra.content "" >

<!ENTITY % SVG.feDisplacementMap.element "INCLUDE" >
<![%SVG.feDisplacementMap.element;[
<!ENTITY % SVG.feDisplacementMap.content
    "( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.feDisplacementMap.extra.content; )*"
>
<!ELEMENT %SVG.feDisplacementMap.qname; %SVG.feDisplacementMap.content; >
<!-- end of SVG.feDisplacementMap.element -->]]>

<!ENTITY % SVG.feDisplacementMap.attlist "INCLUDE" >
<![%SVG.feDisplacementMap.attlist;[
<!ATTLIST %SVG.feDisplacementMap.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
    in2 CDATA #REQUIRED
    scale %Number.datatype; #IMPLIED
    xChannelSelector ( R | G | B | A ) 'A'
    yChannelSelector ( R | G | B | A ) 'A'
>
<!-- end of SVG.feDisplacementMap.attlist -->]]>

<!-- feFlood: Filter Effect Flood Element ..... -->

```

```

<!ENTITY % SVG.feFlood.extra.content "" >

<!ENTITY % SVG.feFlood.element "INCLUDE" >
<![%SVG.feFlood.element;[
<!ENTITY % SVG.feFlood.content
  "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
    %SVG.feFlood.extra.content; )*"
>
<!ELEMENT %SVG.feFlood.qname; %SVG.feFlood.content; >
<!-- end of SVG.feFlood.element -->]]>

<!ENTITY % SVG.feFlood.attlist "INCLUDE" >
<![%SVG.feFlood.attlist;[
<!ATTLIST %SVG.feFlood.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  flood-color %SVGColor.datatype; #IMPLIED
  flood-opacity %OpacityValue.datatype; #IMPLIED
>
<!-- end of SVG.feFlood.attlist -->]]>

<!-- feGaussianBlur: Filter Effect Gaussian Blur Element -->

<!ENTITY % SVG.feGaussianBlur.extra.content "" >

<!ENTITY % SVG.feGaussianBlur.element "INCLUDE" >
<![%SVG.feGaussianBlur.element;[
<!ENTITY % SVG.feGaussianBlur.content
  "( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.feGaussianBlur.extra.content; )*"
>
<!ELEMENT %SVG.feGaussianBlur.qname; %SVG.feGaussianBlur.content; >
<!-- end of SVG.feGaussianBlur.element -->]]>

<!ENTITY % SVG.feGaussianBlur.attlist "INCLUDE" >
<![%SVG.feGaussianBlur.attlist;[
<!ATTLIST %SVG.feGaussianBlur.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  stdDeviation %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feGaussianBlur.attlist -->]]>

<!-- feImage: Filter Effect Image Element ..... -->

```

```

<!ENTITY % SVG.feImage.extra.content "" >

<!ENTITY % SVG.feImage.element "INCLUDE" >
<![%SVG.feImage.element;[
<!ENTITY % SVG.feImage.content
    "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateTransform.qname;
    %SVG.feImage.extra.content; )*"
>
<!ELEMENT %SVG.feImage.qname; %SVG.feImage.content; >
<!-- end of SVG.feImage.element -->]]>

<!ENTITY % SVG.feImage.attlist "INCLUDE" >
<![%SVG.feImage.attlist;[
<!ATTLIST %SVG.feImage.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.FilterPrimitive.attrib;
    %SVG.XLinkEmbed.attrib;
    %SVG.External.attrib;
    preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.feImage.attlist -->]]>

<!-- feMerge: Filter Effect Merge Element ..... -->

<!ENTITY % SVG.feMerge.extra.content "" >

<!ENTITY % SVG.feMerge.element "INCLUDE" >
<![%SVG.feMerge.element;[
<!ENTITY % SVG.feMerge.content
    "( %SVG.feMergeNode.qname; %SVG.feMerge.extra.content; )*"
>
<!ELEMENT %SVG.feMerge.qname; %SVG.feMerge.content; >
<!-- end of SVG.feMerge.element -->]]>

<!ENTITY % SVG.feMerge.attlist "INCLUDE" >
<![%SVG.feMerge.attlist;[
<!ATTLIST %SVG.feMerge.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitive.attrib;
>
<!-- end of SVG.feMerge.attlist -->]]>

<!-- feMergeNode: Filter Effect Merge Node Element ..... -->

```

```

<!ENTITY % SVG.feMergeNode.extra.content "" >

<!ENTITY % SVG.feMergeNode.element "INCLUDE" >
<![%SVG.feMergeNode.element;[
<!ENTITY % SVG.feMergeNode.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feMergeNode.extra.content; )*"
>
<!ELEMENT %SVG.feMergeNode.qname; %SVG.feMergeNode.content; >
<!-- end of SVG.feMergeNode.element -->]]>

<!ENTITY % SVG.feMergeNode.attlist "INCLUDE" >
<![%SVG.feMergeNode.attlist;[
<!ATTLIST %SVG.feMergeNode.qname;
  %SVG.Core.attrib;
  in CDATA #IMPLIED
>
<!-- end of SVG.feMergeNode.attlist -->]]>

<!-- feMorphology: Filter Effect Morphology Element .... -->

<!ENTITY % SVG.feMorphology.extra.content "" >

<!ENTITY % SVG.feMorphology.element "INCLUDE" >
<![%SVG.feMorphology.element;[
<!ENTITY % SVG.feMorphology.content
  "( %SVG.animate.qname; | %SVG.set.qname;
  %SVG.feMorphology.extra.content; )*"
>
<!ELEMENT %SVG.feMorphology.qname; %SVG.feMorphology.content; >
<!-- end of SVG.feMorphology.element -->]]>

<!ENTITY % SVG.feMorphology.attlist "INCLUDE" >
<![%SVG.feMorphology.attlist;[
<!ATTLIST %SVG.feMorphology.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  operator ( erode | dilate ) 'erode'
  radius %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feMorphology.attlist -->]]>

<!-- feOffset: Filter Effect Offset Element ..... -->

<!ENTITY % SVG.feOffset.extra.content "" >

<!ENTITY % SVG.feOffset.element "INCLUDE" >
<![%SVG.feOffset.element;[

```

```

<!ENTITY % SVG.feOffset.content
  "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feOffset.extra.content; )*"
>
<!ELEMENT %SVG.feOffset.qname; %SVG.feOffset.content; >
<!-- end of SVG.feOffset.element -->]]>

<!ENTITY % SVG.feOffset.attlist "INCLUDE" >
<![%SVG.feOffset.attlist;[
<!ATTLIST %SVG.feOffset.qname;
  %SVG.Core.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  dx %Number.datatype; #IMPLIED
  dy %Number.datatype; #IMPLIED
>
<!-- end of SVG.feOffset.attlist -->]]>

<!-- feSpecularLighting: Filter Effect Specular Lighting Element -->

<!ENTITY % SVG.feSpecularLighting.extra.content "" >

<!ENTITY % SVG.feSpecularLighting.element "INCLUDE" >
<![%SVG.feSpecularLighting.element;[
<!ENTITY % SVG.feSpecularLighting.content
  "(( %SVG.feDistantLight.qname; | %SVG.fePointLight.qname;
    | %SVG.feSpotLight.qname; ), ( %SVG.animate.qname; | %SVG.set.qname;
    | %SVG.animateColor.qname; %SVG.feSpecularLighting.extra.content; )*)"
>
<!ELEMENT %SVG.feSpecularLighting.qname; %SVG.feSpecularLighting.content; >
<!-- end of SVG.feSpecularLighting.element -->]]>

<!ENTITY % SVG.feSpecularLighting.attlist "INCLUDE" >
<![%SVG.feSpecularLighting.attlist;[
<!ATTLIST %SVG.feSpecularLighting.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.FilterColor.attrib;
  %SVG.FilterPrimitiveWithIn.attrib;
  lighting-color %SVGColor.datatype; #IMPLIED
  surfaceScale %Number.datatype; #IMPLIED
  specularConstant %Number.datatype; #IMPLIED
  specularExponent %Number.datatype; #IMPLIED
  kernelUnitLength %NumberOptionalNumber.datatype; #IMPLIED
>
<!-- end of SVG.feSpecularLighting.attlist -->]]>

<!-- feTile: Filter Effect Tile Element ..... -->

```

```

<!ENTITY % SVG.feTile.extra.content "" >

<!ENTITY % SVG.feTile.element "INCLUDE" >
<![%SVG.feTile.element;[
<!ENTITY % SVG.feTile.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feTile.extra.content; )*"
>
<!ELEMENT %SVG.feTile.qname; %SVG.feTile.content; >
<!-- end of SVG.feTile.element -->]]>

<!ENTITY % SVG.feTile.attlist "INCLUDE" >
<![%SVG.feTile.attlist;[
<!ATTLIST %SVG.feTile.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitiveWithIn.attrib;
>
<!-- end of SVG.feTile.attlist -->]]>

<!-- feTurbulence: Filter Effect Turbulence Element .... -->

<!ENTITY % SVG.feTurbulence.extra.content "" >

<!ENTITY % SVG.feTurbulence.element "INCLUDE" >
<![%SVG.feTurbulence.element;[
<!ENTITY % SVG.feTurbulence.content
    "( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.feTurbulence.extra.content; )*"
>
<!ELEMENT %SVG.feTurbulence.qname; %SVG.feTurbulence.content; >
<!-- end of SVG.feTurbulence.element -->]]>

<!ENTITY % SVG.feTurbulence.attlist "INCLUDE" >
<![%SVG.feTurbulence.attlist;[
<!ATTLIST %SVG.feTurbulence.qname;
    %SVG.Core.attrib;
    %SVG.FilterColor.attrib;
    %SVG.FilterPrimitive.attrib;
    baseFrequency %NumberOptionalNumber.datatype; #IMPLIED
    numOctaves %Integer.datatype; #IMPLIED
    seed %Number.datatype; #IMPLIED
    stitchTiles ( stitch | noStitch ) 'noStitch'
    type ( fractalNoise | turbulence ) 'turbulence'
>
<!-- end of SVG.feTurbulence.attlist -->]]>

<!-- feDistantLight: Filter Effect Distant Light Element -->

```

```

<!ENTITY % SVG.feDistantLight.extra.content "" >

<!ENTITY % SVG.feDistantLight.element "INCLUDE" >
<![%SVG.feDistantLight.element;[
<!ENTITY % SVG.feDistantLight.content
  "( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.feDistantLight.extra.content; )*"
>
<!ELEMENT %SVG.feDistantLight.qname; %SVG.feDistantLight.content; >
<!-- end of SVG.feDistantLight.element -->]]>

<!ENTITY % SVG.feDistantLight.attlist "INCLUDE" >
<![%SVG.feDistantLight.attlist;[
<!ATTLIST %SVG.feDistantLight.qname;
  %SVG.Core.attrib;
  azimuth %Number.datatype; #IMPLIED
  elevation %Number.datatype; #IMPLIED
>
<!-- end of SVG.feDistantLight.attlist -->]]>

<!-- fePointLight: Filter Effect Point Light Element ... -->

<!ENTITY % SVG.fePointLight.extra.content "" >

<!ENTITY % SVG.fePointLight.element "INCLUDE" >
<![%SVG.fePointLight.element;[
<!ENTITY % SVG.fePointLight.content
  "( %SVG.animate.qname; | %SVG.set.qname;
    %SVG.fePointLight.extra.content; )*"
>
<!ELEMENT %SVG.fePointLight.qname; %SVG.fePointLight.content; >
<!-- end of SVG.fePointLight.element -->]]>

<!ENTITY % SVG.fePointLight.attlist "INCLUDE" >
<![%SVG.fePointLight.attlist;[
<!ATTLIST %SVG.fePointLight.qname;
  %SVG.Core.attrib;
  x %Number.datatype; #IMPLIED
  y %Number.datatype; #IMPLIED
  z %Number.datatype; #IMPLIED
>
<!-- end of SVG.fePointLight.attlist -->]]>

<!-- feSpotLight: Filter Effect Spot Light Element ..... -->

<!ENTITY % SVG.feSpotLight.extra.content "" >

```

```

<!ENTITY % SVG.feSpotLight.element "INCLUDE" >
<![%SVG.feSpotLight.element;[
<!ENTITY % SVG.feSpotLight.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feSpotLight.extra.content; )*"
>
<!ELEMENT %SVG.feSpotLight.qname; %SVG.feSpotLight.content; >
<!-- end of SVG.feSpotLight.element -->]]>

```

```

<!ENTITY % SVG.feSpotLight.attlist "INCLUDE" >
<![%SVG.feSpotLight.attlist;[
<!ATTLIST %SVG.feSpotLight.qname;
    %SVG.Core.attrib;
    x %Number.datatype; #IMPLIED
    y %Number.datatype; #IMPLIED
    z %Number.datatype; #IMPLIED
    pointsAtX %Number.datatype; #IMPLIED
    pointsAtY %Number.datatype; #IMPLIED
    pointsAtZ %Number.datatype; #IMPLIED
    specularExponent %Number.datatype; #IMPLIED
    limitingConeAngle %Number.datatype; #IMPLIED
>
<!-- end of SVG.feSpotLight.attlist -->]]>

```

```

<!-- feFuncR: Filter Effect Function Red Element ..... -->

```

```

<!ENTITY % SVG.feFuncR.extra.content "" >

```

```

<!ENTITY % SVG.feFuncR.element "INCLUDE" >
<![%SVG.feFuncR.element;[
<!ENTITY % SVG.feFuncR.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncR.extra.content; )*"
>
<!ELEMENT %SVG.feFuncR.qname; %SVG.feFuncR.content; >
<!-- end of SVG.feFuncR.element -->]]>

```

```

<!ENTITY % SVG.feFuncR.attlist "INCLUDE" >
<![%SVG.feFuncR.attlist;[
<!ATTLIST %SVG.feFuncR.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED
    amplitude %Number.datatype; #IMPLIED
    exponent %Number.datatype; #IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncR.attlist -->]]>

```

```

<!-- feFuncG: Filter Effect Function Green Element ..... -->

<!ENTITY % SVG.feFuncG.extra.content "" >

<!ENTITY % SVG.feFuncG.element "INCLUDE" >
<![%SVG.feFuncG.element;[
<!ENTITY % SVG.feFuncG.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncG.extra.content; )*"
>
<!ELEMENT %SVG.feFuncG.qname; %SVG.feFuncG.content; >
<!-- end of SVG.feFuncG.element -->]]>

<!ENTITY % SVG.feFuncG.attlist "INCLUDE" >
<![%SVG.feFuncG.attlist;[
<!ATTLIST %SVG.feFuncG.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED
    amplitude %Number.datatype; #IMPLIED
    exponent %Number.datatype; #IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncG.attlist -->]]>

<!-- feFuncB: Filter Effect Function Blue Element ..... -->

<!ENTITY % SVG.feFuncB.extra.content "" >

<!ENTITY % SVG.feFuncB.element "INCLUDE" >
<![%SVG.feFuncB.element;[
<!ENTITY % SVG.feFuncB.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncB.extra.content; )*"
>
<!ELEMENT %SVG.feFuncB.qname; %SVG.feFuncB.content; >
<!-- end of SVG.feFuncB.element -->]]>

<!ENTITY % SVG.feFuncB.attlist "INCLUDE" >
<![%SVG.feFuncB.attlist;[
<!ATTLIST %SVG.feFuncB.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED
    amplitude %Number.datatype; #IMPLIED

```

```

    exponent %Number.datatype; #IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncB.attlist -->]]>

<!-- feFuncA: Filter Effect Function Alpha Element ..... -->

<!ENTITY % SVG.feFuncA.extra.content "" >

<!ENTITY % SVG.feFuncA.element "INCLUDE" >
<![%SVG.feFuncA.element;[
<!ENTITY % SVG.feFuncA.content
    "( %SVG.animate.qname; | %SVG.set.qname; %SVG.feFuncA.extra.content; )*"
>
<!ELEMENT %SVG.feFuncA.qname; %SVG.feFuncA.content; >
<!-- end of SVG.feFuncA.element -->]]>

<!ENTITY % SVG.feFuncA.attlist "INCLUDE" >
<![%SVG.feFuncA.attlist;[
<!ATTLIST %SVG.feFuncA.qname;
    %SVG.Core.attrib;
    type ( identity | table | discrete | linear | gamma ) #REQUIRED
    tableValues CDATA #IMPLIED
    slope %Number.datatype; #IMPLIED
    intercept %Number.datatype; #IMPLIED
    amplitude %Number.datatype; #IMPLIED
    exponent %Number.datatype; #IMPLIED
    offset %Number.datatype; #IMPLIED
>
<!-- end of SVG.feFuncA.attlist -->]]>

<!-- end of svg-filter.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-filter.mod

No license file was found, but licenses were detected in source scan.

<!--

File isolat1.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Added Latin 1//EN//XML
System identifier: <http://www.w3.org/2003/entities/2007/isolat1.ent>

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isolat1 PUBLIC
  "-//W3C//ENTITIES Added Latin 1//EN//XML"
  "http://www.w3.org/2003/entities/2007/isolat1.ent"
>
%isolat1;
```

-->

```
<!ENTITY aacute      "á" ><!--LATIN SMALL LETTER A WITH ACUTE -->
<!ENTITY Aacute     "Á" ><!--LATIN CAPITAL LETTER A WITH ACUTE -->
<!ENTITY acirc      "â" ><!--LATIN SMALL LETTER A WITH CIRCUMFLEX -->
<!ENTITY Acirc     "Â" ><!--LATIN CAPITAL LETTER A WITH CIRCUMFLEX -->
<!ENTITY aelig      "æ" ><!--LATIN SMALL LETTER AE -->
<!ENTITY AElig     "Æ" ><!--LATIN CAPITAL LETTER AE -->
<!ENTITY agrave     "à" ><!--LATIN SMALL LETTER A WITH GRAVE -->
<!ENTITY Agrave    "À" ><!--LATIN CAPITAL LETTER A WITH GRAVE -->
<!ENTITY aring      "å" ><!--LATIN SMALL LETTER A WITH RING ABOVE -->
<!ENTITY Aring     "Å" ><!--LATIN CAPITAL LETTER A WITH RING ABOVE -->
<!ENTITY atilde     "ã" ><!--LATIN SMALL LETTER A WITH TILDE -->
<!ENTITY Atilde    "Ã" ><!--LATIN CAPITAL LETTER A WITH TILDE -->
<!ENTITY auml       "ä" ><!--LATIN SMALL LETTER A WITH DIAERESIS -->
```

<!ENTITY Auml	"Ä" ><!--LATIN CAPITAL LETTER A WITH DIAERESIS -->
<!ENTITY ccedil	"ç" ><!--LATIN SMALL LETTER C WITH CEDILLA -->
<!ENTITY Ccedil	"Ç" ><!--LATIN CAPITAL LETTER C WITH CEDILLA -->
<!ENTITY eacute	"é" ><!--LATIN SMALL LETTER E WITH ACUTE -->
<!ENTITY Eacute	"É" ><!--LATIN CAPITAL LETTER E WITH ACUTE -->
<!ENTITY ecirc	"ê" ><!--LATIN SMALL LETTER E WITH CIRCUMFLEX -->
<!ENTITY Ecirc	"Ê" ><!--LATIN CAPITAL LETTER E WITH CIRCUMFLEX -->
<!ENTITY egrave	"è" ><!--LATIN SMALL LETTER E WITH GRAVE -->
<!ENTITY Egrave	"È" ><!--LATIN CAPITAL LETTER E WITH GRAVE -->
<!ENTITY eth	"ð" ><!--LATIN SMALL LETTER ETH -->
<!ENTITY ETH	"Ð" ><!--LATIN CAPITAL LETTER ETH -->
<!ENTITY euml	"ë" ><!--LATIN SMALL LETTER E WITH DIAERESIS -->
<!ENTITY Euml	"Ë" ><!--LATIN CAPITAL LETTER E WITH DIAERESIS -->
<!ENTITY iacute	"í" ><!--LATIN SMALL LETTER I WITH ACUTE -->
<!ENTITY Iacute	"Í" ><!--LATIN CAPITAL LETTER I WITH ACUTE -->
<!ENTITY icirc	"î" ><!--LATIN SMALL LETTER I WITH CIRCUMFLEX -->
<!ENTITY Icirc	"Î" ><!--LATIN CAPITAL LETTER I WITH CIRCUMFLEX -->
<!ENTITY igrave	"ì" ><!--LATIN SMALL LETTER I WITH GRAVE -->
<!ENTITY Igrave	"Ì" ><!--LATIN CAPITAL LETTER I WITH GRAVE -->
<!ENTITY iuml	"ï" ><!--LATIN SMALL LETTER I WITH DIAERESIS -->
<!ENTITY Iuml	"Ï" ><!--LATIN CAPITAL LETTER I WITH DIAERESIS -->
<!ENTITY ntilde	"ñ" ><!--LATIN SMALL LETTER N WITH TILDE -->
<!ENTITY Ntilde	"Ñ" ><!--LATIN CAPITAL LETTER N WITH TILDE -->
<!ENTITY oacute	"ó" ><!--LATIN SMALL LETTER O WITH ACUTE -->
<!ENTITY Oacute	"Ó" ><!--LATIN CAPITAL LETTER O WITH ACUTE -->
<!ENTITY ocirc	"ô" ><!--LATIN SMALL LETTER O WITH CIRCUMFLEX -->
<!ENTITY Ocirc	"Ô" ><!--LATIN CAPITAL LETTER O WITH CIRCUMFLEX -->
<!ENTITY ograve	"ò" ><!--LATIN SMALL LETTER O WITH GRAVE -->
<!ENTITY Ograve	"Ò" ><!--LATIN CAPITAL LETTER O WITH GRAVE -->
<!ENTITY oslash	"ø" ><!--LATIN SMALL LETTER O WITH STROKE -->
<!ENTITY Oslash	"Ø" ><!--LATIN CAPITAL LETTER O WITH STROKE -->
<!ENTITY otilde	"õ" ><!--LATIN SMALL LETTER O WITH TILDE -->
<!ENTITY Otilde	"Õ" ><!--LATIN CAPITAL LETTER O WITH TILDE -->
<!ENTITY ouml	"ö" ><!--LATIN SMALL LETTER O WITH DIAERESIS -->
<!ENTITY Ouml	"Ö" ><!--LATIN CAPITAL LETTER O WITH DIAERESIS -->
<!ENTITY szlig	"ß" ><!--LATIN SMALL LETTER SHARP S -->
<!ENTITY thorn	"þ" ><!--LATIN SMALL LETTER THORN -->
<!ENTITY THORN	"Þ" ><!--LATIN CAPITAL LETTER THORN -->
<!ENTITY uacute	"ú" ><!--LATIN SMALL LETTER U WITH ACUTE -->
<!ENTITY Uacute	"Ú" ><!--LATIN CAPITAL LETTER U WITH ACUTE -->
<!ENTITY ucirc	"û" ><!--LATIN SMALL LETTER U WITH CIRCUMFLEX -->
<!ENTITY Ucirc	"Û" ><!--LATIN CAPITAL LETTER U WITH CIRCUMFLEX -->
<!ENTITY ugrave	"ù" ><!--LATIN SMALL LETTER U WITH GRAVE -->
<!ENTITY Ugrave	"Ù" ><!--LATIN CAPITAL LETTER U WITH GRAVE -->
<!ENTITY uuml	"ü" ><!--LATIN SMALL LETTER U WITH DIAERESIS -->
<!ENTITY Uuml	"Ü" ><!--LATIN CAPITAL LETTER U WITH DIAERESIS -->
<!ENTITY yacute	"ý" ><!--LATIN SMALL LETTER Y WITH ACUTE -->
<!ENTITY Yacute	"Ý" ><!--LATIN CAPITAL LETTER Y WITH ACUTE -->

<!ENTITY yuml "ÿ" ><!--LATIN SMALL LETTER Y WITH DIAERESIS -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isolat1.ent

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- SVG 1.1 Paint Attribute Module -->

<!-- file: svg-paint-attrib.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-paint-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Paint Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-paint-attrib.mod"

..... -->

<!-- Paint Attribute

fill, fill-rule, stroke, stroke-dasharray, stroke-dashoffset,
stroke-linecap, stroke-linejoin, stroke-miterlimit, stroke-width, color,
color-interpolation, color-rendering

This module defines the Paint and Color attribute sets.

-->

<!-- a 'fill' or 'stroke' property/attribute value: <paint> -->

<!ENTITY % Paint.datatype "CDATA" >

<!-- 'stroke-dasharray' property/attribute value (e.g., 'none', list of <number>s) -->

<!ENTITY % StrokeDashArrayValue.datatype "CDATA" >

<!-- 'stroke-dashoffset' property/attribute value (e.g., 'none', <length>) -->

<!ENTITY % StrokeDashOffsetValue.datatype "CDATA" >

<!-- 'stroke-miterlimit' property/attribute value (e.g., <number>) -->

<!ENTITY % StrokeMiterLimitValue.datatype "CDATA" >

<!-- 'stroke-width' property/attribute value (e.g., <length>) -->

<!ENTITY % StrokeWidthValue.datatype "CDATA" >

<!ENTITY % SVG.fill.attrib

"fill %Paint.datatype; #IMPLIED"

```

>

<!ENTITY % SVG.fill-rule.attrib
  "fill-rule %ClipFillRule.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke.attrib
  "stroke %Paint.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-dasharray.attrib
  "stroke-dasharray %StrokeDashArrayValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-dashoffset.attrib
  "stroke-dashoffset %StrokeDashOffsetValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-linecap.attrib
  "stroke-linecap ( butt | round | square | inherit ) #IMPLIED"
>

<!ENTITY % SVG.stroke-linejoin.attrib
  "stroke-linejoin ( miter | round | bevel | inherit ) #IMPLIED"
>

<!ENTITY % SVG.stroke-miterlimit.attrib
  "stroke-miterlimit %StrokeMiterLimitValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-width.attrib
  "stroke-width %StrokeWidthValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.Paint.extra.attrib "" >

<!ENTITY % SVG.Paint.attrib
  "%SVG.fill.attrib;
  %SVG.fill-rule.attrib;
  %SVG.stroke.attrib;
  %SVG.stroke-dasharray.attrib;
  %SVG.stroke-dashoffset.attrib;
  %SVG.stroke-linecap.attrib;
  %SVG.stroke-linejoin.attrib;
  %SVG.stroke-miterlimit.attrib;
  %SVG.stroke-width.attrib;
  %SVG.Paint.extra.attrib;"
>

```

```

<!ENTITY % SVG.color.attrib
  "color %Color.datatype; #IMPLIED"
>

<!ENTITY % SVG.color-interpolation.attrib
  "color-interpolation ( auto | sRGB | linearRGB | inherit ) #IMPLIED"
>

<!ENTITY % SVG.color-rendering.attrib
  "color-rendering ( auto | optimizeSpeed | optimizeQuality | inherit )
    #IMPLIED"
>

<!ENTITY % SVG.Color.extra.attrib "" >

<!ENTITY % SVG.Color.attrib
  "%SVG.color.attrib;
  %SVG.color-interpolation.attrib;
  %SVG.color-rendering.attrib;
  %SVG.Color.extra.attrib;"
>

<!-- end of svg-paint-attrib.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-paint-attrib.mod

No license file was found, but licenses were detected in source scan.

<!--

File isodia.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Diacritical Marks//EN//XML
System identifier: http://www.w3.org/2003/entities/2007/isodia.ent

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isodia PUBLIC
  "-//W3C//ENTITIES Diacritical Marks//EN//XML"
  "http://www.w3.org/2003/entities/2007/isodia.ent"
>
%isodia;
```

-->

```
<!ENTITY acute      "&#x000B4;" ><!--ACUTE ACCENT -->
<!ENTITY breve     "&#x002D8;" ><!--BREVE -->
<!ENTITY caron     "&#x002C7;" ><!--CARON -->
<!ENTITY cedil     "&#x000B8;" ><!--CEDILLA -->
<!ENTITY circ      "&#x002C6;" ><!--MODIFIER LETTER CIRCUMFLEX ACCENT -->
<!ENTITY dblac     "&#x002DD;" ><!--DOUBLE ACUTE ACCENT -->
<!ENTITY die       "&#x000A8;" ><!--DIAERESIS -->
<!ENTITY dot       "&#x002D9;" ><!--DOT ABOVE -->
<!ENTITY grave     "&#x00060;" ><!--GRAVE ACCENT -->
<!ENTITY macr      "&#x000AF;" ><!--MACRON -->
<!ENTITY ogon      "&#x002DB;" ><!--OGONEK -->
<!ENTITY ring      "&#x002DA;" ><!--RING ABOVE -->
<!ENTITY tilde     "&#x002DC;" ><!--SMALL TILDE -->
<!ENTITY uml       "&#x000A8;" ><!--DIAERESIS -->
```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isodia.ent

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.
2.0.
/*
Email from author to Michael Kay dated 2014-02-21:
Please find the Java code attached. The file is encoded in UTF-8, and you will need to preserve that
in order to keep the Turkish letters in string literals in the code correct.
I agree to release it under the Mozilla Public License or under any other recognized open
source license that Saxon might adopt in the future.
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/Numberer_tr.java
No license file was found, but licenses were detected in source scan.
```

```
<!-- ..... -->
<!-- XHTML Inline Style Module ..... -->
<!-- file: xhtml-inlstyle-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-inlstyle-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Inline Style 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inlstyle-1.mod"
```

Revisions:

```
(none)
..... -->
```

```
<!-- Inline Style
```

This module declares the 'style' attribute, used to support inline
style markup. This module must be instantiated prior to the XHTML
Common Attributes module in order to be included in %Core.attrib;.
-->

```
<!ENTITY % style.attrib
"style CDATA #IMPLIED"
>
```

```
<!ENTITY % Core.extra.attrib
"%style.attrib;"
>
```

<!-- end of xhtml-instyle-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-instyle-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File isobox.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES Box and Line Drawing//EN//XML`
System identifier: `http://www.w3.org/2003/entities/2007/isobox.ent`

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isobox PUBLIC
"-//W3C//ENTITIES Box and Line Drawing//EN//XML"
"http://www.w3.org/2003/entities/2007/isobox.ent"
>
```

%isobox;

-->

<!ENTITY boxdl "┐" ><!--BOX DRAWINGS LIGHT DOWN AND LEFT -->
<!ENTITY boxdL "╕" ><!--BOX DRAWINGS DOWN SINGLE AND LEFT DOUBLE -->
<!ENTITY boxDl "╖" ><!--BOX DRAWINGS DOWN DOUBLE AND LEFT SINGLE -->
<!ENTITY boxDL "╗" ><!--BOX DRAWINGS DOUBLE DOWN AND LEFT -->
<!ENTITY boxdr "┌" ><!--BOX DRAWINGS LIGHT DOWN AND RIGHT -->
<!ENTITY boxdR "╒" ><!--BOX DRAWINGS DOWN SINGLE AND RIGHT DOUBLE -->
<!ENTITY boxDr "╓" ><!--BOX DRAWINGS DOWN DOUBLE AND RIGHT SINGLE -->
<!ENTITY boxDR "╔" ><!--BOX DRAWINGS DOUBLE DOWN AND RIGHT -->
<!ENTITY boxh "─" ><!--BOX DRAWINGS LIGHT HORIZONTAL -->
<!ENTITY boxH "═" ><!--BOX DRAWINGS DOUBLE HORIZONTAL -->
<!ENTITY boxhd "┬" ><!--BOX DRAWINGS LIGHT DOWN AND HORIZONTAL -->
<!ENTITY boxhD "╥" ><!--BOX DRAWINGS DOWN DOUBLE AND HORIZONTAL SINGLE
-->
<!ENTITY boxHd "╤" ><!--BOX DRAWINGS DOWN SINGLE AND HORIZONTAL DOUBLE
-->
<!ENTITY boxHD "╦" ><!--BOX DRAWINGS DOUBLE DOWN AND HORIZONTAL -->
<!ENTITY boxhu "┴" ><!--BOX DRAWINGS LIGHT UP AND HORIZONTAL -->
<!ENTITY boxhU "╨" ><!--BOX DRAWINGS UP DOUBLE AND HORIZONTAL SINGLE -->
<!ENTITY boxHu "╧" ><!--BOX DRAWINGS UP SINGLE AND HORIZONTAL DOUBLE -->
<!ENTITY boxHU "╩" ><!--BOX DRAWINGS DOUBLE UP AND HORIZONTAL -->
<!ENTITY boxul "┘" ><!--BOX DRAWINGS LIGHT UP AND LEFT -->
<!ENTITY boxuL "╛" ><!--BOX DRAWINGS UP SINGLE AND LEFT DOUBLE -->
<!ENTITY boxUl "╜" ><!--BOX DRAWINGS UP DOUBLE AND LEFT SINGLE -->
<!ENTITY boxUL "╝" ><!--BOX DRAWINGS DOUBLE UP AND LEFT -->
<!ENTITY boxur "└" ><!--BOX DRAWINGS LIGHT UP AND RIGHT -->
<!ENTITY boxuR "╘" ><!--BOX DRAWINGS UP SINGLE AND RIGHT DOUBLE -->
<!ENTITY boxUr "╙" ><!--BOX DRAWINGS UP DOUBLE AND RIGHT SINGLE -->
<!ENTITY boxUR "╚" ><!--BOX DRAWINGS DOUBLE UP AND RIGHT -->
<!ENTITY boxv "│" ><!--BOX DRAWINGS LIGHT VERTICAL -->
<!ENTITY boxV "║" ><!--BOX DRAWINGS DOUBLE VERTICAL -->
<!ENTITY boxvh "┼" ><!--BOX DRAWINGS LIGHT VERTICAL AND HORIZONTAL -->
<!ENTITY boxvH "╪" ><!--BOX DRAWINGS VERTICAL SINGLE AND HORIZONTAL
DOUBLE -->
<!ENTITY boxVh "╫" ><!--BOX DRAWINGS VERTICAL DOUBLE AND HORIZONTAL
SINGLE -->
<!ENTITY boxVH "╬" ><!--BOX DRAWINGS DOUBLE VERTICAL AND HORIZONTAL -->
<!ENTITY boxvl "┤" ><!--BOX DRAWINGS LIGHT VERTICAL AND LEFT -->
<!ENTITY boxvL "╡" ><!--BOX DRAWINGS VERTICAL SINGLE AND LEFT DOUBLE -->
<!ENTITY boxVl "╢" ><!--BOX DRAWINGS VERTICAL DOUBLE AND LEFT SINGLE -->
<!ENTITY boxVL "╣" ><!--BOX DRAWINGS DOUBLE VERTICAL AND LEFT -->
<!ENTITY boxvr "├" ><!--BOX DRAWINGS LIGHT VERTICAL AND RIGHT -->
<!ENTITY boxvR "╞" ><!--BOX DRAWINGS VERTICAL SINGLE AND RIGHT DOUBLE -->
<!ENTITY boxVr "╟" ><!--BOX DRAWINGS VERTICAL DOUBLE AND RIGHT SINGLE -->
<!ENTITY boxVR "╠" ><!--BOX DRAWINGS DOUBLE VERTICAL AND RIGHT -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/mathml/mathml3/isobox.ent
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Modular Framework Module ..... -->  
<!-- file: svg-framework.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-framework.mod,v 1.2 2002/04/20 18:07:43 fujiisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Modular Framework//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-framework.mod"
```

```
..... -->
```

```
<!-- Modular Framework
```

This module instantiates the modules needed to support the SVG
modularization model, including:

- + Datatypes
- + Qualified Name
- + Document Model
- + Attribute Collection

```
-->
```

```
<!ENTITY % svg-datatypes.module "INCLUDE" >  
<![%svg-datatypes.module;[  
<!ENTITY % svg-datatypes.mod  
PUBLIC "-//W3C//ENTITIES SVG 1.1 Datatypes//EN"  
"svg-datatypes.mod" >  
%svg-datatypes.mod;]]>
```

```
<!ENTITY % svg-qname.module "INCLUDE" >  
<![%svg-qname.module;[  
<!ENTITY % svg-qname.mod  
PUBLIC "-//W3C//ENTITIES SVG 1.1 Qualified Name//EN"  
"svg-qname.mod" >  
%svg-qname.mod;]]>
```

```
<!ENTITY % svg-model.module "INCLUDE" >  
<![%svg-model.module;[
```

<!-- instantiate the Document Model declared in the DTD driver -->

%svg-model.mod;]]>

<!ENTITY % svg-attrs.module "INCLUDE" >

<![%svg-attrs.module;[

<!-- instantiate the Attribute Collection declared in the DTD driver -->

%svg-attrs.mod;]]>

<!-- end of svg-framework.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-framework.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Target Module -->

<!-- file: xhtml-target-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-target-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Target 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-target-1.mod"

Revisions:

(none)

..... -->

<!-- Target

target

This module declares the 'target' attribute used for opening windows

-->

<!-- render in this frame -->

<!ENTITY % FrameTarget.datatype "CDATA" >

<!-- add 'target' attribute to 'a' element -->

<!ATTLIST %a.qname;

target %FrameTarget.datatype; #IMPLIED

>

<!-- add 'target' attribute to 'area' element -->

```

<!ATTLIST %area.qname;
  target    %FrameTarget.datatype; #IMPLIED
>

<!-- add 'target' attribute to 'link' element -->
<!ATTLIST %link.qname;
  target    %FrameTarget.datatype; #IMPLIED
>

<!-- add 'target' attribute to 'form' element -->
<!ATTLIST %form.qname;
  target    %FrameTarget.datatype; #IMPLIED
>

<!-- add 'target' attribute to 'base' element -->
<!ATTLIST %base.qname;
  target    %FrameTarget.datatype; #IMPLIED
>

<!-- end of xhtml-target-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-target-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Block Presentation Module ..... -->
<!-- file: xhtml-blkpres-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-blkpres-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Block Presentation 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-blkpres-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Block Presentational Elements

```

```

  hr

```

This module declares the elements and their attributes used to

support block-level presentational markup.

-->

```
<!ENTITY % hr.element "INCLUDE" >
<![%hr.element;[
<!ENTITY % hr.content "EMPTY" >
<!ENTITY % hr.qname "hr" >
<!ELEMENT %hr.qname; %hr.content; >
<!-- end of hr.element -->]]>
```

```
<!ENTITY % hr.attlist "INCLUDE" >
<![%hr.attlist;[
<!ATTLIST %hr.qname;
    %Common.attrib;
>
<!-- end of hr.attlist -->]]>
```

<!-- end of xhtml-blkpres-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-blkpres-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Block Phrasal Module ..... -->
<!-- file: xhtml-blkphras-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-blkphras-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-blkphras-1.mod"
```

Revisions:

(none)

..... -->

<!-- Block Phrasal

address, blockquote, pre, h1, h2, h3, h4, h5, h6

This module declares the elements and their attributes used to
support block-level phrasal markup.

-->

```
<!ENTITY % address.element "INCLUDE" >
<![%address.element;[
<!ENTITY % address.content
    "( #PCDATA | %Inline.mix; )*" >
<!ENTITY % address.qname "address" >
<!ELEMENT %address.qname; %address.content; >
<!-- end of address.element -->]]>
```

```
<!ENTITY % address.attlist "INCLUDE" >
<![%address.attlist;[
<!ATTLIST %address.qname;
    %Common.attrib;
>
<!-- end of address.attlist -->]]>
```

```
<!ENTITY % blockquote.element "INCLUDE" >
<![%blockquote.element;[
<!ENTITY % blockquote.content
    "( %Block.mix; )*"
>
<!ENTITY % blockquote.qname "blockquote" >
<!ELEMENT %blockquote.qname; %blockquote.content; >
<!-- end of blockquote.element -->]]>
```

```
<!ENTITY % blockquote.attlist "INCLUDE" >
<![%blockquote.attlist;[
<!ATTLIST %blockquote.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
>
<!-- end of blockquote.attlist -->]]>
```

```
<!ENTITY % pre.element "INCLUDE" >
<![%pre.element;[
<!ENTITY % pre.content
    "( #PCDATA
    | %InlStruct.class;
    %InlPhras.class;
    | %tt.qname; | %i.qname; | %b.qname;
    %I18n.class;
    %Anchor.class;
    | %map.qname;
    %Misc.class;
    %Inline.extra; )*"
>
<!ENTITY % pre.qname "pre" >
<!ELEMENT %pre.qname; %pre.content; >
```

```
<!-- end of pre.element -->]]>
```

```
<!ENTITY % pre.attlist "INCLUDE" >
```

```
<![%pre.attlist;[
```

```
<!ATTLIST %pre.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of pre.attlist -->]]>
```

```
<!-- ..... Heading Elements ..... -->
```

```
<!ENTITY % Heading.content "( #PCDATA | %Inline.mix; )*" >
```

```
<!ENTITY % h1.element "INCLUDE" >
```

```
<![%h1.element;[
```

```
<!ENTITY % h1.qname "h1" >
```

```
<!ELEMENT %h1.qname; %Heading.content; >
```

```
<!-- end of h1.element -->]]>
```

```
<!ENTITY % h1.attlist "INCLUDE" >
```

```
<![%h1.attlist;[
```

```
<!ATTLIST %h1.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h1.attlist -->]]>
```

```
<!ENTITY % h2.element "INCLUDE" >
```

```
<![%h2.element;[
```

```
<!ENTITY % h2.qname "h2" >
```

```
<!ELEMENT %h2.qname; %Heading.content; >
```

```
<!-- end of h2.element -->]]>
```

```
<!ENTITY % h2.attlist "INCLUDE" >
```

```
<![%h2.attlist;[
```

```
<!ATTLIST %h2.qname;
```

```
    %Common.attrib;
```

```
>
```

```
<!-- end of h2.attlist -->]]>
```

```
<!ENTITY % h3.element "INCLUDE" >
```

```
<![%h3.element;[
```

```
<!ENTITY % h3.qname "h3" >
```

```
<!ELEMENT %h3.qname; %Heading.content; >
```

```
<!-- end of h3.element -->]]>
```

```
<!ENTITY % h3.attlist "INCLUDE" >
```

```
<![%h3.attlist;[
```

```
<!ATTLIST %h3.qname;
```

```
%Common.attrib;
>
<!-- end of h3.attlist -->]]>

<!ENTITY % h4.element "INCLUDE" >
<![%h4.element;[
<!ENTITY % h4.qname "h4" >
<!ELEMENT %h4.qname; %Heading.content; >
<!-- end of h4.element -->]]>

<!ENTITY % h4.attlist "INCLUDE" >
<![%h4.attlist;[
<!ATTLIST %h4.qname;
    %Common.attrib;
>
<!-- end of h4.attlist -->]]>

<!ENTITY % h5.element "INCLUDE" >
<![%h5.element;[
<!ENTITY % h5.qname "h5" >
<!ELEMENT %h5.qname; %Heading.content; >
<!-- end of h5.element -->]]>

<!ENTITY % h5.attlist "INCLUDE" >
<![%h5.attlist;[
<!ATTLIST %h5.qname;
    %Common.attrib;
>
<!-- end of h5.attlist -->]]>

<!ENTITY % h6.element "INCLUDE" >
<![%h6.element;[
<!ENTITY % h6.qname "h6" >
<!ELEMENT %h6.qname; %Heading.content; >
<!-- end of h6.element -->]]>

<!ENTITY % h6.attlist "INCLUDE" >
<![%h6.attlist;[
<!ATTLIST %h6.qname;
    %Common.attrib;
>
<!-- end of h6.attlist -->]]>

<!-- end of xhtml-blkphras-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-blkphras-1.mod
```

No license file was found, but licenses were detected in source scan.

20010904/

Copyright (c) 2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

For SVG 1.0:

Namespace:

<http://www.w3.org/2000/svg>

Public identifier:

PUBLIC "

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/svg10/svg10.dtd

No license file was found, but licenses were detected in source scan.

<!--

File mmlalias.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

References to the VARIANT SELECTOR 1 character (︀)
should match the uses listed in Unicode Technical Report 25.

-->

<!--

Public identifier: `--/W3C//ENTITIES MathML Aliases//EN//XML`

System identifier: `http://www.w3.org/2003/entities/2007/mmlalias.ent`

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % mmlalias PUBLIC
"-//W3C//ENTITIES MathML Aliases//EN//XML"
"http://www.w3.org/2003/entities/2007/mmlalias.ent"
>
%mmlalias;

-->

<!ENTITY angle      "∠" ><!--ANGLE -->
<!ENTITY ApplyFunction  "⁡" ><!--FUNCTION APPLICATION -->
<!ENTITY approx     "≈" ><!--ALMOST EQUAL TO -->
<!ENTITY approxeq   "≊" ><!--ALMOST EQUAL OR EQUAL TO -->
<!ENTITY Assign     "≔" ><!--COLON EQUALS -->
<!ENTITY backcong   "≌" ><!--ALL EQUAL TO -->
<!ENTITY backepsilon "϶" ><!--GREEK REVERSED LUNATE EPSILON SYMBOL -->
<!ENTITY backprime  "‵" ><!--REVERSED PRIME -->
<!ENTITY backsim    "∽" ><!--REVERSED TILDE -->
<!ENTITY backsimeq  "⋍" ><!--REVERSED TILDE EQUALS -->
<!ENTITY Backslash  "∖" ><!--SET MINUS -->
<!ENTITY barwedge   "⌅" ><!--PROJECTIVE -->
<!ENTITY because    "∵" ><!--BECAUSE -->
<!ENTITY Because    "∵" ><!--BECAUSE -->
<!ENTITY Bernoullis "ℬ" ><!--SCRIPT CAPITAL B -->
<!ENTITY between    "≬" ><!--BETWEEN -->
<!ENTITY bigcap     "⋂" ><!--N-ARY INTERSECTION -->
<!ENTITY bigcirc    "◯" ><!--LARGE CIRCLE -->
<!ENTITY bigcup     "⋃" ><!--N-ARY UNION -->
<!ENTITY bigodot    "⨀" ><!--N-ARY CIRCLED DOT OPERATOR -->
<!ENTITY bigoplus   "⨁" ><!--N-ARY CIRCLED PLUS OPERATOR -->
<!ENTITY bigotimes  "⨂" ><!--N-ARY CIRCLED TIMES OPERATOR -->
<!ENTITY bigsqcup   "⨆" ><!--N-ARY SQUARE UNION OPERATOR -->
<!ENTITY bigstar    "★" ><!--BLACK STAR -->
<!ENTITY bigtriangledown "▽" ><!--WHITE DOWN-POINTING TRIANGLE -->
<!ENTITY bigtriangleup  "△" ><!--WHITE UP-POINTING TRIANGLE -->
<!ENTITY biguplus    "⨄" ><!--N-ARY UNION OPERATOR WITH PLUS -->
<!ENTITY bigvee     "⋁" ><!--N-ARY LOGICAL OR -->
<!ENTITY bigwedge   "⋀" ><!--N-ARY LOGICAL AND -->
<!ENTITY bkarow     "⤍" ><!--RIGHTWARDS DOUBLE DASH ARROW -->
<!ENTITY blacklozenge "⧫" ><!--BLACK LOZENGE -->
<!ENTITY blacksquare "▪" ><!--BLACK SMALL SQUARE -->
<!ENTITY blacktriangle "▴" ><!--BLACK UP-POINTING SMALL TRIANGLE -->
<!ENTITY blacktriangledown "▾" ><!--BLACK DOWN-POINTING SMALL TRIANGLE -->
<!ENTITY blacktriangleleft "◂" ><!--BLACK LEFT-POINTING SMALL TRIANGLE -->
<!ENTITY blacktriangleright "▸" ><!--BLACK RIGHT-POINTING SMALL TRIANGLE -->
<!ENTITY bot        "⊥" ><!--UP TACK -->
```

<!ENTITY boxminus "⊟" ><!--SQUARED MINUS -->
 <!ENTITY boxplus "⊞" ><!--SQUARED PLUS -->
 <!ENTITY boxtimes "⊠" ><!--SQUARED TIMES -->
 <!ENTITY Breve "˘" ><!--BREVE -->
 <!ENTITY bullet "•" ><!--BULLET -->
 <!ENTITY bumpeq "≏" ><!--DIFFERENCE BETWEEN -->
 <!ENTITY Bumpeq "≎" ><!--GEOMETRICALLY EQUIVALENT TO -->
 <!ENTITY CapitalDifferentialD "ⅅ" ><!--DOUBLE-STRUCK ITALIC CAPITAL D -->
 <!ENTITY Cayleys "ℭ" ><!--BLACK-LETTER CAPITAL C -->
 <!ENTITY Cedilla "¸" ><!--CEDILLA -->
 <!ENTITY centerdot "·" ><!--MIDDLE DOT -->
 <!ENTITY CenterDot "·" ><!--MIDDLE DOT -->
 <!ENTITY checkmark "✓" ><!--CHECK MARK -->
 <!ENTITY circeq "≗" ><!--RING EQUAL TO -->
 <!ENTITY circlearrowleft "↺" ><!--ANTICLOCKWISE OPEN CIRCLE ARROW -->
 <!ENTITY circlearrowright "↻" ><!--CLOCKWISE OPEN CIRCLE ARROW -->
 <!ENTITY circledast "⊛" ><!--CIRCLED ASTERISK OPERATOR -->
 <!ENTITY circledcirc "⊚" ><!--CIRCLED RING OPERATOR -->
 <!ENTITY circleddash "⊝" ><!--CIRCLED DASH -->
 <!ENTITY CircleDot "⊙" ><!--CIRCLED DOT OPERATOR -->
 <!ENTITY circledR "®" ><!--REGISTERED SIGN -->
 <!ENTITY circledS "Ⓢ" ><!--CIRCLED LATIN CAPITAL LETTER S -->
 <!ENTITY CircleMinus "⊖" ><!--CIRCLED MINUS -->
 <!ENTITY CirclePlus "⊕" ><!--CIRCLED PLUS -->
 <!ENTITY CircleTimes "⊗" ><!--CIRCLED TIMES -->
 <!ENTITY ClockwiseContourIntegral "∲" ><!--CLOCKWISE CONTOUR INTEGRAL -->
 <!ENTITY CloseCurlyDoubleQuote "”" ><!--RIGHT DOUBLE QUOTATION MARK -->
 <!ENTITY CloseCurlyQuote "’" ><!--RIGHT SINGLE QUOTATION MARK -->
 <!ENTITY clubsuit "♣" ><!--BLACK CLUB SUIT -->
 <!ENTITY coloneq "≔" ><!--COLON EQUALS -->
 <!ENTITY complement "∁" ><!--COMPLEMENT -->
 <!ENTITY complexes "ℂ" ><!--DOUBLE-STRUCK CAPITAL C -->
 <!ENTITY Congruent "≡" ><!--IDENTICAL TO -->
 <!ENTITY ContourIntegral "∮" ><!--CONTOUR INTEGRAL -->
 <!ENTITY Coproduct "∐" ><!--N-ARY COPRODUCT -->
 <!ENTITY CounterClockwiseContourIntegral "∳" ><!--ANTICLOCKWISE CONTOUR INTEGRAL -->
 <!ENTITY CupCap "≍" ><!--EQUIVALENT TO -->
 <!ENTITY curlyeqprec "⋞" ><!--EQUAL TO OR PRECEDES -->
 <!ENTITY curlyeqsucc "⋟" ><!--EQUAL TO OR SUCCEEDS -->
 <!ENTITY curlyvee "⋎" ><!--CURLY LOGICAL OR -->
 <!ENTITY curlywedge "⋏" ><!--CURLY LOGICAL AND -->
 <!ENTITY curvearrowleft "↶" ><!--ANTICLOCKWISE TOP SEMICIRCLE ARROW -->
 <!ENTITY curvearrowright "↷" ><!--CLOCKWISE TOP SEMICIRCLE ARROW -->
 <!ENTITY dbkarow "⤏" ><!--RIGHTWARDS TRIPLE DASH ARROW -->
 <!ENTITY ddagger "‡" ><!--DOUBLE DAGGER -->
 <!ENTITY ddotseq "⩷" ><!--EQUALS SIGN WITH TWO DOTS ABOVE AND TWO DOTS BELOW -->
 <!ENTITY Del "∇" ><!--NABLA -->

<!ENTITY DiacriticalAcute "´" ><!--ACUTE ACCENT -->
 <!ENTITY DiacriticalDot "˙" ><!--DOT ABOVE -->
 <!ENTITY DiacriticalDoubleAcute "˝" ><!--DOUBLE ACUTE ACCENT -->
 <!ENTITY DiacriticalGrave "`" ><!--GRAVE ACCENT -->
 <!ENTITY DiacriticalTilde "˜" ><!--SMALL TILDE -->
 <!ENTITY diamond "⋄" ><!--DIAMOND OPERATOR -->
 <!ENTITY Diamond "⋄" ><!--DIAMOND OPERATOR -->
 <!ENTITY diamondsuit "♦" ><!--BLACK DIAMOND SUIT -->
 <!ENTITY DifferentialD "ⅆ" ><!--DOUBLE-STRUCK ITALIC SMALL D -->
 <!ENTITY digamma "ϝ" ><!--GREEK SMALL LETTER DIGAMMA -->
 <!ENTITY div "÷" ><!--DIVISION SIGN -->
 <!ENTITY divideontimes "⋇" ><!--DIVISION TIMES -->
 <!ENTITY doteq "≐" ><!--APPROACHES THE LIMIT -->
 <!ENTITY doteqdot "≑" ><!--GEOMETRICALLY EQUAL TO -->
 <!ENTITY DotEqual "≐" ><!--APPROACHES THE LIMIT -->
 <!ENTITY dotminus "∸" ><!--DOT MINUS -->
 <!ENTITY dotplus "∔" ><!--DOT PLUS -->
 <!ENTITY dotsquare "⊡" ><!--SQUARED DOT OPERATOR -->
 <!ENTITY doublebarwedge "⌆" ><!--PERSPECTIVE -->
 <!ENTITY DoubleContourIntegral "∯" ><!--SURFACE INTEGRAL -->
 <!ENTITY DoubleDot "¨" ><!--DIAERESIS -->
 <!ENTITY DoubleDownArrow "⇓" ><!--DOWNWARDS DOUBLE ARROW -->
 <!ENTITY DoubleLeftArrow "⇐" ><!--LEFTWARDS DOUBLE ARROW -->
 <!ENTITY DoubleLeftRightArrow "⇔" ><!--LEFT RIGHT DOUBLE ARROW -->
 <!ENTITY DoubleLeftTee "⫤" ><!--VERTICAL BAR DOUBLE LEFT TURNSTILE -->
 <!ENTITY DoubleLongLeftArrow "⟸" ><!--LONG LEFTWARDS DOUBLE ARROW -->
 <!ENTITY DoubleLongLeftRightArrow "⟺" ><!--LONG LEFT RIGHT DOUBLE ARROW -->
 <!ENTITY DoubleLongRightArrow "⟹" ><!--LONG RIGHTWARDS DOUBLE ARROW -->
 <!ENTITY DoubleRightArrow "⇒" ><!--RIGHTWARDS DOUBLE ARROW -->
 <!ENTITY DoubleRightTee "⊨" ><!--TRUE -->
 <!ENTITY DoubleUpArrow "⇑" ><!--UPWARDS DOUBLE ARROW -->
 <!ENTITY DoubleUpDownArrow "⇕" ><!--UP DOWN DOUBLE ARROW -->
 <!ENTITY DoubleVerticalBar "∥" ><!--PARALLEL TO -->
 <!ENTITY downarrow "↓" ><!--DOWNWARDS ARROW -->
 <!ENTITY Downarrow "⇓" ><!--DOWNWARDS DOUBLE ARROW -->
 <!ENTITY DownArrow "↓" ><!--DOWNWARDS ARROW -->
 <!ENTITY DownArrowUpArrow "⇵" ><!--DOWNWARDS ARROW LEFTWARDS OF UPWARDS ARROW -->
 <!ENTITY downdownarrows "⇊" ><!--DOWNWARDS PAIRED ARROWS -->
 <!ENTITY downharpoonleft "⇃" ><!--DOWNWARDS HARPOON WITH BARB LEFTWARDS -->
 <!ENTITY downharpoonright "⇂" ><!--DOWNWARDS HARPOON WITH BARB RIGHTWARDS -->
 <!ENTITY DownLeftVector "↽" ><!--LEFTWARDS HARPOON WITH BARB DOWNWARDS -->
 <!ENTITY DownRightVector "⇁" ><!--RIGHTWARDS HARPOON WITH BARB DOWNWARDS -->
 <!ENTITY DownTee "⊤" ><!--DOWN TACK -->
 <!ENTITY DownTeeArrow "↧" ><!--DOWNWARDS ARROW FROM BAR -->
 <!ENTITY drbkarow "⤐" ><!--RIGHTWARDS TWO-HEADED TRIPLE DASH ARROW -->
 <!ENTITY Element "∈" ><!--ELEMENT OF -->
 <!ENTITY emptyset "∅" ><!--EMPTY SET -->

<!ENTITY eqcirc "≖" ><!--RING IN EQUAL TO -->
 <!ENTITY eqcolon "≕" ><!--EQUALS COLON -->
 <!ENTITY eqsim "≂" ><!--MINUS TILDE -->
 <!ENTITY eqslantgt "⪖" ><!--SLANTED EQUAL TO OR GREATER-THAN -->
 <!ENTITY eqslantless "⪕" ><!--SLANTED EQUAL TO OR LESS-THAN -->
 <!ENTITY EqualTilde "≂" ><!--MINUS TILDE -->
 <!ENTITY Equilibrium "⇌" ><!--RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON -->
 <!ENTITY Exists "∃" ><!--THERE EXISTS -->
 <!ENTITY expectation "ℰ" ><!--SCRIPT CAPITAL E -->
 <!ENTITY exponentiale "ⅇ" ><!--DOUBLE-STRUCK ITALIC SMALL E -->
 <!ENTITY ExponentialE "ⅇ" ><!--DOUBLE-STRUCK ITALIC SMALL E -->
 <!ENTITY fallingdotseq "≒" ><!--APPROXIMATELY EQUAL TO OR THE IMAGE OF -->
 <!ENTITY ForAll "∀" ><!--FOR ALL -->
 <!ENTITY Fouriertf "ℱ" ><!--SCRIPT CAPITAL F -->
 <!ENTITY geq "≥" ><!--GREATER-THAN OR EQUAL TO -->
 <!ENTITY geqq "≧" ><!--GREATER-THAN OVER EQUAL TO -->
 <!ENTITY geqslant "⩾" ><!--GREATER-THAN OR SLANTED EQUAL TO -->
 <!ENTITY gg "≫" ><!--MUCH GREATER-THAN -->
 <!ENTITY ggg "⋙" ><!--VERY MUCH GREATER-THAN -->
 <!ENTITY gnapprox "⪊" ><!--GREATER-THAN AND NOT APPROXIMATE -->
 <!ENTITY gneq "⪈" ><!--GREATER-THAN AND SINGLE-LINE NOT EQUAL TO -->
 <!ENTITY gneqq "≩" ><!--GREATER-THAN BUT NOT EQUAL TO -->
 <!ENTITY GreaterEqual "≥" ><!--GREATER-THAN OR EQUAL TO -->
 <!ENTITY GreaterEqualLess "⋛" ><!--GREATER-THAN EQUAL TO OR LESS-THAN -->
 <!ENTITY GreaterFullEqual "≧" ><!--GREATER-THAN OVER EQUAL TO -->
 <!ENTITY GreaterLess "≷" ><!--GREATER-THAN OR LESS-THAN -->
 <!ENTITY GreaterSlantEqual "⩾" ><!--GREATER-THAN OR SLANTED EQUAL TO -->
 <!ENTITY GreaterTilde "≳" ><!--GREATER-THAN OR EQUIVALENT TO -->
 <!ENTITY gtrapprox "⪆" ><!--GREATER-THAN OR APPROXIMATE -->
 <!ENTITY gtrdot "⋗" ><!--GREATER-THAN WITH DOT -->
 <!ENTITY gtreqless "⋛" ><!--GREATER-THAN EQUAL TO OR LESS-THAN -->
 <!ENTITY gtreqqless "⪌" ><!--GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE
 LESS-THAN -->
 <!ENTITY gtrless "≷" ><!--GREATER-THAN OR LESS-THAN -->
 <!ENTITY gtrsim "≳" ><!--GREATER-THAN OR EQUIVALENT TO -->
 <!ENTITY gvertneqq "≩࿠" ><!--GREATER-THAN BUT NOT EQUAL TO - with vertical
 stroke -->
 <!ENTITY Hacek "ˇ" ><!--CARON -->
 <!ENTITY hbar "ℏ" ><!--PLANCK CONSTANT OVER TWO PI -->
 <!ENTITY heartsuit "♥" ><!--BLACK HEART SUIT -->
 <!ENTITY HilbertSpace "ℋ" ><!--SCRIPT CAPITAL H -->
 <!ENTITY hksearrow "⤥" ><!--SOUTH EAST ARROW WITH HOOK -->
 <!ENTITY hkswarrow "⤦" ><!--SOUTH WEST ARROW WITH HOOK -->
 <!ENTITY hookleftarrow "↩" ><!--LEFTWARDS ARROW WITH HOOK -->
 <!ENTITY hookrightarrow "↪" ><!--RIGHTWARDS ARROW WITH HOOK -->
 <!ENTITY hslash "ℏ" ><!--PLANCK CONSTANT OVER TWO PI -->
 <!ENTITY HumpDownHump "≎" ><!--GEOMETRICALLY EQUIVALENT TO -->
 <!ENTITY HumpEqual "≏" ><!--DIFFERENCE BETWEEN -->

<!ENTITY iiiint "⨌" ><!--QUADRUPLE INTEGRAL OPERATOR -->
 <!ENTITY iiint "∭" ><!--TRIPLE INTEGRAL -->
 <!ENTITY Im "ℑ" ><!--BLACK-LETTER CAPITAL I -->
 <!ENTITY ImaginaryI "ⅈ" ><!--DOUBLE-STRUCK ITALIC SMALL I -->
 <!ENTITY imagline "ℐ" ><!--SCRIPT CAPITAL I -->
 <!ENTITY imagpart "ℑ" ><!--BLACK-LETTER CAPITAL I -->
 <!ENTITY Implies "⇒" ><!--RIGHTWARDS DOUBLE ARROW -->
 <!ENTITY in "∈" ><!--ELEMENT OF -->
 <!ENTITY integers "ℤ" ><!--DOUBLE-STRUCK CAPITAL Z -->
 <!ENTITY Integral "∫" ><!--INTEGRAL -->
 <!ENTITY intercal "⊺" ><!--INTERCALATE -->
 <!ENTITY Intersection "⋂" ><!--N-ARY INTERSECTION -->
 <!ENTITY intprod "⨼" ><!--INTERIOR PRODUCT -->
 <!ENTITY InvisibleComma "⁣" ><!--INVISIBLE SEPARATOR -->
 <!ENTITY InvisibleTimes "⁢" ><!--INVISIBLE TIMES -->
 <!ENTITY langle "⟨" ><!--MATHEMATICAL LEFT ANGLE BRACKET -->
 <!ENTITY Laplacetrif "ℒ" ><!--SCRIPT CAPITAL L -->
 <!ENTITY lbrace "{" ><!--LEFT CURLY BRACKET -->
 <!ENTITY lbrack "[" ><!--LEFT SQUARE BRACKET -->
 <!ENTITY LeftAngleBracket "⟨" ><!--MATHEMATICAL LEFT ANGLE BRACKET -->
 <!ENTITY leftarrow "←" ><!--LEFTWARDS ARROW -->
 <!ENTITY Leftarrow "⇐" ><!--LEFTWARDS DOUBLE ARROW -->
 <!ENTITY LeftArrow "←" ><!--LEFTWARDS ARROW -->
 <!ENTITY LeftArrowBar "⇤" ><!--LEFTWARDS ARROW TO BAR -->
 <!ENTITY LeftArrowRightArrow "⇆" ><!--LEFTWARDS ARROW OVER RIGHTWARDS ARROW -->
 >
 <!ENTITY leftarrowtail "↢" ><!--LEFTWARDS ARROW WITH TAIL -->
 <!ENTITY LeftCeiling "⌈" ><!--LEFT CEILING -->
 <!ENTITY LeftDoubleBracket "⟦" ><!--MATHEMATICAL LEFT WHITE SQUARE BRACKET -->
 <!ENTITY LeftDownVector "⇃" ><!--DOWNWARDS HARPOON WITH BARB LEFTWARDS -->
 <!ENTITY LeftFloor "⌊" ><!--LEFT FLOOR -->
 <!ENTITY leftharpoondown "↽" ><!--LEFTWARDS HARPOON WITH BARB DOWNWARDS -->
 <!ENTITY leftharpoonup "↼" ><!--LEFTWARDS HARPOON WITH BARB UPWARDS -->
 <!ENTITY leftleftarrows "⇇" ><!--LEFTWARDS PAIRED ARROWS -->
 <!ENTITY leftrightarrow "↔" ><!--LEFT RIGHT ARROW -->
 <!ENTITY Leftrightarrow "⇔" ><!--LEFT RIGHT DOUBLE ARROW -->
 <!ENTITY LeftRightArrow "↔" ><!--LEFT RIGHT ARROW -->
 <!ENTITY leftrightarrows "⇆" ><!--LEFTWARDS ARROW OVER RIGHTWARDS ARROW -->
 <!ENTITY leftrightharpoons "⇋" ><!--LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON -->
 ->
 <!ENTITY leftrightsquigarrow "↭" ><!--LEFT RIGHT WAVE ARROW -->
 <!ENTITY LeftTee "⊣" ><!--LEFT TACK -->
 <!ENTITY LeftTeeArrow "↤" ><!--LEFTWARDS ARROW FROM BAR -->
 <!ENTITY leftthreetimes "⋋" ><!--LEFT SEMIDIRECT PRODUCT -->
 <!ENTITY LeftTriangle "⊲" ><!--NORMAL SUBGROUP OF -->
 <!ENTITY LeftTriangleEqual "⊴" ><!--NORMAL SUBGROUP OF OR EQUAL TO -->
 <!ENTITY LeftUpVector "↿" ><!--UPWARDS HARPOON WITH BARB LEFTWARDS -->
 <!ENTITY LeftVector "↼" ><!--LEFTWARDS HARPOON WITH BARB UPWARDS -->

<!ENTITY leq "≤" ><!--LESS-THAN OR EQUAL TO -->
 <!ENTITY leqq "≦" ><!--LESS-THAN OVER EQUAL TO -->
 <!ENTITY leqslant "⩽" ><!--LESS-THAN OR SLANTED EQUAL TO -->
 <!ENTITY lessapprox "⪅" ><!--LESS-THAN OR APPROXIMATE -->
 <!ENTITY lessdot "⋖" ><!--LESS-THAN WITH DOT -->
 <!ENTITY lesseqgtr "⋚" ><!--LESS-THAN EQUAL TO OR GREATER-THAN -->
 <!ENTITY lesseqqtr "⪋" ><!--LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN -->
 <!ENTITY LessEqualGreater "⋚" ><!--LESS-THAN EQUAL TO OR GREATER-THAN -->
 <!ENTITY LessFullEqual "≦" ><!--LESS-THAN OVER EQUAL TO -->
 <!ENTITY LessGreater "≶" ><!--LESS-THAN OR GREATER-THAN -->
 <!ENTITY lessgtr "≶" ><!--LESS-THAN OR GREATER-THAN -->
 <!ENTITY lesssim "≲" ><!--LESS-THAN OR EQUIVALENT TO -->
 <!ENTITY LessSlantEqual "⩽" ><!--LESS-THAN OR SLANTED EQUAL TO -->
 <!ENTITY LessTilde "≲" ><!--LESS-THAN OR EQUIVALENT TO -->
 <!ENTITY ll "≪" ><!--MUCH LESS-THAN -->
 <!ENTITY llcorner "⌞" ><!--BOTTOM LEFT CORNER -->
 <!ENTITY lleftarrow "⇚" ><!--LEFTWARDS TRIPLE ARROW -->
 <!ENTITY lmoustache "⎰" ><!--UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION -->
 <!ENTITY lnapprox "⪉" ><!--LESS-THAN AND NOT APPROXIMATE -->
 <!ENTITY lneq "⪇" ><!--LESS-THAN AND SINGLE-LINE NOT EQUAL TO -->
 <!ENTITY lneqq "≨" ><!--LESS-THAN BUT NOT EQUAL TO -->
 <!ENTITY longleftarrow "⟵" ><!--LONG LEFTWARDS ARROW -->
 <!ENTITY Longleftarrow "⟸" ><!--LONG LEFTWARDS DOUBLE ARROW -->
 <!ENTITY LongLeftArrow "⟵" ><!--LONG LEFTWARDS ARROW -->
 <!ENTITY longleftrightarrow "⟷" ><!--LONG LEFT RIGHT ARROW -->
 <!ENTITY Longleftrightarrow "⟺" ><!--LONG LEFT RIGHT DOUBLE ARROW -->
 <!ENTITY LongLeftRightArrow "⟷" ><!--LONG LEFT RIGHT ARROW -->
 <!ENTITY longmapsto "⟼" ><!--LONG RIGHTWARDS ARROW FROM BAR -->
 <!ENTITY longrightarrow "⟶" ><!--LONG RIGHTWARDS ARROW -->
 <!ENTITY Longrightarrow "⟹" ><!--LONG RIGHTWARDS DOUBLE ARROW -->
 <!ENTITY LongRightArrow "⟶" ><!--LONG RIGHTWARDS ARROW -->
 <!ENTITY looparrowleft "↫" ><!--LEFTWARDS ARROW WITH LOOP -->
 <!ENTITY looparrowright "↬" ><!--RIGHTWARDS ARROW WITH LOOP -->
 <!ENTITY LowerLeftArrow "↙" ><!--SOUTH WEST ARROW -->
 <!ENTITY LowerRightArrow "↘" ><!--SOUTH EAST ARROW -->
 <!ENTITY lozenge "◊" ><!--LOZENGE -->
 <!ENTITY lrcorner "⌟" ><!--BOTTOM RIGHT CORNER -->
 <!ENTITY Lsh "↰" ><!--UPWARDS ARROW WITH TIP LEFTWARDS -->
 <!ENTITY lvertneqq "≨︀" ><!--LESS-THAN BUT NOT EQUAL TO - with vertical stroke -->
 <!ENTITY maltese "✠" ><!--MALTESE CROSS -->
 <!ENTITY mapsto "↦" ><!--RIGHTWARDS ARROW FROM BAR -->
 <!ENTITY measuredangle "∡" ><!--MEASURED ANGLE -->
 <!ENTITY Mellinfrf "ℳ" ><!--SCRIPT CAPITAL M -->
 <!ENTITY MinusPlus "∓" ><!--MINUS-OR-PLUS SIGN -->
 <!ENTITY mp "∓" ><!--MINUS-OR-PLUS SIGN -->

<!ENTITY multimap "⊸" ><!--MULTIMAP -->
 <!ENTITY approx "≉" ><!--NOT ALMOST EQUAL TO -->
 <!ENTITY natural "♮" ><!--MUSIC NATURAL SIGN -->
 <!ENTITY naturals "ℕ" ><!--DOUBLE-STRUCK CAPITAL N -->
 <!ENTITY nearrow "↗" ><!--NORTH EAST ARROW -->
 <!ENTITY NegativeMediumSpace "​" ><!--ZERO WIDTH SPACE -->
 <!ENTITY NegativeThickSpace "​" ><!--ZERO WIDTH SPACE -->
 <!ENTITY NegativeThinSpace "​" ><!--ZERO WIDTH SPACE -->
 <!ENTITY NegativeVeryThinSpace "​" ><!--ZERO WIDTH SPACE -->
 <!ENTITY NestedGreaterGreater "≫" ><!--MUCH GREATER-THAN -->
 <!ENTITY NestedLessLess "≪" ><!--MUCH LESS-THAN -->
 <!ENTITY nexists "∄" ><!--THERE DOES NOT EXIST -->
 <!ENTITY ngeq "≱" ><!--NEITHER GREATER-THAN NOR EQUAL TO -->
 <!ENTITY ngeqq "≧̸" ><!--GREATER-THAN OVER EQUAL TO with slash -->
 <!ENTITY ngeqslant "⩾̸" ><!--GREATER-THAN OR SLANTED EQUAL TO with slash -->
 <!ENTITY ngrtr "≯" ><!--NOT GREATER-THAN -->
 <!ENTITY nleftarrow "↚" ><!--LEFTWARDS ARROW WITH STROKE -->
 <!ENTITY nLeftarrow "⇍" ><!--LEFTWARDS DOUBLE ARROW WITH STROKE -->
 <!ENTITY nleftrightharrow "↮" ><!--LEFT RIGHT ARROW WITH STROKE -->
 <!ENTITY nLeftrightarrow "⇎" ><!--LEFT RIGHT DOUBLE ARROW WITH STROKE -->
 <!ENTITY nleq "≰" ><!--NEITHER LESS-THAN NOR EQUAL TO -->
 <!ENTITY nleqq "≦̸" ><!--LESS-THAN OVER EQUAL TO with slash -->
 <!ENTITY nleqslant "⩽̸" ><!--LESS-THAN OR SLANTED EQUAL TO with slash -->
 <!ENTITY nless "≮" ><!--NOT LESS-THAN -->
 <!ENTITY NonBreakingSpace " " ><!--NO-BREAK SPACE -->
 <!ENTITY NotCongruent "≢" ><!--NOT IDENTICAL TO -->
 <!ENTITY NotDoubleVerticalBar "∦" ><!--NOT PARALLEL TO -->
 <!ENTITY NotElement "∉" ><!--NOT AN ELEMENT OF -->
 <!ENTITY NotEqual "≠" ><!--NOT EQUAL TO -->
 <!ENTITY NotEqualTilde "≂̸" ><!--MINUS TILDE with slash -->
 <!ENTITY NotExists "∄" ><!--THERE DOES NOT EXIST -->
 <!ENTITY NotGreater "≯" ><!--NOT GREATER-THAN -->
 <!ENTITY NotGreaterEqual "≱" ><!--NEITHER GREATER-THAN NOR EQUAL TO -->
 <!ENTITY NotGreaterFullEqual "≦̸" ><!--LESS-THAN OVER EQUAL TO with slash -->
 <!ENTITY NotGreaterGreater "≫̸" ><!--MUCH GREATER THAN with slash -->
 <!ENTITY NotGreaterLess "≹" ><!--NEITHER GREATER-THAN NOR LESS-THAN -->
 <!ENTITY NotGreaterSlantEqual "⩾̸" ><!--GREATER-THAN OR SLANTED EQUAL TO with slash -->
 <!ENTITY NotGreaterTilde "≵" ><!--NEITHER GREATER-THAN NOR EQUIVALENT TO -->
 <!ENTITY NotHumpDownHump "≎̸" ><!--GEOMETRICALLY EQUIVALENT TO with slash -->
 <!ENTITY NotLeftTriangle "⋪" ><!--NOT NORMAL SUBGROUP OF -->
 <!ENTITY NotLeftTriangleEqual "⋬" ><!--NOT NORMAL SUBGROUP OF OR EQUAL TO -->
 <!ENTITY NotLess "≮" ><!--NOT LESS-THAN -->
 <!ENTITY NotLessEqual "≰" ><!--NEITHER LESS-THAN NOR EQUAL TO -->
 <!ENTITY NotLessGreater "≸" ><!--NEITHER LESS-THAN NOR GREATER-THAN -->
 <!ENTITY NotLessLess "≪̸" ><!--MUCH LESS THAN with slash -->

<!ENTITY NotLessSlantEqual "⩽̸" ><!--LESS-THAN OR SLANTED EQUAL TO with slash -->
 <!ENTITY NotLessTilde "≴" ><!--NEITHER LESS-THAN NOR EQUIVALENT TO -->
 <!ENTITY NotPrecedes "⊀" ><!--DOES NOT PRECEDE -->
 <!ENTITY NotPrecedesEqual "⪯̸" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN with slash -->
 <!ENTITY NotPrecedesSlantEqual "⋠" ><!--DOES NOT PRECEDE OR EQUAL -->
 <!ENTITY NotReverseElement "∌" ><!--DOES NOT CONTAIN AS MEMBER -->
 <!ENTITY NotRightTriangle "⋫" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP -->
 <!ENTITY NotRightTriangleEqual "⋭" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL -->
 <!ENTITY NotSquareSubsetEqual "⋢" ><!--NOT SQUARE IMAGE OF OR EQUAL TO -->
 <!ENTITY NotSquareSupersetEqual "⋣" ><!--NOT SQUARE ORIGINAL OF OR EQUAL TO -->
 <!ENTITY NotSubset "⊂⃒" ><!--SUBSET OF with vertical line -->
 <!ENTITY NotSubsetEqual "⊈" ><!--NEITHER A SUBSET OF NOR EQUAL TO -->
 <!ENTITY NotSucceeds "⊁" ><!--DOES NOT SUCCEED -->
 <!ENTITY NotSucceedsEqual "⪰̸" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN with slash -->
 <!ENTITY NotSucceedsSlantEqual "⋡" ><!--DOES NOT SUCCEED OR EQUAL -->
 <!ENTITY NotSuperset "⊃⃒" ><!--SUPERSET OF with vertical line -->
 <!ENTITY NotSupersetEqual "⊉" ><!--NEITHER A SUPERSET OF NOR EQUAL TO -->
 <!ENTITY NotTilde "≁" ><!--NOT TILDE -->
 <!ENTITY NotTildeEqual "≄" ><!--NOT ASYMPTOTICALLY EQUAL TO -->
 <!ENTITY NotTildeFullEqual "≇" ><!--NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO -->
 <!ENTITY NotTildeTilde "≉" ><!--NOT ALMOST EQUAL TO -->
 <!ENTITY NotVerticalBar "∤" ><!--DOES NOT DIVIDE -->
 <!ENTITY nparallel "∦" ><!--NOT PARALLEL TO -->
 <!ENTITY nprec "⊀" ><!--DOES NOT PRECEDE -->
 <!ENTITY npreceq "⪯̸" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN with slash -->
 <!ENTITY nrightarrow "↛" ><!--RIGHTWARDS ARROW WITH STROKE -->
 <!ENTITY nRrightarrow "⇏" ><!--RIGHTWARDS DOUBLE ARROW WITH STROKE -->
 <!ENTITY nshortmid "∤" ><!--DOES NOT DIVIDE -->
 <!ENTITY nshortparallel "∦" ><!--NOT PARALLEL TO -->
 <!ENTITY nsimeq "≄" ><!--NOT ASYMPTOTICALLY EQUAL TO -->
 <!ENTITY nsubset "⊂⃒" ><!--SUBSET OF with vertical line -->
 <!ENTITY nsubsetq "⊈" ><!--NEITHER A SUBSET OF NOR EQUAL TO -->
 <!ENTITY nsubsetqq "⫅̸" ><!--SUBSET OF ABOVE EQUALS SIGN with slash -->
 <!ENTITY nsucc "⊁" ><!--DOES NOT SUCCEED -->
 <!ENTITY nsuceq "⪰̸" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN with slash -->
 <!ENTITY nsupset "⊃⃒" ><!--SUPERSET OF with vertical line -->
 <!ENTITY nsupsetq "⊉" ><!--NEITHER A SUPERSET OF NOR EQUAL TO -->
 <!ENTITY nsupsetqq "⫆̸" ><!--SUPERSET OF ABOVE EQUALS SIGN with slash -->
 <!ENTITY ntriangleleft "⋪" ><!--NOT NORMAL SUBGROUP OF -->
 <!ENTITY ntriangleleftq "⋬" ><!--NOT NORMAL SUBGROUP OF OR EQUAL TO -->
 <!ENTITY ntriangleright "⋫" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP -->

<!ENTITY ntrianglerighteq "⋭" ><!--DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL ->

<!ENTITY nwarrow "↖" ><!--NORTH WEST ARROW -->

<!ENTITY oint "∮" ><!--CONTOUR INTEGRAL -->

<!ENTITY OpenCurlyDoubleQuote "“" ><!--LEFT DOUBLE QUOTATION MARK -->

<!ENTITY OpenCurlyQuote "‘" ><!--LEFT SINGLE QUOTATION MARK -->

<!ENTITY orderof "ℴ" ><!--SCRIPT SMALL O -->

<!ENTITY parallel "∥" ><!--PARALLEL TO -->

<!ENTITY PartialD "∂" ><!--PARTIAL DIFFERENTIAL -->

<!ENTITY pitchfork "⋔" ><!--PITCHFORK -->

<!ENTITY PlusMinus "±" ><!--PLUS-MINUS SIGN -->

<!ENTITY pm "±" ><!--PLUS-MINUS SIGN -->

<!ENTITY Poincareplane "ℌ" ><!--BLACK-LETTER CAPITAL H -->

<!ENTITY prec "≺" ><!--PRECEDES -->

<!ENTITY precapprox "⪷" ><!--PRECEDES ABOVE ALMOST EQUAL TO -->

<!ENTITY preccurlyeq "≼" ><!--PRECEDES OR EQUAL TO -->

<!ENTITY Precedes "≺" ><!--PRECEDES -->

<!ENTITY PrecedesEqual "⪯" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN -->

<!ENTITY PrecedesSlantEqual "≼" ><!--PRECEDES OR EQUAL TO -->

<!ENTITY PrecedesTilde "≾" ><!--PRECEDES OR EQUIVALENT TO -->

<!ENTITY preceq "⪯" ><!--PRECEDES ABOVE SINGLE-LINE EQUALS SIGN -->

<!ENTITY precnapprox "⪹" ><!--PRECEDES ABOVE NOT ALMOST EQUAL TO -->

<!ENTITY precneqq "⪵" ><!--PRECEDES ABOVE NOT EQUAL TO -->

<!ENTITY precnsim "⋨" ><!--PRECEDES BUT NOT EQUIVALENT TO -->

<!ENTITY precsim "≾" ><!--PRECEDES OR EQUIVALENT TO -->

<!ENTITY primes "ℙ" ><!--DOUBLE-STRUCK CAPITAL P -->

<!ENTITY Proportion "∷" ><!--PROPORTION -->

<!ENTITY Proportional "∝" ><!--PROPORTIONAL TO -->

<!ENTITY propto "∝" ><!--PROPORTIONAL TO -->

<!ENTITY quaternions "ℍ" ><!--DOUBLE-STRUCK CAPITAL H -->

<!ENTITY questeq "≟" ><!--QUESTIONED EQUAL TO -->

<!ENTITY rangle "⟩" ><!--MATHEMATICAL RIGHT ANGLE BRACKET -->

<!ENTITY rationals "ℚ" ><!--DOUBLE-STRUCK CAPITAL Q -->

<!ENTITY rbrace "}" ><!--RIGHT CURLY BRACKET -->

<!ENTITY rbrack "]" ><!--RIGHT SQUARE BRACKET -->

<!ENTITY Re "ℜ" ><!--BLACK-LETTER CAPITAL R -->

<!ENTITY realine "ℛ" ><!--SCRIPT CAPITAL R -->

<!ENTITY realpart "ℜ" ><!--BLACK-LETTER CAPITAL R -->

<!ENTITY reals "ℝ" ><!--DOUBLE-STRUCK CAPITAL R -->

<!ENTITY ReverseElement "∋" ><!--CONTAINS AS MEMBER -->

<!ENTITY ReverseEquilibrium "⇋" ><!--LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON -->

<!ENTITY ReverseUpEquilibrium "⥯" ><!--DOWNWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS HARPOON WITH BARB RIGHT -->

<!ENTITY RightAngleBracket "⟩" ><!--MATHEMATICAL RIGHT ANGLE BRACKET -->

<!ENTITY rightharrow "→" ><!--RIGHTWARDS ARROW -->

<!ENTITY Rightarrow "⇒" ><!--RIGHTWARDS DOUBLE ARROW -->

<!ENTITY RightArrow "→" ><!--RIGHTWARDS ARROW -->

<!ENTITY RightArrowBar "⇥" ><!--RIGHTWARDS ARROW TO BAR -->
 <!ENTITY RightArrowLeftArrow "⇄" ><!--RIGHTWARDS ARROW OVER LEFTWARDS ARROW -->
 <!-->
 <!ENTITY rightharpoonright "↣" ><!--RIGHTWARDS ARROW WITH TAIL -->
 <!ENTITY RightCeiling "⌉" ><!--RIGHT CEILING -->
 <!ENTITY RightDoubleBracket "⟧" ><!--MATHEMATICAL RIGHT WHITE SQUARE BRACKET -->
 <!ENTITY RightDownVector "⇂" ><!--DOWNWARDS HARPOON WITH BARB RIGHTWARDS -->
 <!ENTITY RightFloor "⌋" ><!--RIGHT FLOOR -->
 <!ENTITY rightharpoondown "⇁" ><!--RIGHTWARDS HARPOON WITH BARB DOWNWARDS -->
 <!ENTITY rightharpoonup "⇀" ><!--RIGHTWARDS HARPOON WITH BARB UPWARDS -->
 <!ENTITY rightleftarrows "⇄" ><!--RIGHTWARDS ARROW OVER LEFTWARDS ARROW -->
 <!ENTITY rightleftharpoons "⇌" ><!--RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON -->
 <!-->
 <!ENTITY rightrightarrows "⇉" ><!--RIGHTWARDS PAIRED ARROWS -->
 <!ENTITY rightsquigarrow "↝" ><!--RIGHTWARDS WAVE ARROW -->
 <!ENTITY RightTee "⊢" ><!--RIGHT TACK -->
 <!ENTITY RightTeeArrow "↦" ><!--RIGHTWARDS ARROW FROM BAR -->
 <!ENTITY righthreetimes "⋌" ><!--RIGHT SEMIDIRECT PRODUCT -->
 <!ENTITY RightTriangle "⊳" ><!--CONTAINS AS NORMAL SUBGROUP -->
 <!ENTITY RightTriangleEqual "⊵" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO -->
 <!ENTITY RightUpVector "↾" ><!--UPWARDS HARPOON WITH BARB RIGHTWARDS -->
 <!ENTITY RightVector "⇀" ><!--RIGHTWARDS HARPOON WITH BARB UPWARDS -->
 <!ENTITY risingdotseq "≓" ><!--IMAGE OF OR APPROXIMATELY EQUAL TO -->
 <!ENTITY rmoustache "⎱" ><!--UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION -->
 <!-->
 <!ENTITY Rrightarrow "⇛" ><!--RIGHTWARDS TRIPLE ARROW -->
 <!ENTITY Rsh "↱" ><!--UPWARDS ARROW WITH TIP RIGHTWARDS -->
 <!ENTITY searrow "↘" ><!--SOUTH EAST ARROW -->
 <!ENTITY setminus "∖" ><!--SET MINUS -->
 <!ENTITY ShortDownArrow "↓" ><!--DOWNWARDS ARROW -->
 <!ENTITY ShortLeftArrow "←" ><!--LEFTWARDS ARROW -->
 <!ENTITY shortmid "∣" ><!--DIVIDES -->
 <!ENTITY shortparallel "∥" ><!--PARALLEL TO -->
 <!ENTITY ShortRightArrow "→" ><!--RIGHTWARDS ARROW -->
 <!ENTITY ShortUpArrow "↑" ><!--UPWARDS ARROW -->
 <!ENTITY simeq "≃" ><!--ASYMPTOTICALLY EQUAL TO -->
 <!ENTITY SmallCircle "∘" ><!--RING OPERATOR -->
 <!ENTITY smallsetminus "∖" ><!--SET MINUS -->
 <!ENTITY spadesuit "♠" ><!--BLACK SPADE SUIT -->
 <!ENTITY Sqrt "√" ><!--SQUARE ROOT -->
 <!ENTITY sqsubset "⊏" ><!--SQUARE IMAGE OF -->
 <!ENTITY sqsubsetq "⊑" ><!--SQUARE IMAGE OF OR EQUAL TO -->
 <!ENTITY sqsupset "⊐" ><!--SQUARE ORIGINAL OF -->
 <!ENTITY sqsupsetq "⊒" ><!--SQUARE ORIGINAL OF OR EQUAL TO -->
 <!ENTITY Square "□" ><!--WHITE SQUARE -->
 <!ENTITY SquareIntersection "⊓" ><!--SQUARE CAP -->
 <!ENTITY SquareSubset "⊏" ><!--SQUARE IMAGE OF -->
 <!ENTITY SquareSubsetEqual "⊑" ><!--SQUARE IMAGE OF OR EQUAL TO -->

<!ENTITY SquareSuperset "⊐" ><!--SQUARE ORIGINAL OF -->
 <!ENTITY SquareSupersetEqual "⊒" ><!--SQUARE ORIGINAL OF OR EQUAL TO -->
 <!ENTITY SquareUnion "⊔" ><!--SQUARE CUP -->
 <!ENTITY Star "⋆" ><!--STAR OPERATOR -->
 <!ENTITY straightepsilon "ϵ" ><!--GREEK LUNATE EPSILON SYMBOL -->
 <!ENTITY straightphi "ϕ" ><!--GREEK PHI SYMBOL -->
 <!ENTITY subset "⊂" ><!--SUBSET OF -->
 <!ENTITY Subset "⋐" ><!--DOUBLE SUBSET -->
 <!ENTITY subseteq "⊆" ><!--SUBSET OF OR EQUAL TO -->
 <!ENTITY subseteqq "⫅" ><!--SUBSET OF ABOVE EQUALS SIGN -->
 <!ENTITY SubsetEqual "⊆" ><!--SUBSET OF OR EQUAL TO -->
 <!ENTITY subsetneq "⊊" ><!--SUBSET OF WITH NOT EQUAL TO -->
 <!ENTITY subsetneqq "⫋" ><!--SUBSET OF ABOVE NOT EQUAL TO -->
 <!ENTITY succ "≻" ><!--SUCCEEDS -->
 <!ENTITY succapprox "⪸" ><!--SUCCEEDS ABOVE ALMOST EQUAL TO -->
 <!ENTITY succcurlyeq "≽" ><!--SUCCEEDS OR EQUAL TO -->
 <!ENTITY Succeeds "≻" ><!--SUCCEEDS -->
 <!ENTITY SucceedsEqual "⪰" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN -->
 <!ENTITY SucceedsSlantEqual "≽" ><!--SUCCEEDS OR EQUAL TO -->
 <!ENTITY SucceedsTilde "≿" ><!--SUCCEEDS OR EQUIVALENT TO -->
 <!ENTITY succeq "⪰" ><!--SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN -->
 <!ENTITY succnapprox "⪺" ><!--SUCCEEDS ABOVE NOT ALMOST EQUAL TO -->
 <!ENTITY succneqq "⪶" ><!--SUCCEEDS ABOVE NOT EQUAL TO -->
 <!ENTITY succsim "⋩" ><!--SUCCEEDS BUT NOT EQUIVALENT TO -->
 <!ENTITY succsim "≿" ><!--SUCCEEDS OR EQUIVALENT TO -->
 <!ENTITY SuchThat "∋" ><!--CONTAINS AS MEMBER -->
 <!ENTITY Sum "∑" ><!--N-ARY SUMMATION -->
 <!ENTITY Superset "⊃" ><!--SUPERSET OF -->
 <!ENTITY SupersetEqual "⊇" ><!--SUPERSET OF OR EQUAL TO -->
 <!ENTITY supset "⊃" ><!--SUPERSET OF -->
 <!ENTITY Supset "⋑" ><!--DOUBLE SUPERSET -->
 <!ENTITY supseteq "⊇" ><!--SUPERSET OF OR EQUAL TO -->
 <!ENTITY supseteqq "⫆" ><!--SUPERSET OF ABOVE EQUALS SIGN -->
 <!ENTITY supsetneq "⊋" ><!--SUPERSET OF WITH NOT EQUAL TO -->
 <!ENTITY supsetneqq "⫌" ><!--SUPERSET OF ABOVE NOT EQUAL TO -->
 <!ENTITY swarrow "↙" ><!--SOUTH WEST ARROW -->
 <!ENTITY therefore "∴" ><!--THEREFORE -->
 <!ENTITY Therefore "∴" ><!--THEREFORE -->
 <!ENTITY thickapprox "≈" ><!--ALMOST EQUAL TO -->
 <!ENTITY thicksim "∼" ><!--TILDE OPERATOR -->
 <!ENTITY ThinSpace " " ><!--THIN SPACE -->
 <!ENTITY Tilde "∼" ><!--TILDE OPERATOR -->
 <!ENTITY TildeEqual "≃" ><!--ASYMPTOTICALLY EQUAL TO -->
 <!ENTITY TildeFullEqual "≅" ><!--APPROXIMATELY EQUAL TO -->
 <!ENTITY TildeTilde "≈" ><!--ALMOST EQUAL TO -->
 <!ENTITY toea "⤨" ><!--NORTH EAST ARROW AND SOUTH EAST ARROW -->
 <!ENTITY tosa "⤩" ><!--SOUTH EAST ARROW AND SOUTH WEST ARROW -->
 <!ENTITY triangle "▵" ><!--WHITE UP-POINTING SMALL TRIANGLE -->

<!ENTITY triangledown "▿" ><!--WHITE DOWN-POINTING SMALL TRIANGLE -->
 <!ENTITY triangleleft "◃" ><!--WHITE LEFT-POINTING SMALL TRIANGLE -->
 <!ENTITY trianglelefteq "⊴" ><!--NORMAL SUBGROUP OF OR EQUAL TO -->
 <!ENTITY triangleq "≜" ><!--DELTA EQUAL TO -->
 <!ENTITY triangleright "▹" ><!--WHITE RIGHT-POINTING SMALL TRIANGLE -->
 <!ENTITY trianglerighteq "⊵" ><!--CONTAINS AS NORMAL SUBGROUP OR EQUAL TO -->
 <!ENTITY TripleDot "⃛" ><!--COMBINING THREE DOTS ABOVE -->
 <!ENTITY twoheadleftarrow "↞" ><!--LEFTWARDS TWO HEADED ARROW -->
 <!ENTITY twoheadrightarrow "↠" ><!--RIGHTWARDS TWO HEADED ARROW -->
 <!ENTITY ulcorner "⌜" ><!--TOP LEFT CORNER -->
 <!ENTITY Union "⋃" ><!--N-ARY UNION -->
 <!ENTITY UnionPlus "⊎" ><!--MULTISET UNION -->
 <!ENTITY uparrow "↑" ><!--UPWARDS ARROW -->
 <!ENTITY Uparrow "⇑" ><!--UPWARDS DOUBLE ARROW -->
 <!ENTITY UpArrow "↑" ><!--UPWARDS ARROW -->
 <!ENTITY UpArrowDownArrow "⇅" ><!--UPWARDS ARROW LEFTWARDS OF DOWNWARDS ARROW -->
 <!ENTITY updownarrow "↕" ><!--UP DOWN ARROW -->
 <!ENTITY Updownarrow "⇕" ><!--UP DOWN DOUBLE ARROW -->
 <!ENTITY UpDownArrow "↕" ><!--UP DOWN ARROW -->
 <!ENTITY UpEquilibrium "⥮" ><!--UPWARDS HARPOON WITH BARB LEFT BESIDE DOWNWARDS HARPOON WITH BARB RIGHT -->
 <!ENTITY upharpoonleft "↿" ><!--UPWARDS HARPOON WITH BARB LEFTWARDS -->
 <!ENTITY upharpoonright "↾" ><!--UPWARDS HARPOON WITH BARB RIGHTWARDS -->
 <!ENTITY UpperLeftArrow "↖" ><!--NORTH WEST ARROW -->
 <!ENTITY UpperRightArrow "↗" ><!--NORTH EAST ARROW -->
 <!ENTITY upsilon "υ" ><!--GREEK SMALL LETTER UPSILON -->
 <!ENTITY UpTee "⊥" ><!--UP TACK -->
 <!ENTITY UpTeeArrow "↥" ><!--UPWARDS ARROW FROM BAR -->
 <!ENTITY upuparrows "⇈" ><!--UPWARDS PAIRED ARROWS -->
 <!ENTITY urcorner "⌝" ><!--TOP RIGHT CORNER -->
 <!ENTITY varepsilon "ϵ" ><!--GREEK LUNATE EPSILON SYMBOL -->
 <!ENTITY varkappa "ϰ" ><!--GREEK KAPPA SYMBOL -->
 <!ENTITY varnothing "∅" ><!--EMPTY SET -->
 <!ENTITY varphi "ϕ" ><!--GREEK PHI SYMBOL -->
 <!ENTITY varpi "ϖ" ><!--GREEK PI SYMBOL -->
 <!ENTITY varpropto "∝" ><!--PROPORTIONAL TO -->
 <!ENTITY varrho "ϱ" ><!--GREEK RHO SYMBOL -->
 <!ENTITY varsigma "ς" ><!--GREEK SMALL LETTER FINAL SIGMA -->
 <!ENTITY varsubsetneq "⊊︀" ><!--SUBSET OF WITH NOT EQUAL TO - variant with stroke through bottom members -->
 <!ENTITY varsubsetneqq "⫋︀" ><!--SUBSET OF ABOVE NOT EQUAL TO - variant with stroke through bottom members -->
 <!ENTITY varsupsetneq "⊋︀" ><!--SUPERSET OF WITH NOT EQUAL TO - variant with stroke through bottom members -->
 <!ENTITY varsupsetneqq "⫌︀" ><!--SUPERSET OF ABOVE NOT EQUAL TO - variant with stroke through bottom members -->
 <!ENTITY vartheta "ϑ" ><!--GREEK THETA SYMBOL -->

```

<!ENTITY vartriangleleft "&#x022B2;" ><!--NORMAL SUBGROUP OF -->
<!ENTITY vartriangleright "&#x022B3;" ><!--CONTAINS AS NORMAL SUBGROUP -->
<!ENTITY vee "&#x02228;" ><!--LOGICAL OR -->
<!ENTITY Vee "&#x022C1;" ><!--N-ARY LOGICAL OR -->
<!ENTITY vert "&#x0007C;" ><!--VERTICAL LINE -->
<!ENTITY Vert "&#x02016;" ><!--DOUBLE VERTICAL LINE -->
<!ENTITY VerticalBar "&#x02223;" ><!--DIVIDES -->
<!ENTITY VerticalTilde "&#x02240;" ><!--WREATH PRODUCT -->
<!ENTITY VeryThinSpace "&#x0200A;" ><!--HAIR SPACE -->
<!ENTITY wedge "&#x02227;" ><!--LOGICAL AND -->
<!ENTITY Wedge "&#x022C0;" ><!--N-ARY LOGICAL AND -->
<!ENTITY wp "&#x02118;" ><!--SCRIPT CAPITAL P -->
<!ENTITY wr "&#x02240;" ><!--WREATH PRODUCT -->
<!ENTITY zeetrf "&#x02128;" ><!--BLACK-LETTER CAPITAL Z -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/mmlalias.ent

```

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

/**

```

* Get a Stack Frame Map containing definitions of all the declared variables. This will return a newly
* created object that the caller is free to modify by adding additional variables, without affecting
* the static context itself.
*
* @return a SlotManager object holding details of the allocation of variables on the stack frame.
*/

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sxpath/XPathStaticContext.java

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Block Structural Module ..... -->
<!-- file: xhtml-blkstruct-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-blkstruct-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-blkstruct-1.mod"

```

Revisions:

(none)

..... -->

<!-- Block Structural

div, p

This module declares the elements and their attributes used to support block-level structural markup.

-->

<!ENTITY % div.element "INCLUDE" >

<![%div.element;[

<!ENTITY % div.content

"(#PCDATA | %Flow.mix;)*"

>

<!ENTITY % div.qname "div" >

<!ELEMENT %div.qname; %div.content; >

<!-- end of div.element -->]]>

<!ENTITY % div.attlist "INCLUDE" >

<![%div.attlist;[

<!-- end of div.attlist -->]]>

<!ATTLIST %div.qname;

%Common.attrib;

>

<!ENTITY % p.element "INCLUDE" >

<![%p.element;[

<!ENTITY % p.content

"(#PCDATA | %Inline.mix;)*" >

<!ENTITY % p.qname "p" >

<!ELEMENT %p.qname; %p.content; >

<!-- end of p.element -->]]>

<!ENTITY % p.attlist "INCLUDE" >

<![%p.attlist;[

<!ATTLIST %p.qname;

%Common.attrib;

>

<!-- end of p.attlist -->]]>

<!-- end of xhtml-blkstruct-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtmll-

blkstruct-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File isocyr2.ent produced by the XSL script entities.xml
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES Non-Russian Cyrillic//EN//XML`
System identifier: `http://www.w3.org/2003/entities/2007/isocyr2.ent`

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isocyr2 PUBLIC
  "-//W3C//ENTITIES Non-Russian Cyrillic//EN//XML"
  "http://www.w3.org/2003/entities/2007/isocyr2.ent"
>
%isocyr2;
```

-->

```

<!ENTITY djcy      "ђ" ><!--CYRILLIC SMALL LETTER DJE -->
<!ENTITY DJcy     "Ђ" ><!--CYRILLIC CAPITAL LETTER DJE -->
<!ENTITY dscy     "ѕ" ><!--CYRILLIC SMALL LETTER DZE -->
<!ENTITY DScy    "Ѕ" ><!--CYRILLIC CAPITAL LETTER DZE -->
<!ENTITY dzcy     "џ" ><!--CYRILLIC SMALL LETTER DZHE -->
<!ENTITY DZcy    "Џ" ><!--CYRILLIC CAPITAL LETTER DZHE -->
<!ENTITY gjcy     "ѓ" ><!--CYRILLIC SMALL LETTER GJE -->
<!ENTITY GJcy    "Ѓ" ><!--CYRILLIC CAPITAL LETTER GJE -->
<!ENTITY iukcy    "і" ><!--CYRILLIC SMALL LETTER BYELORUSSIAN-UKRAINIAN I -->
<!ENTITY Iukcy   "І" ><!--CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I -->
<!ENTITY jscy     "ј" ><!--CYRILLIC SMALL LETTER JE -->
<!ENTITY Jscy    "Ј" ><!--CYRILLIC CAPITAL LETTER JE -->
<!ENTITY jukcy    "є" ><!--CYRILLIC SMALL LETTER UKRAINIAN IE -->
<!ENTITY Jukcy   "Є" ><!--CYRILLIC CAPITAL LETTER UKRAINIAN IE -->
<!ENTITY kjcy     "ќ" ><!--CYRILLIC SMALL LETTER KJE -->
<!ENTITY KJcy    "Ќ" ><!--CYRILLIC CAPITAL LETTER KJE -->
<!ENTITY ljcy     "љ" ><!--CYRILLIC SMALL LETTER LJE -->
<!ENTITY LJcy    "Љ" ><!--CYRILLIC CAPITAL LETTER LJE -->
<!ENTITY njcy     "њ" ><!--CYRILLIC SMALL LETTER NJE -->
<!ENTITY NJcy    "Њ" ><!--CYRILLIC CAPITAL LETTER NJE -->
<!ENTITY tshcy   "ћ" ><!--CYRILLIC SMALL LETTER TSHE -->
<!ENTITY TSHcy  "Ћ" ><!--CYRILLIC CAPITAL LETTER TSHE -->
<!ENTITY ubrcy   "ў" ><!--CYRILLIC SMALL LETTER SHORT U -->
<!ENTITY Ubrcy  "Ў" ><!--CYRILLIC CAPITAL LETTER SHORT U -->
<!ENTITY yicy    "ї" ><!--CYRILLIC SMALL LETTER YI -->
<!ENTITY Yicy   "Ї" ><!--CYRILLIC CAPITAL LETTER YI -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isocyr2.ent
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Graphics Attribute Module ..... -->
<!-- file: svg-graphics-attr.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-graphics-attr.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES SVG 1.1 Graphics Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-graphics-attr.mod"

```

```
..... -->
```

```
<!-- Graphics Attribute
```

display, image-rendering, pointer-events, shape-rendering,
text-rendering, visibility

This module defines the Graphics attribute set.

-->

<!ENTITY % SVG.display.attrib

"display (inline | block | list-item | run-in | compact | marker |
table | inline-table | table-row-group | table-header-group |
table-footer-group | table-row | table-column-group |
table-column | table-cell | table-caption | none | inherit)
#IMPLIED"

>

<!ENTITY % SVG.image-rendering.attrib

"image-rendering (auto | optimizeSpeed | optimizeQuality | inherit)
#IMPLIED"

>

<!ENTITY % SVG.pointer-events.attrib

"pointer-events (visiblePainted | visibleFill | visibleStroke | visible |
painted | fill | stroke | all | none | inherit)
#IMPLIED"

>

<!ENTITY % SVG.shape-rendering.attrib

"shape-rendering (auto | optimizeSpeed | crispEdges | geometricPrecision |
inherit) #IMPLIED"

>

<!ENTITY % SVG.text-rendering.attrib

"text-rendering (auto | optimizeSpeed | optimizeLegibility |
geometricPrecision | inherit) #IMPLIED"

>

<!ENTITY % SVG.visibility.attrib

"visibility (visible | hidden | inherit) #IMPLIED"

>

<!ENTITY % SVG.Graphics.extra.attrib "" >

<!ENTITY % SVG.Graphics.attrib

"%SVG.display.attrib;
%SVG.image-rendering.attrib;
%SVG.pointer-events.attrib;
%SVG.shape-rendering.attrib;
%SVG.text-rendering.attrib;

```
%SVG.visibility.attrib;
%SVG.Graphics.extra.attrib;"
```

```
>
```

```
<!-- end of svg-graphics-attrib.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-graphics-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML Common Attributes Module ..... -->
```

```
<!-- file: xhtml-attrs-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-attrs-1.mod,v 1.1 2001/02/13 12:24:21 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-attrs-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Common Attributes
```

This module declares many of the common attributes for the XHTML DTD.
%NS.decl.attrib; is declared in the XHTML QName module.

```
-->
```

```
<!ENTITY % id.attrib
  "id      ID          #IMPLIED"
```

```
>
```

```
<!ENTITY % class.attrib
  "class  NMTOKENS    #IMPLIED"
```

```
>
```

```
<!ENTITY % title.attrib
  "title  %Text.datatype; #IMPLIED"
```

```
>
```

```
<!ENTITY % Core.extra.attrib "" >
```

```
<!ENTITY % Core.attrib
"%XHTML.xmlns.attrib;
%id.attrib;
%class.attrib;
%title.attrib;
%Core.extra.attrib;"
>
```

```
<!ENTITY % lang.attrib
"xml:lang %LanguageCode.datatype; #IMPLIED"
>
```

```
<![%XHTML.bidi;[
<!ENTITY % dir.attrib
"dir (ltr | rtl) #IMPLIED"
>
```

```
<!ENTITY % I18n.attrib
"%dir.attrib;
%lang.attrib;"
>
```

```
]]>
<!ENTITY % I18n.attrib
"%lang.attrib;"
>
```

```
<!ENTITY % Common.extra.attrib "" >
```

```
<!-- intrinsic event attributes declared previously
-->
<!ENTITY % Events.attrib "" >
```

```
<!ENTITY % Common.attrib
"%Core.attrib;
%I18n.attrib;
%Events.attrib;
%Common.extra.attrib;"
>
```

```
<!-- end of xhtml-attribs-1.mod -->
```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-attribs-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

<!-- SVG 1.1 Hyperlinking Module -->

<!-- file: svg-hyperlink.mod

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-hyperlink.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Hyperlinking//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-hyperlink.mod"

..... -->

<!-- Hyperlinking

a

This module declares markup to provide support for hyper linking.

-->

<!-- link to this target -->

<!ENTITY % LinkTarget.datatype "NMTOKEN" >

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.a.qname "a" >

<!-- Attribute Collections (Default) -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Conditional.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Viewport.attrib "" >

<!ENTITY % SVG.Text.attrib "" >

<!ENTITY % SVG.TextContent.attrib "" >

<!ENTITY % SVG.Font.attrib "" >

<!ENTITY % SVG.Paint.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

<!ENTITY % SVG.Opacity.attrib "" >

<!ENTITY % SVG.Graphics.attrib "" >

<!ENTITY % SVG.Marker.attrib "" >

<!ENTITY % SVG.Gradient.attrib "" >

<!ENTITY % SVG.Clip.attrib "" >

<!ENTITY % SVG.Mask.attrib "" >

<!ENTITY % SVG.Filter.attrib "" >

<!ENTITY % SVG.FilterColor.attrib "" >

<!ENTITY % SVG.GraphicalEvents.attrib "" >

```

<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkReplace.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Hyperlink.class ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >

<!ENTITY % SVG.Hyperlink.class
  "| %SVG.a.qname; %SVG.Hyperlink.extra.class;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
  "%SVG.Container.attrib;
  %SVG.Viewport.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Marker.attrib;
  %SVG.ColorProfile.attrib;
  %SVG.Gradient.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.FilterColor.attrib;
  %SVG.Cursor.attrib;
  flood-color %SVGColor.datatype; #IMPLIED
  flood-opacity %OpacityValue.datatype; #IMPLIED
  lighting-color %SVGColor.datatype; #IMPLIED
  %SVG.Presentation.extra.attrib;"
>

<!-- a: Anchor Element ..... -->

<!ENTITY % SVG.a.extra.content "" >

<!ENTITY % SVG.a.element "INCLUDE" >
<![%SVG.a.element;[
<!ENTITY % SVG.a.content
  "( #PCDATA | %SVG.Description.class; | %SVG.Animation.class;

```

```

    %SVG.Structure.class; %SVG.Conditional.class; %SVG.Image.class;
    %SVG.Style.class; %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.a.extra.content; )*"
>
<!ELEMENT %SVG.a.qname; %SVG.a.content; >
<!-- end of SVG.a.element -->]]>

<!ENTITY % SVG.a.attlist "INCLUDE" >
<![%SVG.a.attlist;[
<!ATTLIST %SVG.a.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.XLinkReplace.attrib;
    %SVG.External.attrib;
    transform %TransformList.datatype; #IMPLIED
    target %LinkTarget.datatype; #IMPLIED
>
<!-- end of SVG.a.attlist -->]]>

<!-- end of svg-hyperlink.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
hyperlink.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Images Module ..... -->
<!-- file: xhtml-image-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-image-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Images 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-image-1.mod"

```

Revisions:

(none)

```
..... -->
```

<!-- Images

img

This module provides markup to support basic image embedding.

-->

<!-- To avoid problems with text-only UAs as well as to make image content understandable and navigable to users of non-visual UAs, you need to provide a description with the 'alt' attribute, and avoid server-side image maps.

-->

```
<!ENTITY % img.element "INCLUDE" >
<![%img.element;[
<!ENTITY % img.content "EMPTY" >
<!ENTITY % img.qname "img" >
<!ELEMENT %img.qname; %img.content; >
<!-- end of img.element -->]]>
```

```
<!ENTITY % img.attlist "INCLUDE" >
<![%img.attlist;[
<!ATTLIST %img.qname;
  %Common.attrib;
  src      %URI.datatype;      #REQUIRED
  alt      %Text.datatype;     #REQUIRED
  longdesc %URI.datatype;     #IMPLIED
  height   %Length.datatype;  #IMPLIED
  width    %Length.datatype;  #IMPLIED
>
<!-- end of img.attlist -->]]>
```

<!-- end of xhtml-image-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-image-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML QName Module ..... -->
<!-- file: xhtml-qname-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-qname-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-qname-1.mod"
```

Revisions:

#2000-10-22: added qname declarations for ruby elements

..... -->

<!-- XHTML Qname (Qualified Name) Module

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML and extensions.

Section B declares parameter entities used to provide namespace-qualified names for all XHTML element types:

```
%applet.qname; the xmlns-qualified name for <applet>  
%base.qname; the xmlns-qualified name for <base>  
...
```

XHTML extensions would create a module similar to this one.

Included in the XHTML distribution is a template module ('template-qname-1.mod') suitable for this purpose.

-->

<!-- Section A: XHTML XML Namespace Framework -->

<!-- 1. Declare a %XHTML.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behaviour follows the overall DTD prefixing scheme.

-->

```
<!ENTITY % NS.prefixed "IGNORE" >  
<!ENTITY % XHTML.prefixed "%NS.prefixed;" >
```

<!-- By default, we always permit XHTML attribute collections to have namespace-qualified prefixes as well.

-->

```
<!ENTITY % XHTML.global.attrs.prefixed "INCLUDE" >
```

<!-- By default, we allow the XML Schema attributes on the root element.

-->

```
<!ENTITY % XHTML.xsi.attrs "INCLUDE" >
```

<!-- 2. Declare a parameter entity (eg., %XHTML.xmlns;) containing the URI reference used to identify the XHTML namespace:

-->

```
<!ENTITY % XHTML.xmlns "http://www.w3.org/1999/xhtml" >
```

<!-- 3. Declare parameter entities (eg., %XHTML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

```
<!ENTITY % XHTML.prefix "xhtml" >
```

<!-- 4. Declare parameter entities (eg., %XHTML.pfx;) containing the colonized prefix(es) (eg., %XHTML.prefix;:) used when prefixing is active, an empty string when it is not.

-->

```
<![%XHTML.prefixed;[
```

```
<!ENTITY % XHTML.pfx "%XHTML.prefix;:" >
```

```
]]>
```

```
<!ENTITY % XHTML.pfx "" >
```

<!-- declare qualified name extensions here -->

```
<!ENTITY % xhtml-qname-extra.mod "" >
```

```
%xhtml-qname-extra.mod;
```

<!-- 5. The parameter entity %XHTML.xmlns.extra.attrib; may be redeclared to contain any non-XHTML namespace declaration attributes for namespaces embedded in XHTML. The default is an empty string. XLink should be included here if used in the DTD.

-->

```
<!ENTITY % XHTML.xmlns.extra.attrib "" >
```

<!-- The remainder of Section A is only followed in XHTML, not extensions. -->

<!-- Declare a parameter entity %NS.decl.attrib; containing all XML Namespace declarations used in the DTD, plus the xmlns declaration for XHTML, its form dependent on whether prefixing is active.

-->

```
<!ENTITY % XHTML.xmlns.attrib.prefixed
```

```
"xmlns:%XHTML.prefix; %URI.datatype; #FIXED %XHTML.xmlns;"
```

```
>
```

```

<![%XHTML.prefixed;[
<!ENTITY % NS.decl.attrib
    "%XHTML.xmlns.attrib.prefixed;
    %XHTML.xmlns.extra.attrib;"
>
]]>
<!ENTITY % NS.decl.attrib
    "%XHTML.xmlns.extra.attrib;"
>

<!-- Declare a parameter entity %XSI.prefix as a prefix to use for XML
    Schema Instance attributes.
-->
<!ENTITY % XSI.prefix "xsi" >

<!ENTITY % XSI.xmlns "http://www.w3.org/2001/XMLSchema-instance" >

<!-- Declare a parameter entity %XSI.xmlns.attrib as support for the
    schemaLocation attribute, since this is legal throughout the DTD.
-->
<!ENTITY % XSI.xmlns.attrib
    "xmlns:%XSI.prefix; %URI.datatype; #FIXED '%XSI.xmlns;'" >

<!-- This is a placeholder for future XLink support.
-->
<!ENTITY % XLINK.xmlns.attrib "" >

<!-- This is the attribute for the XML Schema namespace - XHTML
    Modularization is also expressed in XML Schema, and it needs to
    be legal to declare the XML Schema namespace and the
    schemaLocation attribute on the root element of XHTML family
    documents.
-->
<![%XHTML.xsi.attrs;[
<!ENTITY % XSI.prefix "xsi" >
<!ENTITY % XSI.pfx "%XSI.prefix;:" >
<!ENTITY % XSI.xmlns "http://www.w3.org/2001/XMLSchema-instance" >

<!ENTITY % XSI.xmlns.attrib
    "xmlns:%XSI.prefix; %URI.datatype; #FIXED '%XSI.xmlns;'"
>
]]>
<!ENTITY % XSI.prefix "" >
<!ENTITY % XSI.pfx "" >
<!ENTITY % XSI.xmlns.attrib "" >

<!-- Declare a parameter entity %NS.decl.attrib; containing all

```

XML namespace declaration attributes used by XHTML, including a default xmlns attribute when prefixing is inactive.

```
-->
<![%XHTML.prefixed;[
<!ENTITY % XHTML.xmlns.attrib
    "%NS.decl.attrib;
    %XSI.xmlns.attrib;
    %XLINK.xmlns.attrib;"
>
]]>
<!ENTITY % XHTML.xmlns.attrib
    "xmlns    %URI.datatype;    #FIXED '%XHTML.xmlns;'"
    %NS.decl.attrib;
    %XSI.xmlns.attrib;
    %XLINK.xmlns.attrib;"
>

<!-- placeholder for qualified name redeclarations -->
<!ENTITY % xhtml-qname.redecl "" >
%xhtml-qname.redecl;

<!-- Section B: XHTML Qualified Names :::::::::::::::::::: -->

<!-- 6. This section declares parameter entities used to provide
     namespace-qualified names for all XHTML element types.
-->

<!-- module: xhtml-applet-1.mod -->
<!ENTITY % applet.qname "%XHTML.pfx;applet" >

<!-- module: xhtml-base-1.mod -->
<!ENTITY % base.qname  "%XHTML.pfx;base" >

<!-- module: xhtml-bdo-1.mod -->
<!ENTITY % bdo.qname  "%XHTML.pfx;bdo" >

<!-- module: xhtml-blkphras-1.mod -->
<!ENTITY % address.qname "%XHTML.pfx;address" >
<!ENTITY % blockquote.qname "%XHTML.pfx;blockquote" >
<!ENTITY % pre.qname      "%XHTML.pfx;pre" >
<!ENTITY % h1.qname      "%XHTML.pfx;h1" >
<!ENTITY % h2.qname      "%XHTML.pfx;h2" >
<!ENTITY % h3.qname      "%XHTML.pfx;h3" >
<!ENTITY % h4.qname      "%XHTML.pfx;h4" >
<!ENTITY % h5.qname      "%XHTML.pfx;h5" >
<!ENTITY % h6.qname      "%XHTML.pfx;h6" >

<!-- module: xhtml-blkpres-1.mod -->
```

```
<!ENTITY % hr.qname    "%XHTML.pfx;hr" >

<!-- module: xhtml-blkstruct-1.mod -->
<!ENTITY % div.qname    "%XHTML.pfx;div" >
<!ENTITY % p.qname      "%XHTML.pfx;p" >

<!-- module: xhtml-edit-1.mod -->
<!ENTITY % ins.qname    "%XHTML.pfx;ins" >
<!ENTITY % del.qname    "%XHTML.pfx;del" >

<!-- module: xhtml-form-1.mod -->
<!ENTITY % form.qname   "%XHTML.pfx;form" >
<!ENTITY % label.qname  "%XHTML.pfx;label" >
<!ENTITY % input.qname  "%XHTML.pfx;input" >
<!ENTITY % select.qname "%XHTML.pfx;select" >
<!ENTITY % optgroup.qname "%XHTML.pfx;optgroup" >
<!ENTITY % option.qname  "%XHTML.pfx;option" >
<!ENTITY % textarea.qname "%XHTML.pfx;textarea" >
<!ENTITY % fieldset.qname "%XHTML.pfx;fieldset" >
<!ENTITY % legend.qname  "%XHTML.pfx;legend" >
<!ENTITY % button.qname  "%XHTML.pfx;button" >

<!-- module: xhtml-hypertext-1.mod -->
<!ENTITY % a.qname      "%XHTML.pfx;a" >

<!-- module: xhtml-image-1.mod -->
<!ENTITY % img.qname    "%XHTML.pfx;img" >

<!-- module: xhtml-inlphras-1.mod -->
<!ENTITY % abbr.qname   "%XHTML.pfx;abbr" >
<!ENTITY % acronym.qname "%XHTML.pfx;acronym" >
<!ENTITY % cite.qname   "%XHTML.pfx;cite" >
<!ENTITY % code.qname   "%XHTML.pfx;code" >
<!ENTITY % dfn.qname    "%XHTML.pfx;dfn" >
<!ENTITY % em.qname     "%XHTML.pfx;em" >
<!ENTITY % kbd.qname    "%XHTML.pfx;kbd" >
<!ENTITY % q.qname      "%XHTML.pfx;q" >
<!ENTITY % samp.qname   "%XHTML.pfx;samp" >
<!ENTITY % strong.qname  "%XHTML.pfx;strong" >
<!ENTITY % var.qname    "%XHTML.pfx;var" >

<!-- module: xhtml-inlpres-1.mod -->
<!ENTITY % b.qname      "%XHTML.pfx;b" >
<!ENTITY % big.qname    "%XHTML.pfx;big" >
<!ENTITY % i.qname      "%XHTML.pfx;i" >
<!ENTITY % small.qname  "%XHTML.pfx;small" >
<!ENTITY % sub.qname    "%XHTML.pfx;sub" >
<!ENTITY % sup.qname    "%XHTML.pfx;sup" >
```

```
<!ENTITY % tt.qname      "%XHTML.pfx;tt" >

<!-- module: xhtml-inlstruct-1.mod -->
<!ENTITY % br.qname      "%XHTML.pfx;br" >
<!ENTITY % span.qname    "%XHTML.pfx;span" >

<!-- module: xhtml-ismap-1.mod (also csismap, ssismap) -->
<!ENTITY % map.qname     "%XHTML.pfx;map" >
<!ENTITY % area.qname    "%XHTML.pfx;area" >

<!-- module: xhtml-link-1.mod -->
<!ENTITY % link.qname    "%XHTML.pfx;link" >

<!-- module: xhtml-list-1.mod -->
<!ENTITY % dl.qname      "%XHTML.pfx;dl" >
<!ENTITY % dt.qname      "%XHTML.pfx;dt" >
<!ENTITY % dd.qname      "%XHTML.pfx;dd" >
<!ENTITY % ol.qname      "%XHTML.pfx;ol" >
<!ENTITY % ul.qname      "%XHTML.pfx;ul" >
<!ENTITY % li.qname      "%XHTML.pfx;li" >

<!-- module: xhtml-meta-1.mod -->
<!ENTITY % meta.qname    "%XHTML.pfx;meta" >

<!-- module: xhtml-param-1.mod -->
<!ENTITY % param.qname   "%XHTML.pfx;param" >

<!-- module: xhtml-object-1.mod -->
<!ENTITY % object.qname  "%XHTML.pfx;object" >

<!-- module: xhtml-script-1.mod -->
<!ENTITY % script.qname  "%XHTML.pfx;script" >
<!ENTITY % noscript.qname "%XHTML.pfx;noscript" >

<!-- module: xhtml-struct-1.mod -->
<!ENTITY % html.qname    "%XHTML.pfx;html" >
<!ENTITY % head.qname    "%XHTML.pfx;head" >
<!ENTITY % title.qname   "%XHTML.pfx;title" >
<!ENTITY % body.qname    "%XHTML.pfx;body" >

<!-- module: xhtml-style-1.mod -->
<!ENTITY % style.qname   "%XHTML.pfx;style" >

<!-- module: xhtml-table-1.mod -->
<!ENTITY % table.qname   "%XHTML.pfx;table" >
<!ENTITY % caption.qname "%XHTML.pfx;caption" >
<!ENTITY % thead.qname   "%XHTML.pfx;thead" >
<!ENTITY % tfoot.qname   "%XHTML.pfx;tfoot" >
```

```
<!ENTITY % tbody.qname "%XHTML.pfx;tbody" >
<!ENTITY % colgroup.qname "%XHTML.pfx;colgroup" >
<!ENTITY % col.qname "%XHTML.pfx;col" >
<!ENTITY % tr.qname "%XHTML.pfx;tr" >
<!ENTITY % th.qname "%XHTML.pfx;th" >
<!ENTITY % td.qname "%XHTML.pfx;td" >
```

```
<!-- module: xhtml-ruby-1.mod -->
```

```
<!ENTITY % ruby.qname "%XHTML.pfx;ruby" >
<!ENTITY % rbc.qname "%XHTML.pfx;rbc" >
<!ENTITY % rtc.qname "%XHTML.pfx;rtc" >
<!ENTITY % rb.qname "%XHTML.pfx;rb" >
<!ENTITY % rt.qname "%XHTML.pfx;rt" >
<!ENTITY % rp.qname "%XHTML.pfx;rp" >
```

```
<!-- Provisional XHTML 2.0 Qualified Names ..... -->
```

```
<!-- module: xhtml-image-2.mod -->
```

```
<!ENTITY % alt.qname "%XHTML.pfx;alt" >
```

```
<!-- end of xhtml-qname-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-qname-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML Inline Presentation Module ..... -->
```

```
<!-- file: xhtml-inlpres-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-inlpres-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Inline Presentation 1.0//EN"
```

```
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inlpres-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Inline Presentational Elements
```

b, big, i, small, sub, sup, tt

This module declares the elements and their attributes used to support inline-level presentational markup.

-->

```
<!ENTITY % b.element "INCLUDE" >
<![%b.element;[
<!ENTITY % b.content
  "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % b.qname "b" >
<!ELEMENT %b.qname; %b.content; >
<!-- end of b.element -->]]>
```

```
<!ENTITY % b.attlist "INCLUDE" >
<![%b.attlist;[
<!ATTLIST %b.qname;
  %Common.attrib;
>
<!-- end of b.attlist -->]]>
```

```
<!ENTITY % big.element "INCLUDE" >
<![%big.element;[
<!ENTITY % big.content
  "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % big.qname "big" >
<!ELEMENT %big.qname; %big.content; >
<!-- end of big.element -->]]>
```

```
<!ENTITY % big.attlist "INCLUDE" >
<![%big.attlist;[
<!ATTLIST %big.qname;
  %Common.attrib;
>
<!-- end of big.attlist -->]]>
```

```
<!ENTITY % i.element "INCLUDE" >
<![%i.element;[
<!ENTITY % i.content
  "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % i.qname "i" >
<!ELEMENT %i.qname; %i.content; >
<!-- end of i.element -->]]>
```

```
<!ENTITY % i.attlist "INCLUDE" >
<![%i.attlist;[
```

```
<!ATTLIST %i.qname;
    %Common.attrib;
>
<!-- end of i.attlist -->]]>
```

```
<!ENTITY % small.element "INCLUDE" >
<![%small.element;[
<!ENTITY % small.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % small.qname "small" >
<!ELEMENT %small.qname; %small.content; >
<!-- end of small.element -->]]>
```

```
<!ENTITY % small.attlist "INCLUDE" >
<![%small.attlist;[
<!ATTLIST %small.qname;
    %Common.attrib;
>
<!-- end of small.attlist -->]]>
```

```
<!ENTITY % sub.element "INCLUDE" >
<![%sub.element;[
<!ENTITY % sub.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % sub.qname "sub" >
<!ELEMENT %sub.qname; %sub.content; >
<!-- end of sub.element -->]]>
```

```
<!ENTITY % sub.attlist "INCLUDE" >
<![%sub.attlist;[
<!ATTLIST %sub.qname;
    %Common.attrib;
>
<!-- end of sub.attlist -->]]>
```

```
<!ENTITY % sup.element "INCLUDE" >
<![%sup.element;[
<!ENTITY % sup.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % sup.qname "sup" >
<!ELEMENT %sup.qname; %sup.content; >
<!-- end of sup.element -->]]>
```

```
<!ENTITY % sup.attlist "INCLUDE" >
<![%sup.attlist;[
```

```
<!ATTLIST %sup.qname;
    %Common.attrib;
>
<!-- end of sup.attlist -->]]>
```

```
<!ENTITY % tt.element "INCLUDE" >
<![%tt.element;[
<!ENTITY % tt.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % tt.qname "tt" >
<!ELEMENT %tt.qname; %tt.content; >
<!-- end of tt.element -->]]>
```

```
<!ENTITY % tt.attlist "INCLUDE" >
<![%tt.attlist;[
<!ATTLIST %tt.qname;
    %Common.attrib;
>
<!-- end of tt.attlist -->]]>
```

```
<!-- end of xhtml-inlpres-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-inlpres-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Document Metainformation Module ..... -->
<!-- file: xhtml-meta-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-meta-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Metainformation 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-meta-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Meta Information
```

```
meta
```

This module declares the meta element type and its attributes,
used to provide declarative document metainformation.

-->

<!-- meta: Generic Metainformation -->

```
<!ENTITY % meta.element "INCLUDE" >
<![%meta.element;[
<!ENTITY % meta.content "EMPTY" >
<!ENTITY % meta.qname "meta" >
<!ELEMENT %meta.qname; %meta.content; >
<!-- end of meta.element -->]]>
```

```
<!ENTITY % meta.attlist "INCLUDE" >
<![%meta.attlist;[
<!ATTLIST %meta.qname;
  %XHTML.xmlns.attrib;
  %I18n.attrib;
  http-equiv NMTOKEN          #IMPLIED
  name       NMTOKEN          #IMPLIED
  content    CDATA            #REQUIRED
  scheme     CDATA            #IMPLIED
>
<!-- end of meta.attlist -->]]>
```

<!-- end of xhtml-meta-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
meta-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML IFrame Module ..... -->
<!-- file: xhtml-iframe-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-iframe-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Inline Frame Element 1.0//EN"
SYSTEM "http://www.w3.org/Markup/DTD/xhtml-iframe-1.mod"
```

Revisions:

#2000-10-22: added #PCDATA to <iframe> content model as per HTML 4

```
..... -->

<!-- Inline Frames

    iframe

    This module declares the iframe element type and its attributes,
    used to create an inline frame within a document.

-->
```

```
<!-- Inline Frames ..... -->

<!ENTITY % iframe.content "( #PCDATA | %Flow.mix; )*" >
<!ENTITY % iframe.qname "iframe" >
<!ELEMENT %iframe.qname; %iframe.content; >
<!ATTLIST %iframe.qname;
    %Core.attrib;
    longdesc %URI.datatype; #IMPLIED
    src %URI.datatype; #IMPLIED
    frameborder ( 1 | 0 ) '1'
    marginwidth %Pixels.datatype; #IMPLIED
    marginheight %Pixels.datatype; #IMPLIED
    scrolling ( yes | no | auto ) 'auto'
    height %Length.datatype; #IMPLIED
    width %Length.datatype; #IMPLIED
>
```

```
<!-- end of xhtml-iframe-1.mod -->
```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-iframe-1.mod

No license file was found, but licenses were detected in source scan.

```
<!--
    * This is an umbrella schema for the various schema documents used
    * to support XPath 3.0 functions and operators.
    *
    * The schema is made available under the terms of the W3C software notice and license
    * at http://www.w3.org/Consortium/Legal/copyright-software-19980720
    *
-->
```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/xpath-functions.xsd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

<!-- XHTML+RDFa Document Model Module -->

<!-- file: xhtml-rdfa-model-1.mod

This is XHTML+RDFa.

Copyright 1998-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-rdfa-model-1.mod,v 1.4 2009/06/26 14:05:13 smccarro Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML+RDFa Document Model 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-rdfa-model-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML+RDFa Document Model

This module describes the groupings of elements that make up common content models for XHTML elements.

XHTML has three basic content models:

%Inline.mix; character-level elements

%Block.mix; block-like elements, eg., paragraphs and lists

%Flow.mix; any block or inline elements

Any parameter entities declared in this module may be used to create element content models, but the above three are considered 'global' (insofar as that term applies here).

The reserved word '#PCDATA' (indicating a text string) is now included explicitly with each element declaration that is declared as mixed content, as XML requires that this token occur first in a content model specification.

-->

<!-- Extending the Model

While in some cases this module may need to be rewritten to accommodate changes to the document model, minor extensions may be accomplished by redeclaring any of the three *.extra; parameter entities to contain extension element types as follows:

%Misc.extra; whose parent may be any block or inline element.

%Inline.extra; whose parent may be any inline element.

%Block.extra; whose parent may be any block element.

If used, these parameter entities must be an OR-separated list beginning with an OR separator ("|"), eg., "| a | b | c"

All block and inline *.class parameter entities not part of the *struct.class classes begin with "|" to allow for exclusion from mixes.

-->

<!-- Optional Elements in head -->

```
<!ENTITY % HeadOpts.mix
  "( %script.qname; | %style.qname; | %meta.qname;
  | %link.qname; | %object.qname; )*"
>
```

<!-- Miscellaneous Elements -->

```
<!-- ins and del are used to denote editing changes
-->
<!ENTITY % Edit.class "| %ins.qname; | %del.qname;" >
```

```
<!-- script and noscript are used to contain scripts
and alternative content
-->
<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >
```

```
<!ENTITY % Misc.extra "" >
```

```
<!-- These elements are neither block nor inline, and can
essentially be used anywhere in the document body.
-->
```

```
<!ENTITY % Misc.class
  "%Edit.class;
  %Script.class;
  %Misc.extra;"
>
```

<!-- Inline Elements -->

```
<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >
```

```
<!ENTITY % InlPhras.class
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
  | %abbr.qname; | %acronym.qname; | %q.qname;" >
```

```
<!ENTITY % InlPres.class
  "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
  | %small.qname; | %sub.qname; | %sup.qname;" >
```

```
<!ENTITY % I18n.class "| %bdo.qname;" >
```

```
<!ENTITY % Anchor.class "| %a.qname;" >
```

```
<!ENTITY % InlSpecial.class
  "| %img.qname; | %map.qname;
  | %object.qname;" >
```

```
<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname; | %button.qname;" >
```

```
<!ENTITY % Inline.extra "" >
```

```
<!ENTITY % Ruby.class "| %ruby.qname;" >
```

```
<!-- %Inline.class; includes all inline elements,
  used as a component in mixes
```

```
-->
```

```
<!ENTITY % Inline.class
```

```
  "%InlStruct.class;
```

```
  %InlPhras.class;
```

```
  %InlPres.class;
```

```
  %I18n.class;
```

```
  %Anchor.class;
```

```
  %InlSpecial.class;
```

```
  %InlForm.class;
```

```
  %Ruby.class;
```

```
  %Inline.extra;"
```

```
>
```

```
<!-- %InlNoRuby.class; includes all inline elements
  except ruby, used as a component in mixes
```

```
-->
```

```
<!ENTITY % InlNoRuby.class
```

```
  "%InlStruct.class;
```

```
  %InlPhras.class;
```

```
  %InlPres.class;
```

```
  %I18n.class;
```

```
  %Anchor.class;
```

```
  %InlSpecial.class;
```

```
  %InlForm.class;
```

```
  %Inline.extra;"
```

```
>
```

```

<!-- %NoRuby.content; includes all inlines except ruby
-->
<!ENTITY % NoRuby.content
  "( #PCDATA
  | %InlNoRuby.class;
  %Misc.class; )*"
>

<!-- %InlNoAnchor.class; includes all non-anchor inlines,
  used as a component in mixes
-->
<!ENTITY % InlNoAnchor.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %I18n.class;
  %InlSpecial.class;
  %InlForm.class;
  %Ruby.class;
  %Inline.extra;"
>

<!-- %InlNoAnchor.mix; includes all non-anchor inlines
-->
<!ENTITY % InlNoAnchor.mix
  "%InlNoAnchor.class;
  %Misc.class;"
>

<!-- %Inline.mix; includes all inline elements, including %Misc.class;
-->
<!ENTITY % Inline.mix
  "%Inline.class;
  %Misc.class;"
>

<!-- ..... Block Elements ..... -->

<!-- In the HTML 4.0 DTD, heading and list elements were included
  in the %block; parameter entity. The %Heading.class; and
  %List.class; parameter entities must now be included explicitly
  on element declarations where desired.
-->

<!ENTITY % Heading.class
  "%h1.qname; | %h2.qname; | %h3.qname;
  | %h4.qname; | %h5.qname; | %h6.qname;" >

```

```

<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % Fieldset.class "| %fieldset.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
  "| %pre.qname; | %blockquote.qname; | %address.qname;" >

<!ENTITY % BlkPres.class "| %hr.qname;" >

<!ENTITY % BlkSpecial.class
  "%Table.class;
  %Form.class;
  %Fieldset.class;"
>

<!ENTITY % Block.extra "" >

<!-- %Block.class; includes all block elements,
  used as an component in mixes
-->
<!ENTITY % Block.class
  "%BlkStruct.class;
  %BlkPhras.class;
  %BlkPres.class;
  %BlkSpecial.class;
  %Block.extra;"
>

<!-- %Block.mix; includes all block elements plus %Misc.class;
-->
<!ENTITY % Block.mix
  "%Heading.class;
  | %List.class;
  | %Block.class;
  %Misc.class;"
>

<!-- ..... All Content Elements ..... -->

<!-- %Flow.mix; includes all text content, block and inline
-->

```

```
<!ENTITY % Flow.mix
"%Heading.class;
| %List.class;
| %Block.class;
| %Inline.class;
%Misc.class;"
>
<!-- end of xhtml-rdfa-model-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-rdfa-model-1.mod
No license file was found, but licenses were detected in source scan.
```

```
<!-- ..... -->
<!-- XHTML Base Architecture Module ..... -->
<!-- file: xhtml-arch-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-arch-1.mod,v 1.4 2008/10/08 21:02:30 jules Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-arch-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- This optional module includes declarations that enable XHTML to be used
as a base architecture according to the 'Architectural Forms Definition
Requirements' (Annex A.3, ISO/IEC 10744, 2nd edition). For more information
on use of architectural forms, see the HyTime web site at:
```

```
http://www.hytime.org/
```

```
-->
```

```
<?IS10744 ArcBase xhtml ?>
```

```
<!NOTATION xhtml PUBLIC "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN" >
```

```
<!-- Entity declaration for associated Architectural DTD
```

```
-->
```

```
<!ENTITY xhtml-arch.dtd
```

```
PUBLIC "-//W3C//DTD XHTML Architecture 1.1//EN"
"xhtml11-arch.dtd" >
```

```
<?IS10744:arch xhtml
  public-id    = "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN"
  dtd-public-id = "-//W3C//DTD XHTML 1.1//EN"
  dtd-system-id = "xhtml11.dtd"
  doc-elem-form = "html"
  form-att     = "html"
  renamer-att  = "htnames"
  suppressor-att = "htsupp"
  data-ignore-att = "htign"
  auto        = "ArcAuto"
  options     = "HtModReq HtModOpt"
  HtModReq    = "Framework Text Hypertext Lists Structure"
  HtModOpt    = "Standard"
?>
```

```
<!-- end of xhtml-arch-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtmll-arch-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Param Element Module ..... -->
<!-- file: xhtml-param-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-param-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Param Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtmll-param-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Parameters for Java Applets and Embedded Objects
```

```
  param
```

This module provides declarations for the param element,
used to provide named property values for the applet
and object elements.

```
-->
```

<!-- param: Named Property Value -->

<!ENTITY % param.element "INCLUDE" >

<![%param.element;[

<!ENTITY % param.content "EMPTY" >

<!ENTITY % param.qname "param" >

<!ELEMENT %param.qname; %param.content; >

<!-- end of param.element -->]]>

<!ENTITY % param.attlist "INCLUDE" >

<![%param.attlist;[

<!ATTLIST %param.qname;

 %XHTML.xmlns.attrib;

 %id.attrib;

 name CDATA #REQUIRED

 value CDATA #IMPLIED

 valuetype (data | ref | object) 'data'

 type %ContentType.datatype; #IMPLIED

>

<!-- end of param.attlist -->]]>

<!-- end of xhtml-param-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-param-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Structure Module -->

<!-- file: xhtml-struct-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-struct-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Document Structure 1.0//EN"

SYSTEM "http://www.w3.org/Markup/DTD/xhtml-struct-1.mod"

Revisions:

(none)

..... -->

<!-- Document Structure

title, head, body, html

The Structure Module defines the major structural elements and their attributes.

Note that the content model of the head element type is redeclared when the Base Module is included in the DTD.

The parameter entity containing the XML namespace URI value used for XHTML is '%XHTML.xmlns;', defined in the Qualified Names module.

-->

<!-- title: Document Title -->

<!-- The title element is not considered part of the flow of text.

It should be displayed, for example as the page header or window title. Exactly one title is required per document.

-->

```
<!ENTITY % title.element "INCLUDE" >
<![%title.element;[
<!ENTITY % title.content "( #PCDATA )" >
<!ENTITY % title.qname "title" >
<!ELEMENT %title.qname; %title.content; >
<!-- end of title.element -->]]>
```

```
<!ENTITY % title.attlist "INCLUDE" >
<![%title.attlist;[
<!ATTLIST %title.qname;
    %XHTML.xmlns.attrib;
    %I18n.attrib;
>
<!-- end of title.attlist -->]]>
```

<!-- head: Document Head -->

```
<!ENTITY % head.element "INCLUDE" >
<![%head.element;[
<!ENTITY % head.content
    "( %HeadOpts.mix;, %title.qname;, %HeadOpts.mix; )"
>
<!ENTITY % head.qname "head" >
<!ELEMENT %head.qname; %head.content; >
<!-- end of head.element -->]]>
```

```
<!ENTITY % head.attlist "INCLUDE" >
<![%head.attlist;[
<!-- reserved for future use with document profiles
```

```

-->
<!ENTITY % profile.attrib
  "profile %URI.datatype; %XHTML.profile;"
>

<!ATTLIST %head.qname;
  %XHTML.xmlns.attrib;
  %I18n.attrib;
  %profile.attrib;
  %id.attrib;
>
<!-- end of head.attlist -->]]>

<!-- body: Document Body ..... -->

<!ENTITY % body.element "INCLUDE" >
<![%body.element;[
<!ENTITY % body.content
  "( %Block.mix; )*"
>
<!ENTITY % body.qname "body" >
<!ELEMENT %body.qname; %body.content; >
<!-- end of body.element -->]]>

<!ENTITY % body.attlist "INCLUDE" >
<![%body.attlist;[
<!ATTLIST %body.qname;
  %Common.attrib;
>
<!-- end of body.attlist -->]]>

<!-- html: XHTML Document Element ..... -->

<!ENTITY % html.element "INCLUDE" >
<![%html.element;[
<!ENTITY % html.content "( %head.qname;, %body.qname; )" >
<!ENTITY % html.qname "html" >
<!ELEMENT %html.qname; %html.content; >
<!-- end of html.element -->]]>

<![%XHTML.xsi.attrs;[
<!-- define a parameter for the XSI schemaLocation attribute -->
<!ENTITY % XSI.schemaLocation.attrib
  "%XSI.pfx;schemaLocation %URIs.datatype; #IMPLIED"
>
]]>
<!ENTITY % XSI.schemaLocation.attrib "">

```

```

<!ENTITY % html.attlist "INCLUDE" >
<![%html.attlist;[
<!-- version attribute value defined in driver
-->
<!ENTITY % XHTML.version.attrib
    "version    %FPI.datatype;    #FIXED '%XHTML.version;'"
>

<!-- see the Qualified Names module for information
    on how to extend XHTML using XML namespaces
-->
<!ATTLIST %html.qname;
    %XHTML.xmlns.attrib;
    %XSI.schemaLocation.attrib;
    %XHTML.version.attrib;
    %I18n.attrib;
    %id.attrib;
>
<!-- end of html.attlist -->]]>

<!-- end of xhtml-struct-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-struct-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Base Element Module ..... -->
<!-- file: xhtml-base-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-base-1.mod,v 1.1 2001/02/13 12:24:21 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Base Element 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-base-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Base element

```

```

    base

```

This module declares the base element type and its attributes, used to define a base URI against which relative URIs in the document will be resolved.

Note that this module also redeclares the content model for the head element to include the base element.

-->

<!-- base: Document Base URI -->

```
<!ENTITY % base.element "INCLUDE" >
<![%base.element;[
<!ENTITY % base.content "EMPTY" >
<!ENTITY % base.qname "base" >
<!ELEMENT %base.qname; %base.content; >
<!-- end of base.element -->]]>
```

```
<!ENTITY % base.attlist "INCLUDE" >
<![%base.attlist;[
<!ATTLIST %base.qname;
    %XHTML.xmlns.attrib;
    href      %URI.datatype;      #REQUIRED
>
<!-- end of base.attlist -->]]>
```

```
<!ENTITY % head.content
" ( %HeadOpts.mix;
  ( ( %title.qname;, %HeadOpts.mix;, ( %base.qname;, %HeadOpts.mix; )? )
  | ( %base.qname;, %HeadOpts.mix;, ( %title.qname;, %HeadOpts.mix; )))"
>
```

<!-- end of xhtml-base-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-base-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Inline Phrasal Module ..... -->
<!-- file: xhtml-inlphras-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-inlphras-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inlphras-1.mod"

Revisions:

(none)

..... -->

<!-- Inline Phrasal

abbr, acronym, cite, code, dfn, em, kbd, q, samp, strong, var

This module declares the elements and their attributes used to support inline-level phrasal markup.

-->

```
<!ENTITY % abbr.element "INCLUDE" >
<![%abbr.element;[
<!ENTITY % abbr.content
  "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % abbr.qname "abbr" >
<!ELEMENT %abbr.qname; %abbr.content; >
<!-- end of abbr.element -->]]>
```

```
<!ENTITY % abbr.attlist "INCLUDE" >
<![%abbr.attlist;[
<!ATTLIST %abbr.qname;
  %Common.attrib;
>
<!-- end of abbr.attlist -->]]>
```

```
<!ENTITY % acronym.element "INCLUDE" >
<![%acronym.element;[
<!ENTITY % acronym.content
  "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % acronym.qname "acronym" >
<!ELEMENT %acronym.qname; %acronym.content; >
<!-- end of acronym.element -->]]>
```

```
<!ENTITY % acronym.attlist "INCLUDE" >
<![%acronym.attlist;[
<!ATTLIST %acronym.qname;
  %Common.attrib;
>
<!-- end of acronym.attlist -->]]>
```

```
<!ENTITY % cite.element "INCLUDE" >
```

```

<![%cite.element;[
<!ENTITY % cite.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % cite.qname "cite" >
<!ELEMENT %cite.qname; %cite.content; >
<!-- end of cite.element -->]]>

<!ENTITY % cite.attlist "INCLUDE" >
<![%cite.attlist;[
<!ATTLIST %cite.qname;
    %Common.attrib;
>
<!-- end of cite.attlist -->]]>

<!ENTITY % code.element "INCLUDE" >
<![%code.element;[
<!ENTITY % code.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % code.qname "code" >
<!ELEMENT %code.qname; %code.content; >
<!-- end of code.element -->]]>

<!ENTITY % code.attlist "INCLUDE" >
<![%code.attlist;[
<!ATTLIST %code.qname;
    %Common.attrib;
>
<!-- end of code.attlist -->]]>

<!ENTITY % dfn.element "INCLUDE" >
<![%dfn.element;[
<!ENTITY % dfn.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % dfn.qname "dfn" >
<!ELEMENT %dfn.qname; %dfn.content; >
<!-- end of dfn.element -->]]>

<!ENTITY % dfn.attlist "INCLUDE" >
<![%dfn.attlist;[
<!ATTLIST %dfn.qname;
    %Common.attrib;
>
<!-- end of dfn.attlist -->]]>

<!ENTITY % em.element "INCLUDE" >

```

```

<![%em.element;[
<!ENTITY % em.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % em.qname "em" >
<!ELEMENT %em.qname; %em.content; >
<!-- end of em.element -->]]>

<!ENTITY % em.attlist "INCLUDE" >
<![%em.attlist;[
<!ATTLIST %em.qname;
    %Common.attrib;
>
<!-- end of em.attlist -->]]>

<!ENTITY % kbd.element "INCLUDE" >
<![%kbd.element;[
<!ENTITY % kbd.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % kbd.qname "kbd" >
<!ELEMENT %kbd.qname; %kbd.content; >
<!-- end of kbd.element -->]]>

<!ENTITY % kbd.attlist "INCLUDE" >
<![%kbd.attlist;[
<!ATTLIST %kbd.qname;
    %Common.attrib;
>
<!-- end of kbd.attlist -->]]>

<!ENTITY % q.element "INCLUDE" >
<![%q.element;[
<!ENTITY % q.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % q.qname "q" >
<!ELEMENT %q.qname; %q.content; >
<!-- end of q.element -->]]>

<!ENTITY % q.attlist "INCLUDE" >
<![%q.attlist;[
<!ATTLIST %q.qname;
    %Common.attrib;
    cite    %URI.datatype;    #IMPLIED
>
<!-- end of q.attlist -->]]>

```

```
<!ENTITY % samp.element "INCLUDE" >
<![%samp.element;[
<!ENTITY % samp.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % samp.qname "samp" >
<!ELEMENT %samp.qname; %samp.content; >
<!-- end of samp.element -->]]>
```

```
<!ENTITY % samp.attlist "INCLUDE" >
<![%samp.attlist;[
<!ATTLIST %samp.qname;
    %Common.attrib;
>
<!-- end of samp.attlist -->]]>
```

```
<!ENTITY % strong.element "INCLUDE" >
<![%strong.element;[
<!ENTITY % strong.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % strong.qname "strong" >
<!ELEMENT %strong.qname; %strong.content; >
<!-- end of strong.element -->]]>
```

```
<!ENTITY % strong.attlist "INCLUDE" >
<![%strong.attlist;[
<!ATTLIST %strong.qname;
    %Common.attrib;
>
<!-- end of strong.attlist -->]]>
```

```
<!ENTITY % var.element "INCLUDE" >
<![%var.element;[
<!ENTITY % var.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % var.qname "var" >
<!ELEMENT %var.qname; %var.content; >
<!-- end of var.element -->]]>
```

```
<!ENTITY % var.attlist "INCLUDE" >
<![%var.attlist;[
<!ATTLIST %var.qname;
    %Common.attrib;
>
<!-- end of var.attlist -->]]>
```

<!-- end of xhtml-inlphras-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-inlphras-1.mod

No license file was found, but licenses were detected in source scan.

2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and
its accompanying documentation for any purpose and without fee is
hereby granted in perpetuity, provided that the above copyright notice
and this paragraph appear in all copies. The copyright holders make
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: mathml2

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml2/mathml2-a.dtd

No license file was found, but licenses were detected in source scan.

2003 W3C® (MIT, ERCIM, Keio), All Rights

Reserved. W3C liability, trademark, document use and software
licensing rules apply.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and
its accompanying documentation for any purpose and without fee is
hereby granted in perpetuity, provided that the above copyright notice
and this paragraph appear in all copies. The copyright holders make
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: mathml2.dtd,v 1.12 2003/11/04 13:14:35 davidc Exp \$

This entity may be identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml2/mathml2.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Container Attribute Module ..... -->
<!-- file: svg-container-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-container-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Container Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-container-attrib.mod"
```

```
..... -->
```

```
<!-- Container Attribute
```

```
    enable-background
```

This module defines the Container attribute set.

```
-->
```

```
<!-- 'enable-background' property/attribute value (e.g., 'new', 'accumulate') -->
```

```
<!ENTITY % EnableBackgroundValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.enable-background.attrib
```

```
    "enable-background %EnableBackgroundValue.datatype; #IMPLIED"
```

```
>
```

```
<!ENTITY % SVG.Container.extra.attrib "" >
```

```
<!ENTITY % SVG.Container.attrib
```

```
    "%SVG.enable-background.attrib;
```

```
    %SVG.Container.extra.attrib;"
```

```
>
```

```
<!-- end of svg-container-attrib.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
container-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. -->
```

```
<!-- This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License,
v. 2.0. -->
```

Found in path(s):

- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/wrapper/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/gizmo/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/jiter/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/z/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/pull/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/regex/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/codenorm/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trans/rules/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/style/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/trace/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/java/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/charcode/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/dom4j/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/query/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/value/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/number/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sapling/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/lib/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/functions/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/iter/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/type/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/dom/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/s9api/streams/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/xpath/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/local/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/linked/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/tree/util/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/sort/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/event/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/xom/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/package.html
- * /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/option/exslt/package.html

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/parser/package.html  
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/pattern/package.html  
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/flwor/package.html  
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/om/package.html  
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/sxpath/package.html  
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/trans/package.html  
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/tree/tiny/package.html  
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/expr/instruct/package.html
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Forms Module ..... -->  
<!-- file: xhtml-form-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-form-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Forms 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-form-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Forms
```

form, label, input, select, optgroup, option,
textarea, fieldset, legend, button

This module declares markup to provide support for online
forms, based on the features found in HTML 4 forms.

```
-->
```

```
<!-- declare qualified element type names:
```

```
-->
```

```
<!ENTITY % form.qname "form" >  
<!ENTITY % label.qname "label" >  
<!ENTITY % input.qname "input" >  
<!ENTITY % select.qname "select" >  
<!ENTITY % optgroup.qname "optgroup" >  
<!ENTITY % option.qname "option" >  
<!ENTITY % textarea.qname "textarea" >  
<!ENTITY % fieldset.qname "fieldset" >
```

```

<!ENTITY % legend.qname "legend" >
<!ENTITY % button.qname "button" >

<!-- %BlkNoForm.mix; includes all non-form block elements,
      plus %Misc.class;
-->
<!ENTITY % BlkNoForm.mix
      "%Heading.class;
      | %List.class;
      | %BlkStruct.class;
      %BlkPhras.class;
      %BlkPres.class;
      %Table.class;
      %Block.extra;
      %Misc.class;"
>

<!-- form: Form Element ..... -->

<!ENTITY % form.element "INCLUDE" >
<![%form.element;[
<!ENTITY % form.content
      "( %BlkNoForm.mix;
      | %fieldset.qname; )+"
>
<!ELEMENT %form.qname; %form.content; >
<!-- end of form.element -->]]>

<!ENTITY % form.attlist "INCLUDE" >
<![%form.attlist;[
<!ATTLIST %form.qname;
      %Common.attrib;
      action    %URI.datatype;      #REQUIRED
      method    ( get | post )      'get'
      enctype   %ContentType.datatype; 'application/x-www-form-urlencoded'
      accept-charset %Charsets.datatype; #IMPLIED
      accept    %ContentTypes.datatype; #IMPLIED
>
<!-- end of form.attlist -->]]>

<!-- label: Form Field Label Text ..... -->

<!-- Each label must not contain more than ONE field
-->

<!ENTITY % label.element "INCLUDE" >
<![%label.element;[
<!ENTITY % label.content

```

```
"( #PCDATA
| %input.qname; | %select.qname; | %textarea.qname; | %button.qname;
| %InlStruct.class;
%InlPhras.class;
%I18n.class;
%InlPres.class;
%Anchor.class;
%InlSpecial.class;
%Inline.extra;
%Misc.class; )"
```

```
>
<!ELEMENT %label.qname; %label.content; >
<!-- end of label.element -->]]>
```

```
<!ENTITY % label.attlist "INCLUDE" >
<![%label.attlist;[
<!ATTLIST %label.qname;
    %Common.attrib;
    for      IDREF          #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of label.attlist -->]]>
```

```
<!-- input: Form Control ..... -->
```

```
<!ENTITY % input.element "INCLUDE" >
<![%input.element;[
<!ENTITY % input.content "EMPTY" >
<!ELEMENT %input.qname; %input.content; >
<!-- end of input.element -->]]>
```

```
<!ENTITY % input.attlist "INCLUDE" >
<![%input.attlist;[
<!ENTITY % InputType.class
    "( text | password | checkbox | radio | submit
    | reset | file | hidden | image | button )"
>
<!-- attribute 'name' required for all but submit & reset
-->
```

```
<!ATTLIST %input.qname;
    %Common.attrib;
    type      %InputType.class;    'text'
    name      CDATA                #IMPLIED
    value     CDATA                #IMPLIED
    checked   ( checked )          #IMPLIED
    disabled  ( disabled )         #IMPLIED
    readonly  ( readonly )         #IMPLIED
    size      %Number.datatype;    #IMPLIED
```

```

maxlength %Number.datatype; #IMPLIED
src %URI.datatype; #IMPLIED
alt %Text.datatype; #IMPLIED
tabindex %Number.datatype; #IMPLIED
accesskey %Character.datatype; #IMPLIED
accept %ContentTypes.datatype; #IMPLIED

```

```
>
```

```
<!-- end of input.attlist -->]]>
```

```
<!-- select: Option Selector ..... -->
```

```
<!ENTITY % select.element "INCLUDE" >
```

```
<![%select.element;[
```

```
<!ENTITY % select.content
```

```
"( %optgroup.qname; | %option.qname; )+"
```

```
>
```

```
<!ELEMENT %select.qname; %select.content; >
```

```
<!-- end of select.element -->]]>
```

```
<!ENTITY % select.attlist "INCLUDE" >
```

```
<![%select.attlist;[
```

```
<!ATTLIST %select.qname;
```

```
%Common.attrib;
```

```
name CDATA #IMPLIED
```

```
size %Number.datatype; #IMPLIED
```

```
multiple ( multiple ) #IMPLIED
```

```
disabled ( disabled ) #IMPLIED
```

```
tabindex %Number.datatype; #IMPLIED
```

```
>
```

```
<!-- end of select.attlist -->]]>
```

```
<!-- optgroup: Option Group ..... -->
```

```
<!ENTITY % optgroup.element "INCLUDE" >
```

```
<![%optgroup.element;[
```

```
<!ENTITY % optgroup.content "( %option.qname; )" >
```

```
<!ELEMENT %optgroup.qname; %optgroup.content; >
```

```
<!-- end of optgroup.element -->]]>
```

```
<!ENTITY % optgroup.attlist "INCLUDE" >
```

```
<![%optgroup.attlist;[
```

```
<!ATTLIST %optgroup.qname;
```

```
%Common.attrib;
```

```
disabled ( disabled ) #IMPLIED
```

```
label %Text.datatype; #REQUIRED
```

```
>
```

```
<!-- end of optgroup.attlist -->]]>
```

```

<!-- option: Selectable Choice ..... -->

<!ENTITY % option.element "INCLUDE" >
<![%option.element;[
<!ENTITY % option.content "( #PCDATA )" >
<!ELEMENT %option.qname; %option.content; >
<!-- end of option.element -->]]>

<!ENTITY % option.attlist "INCLUDE" >
<![%option.attlist;[
<!ATTLIST %option.qname;
    %Common.attrib;
    selected ( selected )      #IMPLIED
    disabled ( disabled )      #IMPLIED
    label    %Text.datatype;   #IMPLIED
    value    CDATA              #IMPLIED
>
<!-- end of option.attlist -->]]>

<!-- textarea: Multi-Line Text Field ..... -->

<!ENTITY % textarea.element "INCLUDE" >
<![%textarea.element;[
<!ENTITY % textarea.content "( #PCDATA )" >
<!ELEMENT %textarea.qname; %textarea.content; >
<!-- end of textarea.element -->]]>

<!ENTITY % textarea.attlist "INCLUDE" >
<![%textarea.attlist;[
<!ATTLIST %textarea.qname;
    %Common.attrib;
    name     CDATA              #IMPLIED
    rows     %Number.datatype;  #REQUIRED
    cols     %Number.datatype;  #REQUIRED
    disabled ( disabled )      #IMPLIED
    readonly ( readonly )      #IMPLIED
    tabindex %Number.datatype;  #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of textarea.attlist -->]]>

<!-- fieldset: Form Control Group ..... -->

<!-- #PCDATA is to solve the mixed content problem,
    per specification only whitespace is allowed
-->

<!ENTITY % fieldset.element "INCLUDE" >

```

```

<![%fieldset.element;[
<!ENTITY % fieldset.content
    "( #PCDATA | %legend.qname; | %Flow.mix; )*"
>
<!ELEMENT %fieldset.qname; %fieldset.content; >
<!-- end of fieldset.element -->]]>

```

```

<!ENTITY % fieldset.attlist "INCLUDE" >
<![%fieldset.attlist;[
<!ATTLIST %fieldset.qname;
    %Common.attrib;
>
<!-- end of fieldset.attlist -->]]>

```

```

<!-- legend: Fieldset Legend ..... -->

```

```

<!ENTITY % legend.element "INCLUDE" >
<![%legend.element;[
<!ENTITY % legend.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %legend.qname; %legend.content; >
<!-- end of legend.element -->]]>

```

```

<!ENTITY % legend.attlist "INCLUDE" >
<![%legend.attlist;[
<!ATTLIST %legend.qname;
    %Common.attrib;
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of legend.attlist -->]]>

```

```

<!-- button: Push Button ..... -->

```

```

<!ENTITY % button.element "INCLUDE" >
<![%button.element;[
<!ENTITY % button.content
    "( #PCDATA
    | %BlkNoForm.mix;
    | %InlStruct.class;
    %InlPhras.class;
    %InlPres.class;
    %I18n.class;
    %InlSpecial.class;
    %Inline.extra; )*"
>
<!ELEMENT %button.qname; %button.content; >
<!-- end of button.element -->]]>

```

```

<!ENTITY % button.attlist "INCLUDE" >
<![%button.attlist;[
<!ATTLIST %button.qname;
    %Common.attrib;
    name      CDATA          #IMPLIED
    value     CDATA          #IMPLIED
    type      ( button | submit | reset ) 'submit'
    disabled  ( disabled )   #IMPLIED
    tabindex  %Number.datatype; #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of button.attlist -->]]>

```

```

<!-- end of xhtml-form-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-form-1.mod

```

No license file was found, but licenses were detected in source scan.

2001 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML DTD and its
accompanying documentation for any purpose and without fee is hereby
granted in perpetuity, provided that the above copyright notice and
this paragraph appear in all copies. The copyright holders make no
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Murray M. Altheim <altheim@eng.sun.com>

Revision: \$Id: xhtml11.dtd,v 1.21 2001/05/29 16:37:01 ahby Exp \$

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/rddl/xhtml11.dtd

```

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml11.dtd

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->

```

```

<!-- SVG 1.1 XLink Attribute Module ..... -->

```

```

<!-- file: svg-xlink-attrib.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-xlink-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 XLink Attribute//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-xlink-attrib.mod"
```

```
..... -->
```

```
<!-- XLink Attribute
```

```
    type, href, role, arcrole, title, show, actuate
```

```
    This module defines the XLink, XLinkRequired, XLinkEmbed, and  
    XLinkReplace attribute set.
```

```
-->
```

```
<!ENTITY % SVG.XLink.extra.attrib "" >
```

```
<!ENTITY % SVG.XLink.attrib  
    "%XLINK.xmlns.attrib;  
    %XLINK.pfx;type ( simple ) #FIXED 'simple'  
    %XLINK.pfx;href %URI.datatype; #IMPLIED  
    %XLINK.pfx;role %URI.datatype; #IMPLIED  
    %XLINK.pfx;arcrole %URI.datatype; #IMPLIED  
    %XLINK.pfx;title CDATA #IMPLIED  
    %XLINK.pfx;show ( other ) 'other'  
    %XLINK.pfx;actuate ( onLoad ) #FIXED 'onLoad'  
    %SVG.XLink.extra.attrib;"  
>
```

```
<!ENTITY % SVG.XLinkRequired.extra.attrib "" >
```

```
<!ENTITY % SVG.XLinkRequired.attrib  
    "%XLINK.xmlns.attrib;  
    %XLINK.pfx;type ( simple ) #FIXED 'simple'  
    %XLINK.pfx;href %URI.datatype; #REQUIRED  
    %XLINK.pfx;role %URI.datatype; #IMPLIED  
    %XLINK.pfx;arcrole %URI.datatype; #IMPLIED  
    %XLINK.pfx;title CDATA #IMPLIED  
    %XLINK.pfx;show ( other ) 'other'  
    %XLINK.pfx;actuate ( onLoad ) #FIXED 'onLoad'  
    %SVG.XLinkRequired.extra.attrib;"  
>
```

```
<!ENTITY % SVG.XLinkEmbed.extra.attrib "" >
```

```

<!ENTITY % SVG.XLinkEmbed.attrib
"%XLINK.xmlns.attrib;
%XLINK.pfx;type ( simple ) #FIXED 'simple'
%XLINK.pfx;href %URI.datatype; #REQUIRED
%XLINK.pfx;role %URI.datatype; #IMPLIED
%XLINK.pfx;arcrole %URI.datatype; #IMPLIED
%XLINK.pfx;title CDATA #IMPLIED
%XLINK.pfx;show ( embed ) 'embed'
%XLINK.pfx;actuate ( onLoad ) #FIXED 'onLoad'
%SVG.XLinkEmbed.extra.attrib;"
>

```

```

<!ENTITY % SVG.XLinkReplace.extra.attrib "" >

```

```

<!ENTITY % SVG.XLinkReplace.attrib
"%XLINK.xmlns.attrib;
%XLINK.pfx;type ( simple ) #FIXED 'simple'
%XLINK.pfx;href %URI.datatype; #REQUIRED
%XLINK.pfx;role %URI.datatype; #IMPLIED
%XLINK.pfx;arcrole %URI.datatype; #IMPLIED
%XLINK.pfx;title CDATA #IMPLIED
%XLINK.pfx;show ( new | replace ) 'replace'
%XLINK.pfx;actuate ( onRequest ) #FIXED 'onRequest'
%SVG.XLinkReplace.extra.attrib;"
>

```

```

<!-- end of svg-xlink-attrib.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
xlink-attrib.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Legacy Markup Module ..... -->
<!-- file: xhtml-legacy-1.mod

```

This is an extension of XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-legacy-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Legacy Markup 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-legacy-1.mod"

```

Revisions:

(none)

..... -->

<!-- HTML Legacy Markup

font, basefont, center, s, strike, u, dir, menu, isindex

(plus additional datatypes and attributes)

This optional module declares additional markup for simple presentation-related markup based on features found in the HTML 4 Transitional and Frameset DTDs. This relies on inclusion of the Legacy Redeclarations module. This module also declares the frames, inline frames and object modules.

This is to allow XHTML 1.1 documents to be transformed for display on HTML browsers where CSS support is inconsistent or unavailable.

-->

<!-- Constructing a Legacy DTD

To construct a DTD driver obtaining a close approximation of the HTML 4 Transitional and Frameset DTDs, declare the Legacy Redeclarations module as the pre-framework redeclaration parameter entity (%xhtml-prefw-redecl.mod;) and INCLUDE its conditional section:

...

```
<!ENTITY % xhtml-prefw-redecl.module "INCLUDE" >
<![%xhtml-prefw-redecl.module;[
<!ENTITY % xhtml-prefw-redecl.mod
PUBLIC "-//W3C//ELEMENTS XHTML Legacy Redeclarations 1.0//EN"
"xhtml-legacy-redecl-1.mod" >
%xhtml-prefw-redecl.mod;]]>
```

Such a DTD should be named with a variant FPI and redeclare the value of the %XHTML.version; parameter entity to that FPI:

```
"-//Your Name Here//DTD XHTML Legacy 1.1//EN"
```

IMPORTANT: see also the notes included in the Legacy Redeclarations Module for information on how to construct a DTD using this module.

-->

<!-- Additional Element Types -->

<!-- font: Local Font Modifier -->

```

<!ENTITY % font.element "INCLUDE" >
<![%font.element;[
<!ENTITY % font.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % font.qname "font" >
<!ELEMENT %font.qname; %font.content; >
<!-- end of font.element -->]]>

```

```

<!ENTITY % font.attlist "INCLUDE" >
<![%font.attlist;[
<!ATTLIST %font.qname;
    %Core.attrib;
    %I18n.attrib;
    size    CDATA          #IMPLIED
    color   %Color.datatype; #IMPLIED
    face    CDATA          #IMPLIED
>
<!-- end of font.attlist -->]]>

```

<!-- basefont: Base Font Size -->

```

<!ENTITY % basefont.element "INCLUDE" >
<![%basefont.element;[
<!ENTITY % basefont.content "EMPTY" >
<!ENTITY % basefont.qname "basefont" >
<!ELEMENT %basefont.qname; %basefont.content; >
<!-- end of basefont.element -->]]>

```

```

<!ENTITY % basefont.attlist "INCLUDE" >
<![%basefont.attlist;[
<!ATTLIST %basefont.qname;
    %id.attrib;
    size    CDATA          #REQUIRED
    color   %Color.datatype; #IMPLIED
    face    CDATA          #IMPLIED
>
<!-- end of basefont.attlist -->]]>

```

<!-- center: Center Alignment -->

```

<!ENTITY % center.element "INCLUDE" >
<![%center.element;[
<!ENTITY % center.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ENTITY % center.qname "center" >

```

```
<!ELEMENT %center.qname; %center.content; >
<!-- end of center.element -->]]>
```

```
<!ENTITY % center.attlist "INCLUDE" >
<![%center.attlist;[
<!ATTLIST %center.qname;
    %Common.attrib;
>
<!-- end of center.attlist -->]]>
```

```
<!-- s: Strike-Thru Text Style ..... -->
```

```
<!ENTITY % s.element "INCLUDE" >
<![%s.element;[
<!ENTITY % s.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % s.qname "s" >
<!ELEMENT %s.qname; %s.content; >
<!-- end of s.element -->]]>
```

```
<!ENTITY % s.attlist "INCLUDE" >
<![%s.attlist;[
<!ATTLIST %s.qname;
    %Common.attrib;
>
<!-- end of s.attlist -->]]>
```

```
<!-- strike: Strike-Thru Text Style .....-->
```

```
<!ENTITY % strike.element "INCLUDE" >
<![%strike.element;[
<!ENTITY % strike.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % strike.qname "strike" >
<!ELEMENT %strike.qname; %strike.content; >
<!-- end of strike.element -->]]>
```

```
<!ENTITY % strike.attlist "INCLUDE" >
<![%strike.attlist;[
<!ATTLIST %strike.qname;
    %Common.attrib;
>
<!-- end of strike.attlist -->]]>
```

```
<!-- u: Underline Text Style .....-->
```

```
<!ENTITY % u.element "INCLUDE" >
<![%u.element;[
<!ENTITY % u.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ENTITY % u.qname "u" >
<!ELEMENT %u.qname; %u.content; >
<!-- end of u.element -->]]>
```

```
<!ENTITY % u.attlist "INCLUDE" >
<![%u.attlist;[
<!ATTLIST %u.qname;
    %Common.attrib;
>
<!-- end of u.attlist -->]]>
```

```
<!-- dir: Directory List ..... -->
```

```
<!-- NOTE: the content model for <dir> in HTML 4 excluded %Block.mix;
```

```
-->
```

```
<!ENTITY % dir.element "INCLUDE" >
<![%dir.element;[
<!ENTITY % dir.content
    "( %li.qname; )+"
>
<!ENTITY % dir.qname "dir" >
<!ELEMENT %dir.qname; %dir.content; >
<!-- end of dir.element -->]]>
```

```
<!ENTITY % dir.attlist "INCLUDE" >
<![%dir.attlist;[
<!ATTLIST %dir.qname;
    %Common.attrib;
    compact ( compact ) #IMPLIED
>
<!-- end of dir.attlist -->]]>
```

```
<!-- menu: Menu List ..... -->
```

```
<!-- NOTE: the content model for <menu> in HTML 4 excluded %Block.mix;
```

```
-->
```

```
<!ENTITY % menu.element "INCLUDE" >
<![%menu.element;[
<!ENTITY % menu.content
    "( %li.qname; )+"
>
<!ENTITY % menu.qname "menu" >
<!ELEMENT %menu.qname; %menu.content; >
```

<!-- end of menu.element -->]]>

<!ENTITY % menu.attlist "INCLUDE" >

<![%menu.attlist;[

<!ATTLIST %menu.qname;

 %Common.attrib;

 compact (compact) #IMPLIED

>

<!-- end of menu.attlist -->]]>

<!-- isindex: Single-Line Prompt -->

<!ENTITY % isindex.element "INCLUDE" >

<![%isindex.element;[

<!ENTITY % isindex.content "EMPTY" >

<!ENTITY % isindex.qname "isindex" >

<!ELEMENT %isindex.qname; %isindex.content; >

<!-- end of isindex.element -->]]>

<!ENTITY % isindex.attlist "INCLUDE" >

<![%isindex.attlist;[

<!ATTLIST %isindex.qname;

 %Core.attrib;

 %I18n.attrib;

 prompt %Text.datatype; #IMPLIED

>

<!-- end of isindex.attlist -->]]>

<!-- Additional Attributes -->

<!-- Alignment attribute for Transitional use in HTML browsers

 (this functionality is generally well-supported in CSS,

 except within some contexts)

-->

<!ENTITY % align.attrib

 "align (left | center | right | justify) #IMPLIED"

>

<!ATTLIST %applet.qname;

 align (top | middle | bottom | left | right) #IMPLIED

 hspace %Pixels.datatype; #IMPLIED

 vspace %Pixels.datatype; #IMPLIED

>

<!ATTLIST %body.qname;

 background %URI.datatype; #IMPLIED

 bgcolor %Color.datatype; #IMPLIED

```
text    %Color.datatype;    #IMPLIED
link    %Color.datatype;    #IMPLIED
vlink   %Color.datatype;    #IMPLIED
alink   %Color.datatype;    #IMPLIED
>

<!ATTLIST %br.qname;
  clear   ( left | all | right | none ) 'none'
>

<!ATTLIST %caption.qname;
  align   ( top | bottom | left | right ) #IMPLIED
>

<!ATTLIST %div.qname;
  %align.attrib;
>

<!ATTLIST %h1.qname;
  %align.attrib;
>

<!ATTLIST %h2.qname;
  %align.attrib;
>

<!ATTLIST %h3.qname;
  %align.attrib;
>

<!ATTLIST %h4.qname;
  %align.attrib;
>

<!ATTLIST %h5.qname;
  %align.attrib;
>

<!ATTLIST %h6.qname;
  %align.attrib;
>

<!ATTLIST %hr.qname;
  align   ( left | center | right ) #IMPLIED
  noshade ( noshade )           #IMPLIED
  size    %Pixels.datatype;     #IMPLIED
  width   %Length.datatype;     #IMPLIED
>
```

```
<!ATTLIST %img.qname;
  align    ( top | middle | bottom | left | right ) #IMPLIED
  border   %Pixels.datatype;    #IMPLIED
  hspace   %Pixels.datatype;    #IMPLIED
  vspace   %Pixels.datatype;    #IMPLIED
>
```

```
<!ATTLIST %input.qname;
  align    ( top | middle | bottom | left | right ) #IMPLIED
>
```

```
<!ATTLIST %legend.qname;
  align    ( top | bottom | left | right ) #IMPLIED
>
```

```
<!ATTLIST %li.qname;
  type     CDATA                #IMPLIED
  value    %Number.datatype;    #IMPLIED
>
```

```
<!ATTLIST %object.qname;
  align    ( top | middle | bottom | left | right ) #IMPLIED
  border   %Pixels.datatype;    #IMPLIED
  hspace   %Pixels.datatype;    #IMPLIED
  vspace   %Pixels.datatype;    #IMPLIED
>
```

```
<!ATTLIST %dl.qname;
  compact  ( compact )          #IMPLIED
>
```

```
<!ATTLIST %ol.qname;
  type     CDATA                #IMPLIED
  compact  ( compact )          #IMPLIED
  start    %Number.datatype;    #IMPLIED
>
```

```
<!ATTLIST %p.qname;
  %align.attrib;
>
```

```
<!ATTLIST %pre.qname;
  width    %Length.datatype;    #IMPLIED
>
```

```
<!ATTLIST %script.qname;
  language %ContentType.datatype; #IMPLIED
```

>

```
<!ATTLIST %table.qname;
  align    ( left | center | right ) #IMPLIED
  bgcolor   %Color.datatype;        #IMPLIED
```

>

```
<!ATTLIST %tr.qname;
  bgcolor   %Color.datatype;        #IMPLIED
```

>

```
<!ATTLIST %th.qname;
  nowrap    ( nowrap )             #IMPLIED
  bgcolor   %Color.datatype;        #IMPLIED
  width     %Length.datatype;       #IMPLIED
  height    %Length.datatype;       #IMPLIED
```

>

```
<!ATTLIST %td.qname;
  nowrap    ( nowrap )             #IMPLIED
  bgcolor   %Color.datatype;        #IMPLIED
  width     %Length.datatype;       #IMPLIED
  height    %Length.datatype;       #IMPLIED
```

>

```
<!ATTLIST %ul.qname;
  type      CDATA                   #IMPLIED
  compact   ( compact )             #IMPLIED
```

>

```
<!-- Frames Module ..... -->
<!ENTITY % xhtml-frames.module "IGNORE" >
<![%xhtml-frames.module;[
<!ENTITY % xhtml-frames.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Frames 1.0//EN"
    "xhtml-frames-1.mod" >
% xhtml-frames.mod;]]>
```

```
<!-- Inline Frames Module ..... -->
<!ENTITY % xhtml-iframe.module "INCLUDE" >
<![%xhtml-iframe.module;[
<!ATTLIST %iframe.qname;
  align     ( top | middle | bottom | left | right ) #IMPLIED
>
<!ENTITY % xhtml-iframe.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Inline Frame Element 1.0//EN"
    "xhtml-iframe-1.mod" >
% xhtml-iframe.mod;]]>
```

<!-- end of xhtml-legacy-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-legacy-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- SVG 1.1 Style Module -->

<!-- file: svg-style.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-style.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Style//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-style.mod"

..... -->

<!-- Style

style

This module declares markup to provide support for stylesheet.

-->

<!-- list of classes -->

<!ENTITY % ClassList.datatype "CDATA" >

<!-- comma-separated list of media descriptors. -->

<!ENTITY % MediaDesc.datatype "CDATA" >

<!-- style sheet data -->

<!ENTITY % StyleSheet.datatype "CDATA" >

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.style.qname "style" >

<!-- Attribute Collections (Default) -->

<!ENTITY % SVG.Core.attrib "" >

<!-- SVG.Style.class -->

```

<!ENTITY % SVG.Style.extra.class "" >

<!ENTITY % SVG.Style.class
  "| %SVG.style.qname; %SVG.Style.extra.class;"
>

<!-- SVG.Style.attrib ..... -->

<!ENTITY % SVG.Style.extra.attrib "" >

<!ENTITY % SVG.Style.attrib
  "style %StyleSheet.datatype; #IMPLIED
  class %ClassList.datatype; #IMPLIED
  %SVG.Style.extra.attrib;"
>

<!-- style: Style Element ..... -->

<!ENTITY % SVG.style.extra.content "" >

<!ENTITY % SVG.style.element "INCLUDE" >
<![%SVG.style.element;[
<!ENTITY % SVG.style.content
  "( #PCDATA %SVG.style.extra.content; )*"
>
<!ELEMENT %SVG.style.qname; %SVG.style.content; >
<!-- end of SVG.style.element -->]]>

<!ENTITY % SVG.style.attlist "INCLUDE" >
<![%SVG.style.attlist;[
<!ATTLIST %SVG.style.qname;
  xml:space ( preserve ) #FIXED 'preserve'
  %SVG.Core.attrib;
  type %ContentType.datatype; #REQUIRED
  media %MediaDesc.datatype; #IMPLIED
  title %Text.datatype; #IMPLIED
>
<!-- end of SVG.style.attlist -->]]>

<!-- end of svg-style.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-style.mod

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.
2.0.
/**
 * Accesses the Normalization Data used for Forms C and D.
 * <p>Copyright (c) 1998-1999 Unicode, Inc. All Rights Reserved.<br>
 * The Unicode Consortium makes no expressed or implied warranty of any
 * kind, and assumes no liability for errors or omissions.
 * No liability is assumed for incidental and consequential damages
 * in connection with or arising out of the use of the information here.</p>
 *
 * @author Mark Davis
 */
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/serialize/codenorm/NormalizerData.java
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Animation Module ..... -->
<!-- file: svg-animation.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-animation.mod,v 1.3 2002/10/24 17:40:14 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Animation//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-animation.mod"
```

```
..... -->
```

```
<!-- Animation
```

```
animate, set, animateMotion, animateColor, animateTransform, mpath
```

This module declares markup to provide support for animation.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.animate.qname "animate" >
<!ENTITY % SVG.set.qname "set" >
<!ENTITY % SVG.animateMotion.qname "animateMotion" >
<!ENTITY % SVG.animateColor.qname "animateColor" >
<!ENTITY % SVG.animateTransform.qname "animateTransform" >
<!ENTITY % SVG.mpath.qname "mpath" >
```

```

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.AnimationEvents.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Animation.class ..... -->

<!ENTITY % SVG.Animation.extra.class "" >

<!ENTITY % SVG.Animation.class
"%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
 %SVG.animateColor.qname; | %SVG.animateTransform.qname;
 %SVG.Animation.extra.class;"
>

<!-- SVG.Animation.attrib ..... -->

<!ENTITY % SVG.Animation.extra.attrib "" >

<!ENTITY % SVG.Animation.attrib
"%SVG.XLink.attrib;
 %SVG.Animation.extra.attrib;"
>

<!-- SVG.AnimationAttribute.attrib ..... -->

<!ENTITY % SVG.AnimationAttribute.extra.attrib "" >

<!ENTITY % SVG.AnimationAttribute.attrib
"attributeName CDATA #REQUIRED
 attributeType CDATA #IMPLIED
 %SVG.AnimationAttribute.extra.attrib;"
>

<!-- SVG.AnimationTiming.attrib ..... -->

<!ENTITY % SVG.AnimationTiming.extra.attrib "" >

<!ENTITY % SVG.AnimationTiming.attrib
"begin CDATA #IMPLIED
 dur CDATA #IMPLIED
 end CDATA #IMPLIED
 min CDATA #IMPLIED

```

```

max CDATA #IMPLIED
restart ( always | never | whenNotActive ) 'always'
repeatCount CDATA #IMPLIED
repeatDur CDATA #IMPLIED
fill ( remove | freeze ) 'remove'
%SVG.AnimationTiming.extra.attrib;"
>

<!-- SVG.AnimationValue.attrib ..... -->

<!ENTITY % SVG.AnimationValue.extra.attrib "" >

<!ENTITY % SVG.AnimationValue.attrib
"calcMode ( discrete | linear | paced | spline ) 'linear'
values CDATA #IMPLIED
keyTimes CDATA #IMPLIED
keySplines CDATA #IMPLIED
from CDATA #IMPLIED
to CDATA #IMPLIED
by CDATA #IMPLIED
%SVG.AnimationValue.extra.attrib;"
>

<!-- SVG.AnimationAddtion.attrib ..... -->

<!ENTITY % SVG.AnimationAddtion.extra.attrib "" >

<!ENTITY % SVG.AnimationAddtion.attrib
"additive ( replace | sum ) 'replace'
accumulate ( none | sum ) 'none'
%SVG.AnimationAddtion.extra.attrib;"
>

<!-- animate: Animate Element ..... -->

<!ENTITY % SVG.animate.extra.content "" >

<!ENTITY % SVG.animate.element "INCLUDE" >
<![%SVG.animate.element;[
<!ENTITY % SVG.animate.content
"( %SVG.Description.class; %SVG.animate.extra.content; )*"
>
<!ELEMENT %SVG.animate.qname; %SVG.animate.content; >
<!-- end of SVG.animate.element -->]]>

<!ENTITY % SVG.animate.attlist "INCLUDE" >
<![%SVG.animate.attlist;[
<!ATTLIST %SVG.animate.qname;

```

```

%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.AnimationEvents.attrib;
%SVG.External.attrib;
%SVG.Animation.attrib;
%SVG.AnimationAttribute.attrib;
%SVG.AnimationTiming.attrib;
%SVG.AnimationValue.attrib;
%SVG.AnimationAddtion.attrib;
>
<!-- end of SVG.animate.attlist -->]]>

<!-- set: Set Element ..... -->

<!ENTITY % SVG.set.extra.content "" >

<!ENTITY % SVG.set.element "INCLUDE" >
<![%SVG.set.element;[
<!ENTITY % SVG.set.content
  "( %SVG.Description.class; %SVG.set.extra.content; )*"
>
<!ELEMENT %SVG.set.qname; %SVG.set.content; >
<!-- end of SVG.set.element -->]]>

<!ENTITY % SVG.set.attlist "INCLUDE" >
<![%SVG.set.attlist;[
<!ATTLIST %SVG.set.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.AnimationEvents.attrib;
  %SVG.External.attrib;
  %SVG.Animation.attrib;
  %SVG.AnimationAttribute.attrib;
  %SVG.AnimationTiming.attrib;
  to CDATA #IMPLIED
>
<!-- end of SVG.set.attlist -->]]>

<!-- animateMotion: Animate Motion Element ..... -->

<!ENTITY % SVG.animateMotion.extra.content "" >

<!ENTITY % SVG.animateMotion.element "INCLUDE" >
<![%SVG.animateMotion.element;[
<!ENTITY % SVG.animateMotion.content
  "(( %SVG.Description.class; )*, %SVG.mpath.qname;?
  %SVG.animateMotion.extra.content; )"
>

```

```
<!ELEMENT %SVG.animateMotion.qname; %SVG.animateMotion.content; >
<!-- end of SVG.animateMotion.element -->]]>
```

```
<!ENTITY % SVG.animateMotion.attlist "INCLUDE" >
```

```
<![%SVG.animateMotion.attlist;[
<!ATTLIST %SVG.animateMotion.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.AnimationEvents.attrib;
  %SVG.External.attrib;
  %SVG.Animation.attrib;
  %SVG.AnimationTiming.attrib;
  %SVG.AnimationAddtion.attrib;
  calcMode ( discrete | linear | paced | spline ) 'paced'
  values CDATA #IMPLIED
  keyTimes CDATA #IMPLIED
  keySplines CDATA #IMPLIED
  from CDATA #IMPLIED
  to CDATA #IMPLIED
  by CDATA #IMPLIED
  path CDATA #IMPLIED
  keyPoints CDATA #IMPLIED
  rotate CDATA #IMPLIED
  origin CDATA #IMPLIED
>
<!-- end of SVG.animateMotion.attlist -->]]>
```

```
<!-- animateColor: Animate Color Element ..... -->
```

```
<!ENTITY % SVG.animateColor.extra.content "" >
```

```
<!ENTITY % SVG.animateColor.element "INCLUDE" >
<![%SVG.animateColor.element;[
<!ENTITY % SVG.animateColor.content
  "( %SVG.Description.class; %SVG.animateColor.extra.content; )*"
>
<!ELEMENT %SVG.animateColor.qname; %SVG.animateColor.content; >
<!-- end of SVG.animateColor.element -->]]>
```

```
<!ENTITY % SVG.animateColor.attlist "INCLUDE" >
```

```
<![%SVG.animateColor.attlist;[
<!ATTLIST %SVG.animateColor.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.AnimationEvents.attrib;
  %SVG.External.attrib;
  %SVG.Animation.attrib;
  %SVG.AnimationAttribute.attrib;
```

```

    %SVG.AnimationTiming.attrib;
    %SVG.AnimationValue.attrib;
    %SVG.AnimationAddtion.attrib;
>
<!-- end of SVG.animateColor.attlist -->]]>

<!-- animateTransform: Animate Transform Element ..... -->

<!ENTITY % SVG.animateTransform.extra.content "" >

<!ENTITY % SVG.animateTransform.element "INCLUDE" >
<![%SVG.animateTransform.element;[
<!ENTITY % SVG.animateTransform.content
    "( %SVG.Description.class; %SVG.animateTransform.extra.content; )*"
>
<!ELEMENT %SVG.animateTransform.qname; %SVG.animateTransform.content; >
<!-- end of SVG.animateTransform.element -->]]>

<!ENTITY % SVG.animateTransform.attlist "INCLUDE" >
<![%SVG.animateTransform.attlist;[
<!ATTLIST %SVG.animateTransform.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.AnimationEvents.attrib;
    %SVG.External.attrib;
    %SVG.Animation.attrib;
    %SVG.AnimationAttribute.attrib;
    %SVG.AnimationTiming.attrib;
    %SVG.AnimationValue.attrib;
    %SVG.AnimationAddtion.attrib;
    type ( translate | scale | rotate | skewX | skewY ) 'translate'
>
<!-- end of SVG.animateTransform.attlist -->]]>

<!-- mpath: Motion Path Element ..... -->

<!ENTITY % SVG.mpath.extra.content "" >

<!ENTITY % SVG.mpath.element "INCLUDE" >
<![%SVG.mpath.element;[
<!ENTITY % SVG.mpath.content
    "( %SVG.Description.class; %SVG.mpath.extra.content; )*"
>
<!ELEMENT %SVG.mpath.qname; %SVG.mpath.content; >
<!-- end of SVG.mpath.element -->]]>

<!ENTITY % SVG.mpath.attlist "INCLUDE" >
<![%SVG.mpath.attlist;[

```

```
<!ATTLIST %SVG.mpath.qname;
  %SVG.Core.attrib;
  %SVG.XLinkRequired.attrib;
  %SVG.External.attrib;
>
<!-- end of SVG.mpath.attlist -->]]>
```

```
<!-- end of svg-animation.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
animation.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Presentation Module ..... -->
<!-- file: xhtml-pres-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-pres-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Presentation 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-pres-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Presentational Elements
```

This module defines elements and their attributes for
simple presentation-related markup.

```
-->
```

```
<!ENTITY % xhtml-inlpres.module "INCLUDE" >
<![% xhtml-inlpres.module;[
<!ENTITY % xhtml-inlpres.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Inline Presentation 1.0//EN"
    "xhtml-inlpres-1.mod" >
% xhtml-inlpres.mod;]]>
```

```
<!ENTITY % xhtml-blkpres.module "INCLUDE" >
<![% xhtml-blkpres.module;[
<!ENTITY % xhtml-blkpres.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Block Presentation 1.0//EN"
```

```
"xhtml-blkpres-1.mod" >
%xhtml-blkpres.mod;]]>

<!-- end of xhtml-pres-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-pres-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Basic Paint Attribute Module ..... -->
<!-- file: svg-basic-paint-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-basic-paint-attrib.mod,v 1.1 2002/11/13 20:14:30 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Paint Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-paint-attrib.mod"
```

```
..... -->
```

```
<!-- Basic Paint Attribute
```

```
fill, fill-rule, stroke, stroke-dasharray, stroke-dashoffset,
stroke-linecap, stroke-linejoin, stroke-miterlimit, stroke-width, color,
color-rendering
```

This module defines the Paint and Color attribute sets.

```
-->
```

```
<!-- a 'fill' or 'stroke' property/attribute value: <paint> -->
<!ENTITY % Paint.datatype "CDATA" >
```

```
<!-- 'stroke-dasharray' property/attribute value (e.g., 'none', list of <number>s) -->
<!ENTITY % StrokeDashArrayValue.datatype "CDATA" >
```

```
<!-- 'stroke-dashoffset' property/attribute value (e.g., 'none', <length>) -->
<!ENTITY % StrokeDashOffsetValue.datatype "CDATA" >
```

```
<!-- 'stroke-miterlimit' property/attribute value (e.g., <number>) -->
<!ENTITY % StrokeMiterLimitValue.datatype "CDATA" >
```

```
<!-- 'stroke-width' property/attribute value (e.g., <length>) -->
<!ENTITY % StrokeWidthValue.datatype "CDATA" >
```

```
<!ENTITY % SVG.fill.attrib
  "fill %Paint.datatype; #IMPLIED"
>

<!ENTITY % SVG.fill-rule.attrib
  "fill-rule %ClipFillRule.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke.attrib
  "stroke %Paint.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-dasharray.attrib
  "stroke-dasharray %StrokeDashArrayValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-dashoffset.attrib
  "stroke-dashoffset %StrokeDashOffsetValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-linecap.attrib
  "stroke-linecap ( butt | round | square | inherit ) #IMPLIED"
>

<!ENTITY % SVG.stroke-linejoin.attrib
  "stroke-linejoin ( miter | round | bevel | inherit ) #IMPLIED"
>

<!ENTITY % SVG.stroke-miterlimit.attrib
  "stroke-miterlimit %StrokeMiterLimitValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-width.attrib
  "stroke-width %StrokeWidthValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.Paint.extra.attrib "" >

<!ENTITY % SVG.Paint.attrib
  "%SVG.fill.attrib;
  %SVG.fill-rule.attrib;
  %SVG.stroke.attrib;
  %SVG.stroke-dasharray.attrib;
  %SVG.stroke-dashoffset.attrib;
  %SVG.stroke-linecap.attrib;
  %SVG.stroke-linejoin.attrib;
  %SVG.stroke-miterlimit.attrib;
```

```

    %SVG.stroke-width.attrib;
    %SVG.Paint.extra.attrib;"
>

<!ENTITY % SVG.color.attrib
    "color %Color.datatype; #IMPLIED"
>

<!ENTITY % SVG.color-rendering.attrib
    "color-rendering ( auto | optimizeSpeed | optimizeQuality | inherit )
        #IMPLIED"
>

<!ENTITY % SVG.Color.extra.attrib "" >

<!ENTITY % SVG.Color.attrib
    "%SVG.color.attrib;
    %SVG.color-rendering.attrib;
    %SVG.Color.extra.attrib;"
>

<!-- end of svg-basic-paint-attrib.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
basic-paint-attrib.mod
```

No license file was found, but licenses were detected in source scan.

SVG 1.1 Basic DTD

This is SVG Basic, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-basic-flat.dtd

No license file was found, but licenses were detected in source scan.

SVG 1.1 Basic DTD

This is SVG Basic, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-basic.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Paint Opacity Attribute Module ..... -->  
<!-- file: svg-opacity-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-opacity-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Paint Opacity Attribute//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-opacity-attrib.mod"

```

..... -->

<!-- Paint Opacity Attribute

    opacity, fill-opacity, stroke-opacity

    This module defines the Opacity attribute set.
-->

<!ENTITY % SVG.opacity.attrib
    "opacity %OpacityValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.fill-opacity.attrib
    "fill-opacity %OpacityValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.stroke-opacity.attrib
    "stroke-opacity %OpacityValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.Opacity.extra.attrib "" >

<!ENTITY % SVG.Opacity.attrib
    "%SVG.opacity.attrib;
    %SVG.fill-opacity.attrib;
    %SVG.stroke-opacity.attrib;
    %SVG.Opacity.extra.attrib;"
>

<!-- end of svg-opacity-attrib.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
opacity-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Intrinsic Events Module ..... -->
<!-- file: xhtml-events-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-events-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
```

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-events-1.mod"

Revisions:

(none)

..... -->

<!-- Intrinsic Event Attributes

These are the event attributes defined in HTML 4, Section 18.2.3 "Intrinsic Events". This module must be instantiated prior to the Attributes Module but after the Datatype Module in the Modular Framework module.

"Note: Authors of HTML documents are advised that changes are likely to occur in the realm of intrinsic events (e.g., how scripts are bound to events). Research in this realm is carried on by members of the W3C Document Object Model Working Group (see the W3C Web site at <http://www.w3.org/> for more information)."

-->

<!-- NOTE: Because the ATTLIST declarations in this module occur before their respective ELEMENT declarations in other modules, there may be a dependency on this module that should be considered if any of the parameter entities used for element type names (eg., %a.qname;) are redeclared.

-->

<!ENTITY % Events.attrib

```
"onclick %Script.datatype; #IMPLIED
ondblclick %Script.datatype; #IMPLIED
onmousedown %Script.datatype; #IMPLIED
onmouseup %Script.datatype; #IMPLIED
onmouseover %Script.datatype; #IMPLIED
onmousemove %Script.datatype; #IMPLIED
onmouseout %Script.datatype; #IMPLIED
onkeypress %Script.datatype; #IMPLIED
onkeydown %Script.datatype; #IMPLIED
onkeyup %Script.datatype; #IMPLIED"
```

>

<![%XHTML.global.attrs.prefixed;[

<!ENTITY % XHTML.global.events.attrib

```
"%XHTML.prefix::onclick %Script.datatype; #IMPLIED
%XHTML.prefix::ondblclick %Script.datatype; #IMPLIED
%XHTML.prefix::onmousedown %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseup %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseover %Script.datatype; #IMPLIED
%XHTML.prefix::onmousemove %Script.datatype; #IMPLIED"
```

```
    %XHTML.prefix::onmouseout %Script.datatype;    #IMPLIED
    %XHTML.prefix::onkeypress %Script.datatype;    #IMPLIED
    %XHTML.prefix::onkeydown  %Script.datatype;    #IMPLIED
    %XHTML.prefix::onkeyup    %Script.datatype;    #IMPLIED"
>
]]>
```

```
<!-- additional attributes on anchor element
```

```
-->
<!ATTLIST %a.qname;
  onfocus %Script.datatype;    #IMPLIED
  onblur   %Script.datatype;    #IMPLIED
>
```

```
<!-- additional attributes on form element
```

```
-->
<!ATTLIST %form.qname;
  onsubmit %Script.datatype;    #IMPLIED
  onreset  %Script.datatype;    #IMPLIED
>
```

```
<!-- additional attributes on label element
```

```
-->
<!ATTLIST %label.qname;
  onfocus %Script.datatype;    #IMPLIED
  onblur   %Script.datatype;    #IMPLIED
>
```

```
<!-- additional attributes on input element
```

```
-->
<!ATTLIST %input.qname;
  onfocus %Script.datatype;    #IMPLIED
  onblur   %Script.datatype;    #IMPLIED
  onselect %Script.datatype;    #IMPLIED
  onchange %Script.datatype;    #IMPLIED
>
```

```
<!-- additional attributes on select element
```

```
-->
<!ATTLIST %select.qname;
  onfocus %Script.datatype;    #IMPLIED
  onblur   %Script.datatype;    #IMPLIED
  onchange %Script.datatype;    #IMPLIED
>
```

```
<!-- additional attributes on textarea element
```

```
-->
<!ATTLIST %textarea.qname;
```

```
onfocus %Script.datatype; #IMPLIED
onblur %Script.datatype; #IMPLIED
onselect %Script.datatype; #IMPLIED
onchange %Script.datatype; #IMPLIED
>
```

```
<!-- additional attributes on button element
```

```
-->
```

```
<!ATTLIST %button.qname;
onfocus %Script.datatype; #IMPLIED
onblur %Script.datatype; #IMPLIED
>
```

```
<!-- additional attributes on body element
```

```
-->
```

```
<!ATTLIST %body.qname;
onload %Script.datatype; #IMPLIED
onunload %Script.datatype; #IMPLIED
>
```

```
<!-- additional attributes on area element
```

```
-->
```

```
<!ATTLIST %area.qname;
onfocus %Script.datatype; #IMPLIED
onblur %Script.datatype; #IMPLIED
>
```

```
<!-- end of xhtml-events-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-events-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML Modular Framework Module ..... -->
```

```
<!-- file: xhtml-framework-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-framework-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Modular Framework 1.0//EN"
```

```
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-framework-1.mod"
```

Revisions:

(none)

..... -->

<!-- Modular Framework

This required module instantiates the modules needed to support the XHTML modularization model, including:

- + datatypes
- + namespace-qualified names
- + common attributes
- + document model
- + character entities

The Intrinsic Events module is ignored by default but occurs in this module because it must be instantiated prior to Attributes but after Datatypes.

-->

```
<!ENTITY % xhtml-arch.module "IGNORE" >
<![%xhtml-arch.module;[
<!ENTITY % xhtml-arch.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
    "xhtml-arch-1.mod" >
%xhtml-arch.mod;]]>
```

```
<!ENTITY % xhtml-notations.module "IGNORE" >
<![%xhtml-notations.module;[
<!ENTITY % xhtml-notations.mod
  PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
    "xhtml-notations-1.mod" >
%xhtml-notations.mod;]]>
```

```
<!ENTITY % xhtml-datatypes.module "INCLUDE" >
<![%xhtml-datatypes.module;[
<!ENTITY % xhtml-datatypes.mod
  PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
    "xhtml-datatypes-1.mod" >
%xhtml-datatypes.mod;]]>
```

<!-- placeholder for XLink support module -->

```
<!ENTITY % xhtml-xlink.mod "" >
%xhtml-xlink.mod;
```

```
<!ENTITY % xhtml-qname.module "INCLUDE" >
<![%xhtml-qname.module;[
<!ENTITY % xhtml-qname.mod
  PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
```

```

    "xhtml-qname-1.mod" >
%xhtml-qname.mod;]]>

<!ENTITY % xhtml-events.module "IGNORE" >
<![%xhtml-events.module;[
<!ENTITY % xhtml-events.mod
    PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
        "xhtml-events-1.mod" >
%xhtml-events.mod;]]>

<!ENTITY % xhtml-attrs.module "INCLUDE" >
<![%xhtml-attrs.module;[
<!ENTITY % xhtml-attrs.mod
    PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
        "xhtml-attrs-1.mod" >
%xhtml-attrs.mod;]]>

<!-- placeholder for content model redeclarations -->
<!ENTITY % xhtml-model.redecl "" >
%xhtml-model.redecl;

<!ENTITY % xhtml-model.module "INCLUDE" >
<![%xhtml-model.module;[
<!-- instantiate the Document Model module declared in the DTD driver
-->
%xhtml-model.mod;]]>

<!ENTITY % xhtml-charent.module "INCLUDE" >
<![%xhtml-charent.module;[
<!ENTITY % xhtml-charent.mod
    PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
        "xhtml-charent-1.mod" >
%xhtml-charent.mod;]]>

<!-- end of xhtml-framework-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-framework-1.mod
```

No license file was found, but licenses were detected in source scan.

2005 World Wide Web Consortium

(Massachusetts Institute of Technology, European Research Consortium
for Informatics and Mathematics, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML Basic DTD
and its accompanying documentation for any purpose and without fee is

hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <mailto:altheim@eng.sun.com>

Peter Stark <mailto:Peter.Stark@ecs.ericsson.se>

Revision: \$Id: xhtml

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml10/xhtml-basic10.dtd

No license file was found, but licenses were detected in source scan.

<!--

File mmlextra.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

-->

<!--

Public identifier: `-//W3C//ENTITIES Additional MathML Symbols//EN//XML`

System identifier: `http://www.w3.org/2003/entities/2007/mmlextra.ent`

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % mmlextra PUBLIC
"-//W3C//ENTITIES Additional MathML Symbols//EN//XML"
"http://www.w3.org/2003/entities/2007/mmlextra.ent"
>
```

%mmlextra;

-->

<!ENTITY af "⁡" ><!--FUNCTION APPLICATION -->
<!ENTITY aopf "𝕒" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL A -->
<!ENTITY asympeq "≍" ><!--EQUIVALENT TO -->
<!ENTITY bopf "𝕓" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL B -->
<!ENTITY copf "𝕔" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL C -->
<!ENTITY Cross "⨯" ><!--VECTOR OR CROSS PRODUCT -->
<!ENTITY dd "ⅆ" ><!--DOUBLE-STRUCK ITALIC SMALL D -->
<!ENTITY DD "ⅅ" ><!--DOUBLE-STRUCK ITALIC CAPITAL D -->
<!ENTITY dopf "𝕕" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL D -->
<!ENTITY DownArrowBar "⤓" ><!--DOWNWARDS ARROW TO BAR -->
<!ENTITY DownBreve "̑" ><!--COMBINING INVERTED BREVE -->
<!ENTITY DownLeftRightVector "⥐" ><!--LEFT BARB DOWN RIGHT BARB DOWN HARPOON -->
<!ENTITY DownLeftTeeVector "⥞" ><!--LEFTWARDS HARPOON WITH BARB DOWN FROM BAR -->
<!ENTITY DownLeftVectorBar "⥖" ><!--LEFTWARDS HARPOON WITH BARB DOWN TO BAR -->
<!ENTITY DownRightTeeVector "⥟" ><!--RIGHTWARDS HARPOON WITH BARB DOWN FROM BAR -->
<!ENTITY DownRightVectorBar "⥗" ><!--RIGHTWARDS HARPOON WITH BARB DOWN TO BAR -->
-->
<!ENTITY ee "ⅇ" ><!--DOUBLE-STRUCK ITALIC SMALL E -->
<!ENTITY EmptySmallSquare "◻" ><!--WHITE MEDIUM SQUARE -->
<!ENTITY EmptyVerySmallSquare "▫" ><!--WHITE SMALL SQUARE -->
<!ENTITY eopf "𝕖" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL E -->
<!ENTITY Equal "⩵" ><!--TWO CONSECUTIVE EQUALS SIGNS -->
<!ENTITY FilledSmallSquare "◼" ><!--BLACK MEDIUM SQUARE -->
<!ENTITY FilledVerySmallSquare "▪" ><!--BLACK SMALL SQUARE -->
<!ENTITY fopf "𝕗" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL F -->
<!ENTITY gopf "𝕘" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL G -->
<!ENTITY GreaterGreater "⪢" ><!--DOUBLE NESTED GREATER-THAN -->
<!ENTITY Hat "^" ><!--CIRCUMFLEX ACCENT -->
<!ENTITY hopf "𝕙" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL H -->
<!ENTITY HorizontalLine "─" ><!--BOX DRAWINGS LIGHT HORIZONTAL -->
<!ENTITY ic "⁣" ><!--INVISIBLE SEPARATOR -->
<!ENTITY ii "ⅈ" ><!--DOUBLE-STRUCK ITALIC SMALL I -->
<!ENTITY iopf "𝕚" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL I -->
<!ENTITY it "⁢" ><!--INVISIBLE TIMES -->
<!ENTITY jopf "𝕛" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL J -->
<!ENTITY kopf "𝕜" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL K -->
<!ENTITY larrb "⇤" ><!--LEFTWARDS ARROW TO BAR -->
<!ENTITY LeftDownTeeVector "⥡" ><!--DOWNWARDS HARPOON WITH BARB LEFT FROM BAR -->
-->
<!ENTITY LeftDownVectorBar "⥙" ><!--DOWNWARDS HARPOON WITH BARB LEFT TO BAR -->
<!ENTITY LeftRightVector "⥎" ><!--LEFT BARB UP RIGHT BARB UP HARPOON -->
<!ENTITY LeftTeeVector "⥚" ><!--LEFTWARDS HARPOON WITH BARB UP FROM BAR -->

<!ENTITY LeftTriangleBar "⧏" ><!--LEFT TRIANGLE BESIDE VERTICAL BAR -->
 <!ENTITY LeftUpDownVector "⥑" ><!--UP BARB LEFT DOWN BARB LEFT HARPOON -->
 <!ENTITY LeftUpTeeVector "⥠" ><!--UPWARDS HARPOON WITH BARB LEFT FROM BAR -->
 <!ENTITY LeftUpVectorBar "⥘" ><!--UPWARDS HARPOON WITH BARB LEFT TO BAR -->
 <!ENTITY LeftVectorBar "⥒" ><!--LEFTWARDS HARPOON WITH BARB UP TO BAR -->
 <!ENTITY LessLess "⪡" ><!--DOUBLE NESTED LESS-THAN -->
 <!ENTITY lopf "𝕝" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL L -->
 <!ENTITY mapstodown "↧" ><!--DOWNWARDS ARROW FROM BAR -->
 <!ENTITY mapstoleft "↤" ><!--LEFTWARDS ARROW FROM BAR -->
 <!ENTITY mapstoup "↥" ><!--UPWARDS ARROW FROM BAR -->
 <!ENTITY MediumSpace " " ><!--MEDIUM MATHEMATICAL SPACE -->
 <!ENTITY mopf "𝕞" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL M -->
 <!ENTITY nbump "≎̸" ><!--GEOMETRICALLY EQUIVALENT TO with slash -->
 <!ENTITY nbumpe "≏̸" ><!--DIFFERENCE BETWEEN with slash -->
 <!ENTITY nesim "≂̸" ><!--MINUS TILDE with slash -->
 <!ENTITY NewLine "
" ><!--LINE FEED (LF) -->
 <!ENTITY NoBreak "⁠" ><!--WORD JOINER -->
 <!ENTITY nopf "𝕟" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL N -->
 <!ENTITY NotCupCap "≭" ><!--NOT EQUIVALENT TO -->
 <!ENTITY NotHumpEqual "≏̸" ><!--DIFFERENCE BETWEEN with slash -->
 <!ENTITY NotLeftTriangleBar "⧏̸" ><!--LEFT TRIANGLE BESIDE VERTICAL BAR with slash -->
 <!ENTITY NotNestedGreaterGreater "⪢̸" ><!--DOUBLE NESTED GREATER-THAN with slash -->
 <!ENTITY NotNestedLessLess "⪡̸" ><!--DOUBLE NESTED LESS-THAN with slash -->
 <!ENTITY NotRightTriangleBar "⧐̸" ><!--VERTICAL BAR BESIDE RIGHT TRIANGLE with slash -->
 <!ENTITY NotSquareSubset "⊏̸" ><!--SQUARE IMAGE OF with slash -->
 <!ENTITY NotSquareSuperset "⊐̸" ><!--SQUARE ORIGINAL OF with slash -->
 <!ENTITY NotSucceedsTilde "≿̸" ><!--SUCCEEDS OR EQUIVALENT TO with slash -->
 <!ENTITY oopf "𝕠" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL O -->
 <!ENTITY OverBar "‾" ><!--OVERLINE -->
 <!ENTITY OverBrace "⏞" ><!--TOP CURLY BRACKET -->
 <!ENTITY OverBracket "⎴" ><!--TOP SQUARE BRACKET -->
 <!ENTITY OverParenthesis "⏜" ><!--TOP PARENTHESIS -->
 <!ENTITY planckh "ℎ" ><!--PLANCK CONSTANT -->
 <!ENTITY popf "𝕡" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL P -->
 <!ENTITY Product "∏" ><!--N-ARY PRODUCT -->
 <!ENTITY qopf "𝕢" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL Q -->
 <!ENTITY rarrb "⇥" ><!--RIGHTWARDS ARROW TO BAR -->
 <!ENTITY RightDownTeeVector "⥝" ><!--DOWNWARDS HARPOON WITH BARB RIGHT FROM BAR -->
 <!ENTITY RightDownVectorBar "⥕" ><!--DOWNWARDS HARPOON WITH BARB RIGHT TO BAR -->
 <!ENTITY RightTeeVector "⥛" ><!--RIGHTWARDS HARPOON WITH BARB UP FROM BAR -->
 <!ENTITY RightTriangleBar "⧐" ><!--VERTICAL BAR BESIDE RIGHT TRIANGLE -->
 <!ENTITY RightUpDownVector "⥏" ><!--UP BARB RIGHT DOWN BARB RIGHT HARPOON -->
 <!ENTITY RightUpTeeVector "⥜" ><!--UPWARDS HARPOON WITH BARB RIGHT FROM BAR -->

<!ENTITY RightUpVectorBar "⥔" ><!--UPWARDS HARPOON WITH BARB RIGHT TO BAR -->
 <!ENTITY RightVectorBar "⥓" ><!--RIGHTWARDS HARPOON WITH BARB UP TO BAR -->
 <!ENTITY ropf "𝕣" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL R -->
 <!ENTITY RoundImplies "⥰" ><!--RIGHT DOUBLE ARROW WITH ROUNDED HEAD -->
 <!ENTITY RuleDelayed "⧴" ><!--RULE-DELAYED -->
 <!ENTITY sopf "𝕤" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL S -->
 <!ENTITY Tab "	" ><!--CHARACTER TABULATION -->
 <!ENTITY ThickSpace "  " ><!--space of width 5/18 em -->
 <!ENTITY topf "𝕥" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL T -->
 <!ENTITY UnderBar "_" ><!--LOW LINE -->
 <!ENTITY UnderBrace "⏟" ><!--BOTTOM CURLY BRACKET -->
 <!ENTITY UnderBracket "⎵" ><!--BOTTOM SQUARE BRACKET -->
 <!ENTITY UnderParenthesis "⏝" ><!--BOTTOM PARENTHESIS -->
 <!ENTITY uopf "𝕦" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL U -->
 <!ENTITY UpArrowBar "⤒" ><!--UPWARDS ARROW TO BAR -->
 <!ENTITY Upsilon "Υ" ><!--GREEK CAPITAL LETTER UPSILON -->
 <!ENTITY VerticalLine "|" ><!--VERTICAL LINE -->
 <!ENTITY VerticalSeparator "❘" ><!--LIGHT VERTICAL BAR -->
 <!ENTITY vopf "𝕧" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL V -->
 <!ENTITY wopf "𝕨" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL W -->
 <!ENTITY xopf "𝕩" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL X -->
 <!ENTITY yopf "𝕪" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL Y -->
 <!ENTITY ZeroWidthSpace "​" ><!--ZERO WIDTH SPACE -->
 <!ENTITY zopf "𝕫" ><!--MATHEMATICAL DOUBLE-STRUCK SMALL Z -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/mmlextra.ent

No license file was found, but licenses were detected in source scan.

<!-- -->
 <!-- XHTML Notations Module -->
 <!-- file: xhtml-notations-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-notations-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
 SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-notations-1.mod"

Revisions:

(none)

..... -->

<!-- Notations

defines the following notations, many of these imported from other specifications and standards. When an existing FPI is known, it is incorporated here.

-->

<!-- XML Notations -->

<!-- SGML and XML Notations -->

<!-- W3C XML 1.0 Recommendation -->

<!NOTATION w3c-xml

PUBLIC "ISO 8879//NOTATION Extensible Markup Language (XML) 1.0//EN" >

<!-- XML 1.0 CDATA -->

<!NOTATION cdata

PUBLIC "-//W3C//NOTATION XML 1.0: CDATA//EN" >

<!-- SGML Formal Public Identifiers -->

<!NOTATION fpi

PUBLIC "ISO 8879:1986//NOTATION Formal Public Identifier//EN" >

<!-- XHTML Notations -->

<!-- Length defined for cellpadding/cellspacing -->

<!-- nn for pixels or nn% for percentage length -->

<!NOTATION length

PUBLIC "-//W3C//NOTATION XHTML Datatype: Length//EN" >

<!-- space-separated list of link types -->

<!NOTATION linkTypes

PUBLIC "-//W3C//NOTATION XHTML Datatype: LinkTypes//EN" >

<!-- single or comma-separated list of media descriptors -->

<!NOTATION mediaDesc

PUBLIC "-//W3C//NOTATION XHTML Datatype: MediaDesc//EN" >

<!-- pixel, percentage, or relative -->

<!NOTATION multiLength

PUBLIC "-//W3C//NOTATION XHTML Datatype: MultiLength//EN" >

<!-- one or more digits (NUMBER) -->

<!NOTATION number

PUBLIC "-//W3C//NOTATION XHTML Datatype: Number//EN" >

<!-- integer representing length in pixels -->

<!NOTATION pixels

PUBLIC "-//W3C//NOTATION XHTML Datatype: Pixels//EN" >

```
<!-- script expression -->
<!NOTATION script
  PUBLIC "-//W3C//NOTATION XHTML Datatype: Script//EN" >

<!-- textual content -->
<!NOTATION text
  PUBLIC "-//W3C//NOTATION XHTML Datatype: Text//EN" >

<!-- Imported Notations ..... -->

<!-- a single character from [ISO10646] -->
<!NOTATION character
  PUBLIC "-//W3C//NOTATION XHTML Datatype: Character//EN" >

<!-- a character encoding, as per [RFC2045] -->
<!NOTATION charset
  PUBLIC "-//W3C//NOTATION XHTML Datatype: Charset//EN" >

<!-- a space separated list of character encodings, as per [RFC2045] -->
<!NOTATION charsets
  PUBLIC "-//W3C//NOTATION XHTML Datatype: Charsets//EN" >

<!-- media type, as per [RFC2045] -->
<!NOTATION contentType
  PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentType//EN" >

<!-- comma-separated list of media types, as per [RFC2045] -->
<!NOTATION contentTypes
  PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentTypes//EN" >

<!-- date and time information. ISO date format -->
<!NOTATION datetime
  PUBLIC "-//W3C//NOTATION XHTML Datatype: Datetime//EN" >

<!-- a language code, as per [RFC3066] -->
<!NOTATION languageCode
  PUBLIC "-//W3C//NOTATION XHTML Datatype: LanguageCode//EN" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!NOTATION uri
  PUBLIC "-//W3C//NOTATION XHTML Datatype: URI//EN" >

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->
<!NOTATION uris
  PUBLIC "-//W3C//NOTATION XHTML Datatype: URIs//EN" >

<!-- end of xhtml-notations-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-notations-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Hypertext Attributes Module ..... -->  
<!-- file: xhtml-hyperAttributes-1.mod
```

This is XHTML-RDFa, modules to annotate XHTML family documents.

Copyright 2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-hyperAttributes-1.mod,v 1.2 2007/08/11 19:06:51 jigsaw Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML HyperAttributes 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-hyperAttributes-1.mod"
```

Revisions:

```
..... -->
```

```
<!-- Common Attributes
```

This module declares a collection of hypertext related attributes.

%NS.decl.attrib; is declared in the XHTML QName module.

This file also includes declarations of "global" versions of the attributes. The global versions of the attributes are for use on elements in other namespaces.
-->

```
<!ENTITY % href.attrib  
  "href %URI.datatype; #IMPLIED"  
>
```

```
<![%XHTML.global.attrs.prefixed;  
<!ENTITY % XHTML.global.href.attrib  
  "%XHTML.prefix::href %URI.datatype; #IMPLIED"  
>  
]]>
```

```
<!ENTITY % hreflang.attrib  
  "hreflang %LanguageCode.datatype; #IMPLIED"  
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.hreflang.attrib
    "%XHTML.prefix;:hreflang      %LanguageCode.datatype;    #IMPLIED"
>
]]>
```

```
<!ENTITY % hrefmedia.attrib
    "hrefmedia      %MediaDesc.datatype;    #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.hrefmedia.attrib
    "%XHTML.prefix;:hrefmedia      %MediaDesc.datatype;    #IMPLIED"
>
]]>
```

```
<!ENTITY % hreftype.attrib
    "hreftype      %ContentTypes.datatype;    #IMPLIED"
>
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.hreftype.attrib
    "%XHTML.prefix;:hreftype      %ContentTypes.datatype;    #IMPLIED"
>
]]>
```

```
<!ENTITY % Hyper.attrib.extra "" >
```

```
<!ENTITY % Hyper.attrib
    "%href.attrib;
    %hreflang.attrib;
    %hrefmedia.attrib;
    %hreftype.attrib;
    %Hyper.attrib.extra;"
>
```

```
<!ENTITY % XHTML.global.hyper.attrib.extra "" >
```

```
<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.hyper.attrib
    "%XHTML.global.href.attrib;
    %XHTML.global.hreflang.attrib;
    %XHTML.global.hrefmedia.attrib;
    %XHTML.global.hreftype.attrib;
    %XHTML.global.hyper.attrib.extra;"
>
]]>
```

<!ENTITY % XHTML.global.hyper.attrib "" >

<!-- end of xhtml-hyperAttributes-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-hyperAttributes-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- SVG 1.1 Clip Module -->

<!-- file: svg-clip.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-clip.mod,v 1.3 2002/10/24 17:40:15 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Clip//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-clip.mod"

..... -->

<!-- Clip

clipPath

This module declares markup to provide support for clipping.

-->

<!-- 'clip-path' property/attribute value (e.g., 'none', <uri>) -->

<!ENTITY % ClipPathValue.datatype "CDATA" >

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.clipPath.qname "clipPath" >

<!-- Attribute Collections (Default) -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Conditional.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Text.attrib "" >

<!ENTITY % SVG.TextContent.attrib "" >

<!ENTITY % SVG.Font.attrib "" >

<!ENTITY % SVG.Paint.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

```

<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Clip.class ..... -->

<!ENTITY % SVG.Clip.extra.class "" >

<!ENTITY % SVG.Clip.class
  "| %SVG.clipPath.qname; %SVG.Clip.extra.class;"
>

<!-- SVG.Clip.attrib ..... -->

<!ENTITY % SVG.Clip.extra.attrib "" >

<!ENTITY % SVG.Clip.attrib
  "clip-path %ClipPathValue.datatype; #IMPLIED
  clip-rule %ClipFillRule.datatype; #IMPLIED
  %SVG.Clip.extra.attrib;"
>

<!-- clipPath: Clip Path Element ..... -->

<!ENTITY % SVG.clipPath.extra.content "" >

<!ENTITY % SVG.clipPath.element "INCLUDE" >
<![%SVG.clipPath.element;[
<!ENTITY % SVG.clipPath.content
  "(( %SVG.Description.class; )*, ( %SVG.Animation.class; %SVG.Use.class;
  %SVG.Shape.class; %SVG.Text.class; %SVG.clipPath.extra.content; )*)"
>
<!ELEMENT %SVG.clipPath.qname; %SVG.clipPath.content; >
<!-- end of SVG.clipPath.element -->]]>

<!ENTITY % SVG.clipPath.attlist "INCLUDE" >
<![%SVG.clipPath.attlist;[
<!ATTLIST %SVG.clipPath.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Text.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;

```

```

%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
transform %TransformList.datatype; #IMPLIED
clipPathUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
>
<!-- end of SVG.clipPath.attlist -->]]>

<!-- end of svg-clip.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-clip.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Core Attribute Module ..... -->
<!-- file: svg-core-attr.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-core-attr.mod,v 1.3 2002/04/28 13:50:23 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES SVG 1.1 Core Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-core-attr.mod"

```

```
..... -->
```

```
<!-- Core Attribute
```

```
id, xml:base, xml:lang, xml:space
```

This module defines the core set of attributes that can be present on any element.

```
-->
```

```
<!ENTITY % SVG.id.attrib
"ID #IMPLIED"
```

```
>
```

```
<!ENTITY % SVG.base.attrib
```

```

"xml:base %URI.datatype; #IMPLIED"
>

<!ENTITY % SVG.lang.attrib
"xml:lang %LanguageCode.datatype; #IMPLIED"
>

<!ENTITY % SVG.space.attrib
"xml:space ( default | preserve ) #IMPLIED"
>

<!ENTITY % SVG.Core.extra.attrib "" >

<!ENTITY % SVG.Core.attrib
"%SVG.id.attrib;
%SVG.base.attrib;
%SVG.lang.attrib;
%SVG.space.attrib;
%SVG.Core.extra.attrib;"
>

<!-- end of svg-core-attrib.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-core-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Basic Document Model Module ..... -->
<!-- file: svg11-basic-model.mod

```

This is SVG Basic, a proper subset of SVG.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg11-basic-model.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Document Model//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-basic-model.mod"

```

```
..... -->
```

```
<!-- SVG 1.1 Basic Document Model
```

This module describes the groupings of elements that make up common content models for SVG elements.

```
-->
```

```

<!-- Content Models (Default) ..... -->

<!ENTITY % SVG.Marker.class "" >
<!ENTITY % SVG.Cursor.class "" >

<!-- module: svg-structure.mod ..... -->

<!ENTITY % SVG.Description.extra.class "" >
<!ENTITY % SVG.Description.class
  "%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
  %SVG.Description.extra.class;"
>

<!ENTITY % SVG.Use.extra.class "" >
<!ENTITY % SVG.Use.class
  "| %SVG.use.qname; %SVG.Use.extra.class;"
>

<!ENTITY % SVG.Structure.extra.class "" >
<!ENTITY % SVG.Structure.class
  "| %SVG.svg.qname; | %SVG.g.qname; | %SVG.defs.qname; | %SVG.symbol.qname;
  %SVG.Use.class; %SVG.Structure.extra.class;"
>

<!-- module: svg-conditional.mod ..... -->

<!ENTITY % SVG.Conditional.extra.class "" >
<!ENTITY % SVG.Conditional.class
  "| %SVG.switch.qname; %SVG.Conditional.extra.class;"
>

<!-- module: svg-image.mod ..... -->

<!ENTITY % SVG.Image.extra.class "" >
<!ENTITY % SVG.Image.class
  "| %SVG.image.qname; %SVG.Image.extra.class;"
>

<!-- module: svg-style.mod ..... -->

<!ENTITY % SVG.Style.extra.class "" >
<!ENTITY % SVG.Style.class
  "| %SVG.style.qname; %SVG.Style.extra.class;"
>

<!-- module: svg-shape.mod ..... -->

```

```

<!ENTITY % SVG.Shape.extra.class "" >
<!ENTITY % SVG.Shape.class
  "| %SVG.path.qname; | %SVG.rect.qname; | %SVG.circle.qname;
  | %SVG.line.qname; | %SVG.ellipse.qname; | %SVG.polyline.qname;
  | %SVG.polygon.qname; %SVG.Shape.extra.class;"
>

<!-- module: svg-text.mod ..... -->

<!ENTITY % SVG.Text.extra.class "" >
<!ENTITY % SVG.Text.class
  "| %SVG.text.qname; | %SVG.altGlyphDef.qname; %SVG.Text.extra.class;"
>

<!ENTITY % SVG.TextContent.extra.class "" >
<!ENTITY % SVG.TextContent.class
  "| %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.textPath.qname;
  | %SVG.altGlyph.qname; %SVG.TextContent.extra.class;"
>

<!-- module: svg-profile.mod ..... -->

<!ENTITY % SVG.ColorProfile.extra.class "" >
<!ENTITY % SVG.ColorProfile.class
  "| %SVG.color-profile.qname; %SVG.ColorProfile.extra.class;"
>

<!-- module: svg-gradient.mod ..... -->

<!ENTITY % SVG.Gradient.extra.class "" >
<!ENTITY % SVG.Gradient.class
  "| %SVG.linearGradient.qname; | %SVG.radialGradient.qname;
  %SVG.Gradient.extra.class;"
>

<!-- module: svg-pattern.mod ..... -->

<!ENTITY % SVG.Pattern.extra.class "" >
<!ENTITY % SVG.Pattern.class
  "| %SVG.pattern.qname; %SVG.Pattern.extra.class;"
>

<!-- module: svg-basic-clip.mod ..... -->

<!ENTITY % SVG.Clip.extra.class "" >
<!ENTITY % SVG.Clip.class
  "| %SVG.clipPath.qname; %SVG.Clip.extra.class;"
>

```

```

<!-- module: svg-mask.mod ..... -->

<!ENTITY % SVG.Mask.extra.class "" >
<!ENTITY % SVG.Mask.class
  "| %SVG.mask.qname; %SVG.Mask.extra.class;"
>

<!-- module: svg-basic-filter.mod ..... -->

<!ENTITY % SVG.Filter.extra.class "" >
<!ENTITY % SVG.Filter.class
  "| %SVG.filter.qname; %SVG.Filter.extra.class;"
>

<!ENTITY % SVG.FilterPrimitive.extra.class "" >
<!ENTITY % SVG.FilterPrimitive.class
  "| %SVG.feBlend.qname; | %SVG.feColorMatrix.qname;
  | %SVG.feComponentTransfer.qname; | %SVG.feComposite.qname;
  | %SVG.feFlood.qname; | %SVG.feGaussianBlur.qname; | %SVG.feImage.qname;
  | %SVG.feMerge.qname; | %SVG.feOffset.qname; | %SVG.feTile.qname;
  %SVG.FilterPrimitive.extra.class;"
>

<!-- module: svg-hyperlink.mod ..... -->

<!ENTITY % SVG.Hyperlink.extra.class "" >
<!ENTITY % SVG.Hyperlink.class
  "| %SVG.a.qname; %SVG.Hyperlink.extra.class;"
>

<!-- module: svg-view.mod ..... -->

<!ENTITY % SVG.View.extra.class "" >
<!ENTITY % SVG.View.class
  "| %SVG.view.qname; %SVG.View.extra.class;"
>

<!-- module: svg-script.mod ..... -->

<!ENTITY % SVG.Script.extra.class "" >
<!ENTITY % SVG.Script.class
  "| %SVG.script.qname; %SVG.Script.extra.class;"
>

<!-- module: svg-animation.mod ..... -->

<!ENTITY % SVG.Animation.extra.class "" >

```

```
<!ENTITY % SVG.Animation.class
"%SVG.animate.qname; | %SVG.set.qname; | %SVG.animateMotion.qname; |
%SVG.animateColor.qname; | %SVG.animateTransform.qname;
%SVG.Animation.extra.class;"
>
```

```
<!-- module: svg-font.mod ..... -->
```

```
<!ENTITY % SVG.Font.extra.class "" >
<!ENTITY % SVG.Font.class
"| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>
```

```
<!-- module: svg-extensibility.mod ..... -->
```

```
<!ENTITY % SVG.Extensibility.extra.class "" >
<!ENTITY % SVG.Extensibility.class
"| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
>
```

```
<!-- end of svg11-basic-model.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-
basic-model.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Basic 1.0 Document Model Module ..... -->
<!-- file: xhtml-basic10-model-1.mod
```

This is XHTML Basic, a proper subset of XHTML.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-basic10-model-1.mod,v 2.8 2000/11/03 14:28:25 mimasa Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Basic 1.0 Document Model 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-basic10-model-1.mod"
```

Revisions:
(none)
..... -->

```
<!-- XHTML Basic Document Model
```

This module describes the groupings of elements that make up
common content models for XHTML elements.

```

-->

<!-- Optional Elements in head ..... -->

<!ENTITY % HeadOpts.mix
  "( %meta.qname; | %link.qname; | %object.qname; )*" >

<!-- Miscellaneous Elements ..... -->

<!ENTITY % Misc.class "" >

<!-- Inline Elements ..... -->

<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >

<!ENTITY % InlPhras.class
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
  | %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class "" >

<!ENTITY % I18n.class "" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >

<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname;"
>

<!ENTITY % Inline.extra "" >

<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlSpecial.class;

```

```

    %InlForm.class;
    %Inline.extra;"
>

<!ENTITY % InlNoAnchor.mix
    "%InlNoAnchor.class;
    %Misc.class;"
>

<!ENTITY % Inline.mix
    "%Inline.class;
    %Misc.class;"
>

<!-- Block Elements ..... -->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;"
>
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
    "| %pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "" >

<!ENTITY % BlkSpecial.class
    "%Table.class;
    %Form.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkSpecial.class;
    %Block.extra;"
>

```

```

<!ENTITY % Block.mix
  "%Heading.class;
  | %List.class;
  | %Block.class;
  %Misc.class;"
>

<!-- All Content Elements ..... -->

<!-- declares all content except tables
-->
<!ENTITY % FlowNoTable.mix
  "%Heading.class;
  | %List.class;
  | %BlkStruct.class;
  %BlkPhras.class;
  %Form.class;
  %Block.extra;
  | %Inline.class;
  %Misc.class;"
>

<!ENTITY % Flow.mix
  "%Heading.class;
  | %List.class;
  | %Block.class;
  | %Inline.class;
  %Misc.class;"
>

<!-- end of xhtml-basic10-model-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic10-model-1.mod
```

No license file was found, but licenses were detected in source scan.

2000 W3C (MIT, INRIA, Keio),

All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml10/xhtml11-strict.dtd
```

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
```

zip/net/sf/saxon/data/w3c/xhtml10/xhtml1-transitional.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Notations Module ..... -->
<!-- file: xhtml-notations-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-notations-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-notations-1.mod"
```

Revisions:
(none)
..... -->

```
<!-- Notations
```

defines the following notations, many of these imported from
other specifications and standards. When an existing FPI is
known, it is incorporated here.

```
-->
```

```
<!-- XML Notations ..... -->
<!-- SGML and XML Notations ..... -->
```

```
<!-- W3C XML 1.0 Recommendation -->
<!NOTATION w3c-xml
PUBLIC "ISO 8879//NOTATION Extensible Markup Language (XML) 1.0//EN" >
```

```
<!-- XML 1.0 CDATA -->
<!NOTATION cdata
PUBLIC "-//W3C//NOTATION XML 1.0: CDATA//EN" >
```

```
<!-- SGML Formal Public Identifiers -->
<!NOTATION fpi
PUBLIC "ISO 8879:1986//NOTATION Formal Public Identifier//EN" >
```

```
<!-- XHTML Notations ..... -->
```

```
<!-- Length defined for cellpadding/cellspacing -->
```

```
<!-- nn for pixels or nn% for percentage length -->
<!NOTATION length
```

```

PUBLIC "-//W3C//NOTATION XHTML Datatype: Length//EN" >

<!-- space-separated list of link types -->
<!NOTATION linkTypes
PUBLIC "-//W3C//NOTATION XHTML Datatype: LinkTypes//EN" >

<!-- single or comma-separated list of media descriptors -->
<!NOTATION mediaDesc
PUBLIC "-//W3C//NOTATION XHTML Datatype: MediaDesc//EN" >

<!-- pixel, percentage, or relative -->
<!NOTATION multiLength
PUBLIC "-//W3C//NOTATION XHTML Datatype: MultiLength//EN" >

<!-- one or more digits (NUMBER) -->
<!NOTATION number
PUBLIC "-//W3C//NOTATION XHTML Datatype: Number//EN" >

<!-- integer representing length in pixels -->
<!NOTATION pixels
PUBLIC "-//W3C//NOTATION XHTML Datatype: Pixels//EN" >

<!-- script expression -->
<!NOTATION script
PUBLIC "-//W3C//NOTATION XHTML Datatype: Script//EN" >

<!-- textual content -->
<!NOTATION text
PUBLIC "-//W3C//NOTATION XHTML Datatype: Text//EN" >

<!-- Imported Notations ..... -->

<!-- a single character from [ISO10646] -->
<!NOTATION character
PUBLIC "-//W3C//NOTATION XHTML Datatype: Character//EN" >

<!-- a character encoding, as per [RFC2045] -->
<!NOTATION charset
PUBLIC "-//W3C//NOTATION XHTML Datatype: Charset//EN" >

<!-- a space separated list of character encodings, as per [RFC2045] -->
<!NOTATION charsets
PUBLIC "-//W3C//NOTATION XHTML Datatype: Charsets//EN" >

<!-- media type, as per [RFC2045] -->
<!NOTATION contentType
PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentType//EN" >

```

```
<!-- comma-separated list of media types, as per [RFC2045] -->
<!NOTATION contentType
  PUBLIC "-//W3C//NOTATION XHTML Datatype: ContentType//EN" >

<!-- date and time information. ISO date format -->
<!NOTATION datetime
  PUBLIC "-//W3C//NOTATION XHTML Datatype: Datetime//EN" >

<!-- a language code, as per [RFC1766] -->
<!NOTATION languageCode
  PUBLIC "-//W3C//NOTATION XHTML Datatype: LanguageCode//EN" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!NOTATION uri
  PUBLIC "-//W3C//NOTATION XHTML Datatype: URI//EN" >

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->
<!NOTATION uris
  PUBLIC "-//W3C//NOTATION XHTML Datatype: URIs//EN" >

<!-- end of xhtml-notations-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
notations-1.mod
```

No license file was found, but licenses were detected in source scan.

SVG 1.1 Tiny DTD

This is SVG Tiny, a proper subset of SVG.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its
accompanying documentation for any purpose and without fee is hereby
granted in perpetuity, provided that the above copyright notice and
this paragraph appear in all copies. The copyright holders make no
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11

dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-tiny-flat.dtd

No license file was found, but licenses were detected in source scan.

//W3C//DTD Specification V2.10//EN"

"http://www.w3.org/2002/xmlspec/dtd/2.10/xmlspec.dtd">

PURPOSE:

This XML DTD is for W3C specifications and other technical reports.

It is based in part on the TEI Lite and Sweb DTDs.

COPYRIGHT:

Copyright (C) 2000, 2001, 2002, 2003 Sun Microsystems, Inc. All Rights Reserved.

This document is governed by the W3C Software License[3] as described in the FAQ[4].

[1] <http://www.w3.org/TR/xslt>

[2] <http://www.w3.org/XML/1998/06/xmlspec>

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xmlspec/xmlspec.dtd

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Client-side Image Map Module -->

<!-- file: xhtml-csismap-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-csismap-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Client-side Image Maps 1.0//EN"

SYSTEM "http://www.w3.org/Markup/DTD/xhtml-csismap-1.mod"

Revisions:

(none)

..... -->

<!-- Client-side Image Maps

area, map

This module declares elements and attributes to support client-side image maps. This requires that the Image Module (or a module declaring the img element type) be included in the DTD.

These can be placed in the same document or grouped in a separate document, although the latter isn't widely supported

-->

```
<!ENTITY % area.element "INCLUDE" >
<![%area.element;[
<!ENTITY % area.content "EMPTY" >
<!ENTITY % area.qname "area" >
<!ELEMENT %area.qname; %area.content; >
<!-- end of area.element -->]]>

<!ENTITY % Shape.datatype "( rect | circle | poly | default )">
<!ENTITY % Coords.datatype "CDATA" >
```

```
<!ENTITY % area.attlist "INCLUDE" >
<![%area.attlist;[
<!ATTLIST %area.qname;
    %Common.attrib;
    href      %URI.datatype;      #IMPLIED
    shape     %Shape.datatype;    'rect'
    coords   %Coords.datatype;   #IMPLIED
    nohref   ( nohref )          #IMPLIED
    alt      %Text.datatype;      #REQUIRED
    tabindex %Number.datatype;   #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of area.attlist -->]]>
```

```
<!-- modify anchor attribute definition list
to allow for client-side image maps
```

-->

```
<!ATTLIST %a.qname;
    shape     %Shape.datatype;    'rect'
    coords   %Coords.datatype;   #IMPLIED
>
```

```
<!-- modify img attribute definition list
to allow for client-side image maps
```

-->

```
<!ATTLIST %img.qname;
    usemap   IDREF                #IMPLIED
>
```

```
<!-- modify form input attribute definition list
to allow for client-side image maps
```

```
-->
```

```
<!ATTLIST %input.qname;
    usemap    IDREF          #IMPLIED
>
```

```
<!-- modify object attribute definition list
to allow for client-side image maps
```

```
-->
```

```
<!ATTLIST %object.qname;
    usemap    IDREF          #IMPLIED
>
```

```
<!-- 'usemap' points to the 'id' attribute of a <map> element,
which must be in the same document; support for external
document maps was not widely supported in HTML and is
eliminated in XHTML.
```

```
It is considered an error for the element pointed to by
a usemap IDREF to occur in anything but a <map> element.
```

```
-->
```

```
<!ENTITY % map.element "INCLUDE" >
<![%map.element;[
<!ENTITY % map.content
    "(( %Block.mix; ) | %area.qname; )+"
>
<!ENTITY % map.qname "map" >
<!ELEMENT %map.qname; %map.content; >
<!-- end of map.element -->]]>
```

```
<!ENTITY % map.attlist "INCLUDE" >
<![%map.attlist;[
<!ATTLIST %map.qname;
    %XHTML.xmlns.attrib;
    id      ID          #REQUIRED
    %class.attrib;
    %title.attrib;
    %Core.extra.attrib;
    %I18n.attrib;
    %Events.attrib;
>
<!-- end of map.attlist -->]]>
```

```
<!-- end of xhtml-csismap-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-csismap-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Text Module ..... -->  
<!-- file: svg-text.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-text.mod,v 1.4 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Text//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-text.mod"
```

```
..... -->
```

```
<!-- Text
```

```
text, tspan, tref, textPath, altGlyph, altGlyphDef, altGlyphItem,  
glyphRef
```

This module declares markup to provide support for alternate glyph.

```
-->
```

```
<!-- 'baseline-shift' property/attribute value (e.g., 'baseline', 'sub', etc.) -->  
<!ENTITY % BaselineShiftValue.datatype "CDATA" >
```

```
<!-- 'font-family' property/attribute value (i.e., list of fonts) -->  
<!ENTITY % FontFamilyValue.datatype "CDATA" >
```

```
<!-- 'font-size' property/attribute value -->  
<!ENTITY % FontSizeValue.datatype "CDATA" >
```

```
<!-- 'font-size-adjust' property/attribute value -->  
<!ENTITY % FontSizeAdjustValue.datatype "CDATA" >
```

```
<!-- 'glyph-orientation-horizontal' property/attribute value (e.g., <angle>) -->  
<!ENTITY % GlyphOrientationHorizontalValue.datatype "CDATA" >
```

```
<!-- 'glyph-orientation-vertical' property/attribute value (e.g., 'auto', <angle>) -->  
<!ENTITY % GlyphOrientationVerticalValue.datatype "CDATA" >
```

```
<!-- 'kerning' property/attribute value (e.g., 'auto', <length>) -->  
<!ENTITY % KerningValue.datatype "CDATA" >
```

```

<!-- 'letter-spacing' or 'word-spacing' property/attribute value (e.g., 'normal', <length>) -->
<!ENTITY % SpacingValue.datatype "CDATA" >

<!-- 'text-decoration' property/attribute value (e.g., 'none', 'underline') -->
<!ENTITY % TextDecorationValue.datatype "CDATA" >

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.text.qname "text" >
<!ENTITY % SVG.tspan.qname "tspan" >
<!ENTITY % SVG.tref.qname "tref" >
<!ENTITY % SVG.textPath.qname "textPath" >
<!ENTITY % SVG.altGlyph.qname "altGlyph" >
<!ENTITY % SVG.altGlyphDef.qname "altGlyphDef" >
<!ENTITY % SVG.altGlyphItem.qname "altGlyphItem" >
<!ENTITY % SVG.glyphRef.qname "glyphRef" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Text.class ..... -->

<!ENTITY % SVG.Text.extra.class "" >

<!ENTITY % SVG.Text.class
  "| %SVG.text.qname; | %SVG.altGlyphDef.qname; %SVG.Text.extra.class;"
>

<!-- SVG.TextContent.class ..... -->

<!ENTITY % SVG.TextContent.extra.class "" >

```

```

<!ENTITY % SVG.TextContent.class
  "| %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.textPath.qname;
  | %SVG.altGlyph.qname; %SVG.TextContent.extra.class;"
>

<!-- SVG.Text.attrib ..... -->

<!ENTITY % SVG.Text.extra.attrib "" >

<!ENTITY % SVG.Text.attrib
  "writing-mode ( lr-tb | rl-tb | tb-rl | lr | rl | tb | inherit ) #IMPLIED
  %SVG.Text.extra.attrib;"
>

<!-- SVG.TextContent.attrib ..... -->

<!ENTITY % SVG.TextContent.extra.attrib "" >

<!ENTITY % SVG.TextContent.attrib
  "alignment-baseline ( auto | baseline | before-edge | text-before-edge |
    middle | central | after-edge | text-after-edge |
    ideographic | alphabetic | hanging | mathematical |
    inherit ) #IMPLIED
  baseline-shift %BaselineShiftValue.datatype; #IMPLIED
  direction ( ltr | rtl | inherit ) #IMPLIED
  dominant-baseline ( auto | use-script | no-change | reset-size |
    ideographic | alphabetic | hanging | mathematical |
    central | middle | text-after-edge | text-before-edge |
    inherit ) #IMPLIED
  glyph-orientation-horizontal %GlyphOrientationHorizontalValue.datatype;
    #IMPLIED
  glyph-orientation-vertical %GlyphOrientationVerticalValue.datatype;
    #IMPLIED
  kerning %KerningValue.datatype; #IMPLIED
  letter-spacing %SpacingValue.datatype; #IMPLIED
  text-anchor ( start | middle | end | inherit ) #IMPLIED
  text-decoration %TextDecorationValue.datatype; #IMPLIED
  unicode-bidi ( normal | embed | bidi-override | inherit ) #IMPLIED
  word-spacing %SpacingValue.datatype; #IMPLIED
  %SVG.TextContent.extra.attrib;"
>

<!-- SVG.Font.attrib ..... -->

<!ENTITY % SVG.Font.extra.attrib "" >

<!ENTITY % SVG.Font.attrib
  "font-family %FontFamilyValue.datatype; #IMPLIED

```

```

font-size %FontSizeValue.datatype; #IMPLIED
font-size-adjust %FontSizeAdjustValue.datatype; #IMPLIED
font-stretch ( normal | wider | narrower | ultra-condensed |
              extra-condensed | condensed | semi-condensed |
              semi-expanded | expanded | extra-expanded |
              ultra-expanded | inherit ) #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED
font-variant ( normal | small-caps | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
             500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrib;"

```

>

```
<!-- text: Text Element ..... -->
```

```
<!ENTITY % SVG.text.extra.content "" >
```

```
<!ENTITY % SVG.text.element "INCLUDE" >
```

```
<![%SVG.text.element;[
```

```
<!ENTITY % SVG.text.content
```

```
"( #PCDATA | %SVG.Description.class; | %SVG.Animation.class;
  %SVG.TextContent.class; %SVG.Hyperlink.class;
  %SVG.text.extra.content; )"*
```

>

```
<!ELEMENT %SVG.text.qname; %SVG.text.content; >
```

```
<!-- end of SVG.text.element -->]]>
```

```
<!ENTITY % SVG.text.attlist "INCLUDE" >
```

```
<![%SVG.text.attlist;[
```

```
<!ATTLIST %SVG.text.qname;
```

```
%SVG.Core.attrib;
```

```
%SVG.Conditional.attrib;
```

```
%SVG.Style.attrib;
```

```
%SVG.Text.attrib;
```

```
%SVG.TextContent.attrib;
```

```
%SVG.Font.attrib;
```

```
%SVG.Paint.attrib;
```

```
%SVG.Color.attrib;
```

```
%SVG.Opacity.attrib;
```

```
%SVG.Graphics.attrib;
```

```
%SVG.Clip.attrib;
```

```
%SVG.Mask.attrib;
```

```
%SVG.Filter.attrib;
```

```
%SVG.GraphicalEvents.attrib;
```

```
%SVG.Cursor.attrib;
```

```
%SVG.External.attrib;
```

```
x %Coordinates.datatype; #IMPLIED
```

```
y %Coordinates.datatype; #IMPLIED
```

```

dx %Lengths.datatype; #IMPLIED
dy %Lengths.datatype; #IMPLIED
rotate %Numbers.datatype; #IMPLIED
textLength %Length.datatype; #IMPLIED
lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.text.attlist -->]]>

<!-- tspan: Text Span Element ..... -->

<!ENTITY % SVG.tspan.extra.content "" >

<!ENTITY % SVG.tspan.element "INCLUDE" >
<![%SVG.tspan.element;[
<!ENTITY % SVG.tspan.content
"( #PCDATA | %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.altGlyph.qname;
| %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
| %SVG.Description.class; %SVG.Hyperlink.class;
%SVG.tspan.extra.content; )*"
>
<!ELEMENT %SVG.tspan.qname; %SVG.tspan.content; >
<!-- end of SVG.tspan.element -->]]>

<!ENTITY % SVG.tspan.attlist "INCLUDE" >
<![%SVG.tspan.attlist;[
<!ATTLIST %SVG.tspan.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.External.attrib;
x %Coordinates.datatype; #IMPLIED
y %Coordinates.datatype; #IMPLIED
dx %Lengths.datatype; #IMPLIED
dy %Lengths.datatype; #IMPLIED
rotate %Numbers.datatype; #IMPLIED
textLength %Length.datatype; #IMPLIED

```

```

lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
>
<!-- end of SVG.tspan.attlist -->]]>

<!-- tref: Text Reference Element ..... -->

<!ENTITY % SVG.tref.extra.content "" >

<!ENTITY % SVG.tref.element "INCLUDE" >
<![%SVG.tref.element;[
<!ENTITY % SVG.tref.content
"( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
| %SVG.Description.class; %SVG.tref.extra.content; )*"
>
<!ELEMENT %SVG.tref.qname; %SVG.tref.content; >
<!-- end of SVG.tref.element -->]]>

<!ENTITY % SVG.tref.attlist "INCLUDE" >
<![%SVG.tref.attlist;[
<!ATTLIST %SVG.tref.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.Cursor.attrib;
%SVG.XLinkRequired.attrib;
%SVG.External.attrib;
x %Coordinates.datatype; #IMPLIED
y %Coordinates.datatype; #IMPLIED
dx %Lengths.datatype; #IMPLIED
dy %Lengths.datatype; #IMPLIED
rotate %Numbers.datatype; #IMPLIED
textLength %Length.datatype; #IMPLIED
lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
>
<!-- end of SVG.tref.attlist -->]]>

<!-- textPath: Text Path Element ..... -->

```

```

<!ENTITY % SVG.textPath.extra.content "" >

<!ENTITY % SVG.textPath.element "INCLUDE" >
<![%SVG.textPath.element;[
<!ENTITY % SVG.textPath.content
    "( #PCDATA | %SVG.tspan.qname; | %SVG.tref.qname; | %SVG.altGlyph.qname;
    | %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
    | %SVG.Description.class; %SVG.Hyperlink.class;
    %SVG.textPath.extra.content; )*"
>
<!ELEMENT %SVG.textPath.qname; %SVG.textPath.content; >
<!-- end of SVG.textPath.element -->]]>

```

```

<!ENTITY % SVG.textPath.attlist "INCLUDE" >
<![%SVG.textPath.attlist;[
<!ATTLIST %SVG.textPath.qname;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.TextContent.attrib;
    %SVG.Font.attrib;
    %SVG.Paint.attrib;
    %SVG.Color.attrib;
    %SVG.Opacity.attrib;
    %SVG.Graphics.attrib;
    %SVG.Clip.attrib;
    %SVG.Mask.attrib;
    %SVG.Filter.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.Cursor.attrib;
    %SVG.XLinkRequired.attrib;
    %SVG.External.attrib;
    startOffset %Length.datatype; #IMPLIED
    textLength %Length.datatype; #IMPLIED
    lengthAdjust ( spacing | spacingAndGlyphs ) #IMPLIED
    method ( align | stretch ) #IMPLIED
    spacing ( auto | exact ) #IMPLIED
>
<!-- end of SVG.textPath.attlist -->]]>

```

```

<!-- altGlyph: Alternate Glyph Element ..... -->

```

```

<!ENTITY % SVG.altGlyph.extra.content "" >

<!ENTITY % SVG.altGlyph.element "INCLUDE" >
<![%SVG.altGlyph.element;[
<!ENTITY % SVG.altGlyph.content
    "( #PCDATA %SVG.altGlyph.extra.content; )*"

```

```

>
<!ELEMENT %SVG.altGlyph.qname; %SVG.altGlyph.content; >
<!-- end of SVG.altGlyph.element -->]]>

<!ENTITY % SVG.altGlyph.attlist "INCLUDE" >
<![%SVG.altGlyph.attlist;[
<!ATTLIST %SVG.altGlyph.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.TextContent.attrib;
  %SVG.Font.attrib;
  %SVG.Paint.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.XLink.attrib;
  %SVG.External.attrib;
  x %Coordinates.datatype; #IMPLIED
  y %Coordinates.datatype; #IMPLIED
  dx %Lengths.datatype; #IMPLIED
  dy %Lengths.datatype; #IMPLIED
  glyphRef CDATA #IMPLIED
  format CDATA #IMPLIED
  rotate %Numbers.datatype; #IMPLIED
>
<!-- end of SVG.altGlyph.attlist -->]]>

<!-- altGlyphDef: Alternate Glyph Definition Element ... -->

<!ENTITY % SVG.altGlyphDef.extra.content "" >

<!ENTITY % SVG.altGlyphDef.element "INCLUDE" >
<![%SVG.altGlyphDef.element;[
<!ENTITY % SVG.altGlyphDef.content
  "(( %SVG.glyphRef.qname;+ | %SVG.altGlyphItem.qname;+ )
  %SVG.altGlyphDef.extra.content; )"
>
<!ELEMENT %SVG.altGlyphDef.qname; %SVG.altGlyphDef.content; >
<!-- end of SVG.altGlyphDef.element -->]]>

<!ENTITY % SVG.altGlyphDef.attlist "INCLUDE" >
<![%SVG.altGlyphDef.attlist;[

```

```

<!ATTLIST %SVG.altGlyphDef.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.altGlyphDef.attlist -->]]>

<!-- altGlyphItem: Alternate Glyph Item Element ..... -->

<!ENTITY % SVG.altGlyphItem.extra.content "" >

<!ENTITY % SVG.altGlyphItem.element "INCLUDE" >
<![%SVG.altGlyphItem.element;[
<!ENTITY % SVG.altGlyphItem.content
  "( %SVG.glyphRef.qname;+ %SVG.altGlyphItem.extra.content; )"
>
<!ELEMENT %SVG.altGlyphItem.qname; %SVG.altGlyphItem.content; >
<!-- end of SVG.altGlyphItem.element -->]]>

<!ENTITY % SVG.altGlyphItem.attlist "INCLUDE" >
<![%SVG.altGlyphItem.attlist;[
<!ATTLIST %SVG.altGlyphItem.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.altGlyphItem.attlist -->]]>

<!-- glyphRef: Glyph Reference Element ..... -->

<!ENTITY % SVG.glyphRef.element "INCLUDE" >
<![%SVG.glyphRef.element;[
<!ENTITY % SVG.glyphRef.content "EMPTY" >
<!ELEMENT %SVG.glyphRef.qname; %SVG.glyphRef.content; >
<!-- end of SVG.glyphRef.element -->]]>

<!ENTITY % SVG.glyphRef.attlist "INCLUDE" >
<![%SVG.glyphRef.attlist;[
<!ATTLIST %SVG.glyphRef.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Font.attrib;
  %SVG.XLink.attrib;
  x %Number.datatype; #IMPLIED
  y %Number.datatype; #IMPLIED
  dx %Number.datatype; #IMPLIED
  dy %Number.datatype; #IMPLIED
  glyphRef CDATA #IMPLIED
  format CDATA #IMPLIED
>
<!-- end of SVG.glyphRef.attlist -->]]>

```

<!-- end of svg-text.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-text.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Text Module -->

<!-- file: xhtml-text-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-text-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Text 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-text-1.mod"

Revisions:

(none)

..... -->

<!-- Textual Content

The Text module includes declarations for all core text container elements and their attributes.

-->

<!ENTITY % xhtml-inlstruct.module "INCLUDE" >

<![%xhtml-inlstruct.module;[

<!ENTITY % xhtml-inlstruct.mod

PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"

"xhtml-inlstruct-1.mod" >

%xhtml-inlstruct.mod;]]>

<!ENTITY % xhtml-inlphras.module "INCLUDE" >

<![%xhtml-inlphras.module;[

<!ENTITY % xhtml-inlphras.mod

PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"

"xhtml-inlphras-1.mod" >

%xhtml-inlphras.mod;]]>

<!ENTITY % xhtml-blkstruct.module "INCLUDE" >

<![%xhtml-blkstruct.module;[

<!ENTITY % xhtml-blkstruct.mod

PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"

```
"xhtml-blkstruct-1.mod" >
%xhtml-blkstruct.mod;]]>

<!ENTITY % xhtml-blkphras.module "INCLUDE" >
<![% xhtml-blkphras.module;[
<!ENTITY % xhtml-blkphras.mod
    PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"
        "xhtml-blkphras-1.mod" >
%xhtml-blkphras.mod;]]>

<!-- end of xhtml-text-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-text-1.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.
2.0.
```

```
/*
```

The following copyright notice is copied from the licence for xt, from which the original version of this module was derived:

Copyright (c) 1998, 1999 James Clark

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL JAMES CLARK BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of James Clark shall not be used in advertising or otherwise to promote the sale, use or

other dealings in this Software without prior written authorization
from James Clark.

*/

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/Tokenizer.java

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/expr/parser/XPathParser.java

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Graphical Element Events Attribute Module ..... -->  
<!-- file: svg-graphevents-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-graphevents-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Graphical Element Events Attribute//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-graphevents-attrib.mod"
```

```
..... -->  
  
<!-- Graphical Element Events Attribute  
  
onfocusin, onfocusout, onactivate, onclick, onmousedown, onmouseup,  
onmouseover, onmousemove, onmouseout, onload
```

This module defines the GraphicalEvents attribute set.

```
-->  
  
<!ENTITY % SVG.onfocusin.attrib  
"onfocusin %Script.datatype; #IMPLIED"  
>  
  
<!ENTITY % SVG.onfocusout.attrib  
"onfocusout %Script.datatype; #IMPLIED"  
>  
  
<!ENTITY % SVG.onactivate.attrib  
"onactivate %Script.datatype; #IMPLIED"  
>  
  
<!ENTITY % SVG.onclick.attrib
```

```

"onclick %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmousedown.attrib
"onmousedown %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmouseup.attrib
"onmouseup %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmouseover.attrib
"onmouseover %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmousemove.attrib
"onmousemove %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onmouseout.attrib
"onmouseout %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.onload.attrib
"onload %Script.datatype; #IMPLIED"
>

<!ENTITY % SVG.GraphicalEvents.extra.attrib "" >

<!ENTITY % SVG.GraphicalEvents.attrib
"%SVG.onfocusin.attrib;
%SVG.onfocusout.attrib;
%SVG.onactivate.attrib;
%SVG.onclick.attrib;
%SVG.onmousedown.attrib;
%SVG.onmouseup.attrib;
%SVG.onmouseover.attrib;
%SVG.onmousemove.attrib;
%SVG.onmouseout.attrib;
%SVG.onload.attrib;
%SVG.GraphicalEvents.extra.attrib;"
>

<!-- end of svg-graphevents-attrib.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
graphevents-attrib.mod

```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 View Module ..... -->
<!-- file: svg-view.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-view.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 View//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-view.mod"
```

```
..... -->
```

```
<!-- View
```

```
view
```

This module declares markup to provide support for view.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.view.qname "view" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
```

```
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.View.class ..... -->
```

```
<!ENTITY % SVG.View.extra.class "" >
```

```
<!ENTITY % SVG.View.class
  "| %SVG.view.qname; %SVG.View.extra.class;"
>
```

```
<!-- view: View Element ..... -->
```

```
<!ENTITY % SVG.view.extra.content "" >
```

```
<!ENTITY % SVG.view.element "INCLUDE" >
```

```
<![%SVG.view.element;[
```

```
<!ENTITY % SVG.view.content
```

```

"( %SVG.Description.class; %SVG.view.extra.content; )"
>
<!ELEMENT %SVG.view.qname; %SVG.view.content; >
<!-- end of SVG.view.element -->]]>

<!ENTITY % SVG.view.attlist "INCLUDE" >
<![%SVG.view.attlist;[
<!ATTLIST %SVG.view.qname;
  %SVG.Core.attrib;
  %SVG.External.attrib;
  viewBox %ViewBoxSpec.datatype; #IMPLIED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
  zoomAndPan ( disable | magnify ) 'magnify'
  viewTarget CDATA #IMPLIED
>
<!-- end of SVG.view.attlist -->]]>

<!-- end of svg-view.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-view.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Base Architecture Module ..... -->
<!-- file: xhtml-arch-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-arch-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-arch-1.mod"

```

Revisions:

(none)

```
..... -->
```

```

<!-- This optional module includes declarations that enable XHTML to be used
as a base architecture according to the 'Architectural Forms Definition
Requirements' (Annex A.3, ISO/IEC 10744, 2nd edition). For more information
on use of architectural forms, see the HyTime web site at:

```

<http://www.hytime.org/>

```
-->
```

```

<?IS10744 ArcBase xhtml ?>

<!NOTATION xhtml PUBLIC "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN" >

<!-- Entity declaration for associated Architectural DTD
-->
<!ENTITY xhtml-arch.dtd
PUBLIC "-//W3C//DTD XHTML Architecture 1.1//EN"
"xhtml11-arch.dtd" >

<?IS10744:arch xhtml
public-id = "-//W3C//NOTATION AFDR ARCBASE XHTML 1.1//EN"
dtd-public-id = "-//W3C//DTD XHTML 1.1//EN"
dtd-system-id = "xhtml11.dtd"
doc-elem-form = "html"
form-att = "html"
renamer-att = "htnames"
suppressor-att = "htsupp"
data-ignore-att = "htign"
auto = "ArcAuto"
options = "HtModReq HtModOpt"
HtModReq = "Framework Text Hypertext Lists Structure"
HtModOpt = "Standard"
?>

<!-- end of xhtml-arch-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-arch-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Access Module ..... -->
<!-- file: xhtml-access-1.mod

```

This is XHTML Access - the Access Module for XHTML.

Copyright 2007-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Access Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-access-1.mod"

```

Revisions:

(none)

```

..... -->

<!ENTITY % Character.datatype "CDATA" >
<!ENTITY % CURIETypes.datatype "CDATA" >
<!ENTITY % IDREFs.datatype "CDATA" >

<!ENTITY % access.element "INCLUDE" >
<![%access.element;[
<!ENTITY % access.content "EMPTY" >
<!ENTITY % XHTML-ACCESS.access.qname "access" >
<!ELEMENT %XHTML-ACCESS.access.qname; %access.content; >
<!-- end of access.element -->]]>

<!ENTITY % access.attlist "INCLUDE" >
<![%access.attlist;[
<!ATTLIST %access.qname;
    %Common.attrib;
    activate ( yes | no )      #IMPLIED
    key      %Character.datatype; #IMPLIED
    targetid %IDREFs.datatype;  #IMPLIED
    targetrole %CURIETypes.datatype; #IMPLIED
>
<!-- end of access.attlist -->]]>

<!-- end of xhtml-access-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-access-1.mod
No license file was found, but licenses were detected in source scan.

```

```

<!-- ..... -->
<!-- SVG 1.1 Color Profile Module ..... -->
<!-- file: svg-profile.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-profile.mod,v 1.3 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Color Profile//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-profile.mod"

```

```

..... -->

<!-- Color Profile

```

color-profile

This module declares markup to provide support for color profile.

```
-->

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.color-profile.qname "color-profile" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.XLink.attrib "" >

<!-- SVG.ColorProfile.class ..... -->

<!ENTITY % SVG.ColorProfile.extra.class "" >

<!ENTITY % SVG.ColorProfile.class
  "| %SVG.color-profile.qname; %SVG.ColorProfile.extra.class;"
>

<!-- SVG.ColorProfile.attrib ..... -->

<!ENTITY % SVG.ColorProfile.extra.attrib "" >

<!ENTITY % SVG.ColorProfile.attrib
  "color-profile CDATA #IMPLIED
  %SVG.ColorProfile.extra.attrib;"
>

<!-- color-profile: Color Profile Element ..... -->

<!ENTITY % SVG.color-profile.extra.content "" >

<!ENTITY % SVG.color-profile.element "INCLUDE" >
<![%SVG.color-profile.element;[
<!ENTITY % SVG.color-profile.content
  "( %SVG.Description.class; %SVG.color-profile.extra.content; )*"
>
<!ELEMENT %SVG.color-profile.qname; %SVG.color-profile.content; >
<!-- end of SVG.color-profile.element -->]]>

<!ENTITY % SVG.color-profile.attlist "INCLUDE" >
<![%SVG.color-profile.attlist;[
<!ATTLIST %SVG.color-profile.qname;
  %SVG.Core.attrib;
```

```
%SVG.XLink.attrib;
local CDATA #IMPLIED
name CDATA #REQUIRED
rendering-intent ( auto | perceptual | relative-colorimetric | saturation |
    absolute-colorimetric ) 'auto'
>
<!-- end of SVG.color-profile.attlist -->]]>
```

```
<!-- end of svg-profile.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
profile.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Block Structural Module ..... -->
<!-- file: xhtml-blkstruct-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-blkstruct-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-blkstruct-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Block Structural
```

```
    div, p
```

This module declares the elements and their attributes used to
support block-level structural markup.

```
-->
```

```
<!ENTITY % div.element "INCLUDE" >
<![%div.element;[
<!ENTITY % div.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ENTITY % div.qname "div" >
<!ELEMENT %div.qname; %div.content; >
<!-- end of div.element -->]]>
```

```
<!ENTITY % div.attlist "INCLUDE" >
<![%div.attlist;[
<!ATTLIST %div.qname;
    %Common.attrib;
>
<!-- end of div.attlist -->]]>
```

```
<!ENTITY % p.element "INCLUDE" >
<![%p.element;[
<!ENTITY % p.content
    "( #PCDATA | %Inline.mix; )*" >
<!ENTITY % p.qname "p" >
<!ELEMENT %p.qname; %p.content; >
<!-- end of p.element -->]]>
```

```
<!ENTITY % p.attlist "INCLUDE" >
<![%p.attlist;[
<!ATTLIST %p.qname;
    %Common.attrib;
>
<!-- end of p.attlist -->]]>
```

```
<!-- end of xhtml-blkstruct-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-blkstruct-1.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.
2.0.
```

```
/**
```

```
 * Get a Stack Frame Map containing definitions of all the declared variables. This will return a newly
 * created object that the caller is free to modify by adding additional variables, without affecting
 * the static context itself.
 */
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/sxpath/IndependentContext.java
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 Basic Font Module ..... -->
```

```
<!-- file: svg-basic-font.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-basic-font.mod,v 1.5 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Basic Font//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-basic-font.mod"
```

```
..... -->
```

```
<!-- Basic Font
```

```
font, font-face, glyph, missing-glyph, hkern, font-face-src,  
font-face-name
```

```
This module declares markup to provide support for template.
```

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.font.qname "font" >  
<!ENTITY % SVG.font-face.qname "font-face" >  
<!ENTITY % SVG.glyph.qname "glyph" >  
<!ENTITY % SVG.missing-glyph.qname "missing-glyph" >  
<!ENTITY % SVG.hkern.qname "hkern" >  
<!ENTITY % SVG.font-face-src.qname "font-face-src" >  
<!ENTITY % SVG.font-face-name.qname "font-face-name" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >  
<!ENTITY % SVG.Container.attrib "" >  
<!ENTITY % SVG.Style.attrib "" >  
<!ENTITY % SVG.Viewport.attrib "" >  
<!ENTITY % SVG.Text.attrib "" >  
<!ENTITY % SVG.TextContent.attrib "" >  
<!ENTITY % SVG.Font.attrib "" >  
<!ENTITY % SVG.Paint.attrib "" >  
<!ENTITY % SVG.Color.attrib "" >  
<!ENTITY % SVG.Opacity.attrib "" >  
<!ENTITY % SVG.Graphics.attrib "" >  
<!ENTITY % SVG.Marker.attrib "" >  
<!ENTITY % SVG.ColorProfile.attrib "" >  
<!ENTITY % SVG.Gradient.attrib "" >  
<!ENTITY % SVG.Clip.attrib "" >  
<!ENTITY % SVG.Mask.attrib "" >  
<!ENTITY % SVG.Filter.attrib "" >
```

```

<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Font.class ..... -->

<!ENTITY % SVG.Font.extra.class "" >

<!ENTITY % SVG.Font.class
  "| %SVG.font.qname; | %SVG.font-face.qname; %SVG.Font.extra.class;"
>

<!-- font: Font Element ..... -->

<!ENTITY % SVG.font.extra.content "" >

<!ENTITY % SVG.font.element "INCLUDE" >
<![%SVG.font.element;[
<!ENTITY % SVG.font.content
  "(( %SVG.Description.class; )*, %SVG.font-face.qname;,
    %SVG.missing-glyph.qname;, ( %SVG.glyph.qname; | %SVG.hkern.qname;
    %SVG.font.extra.content; )*)"
>
<!ELEMENT %SVG.font.qname; %SVG.font.content; >
<!-- end of SVG.font.element -->]]>

<!ENTITY % SVG.font.attlist "INCLUDE" >
<![%SVG.font.attlist;[
<!ATTLIST %SVG.font.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.External.attrib;
  horiz-origin-x %Number.datatype; #IMPLIED
  horiz-adv-x %Number.datatype; #REQUIRED
>
<!-- end of SVG.font.attlist -->]]>

<!-- font-face: Font Face Element ..... -->

<!ENTITY % SVG.font-face.extra.content "" >

<!ENTITY % SVG.font-face.element "INCLUDE" >
<![%SVG.font-face.element;[
<!ENTITY % SVG.font-face.content
  "(( %SVG.Description.class; )*, %SVG.font-face-src.qname;?
    %SVG.font-face.extra.content; )"
>

```

<!ELEMENT %SVG.font-face.qname; %SVG.font-face.content; >

<!-- end of SVG.font-face.element -->]]>

<!ENTITY % SVG.font-face.attlist "INCLUDE" >

<![%SVG.font-face.attlist;[

<!ATTLIST %SVG.font-face.qname;

%SVG.Core.attrib;

font-family CDATA #IMPLIED

font-style CDATA #IMPLIED

font-variant CDATA #IMPLIED

font-weight CDATA #IMPLIED

font-stretch CDATA #IMPLIED

font-size CDATA #IMPLIED

unicode-range CDATA #IMPLIED

units-per-em %Number.datatype; #IMPLIED

panose-1 CDATA #IMPLIED

stemv %Number.datatype; #IMPLIED

stemh %Number.datatype; #IMPLIED

slope %Number.datatype; #IMPLIED

cap-height %Number.datatype; #IMPLIED

x-height %Number.datatype; #IMPLIED

accent-height %Number.datatype; #IMPLIED

ascent %Number.datatype; #IMPLIED

descent %Number.datatype; #IMPLIED

widths CDATA #IMPLIED

bbox CDATA #IMPLIED

ideographic %Number.datatype; #IMPLIED

alphabetic %Number.datatype; #IMPLIED

mathematical %Number.datatype; #IMPLIED

hanging %Number.datatype; #IMPLIED

underline-position %Number.datatype; #IMPLIED

underline-thickness %Number.datatype; #IMPLIED

strikethrough-position %Number.datatype; #IMPLIED

strikethrough-thickness %Number.datatype; #IMPLIED

overline-position %Number.datatype; #IMPLIED

overline-thickness %Number.datatype; #IMPLIED

>

<!-- end of SVG.font-face.attlist -->]]>

<!-- glyph: Glyph Element -->

<!ENTITY % SVG.glyph.extra.content "" >

<!ENTITY % SVG.glyph.element "INCLUDE" >

<![%SVG.glyph.element;[

<!ENTITY % SVG.glyph.content

"(%SVG.Description.class; %SVG.glyph.extra.content;)*"

>

```
<!ELEMENT %SVG.glyph.qname; %SVG.glyph.content; >
<!-- end of SVG.glyph.element -->]]>
```

```
<!ENTITY % SVG.glyph.attlist "INCLUDE" >
<![%SVG.glyph.attlist;[
<!ATTLIST %SVG.glyph.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  unicode CDATA #IMPLIED
  glyph-name CDATA #IMPLIED
  d %PathData.datatype; #IMPLIED
  arabic-form CDATA #IMPLIED
  lang %LanguageCodes.datatype; #IMPLIED
  horiz-adv-x %Number.datatype; #IMPLIED
>
<!-- end of SVG.glyph.attlist -->]]>
```

```
<!-- missing-glyph: Missing Glyph Element ..... -->
```

```
<!ENTITY % SVG.missing-glyph.extra.content "" >
```

```
<!ENTITY % SVG.missing-glyph.element "INCLUDE" >
<![%SVG.missing-glyph.element;[
<!ENTITY % SVG.missing-glyph.content
  "( %SVG.Description.class; %SVG.missing-glyph.extra.content; )"
>
<!ELEMENT %SVG.missing-glyph.qname; %SVG.missing-glyph.content; >
<!-- end of SVG.missing-glyph.element -->]]>
```

```
<!ENTITY % SVG.missing-glyph.attlist "INCLUDE" >
<![%SVG.missing-glyph.attlist;[
<!ATTLIST %SVG.missing-glyph.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  d %PathData.datatype; #IMPLIED
  horiz-adv-x %Number.datatype; #IMPLIED
>
<!-- end of SVG.missing-glyph.attlist -->]]>
```

```
<!-- hkern: Horizontal Kerning Element ..... -->
```

```
<!ENTITY % SVG.hkern.element "INCLUDE" >
<![%SVG.hkern.element;[
<!ENTITY % SVG.hkern.content "EMPTY" >
<!ELEMENT %SVG.hkern.qname; %SVG.hkern.content; >
<!-- end of SVG.hkern.element -->]]>
```

```
<!ENTITY % SVG.hkern.attlist "INCLUDE" >
```

```

<![%SVG.hkern.attlist;[
<!ATTLIST %SVG.hkern.qname;
  %SVG.Core.attrib;
  u1 CDATA #IMPLIED
  g1 CDATA #IMPLIED
  u2 CDATA #IMPLIED
  g2 CDATA #IMPLIED
  k %Number.datatype; #REQUIRED
>
<!-- end of SVG.hkern.attlist -->]]>

<!-- font-face-src: Font Face Source Element ..... -->

<!ENTITY % SVG.font-face-src.extra.content "" >

<!ENTITY % SVG.font-face-src.element "INCLUDE" >
<![%SVG.font-face-src.element;[
<!ENTITY % SVG.font-face-src.content
  "( %SVG.font-face-name.qname; %SVG.font-face-src.extra.content; )+"
>
<!ELEMENT %SVG.font-face-src.qname; %SVG.font-face-src.content; >
<!-- end of SVG.font-face-src.element -->]]>

<!ENTITY % SVG.font-face-src.attlist "INCLUDE" >
<![%SVG.font-face-src.attlist;[
<!ATTLIST %SVG.font-face-src.qname;
  %SVG.Core.attrib;
>
<!-- end of SVG.font-face-src.attlist -->]]>

<!-- font-face-name: Font Face Name Element ..... -->

<!ENTITY % SVG.font-face-name.element "INCLUDE" >
<![%SVG.font-face-name.element;[
<!ENTITY % SVG.font-face-name.content "EMPTY" >
<!ELEMENT %SVG.font-face-name.qname; %SVG.font-face-name.content; >
<!-- end of SVG.font-face-name.element -->]]>

<!ENTITY % SVG.font-face-name.attlist "INCLUDE" >
<![%SVG.font-face-name.attlist;[
<!ATTLIST %SVG.font-face-name.qname;
  %SVG.Core.attrib;
  name CDATA #IMPLIED
>
<!-- end of SVG.font-face-name.attlist -->]]>

<!-- end of svg-basic-font.mod -->

```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-basic-font.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Character Entities Module ..... -->
<!-- file: xhtml-charent-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-charent-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-charent-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Character Entities for XHTML
```

This module declares the set of character entities for XHTML,
including the Latin 1, Symbol and Special character collections.

```
-->
```

```
<!ENTITY % xhtml-lat1
PUBLIC "-//W3C//ENTITIES Latin 1 for XHTML//EN"
    "xhtml-lat1.ent" >
%xhtml-lat1;
```

```
<!ENTITY % xhtml-symbol
PUBLIC "-//W3C//ENTITIES Symbols for XHTML//EN"
    "xhtml-symbol.ent" >
%xhtml-symbol;
```

```
<!ENTITY % xhtml-special
PUBLIC "-//W3C//ENTITIES Special for XHTML//EN"
    "xhtml-special.ent" >
%xhtml-special;
```

```
<!-- end of xhtml-charent-1.mod -->
```

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml-charent-1.mod

No license file was found, but licenses were detected in source scan.

dimensional graphics in XML.

The Scalable Vector Graphics (SVG)
Copyright 2001, 2002 World Wide Web Consortium
(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its
accompanying documentation for any purpose and without fee is hereby
granted in perpetuity, provided that the above copyright notice and
this paragraph appear in all copies. The copyright holders make no
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>
Revision: \$Id: svg11.dtd,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$
dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-
flat.dtd
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-
flat-20030114.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Modular Framework Module ..... -->  
<!-- file: xhtml-framework-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-framework-1.mod,v 1.3 2004/09/07 12:12:18 dom Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Modular Framework 1.0//EN"  
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-framework-1.mod"
```

Revisions:

```
(none)  
..... -->
```

<!-- Modular Framework

This required module instantiates the modules needed to support the XHTML modularization model, including:

- + notations
- + datatypes
- + namespace-qualified names
- + common attributes
- + document model
- + character entities

The Intrinsic Events module is ignored by default but occurs in this module because it must be instantiated prior to Attributes but after Datatypes.

-->

```
<!ENTITY % xhtml-arch.module "INCLUDE" >
<![%xhtml-arch.module;[
<!ENTITY % xhtml-arch.mod
  PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
    "xhtml-arch-1.mod" >
% xhtml-arch.mod;]]>
```

```
<!ENTITY % xhtml-notations.module "INCLUDE" >
<![%xhtml-notations.module;[
<!ENTITY % xhtml-notations.mod
  PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
    "xhtml-notations-1.mod" >
% xhtml-notations.mod;]]>
```

```
<!ENTITY % xhtml-datatypes.module "INCLUDE" >
<![%xhtml-datatypes.module;[
<!ENTITY % xhtml-datatypes.mod
  PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
    "xhtml-datatypes-1.mod" >
% xhtml-datatypes.mod;]]>
```

```
<!-- placeholder for XLink support module -->
<!ENTITY % xhtml-xlink.mod "" >
% xhtml-xlink.mod;
```

```
<!ENTITY % xhtml-qname.module "INCLUDE" >
<![%xhtml-qname.module;[
<!ENTITY % xhtml-qname.mod
  PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
    "xhtml-qname-1.mod" >
% xhtml-qname.mod;]]>
```

```

<!ENTITY % xhtml-events.module "IGNORE" >
<![%xhtml-events.module;[
<!ENTITY % xhtml-events.mod
    PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
        "xhtml-events-1.mod" >
%xhtml-events.mod;]]>

<!ENTITY % xhtml-attribs.module "INCLUDE" >
<![%xhtml-attribs.module;[
<!ENTITY % xhtml-attribs.mod
    PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
        "xhtml-attribs-1.mod" >
%xhtml-attribs.mod;]]>

<!-- placeholder for content model redeclarations -->
<!ENTITY % xhtml-model.redecl "" >
%xhtml-model.redecl;

<!ENTITY % xhtml-model.module "INCLUDE" >
<![%xhtml-model.module;[
<!-- instantiate the Document Model module declared in the DTD driver
-->
%xhtml-model.mod;]]>

<!ENTITY % xhtml-charent.module "INCLUDE" >
<![%xhtml-charent.module;[
<!ENTITY % xhtml-charent.mod
    PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
        "xhtml-charent-1.mod" >
%xhtml-charent.mod;]]>

<!-- end of xhtml-framework-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
framework-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Pattern Module ..... -->
<!-- file: svg-pattern.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.
 Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: svg-pattern.mod,v 1.4 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Pattern//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-pattern.mod"
```

```
..... -->
```

```
<!-- Pattern
```

```
    pattern
```

```
    This module declares markup to provide support for pattern fill.
```

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.pattern.qname "pattern" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
```

```
<!ENTITY % SVG.Container.attrib "" >
```

```
<!ENTITY % SVG.Conditional.attrib "" >
```

```
<!ENTITY % SVG.Style.attrib "" >
```

```
<!ENTITY % SVG.Viewport.attrib "" >
```

```
<!ENTITY % SVG.Text.attrib "" >
```

```
<!ENTITY % SVG.TextContent.attrib "" >
```

```
<!ENTITY % SVG.Font.attrib "" >
```

```
<!ENTITY % SVG.Paint.attrib "" >
```

```
<!ENTITY % SVG.Color.attrib "" >
```

```
<!ENTITY % SVG.Opacity.attrib "" >
```

```
<!ENTITY % SVG.Graphics.attrib "" >
```

```
<!ENTITY % SVG.Marker.attrib "" >
```

```
<!ENTITY % SVG.ColorProfile.attrib "" >
```

```
<!ENTITY % SVG.Gradient.attrib "" >
```

```
<!ENTITY % SVG.Clip.attrib "" >
```

```
<!ENTITY % SVG.Mask.attrib "" >
```

```
<!ENTITY % SVG.Filter.attrib "" >
```

```
<!ENTITY % SVG.FilterColor.attrib "" >
```

```
<!ENTITY % SVG.Cursor.attrib "" >
```

```
<!ENTITY % SVG.XLink.attrib "" >
```

```
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.Pattern.class ..... -->
```

```
<!ENTITY % SVG.Pattern.extra.class "" >
```

```
<!ENTITY % SVG.Pattern.class
```

```
    "| %SVG.pattern.qname; %SVG.Pattern.extra.class;"
```

>

<!-- SVG.Presentation.attrib -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib

"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"

>

<!-- pattern: Pattern Element -->

<!ENTITY % SVG.pattern.extra.content "" >

<!ENTITY % SVG.pattern.element "INCLUDE" >

<![%SVG.pattern.element;[

<!ENTITY % SVG.pattern.content

"(%SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
%SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
%SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
%SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
%SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
%SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
%SVG.Font.class; %SVG.pattern.extra.content;)*"

>

<!ELEMENT %SVG.pattern.qname; %SVG.pattern.content; >

<!-- end of SVG.pattern.element -->]]>

```

<!ENTITY % SVG.pattern.attlist "INCLUDE" >
<![%SVG.pattern.attlist;[
<!ATTLIST %SVG.pattern.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.XLink.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  patternUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
  patternContentUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
  patternTransform %TransformList.datatype; #IMPLIED
  viewBox %ViewBoxSpec.datatype; #IMPLIED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.pattern.attlist -->]]>

```

```

<!-- end of svg-pattern.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
pattern.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Table Module ..... -->
<!-- file: xhtml-table-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-table-1.mod,v 4.1 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Tables 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-table-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Tables

```

```

    table, caption, thead, tfoot, tbody, colgroup, col, tr, th, td

```

This module declares element types and attributes used to provide table markup similar to HTML 4, including features that enable better accessibility for non-visual user agents.

-->

<!-- declare qualified element type names:

-->

<!ENTITY % table.qname "table" >

<!ENTITY % caption.qname "caption" >

<!ENTITY % thead.qname "thead" >

<!ENTITY % tfoot.qname "tfoot" >

<!ENTITY % tbody.qname "tbody" >

<!ENTITY % colgroup.qname "colgroup" >

<!ENTITY % col.qname "col" >

<!ENTITY % tr.qname "tr" >

<!ENTITY % th.qname "th" >

<!ENTITY % td.qname "td" >

<!-- The frame attribute specifies which parts of the frame around the table should be rendered. The values are not the same as CALS to avoid a name clash with the valign attribute.

-->

<!ENTITY % frame.attrib

```
"frame    ( void
           | above
           | below
           | hside
           | lhs
           | rhs
           | vside
           | box
           | border )      #IMPLIED"
```

>

<!-- The rules attribute defines which rules to draw between cells:

If rules is absent then assume:

"none" if border is absent or border="0" otherwise "all"

-->

<!ENTITY % rules.attrib

```
"rules    ( none
           | groups
           | rows
           | cols
           | all )      #IMPLIED"
```

>

```

<!-- horizontal alignment attributes for cell contents
-->
<!ENTITY % CellHAlign.attrib
  "align    ( left
             | center
             | right
             | justify
             | char )          #IMPLIED
  char      %Character.datatype; #IMPLIED
  charoff   %Length.datatype;   #IMPLIED"
>

```

```

<!-- vertical alignment attribute for cell contents
-->
<!ENTITY % CellVAlign.attrib
  "valign   ( top
             | middle
             | bottom
             | baseline )     #IMPLIED"
>

```

```

<!-- scope is simpler than axes attribute for common tables
-->
<!ENTITY % scope.attrib
  "scope    ( row
             | col
             | rowgroup
             | colgroup )     #IMPLIED"
>

```

```

<!-- table: Table Element ..... -->

```

```

<!ENTITY % table.element "INCLUDE" >
<![%table.element;[
<!ENTITY % table.content
  "( %caption.qname;?, ( %col.qname;* | %colgroup.qname;* ),
  (( %thead.qname;?, %tfoot.qname;?, %tbody.qname;+ ) | ( %tr.qname;+ )))"
>
<!ELEMENT %table.qname; %table.content; >
<!-- end of table.element -->]]>

```

```

<!ENTITY % table.attlist "INCLUDE" >
<![%table.attlist;[
<!ATTLIST %table.qname;
  %Common.attrib;
  summary   %Text.datatype;   #IMPLIED
  width     %Length.datatype;  #IMPLIED

```

```

border    %Pixels.datatype;    #IMPLIED
%frame.attrib;
%rules.attrib;
cellspacing %Length.datatype;    #IMPLIED
cellpadding %Length.datatype;    #IMPLIED
>
<!-- end of table.attlist -->]]>

<!-- caption: Table Caption ..... -->

<!ENTITY % caption.element "INCLUDE" >
<![%caption.element;[
<!ENTITY % caption.content
    "( #PCDATA | %Inline.mix; )*"
>
<!ELEMENT %caption.qname; %caption.content; >
<!-- end of caption.element -->]]>

<!ENTITY % caption.attlist "INCLUDE" >
<![%caption.attlist;[
<!ATTLIST %caption.qname;
    %Common.attrib;
>
<!-- end of caption.attlist -->]]>

<!-- thead: Table Header ..... -->

<!-- Use thead to duplicate headers when breaking table
    across page boundaries, or for static headers when
    tbody sections are rendered in scrolling panel.
-->

<!ENTITY % thead.element "INCLUDE" >
<![%thead.element;[
<!ENTITY % thead.content "( %tr.qname; )+" >
<!ELEMENT %thead.qname; %thead.content; >
<!-- end of thead.element -->]]>

<!ENTITY % thead.attlist "INCLUDE" >
<![%thead.attlist;[
<!ATTLIST %thead.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of thead.attlist -->]]>

<!-- tfoot: Table Footer ..... -->

```

<!-- Use tfoot to duplicate footers when breaking table across page boundaries, or for static footers when tbody sections are rendered in scrolling panel. -->

```
<!ENTITY % tfoot.element "INCLUDE" >
<![%tfoot.element;[
<!ENTITY % tfoot.content "( %tr.qname; )+" >
<!ELEMENT %tfoot.qname; %tfoot.content; >
<!-- end of tfoot.element -->]]>
```

```
<!ENTITY % tfoot.attlist "INCLUDE" >
<![%tfoot.attlist;[
<!ATTLIST %tfoot.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tfoot.attlist -->]]>
```

<!-- tbody: Table Body -->

<!-- Use multiple tbody sections when rules are needed between groups of table rows. -->

```
<!ENTITY % tbody.element "INCLUDE" >
<![%tbody.element;[
<!ENTITY % tbody.content "( %tr.qname; )+" >
<!ELEMENT %tbody.qname; %tbody.content; >
<!-- end of tbody.element -->]]>
```

```
<!ENTITY % tbody.attlist "INCLUDE" >
<![%tbody.attlist;[
<!ATTLIST %tbody.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tbody.attlist -->]]>
```

<!-- colgroup: Table Column Group -->

<!-- colgroup groups a set of col elements. It allows you to group several semantically-related columns together. -->

```

<!ENTITY % colgroup.element "INCLUDE" >
<![%colgroup.element;[
<!ENTITY % colgroup.content "( %col.qname; )" >
<!ELEMENT %colgroup.qname; %colgroup.content; >
<!-- end of colgroup.element -->]]>

```

```

<!ENTITY % colgroup.attlist "INCLUDE" >
<![%colgroup.attlist;[
<!ATTLIST %colgroup.qname;
    %Common.attrib;
    span    %Number.datatype;    '1'
    width   %MultiLength.datatype; #IMPLIED
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of colgroup.attlist -->]]>

```

<!-- col: Table Column -->

<!-- col elements define the alignment properties for cells in one or more columns.

The width attribute specifies the width of the columns, e.g.

```

width="64"      width in screen pixels
width="0.5*"   relative width of 0.5

```

The span attribute causes the attributes of one col element to apply to more than one column.

-->

```

<!ENTITY % col.element "INCLUDE" >
<![%col.element;[
<!ENTITY % col.content "EMPTY" >
<!ELEMENT %col.qname; %col.content; >
<!-- end of col.element -->]]>

```

```

<!ENTITY % col.attlist "INCLUDE" >
<![%col.attlist;[
<!ATTLIST %col.qname;
    %Common.attrib;
    span    %Number.datatype;    '1'
    width   %MultiLength.datatype; #IMPLIED
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of col.attlist -->]]>

```

```
<!-- tr: Table Row ..... -->

<!ENTITY % tr.element "INCLUDE" >
<![%tr.element;[
<!ENTITY % tr.content "( %th.qname; | %td.qname; )+" >
<!ELEMENT %tr.qname; %tr.content; >
<!-- end of tr.element -->]]>
```

```
<!ENTITY % tr.attlist "INCLUDE" >
<![%tr.attlist;[
<!ATTLIST %tr.qname;
    %Common.attrib;
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of tr.attlist -->]]>
```

```
<!-- th: Table Header Cell ..... -->
```

```
<!-- th is for header cells, td for data,
but for cells acting as both use td
-->
```

```
<!ENTITY % th.element "INCLUDE" >
<![%th.element;[
<!ENTITY % th.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %th.qname; %th.content; >
<!-- end of th.element -->]]>
```

```
<!ENTITY % th.attlist "INCLUDE" >
<![%th.attlist;[
<!ATTLIST %th.qname;
    %Common.attrib;
    abbr    %Text.datatype;    #IMPLIED
    axis    CDATA              #IMPLIED
    headers IDREFS             #IMPLIED
    %scope.attrib;
    rowspan %Number.datatype;  '1'
    colspan %Number.datatype;  '1'
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of th.attlist -->]]>
```

```
<!-- td: Table Data Cell ..... -->
```

```

<!ENTITY % td.element "INCLUDE" >
<![%td.element;[
<!ENTITY % td.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %td.qname; %td.content; >
<!-- end of td.element -->]]>

<!ENTITY % td.attlist "INCLUDE" >
<![%td.attlist;[
<!ATTLIST %td.qname;
    %Common.attrib;
    abbr    %Text.datatype;    #IMPLIED
    axis    CDATA              #IMPLIED
    headers IDREFS             #IMPLIED
    %scope.attrib;
    rowspan %Number.datatype;  '1'
    colspan %Number.datatype;  '1'
    %CellHAlign.attrib;
    %CellVAlign.attrib;
>
<!-- end of td.attlist -->]]>

<!-- end of xhtml-table-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-table-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Role Module ..... -->
<!-- file: xhtml-role-1.mod

```

This is XHTML Role - the Role Attribute Module for XHTML.

Copyright 2006 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML Role Attribute 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-role-1.mod"

```

Revisions:

(none)

```

..... -->

```

```
<!-- XHTML Role Attribute Module does nothing, since role is not incorporated
in any elements content model as part of this module. -->
<!-- end of xhtml-role-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-role-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
* This is a schema for the XML representation of the result of the
* function fn:analyze-string()
*
* The schema is made available under the terms of the W3C software notice and license
* at http://www.w3.org/Consortium/Legal/copyright-software-19980720
*
-->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-xml/net/sf/saxon/data/analyze-string.xsd
```

No license file was found, but licenses were detected in source scan.

XHTML 1.1 plus MathML 2.0 plus SVG 1.1 DTD

This is a prototype extension of XHTML 1.1 incorporating MathML 2.0 and SVG 1.1.

Copyright 2002 World Wide Web Consortium
(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute this DTD and its accompanying documentation for any purpose and without fee is hereby granted in perpetuity, provided that the above copyright notice and this paragraph appear in all copies. The copyright holders make no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Editors: Murray M. Altheim <altheim@eng.sun.com> (XHTML modules)
David Carlisle <davidc@nag.co.uk> (MathML modules)
Jun Fujisawa <fujisawa.jun@canon.co.jp> (SVG modules)
Masayasu Ishikawa <mimasa@w3.org> (DTD driver)

Revision:

\$Id: xhtml

2001 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute the XHTML DTD and its
accompanying documentation for any purpose and without fee is hereby
granted in perpetuity, provided that the above copyright notice and
this paragraph appear in all copies. The copyright holders make no
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Murray M. Altheim <altheim@eng.sun.com>

Revision: \$Id: xhtml

2003 W3C (MIT, ERCIM, Keio), All Rights

Reserved. W3C liability, trademark, document use and software
licensing rules apply.

Permission to use, copy, modify and distribute the MathML 2.0 DTD and
its accompanying documentation for any purpose and without fee is
hereby granted in perpetuity, provided that the above copyright notice
and this paragraph appear in all copies. The copyright holders make
no representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Revision: \$Id: xhtml

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml2/xhtml-math11-f.dtd

No license file was found, but licenses were detected in source scan.

<!--

* This is a schema for the XML representation of JSON used as the target for the
* function fn:json-to-xml()

*

* The schema is made available under the terms of the W3C software notice and license

* at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>

*

-->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/json.xsd

No license file was found, but licenses were detected in source scan.

<!--

<!-- XHTML Name Identifier Module

<!-- file: xhtml-nameident-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-nameident-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Name Identifier 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-nameident-1.mod"

Revisions:

(none)

..... -->

<!-- Name Identifier

'name' attribute on form, img, a, map, applet, frame, iframe

This module declares the 'name' attribute on element types when it is used as a node identifier for legacy linking and scripting support. This does not include those instances when 'name' is used as a container for form control, property or metainformation names.

This module should be instantiated following all modules it modifies.

-->

<!ENTITY % form.attlist "IGNORE" >

<![%form.attlist;

<!ATTLIST %form.qname;

name CDATA #IMPLIED

>

<!-- end of form.attlist -->]]>

<!ENTITY % img.attlist "IGNORE" >

<![%img.attlist;

<!ATTLIST %img.qname;

name CDATA #IMPLIED

>

<!-- end of img.attlist -->]]>

<!ENTITY % a.attlist "IGNORE" >

<![%a.attlist;

<!ATTLIST %a.qname;

name CDATA #IMPLIED

>

<!-- end of a.attlist -->]]>

```
<!ENTITY % map.attlist "IGNORE" >
<![%map.attlist;[
<!ATTLIST %map.qname;
    name      CDATA          #IMPLIED
>
<!-- end of map.attlist -->]]>
```

```
<!ENTITY % applet.attlist "IGNORE" >
<![%applet.attlist;[
<!ATTLIST %applet.qname;
    name      CDATA          #IMPLIED
>
<!-- end of applet.attlist -->]]>
```

```
<!ENTITY % frame.attlist "IGNORE" >
<![%frame.attlist;[
<!ATTLIST %frame.qname;
    name      CDATA          #IMPLIED
>
<!-- end of frame.attlist -->]]>
```

```
<!ENTITY % iframe.attlist "IGNORE" >
<![%iframe.attlist;[
<!ATTLIST %iframe.qname;
    name      CDATA          #IMPLIED
>
<!-- end of iframe.attlist -->]]>
```

```
<!-- end of xhtml-nameident.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-nameident-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Simplified Forms Module ..... -->
<!-- file: xhtml-basic-form-1.mod
```

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic-form-1.mod,v 4.1 2001/04/05 06:57:40 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Basic Forms 1.0//EN"
```

```
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-basic-form-1.mod"
```

Revisions:

(none)

..... -->

<!-- Basic Forms

This forms module is based on the HTML 3.2 forms model, with the WAI-requested addition of the label element. While this module essentially mimics the content model and attributes of HTML 3.2 forms, the element types declared herein also include all HTML 4 common attributes.

form, label, input, select, option, textarea

-->

<!-- declare qualified element type names:

-->

<!ENTITY % form.qname "form" >

<!ENTITY % label.qname "label" >

<!ENTITY % input.qname "input" >

<!ENTITY % select.qname "select" >

<!ENTITY % option.qname "option" >

<!ENTITY % textarea.qname "textarea" >

<!-- %BlkNoForm.mix; includes all non-form block elements,
plus %Misc.class;

-->

<!ENTITY % BlkNoForm.mix

"%Heading.class;

| %List.class;

| %BlkStruct.class;

%BlkPhras.class;

%BlkPres.class;

| %table.qname;

%Block.extra;

%Misc.class;"

>

<!-- form: Form Element -->

<!ENTITY % form.element "INCLUDE" >

<![%form.element;[

<!ENTITY % form.content

"(%BlkNoForm.mix;)+"

>

<!ELEMENT %form.qname; %form.content; >

<!-- end of form.element -->]]>

```

<!ENTITY % form.attlist "INCLUDE" >
<![%form.attlist;[
<!ATTLIST %form.qname;
    %Common.attrib;
    action    %URI.datatype;    #REQUIRED
    method    ( get | post )    'get'
    enctype   %ContentType.datatype; 'application/x-www-form-urlencoded'
>
<!-- end of form.attlist -->]]>

```

```

<!-- label: Form Field Label Text ..... -->

```

```

<!ENTITY % label.element "INCLUDE" >
<![%label.element;[
<!-- Each label must not contain more than ONE field
-->

```

```

<!ENTITY % label.content
    "( #PCDATA
    | %input.qname; | %select.qname; | %textarea.qname;
    | %InlStruct.class;
    | %InlPhras.class;
    | %I18n.class;
    | %InlPres.class;
    | %InlSpecial.class;
    | %Misc.class; )*"
>
<!ELEMENT %label.qname; %label.content; >
<!-- end of label.element -->]]>

```

```

<!ENTITY % label.attlist "INCLUDE" >
<![%label.attlist;[
<!ATTLIST %label.qname;
    %Common.attrib;
    for      IDREF      #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of label.attlist -->]]>

```

```

<!-- input: Form Control ..... -->

```

```

<!ENTITY % input.element "INCLUDE" >
<![%input.element;[
<!ENTITY % input.content "EMPTY" >
<!ELEMENT %input.qname; %input.content; >
<!-- end of input.element -->]]>

```

```

<!-- Basic Forms removes 'button', 'image' and 'file' input types.
-->

```

```

<!ENTITY % input.attlist "INCLUDE" >
<![%input.attlist;[
<!ENTITY % InputType.class
    "( text | password | checkbox | radio
    | submit | reset | hidden )"
>
<!-- attribute name required for all but submit & reset
-->
<!ATTLIST %input.qname;
    %Common.attrib;
    type      %InputType.class;    'text'
    name      CDATA                #IMPLIED
    value     CDATA                #IMPLIED
    checked   ( checked )         #IMPLIED
    size      %Number.datatype;    #IMPLIED
    maxlength %Number.datatype;    #IMPLIED
    src       %URI.datatype;       #IMPLIED
    tabindex  %Number.datatype;    #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of input.attlist -->]]>

```

<!-- select: Option Selector -->

```

<!ENTITY % select.element "INCLUDE" >
<![%select.element;[
<!ENTITY % select.content "( %option.qname; )+" >
<!ELEMENT %select.qname; %select.content; >
<!-- end of select.element -->]]>

```

```

<!ENTITY % select.attlist "INCLUDE" >
<![%select.attlist;[
<!ATTLIST %select.qname;
    %Common.attrib;
    name      CDATA                #IMPLIED
    size      %Number.datatype;    #IMPLIED
    multiple  ( multiple )         #IMPLIED
    tabindex  %Number.datatype;    #IMPLIED
>
<!-- end of select.attlist -->]]>

```

<!-- option: Selectable Choice -->

```

<!ENTITY % option.element "INCLUDE" >
<![%option.element;[
<!ENTITY % option.content "( #PCDATA )" >
<!ELEMENT %option.qname; %option.content; >
<!-- end of option.element -->]]>

```

```

<!ENTITY % option.attlist "INCLUDE" >
<![%option.attlist;[
<!ATTLIST %option.qname;
    %Common.attrib;
    selected ( selected )      #IMPLIED
    value     CDATA             #IMPLIED
>
<!-- end of option.attlist -->]]>

<!-- textarea: Multi-Line Text Field ..... -->

<!ENTITY % textarea.element "INCLUDE" >
<![%textarea.element;[
<!ENTITY % textarea.content "( #PCDATA )" >
<!ELEMENT %textarea.qname; %textarea.content; >
<!-- end of textarea.element -->]]>

<!ENTITY % textarea.attlist "INCLUDE" >
<![%textarea.attlist;[
<!ATTLIST %textarea.qname;
    %Common.attrib;
    name     CDATA              #IMPLIED
    rows     %Number.datatype;  #REQUIRED
    cols     %Number.datatype;  #REQUIRED
    tabindex %Number.datatype;  #IMPLIED
    accesskey %Character.datatype; #IMPLIED
>
<!-- end of textarea.attlist -->]]>

<!-- end of xhtml-basic-form-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic-form-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML RDFa QName Module ..... -->
<!-- file: xhtml-rdfa-qname-1.mod

```

This is XHTML RDFa - the RDFa Attribute Module for XHTML.

Copyright 2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML RDFa Attribute Qnames 1.0//EN"

```

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-rdfa-qname-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML RDFa Attribute QName (Qualified Name) Module

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML RDFa and extensions.

Section B declares parameter entities used to provide namespace-qualified names for the XHTML RDFa elements and attributes:

%link.qname; the xmlns-qualified name for link

...

XHTML RDFa extensions would create a module similar to this one.

-->

<!-- Section A: XHTML RDFa Attribute XML Namespace Framework ::::::::::::::: -->

<!-- 1. Declare a %XHTML-RDFA.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behavior follows the overall DTD prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >

<!ENTITY % XHTML-RDFA.prefixed "%NS.prefixed;" >

<!-- 2. Declare a parameter entity (eg., %XHTML-RDFA.xmlns;) containing the URI reference used to identify the XHTML RDFa Attribute namespace

-->

<!ENTITY % XHTML-RDFA.xmlns "http://www.w3.org/1999/xhtml" >

<!-- 3. Declare parameter entities (eg., %XML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

```

-->
<!ENTITY % XHTML-RDFA.prefix "" >

<!-- 4. Declare parameter entities (eg., %XHTML-RDFA.pfx;) containing the
colonized prefix(es) (eg., %XHTML-RDFA.prefix;') used when
prefixing is active, an empty string when it is not.
-->
<![%XHTML-RDFA.prefixed;[
<!ENTITY % XHTML-RDFA.pfx "%XHTML-RDFA.prefix;" >
]]>
<![%XHTML.prefixed;[
<!ENTITY % XHTML-RDFA.pfx "%XHTML.prefix;" >
]]>
<!ENTITY % XHTML-RDFA.pfx "" >

<!-- declare qualified name extensions here ..... -->
<!ENTITY % xhtml-rdfa-qname-extra.mod "" >
%xhtml-rdfa-qname-extra.mod;

<!-- 5. The parameter entity %XHTML-RDFA.xmlns.extra.attrib; may be
redeclared to contain any non-XHTML RDFa Attribute namespace
declaration attributes for namespaces embedded in XML. The default
is an empty string. XLink should be included here if used
in the DTD.
-->
<!ENTITY % XHTML-RDFA.xmlns.extra.attrib "" >

<!-- Section B: XML Qualified Names ..... -->

<!-- 6. This section declares parameter entities used to provide
namespace-qualified names for the XHTML RDFa attribute modules.

Note that these names are NOT prefixed to be compatible with
XHTML Modularization 1.1
-->

<!-- end of xhtml-rdfa-qname-1.mod -->

Found in path(s):
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-rdfa-qname-1.mod
No license file was found, but licenses were detected in source scan.

<!-- ..... -->
<!-- XHTML Inline Structural Module ..... -->
<!-- file: xhtml-inlstruct-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-instruct-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"  
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-instruct-1.mod"
```

Revisions:

(none)

..... -->

<!-- Inline Structural

br, span

This module declares the elements and their attributes
used to support inline-level structural markup.

-->

<!-- br: forced line break -->

```
<!ENTITY % br.element "INCLUDE" >
```

```
<![%br.element;
```

```
<!ENTITY % br.content "EMPTY" >
```

```
<!ENTITY % br.qname "br" >
```

```
<!ELEMENT %br.qname; %br.content; >
```

```
<!-- end of br.element -->]]>
```

```
<!ENTITY % br.attlist "INCLUDE" >
```

```
<![%br.attlist;
```

```
<!ATTLIST %br.qname;
```

```
    %Core.attrib;
```

```
>
```

```
<!-- end of br.attlist -->]]>
```

<!-- span: generic inline container -->

```
<!ENTITY % span.element "INCLUDE" >
```

```
<![%span.element;
```

```
<!ENTITY % span.content
```

```
    "( #PCDATA | %Inline.mix; )*"
```

```
>
```

```
<!ENTITY % span.qname "span" >
```

```
<!ELEMENT %span.qname; %span.content; >
```

<!-- end of span.element -->]]>

<!ENTITY % span.attlist "INCLUDE" >

<![%span.attlist;

<!ATTLIST %span.qname;

 %Common.attrib;

>

<!-- end of span.attlist -->]]>

<!-- end of xhtml-instruct-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-instruct-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Datatypes Module -->

<!-- file: xhtml-datatypes-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-datatypes-1.mod,v 4.1 2001/04/06 19:23:32 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-datatypes-1.mod"

Revisions:

(none)

..... -->

<!-- Datatypes

 defines containers for the following datatypes, many of
 these imported from other specifications and standards.

-->

<!-- Length defined for cellpadding/cellspacing -->

<!-- nn for pixels or nn% for percentage length -->

<!ENTITY % Length.datatype "CDATA" >

<!-- space-separated list of link types -->

<!ENTITY % LinkTypes.datatype "NMTOKENS" >

<!-- single or comma-separated list of media descriptors -->

<!ENTITY % MediaDesc.datatype "CDATA" >

<!-- pixel, percentage, or relative -->
<!ENTITY % MultiLength.datatype "CDATA" >

<!-- one or more digits (NUMBER) -->
<!ENTITY % Number.datatype "CDATA" >

<!-- integer representing length in pixels -->
<!ENTITY % Pixels.datatype "CDATA" >

<!-- script expression -->
<!ENTITY % Script.datatype "CDATA" >

<!-- textual content -->
<!ENTITY % Text.datatype "CDATA" >

<!-- Placeholder Compact URI-related types -->
<!ENTITY % CURIE.datatype "CDATA" >
<!ENTITY % CURIEs.datatype "CDATA" >
<!ENTITY % SafeCURIE.datatype "CDATA" >
<!ENTITY % SafeCURIEs.datatype "CDATA" >
<!ENTITY % URIorSafeCURIE.datatype "CDATA" >
<!ENTITY % URIorSafeCURIEs.datatype "CDATA" >

<!-- Imported Datatypes -->

<!-- a single character from [ISO10646] -->
<!ENTITY % Character.datatype "CDATA" >

<!-- a character encoding, as per [RFC2045] -->
<!ENTITY % Charset.datatype "CDATA" >

<!-- a space separated list of character encodings, as per [RFC2045] -->
<!ENTITY % Charsets.datatype "CDATA" >

<!-- Color specification using color name or sRGB (#RRGGBB) values -->
<!ENTITY % Color.datatype "CDATA" >

<!-- media type, as per [RFC2045] -->
<!ENTITY % ContentType.datatype "CDATA" >

<!-- comma-separated list of media types, as per [RFC2045] -->
<!ENTITY % ContentTypes.datatype "CDATA" >

<!-- date and time information. ISO date format -->
<!ENTITY % Datetime.datatype "CDATA" >

```

<!-- formal public identifier, as per [ISO8879] -->
<!ENTITY % FPI.datatype "CDATA" >

<!-- a language code, as per [RFC3066] or its successor -->
<!ENTITY % LanguageCode.datatype "CDATA" >

<!-- a comma separated list of language code ranges -->
<!ENTITY % LanguageCodes.datatype "CDATA" >

<!-- a qualified name , as per [XMLNS] or its successor -->
<!ENTITY % QName.datatype "CDATA" >
<!ENTITY % QNames.datatype "CDATA" >

<!-- a Uniform Resource Identifier, see [URI] -->
<!ENTITY % URI.datatype "CDATA" >

<!-- a space-separated list of Uniform Resource Identifiers, see [URI] -->
<!ENTITY % URIs.datatype "CDATA" >

<!-- end of xhtml-datatypes-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-datatypes-1.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Inputmode Module ..... -->
<!-- file: xhtml-inputmode-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-inputmode-1.mod,v 1.2 2007/07/13 14:37:53 jigsaw Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Inputmode 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-inputmode-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Inputmode

```

```

    inputmode

```

This module declares the 'inputmode' attribute used for suggesting the

input mode associated with an input or textarea element.

-->

<!-- render in this frame -->

<!ENTITY % Inputmode.datatype "CDATA" >

<!-- add 'inputmode' attribute to 'input' element -->

<!ATTLIST %input.qname;

inputmode %Inputmode.datatype; #IMPLIED

>

<!-- add 'inputmode' attribute to 'textarea' element -->

<!ATTLIST %textarea.qname;

inputmode %Inputmode.datatype; #IMPLIED

>

<!-- end of xhtml-inputmode-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-inputmode-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Java Applet Module -->

<!-- file: xhtml-applet-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-applet-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Java Applets 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-applet-1.mod"

Revisions:

#2001-02-20: added PCDATA to content model of applet

..... -->

<!-- Java Applets

applet

This module declares the applet element type and its attributes,

used to provide support for Java applets. The 'alt' attribute is

now required (as it is on images). One of either code or object

attributes must be present. In the document, place param elements

before other content within the <applet> element.

Note that use of this module requires instantiation of the Param Element Module.

-->

<!-- applet: Java Applet -->

```
<!ENTITY % applet.element "INCLUDE" >
<![%applet.element;[
<!ENTITY % applet.content
  "( #PCDATA | %param.qname; | %Flow.mix; )*"
>
<!ENTITY % applet.qname "applet" >
<!ELEMENT %applet.qname; %applet.content; >
<!-- end of applet.element -->]]>
```

```
<!ENTITY % applet.attlist "INCLUDE" >
<![%applet.attlist;[
<!ATTLIST %applet.qname;
  %Core.attrib;
  alt      %Text.datatype;      #REQUIRED
  archive  CDATA                 #IMPLIED
  code     CDATA                 #IMPLIED
  codebase %URI.datatype;       #IMPLIED
  object   CDATA                 #IMPLIED
  width    %Length.datatype;    #REQUIRED
  height   %Length.datatype;    #REQUIRED
>
<!-- end of applet.attlist -->]]>
```

<!-- end of xhtml-applet-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-applet-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Lists Module ..... -->
<!-- file: xhtml-list-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-list-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Lists 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-list-1.mod"

Revisions:

(none)

..... -->

<!-- Lists

dl, dt, dd, ol, ul, li

This module declares the list-oriented element types
and their attributes.

-->

<!ENTITY % dl.qname "dl" >

<!ENTITY % dt.qname "dt" >

<!ENTITY % dd.qname "dd" >

<!ENTITY % ol.qname "ol" >

<!ENTITY % ul.qname "ul" >

<!ENTITY % li.qname "li" >

<!-- dl: Definition List -->

<!ENTITY % dl.element "INCLUDE" >

<![%dl.element;[

<!ENTITY % dl.content "(%dt.qname; | %dd.qname;)+" >

<!ELEMENT %dl.qname; %dl.content; >

<!-- end of dl.element -->]]>

<!ENTITY % dl.attlist "INCLUDE" >

<![%dl.attlist;[

<!ATTLIST %dl.qname;

 %Common.attrib;

>

<!-- end of dl.attlist -->]]>

<!-- dt: Definition Term -->

<!ENTITY % dt.element "INCLUDE" >

<![%dt.element;[

<!ENTITY % dt.content

 "(#PCDATA | %Inline.mix;)*"

>

<!ELEMENT %dt.qname; %dt.content; >

<!-- end of dt.element -->]]>

<!ENTITY % dt.attlist "INCLUDE" >

```
<![%dt.attlist;[
<!ATTLIST %dt.qname;
    %Common.attrib;
>
<!-- end of dt.attlist -->]]>
```

<!-- dd: Definition Description -->

```
<!ENTITY % dd.element "INCLUDE" >
<![%dd.element;[
<!ENTITY % dd.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %dd.qname; %dd.content; >
<!-- end of dd.element -->]]>
```

```
<!ENTITY % dd.attlist "INCLUDE" >
<![%dd.attlist;[
<!ATTLIST %dd.qname;
    %Common.attrib;
>
<!-- end of dd.attlist -->]]>
```

<!-- ol: Ordered List (numbered styles) -->

```
<!ENTITY % ol.element "INCLUDE" >
<![%ol.element;[
<!ENTITY % ol.content "( %li.qname; )+" >
<!ELEMENT %ol.qname; %ol.content; >
<!-- end of ol.element -->]]>
```

```
<!ENTITY % ol.attlist "INCLUDE" >
<![%ol.attlist;[
<!ATTLIST %ol.qname;
    %Common.attrib;
>
<!-- end of ol.attlist -->]]>
```

<!-- ul: Unordered List (bullet styles) -->

```
<!ENTITY % ul.element "INCLUDE" >
<![%ul.element;[
<!ENTITY % ul.content "( %li.qname; )+" >
<!ELEMENT %ul.qname; %ul.content; >
<!-- end of ul.element -->]]>
```

```
<!ENTITY % ul.attlist "INCLUDE" >
<![%ul.attlist;[
```

```

<!ATTLIST %ul.qname;
    %Common.attrib;
>
<!-- end of ul.attlist -->]]>

<!-- li: List Item ..... -->

<!ENTITY % li.element "INCLUDE" >
<![%li.element;[
<!ENTITY % li.content
    "( #PCDATA | %Flow.mix; )*"
>
<!ELEMENT %li.qname; %li.content; >
<!-- end of li.element -->]]>

<!ENTITY % li.attlist "INCLUDE" >
<![%li.attlist;[
<!ATTLIST %li.qname;
    %Common.attrib;
>
<!-- end of li.attlist -->]]>

<!-- end of xhtml-list-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
list-1.mod
```

No license file was found, but licenses were detected in source scan.

dimensional graphics in XML.

The Scalable Vector Graphics (SVG)

Copyright 2001, 2002 World Wide Web Consortium

(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).

All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its
accompanying documentation for any purpose and without fee is hereby
granted in perpetuity, provided that the above copyright notice and
this paragraph appear in all copies. The copyright holders make no
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>

Revision: \$Id: svg11.dtd,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/svg11/svg11.dtd
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Gradient Module ..... -->  
<!-- file: svg-gradient.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-gradient.mod,v 1.3 2002/10/24 17:40:15 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Gradient//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-gradient.mod"  
..... -->
```

```
<!-- Gradient
```

linearGradient, radialGradient, stop

This module declares markup to provide support for gradient fill.

```
-->
```

```
<!-- a <number> or a <percentage> -->  
<!ENTITY % NumberOrPercentage.datatype "CDATA" >
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.linearGradient.qname "linearGradient" >  
<!ENTITY % SVG.radialGradient.qname "radialGradient" >  
<!ENTITY % SVG.stop.qname "stop" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >  
<!ENTITY % SVG.Style.attrib "" >  
<!ENTITY % SVG.Color.attrib "" >  
<!ENTITY % SVG.XLink.attrib "" >  
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.Gradient.class ..... -->
```

```
<!ENTITY % SVG.Gradient.extra.class "" >
```

```

<!ENTITY % SVG.Gradient.class
  "| %SVG.linearGradient.qname; | %SVG.radialGradient.qname;
  %SVG.Gradient.extra.class;"
>

<!-- SVG.Gradient.attrib ..... -->

<!ENTITY % SVG.Gradient.extra.attrib "" >

<!ENTITY % SVG.Gradient.attrib
  "stop-color %SVGColor.datatype; #IMPLIED
  stop-opacity %OpacityValue.datatype; #IMPLIED
  %SVG.Gradient.extra.attrib;"
>

<!-- linearGradient: Linear Gradient Element ..... -->

<!ENTITY % SVG.linearGradient.extra.content "" >

<!ENTITY % SVG.linearGradient.element "INCLUDE" >
<![%SVG.linearGradient.element;[
<!ENTITY % SVG.linearGradient.content
  "(( %SVG.Description.class; )*, ( %SVG.stop.qname; | %SVG.animate.qname;
  | %SVG.set.qname; | %SVG.animateTransform.qname;
  %SVG.linearGradient.extra.content; )*)"
>
<!ELEMENT %SVG.linearGradient.qname; %SVG.linearGradient.content; >
<!-- end of SVG.linearGradient.element -->]]>

<!ENTITY % SVG.linearGradient.attlist "INCLUDE" >
<![%SVG.linearGradient.attlist;[
<!ATTLIST %SVG.linearGradient.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.Gradient.attrib;
  %SVG.XLink.attrib;
  %SVG.External.attrib;
  x1 %Coordinate.datatype; #IMPLIED
  y1 %Coordinate.datatype; #IMPLIED
  x2 %Coordinate.datatype; #IMPLIED
  y2 %Coordinate.datatype; #IMPLIED
  gradientUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
  gradientTransform %TransformList.datatype; #IMPLIED
  spreadMethod ( pad | reflect | repeat ) #IMPLIED
>
<!-- end of SVG.linearGradient.attlist -->]]>

```

```

<!-- radialGradient: Radial Gradient Element ..... -->

<!ENTITY % SVG.radialGradient.extra.content "" >

<!ENTITY % SVG.radialGradient.element "INCLUDE" >
<![%SVG.radialGradient.element;[
<!ENTITY % SVG.radialGradient.content
  "( (%SVG.Description.class;)*, ( %SVG.stop.qname; | %SVG.animate.qname;
  | %SVG.set.qname; | %SVG.animateTransform.qname;
  %SVG.radialGradient.extra.content; )*)"
>
<!ELEMENT %SVG.radialGradient.qname; %SVG.radialGradient.content; >
<!-- end of SVG.radialGradient.element -->]]>

<!ENTITY % SVG.radialGradient.attlist "INCLUDE" >
<![%SVG.radialGradient.attlist;[
<!ATTLIST %SVG.radialGradient.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.Gradient.attrib;
  %SVG.XLink.attrib;
  %SVG.External.attrib;
  cx %Coordinate.datatype; #IMPLIED
  cy %Coordinate.datatype; #IMPLIED
  r %Length.datatype; #IMPLIED
  fx %Coordinate.datatype; #IMPLIED
  fy %Coordinate.datatype; #IMPLIED
  gradientUnits ( userSpaceOnUse | objectBoundingBox ) #IMPLIED
  gradientTransform %TransformList.datatype; #IMPLIED
  spreadMethod ( pad | reflect | repeat ) #IMPLIED
>
<!-- end of SVG.radialGradient.attlist -->]]>

<!-- stop: Stop Element ..... -->

<!ENTITY % SVG.stop.extra.content "" >

<!ENTITY % SVG.stop.element "INCLUDE" >
<![%SVG.stop.element;[
<!ENTITY % SVG.stop.content
  "( %SVG.animate.qname; | %SVG.set.qname; | %SVG.animateColor.qname;
  %SVG.stop.extra.content; )*"
>
<!ELEMENT %SVG.stop.qname; %SVG.stop.content; >
<!-- end of SVG.stop.element -->]]>

<!ENTITY % SVG.stop.attlist "INCLUDE" >

```

```
<![%SVG.stop.attlist;[
<!ATTLIST %SVG.stop.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
  %SVG.Color.attrib;
  %SVG.Gradient.attrib;
  offset %NumberOrPercentage.datatype; #REQUIRED
>
<!-- end of SVG.stop.attlist -->]]>
```

```
<!-- end of svg-gradient.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
gradient.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Hypertext Module ..... -->
<!-- file: xhtml-hypertext-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-hypertext-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Hypertext 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-hypertext-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Hypertext
```

a

This module declares the anchor ('a') element type, which defines the source of a hypertext link. The destination (or link 'target') is identified via its 'id' attribute rather than the 'name' attribute as was used in HTML.

```
-->
```

```
<!-- ..... Anchor Element ..... -->
```

```
<!ENTITY % a.element "INCLUDE" >
```

```
<![%a.element;[
```

```

<!ENTITY % a.content
  "( #PCDATA | %InlNoAnchor.mix; )*"
>
<!ENTITY % a.qname "a" >
<!ELEMENT %a.qname; %a.content; >
<!-- end of a.element -->]]>

<!ENTITY % a.attlist "INCLUDE" >
<![%a.attlist;[
<!ATTLIST %a.qname;
  %Common.attrib;
  href      %URI.datatype;      #IMPLIED
  charset   %Charset.datatype;  #IMPLIED
  type      %ContentType.datatype; #IMPLIED
  hreflang  %LanguageCode.datatype; #IMPLIED
  rel       %LinkTypes.datatype; #IMPLIED
  rev       %LinkTypes.datatype; #IMPLIED
  accesskey %Character.datatype; #IMPLIED
  tabindex  %Number.datatype;   #IMPLIED
>
<!-- end of a.attlist -->]]>

<!-- end of xhtml-hypertext-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-hypertext-1.mod
No license file was found, but licenses were detected in source scan.

```

```

<!-- ..... -->
<!-- XHTML Legacy Redeclarations Module ..... -->
<!-- file: xhtml-legacy-redecl-1.mod

```

This is an extension of XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-legacy-redecl-1.mod,v 4.4 2001/04/10 09:42:30 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Legacy Redeclarations 1.0//EN"
SYSTEM "http://www.w3.org/Markup/DTD/xhtml-legacy-redecl-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Legacy Redeclarations

```

This optional module replaces the Modular Framework module, interspersing redeclarations of various parameter entities to allow for inclusions of Transitional markup in the XHTML 1.1 document model. This instantiates the modules needed to support the XHTML modularization model, including:

- + notations
- + datatypes
- + namespace-qualified names
- + common attributes
- + document model
- + character entities

By default, the Object module is included, with Frames and IFrames ignored.

The Intrinsic Events module is ignored by default but occurs in this module because it must be instantiated prior to Attributes but after Datatypes.

-->

```
<!ENTITY % xhtml-legacy.module "INCLUDE" >
```

```
<!ENTITY % xhtml-arch.module "IGNORE" >
```

```
<![%xhtml-arch.module;[
```

```
<!ENTITY % xhtml-arch.mod
```

```
  PUBLIC "-//W3C//ELEMENTS XHTML Base Architecture 1.0//EN"
```

```
    "xhtml-arch-1.mod" >
```

```
%xhtml-arch.mod;]]>
```

```
<!ENTITY % xhtml-notations.module "INCLUDE" >
```

```
<![%xhtml-notations.module;[
```

```
<!ENTITY % xhtml-notations.mod
```

```
  PUBLIC "-//W3C//NOTATIONS XHTML Notations 1.0//EN"
```

```
    "xhtml-notations-1.mod" >
```

```
%xhtml-notations.mod;]]>
```

```
<!-- Datatypes Module ..... -->
```

```
<!ENTITY % xhtml-datatypes.module "INCLUDE" >
```

```
<![%xhtml-datatypes.module;[
```

```
<!ENTITY % xhtml-datatypes.mod
```

```
  PUBLIC "-//W3C//ENTITIES XHTML Datatypes 1.0//EN"
```

```
    "xhtml-datatypes-1.mod" >
```

```
%xhtml-datatypes.mod;]]>
```

```
<!-- Qualified Names Module ..... -->
```

```
<!ENTITY % xhtml-qname.module "INCLUDE" >
```

```
<![%xhtml-qname.module;[
```

```
<!ENTITY % xhtml-qname.mod
```

```
  PUBLIC "-//W3C//ENTITIES XHTML Qualified Names 1.0//EN"
```

```

    "xhtml-qname-1.mod" >
%xhtml-qname.mod;]]>

<!-- Additional Qualified Names ..... -->

<!-- xhtml-legacy-1.mod -->
<!ENTITY % font.qname    "%XHTML.pfx;font" >
<!ENTITY % basefont.qname "%XHTML.pfx;basefont" >
<!ENTITY % center.qname  "%XHTML.pfx:center" >
<!ENTITY % s.qname       "%XHTML.pfx;s" >
<!ENTITY % strike.qname  "%XHTML.pfx;strike" >
<!ENTITY % u.qname       "%XHTML.pfx;u" >
<!ENTITY % dir.qname     "%XHTML.pfx;dir" >
<!ENTITY % menu.qname    "%XHTML.pfx;menu" >
<!ENTITY % isindex.qname "%XHTML.pfx;isindex" >

<!-- xhtml-frames-1.mod -->
<!ENTITY % frameset.qname "%XHTML.pfx;frameset" >
<!ENTITY % frame.qname    "%XHTML.pfx;frame" >
<!ENTITY % noframes.qname "%XHTML.pfx;noframes" >

<!-- xhtml-iframe-1.mod -->
<!ENTITY % iframe.qname   "%XHTML.pfx;iframe" >

<!ENTITY % xhtml-events.module "IGNORE" >
<![%xhtml-events.module;[
<!ENTITY % xhtml-events.mod
    PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
        "xhtml-events-1.mod" >
%xhtml-events.mod;]]>

<!-- Additional Common Attributes ..... -->

<!-- include historical 'lang' attribute (which should
    always match the value of 'xml:lang')
-->
<!ENTITY % lang.attrib
    "xml:lang    %LanguageCode.datatype; #IMPLIED
    lang        %LanguageCode.datatype; #IMPLIED"
>

<!-- Common Attributes Module ..... -->
<!ENTITY % xhtml-attribs.module "INCLUDE" >
<![%xhtml-attribs.module;[
<!ENTITY % xhtml-attribs.mod
    PUBLIC "-//W3C//ENTITIES XHTML Common Attributes 1.0//EN"
        "xhtml-attribs-1.mod" >
%xhtml-attribs.mod;]]>

```

```

<!-- placeholder for content model redeclarations -->
<!ENTITY % xhtml-model.redecl "" >
%xhtml-model.redecl;

<!-- Document Model Redeclarations ..... -->

<!ENTITY % InlPres.class
    "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
    | %small.qname; | %sub.qname; | %sup.qname;
    | %font.qname; | %basefont.qname; | %iframe.qname;
    | %s.qname; | %strike.qname; | %u.qname;"
>

<!ENTITY % InlSpecial.class
    "| %img.qname; | %map.qname;
    | %applet.qname; | %object.qname;" >

<!ENTITY % BlkPres.class
    "| %hr.qname; | %center.qname;"
>

<!ENTITY % BlkSpecial.class
    "| %table.qname; | %form.qname; | %fieldset.qname;
    | %noframes.qname; | %isindex.qname;"
>

<!ENTITY % List.class
    "%ul.qname; | %ol.qname; | %dl.qname;
    | %dir.qname; | %menu.qname;"
>

<!-- Document Model Module ..... -->
<!ENTITY % xhtml-model.module "INCLUDE" >
<![%xhtml-model.module;[
<!-- instantiate the Document Model module declared in the DTD driver
-->
%xhtml-model.mod;]]>

<!ENTITY % blockquote.content
    "( #PCDATA | %Flow.mix; )*"
>

<!ENTITY % noscript.content
    "( #PCDATA | %Flow.mix; )*"
>

<!ENTITY % body.content

```

```

"( #PCDATA | %Flow.mix; )*"
>

<!-- redeclare content model of <html> to allow for either
body or frameset content. The SGML markup minimization
features used in HTML 4 do not apply, so the ambiguity
that necessitated separation into the separate Frameset
and Transitional DTDs is eliminated.
-->
<!ENTITY % html.content
"( %head.qname;, ( %body.qname; | %frameset.qname; ) )"
>

```

```

<!ENTITY % xhtml-charent.module "INCLUDE" >
<![%xhtml-charent.module;[
<!ENTITY % xhtml-charent.mod
PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
"xhtml-charent-1.mod" >
%xhtml-charent.mod;]]>

```

```

<!-- end of xhtml-legacy-redecl-1.mod -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-legacy-redecl-1.mod
No license file was found, but licenses were detected in source scan.

```

```

<!-- ..... -->
<!-- XHTML Server-side Image Map Module ..... -->
<!-- file: xhtml-ssismap-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-ssismap-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Server-side Image Maps 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-ssismap-1.mod"

```

Revisions:

```

#2000-10-22: added declaration for 'ismap' on <input>
..... -->

```

```

<!-- Server-side Image Maps

```

This adds the 'ismap' attribute to the img and input elements

to support server-side processing of a user selection.

-->

```
<!ATTLIST %img.qname;  
  ismap    ( ismap )      #IMPLIED  
>
```

```
<!ATTLIST %input.qname;  
  ismap    ( ismap )      #IMPLIED  
>
```

<!-- end of xhtml-ssismap-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-ssismap-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Ruby Module -->

<!-- file: xhtml-ruby-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1999-2001 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: xhtml-ruby-1.mod,v 1.1 2008/06/21 19:42:10 smccarro Exp \$

This module is based on the W3C Ruby Annotation Specification:

<http://www.w3.org/TR/ruby>

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Ruby 1.0//EN"  
SYSTEM "http://www.w3.org/TR/ruby/xhtml-ruby-1.mod"
```

..... -->

<!-- Ruby Elements

ruby, rbc, rtc, rb, rt, rp

This module declares the elements and their attributes used to
support ruby annotation markup.

-->

<!-- declare qualified element type names:

-->

```
<!ENTITY % ruby.qname "ruby" >
```

```

<!ENTITY % rbc.qname "rbc" >
<!ENTITY % rtc.qname "rtc" >
<!ENTITY % rb.qname "rb" >
<!ENTITY % rt.qname "rt" >
<!ENTITY % rp.qname "rp" >

<!-- rp fallback is included by default.
-->
<!ENTITY % Ruby.fallback "INCLUDE" >
<!ENTITY % Ruby.fallback.mandatory "IGNORE" >

<!-- Complex ruby is included by default; it may be
      overridden by other modules to ignore it.
-->
<!ENTITY % Ruby.complex "INCLUDE" >

<!-- Fragments for the content model of the ruby element -->
<![%Ruby.fallback;[
<![%Ruby.fallback.mandatory;[
<!ENTITY % Ruby.content.simple
      "( %rb.qname;, %rp.qname;, %rt.qname;, %rp.qname; )"
>
]]>
<!ENTITY % Ruby.content.simple
      "( %rb.qname;, ( %rt.qname; | ( %rp.qname;, %rt.qname;, %rp.qname; ) ) )"
>
]]>
<!ENTITY % Ruby.content.simple "( %rb.qname;, %rt.qname; )" >

<![%Ruby.complex;[
<!ENTITY % Ruby.content.complex
      "| ( %rbc.qname;, %rtc.qname;, %rtc.qname;? )"
>
]]>
<!ENTITY % Ruby.content.complex "" >

<!-- Content models of the rb and the rt elements are intended to
      allow other inline-level elements of its parent markup language,
      but it should not include ruby descendent elements. The following
      parameter entity %NoRuby.content; can be used to redefine
      those content models with minimum effort. It's defined as
      '( #PCDATA )' by default.
-->
<!ENTITY % NoRuby.content "( #PCDATA )" >

<!-- one or more digits (NUMBER) -->
<!ENTITY % Number.datatype "CDATA" >

```

```

<!-- ruby element ..... -->

<!ENTITY % ruby.element "INCLUDE" >
<![%ruby.element;[
<!ENTITY % ruby.content
    "( %Ruby.content.simple; %Ruby.content.complex; )"
>
<!ELEMENT %ruby.qname; %ruby.content; >
<!-- end of ruby.element -->]]>

<![%Ruby.complex;[
<!-- rbc (ruby base component) element ..... -->

<!ENTITY % rbc.element "INCLUDE" >
<![%rbc.element;[
<!ENTITY % rbc.content
    "(%rb.qname;)+"
>
<!ELEMENT %rbc.qname; %rbc.content; >
<!-- end of rbc.element -->]]>

<!-- rtc (ruby text component) element ..... -->

<!ENTITY % rtc.element "INCLUDE" >
<![%rtc.element;[
<!ENTITY % rtc.content
    "(%rt.qname;)+"
>
<!ELEMENT %rtc.qname; %rtc.content; >
<!-- end of rtc.element -->]]>
]]>

<!-- rb (ruby base) element ..... -->

<!ENTITY % rb.element "INCLUDE" >
<![%rb.element;[
<!-- %rb.content; uses %NoRuby.content; as its content model,
    which is '( #PCDATA )' by default. It may be overridden
    by other modules to allow other inline-level elements
    of its parent markup language, but it should not include
    ruby descendent elements.
-->
<!ENTITY % rb.content "%NoRuby.content;" >
<!ELEMENT %rb.qname; %rb.content; >
<!-- end of rb.element -->]]>

<!-- rt (ruby text) element ..... -->

```

```

<!ENTITY % rt.element "INCLUDE" >
<![%rt.element;[
<!-- %rt.content; uses %NoRuby.content; as its content model,
      which is '( #PCDATA )' by default. It may be overridden
      by other modules to allow other inline-level elements
      of its parent markup language, but it should not include
      ruby descendent elements.
-->
<!ENTITY % rt.content "%NoRuby.content;" >

```

```

<!ELEMENT %rt.qname; %rt.content; >
<!-- end of rt.element -->]]>

```

```

<!-- rbspan attribute is used for complex ruby only ..... -->
<![%Ruby.complex;[
<!ENTITY % rt.attlist "INCLUDE" >
<![%rt.attlist;[
<!ATTLIST %rt.qname;
      rbspan      %Number.datatype;    "1"
>
<!-- end of rt.attlist -->]]>
]]>

```

```

<!-- rp (ruby parenthesis) element ..... -->

```

```

<![%Ruby.fallback;[
<!ENTITY % rp.element "INCLUDE" >
<![%rp.element;[
<!ENTITY % rp.content
      "( #PCDATA )"
>
<!ELEMENT %rp.qname; %rp.content; >
<!-- end of rp.element -->]]>
]]>

```

```

<!-- Ruby Common Attributes

```

The following optional ATTLIST declarations provide an easy way to define common attributes for ruby elements. These declarations are ignored by default.

Ruby elements are intended to have common attributes of its parent markup language. For example, if a markup language defines common attributes as a parameter entity %attrs;, you may add those attributes by just declaring the following parameter entities

```

<!ENTITY % Ruby.common.attlists "INCLUDE" >
<!ENTITY % Ruby.common.attrib "%attrs;" >

```

```

    before including the Ruby module.
-->

<!ENTITY % Ruby.common.attlists "IGNORE" >
<![%Ruby.common.attlists;[
<!ENTITY % Ruby.common.attrib "" >

<!-- common attributes for ruby ..... -->

<!ENTITY % Ruby.common.attlist "INCLUDE" >
<![%Ruby.common.attlist;[
<!ATTLIST %ruby.qname;
    %Ruby.common.attrib;
>
<!-- end of Ruby.common.attlist -->]]>

<![%Ruby.complex;[
<!-- common attributes for rbc ..... -->

<!ENTITY % Rbc.common.attlist "INCLUDE" >
<![%Rbc.common.attlist;[
<!ATTLIST %rbc.qname;
    %Ruby.common.attrib;
>
<!-- end of Rbc.common.attlist -->]]>

<!-- common attributes for rtc ..... -->

<!ENTITY % Rtc.common.attlist "INCLUDE" >
<![%Rtc.common.attlist;[
<!ATTLIST %rtc.qname;
    %Ruby.common.attrib;
>
<!-- end of Rtc.common.attlist -->]]>
]]>

<!-- common attributes for rb ..... -->

<!ENTITY % Rb.common.attlist "INCLUDE" >
<![%Rb.common.attlist;[
<!ATTLIST %rb.qname;
    %Ruby.common.attrib;
>
<!-- end of Rb.common.attlist -->]]>

<!-- common attributes for rt ..... -->

```

```
<!ENTITY % Rt.common.attlist "INCLUDE" >
<![%Rt.common.attlist;[
<!ATTLIST %rt.qname;
    %Ruby.common.attrib;
>
<!-- end of Rt.common.attlist -->]]>
```

```
<![%Ruby.fallback;[
<!-- common attributes for rp ..... -->
```

```
<!ENTITY % Rp.common.attlist "INCLUDE" >
<![%Rp.common.attlist;[
<!ATTLIST %rp.qname;
    %Ruby.common.attrib;
>
<!-- end of Rp.common.attlist -->]]>
]]>
]]>
```

```
<!-- end of xhtml-ruby-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-ruby-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Frames Module ..... -->
<!-- file: xhtml-frames-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-frames-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Frames 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-frames-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Frames
```

```
frameset, frame, noframes
```

This module declares frame-related element types and attributes.

```

-->

<!ENTITY % frameset.qname "frameset" >
<!ENTITY % frame.qname "frame" >
<!ENTITY % noframes.qname "noframes" >

<!-- comma-separated list of MultiLength -->
<!ENTITY % MultiLengths.datatype "CDATA" >

<!-- The content model for XHTML documents depends on whether
the <head> is followed by a <frameset> or <body> element.
-->

<!ENTITY % frameset.element "INCLUDE" >
<![%frameset.element;[
<!ENTITY % frameset.content
  "(( %frameset.qname; | %frame.qname; )+, %noframes.qname;?)" >
<!ELEMENT %frameset.qname; %frameset.content; >
<!-- end of frameset.element -->]]>

<!ENTITY % frameset.attlist "INCLUDE" >
<![%frameset.attlist;[
<!ATTLIST %frameset.qname;
  %Core.attrib;
  rows    %MultiLengths.datatype; #IMPLIED
  cols    %MultiLengths.datatype; #IMPLIED
>
<!-- end of frameset.attlist -->]]>
<![%xhtml-events.module;[
<!ATTLIST %frameset.qname;
  onload  %Script.datatype;    #IMPLIED
  onunload %Script.datatype;   #IMPLIED
>
]]>

<!-- reserved frame names start with "_" otherwise starts with letter -->

<!ENTITY % frame.element "INCLUDE" >
<![%frame.element;[
<!ENTITY % frame.content "EMPTY" >
<!ELEMENT %frame.qname; %frame.content; >
<!-- end of frame.element -->]]>

<!ENTITY % frame.attlist "INCLUDE" >
<![%frame.attlist;[
<!ATTLIST %frame.qname;
  %Core.attrib;
  longdesc %URI.datatype;      #IMPLIED

```

```

src      %URI.datatype;      #IMPLIED
frameborder ( 1 | 0 )      '1'
marginwidth %Pixels.datatype;  #IMPLIED
marginheight %Pixels.datatype;  #IMPLIED
noresize ( noresize )      #IMPLIED
scrolling ( yes | no | auto )  'auto'
>
<!-- end of frame.attlist -->]]>

<!-- changes to other declarations ..... -->

<!-- redefine content model for html element,
substituting frameset for body -->
<!ENTITY % html.content
"( %head.qname;, %frameset.qname; )"
>

<!-- alternate content container for non frame-based rendering -->

<!ENTITY % noframes.element "INCLUDE" >
<![%noframes.element;[
<!ENTITY % noframes.content "( %body.qname; )">
<!ELEMENT %noframes.qname; %noframes.content; >
<!-- end of noframes.element -->]]>

<!ENTITY % noframes.attlist "INCLUDE" >
<![%noframes.attlist;[
<!ATTLIST %noframes.qname;
%Common.attrib;
>
<!-- end of noframes.attlist -->]]>

<!-- end of xhtml-frames-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-frames-1.mod
```

No license file was found, but licenses were detected in source scan.

<!--

File isoamsa.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `--W3C//ENTITIES Added Math Symbols: Arrow Relations//EN//XML`
System identifier: `http://www.w3.org/2003/entities/2007/isoamsa.ent`

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamsa PUBLIC
  "--W3C//ENTITIES Added Math Symbols: Arrow Relations//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamsa.ent"
>
%isoamsa;
```

-->

```
<!ENTITY angzarr    "&#x0237C;" ><!--RIGHT ANGLE WITH DOWNWARDS ZIGZAG ARROW -->
<!ENTITY cirmid     "&#x02AEF;" ><!--VERTICAL LINE WITH CIRCLE ABOVE -->
<!ENTITY cudarrl    "&#x02938;" ><!--RIGHT-SIDE ARC CLOCKWISE ARROW -->
<!ENTITY cudarr     "&#x02935;" ><!--ARROW POINTING RIGHTWARDS THEN CURVING
DOWNWARDS -->
<!ENTITY cularr     "&#x021B6;" ><!--ANTICLOCKWISE TOP SEMICIRCLE ARROW -->
<!ENTITY cularrp    "&#x0293D;" ><!--TOP ARC ANTICLOCKWISE ARROW WITH PLUS -->
<!ENTITY curarr     "&#x021B7;" ><!--CLOCKWISE TOP SEMICIRCLE ARROW -->
<!ENTITY curarrm    "&#x0293C;" ><!--TOP ARC CLOCKWISE ARROW WITH MINUS -->
<!ENTITY dArr       "&#x021D3;" ><!--DOWNWARDS DOUBLE ARROW -->
<!ENTITY Darr       "&#x021A1;" ><!--DOWNWARDS TWO HEADED ARROW -->
<!ENTITY ddarr      "&#x021CA;" ><!--DOWNWARDS PAIRED ARROWS -->
```

<!ENTITY DDotrahd "⤑" ><!--RIGHTWARDS ARROW WITH DOTTED STEM -->
 <!ENTITY dfisht "⥿" ><!--DOWN FISH TAIL -->
 <!ENTITY dHar "⥥" ><!--DOWNWARDS HARPOON WITH BARB LEFT BESIDE
 DOWNWARDS HARPOON WITH BARB RIGHT -->
 <!ENTITY dharl "⇃" ><!--DOWNWARDS HARPOON WITH BARB LEFTWARDS -->
 <!ENTITY dharr "⇂" ><!--DOWNWARDS HARPOON WITH BARB RIGHTWARDS -->
 <!ENTITY duarr "⇵" ><!--DOWNWARDS ARROW LEFTWARDS OF UPWARDS ARROW -->
 <!ENTITY duhar "⥯" ><!--DOWNWARDS HARPOON WITH BARB LEFT BESIDE
 UPWARDS HARPOON WITH BARB RIGHT -->
 <!ENTITY dzigrarr "⟿" ><!--LONG RIGHTWARDS SQUIGGLE ARROW -->
 <!ENTITY erarr "⥱" ><!--EQUALS SIGN ABOVE RIGHTWARDS ARROW -->
 <!ENTITY harr "↔" ><!--LEFT RIGHT ARROW -->
 <!ENTITY hArr "⇔" ><!--LEFT RIGHT DOUBLE ARROW -->
 <!ENTITY harrcir "⥈" ><!--LEFT RIGHT ARROW THROUGH SMALL CIRCLE -->
 <!ENTITY harrow "↭" ><!--LEFT RIGHT WAVE ARROW -->
 <!ENTITY hoarr "⇿" ><!--LEFT RIGHT OPEN-HEADED ARROW -->
 <!ENTITY imof "⊷" ><!--IMAGE OF -->
 <!ENTITY lAarr "⇚" ><!--LEFTWARDS TRIPLE ARROW -->
 <!ENTITY Larr "↞" ><!--LEFTWARDS TWO HEADED ARROW -->
 <!ENTITY larrbfs "⤟" ><!--LEFTWARDS ARROW FROM BAR TO BLACK DIAMOND -->
 <!ENTITY larrfs "⤝" ><!--LEFTWARDS ARROW TO BLACK DIAMOND -->
 <!ENTITY larrhk "↩" ><!--LEFTWARDS ARROW WITH HOOK -->
 <!ENTITY larrlp "↫" ><!--LEFTWARDS ARROW WITH LOOP -->
 <!ENTITY larrpl "⤹" ><!--LEFT-SIDE ARC ANTICLOCKWISE ARROW -->
 <!ENTITY larssim "⥳" ><!--LEFTWARDS ARROW ABOVE TILDE OPERATOR -->
 <!ENTITY larrtl "↢" ><!--LEFTWARDS ARROW WITH TAIL -->
 <!ENTITY latail "⤙" ><!--LEFTWARDS ARROW-TAIL -->
 <!ENTITY lAtail "⤛" ><!--LEFTWARDS DOUBLE ARROW-TAIL -->
 <!ENTITY lbarr "⤌" ><!--LEFTWARDS DOUBLE DASH ARROW -->
 <!ENTITY lBarr "⤎" ><!--LEFTWARDS TRIPLE DASH ARROW -->
 <!ENTITY ldca "⤶" ><!--ARROW POINTING DOWNWARDS THEN CURVING
 LEFTWARDS -->
 <!ENTITY ldrdhar "⥧" ><!--LEFTWARDS HARPOON WITH BARB DOWN ABOVE
 RIGHTWARDS HARPOON WITH BARB DOWN -->
 <!ENTITY ldrushar "⥋" ><!--LEFT BARB DOWN RIGHT BARB UP HARPOON -->
 <!ENTITY ldsh "↲" ><!--DOWNWARDS ARROW WITH TIP LEFTWARDS -->
 <!ENTITY lfisht "⥼" ><!--LEFT FISH TAIL -->
 <!ENTITY lHar "⥢" ><!--LEFTWARDS HARPOON WITH BARB UP ABOVE LEFTWARDS
 HARPOON WITH BARB DOWN -->
 <!ENTITY lhard "↽" ><!--LEFTWARDS HARPOON WITH BARB DOWNWARDS -->
 <!ENTITY lharu "↼" ><!--LEFTWARDS HARPOON WITH BARB UPWARDS -->
 <!ENTITY lharul "⥪" ><!--LEFTWARDS HARPOON WITH BARB UP ABOVE LONG DASH -
 ->
 <!ENTITY llarr "⇇" ><!--LEFTWARDS PAIRED ARROWS -->
 <!ENTITY llhard "⥫" ><!--LEFTWARDS HARPOON WITH BARB DOWN BELOW LONG
 DASH -->
 <!ENTITY loarr "⇽" ><!--LEFTWARDS OPEN-HEADED ARROW -->
 <!ENTITY lrarr "⇆" ><!--LEFTWARDS ARROW OVER RIGHTWARDS ARROW -->

<!ENTITY lrhar	"⇋" ><!--LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON -->
<!ENTITY lrhard	"⥭" ><!--RIGHTWARDS HARPOON WITH BARB DOWN BELOW LONG
DASH -->	
<!ENTITY lsh	"↰" ><!--UPWARDS ARROW WITH TIP LEFTWARDS -->
<!ENTITY lurdshar	"⥊" ><!--LEFT BARB UP RIGHT BARB DOWN HARPOON -->
<!ENTITY luruhar	"⥦" ><!--LEFTWARDS HARPOON WITH BARB UP ABOVE
RIGHTWARDS HARPOON WITH BARB UP -->	
<!ENTITY map	"↦" ><!--RIGHTWARDS ARROW FROM BAR -->
<!ENTITY Map	"⤅" ><!--RIGHTWARDS TWO-HEADED ARROW FROM BAR -->
<!ENTITY midcir	"⫰" ><!--VERTICAL LINE WITH CIRCLE BELOW -->
<!ENTITY mumap	"⊸" ><!--MULTIMAP -->
<!ENTITY nearhk	"⤤" ><!--NORTH EAST ARROW WITH HOOK -->
<!ENTITY nearr	"↗" ><!--NORTH EAST ARROW -->
<!ENTITY neArr	"⇗" ><!--NORTH EAST DOUBLE ARROW -->
<!ENTITY nesear	"⤨" ><!--NORTH EAST ARROW AND SOUTH EAST ARROW -->
<!ENTITY nharr	"↮" ><!--LEFT RIGHT ARROW WITH STROKE -->
<!ENTITY nhArr	"⇎" ><!--LEFT RIGHT DOUBLE ARROW WITH STROKE -->
<!ENTITY nlarr	"↚" ><!--LEFTWARDS ARROW WITH STROKE -->
<!ENTITY nlArr	"⇍" ><!--LEFTWARDS DOUBLE ARROW WITH STROKE -->
<!ENTITY nrarr	"↛" ><!--RIGHTWARDS ARROW WITH STROKE -->
<!ENTITY nrArr	"⇏" ><!--RIGHTWARDS DOUBLE ARROW WITH STROKE -->
<!ENTITY nrarrc	"⤳̸" ><!--WAVE ARROW POINTING DIRECTLY RIGHT with
slash -->	
<!ENTITY nrarrw	"↝̸" ><!--RIGHTWARDS WAVE ARROW with slash -->
<!ENTITY nvHarr	"⤄" ><!--LEFT RIGHT DOUBLE ARROW WITH VERTICAL STROKE -->
<!ENTITY nvlArr	"⤂" ><!--LEFTWARDS DOUBLE ARROW WITH VERTICAL STROKE -->
<!ENTITY nvrArr	"⤃" ><!--RIGHTWARDS DOUBLE ARROW WITH VERTICAL STROKE -->
<!ENTITY nwarhk	"⤣" ><!--NORTH WEST ARROW WITH HOOK -->
<!ENTITY nwarr	"↖" ><!--NORTH WEST ARROW -->
<!ENTITY nwArr	"⇖" ><!--NORTH WEST DOUBLE ARROW -->
<!ENTITY nwnear	"⤧" ><!--NORTH WEST ARROW AND NORTH EAST ARROW -->
<!ENTITY olarr	"↺" ><!--ANTICLOCKWISE OPEN CIRCLE ARROW -->
<!ENTITY orarr	"↻" ><!--CLOCKWISE OPEN CIRCLE ARROW -->
<!ENTITY origof	"⊶" ><!--ORIGINAL OF -->
<!ENTITY rAarr	"⇛" ><!--RIGHTWARDS TRIPLE ARROW -->
<!ENTITY Rarr	"↠" ><!--RIGHTWARDS TWO HEADED ARROW -->
<!ENTITY rarrap	"⥵" ><!--RIGHTWARDS ARROW ABOVE ALMOST EQUAL TO -->
<!ENTITY rarrbfs	"⤠" ><!--RIGHTWARDS ARROW FROM BAR TO BLACK DIAMOND -->
<!ENTITY rarrc	"⤳" ><!--WAVE ARROW POINTING DIRECTLY RIGHT -->
<!ENTITY rarrfs	"⤞" ><!--RIGHTWARDS ARROW TO BLACK DIAMOND -->
<!ENTITY rarrhk	"↪" ><!--RIGHTWARDS ARROW WITH HOOK -->
<!ENTITY rarrlp	"↬" ><!--RIGHTWARDS ARROW WITH LOOP -->
<!ENTITY rarrpl	"⥅" ><!--RIGHTWARDS ARROW WITH PLUS BELOW -->
<!ENTITY rarrsim	"⥴" ><!--RIGHTWARDS ARROW ABOVE TILDE OPERATOR -->
<!ENTITY rarrtl	"↣" ><!--RIGHTWARDS ARROW WITH TAIL -->
<!ENTITY Rarrtl	"⤖" ><!--RIGHTWARDS TWO-HEADED ARROW WITH TAIL -->
<!ENTITY rarrw	"↝" ><!--RIGHTWARDS WAVE ARROW -->
<!ENTITY rtail	"⤚" ><!--RIGHTWARDS ARROW-TAIL -->

<!ENTITY rAtail "⤜" ><!--RIGHTWARDS DOUBLE ARROW-TAIL -->
 <!ENTITY rbarr "⤍" ><!--RIGHTWARDS DOUBLE DASH ARROW -->
 <!ENTITY rBarr "⤏" ><!--RIGHTWARDS TRIPLE DASH ARROW -->
 <!ENTITY RBarr "⤐" ><!--RIGHTWARDS TWO-HEADED TRIPLE DASH ARROW -->
 <!ENTITY rdca "⤷" ><!--ARROW POINTING DOWNWARDS THEN CURVING
 RIGHTWARDS -->
 <!ENTITY rlddhar "⥩" ><!--RIGHTWARDS HARPOON WITH BARB DOWN ABOVE
 LEFTWARDS HARPOON WITH BARB DOWN -->
 <!ENTITY rdsh "↳" ><!--DOWNWARDS ARROW WITH TIP RIGHTWARDS -->
 <!ENTITY rfishht "⥽" ><!--RIGHT FISH TAIL -->
 <!ENTITY rHar "⥤" ><!--RIGHTWARDS HARPOON WITH BARB UP ABOVE
 RIGHTWARDS HARPOON WITH BARB DOWN -->
 <!ENTITY rhard "⇁" ><!--RIGHTWARDS HARPOON WITH BARB DOWNWARDS -->
 <!ENTITY rharu "⇀" ><!--RIGHTWARDS HARPOON WITH BARB UPWARDS -->
 <!ENTITY rharul "⥬" ><!--RIGHTWARDS HARPOON WITH BARB UP ABOVE LONG DASH
 -->
 <!ENTITY rlarr "⇄" ><!--RIGHTWARDS ARROW OVER LEFTWARDS ARROW -->
 <!ENTITY rlhar "⇌" ><!--RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON -->
 <!ENTITY roarr "⇾" ><!--RIGHTWARDS OPEN-HEADED ARROW -->
 <!ENTITY rrarr "⇉" ><!--RIGHTWARDS PAIRED ARROWS -->
 <!ENTITY rsh "↱" ><!--UPWARDS ARROW WITH TIP RIGHTWARDS -->
 <!ENTITY ruluhar "⥨" ><!--RIGHTWARDS HARPOON WITH BARB UP ABOVE
 LEFTWARDS HARPOON WITH BARB UP -->
 <!ENTITY searhk "⤥" ><!--SOUTH EAST ARROW WITH HOOK -->
 <!ENTITY searr "↘" ><!--SOUTH EAST ARROW -->
 <!ENTITY seArr "⇘" ><!--SOUTH EAST DOUBLE ARROW -->
 <!ENTITY seswar "⤩" ><!--SOUTH EAST ARROW AND SOUTH WEST ARROW -->
 <!ENTITY simrarr "⥲" ><!--TILDE OPERATOR ABOVE RIGHTWARDS ARROW -->
 <!ENTITY slarr "←" ><!--LEFTWARDS ARROW -->
 <!ENTITY srarr "→" ><!--RIGHTWARDS ARROW -->
 <!ENTITY swarhk "⤦" ><!--SOUTH WEST ARROW WITH HOOK -->
 <!ENTITY swarr "↙" ><!--SOUTH WEST ARROW -->
 <!ENTITY swArr "⇙" ><!--SOUTH WEST DOUBLE ARROW -->
 <!ENTITY swnwar "⤪" ><!--SOUTH WEST ARROW AND NORTH WEST ARROW -->
 <!ENTITY uArr "⇑" ><!--UPWARDS DOUBLE ARROW -->
 <!ENTITY Uarr "↟" ><!--UPWARDS TWO HEADED ARROW -->
 <!ENTITY Uarrocir "⥉" ><!--UPWARDS TWO-HEADED ARROW FROM SMALL CIRCLE -->
 <!ENTITY udarr "⇅" ><!--UPWARDS ARROW LEFTWARDS OF DOWNWARDS ARROW --
 >
 <!ENTITY udhar "⥮" ><!--UPWARDS HARPOON WITH BARB LEFT BESIDE
 DOWNWARDS HARPOON WITH BARB RIGHT -->
 <!ENTITY ufishht "⥾" ><!--UP FISH TAIL -->
 <!ENTITY uHar "⥣" ><!--UPWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS
 HARPOON WITH BARB RIGHT -->
 <!ENTITY uharl "↿" ><!--UPWARDS HARPOON WITH BARB LEFTWARDS -->
 <!ENTITY uharr "↾" ><!--UPWARDS HARPOON WITH BARB RIGHTWARDS -->
 <!ENTITY uuarr "⇈" ><!--UPWARDS PAIRED ARROWS -->
 <!ENTITY varr "↕" ><!--UP DOWN ARROW -->

```

<!ENTITY vArr      "⇕" ><!--UP DOWN DOUBLE ARROW -->
<!ENTITY xhArr    "⟷" ><!--LONG LEFT RIGHT ARROW -->
<!ENTITY xhArr    "⟺" ><!--LONG LEFT RIGHT DOUBLE ARROW -->
<!ENTITY xlArr    "⟵" ><!--LONG LEFTWARDS ARROW -->
<!ENTITY xlArr    "⟸" ><!--LONG LEFTWARDS DOUBLE ARROW -->
<!ENTITY xmap     "⟼" ><!--LONG RIGHTWARDS ARROW FROM BAR -->
<!ENTITY xrArr    "⟶" ><!--LONG RIGHTWARDS ARROW -->
<!ENTITY xrArr    "⟹" ><!--LONG RIGHTWARDS DOUBLE ARROW -->
<!ENTITY zigrarr  "⇝" ><!--RIGHTWARDS SQUIGGLE ARROW -->

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamsa.ent

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Link Element Module ..... -->
<!-- file: xhtml-link-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-link-1.mod,v 4.1 2001/04/05 06:57:40 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Link Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-link-1.mod"

```

Revisions:

(none)

```

..... -->

```

```

<!-- Link element

```

link

This module declares the link element type and its attributes,
 which could (in principle) be used to define document-level links
 to external resources such as:

- a) for document specific toolbars/menus, e.g. start, contents,
 previous, next, index, end, help
- b) to link to a separate style sheet (rel="stylesheet")
- c) to make a link to a script (rel="script")
- d) by style sheets to control how collections of html nodes are
 rendered into printed documents
- e) to make a link to a printable version of this document
 e.g. a postscript or pdf version (rel="alternate" media="print")

-->

<!-- link: Media-Independent Link -->

```
<!ENTITY % link.element "INCLUDE" >
<![%link.element;[
<!ENTITY % link.content "EMPTY" >
<!ENTITY % link.qname "link" >
<!ELEMENT %link.qname; %link.content; >
<!-- end of link.element -->]]>
```

```
<!ENTITY % link.attlist "INCLUDE" >
<![%link.attlist;[
<!ATTLIST %link.qname;
  %Common.attrib;
  charset %Charset.datatype; #IMPLIED
  href %URI.datatype; #IMPLIED
  hreflang %LanguageCode.datatype; #IMPLIED
  type %ContentType.datatype; #IMPLIED
  rel %LinkTypes.datatype; #IMPLIED
  rev %LinkTypes.datatype; #IMPLIED
  media %MediaDesc.datatype; #IMPLIED
>
<!-- end of link.attlist -->]]>
```

<!-- end of xhtml-link-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/xhtml11/xhtml-link-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File isopub.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with conforming SGML systems and applications as defined in ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Publishing//EN//XML
System identifier: <http://www.w3.org/2003/entities/2007/isopub.ent>

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isopub PUBLIC
  "-//W3C//ENTITIES Publishing//EN//XML"
  "http://www.w3.org/2003/entities/2007/isopub.ent"
>
%isopub;
```

-->

<!ENTITY blank	"␣" ><!--OPEN BOX -->
<!ENTITY blk12	"▒" ><!--MEDIUM SHADE -->
<!ENTITY blk14	"░" ><!--LIGHT SHADE -->
<!ENTITY blk34	"▓" ><!--DARK SHADE -->
<!ENTITY block	"█" ><!--FULL BLOCK -->
<!ENTITY bull	"•" ><!--BULLET -->
<!ENTITY caret	"⁁" ><!--CARET INSERTION POINT -->
<!ENTITY check	"✓" ><!--CHECK MARK -->
<!ENTITY cir	"○" ><!--WHITE CIRCLE -->
<!ENTITY clubs	"♣" ><!--BLACK CLUB SUIT -->
<!ENTITY copysr	"℗" ><!--SOUND RECORDING COPYRIGHT -->
<!ENTITY cross	"✗" ><!--BALLOT X -->
<!ENTITY dagger	"†" ><!--DAGGER -->
<!ENTITY Dagger	"‡" ><!--DOUBLE DAGGER -->
<!ENTITY dash	"‐" ><!--HYPHEN -->
<!ENTITY diams	"♦" ><!--BLACK DIAMOND SUIT -->
<!ENTITY dlcrop	"⌍" ><!--BOTTOM LEFT CROP -->
<!ENTITY drcrop	"⌌" ><!--BOTTOM RIGHT CROP -->
<!ENTITY dtri	"▿" ><!--WHITE DOWN-POINTING SMALL TRIANGLE -->

<!ENTITY dtrif	"▾" ><!--BLACK DOWN-POINTING SMALL TRIANGLE -->
<!ENTITY emsp	" " ><!--EM SPACE -->
<!ENTITY emsp13	" " ><!--THREE-PER-EM SPACE -->
<!ENTITY emsp14	" " ><!--FOUR-PER-EM SPACE -->
<!ENTITY ensp	" " ><!--EN SPACE -->
<!ENTITY female	"♀" ><!--FEMALE SIGN -->
<!ENTITY ffilig	"ﬃ" ><!--LATIN SMALL LIGATURE FFI -->
<!ENTITY fflig	"ﬀ" ><!--LATIN SMALL LIGATURE FF -->
<!ENTITY fflig	"ﬄ" ><!--LATIN SMALL LIGATURE FFL -->
<!ENTITY filig	"ﬁ" ><!--LATIN SMALL LIGATURE FI -->
<!ENTITY fjlig	"fj" ><!--fj ligature -->
<!ENTITY flat	"♭" ><!--MUSIC FLAT SIGN -->
<!ENTITY flig	"ﬂ" ><!--LATIN SMALL LIGATURE FL -->
<!ENTITY frac13	"⅓" ><!--VULGAR FRACTION ONE THIRD -->
<!ENTITY frac15	"⅕" ><!--VULGAR FRACTION ONE FIFTH -->
<!ENTITY frac16	"⅙" ><!--VULGAR FRACTION ONE SIXTH -->
<!ENTITY frac23	"⅔" ><!--VULGAR FRACTION TWO THIRDS -->
<!ENTITY frac25	"⅖" ><!--VULGAR FRACTION TWO FIFTHS -->
<!ENTITY frac35	"⅗" ><!--VULGAR FRACTION THREE FIFTHS -->
<!ENTITY frac45	"⅘" ><!--VULGAR FRACTION FOUR FIFTHS -->
<!ENTITY frac56	"⅚" ><!--VULGAR FRACTION FIVE SIXTHS -->
<!ENTITY hairsp	" " ><!--HAIR SPACE -->
<!ENTITY hearts	"♥" ><!--BLACK HEART SUIT -->
<!ENTITY hellip	"…" ><!--HORIZONTAL ELLIPSIS -->
<!ENTITY hybull	"⁃" ><!--HYPHEN BULLET -->
<!ENTITY incare	"℅" ><!--CARE OF -->
<!ENTITY ldquor	"„" ><!--DOUBLE LOW-9 QUOTATION MARK -->
<!ENTITY lhblk	"▄" ><!--LOWER HALF BLOCK -->
<!ENTITY loz	"◊" ><!--LOZENGE -->
<!ENTITY lozf	"⧫" ><!--BLACK LOZENGE -->
<!ENTITY lsquor	"‚" ><!--SINGLE LOW-9 QUOTATION MARK -->
<!ENTITY ltri	"◃" ><!--WHITE LEFT-POINTING SMALL TRIANGLE -->
<!ENTITY ltrif	"◂" ><!--BLACK LEFT-POINTING SMALL TRIANGLE -->
<!ENTITY male	"♂" ><!--MALE SIGN -->
<!ENTITY malt	"✠" ><!--MALTESE CROSS -->
<!ENTITY marker	"▮" ><!--BLACK VERTICAL RECTANGLE -->
<!ENTITY mdash	"—" ><!--EM DASH -->
<!ENTITY mldr	"…" ><!--HORIZONTAL ELLIPSIS -->
<!ENTITY natur	"♮" ><!--MUSIC NATURAL SIGN -->
<!ENTITY ndash	"–" ><!--EN DASH -->
<!ENTITY nldr	"‥" ><!--TWO DOT LEADER -->
<!ENTITY numsp	" " ><!--FIGURE SPACE -->
<!ENTITY phone	"☎" ><!--BLACK TELEPHONE -->
<!ENTITY puncsp	" " ><!--PUNCTUATION SPACE -->
<!ENTITY rdquor	"”" ><!--RIGHT DOUBLE QUOTATION MARK -->
<!ENTITY rect	"▭" ><!--WHITE RECTANGLE -->
<!ENTITY rsquor	"’" ><!--RIGHT SINGLE QUOTATION MARK -->
<!ENTITY rtri	"▹" ><!--WHITE RIGHT-POINTING SMALL TRIANGLE -->

<!ENTITY rtrif	"▸" ><!--BLACK RIGHT-POINTING SMALL TRIANGLE -->
<!ENTITY rx	"℞" ><!--PRESCRIPTION TAKE -->
<!ENTITY sext	"✶" ><!--SIX POINTED BLACK STAR -->
<!ENTITY sharp	"♯" ><!--MUSIC SHARP SIGN -->
<!ENTITY spades	"♠" ><!--BLACK SPADE SUIT -->
<!ENTITY squ	"□" ><!--WHITE SQUARE -->
<!ENTITY squf	"▪" ><!--BLACK SMALL SQUARE -->
<!ENTITY star	"☆" ><!--WHITE STAR -->
<!ENTITY starf	"★" ><!--BLACK STAR -->
<!ENTITY target	"⌖" ><!--POSITION INDICATOR -->
<!ENTITY telrec	"⌕" ><!--TELEPHONE RECORDER -->
<!ENTITY thinsp	" " ><!--THIN SPACE -->
<!ENTITY uhblk	"▀" ><!--UPPER HALF BLOCK -->
<!ENTITY ulcrop	"⌏" ><!--TOP LEFT CROP -->
<!ENTITY urcrop	"⌎" ><!--TOP RIGHT CROP -->
<!ENTITY utri	"▵" ><!--WHITE UP-POINTING SMALL TRIANGLE -->
<!ENTITY utrif	"▴" ><!--BLACK UP-POINTING SMALL TRIANGLE -->
<!ENTITY vellip	"⋮" ><!--VERTICAL ELLIPSIS -->

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isopub.ent
```

No license file was found, but licenses were detected in source scan.

<html>

<head>

<title>Package overview: net.sf.saxon.ma.trie</title>

</head>

<body>

<p>This package contains a general-purpose implementation of immutable hash trie maps, used to underpin the Saxon implementation of XSLT 3.0 maps.</p>

<p>The implementation was written by Michael S. Froh (msfroh) and released under an MIT license. It was forked from github project msfroh/functional_snippets on 28 March 2014. Very little code has been changed during the integration with Saxon, but a great deal of un-needed code has been removed. In addition, it has been retrofitted from Java 7 to Java 5.</p>

<p>The code betrays Scala origins in the use of classes such as Option, which is a class that provided a type-safe way of handling null values, and Tuple2 which can hold any pair of values.</p>

</body>

</html>

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/ma/trie/package.html
```

No license file was found, but licenses were detected in source scan.

dimensional graphics in XML.

The Scalable Vector Graphics (SVG)
Copyright 2001, 2002 World Wide Web Consortium
(Massachusetts Institute of Technology, Institut National de
Recherche en Informatique et en Automatique, Keio University).
All Rights Reserved.

Permission to use, copy, modify and distribute the SVG DTD and its
accompanying documentation for any purpose and without fee is hereby
granted in perpetuity, provided that the above copyright notice and
this paragraph appear in all copies. The copyright holders make no
representation about the suitability of the DTD for any purpose.

It is provided "as is" without expressed or implied warranty.

Author: Jun Fujisawa <fujisawa.jun@canon.co.jp>
Revision: \$Id: svg11

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/svg11/templates/svg11-template.dtd

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- XHTML Param Element Module ..... -->  
<!-- file: xhtml-param-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-param-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Param Element 1.0//EN"  
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-param-1.mod"
```

Revisions:
(none)

```
..... -->
```

```
<!-- Parameters for Java Applets and Embedded Objects
```

```
    param
```

This module provides declarations for the param element,

used to provide named property values for the applet and object elements.

-->

<!-- param: Named Property Value -->

<!ENTITY % param.element "INCLUDE" >

<![%param.element;[

<!ENTITY % param.content "EMPTY" >

<!ENTITY % param.qname "param" >

<!ELEMENT %param.qname; %param.content; >

<!-- end of param.element -->]]>

<!ENTITY % param.attlist "INCLUDE" >

<![%param.attlist;[

<!ATTLIST %param.qname;

 %XHTML.xmlns.attrib;

 %id.attrib;

 name CDATA #REQUIRED

 value CDATA #IMPLIED

 valuetype (data | ref | object) 'data'

 type %ContentType.datatype; #IMPLIED

>

<!-- end of param.attlist -->]]>

<!-- end of xhtml-param-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-param-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Embedded Object Module -->

<!-- file: xhtml-object-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-object-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Embedded Object 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-object-1.mod"

Revisions:

(none)

..... -->

<!-- Embedded Objects

object

This module declares the object element type and its attributes, used to embed external objects as part of XHTML pages. In the document, place param elements prior to other content within the object element.

Note that use of this module requires instantiation of the Param Element Module.

-->

<!-- object: Generic Embedded Object -->

```
<!ENTITY % object.element "INCLUDE" >
<![%object.element;[
<!ENTITY % object.content
    "( #PCDATA | %Flow.mix; | %param.qname; )*"
>
<!ENTITY % object.qname "object" >
<!ELEMENT %object.qname; %object.content; >
<!-- end of object.element -->]]>
```

```
<!ENTITY % object.attlist "INCLUDE" >
<![%object.attlist;[
<!ATTLIST %object.qname;
    %Common.attrib;
    declare ( declare ) #IMPLIED
    classid %URI.datatype; #IMPLIED
    codebase %URI.datatype; #IMPLIED
    data %URI.datatype; #IMPLIED
    type %ContentType.datatype; #IMPLIED
    codetype %ContentType.datatype; #IMPLIED
    archive %URIs.datatype; #IMPLIED
    standby %Text.datatype; #IMPLIED
    height %Length.datatype; #IMPLIED
    width %Length.datatype; #IMPLIED
    name CDATA #IMPLIED
    tabindex %Number.datatype; #IMPLIED
>
<!-- end of object.attlist -->]]>
```

<!-- end of xhtml-object-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-object-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- MathML Qualified Names Module ..... -->
<!-- file: mathml2-qname-1.mod
```

This is the Mathematical Markup Language (MathML) 2.0, an XML application for describing mathematical notation and capturing both its structure and content.

Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: mathml2-qname-1.mod,v 1.2 2003/04/08 00:11:16 davidc Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES MathML 2.0 Qualified Names 1.0//EN"
SYSTEM "mathml2-qname-1.mod"
```

Revisions:
(none)
..... -->

```
<!-- MathML Qualified Names
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for MathML.

Section B declares parameter entities used to provide namespace-qualified names for all MathML element types.

This module is derived from the XHTML Qualified Names Template module.
-->

```
<!-- Section A: XHTML XML Namespace Framework ..... -->
```

```
<!ENTITY % NS.prefixed "IGNORE" >
<!ENTITY % MATHML.prefixed "%NS.prefixed;" >
```

```
<!-- XLink ..... -->
```

```
<!ENTITY % XLINK.prefix "xlink" >
<!ENTITY % XLINK.xmlns "http://www.w3.org/1999/xlink" >
<!ENTITY % XLINK.xmlns.attrib
"xmlns:%XLINK.prefix; CDATA #FIXED '%XLINK.xmlns;"
>
```

```

<!-- W3C XML Schema ..... -->

<!ENTITY % Schema.prefix      "xsi" >
<!ENTITY % Schema.xmlns      "http://www.w3.org/2001/XMLSchema-instance" >
<!ENTITY % Schema.xmlns.attrib
      "xmlns:%Schema.prefix; CDATA      #IMPLIED"
>

<!-- MathML ..... -->

<!ENTITY % MATHML.xmlns      "http://www.w3.org/1998/Math/MathML" >
<!ENTITY % MATHML.prefix      "m" >
<![%MATHML.prefixed;[
<!ENTITY % MATHML.xmlns.extra.attrib      "" >
]]>
<!ENTITY % MATHML.xmlns.extra.attrib
      "%XLINK.xmlns.attrib;
      %Schema.xmlns.attrib;" >

<![%MATHML.prefixed;[
<!ENTITY % MATHML.pfx      "%MATHML.prefix;:" >
<!ENTITY % MATHML.xmlns.attrib
      "xmlns:%MATHML.prefix; CDATA      #FIXED '%MATHML.xmlns;'
      %MATHML.xmlns.extra.attrib;"
>
]]>
<!ENTITY % MATHML.pfx      "" >
<!ENTITY % MATHML.xmlns.attrib
      "xmlns      CDATA      #FIXED '%MATHML.xmlns;'
      %MATHML.xmlns.extra.attrib;"
>

<![%NS.prefixed;[
<!ENTITY % XHTML.xmlns.extra.attrib
      "%MATHML.xmlns.attrib;" >
]]>
<!ENTITY % XHTML.xmlns.extra.attrib
      "%XLINK.xmlns.attrib;
      %Schema.xmlns.attrib;"
>

<!-- Section B: MathML Qualified Names ..... -->

<!-- 9. This section declares parameter entities used to provide
      namespace-qualified names for all MathML element types.
-->

```

<!ENTITY % abs.qname "%MATHML.pfx;abs" >
 <!ENTITY % and.qname "%MATHML.pfx;and" >
 <!ENTITY % annotation-xml.qname "%MATHML.pfx;annotation-xml" >
 <!ENTITY % annotation.qname "%MATHML.pfx;annotation" >
 <!ENTITY % apply.qname "%MATHML.pfx;apply" >
 <!ENTITY % approx.qname "%MATHML.pfx;approx" >
 <!ENTITY % arccos.qname "%MATHML.pfx;arccos" >
 <!ENTITY % arccosh.qname "%MATHML.pfx;arccosh" >
 <!ENTITY % arccosh.qname "%MATHML.pfx;arccosh" >
 <!ENTITY % arccot.qname "%MATHML.pfx;arccot" >
 <!ENTITY % arccoth.qname "%MATHML.pfx;arccoth" >
 <!ENTITY % arccsc.qname "%MATHML.pfx;arccsc" >
 <!ENTITY % arccsch.qname "%MATHML.pfx;arccsch" >
 <!ENTITY % arcsec.qname "%MATHML.pfx;arcsec" >
 <!ENTITY % arcsech.qname "%MATHML.pfx;arcsech" >
 <!ENTITY % arcsin.qname "%MATHML.pfx;arcsin" >
 <!ENTITY % arcsinh.qname "%MATHML.pfx;arcsinh" >
 <!ENTITY % arctan.qname "%MATHML.pfx;arctan" >
 <!ENTITY % arctanh.qname "%MATHML.pfx;arctanh" >
 <!ENTITY % arg.qname "%MATHML.pfx;arg" >
 <!ENTITY % bvar.qname "%MATHML.pfx;bvar" >
 <!ENTITY % card.qname "%MATHML.pfx;card" >
 <!ENTITY % cartesianproduct.qname "%MATHML.pfx;cartesianproduct" >
 <!ENTITY % ceiling.qname "%MATHML.pfx;ceiling" >
 <!ENTITY % ci.qname "%MATHML.pfx;ci" >
 <!ENTITY % cn.qname "%MATHML.pfx;cn" >
 <!ENTITY % codomain.qname "%MATHML.pfx;codomain" >
 <!ENTITY % complexes.qname "%MATHML.pfx;complexes" >
 <!ENTITY % compose.qname "%MATHML.pfx;compose" >
 <!ENTITY % condition.qname "%MATHML.pfx;condition" >
 <!ENTITY % conjugate.qname "%MATHML.pfx;conjugate" >
 <!ENTITY % cos.qname "%MATHML.pfx;cos" >
 <!ENTITY % cosh.qname "%MATHML.pfx;cosh" >
 <!ENTITY % cot.qname "%MATHML.pfx;cot" >
 <!ENTITY % coth.qname "%MATHML.pfx;coth" >
 <!ENTITY % csc.qname "%MATHML.pfx;csc" >
 <!ENTITY % csch.qname "%MATHML.pfx;csch" >
 <!ENTITY % csymbol.qname "%MATHML.pfx;csymbol" >
 <!ENTITY % curl.qname "%MATHML.pfx;curl" >
 <!ENTITY % declare.qname "%MATHML.pfx;declare" >
 <!ENTITY % degree.qname "%MATHML.pfx;degree" >
 <!ENTITY % determinant.qname "%MATHML.pfx;determinant" >
 <!ENTITY % diff.qname "%MATHML.pfx;diff" >
 <!ENTITY % divergence.qname "%MATHML.pfx;divergence" >
 <!ENTITY % divide.qname "%MATHML.pfx;divide" >
 <!ENTITY % domain.qname "%MATHML.pfx;domain" >
 <!ENTITY % domainofapplication.qname "%MATHML.pfx;domainofapplication" >
 <!ENTITY % emptyset.qname "%MATHML.pfx;emptyset" >

<!ENTITY % eq.qname "%MATHML.pfx;eq" >
 <!ENTITY % equivalent.qname "%MATHML.pfx;equivalent" >
 <!ENTITY % eulergamma.qname "%MATHML.pfx;eulergamma" >
 <!ENTITY % exists.qname "%MATHML.pfx;exists" >
 <!ENTITY % exp.qname "%MATHML.pfx;exp" >
 <!ENTITY % exponentiale.qname "%MATHML.pfx;exponentiale" >
 <!ENTITY % factorial.qname "%MATHML.pfx;factorial" >
 <!ENTITY % factorof.qname "%MATHML.pfx;factorof" >
 <!ENTITY % false.qname "%MATHML.pfx>false" >
 <!ENTITY % floor.qname "%MATHML.pfx;floor" >
 <!ENTITY % fn.qname "%MATHML.pfx;fn" >
 <!ENTITY % forall.qname "%MATHML.pfx;forall" >
 <!ENTITY % gcd.qname "%MATHML.pfx;gcd" >
 <!ENTITY % geq.qname "%MATHML.pfx;geq" >
 <!ENTITY % grad.qname "%MATHML.pfx;grad" >
 <!ENTITY % gt.qname "%MATHML.pfx;gt" >
 <!ENTITY % ident.qname "%MATHML.pfx;ident" >
 <!ENTITY % image.qname "%MATHML.pfx;image" >
 <!ENTITY % imaginary.qname "%MATHML.pfx;imaginary" >
 <!ENTITY % imaginaryi.qname "%MATHML.pfx;imaginaryi" >
 <!ENTITY % implies.qname "%MATHML.pfx;implies" >
 <!ENTITY % in.qname "%MATHML.pfx;in" >
 <!ENTITY % infinity.qname "%MATHML.pfx;infinity" >
 <!ENTITY % int.qname "%MATHML.pfx;int" >
 <!ENTITY % integers.qname "%MATHML.pfx;integers" >
 <!ENTITY % intersect.qname "%MATHML.pfx;intersect" >
 <!ENTITY % interval.qname "%MATHML.pfx;interval" >
 <!ENTITY % inverse.qname "%MATHML.pfx;inverse" >
 <!ENTITY % lambda.qname "%MATHML.pfx;lambda" >
 <!ENTITY % laplacian.qname "%MATHML.pfx;laplacian" >
 <!ENTITY % lcm.qname "%MATHML.pfx;lcm" >
 <!ENTITY % leq.qname "%MATHML.pfx;leq" >
 <!ENTITY % limit.qname "%MATHML.pfx;limit" >
 <!ENTITY % list.qname "%MATHML.pfx;list" >
 <!ENTITY % ln.qname "%MATHML.pfx;ln" >
 <!ENTITY % log.qname "%MATHML.pfx;log" >
 <!ENTITY % logbase.qname "%MATHML.pfx;logbase" >
 <!ENTITY % lowlimit.qname "%MATHML.pfx;lowlimit" >
 <!ENTITY % lt.qname "%MATHML.pfx;lt" >
 <!ENTITY % maction.qname "%MATHML.pfx;maction" >
 <!ENTITY % maligngroup.qname "%MATHML.pfx;maligngroup" >
 <!ENTITY % malignmark.qname "%MATHML.pfx;malignmark" >
 <!ENTITY % math.qname "%MATHML.pfx;math" >
 <!ENTITY % matrix.qname "%MATHML.pfx;matrix" >
 <!ENTITY % matrixrow.qname "%MATHML.pfx;matrixrow" >
 <!ENTITY % max.qname "%MATHML.pfx;max" >
 <!ENTITY % mean.qname "%MATHML.pfx;mean" >
 <!ENTITY % median.qname "%MATHML.pfx;median" >

<!ENTITY % menclose.qname "%MATHML.pfx;menclose" >
 <!ENTITY % merror.qname "%MATHML.pfx;merror" >
 <!ENTITY % mfenced.qname "%MATHML.pfx;mfenced" >
 <!ENTITY % mfrac.qname "%MATHML.pfx;mfrac" >
 <!ENTITY % mglyph.qname "%MATHML.pfx;mglyph" >
 <!ENTITY % mi.qname "%MATHML.pfx;mi" >
 <!ENTITY % min.qname "%MATHML.pfx;min" >
 <!ENTITY % minus.qname "%MATHML.pfx;minus" >
 <!ENTITY % mlabeledtr.qname "%MATHML.pfx;mlabeledtr" >
 <!ENTITY % mmultiscripts.qname "%MATHML.pfx;mmultiscripts" >
 <!ENTITY % mn.qname "%MATHML.pfx;mn" >
 <!ENTITY % mo.qname "%MATHML.pfx;mo" >
 <!ENTITY % mode.qname "%MATHML.pfx;mode" >
 <!ENTITY % moment.qname "%MATHML.pfx;moment" >
 <!ENTITY % momentabout.qname "%MATHML.pfx;momentabout" >
 <!ENTITY % mover.qname "%MATHML.pfx;mover" >
 <!ENTITY % mpadded.qname "%MATHML.pfx;mpadded" >
 <!ENTITY % mphantom.qname "%MATHML.pfx;mphantom" >
 <!ENTITY % mprescripts.qname "%MATHML.pfx;mprescripts" >
 <!ENTITY % mroot.qname "%MATHML.pfx;mroot" >
 <!ENTITY % mrow.qname "%MATHML.pfx;mrow" >
 <!ENTITY % ms.qname "%MATHML.pfx;ms" >
 <!ENTITY % mspace.qname "%MATHML.pfx;mspace" >
 <!ENTITY % msqrt.qname "%MATHML.pfx;msqrt" >
 <!ENTITY % mstyle.qname "%MATHML.pfx;mstyle" >
 <!ENTITY % msub.qname "%MATHML.pfx;msub" >
 <!ENTITY % msubsup.qname "%MATHML.pfx;msubsup" >
 <!ENTITY % msup.qname "%MATHML.pfx;msup" >
 <!ENTITY % mtable.qname "%MATHML.pfx;mtable" >
 <!ENTITY % mtd.qname "%MATHML.pfx;mtd" >
 <!ENTITY % mtext.qname "%MATHML.pfx;mtext" >
 <!ENTITY % mtr.qname "%MATHML.pfx;mtr" >
 <!ENTITY % munder.qname "%MATHML.pfx;munder" >
 <!ENTITY % munderover.qname "%MATHML.pfx;munderover" >
 <!ENTITY % naturalnumbers.qname "%MATHML.pfx;naturalnumbers" >
 <!ENTITY % neq.qname "%MATHML.pfx;neq" >
 <!ENTITY % none.qname "%MATHML.pfx;none" >
 <!ENTITY % not.qname "%MATHML.pfx;not" >
 <!ENTITY % notanumber.qname "%MATHML.pfx;notanumber" >
 <!ENTITY % notin.qname "%MATHML.pfx;notin" >
 <!ENTITY % notprsubset.qname "%MATHML.pfx;notprsubset" >
 <!ENTITY % notsubset.qname "%MATHML.pfx;notsubset" >
 <!ENTITY % or.qname "%MATHML.pfx;or" >
 <!ENTITY % otherwise.qname "%MATHML.pfx;otherwise" >
 <!ENTITY % outerproduct.qname "%MATHML.pfx;outerproduct" >
 <!ENTITY % partialdiff.qname "%MATHML.pfx;partialdiff" >
 <!ENTITY % pi.qname "%MATHML.pfx;pi" >
 <!ENTITY % piece.qname "%MATHML.pfx;piece" >

```

<!ENTITY % piecewise.qname    "%MATHML.pfx;piecewise" >
<!ENTITY % plus.qname         "%MATHML.pfx;plus" >
<!ENTITY % power.qname        "%MATHML.pfx;power" >
<!ENTITY % primes.qname       "%MATHML.pfx;primes" >
<!ENTITY % product.qname      "%MATHML.pfx;product" >
<!ENTITY % prsubset.qname     "%MATHML.pfx;prsubset" >
<!ENTITY % quotient.qname     "%MATHML.pfx;quotient" >
<!ENTITY % rationals.qname    "%MATHML.pfx;rational" >
<!ENTITY % real.qname         "%MATHML.pfx;real" >
<!ENTITY % reals.qname        "%MATHML.pfx;reals" >
<!ENTITY % reln.qname         "%MATHML.pfx;reln" >
<!ENTITY % rem.qname          "%MATHML.pfx;rem" >
<!ENTITY % root.qname         "%MATHML.pfx;root" >
<!ENTITY % scalarproduct.qname "%MATHML.pfx;scalarproduct" >
<!ENTITY % sdev.qname         "%MATHML.pfx;sdev" >
<!ENTITY % sec.qname          "%MATHML.pfx;sec" >
<!ENTITY % sech.qname         "%MATHML.pfx;sech" >
<!ENTITY % selector.qname     "%MATHML.pfx;selector" >
<!ENTITY % semantics.qname    "%MATHML.pfx;semantics" >
<!ENTITY % sep.qname          "%MATHML.pfx;sep" >
<!ENTITY % set.qname          "%MATHML.pfx;set" >
<!ENTITY % setdiff.qname      "%MATHML.pfx;setdiff" >
<!ENTITY % sin.qname          "%MATHML.pfx;sin" >
<!ENTITY % sinh.qname         "%MATHML.pfx;sinh" >
<!ENTITY % subset.qname       "%MATHML.pfx;subset" >
<!ENTITY % sum.qname          "%MATHML.pfx;sum" >
<!ENTITY % tan.qname          "%MATHML.pfx;tan" >
<!ENTITY % tanh.qname         "%MATHML.pfx;tanh" >
<!ENTITY % tendsto.qname      "%MATHML.pfx;tendsto" >
<!ENTITY % times.qname        "%MATHML.pfx;times" >
<!ENTITY % transpose.qname    "%MATHML.pfx;transpose" >
<!ENTITY % true.qname         "%MATHML.pfx>true" >
<!ENTITY % union.qname        "%MATHML.pfx;union" >
<!ENTITY % uplimit.qname      "%MATHML.pfx;uplimit" >
<!ENTITY % variance.qname     "%MATHML.pfx;variance" >
<!ENTITY % vector.qname       "%MATHML.pfx;vector" >
<!ENTITY % vectorproduct.qname "%MATHML.pfx;vectorproduct" >
<!ENTITY % xor.qname          "%MATHML.pfx;xor" >

```

<!-- ignores subsequent instantiation of this module when used as external subset rather than module fragment.

NOTE: Do not modify this parameter entity, otherwise a recursive parsing situation may result.

-->

```

<!ENTITY % mathml-qname.module "IGNORE" >

```

<!-- end of template-qname-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml2/mathml2-qname-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- SVG 1.1 Scripting Module ..... -->  
<!-- file: svg-script.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-script.mod,v 1.3 2002/10/24 17:40:16 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Scripting//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-script.mod"
```

```
..... -->
```

```
<!-- Scripting
```

```
    script
```

This module declares markup to provide support for scripting.

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.script.qname "script" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
```

```
<!ENTITY % SVG.XLink.attrib "" >
```

```
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.Script.class ..... -->
```

```
<!ENTITY % SVG.Script.extra.class "" >
```

```
<!ENTITY % SVG.Script.class
```

```
    "| %SVG.script.qname; %SVG.Script.extra.class;"
```

```
>
```

```
<!-- script: Script Element ..... -->
```

```
<!ENTITY % SVG.script.extra.content "" >

<!ENTITY % SVG.script.element "INCLUDE" >
<![%SVG.script.element;[
<!ENTITY % SVG.script.content
  "( #PCDATA %SVG.script.extra.content; )*"
>
<!ELEMENT %SVG.script.qname; %SVG.script.content; >
<!-- end of SVG.script.element -->]]>
```

```
<!ENTITY % SVG.script.attlist "INCLUDE" >
<![%SVG.script.attlist;[
<!ATTLIST %SVG.script.qname;
  %SVG.Core.attrib;
  %SVG.XLink.attrib;
  %SVG.External.attrib;
  type %ContentType.datatype; #REQUIRED
>
<!-- end of SVG.script.attlist -->]]>
```

```
<!-- end of svg-script.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-script.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- MathML Qualified Names Module ..... -->
<!-- file: mathml3-qname-1.mod
```

This is the Mathematical Markup Language (MathML) 2.0, an XML application for describing mathematical notation and capturing both its structure and content.

Copyright 1998-2009 W3C (MIT, INRIA, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES MathML 3.0 Qualified Names 1.0//EN"
SYSTEM "mathml3-qname.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- MathML Qualified Names
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for MathML.

Section B declares parameter entities used to provide namespace-qualified names for all MathML element types.

This module is derived from the XHTML Qualified Names Template module.

-->

<!-- Section A: XHTML XML Namespace Framework -->

<!ENTITY % NS.prefixed "IGNORE" >

<!ENTITY % MATHML.prefixed "%NS.prefixed;" >

<!-- XLink -->

<!ENTITY % XLINK.prefix "xlink" >

<!ENTITY % XLINK.xmlns "http://www.w3.org/1999/xlink" >

<!ENTITY % XLINK.xmlns.attrib

"xmlns:%XLINK.prefix; CDATA #FIXED '%XLINK.xmlns;'"

>

<!-- W3C XML Schema -->

<!ENTITY % Schema.prefix "xsi" >

<!ENTITY % Schema.xmlns "http://www.w3.org/2001/XMLSchema-instance" >

<!ENTITY % Schema.xmlns.attrib

"xmlns:%Schema.prefix; CDATA #IMPLIED"

>

<!-- MathML -->

<!ENTITY % MATHML.xmlns "http://www.w3.org/1998/Math/MathML" >

<!ENTITY % MATHML.prefix "m" >

<![%MATHML.prefixed;[

<!ENTITY % MATHML.xmlns.extra.attrib "" >

]]>

<!ENTITY % MATHML.xmlns.extra.attrib

"%XLINK.xmlns.attrib;

%Schema.xmlns.attrib;" >

<![%MATHML.prefixed;[

<!ENTITY % MATHML.pfx "%MATHML.prefix;:" >

<!ENTITY % MATHML.xmlns.attrib

"xmlns:%MATHML.prefix; CDATA #FIXED '%MATHML.xmlns;'

```

    %MATHML.xmlns.extra.attrib;"
>
]]>
<!ENTITY % MATHML.pfx "" >
<!ENTITY % MATHML.xmlns.attrib
    "xmlns CDATA #FIXED '%MATHML.xmlns;'
    %MATHML.xmlns.extra.attrib;"
>

<![%NS.prefixed;[
<!ENTITY % XHTML.xmlns.extra.attrib
    "%MATHML.xmlns.attrib;" >
]]>
<!ENTITY % XHTML.xmlns.extra.attrib
    "%XLINK.xmlns.attrib;
    %Schema.xmlns.attrib;"
>

<!-- ignores subsequent instantiation of this module when
    used as external subset rather than module fragment.
    NOTE: Do not modify this parameter entity, otherwise
    a recursive parsing situation may result.
-->
<!ENTITY % mathml-qname.module "IGNORE" >

<!-- Section B: MathML Qualified Names :::::::::::::::::::: -->

<!-- 9. This section declares parameter entities used to provide
    namespace-qualified names for all MathML element types.
-->

<!ENTITY % abs.qname "%MATHML.pfx;abs" >
<!ENTITY % and.qname "%MATHML.pfx;and" >
<!ENTITY % annotation-xml.qname "%MATHML.pfx;annotation-xml" >
<!ENTITY % annotation.qname "%MATHML.pfx;annotation" >
<!ENTITY % apply.qname "%MATHML.pfx;apply" >
<!ENTITY % approx.qname "%MATHML.pfx;approx" >
<!ENTITY % arccos.qname "%MATHML.pfx;arccos" >
<!ENTITY % arccosh.qname "%MATHML.pfx;arccosh" >
<!ENTITY % arccot.qname "%MATHML.pfx;arccot" >
<!ENTITY % arccoth.qname "%MATHML.pfx;arccoth" >
<!ENTITY % arccsc.qname "%MATHML.pfx;arccsc" >
<!ENTITY % arccsch.qname "%MATHML.pfx;arccsch" >
<!ENTITY % arcsec.qname "%MATHML.pfx;arcsec" >
<!ENTITY % arcsech.qname "%MATHML.pfx;arcsech" >
<!ENTITY % arcsin.qname "%MATHML.pfx;arcsin" >
<!ENTITY % arcsinh.qname "%MATHML.pfx;arcsinh" >

```

<!ENTITY % arctan.qname "%MATHML.pfx;arctan" >
 <!ENTITY % arctanh.qname "%MATHML.pfx;arctanh" >
 <!ENTITY % arg.qname "%MATHML.pfx;arg" >
 <!ENTITY % bind.qname "%MATHML.pfx;bind" >
 <!ENTITY % bvar.qname "%MATHML.pfx;bvar" >
 <!ENTITY % card.qname "%MATHML.pfx;card" >
 <!ENTITY % cartesianproduct.qname "%MATHML.pfx;cartesianproduct" >
 <!ENTITY % cbytes.qname "%MATHML.pfx;cbytes" >
 <!ENTITY % ceiling.qname "%MATHML.pfx;ceiling" >
 <!ENTITY % cerror.qname "%MATHML.pfx;ccerror" >
 <!ENTITY % ci.qname "%MATHML.pfx;ci" >
 <!ENTITY % cn.qname "%MATHML.pfx;cn" >
 <!ENTITY % codomain.qname "%MATHML.pfx;codomain" >
 <!ENTITY % complexes.qname "%MATHML.pfx;complexes" >
 <!ENTITY % compose.qname "%MATHML.pfx;compose" >
 <!ENTITY % condition.qname "%MATHML.pfx;condition" >
 <!ENTITY % conjugate.qname "%MATHML.pfx;conjugate" >
 <!ENTITY % cos.qname "%MATHML.pfx;cos" >
 <!ENTITY % cosh.qname "%MATHML.pfx;cosh" >
 <!ENTITY % cot.qname "%MATHML.pfx;cot" >
 <!ENTITY % coth.qname "%MATHML.pfx;coth" >
 <!ENTITY % cs.qname "%MATHML.pfx;cs" >
 <!ENTITY % csc.qname "%MATHML.pfx;csc" >
 <!ENTITY % csch.qname "%MATHML.pfx;csch" >
 <!ENTITY % csymbol.qname "%MATHML.pfx;csymbol" >
 <!ENTITY % curl.qname "%MATHML.pfx;curl" >
 <!ENTITY % declare.qname "%MATHML.pfx;declare" >
 <!ENTITY % degree.qname "%MATHML.pfx;degree" >
 <!ENTITY % determinant.qname "%MATHML.pfx;determinant" >
 <!ENTITY % diff.qname "%MATHML.pfx;diff" >
 <!ENTITY % divergence.qname "%MATHML.pfx;divergence" >
 <!ENTITY % divide.qname "%MATHML.pfx;divide" >
 <!ENTITY % domain.qname "%MATHML.pfx;domain" >
 <!ENTITY % domainofapplication.qname "%MATHML.pfx;domainofapplication" >
 <!ENTITY % emptyset.qname "%MATHML.pfx;emptyset" >
 <!ENTITY % eq.qname "%MATHML.pfx;eq" >
 <!ENTITY % equivalent.qname "%MATHML.pfx;equivalent" >
 <!ENTITY % eulergamma.qname "%MATHML.pfx;eulergamma" >
 <!ENTITY % exists.qname "%MATHML.pfx;exists" >
 <!ENTITY % exp.qname "%MATHML.pfx;exp" >
 <!ENTITY % exponentiale.qname "%MATHML.pfx;exponentiale" >
 <!ENTITY % factorial.qname "%MATHML.pfx;factorial" >
 <!ENTITY % factorof.qname "%MATHML.pfx;factorof" >
 <!ENTITY % false.qname "%MATHML.pfx>false" >
 <!ENTITY % floor.qname "%MATHML.pfx;floor" >
 <!ENTITY % fn.qname "%MATHML.pfx;fn" >
 <!ENTITY % forall.qname "%MATHML.pfx;forall" >
 <!ENTITY % gcd.qname "%MATHML.pfx;gcd" >

<!ENTITY % geq.qname "%MATHML.pfx;geq" >
 <!ENTITY % grad.qname "%MATHML.pfx;grad" >
 <!ENTITY % gt.qname "%MATHML.pfx;gt" >
 <!ENTITY % ident.qname "%MATHML.pfx;ident" >
 <!ENTITY % image.qname "%MATHML.pfx;image" >
 <!ENTITY % imaginary.qname "%MATHML.pfx;imaginary" >
 <!ENTITY % imaginaryi.qname "%MATHML.pfx;imaginaryi" >
 <!ENTITY % implies.qname "%MATHML.pfx;implies" >
 <!ENTITY % in.qname "%MATHML.pfx;in" >
 <!ENTITY % infinity.qname "%MATHML.pfx;infinity" >
 <!ENTITY % int.qname "%MATHML.pfx;int" >
 <!ENTITY % integers.qname "%MATHML.pfx;integers" >
 <!ENTITY % intersect.qname "%MATHML.pfx;intersect" >
 <!ENTITY % interval.qname "%MATHML.pfx;interval" >
 <!ENTITY % inverse.qname "%MATHML.pfx;inverse" >
 <!ENTITY % lambda.qname "%MATHML.pfx;lambda" >
 <!ENTITY % laplacian.qname "%MATHML.pfx;laplacian" >
 <!ENTITY % lcm.qname "%MATHML.pfx;lcm" >
 <!ENTITY % leq.qname "%MATHML.pfx;leq" >
 <!ENTITY % limit.qname "%MATHML.pfx;limit" >
 <!ENTITY % list.qname "%MATHML.pfx;list" >
 <!ENTITY % ln.qname "%MATHML.pfx;ln" >
 <!ENTITY % log.qname "%MATHML.pfx;log" >
 <!ENTITY % logbase.qname "%MATHML.pfx;logbase" >
 <!ENTITY % lowlimit.qname "%MATHML.pfx;lowlimit" >
 <!ENTITY % lt.qname "%MATHML.pfx;lt" >
 <!ENTITY % maction.qname "%MATHML.pfx;maction" >
 <!ENTITY % maligngroup.qname "%MATHML.pfx;maligngroup" >
 <!ENTITY % malignmark.qname "%MATHML.pfx;malignmark" >
 <!ENTITY % math.qname "%MATHML.pfx;math" >
 <!ENTITY % matrix.qname "%MATHML.pfx;matrix" >
 <!ENTITY % matrixrow.qname "%MATHML.pfx;matrixrow" >
 <!ENTITY % max.qname "%MATHML.pfx;max" >
 <!ENTITY % mean.qname "%MATHML.pfx;mean" >
 <!ENTITY % median.qname "%MATHML.pfx;median" >
 <!ENTITY % menclose.qname "%MATHML.pfx;menclose" >
 <!ENTITY % merror.qname "%MATHML.pfx;merror" >
 <!ENTITY % mfenced.qname "%MATHML.pfx;mfenced" >
 <!ENTITY % mfrac.qname "%MATHML.pfx;mfrac" >
 <!ENTITY % mglyph.qname "%MATHML.pfx;mglyph" >
 <!ENTITY % mi.qname "%MATHML.pfx;mi" >
 <!ENTITY % min.qname "%MATHML.pfx;min" >
 <!ENTITY % minus.qname "%MATHML.pfx;minus" >
 <!ENTITY % mlabeledtr.qname "%MATHML.pfx;mlabeledtr" >
 <!ENTITY % mlongdiv.qname "%MATHML.pfx;mlongdiv" >
 <!ENTITY % mmultiscripts.qname "%MATHML.pfx;mmultiscripts" >
 <!ENTITY % mn.qname "%MATHML.pfx;mn" >
 <!ENTITY % mo.qname "%MATHML.pfx;mo" >

<!ENTITY % mode.qname "%MATHML.pfx;mode" >
 <!ENTITY % moment.qname "%MATHML.pfx;moment" >
 <!ENTITY % momentabout.qname "%MATHML.pfx;momentabout" >
 <!ENTITY % mover.qname "%MATHML.pfx;mover" >
 <!ENTITY % mpadded.qname "%MATHML.pfx;mpadded" >
 <!ENTITY % mphantom.qname "%MATHML.pfx;mphantom" >
 <!ENTITY % mprescripts.qname "%MATHML.pfx;mprescripts" >
 <!ENTITY % mroot.qname "%MATHML.pfx;mroot" >
 <!ENTITY % mrow.qname "%MATHML.pfx;mrow" >
 <!ENTITY % ms.qname "%MATHML.pfx;ms" >
 <!ENTITY % mscarries.qname "%MATHML.pfx;mscarries" >
 <!ENTITY % mscarry.qname "%MATHML.pfx;mscarry" >
 <!ENTITY % msgroup.qname "%MATHML.pfx;msgroup" >
 <!ENTITY % msline.qname "%MATHML.pfx;msline" >
 <!ENTITY % mspace.qname "%MATHML.pfx;mspace" >
 <!ENTITY % msqrt.qname "%MATHML.pfx;msqrt" >
 <!ENTITY % msrow.qname "%MATHML.pfx;msrow" >
 <!ENTITY % mstack.qname "%MATHML.pfx;mstack" >
 <!ENTITY % mstyle.qname "%MATHML.pfx;mstyle" >
 <!ENTITY % msub.qname "%MATHML.pfx;msub" >
 <!ENTITY % msubsup.qname "%MATHML.pfx;msubsup" >
 <!ENTITY % msup.qname "%MATHML.pfx;msup" >
 <!ENTITY % mtable.qname "%MATHML.pfx;mtable" >
 <!ENTITY % mtd.qname "%MATHML.pfx;mtd" >
 <!ENTITY % mtext.qname "%MATHML.pfx;mtext" >
 <!ENTITY % mtr.qname "%MATHML.pfx;mtr" >
 <!ENTITY % munder.qname "%MATHML.pfx;munder" >
 <!ENTITY % munderover.qname "%MATHML.pfx;munderover" >
 <!ENTITY % naturalnumbers.qname "%MATHML.pfx;naturalnumbers" >
 <!ENTITY % neq.qname "%MATHML.pfx;neq" >
 <!ENTITY % none.qname "%MATHML.pfx;none" >
 <!ENTITY % not.qname "%MATHML.pfx;not" >
 <!ENTITY % notanumber.qname "%MATHML.pfx;notanumber" >
 <!ENTITY % notin.qname "%MATHML.pfx;notin" >
 <!ENTITY % notprsubset.qname "%MATHML.pfx;notprsubset" >
 <!ENTITY % notsubset.qname "%MATHML.pfx;notsubset" >
 <!ENTITY % or.qname "%MATHML.pfx;or" >
 <!ENTITY % otherwise.qname "%MATHML.pfx;otherwise" >
 <!ENTITY % outerproduct.qname "%MATHML.pfx;outerproduct" >
 <!ENTITY % partialdiff.qname "%MATHML.pfx;partialdiff" >
 <!ENTITY % pi.qname "%MATHML.pfx;pi" >
 <!ENTITY % piece.qname "%MATHML.pfx;piece" >
 <!ENTITY % piecewise.qname "%MATHML.pfx;piecewise" >
 <!ENTITY % plus.qname "%MATHML.pfx;plus" >
 <!ENTITY % power.qname "%MATHML.pfx;power" >
 <!ENTITY % primes.qname "%MATHML.pfx;primes" >
 <!ENTITY % product.qname "%MATHML.pfx;product" >
 <!ENTITY % prsubset.qname "%MATHML.pfx;prsubset" >

```

<!ENTITY % quotient.qname "%MATHML.pfx;quotient" >
<!ENTITY % rationals.qname "%MATHML.pfx;rational" >
<!ENTITY % real.qname "%MATHML.pfx;real" >
<!ENTITY % reals.qname "%MATHML.pfx;reals" >
<!ENTITY % reln.qname "%MATHML.pfx;reln" >
<!ENTITY % rem.qname "%MATHML.pfx;rem" >
<!ENTITY % root.qname "%MATHML.pfx;root" >
<!ENTITY % scalarproduct.qname "%MATHML.pfx;scalarproduct" >
<!ENTITY % sdev.qname "%MATHML.pfx;sdev" >
<!ENTITY % sec.qname "%MATHML.pfx;sec" >
<!ENTITY % sech.qname "%MATHML.pfx;sech" >
<!ENTITY % selector.qname "%MATHML.pfx;selector" >
<!ENTITY % semantics.qname "%MATHML.pfx;semantics" >
<!ENTITY % sep.qname "%MATHML.pfx;sep" >
<!ENTITY % set.qname "%MATHML.pfx;set" >
<!ENTITY % setdiff.qname "%MATHML.pfx;setdiff" >
<!ENTITY % share.qname "%MATHML.pfx;share" >
<!ENTITY % sin.qname "%MATHML.pfx;sin" >
<!ENTITY % sinh.qname "%MATHML.pfx;sinh" >
<!ENTITY % subset.qname "%MATHML.pfx;subset" >
<!ENTITY % sum.qname "%MATHML.pfx;sum" >
<!ENTITY % tan.qname "%MATHML.pfx;tan" >
<!ENTITY % tanh.qname "%MATHML.pfx;tanh" >
<!ENTITY % tendsto.qname "%MATHML.pfx;tendsto" >
<!ENTITY % times.qname "%MATHML.pfx;times" >
<!ENTITY % transpose.qname "%MATHML.pfx;transpose" >
<!ENTITY % true.qname "%MATHML.pfx>true" >
<!ENTITY % union.qname "%MATHML.pfx;union" >
<!ENTITY % uplimit.qname "%MATHML.pfx;uplimit" >
<!ENTITY % variance.qname "%MATHML.pfx;variance" >
<!ENTITY % vector.qname "%MATHML.pfx;vector" >
<!ENTITY % vectorproduct.qname "%MATHML.pfx;vectorproduct" >
<!ENTITY % xor.qname "%MATHML.pfx;xor" >

```

Found in path(s):

```

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/mathml3-qname.mod

```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Extensibility Module ..... -->
<!-- file: svg-extensibility.mod

```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-extensibility.mod,v 1.4 2002/11/14 15:11:02 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Extensibility//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-extensibility.mod"
```

```
..... -->
```

```
<!-- Extensibility
```

```
    foreignObject
```

```
    This module declares markup to provide support for extensibility.
```

```
-->
```

```
<!-- Qualified Names (Default) ..... -->
```

```
<!ENTITY % SVG.foreignObject.qname "foreignObject" >
```

```
<!-- Attribute Collections (Default) ..... -->
```

```
<!ENTITY % SVG.Core.attrib "" >
```

```
<!ENTITY % SVG.Conditional.attrib "" >
```

```
<!ENTITY % SVG.Style.attrib "" >
```

```
<!ENTITY % SVG.Viewport.attrib "" >
```

```
<!ENTITY % SVG.Text.attrib "" >
```

```
<!ENTITY % SVG.TextContent.attrib "" >
```

```
<!ENTITY % SVG.Font.attrib "" >
```

```
<!ENTITY % SVG.Paint.attrib "" >
```

```
<!ENTITY % SVG.Color.attrib "" >
```

```
<!ENTITY % SVG.Opacity.attrib "" >
```

```
<!ENTITY % SVG.Graphics.attrib "" >
```

```
<!ENTITY % SVG.Marker.attrib "" >
```

```
<!ENTITY % SVG.Gradient.attrib "" >
```

```
<!ENTITY % SVG.Clip.attrib "" >
```

```
<!ENTITY % SVG.Mask.attrib "" >
```

```
<!ENTITY % SVG.Filter.attrib "" >
```

```
<!ENTITY % SVG.FilterColor.attrib "" >
```

```
<!ENTITY % SVG.GraphicalEvents.attrib "" >
```

```
<!ENTITY % SVG.Cursor.attrib "" >
```

```
<!ENTITY % SVG.External.attrib "" >
```

```
<!-- SVG.Extensibility.class ..... -->
```

```
<!ENTITY % SVG.Extensibility.extra.class "" >
```

```
<!ENTITY % SVG.Extensibility.class
```

```
    "| %SVG.foreignObject.qname; %SVG.Extensibility.extra.class;"
```

```
>
```

<!-- SVG.Presentation.attrib -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib

"%SVG.Container.attrib;
%SVG.Viewport.attrib;
%SVG.Text.attrib;
%SVG.TextContent.attrib;
%SVG.Font.attrib;
%SVG.Paint.attrib;
%SVG.Color.attrib;
%SVG.Opacity.attrib;
%SVG.Graphics.attrib;
%SVG.Marker.attrib;
%SVG.ColorProfile.attrib;
%SVG.Gradient.attrib;
%SVG.Clip.attrib;
%SVG.Mask.attrib;
%SVG.Filter.attrib;
%SVG.FilterColor.attrib;
%SVG.Cursor.attrib;
flood-color %SVGColor.datatype; #IMPLIED
flood-opacity %OpacityValue.datatype; #IMPLIED
lighting-color %SVGColor.datatype; #IMPLIED
%SVG.Presentation.extra.attrib;"

>

<!-- foreignObject: Foreign Object Element -->

<!ENTITY % SVG.foreignObject.extra.content "" >

<!ENTITY % SVG.foreignObject.element "INCLUDE" >

<![%SVG.foreignObject.element;
<!ENTITY % SVG.foreignObject.content
" (#PCDATA %SVG.foreignObject.extra.content;)*"

>

<!ELEMENT %SVG.foreignObject.qname; %SVG.foreignObject.content; >

<!-- end of SVG.foreignObject.element -->]]>

<!ENTITY % SVG.foreignObject.attlist "INCLUDE" >

<![%SVG.foreignObject.attlist;
<!ATTLIST %SVG.foreignObject.qname;
%SVG.Core.attrib;
%SVG.Conditional.attrib;
%SVG.Style.attrib;
%SVG.Presentation.attrib;
%SVG.GraphicalEvents.attrib;

```
%SVG.External.attrib;
x %Coordinate.datatype; #IMPLIED
y %Coordinate.datatype; #IMPLIED
width %Length.datatype; #REQUIRED
height %Length.datatype; #REQUIRED
transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.foreignObject.attlist -->]]>
```

```
<!-- end of svg-extensibility.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
extensibility.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML-Print 1.0 Document Model Module ..... -->
<!-- file: xhtml-print10-model-1.mod
```

This is XHTML-Print 1.0, a variant of XHTML Basic for printing.
Copyright 1998-2003 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-print10-model-1.mod,v 1.7 2003/10/24 22:14:40 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML-Print 1.0 Document Model 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-print10-model-1.mod"
```

```
..... -->
```

```
<!-- XHTML-Print 1.0 Document Model
```

This module describes the groupings of elements that make up
common content models for XHTML-Print elements.

```
-->
```

```
<!-- Optional Elements in head ..... -->
```

```
<!ENTITY % HeadOpts.mix
"( %script.qname; | %style.qname; | %meta.qname; | %link.qname;
| %object.qname; )" >
```

```
<!-- Miscellaneous Elements ..... -->
```

```
<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >
```

```
<!ENTITY % Misc.extra "" >
```

```

<!ENTITY % Misc.class
  "%Script.class;
  %Misc.extra;"
>

<!-- Inline Elements ..... -->

<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >

<!ENTITY % InlPhras.class
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
  | %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class
  "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
  | %small.qname; | %sub.qname; | %sup.qname;" >

<!ENTITY % I18n.class "" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >

<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname;"
>

<!ENTITY % Inline.extra "" >

<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %InlSpecial.class;
  %InlForm.class;

```

```

    %Inline.extra;"
>

<!ENTITY % InlNoAnchor.mix
    "%InlNoAnchor.class;
    %Misc.class;"
>

<!ENTITY % Inline.mix
    "%Inline.class;
    %Misc.class;"
>

<!-- Block Elements ..... -->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;"
>
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
    "| %pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "| %hr.qname;" >

<!ENTITY % BlkSpecial.class
    "%Table.class;
    %Form.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkPres.class;
    %BlkSpecial.class;
    %Block.extra;"
>

```

```
<!ENTITY % Block.mix
```

```
"%Heading.class;  
| %List.class;  
| %Block.class;  
%Misc.class;"
```

```
>
```

```
<!-- All Content Elements ..... -->
```

```
<!ENTITY % FlowNoTable.mix
```

```
"%Heading.class;  
| %List.class;  
| %BlkStruct.class;  
%BlkPhras.class;  
%BlkPres.class;  
%Form.class;  
%Block.extra;  
| %Inline.class;  
%Misc.class;"
```

```
>
```

```
<!ENTITY % Flow.mix
```

```
"%Heading.class;  
| %List.class;  
| %Block.class;  
| %Inline.class;  
%Misc.class;"
```

```
>
```

```
<!-- end of xhtml-print10-model-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-  
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-print10-model-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- XHTML Embedded Object Module ..... -->
```

```
<!-- file: xhtml-object-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-object-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Embedded Object 1.0//EN"  
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-object-1.mod"
```

Revisions:

(none)

..... -->

<!-- Embedded Objects

object

This module declares the object element type and its attributes, used to embed external objects as part of XHTML pages. In the document, place param elements prior to the object elements that require their content.

Note that use of this module requires instantiation of the Param Element Module prior to this module.

-->

<!-- object: Generic Embedded Object -->

```
<!ENTITY % object.element "INCLUDE" >
<![%object.element;[
<!ENTITY % object.content
  "( #PCDATA | %Flow.mix; | %param.qname; )*"
>
<!ENTITY % object.qname "object" >
<!ELEMENT %object.qname; %object.content; >
<!-- end of object.element -->]]>
```

```
<!ENTITY % object.attlist "INCLUDE" >
<![%object.attlist;[
<!ATTLIST %object.qname;
  %Common.attrib;
  declare ( declare ) #IMPLIED
  classid %URI.datatype; #IMPLIED
  codebase %URI.datatype; #IMPLIED
  data %URI.datatype; #IMPLIED
  type %ContentType.datatype; #IMPLIED
  codetype %ContentType.datatype; #IMPLIED
  archive %URIs.datatype; #IMPLIED
  standby %Text.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  name CDATA #IMPLIED
  tabindex %Number.datatype; #IMPLIED
>
<!-- end of object.attlist -->]]>
```

<!-- end of xhtml-object-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-object-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- SVG 1.1 Document Events Attribute Module -->

<!-- file: svg-docevents-attrib.mod

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-docevents-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES SVG 1.1 Document Events Attribute//EN"

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-docevents-attrib.mod"

..... -->

<!-- Document Events Attribute

onunload, onabort, onerror, onresize, onscroll, onzoom

This module defines the DocumentEvents attribute set.

-->

<!ENTITY % SVG.onunload.attrib

"onunload %Script.datatype; #IMPLIED"

>

<!ENTITY % SVG.onabort.attrib

"onabort %Script.datatype; #IMPLIED"

>

<!ENTITY % SVG.onerror.attrib

"onerror %Script.datatype; #IMPLIED"

>

<!ENTITY % SVG.onresize.attrib

"onresize %Script.datatype; #IMPLIED"

>

<!ENTITY % SVG.onscroll.attrib

"onscroll %Script.datatype; #IMPLIED"

>

```
<!ENTITY % SVG.onzoom.attrib
"onzoom %Script.datatype; #IMPLIED"
>
```

```
<!ENTITY % SVG.DocumentEvents.extra.attrib "" >
```

```
<!ENTITY % SVG.DocumentEvents.attrib
"%SVG.onunload.attrib;
%SVG.onabort.attrib;
%SVG.onerror.attrib;
%SVG.onresize.attrib;
%SVG.onscroll.attrib;
%SVG.onzoom.attrib;
%SVG.DocumentEvents.extra.attrib;"
>
```

```
<!-- end of svg-docevents-attrib.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-
docevents-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Viewport Attribute Module ..... -->
<!-- file: svg-viewport-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-viewport-attrib.mod,v 1.2 2002/04/20 18:07:43 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Viewport Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-viewport-attrib.mod"
```

```
..... -->
```

```
<!-- Viewport Attribute
```

```
clip, overflow
```

This module defines the Viewport attribute set.

```
-->
```

```
<!-- 'clip' property/attribute value (e.g., 'auto', rect(...)) -->
```

```
<!ENTITY % ClipValue.datatype "CDATA" >
```

```

<!ENTITY % SVG.clip.attrib
"clip %ClipValue.datatype; #IMPLIED"
>

<!ENTITY % SVG.overflow.attrib
"overflow ( visible | hidden | scroll | auto | inherit ) #IMPLIED"
>

<!ENTITY % SVG.Viewport.extra.attrib "" >

<!ENTITY % SVG.Viewport.attrib
"%SVG.clip.attrib;
%SVG.overflow.attrib;
%SVG.Viewport.extra.attrib;"
>

<!-- end of svg-viewport-attrib.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-viewport-attrib.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Character Entities Module ..... -->
<!-- file: xhtml-charent-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-charent-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ENTITIES XHTML Character Entities 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-charent-1.mod"

```

Revisions:

(none)

```
..... -->
```

```
<!-- Character Entities for XHTML
```

This module declares the set of character entities for XHTML,
 including the Latin 1, Symbol and Special character collections.

```
-->
```

```
<!ENTITY % xhtml-lat1
```

```
PUBLIC "-//W3C//ENTITIES Latin 1 for XHTML//EN"
    "xhtml-lat1.ent" >
<!ENTITY % xhtml-symbol
    PUBLIC "-//W3C//ENTITIES Symbols for XHTML//EN"
        "xhtml-symbol.ent" >
<!ENTITY % xhtml-special
    PUBLIC "-//W3C//ENTITIES Special for XHTML//EN"
        "xhtml-special.ent" >
```

```
%xhtml-lat1;
%xhtml-symbol;
%xhtml-special;
```

```
<!-- end of xhtml-charent-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
charent-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Access QName Module ..... -->
<!-- file: xhtml-access-qname-1.mod
```

This is XHTML Access - the Access Attribute Module for XHTML.

Copyright 2007-2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Access Attribute Qnames 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-access-qname-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- XHTML Access Attribute QName (Qualified Name) Module
```

This module is contained in two parts, labeled Section 'A' and 'B':

Section A declares parameter entities to support namespace-qualified names, namespace declarations, and name prefixing for XHTML Access and extensions.

Section B declares parameter entities used to provide namespace-qualified names for the XHTML access element:

%XHTML-ACCESS.access.qname; the xmlns-qualified name for access

...

XHTML Access extensions would create a module similar to this one.

-->

<!-- Section A: XHTML Access Attribute XML Namespace Framework ::::::::::::::: -->

<!-- 1. Declare a %XHTML-ACCESS.prefixed; conditional section keyword, used to activate namespace prefixing. The default value should inherit '%NS.prefixed;' from the DTD driver, so that unless overridden, the default behavior follows the overall DTD prefixing scheme.

-->

<!ENTITY % NS.prefixed "IGNORE" >

<!ENTITY % XHTML-ACCESS.prefixed "%NS.prefixed;" >

<!-- 2. Declare a parameter entity (eg., %XHTML-ACCESS.xmlns;) containing the URI reference used to identify the XHTML Access Attribute namespace

-->

<!ENTITY % XHTML-ACCESS.xmlns "http://www.w3.org/1999/xhtml" >

<!-- 3. Declare parameter entities (eg., %XML.prefix;) containing the default namespace prefix string(s) to use when prefixing is enabled. This may be overridden in the DTD driver or the internal subset of an document instance. If no default prefix is desired, this may be declared as an empty string.

NOTE: As specified in [XMLNAMES], the namespace prefix serves as a proxy for the URI reference, and is not in itself significant.

-->

<!ENTITY % XHTML-ACCESS.prefix "" >

<!-- 4. Declare parameter entities (eg., %XHTML-ACCESS.pfx;) containing the colonized prefix(es) (eg., '%XHTML-ACCESS.prefix;:') used when prefixing is active, an empty string when it is not.

-->

<![%XHTML-ACCESS.prefixed;[

<!ENTITY % XHTML-ACCESS.pfx "%XHTML-ACCESS.prefix;:" >

]]>

<!ENTITY % XHTML-ACCESS.pfx "" >

<!-- declare qualified name extensions here -->

<!ENTITY % xhtml-access-qname-extra.mod "" >

%xhtml-access-qname-extra.mod;

<!-- 5. The parameter entity %XHTML-ACCESS.xmlns.extra.attrib; may be redeclared to contain any non-XHTML Access namespace

declaration attributes for namespaces embedded in XML. The default is an empty string. XLink should be included here if used in the DTD.

-->

<!ENTITY % XHTML-ACCESS.xmlns.extra.attrib "" >

<!-- Section B: XML Qualified Names :::::::::::::::::::: -->

<!-- 6. This section declares parameter entities used to provide namespace-qualified names for the XHTML Access element.

-->

<!ENTITY % XHTML-ACCESS.access.qname "%XHTML-ACCESS.pfx;access" >

<!-- end of xhtml-access-qname-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-access-qname-1.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Images Module -->

<!-- file: xhtml-image-1.mod

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-image-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS XHTML Images 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-image-1.mod"

Revisions:

(none)

..... -->

<!-- Images

img

This module provides markup to support basic image embedding.

-->

<!-- To avoid problems with text-only UAs as well as to make image content understandable and navigable to users of

non-visual UAs, you need to provide a description with the 'alt' attribute, and avoid server-side image maps.

-->

```
<!ENTITY % img.element "INCLUDE" >
<![%img.element;[
<!ENTITY % img.content "EMPTY" >
<!ENTITY % img.qname "img" >
<!ELEMENT %img.qname; %img.content; >
<!-- end of img.element -->]]>
```

```
<!ENTITY % img.attlist "INCLUDE" >
<![%img.attlist;[
<!ATTLIST %img.qname;
  %Common.attrib;
  src      %URI.datatype;      #REQUIRED
  alt      %Text.datatype;     #REQUIRED
  longdesc %URI.datatype;     #IMPLIED
  height   %Length.datatype;   #IMPLIED
  width    %Length.datatype;   #IMPLIED
>
<!-- end of img.attlist -->]]>
```

<!-- end of xhtml-image-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-image-1.mod

No license file was found, but licenses were detected in source scan.

<!--

File isoamso.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES Added Math Symbols: Ordinary//EN//XML`
System identifier: `http://www.w3.org/2003/entities/2007/isoamso.ent`

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isoamso PUBLIC
  "-//W3C//ENTITIES Added Math Symbols: Ordinary//EN//XML"
  "http://www.w3.org/2003/entities/2007/isoamso.ent"
>
%isoamso;
```

-->

```
<!ENTITY ang      "&#x02220;" ><!--ANGLE -->
<!ENTITY ange     "&#x029A4;" ><!--ANGLE WITH UNDERBAR -->
<!ENTITY angmsd   "&#x02221;" ><!--MEASURED ANGLE -->
<!ENTITY angmsdaa "&#x029A8;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING UP AND RIGHT -->
<!ENTITY angmsdab "&#x029A9;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING UP AND LEFT -->
<!ENTITY angmsdac "&#x029AA;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING DOWN AND RIGHT -->
<!ENTITY angmsdad "&#x029AB;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING DOWN AND LEFT -->
<!ENTITY angmsdae "&#x029AC;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING RIGHT AND UP -->
<!ENTITY angmsdaf "&#x029AD;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING LEFT AND UP -->
<!ENTITY angmsdag "&#x029AE;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING RIGHT AND DOWN -->
<!ENTITY angmsdah "&#x029AF;" ><!--MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW
POINTING LEFT AND DOWN -->
<!ENTITY angrtvb  "&#x022BE;" ><!--RIGHT ANGLE WITH ARC -->
<!ENTITY angrtvbd "&#x0299D;" ><!--MEASURED RIGHT ANGLE WITH DOT -->
```

<!ENTITY bbrk "⎵" ><!--BOTTOM SQUARE BRACKET -->
 <!ENTITY bbrktbrk "⎶" ><!--BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET -->
 ->
 <!ENTITY bemptyv "⦰" ><!--REVERSED EMPTY SET -->
 <!ENTITY beth "ℶ" ><!--BET SYMBOL -->
 <!ENTITY boxbox "⧉" ><!--TWO JOINED SQUARES -->
 <!ENTITY bprime "‵" ><!--REVERSED PRIME -->
 <!ENTITY bsemi "⁏" ><!--REVERSED SEMICOLON -->
 <!ENTITY cemptyv "⦲" ><!--EMPTY SET WITH SMALL CIRCLE ABOVE -->
 <!ENTITY cirE "⧃" ><!--CIRCLE WITH TWO HORIZONTAL STROKES TO THE RIGHT -->
 <!ENTITY cirscir "⧂" ><!--CIRCLE WITH SMALL CIRCLE TO THE RIGHT -->
 <!ENTITY comp "∁" ><!--COMPLEMENT -->
 <!ENTITY daleth "ℸ" ><!--DALET SYMBOL -->
 <!ENTITY demptyv "⦱" ><!--EMPTY SET WITH OVERBAR -->
 <!ENTITY ell "ℓ" ><!--SCRIPT SMALL L -->
 <!ENTITY empty "∅" ><!--EMPTY SET -->
 <!ENTITY emptyv "∅" ><!--EMPTY SET -->
 <!ENTITY gimel "ℷ" ><!--GIMEL SYMBOL -->
 <!ENTITY iiota "℩" ><!--TURNED GREEK SMALL LETTER IOTA -->
 <!ENTITY image "ℑ" ><!--BLACK-LETTER CAPITAL I -->
 <!ENTITY imath "ı" ><!--LATIN SMALL LETTER DOTLESS I -->
 <!ENTITY jmath "ȷ" ><!--LATIN SMALL LETTER DOTLESS J -->
 <!ENTITY laemptyv "⦴" ><!--EMPTY SET WITH LEFT ARROW ABOVE -->
 <!ENTITY lltri "◺" ><!--LOWER LEFT TRIANGLE -->
 <!ENTITY lrtri "⊿" ><!--RIGHT TRIANGLE -->
 <!ENTITY mho "℧" ><!--INVERTED OHM SIGN -->
 <!ENTITY nang "∠⃒" ><!--ANGLE with vertical line -->
 <!ENTITY nexist "∄" ><!--THERE DOES NOT EXIST -->
 <!ENTITY oS "Ⓢ" ><!--CIRCLED LATIN CAPITAL LETTER S -->
 <!ENTITY planck "ℏ" ><!--PLANCK CONSTANT OVER TWO PI -->
 <!ENTITY plankv "ℏ" ><!--PLANCK CONSTANT OVER TWO PI -->
 <!ENTITY raemptyv "⦳" ><!--EMPTY SET WITH RIGHT ARROW ABOVE -->
 <!ENTITY range "⦥" ><!--REVERSED ANGLE WITH UNDERBAR -->
 <!ENTITY real "ℜ" ><!--BLACK-LETTER CAPITAL R -->
 <!ENTITY tbrk "⎴" ><!--TOP SQUARE BRACKET -->
 <!ENTITY trpezium "⏢" ><!--WHITE TRAPEZIUM -->
 <!ENTITY ultri "◸" ><!--UPPER LEFT TRIANGLE -->
 <!ENTITY urtri "◹" ><!--UPPER RIGHT TRIANGLE -->
 <!ENTITY vzigzag "⦚" ><!--VERTICAL ZIGZAG LINE -->
 <!ENTITY weierp "℘" ><!--SCRIPT CAPITAL P -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isoamso.ent

No license file was found, but licenses were detected in source scan.

<!--

File isomfrk.ent produced by the XSL script entities.xml

from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Math Alphabets: Fraktur//EN//XML
System identifier: <http://www.w3.org/2003/entities/2007/isomfrk.ent>

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isomfrk PUBLIC
  "-//W3C//ENTITIES Math Alphabets: Fraktur//EN//XML"
  "http://www.w3.org/2003/entities/2007/isomfrk.ent"
>
%isomfrk;
```

-->

```
<!ENTITY afr      "&#x1D51E;" ><!--MATHEMATICAL FRAKTUR SMALL A -->
<!ENTITY Afr      "&#x1D504;" ><!--MATHEMATICAL FRAKTUR CAPITAL A -->
<!ENTITY bfr      "&#x1D51F;" ><!--MATHEMATICAL FRAKTUR SMALL B -->
<!ENTITY Bfr      "&#x1D505;" ><!--MATHEMATICAL FRAKTUR CAPITAL B -->
<!ENTITY cfr      "&#x1D520;" ><!--MATHEMATICAL FRAKTUR SMALL C -->
```

<!ENTITY Cfr	"ℭ" ><!--BLACK-LETTER CAPITAL C -->
<!ENTITY dfr	"𝔡" ><!--MATHEMATICAL FRAKTUR SMALL D -->
<!ENTITY Dfr	"𝔇" ><!--MATHEMATICAL FRAKTUR CAPITAL D -->
<!ENTITY efr	"𝔢" ><!--MATHEMATICAL FRAKTUR SMALL E -->
<!ENTITY Efr	"𝔈" ><!--MATHEMATICAL FRAKTUR CAPITAL E -->
<!ENTITY ffr	"𝔣" ><!--MATHEMATICAL FRAKTUR SMALL F -->
<!ENTITY Ffr	"𝔉" ><!--MATHEMATICAL FRAKTUR CAPITAL F -->
<!ENTITY gfr	"𝔤" ><!--MATHEMATICAL FRAKTUR SMALL G -->
<!ENTITY Gfr	"𝔊" ><!--MATHEMATICAL FRAKTUR CAPITAL G -->
<!ENTITY hfr	"𝔥" ><!--MATHEMATICAL FRAKTUR SMALL H -->
<!ENTITY Hfr	"ℌ" ><!--BLACK-LETTER CAPITAL H -->
<!ENTITY ifr	"𝔦" ><!--MATHEMATICAL FRAKTUR SMALL I -->
<!ENTITY Ifr	"ℑ" ><!--BLACK-LETTER CAPITAL I -->
<!ENTITY jfr	"𝔧" ><!--MATHEMATICAL FRAKTUR SMALL J -->
<!ENTITY Jfr	"𝔍" ><!--MATHEMATICAL FRAKTUR CAPITAL J -->
<!ENTITY kfr	"𝔨" ><!--MATHEMATICAL FRAKTUR SMALL K -->
<!ENTITY Kfr	"𝔎" ><!--MATHEMATICAL FRAKTUR CAPITAL K -->
<!ENTITY lfr	"𝔩" ><!--MATHEMATICAL FRAKTUR SMALL L -->
<!ENTITY Lfr	"𝔏" ><!--MATHEMATICAL FRAKTUR CAPITAL L -->
<!ENTITY mfr	"𝔪" ><!--MATHEMATICAL FRAKTUR SMALL M -->
<!ENTITY Mfr	"𝔐" ><!--MATHEMATICAL FRAKTUR CAPITAL M -->
<!ENTITY nfr	"𝔫" ><!--MATHEMATICAL FRAKTUR SMALL N -->
<!ENTITY Nfr	"𝔑" ><!--MATHEMATICAL FRAKTUR CAPITAL N -->
<!ENTITY ofr	"𝔬" ><!--MATHEMATICAL FRAKTUR SMALL O -->
<!ENTITY Ofr	"𝔒" ><!--MATHEMATICAL FRAKTUR CAPITAL O -->
<!ENTITY pfr	"𝔭" ><!--MATHEMATICAL FRAKTUR SMALL P -->
<!ENTITY Pfr	"𝔓" ><!--MATHEMATICAL FRAKTUR CAPITAL P -->
<!ENTITY qfr	"𝔮" ><!--MATHEMATICAL FRAKTUR SMALL Q -->
<!ENTITY Qfr	"𝔔" ><!--MATHEMATICAL FRAKTUR CAPITAL Q -->
<!ENTITY rfr	"𝔯" ><!--MATHEMATICAL FRAKTUR SMALL R -->
<!ENTITY Rfr	"ℜ" ><!--BLACK-LETTER CAPITAL R -->
<!ENTITY sfr	"𝔰" ><!--MATHEMATICAL FRAKTUR SMALL S -->
<!ENTITY Sfr	"𝔖" ><!--MATHEMATICAL FRAKTUR CAPITAL S -->
<!ENTITY tfr	"𝔱" ><!--MATHEMATICAL FRAKTUR SMALL T -->
<!ENTITY Tfr	"𝔗" ><!--MATHEMATICAL FRAKTUR CAPITAL T -->
<!ENTITY ufr	"𝔲" ><!--MATHEMATICAL FRAKTUR SMALL U -->
<!ENTITY Ufr	"𝔘" ><!--MATHEMATICAL FRAKTUR CAPITAL U -->
<!ENTITY vfr	"𝔳" ><!--MATHEMATICAL FRAKTUR SMALL V -->
<!ENTITY Vfr	"𝔙" ><!--MATHEMATICAL FRAKTUR CAPITAL V -->
<!ENTITY wfr	"𝔴" ><!--MATHEMATICAL FRAKTUR SMALL W -->
<!ENTITY Wfr	"𝔚" ><!--MATHEMATICAL FRAKTUR CAPITAL W -->
<!ENTITY xfr	"𝔵" ><!--MATHEMATICAL FRAKTUR SMALL X -->
<!ENTITY Xfr	"𝔛" ><!--MATHEMATICAL FRAKTUR CAPITAL X -->
<!ENTITY yfr	"𝔶" ><!--MATHEMATICAL FRAKTUR SMALL Y -->
<!ENTITY Yfr	"𝔜" ><!--MATHEMATICAL FRAKTUR CAPITAL Y -->
<!ENTITY zfr	"𝔷" ><!--MATHEMATICAL FRAKTUR SMALL Z -->
<!ENTITY Zfr	"ℨ" ><!--BLACK-LETTER CAPITAL Z -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isomfrk.ent

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->  
<!-- RDDDL 1.0 Document Model Module ..... -->  
<!-- file: xhtml-rddl-model-1.mod
```

Derived from:

```
-->  
<!--
```

This is XHTML Basic, a proper subset of XHTML.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-rddl-model-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//XML-DEV//ENTITIES RDDDL Document Model 1.0//EN"  
SYSTEM "http://www.rddl.org/xhtml-rddl-model-1.mod"
```

Revisions:

```
(none)  
..... -->
```

```
<!-- RDDDL Document Model
```

This module describes the groupings of elements that make up
common content models for XHTML elements.

```
-->
```

```
<!-- Optional Elements in head ..... -->
```

```
<!ENTITY % HeadOpts.mix  
  "( %meta.qname; | %link.qname; | %object.qname; )" >
```

```
<!-- Miscellaneous Elements ..... -->
```

```
<!ENTITY % Misc.class "" >
```

```
<!-- Inline Elements ..... -->
```

```
<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >
```

```
<!ENTITY % InlPhras.class  
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;  
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
```

```

| %abbr.qname; | %acronym.qname; | %q.qname;" >

<!ENTITY % InlPres.class "" >

<!ENTITY % I18n.class "" >

<!ENTITY % Anchor.class "| %a.qname;" >

<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >

<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname;"
>

<!ENTITY % Inline.extra "" >

<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>

<!ENTITY % InlNoAnchor.mix
  "%InlNoAnchor.class;
  %Misc.class;"
>

<!ENTITY % Inline.mix
  "%Inline.class;
  %Misc.class;"
>

<!-- Block Elements ..... -->

<!ENTITY % Heading.class
  "%h1.qname; | %h2.qname; | %h3.qname;"

```

```

    | %h4.qname; | %h5.qname; | %h6.qname;"
>
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname; | %RDDL.resource.qname;" >

<!ENTITY % BlkPhras.class
    "%pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "" >

<!ENTITY % BlkSpecial.class
    "%Table.class;
    %Form.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkSpecial.class;
    %Block.extra;"
>

<!ENTITY % Block.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    %Misc.class;"
>

<!-- All Content Elements ..... -->

<!-- declares all content except tables
-->
<!ENTITY % FlowNoTable.mix
    "%Heading.class;
    | %List.class;
    | %BlkStruct.class;
    %BlkPhras.class;
    %Form.class;
    %Block.extra;

```

```
| %Inline.class;
%Misc.class;"
>
```

```
<!ENTITY % Flow.mix
"%Heading.class;
| %List.class;
| %Block.class;
| %Inline.class;
%Misc.class;"
>
```

```
<!-- end of xhtml-basic10-model-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
rddl-model-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Intrinsic Events Module ..... -->
<!-- file: xhtml-events-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.
Revision: \$Id: xhtml-events-1.mod,v 1.4 2008/10/08 21:02:30 jules Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES XHTML Intrinsic Events 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-events-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Intrinsic Event Attributes
```

These are the event attributes defined in HTML 4,
Section 18.2.3 "Intrinsic Events". This module must be
instantiated prior to the Attributes Module but after
the Datatype Module in the Modular Framework module.

"Note: Authors of HTML documents are advised that changes
are likely to occur in the realm of intrinsic events
(e.g., how scripts are bound to events). Research in
this realm is carried on by members of the W3C Document
Object Model Working Group (see the W3C Web site at

<http://www.w3.org/> for more information)."
-->

<!-- NOTE: Because the ATTLLIST declarations in this module occur before their respective ELEMENT declarations in other modules, there may be a dependency on this module that should be considered if any of the parameter entities used for element type names (eg., %a.qname;) are redeclared.

-->

<!ENTITY % Events.attrib
"onclick %Script.datatype; #IMPLIED
ondblclick %Script.datatype; #IMPLIED
onmousedown %Script.datatype; #IMPLIED
onmouseup %Script.datatype; #IMPLIED
onmouseover %Script.datatype; #IMPLIED
onmousemove %Script.datatype; #IMPLIED
onmouseout %Script.datatype; #IMPLIED
onkeypress %Script.datatype; #IMPLIED
onkeydown %Script.datatype; #IMPLIED
onkeyup %Script.datatype; #IMPLIED"

>

<![%XHTML.global.attrs.prefixed;[
<!ENTITY % XHTML.global.events.attrib
"%XHTML.prefix::onclick %Script.datatype; #IMPLIED
%XHTML.prefix::ondblclick %Script.datatype; #IMPLIED
%XHTML.prefix::onmousedown %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseup %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseover %Script.datatype; #IMPLIED
%XHTML.prefix::onmousemove %Script.datatype; #IMPLIED
%XHTML.prefix::onmouseout %Script.datatype; #IMPLIED
%XHTML.prefix::onkeypress %Script.datatype; #IMPLIED
%XHTML.prefix::onkeydown %Script.datatype; #IMPLIED
%XHTML.prefix::onkeyup %Script.datatype; #IMPLIED"

>

]]>

<!-- additional attributes on anchor element

-->

<!ATTLLIST %a.qname;
onfocus %Script.datatype; #IMPLIED
onblur %Script.datatype; #IMPLIED

>

<!-- additional attributes on form element

-->

<!ATTLLIST %form.qname;
onsubmit %Script.datatype; #IMPLIED

```
    onreset    %Script.datatype;    #IMPLIED
>

<!-- additional attributes on label element
-->
<!ATTLIST %label.qname;
    onfocus   %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
>

<!-- additional attributes on input element
-->
<!ATTLIST %input.qname;
    onfocus   %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
    onselect   %Script.datatype;    #IMPLIED
    onchange   %Script.datatype;    #IMPLIED
>

<!-- additional attributes on select element
-->
<!ATTLIST %select.qname;
    onfocus   %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
    onchange   %Script.datatype;    #IMPLIED
>

<!-- additional attributes on textarea element
-->
<!ATTLIST %textarea.qname;
    onfocus   %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
    onselect   %Script.datatype;    #IMPLIED
    onchange   %Script.datatype;    #IMPLIED
>

<!-- additional attributes on button element
-->
<!ATTLIST %button.qname;
    onfocus   %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
>

<!-- additional attributes on body element
-->
<!ATTLIST %body.qname;
    onload     %Script.datatype;    #IMPLIED
    onunload   %Script.datatype;    #IMPLIED
```

```
>
<!-- additional attributes on area element
-->
<!ATTLIST %area.qname;
    onfocus    %Script.datatype;    #IMPLIED
    onblur     %Script.datatype;    #IMPLIED
>
```

```
<!-- end of xhtml-events-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
events-1.mod
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0.
```

```
// This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v.
2.0.
```

```
/**
```

```
* An item type, as defined in the XPath/XQuery specifications.
```

```
* <p>This class contains a number of static constant fields
```

```
* referring to instances that represent simple item types, such as
```

```
* <code>item()</code>, <code>node()</code>, and <code>xs:anyAtomicType</code>. These named types are
currently
```

```
* based on the definitions in XSD 1.0 and XML 1.0. They may be changed in a future version to be based
```

```
* on a later version.</p>
```

```
* <p>More complicated item types, especially those that are dependent on information in a schema,
```

```
* are available using factory methods on the { @link ItemTypeFactory } object. The factory methods can
```

```
* also be used to create variants of the types that use the rules given in the XML 1.1 and/or XSD 1.1
specifications.</p>
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/s9api/ItemType.java
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
```

```
<!-- SVG 1.1 Structure Module ..... -->
```

```
<!-- file: svg-structure.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.

Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

Revision: \$Id: svg-structure.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Structure//EN"
```

SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-structure.mod"

..... -->

<!-- Structure

svg, g, defs, desc, title, metadata, symbol, use

This module declares the major structural elements and their attributes.

-->

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.svg.qname "svg" >
<!ENTITY % SVG.g.qname "g" >
<!ENTITY % SVG.defs.qname "defs" >
<!ENTITY % SVG.desc.qname "desc" >
<!ENTITY % SVG.title.qname "title" >
<!ENTITY % SVG.metadata.qname "metadata" >
<!ENTITY % SVG.symbol.qname "symbol" >
<!ENTITY % SVG.use.qname "use" >

<!-- Attribute Collections (Default) -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Container.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.Style.attrib "" >
<!ENTITY % SVG.Viewport.attrib "" >
<!ENTITY % SVG.Text.attrib "" >
<!ENTITY % SVG.TextContent.attrib "" >
<!ENTITY % SVG.Font.attrib "" >
<!ENTITY % SVG.Paint.attrib "" >
<!ENTITY % SVG.Color.attrib "" >
<!ENTITY % SVG.Opacity.attrib "" >
<!ENTITY % SVG.Graphics.attrib "" >
<!ENTITY % SVG.Marker.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib "" >
<!ENTITY % SVG.Gradient.attrib "" >
<!ENTITY % SVG.Clip.attrib "" >
<!ENTITY % SVG.Mask.attrib "" >
<!ENTITY % SVG.Filter.attrib "" >
<!ENTITY % SVG.FilterColor.attrib "" >
<!ENTITY % SVG.DocumentEvents.attrib "" >
<!ENTITY % SVG.GraphicalEvents.attrib "" >
<!ENTITY % SVG.Cursor.attrib "" >
<!ENTITY % SVG.XLinkEmbed.attrib "" >
<!ENTITY % SVG.External.attrib "" >

```

<!-- SVG.Description.class ..... -->

<!ENTITY % SVG.Description.extra.class "" >

<!ENTITY % SVG.Description.class
"%SVG.desc.qname; | %SVG.title.qname; | %SVG.metadata.qname;
 %SVG.Description.extra.class;"
>

<!-- SVG.Use.class ..... -->

<!ENTITY % SVG.Use.extra.class "" >

<!ENTITY % SVG.Use.class
"| %SVG.use.qname; %SVG.Use.extra.class;"
>

<!-- SVG.Structure.class ..... -->

<!ENTITY % SVG.Structure.extra.class "" >

<!ENTITY % SVG.Structure.class
"| %SVG.svg.qname; | %SVG.g.qname; | %SVG.defs.qname; | %SVG.symbol.qname;
 %SVG.Use.class; %SVG.Structure.extra.class;"
>

<!-- SVG.Presentation.attrib ..... -->

<!ENTITY % SVG.Presentation.extra.attrib "" >

<!ENTITY % SVG.Presentation.attrib
"%SVG.Container.attrib;
 %SVG.Viewport.attrib;
 %SVG.Text.attrib;
 %SVG.TextContent.attrib;
 %SVG.Font.attrib;
 %SVG.Paint.attrib;
 %SVG.Color.attrib;
 %SVG.Opacity.attrib;
 %SVG.Graphics.attrib;
 %SVG.Marker.attrib;
 %SVG.ColorProfile.attrib;
 %SVG.Gradient.attrib;
 %SVG.Clip.attrib;
 %SVG.Mask.attrib;
 %SVG.Filter.attrib;
 %SVG.FilterColor.attrib;"

```

```

    %SVG.Cursor.attrib;
    flood-color %SVGColor.datatype; #IMPLIED
    flood-opacity %OpacityValue.datatype; #IMPLIED
    lighting-color %SVGColor.datatype; #IMPLIED
    %SVG.Presentation.extra.attrib;"
>

<!-- svg: SVG Document Element ..... -->

<!ENTITY % SVG.svg.extra.content "" >

<!ENTITY % SVG.svg.element "INCLUDE" >
<![%SVG.svg.element;[
<!ENTITY % SVG.svg.content
    "( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
    %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
    %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.svg.extra.content; )*"
>
<!ELEMENT %SVG.svg.qname; %SVG.svg.content; >
<!-- end of SVG.svg.element -->]]>

<!ENTITY % SVG.svg.attlist "INCLUDE" >
<![%SVG.svg.attlist;[
<!ATTLIST %SVG.svg.qname;
    %SVG.xmlns.attrib;
    %SVG.Core.attrib;
    %SVG.Conditional.attrib;
    %SVG.Style.attrib;
    %SVG.Presentation.attrib;
    %SVG.DocumentEvents.attrib;
    %SVG.GraphicalEvents.attrib;
    %SVG.External.attrib;
    x %Coordinate.datatype; #IMPLIED
    y %Coordinate.datatype; #IMPLIED
    width %Length.datatype; #IMPLIED
    height %Length.datatype; #IMPLIED
    viewBox %ViewBoxSpec.datatype; #IMPLIED
    preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
    zoomAndPan ( disable | magnify ) 'magnify'
    version %Number.datatype; #FIXED '1.1'
    baseProfile %Text.datatype; #IMPLIED
    contentScriptType %ContentType.datatype; 'text/ecmascript'
    contentStyleType %ContentType.datatype; 'text/css'
>

```

```

<!-- end of SVG.svg.attlist -->]]>

<!-- g: Group Element ..... -->

<!ENTITY % SVG.g.extra.content "" >

<!ENTITY % SVG.g.element "INCLUDE" >
<![%SVG.g.element;[
<!ENTITY % SVG.g.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.g.extra.content; )*"
>
<!ELEMENT %SVG.g.qname; %SVG.g.content; >
<!-- end of SVG.g.element -->]]>

<!ENTITY % SVG.g.attlist "INCLUDE" >
<![%SVG.g.attlist;[
<!ATTLIST %SVG.g.qname;
 %SVG.Core.attrib;
 %SVG.Conditional.attrib;
 %SVG.Style.attrib;
 %SVG.Presentation.attrib;
 %SVG.GraphicalEvents.attrib;
 %SVG.External.attrib;
 transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.g.attlist -->]]>

<!-- defs: Definitions Element ..... -->

<!ENTITY % SVG.defs.extra.content "" >

<!ENTITY % SVG.defs.element "INCLUDE" >
<![%SVG.defs.element;[
<!ENTITY % SVG.defs.content
"( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
 %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
 %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
 %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
 %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
 %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
 %SVG.Font.class; %SVG.defs.extra.content; )*"
>

```

```
<!ELEMENT %SVG.defs.qname; %SVG.defs.content; >
<!-- end of SVG.defs.element -->]]>
```

```
<!ENTITY % SVG.defs.attlist "INCLUDE" >
<![%SVG.defs.attlist;[
<!ATTLIST %SVG.defs.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.External.attrib;
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.defs.attlist -->]]>
```

```
<!-- desc: Description Element ..... -->
```

```
<!ENTITY % SVG.desc.extra.content "" >
```

```
<!ENTITY % SVG.desc.element "INCLUDE" >
<![%SVG.desc.element;[
<!ENTITY % SVG.desc.content
  "( #PCDATA %SVG.desc.extra.content; )*"
>
<!ELEMENT %SVG.desc.qname; %SVG.desc.content; >
<!-- end of SVG.desc.element -->]]>
```

```
<!ENTITY % SVG.desc.attlist "INCLUDE" >
<![%SVG.desc.attlist;[
<!ATTLIST %SVG.desc.qname;
  %SVG.Core.attrib;
  %SVG.Style.attrib;
>
<!-- end of SVG.desc.attlist -->]]>
```

```
<!-- title: Title Element ..... -->
```

```
<!ENTITY % SVG.title.extra.content "" >
```

```
<!ENTITY % SVG.title.element "INCLUDE" >
<![%SVG.title.element;[
<!ENTITY % SVG.title.content
  "( #PCDATA %SVG.title.extra.content; )*"
>
<!ELEMENT %SVG.title.qname; %SVG.title.content; >
<!-- end of SVG.title.element -->]]>
```

```

<!ENTITY % SVG.title.attlist "INCLUDE" >
<![%SVG.title.attlist;[
<!ATTLIST %SVG.title.qname;
    %SVG.Core.attrib;
    %SVG.Style.attrib;
>
<!-- end of SVG.title.attlist -->]]>

<!-- metadata: Metadata Element ..... -->

<!ENTITY % SVG.metadata.extra.content "" >

<!ENTITY % SVG.metadata.element "INCLUDE" >
<![%SVG.metadata.element;[
<!ENTITY % SVG.metadata.content
    "( #PCDATA %SVG.metadata.extra.content; )*"
>
<!ELEMENT %SVG.metadata.qname; %SVG.metadata.content; >
<!-- end of SVG.metadata.element -->]]>

<!ENTITY % SVG.metadata.attlist "INCLUDE" >
<![%SVG.metadata.attlist;[
<!ATTLIST %SVG.metadata.qname;
    %SVG.Core.attrib;
>
<!-- end of SVG.metadata.attlist -->]]>

<!-- symbol: Symbol Element ..... -->

<!ENTITY % SVG.symbol.extra.content "" >

<!ENTITY % SVG.symbol.element "INCLUDE" >
<![%SVG.symbol.element;[
<!ENTITY % SVG.symbol.content
    "( %SVG.Description.class; | %SVG.Animation.class; %SVG.Structure.class;
    %SVG.Conditional.class; %SVG.Image.class; %SVG.Style.class;
    %SVG.Shape.class; %SVG.Text.class; %SVG.Marker.class;
    %SVG.ColorProfile.class; %SVG.Gradient.class; %SVG.Pattern.class;
    %SVG.Clip.class; %SVG.Mask.class; %SVG.Filter.class; %SVG.Cursor.class;
    %SVG.Hyperlink.class; %SVG.View.class; %SVG.Script.class;
    %SVG.Font.class; %SVG.symbol.extra.content; )*"
>
<!ELEMENT %SVG.symbol.qname; %SVG.symbol.content; >
<!-- end of SVG.symbol.element -->]]>

<!ENTITY % SVG.symbol.attlist "INCLUDE" >
<![%SVG.symbol.attlist;[
<!ATTLIST %SVG.symbol.qname;

```

```

%SVG.Core.attrib;
%SVG.Style.attrib;
%SVG.Presentation.attrib;
%SVG.GraphicalEvents.attrib;
%SVG.External.attrib;
viewBox %ViewBoxSpec.datatype; #IMPLIED
preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
>
<!-- end of SVG.symbol.attlist -->]]>

<!-- use: Use Element ..... -->

<!ENTITY % SVG.use.extra.content "" >

<!ENTITY % SVG.use.element "INCLUDE" >
<![%SVG.use.element;[
<!ENTITY % SVG.use.content
  "(( %SVG.Description.class; )*, ( %SVG.Animation.class;
    %SVG.use.extra.content; )*)"
>
<!ELEMENT %SVG.use.qname; %SVG.use.content; >
<!-- end of SVG.use.element -->]]>

<!ENTITY % SVG.use.attlist "INCLUDE" >
<![%SVG.use.attlist;[
<!ATTLIST %SVG.use.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Presentation.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.XLinkEmbed.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #IMPLIED
  height %Length.datatype; #IMPLIED
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.use.attlist -->]]>

<!-- end of svg-structure.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-structure.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- XHTML Link Element Module ..... -->
<!-- file: xhtml-link-1.mod
```

This is XHTML, a reformulation of HTML as a modular XML application.
Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: xhtml-link-1.mod,v 1.1 2001/02/13 12:24:22 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS XHTML Link Element 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulatization/DTD/xhtml-link-1.mod"
```

Revisions:

(none)

```
..... -->
```

```
<!-- Link element
```

```
    link
```

This module declares the link element type and its attributes,
which could (in principle) be used to define document-level links
to external resources such as:

- a) for document specific toolbars/menus, e.g. start, contents,
previous, next, index, end, help
- b) to link to a separate style sheet (rel="stylesheet")
- c) to make a link to a script (rel="script")
- d) by stylesheets to control how collections of html nodes are
rendered into printed documents
- e) to make a link to a printable version of this document
e.g. a postscript or pdf version (rel="alternate" media="print")

```
-->
```

```
<!-- link: Media-Independent Link ..... -->
```

```
<!ENTITY % link.element "INCLUDE" >
<![%link.element;[
<!ENTITY % link.content "EMPTY" >
<!ENTITY % link.qname "link" >
<!ELEMENT %link.qname; %link.content; >
<!-- end of link.element -->]]>
```

```
<!ENTITY % link.attlist "INCLUDE" >
<![%link.attlist;[
<!ATTLIST %link.qname;
    %Common.attrib;
```

```
charset %Charset.datatype; #IMPLIED
href %URI.datatype; #IMPLIED
hreflang %LanguageCode.datatype; #IMPLIED
type %ContentType.datatype; #IMPLIED
rel %LinkTypes.datatype; #IMPLIED
rev %LinkTypes.datatype; #IMPLIED
media %MediaDesc.datatype; #IMPLIED
>
<!-- end of link.attlist -->]]>
```

```
<!-- end of xhtml-link-1.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
link-1.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 External Resources Attribute Module ..... -->
<!-- file: svg-extresources-attrib.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-extresources-attrib.mod,v 1.2 2002/04/20 18:07:42 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 External Resources Attribute//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-extresources-attrib.mod"
```

```
..... -->
```

```
<!-- External Resources Attribute
```

```
externalResourcesRequired
```

This module defines the External attribute set.

```
-->
```

```
<!ENTITY % SVG.externalResourcesRequired.attrib
"externalResourcesRequired %Boolean.datatype; #IMPLIED"
```

```
>
```

```
<!ENTITY % SVG.External.extra.attrib "" >
```

```
<!ENTITY % SVG.External.attrib
"%SVG.externalResourcesRequired.attrib;
%SVG.External.extra.attrib;"
```

>

<!-- end of svg-extresources-attrib.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-extresources-attrib.mod

No license file was found, but licenses were detected in source scan.

<!-- -->

<!-- XHTML Basic 1.1 Document Model Module -->

<!-- file: xhtml-basic11-model-1.mod

This is XHTML Basic, a proper subset of XHTML.

Copyright 1998-2007 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-basic11-model-1.mod,v 1.4 2008/03/28 13:07:30 smccarro Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ENTITIES XHTML Basic 1.1 Document Model 1.0//EN"

SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-basic11-model-1.mod"

Revisions:

(none)

..... -->

<!-- XHTML Basic Document Model

This module describes the groupings of elements that make up common content models for XHTML elements.

-->

<!-- Optional Elements in head -->

<!ENTITY % HeadOpts.mix

"(%script.qname; | %style.qname; | %meta.qname; | %link.qname; | %object.qname;)*" >

<!-- script and noscript are used to contain scripts and alternative content

-->

<!ENTITY % Script.class "| %script.qname; | %noscript.qname;" >

<!-- Miscellaneous Elements -->

<!ENTITY % Misc.extra "" >

<!-- These elements are neither block nor inline, and can

essentially be used anywhere in the document body.

-->

```
<!ENTITY % Misc.class
  "%Script.class;
  %Misc.extra;"
>
```

<!-- Inline Elements -->

```
<!ENTITY % InlStruct.class "%br.qname; | %span.qname;" >
```

```
<!ENTITY % InlPhras.class
  "| %em.qname; | %strong.qname; | %dfn.qname; | %code.qname;
  | %samp.qname; | %kbd.qname; | %var.qname; | %cite.qname;
  | %abbr.qname; | %acronym.qname; | %q.qname;" >
```

```
<!ENTITY % InlPres.class
  "| %tt.qname; | %i.qname; | %b.qname; | %big.qname;
  | %small.qname; | %sub.qname; | %sup.qname;" >
```

```
<!ENTITY % I18n.class "" >
```

```
<!ENTITY % Anchor.class "| %a.qname;" >
```

```
<!ENTITY % InlSpecial.class "| %img.qname; | %object.qname;" >
```

```
<!ENTITY % InlForm.class
  "| %input.qname; | %select.qname; | %textarea.qname;
  | %label.qname; | %button.qname;" >
```

```
<!ENTITY % Inline.extra "" >
```

```
<!ENTITY % Inline.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %Anchor.class;
  %InlSpecial.class;
  %InlForm.class;
  %Inline.extra;"
>
```

```
<!ENTITY % InlNoAnchor.class
  "%InlStruct.class;
  %InlPhras.class;
  %InlPres.class;
  %InlSpecial.class;
  %InlForm.class;
```

```

    %Inline.extra;"
>

<!ENTITY % InlNoAnchor.mix
    "%InlNoAnchor.class;
    %Misc.class;"
>

<!ENTITY % Inline.mix
    "%Inline.class;
    %Misc.class;"
>

<!-- Block Elements ..... -->

<!ENTITY % Heading.class
    "%h1.qname; | %h2.qname; | %h3.qname;
    | %h4.qname; | %h5.qname; | %h6.qname;"
>
<!ENTITY % List.class "%ul.qname; | %ol.qname; | %dl.qname;" >

<!ENTITY % Table.class "| %table.qname;" >

<!ENTITY % Form.class "| %form.qname;" >

<!ENTITY % Fieldset.class "| %fieldset.qname;" >

<!ENTITY % BlkStruct.class "%p.qname; | %div.qname;" >

<!ENTITY % BlkPhras.class
    "| %pre.qname; | %blockquote.qname; | %address.qname;"
>

<!ENTITY % BlkPres.class "| %hr.qname;" >

<!ENTITY % BlkSpecial.class
    "%Table.class;
    %Form.class;
    %Fieldset.class;"
>

<!ENTITY % Block.extra "" >

<!ENTITY % Block.class
    "%BlkStruct.class;
    %BlkPhras.class;
    %BlkPres.class;
    %BlkSpecial.class;

```

```

    %Block.extra;"
>

<!ENTITY % Block.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    %Misc.class;"
>

<!-- All Content Elements ..... -->

<!-- declares all content except tables
-->
<!ENTITY % FlowNoTable.mix
    "%Heading.class;
    | %List.class;
    | %BlkStruct.class;
    %BlkPhras.class;
    %Form.class;
    %Block.extra;
    | %Inline.class;
    %Misc.class;"
>

<!ENTITY % Flow.mix
    "%Heading.class;
    | %List.class;
    | %Block.class;
    | %Inline.class;
    %Misc.class;"
>

<!-- end of xhtml-basic11-model-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-basic11-model-1.mod
```

No license file was found, but licenses were detected in source scan.

<!--

File isonum.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1986
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: `-//W3C//ENTITIES Numeric and Special Graphic//EN//XML`
System identifier: `http://www.w3.org/2003/entities/2007/isonum.ent`

The public identifier should always be used verbatim.
The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isonum PUBLIC
  "-//W3C//ENTITIES Numeric and Special Graphic//EN//XML"
  "http://www.w3.org/2003/entities/2007/isonum.ent"
>
%isonum;
```

-->

<!ENTITY amp	"&#38;" ><!-- AMPERSAND -->
<!ENTITY apos	"'" ><!-- APOSTROPHE -->
<!ENTITY ast	"*" ><!-- ASTERISK -->
<!ENTITY brvbar	"¦" ><!-- BROKEN BAR -->
<!ENTITY bsol	"\" ><!-- REVERSE SOLIDUS -->
<!ENTITY cent	"¢" ><!-- CENT SIGN -->
<!ENTITY colon	":" ><!-- COLON -->
<!ENTITY comma	"," ><!-- COMMA -->
<!ENTITY commat	"@" ><!-- COMMERCIAL AT -->
<!ENTITY copy	"©" ><!-- COPYRIGHT SIGN -->
<!ENTITY curren	"¤" ><!-- CURRENCY SIGN -->

<!ENTITY darr	"↓" ><!--DOWNWARDS ARROW -->
<!ENTITY deg	"°" ><!--DEGREE SIGN -->
<!ENTITY divide	"÷" ><!--DIVISION SIGN -->
<!ENTITY dollar	"$" ><!--DOLLAR SIGN -->
<!ENTITY equals	"=" ><!--EQUALS SIGN -->
<!ENTITY excl	"!" ><!--EXCLAMATION MARK -->
<!ENTITY frac12	"½" ><!--VULGAR FRACTION ONE HALF -->
<!ENTITY frac14	"¼" ><!--VULGAR FRACTION ONE QUARTER -->
<!ENTITY frac18	"⅛" ><!--VULGAR FRACTION ONE EIGHTH -->
<!ENTITY frac34	"¾" ><!--VULGAR FRACTION THREE QUARTERS -->
<!ENTITY frac38	"⅜" ><!--VULGAR FRACTION THREE EIGHTHS -->
<!ENTITY frac58	"⅝" ><!--VULGAR FRACTION FIVE EIGHTHS -->
<!ENTITY frac78	"⅞" ><!--VULGAR FRACTION SEVEN EIGHTHS -->
<!ENTITY gt	">" ><!--GREATER-THAN SIGN -->
<!ENTITY half	"½" ><!--VULGAR FRACTION ONE HALF -->
<!ENTITY horbar	"―" ><!--HORIZONTAL BAR -->
<!ENTITY hyphen	"‐" ><!--HYPHEN -->
<!ENTITY iexcl	"¡" ><!--INVERTED EXCLAMATION MARK -->
<!ENTITY iquest	"¿" ><!--INVERTED QUESTION MARK -->
<!ENTITY laquo	"«" ><!--LEFT-POINTING DOUBLE ANGLE QUOTATION MARK -->
<!ENTITY larr	"←" ><!--LEFTWARDS ARROW -->
<!ENTITY lcurly	"{" ><!--LEFT CURLY BRACKET -->
<!ENTITY ldquo	"“" ><!--LEFT DOUBLE QUOTATION MARK -->
<!ENTITY lowbar	"_" ><!--LOW LINE -->
<!ENTITY lpar	"(" ><!--LEFT PARENTHESIS -->
<!ENTITY lsqb	"[" ><!--LEFT SQUARE BRACKET -->
<!ENTITY lsquo	"‘" ><!--LEFT SINGLE QUOTATION MARK -->
<!ENTITY lt	"&#60;" ><!--LESS-THAN SIGN -->
<!ENTITY micro	"µ" ><!--MICRO SIGN -->
<!ENTITY middot	"·" ><!--MIDDLE DOT -->
<!ENTITY nbsp	" " ><!--NO-BREAK SPACE -->
<!ENTITY not	"¬" ><!--NOT SIGN -->
<!ENTITY num	"#" ><!--NUMBER SIGN -->
<!ENTITY ohm	"©" ><!--GREEK CAPITAL LETTER OMEGA -->
<!ENTITY ordf	"ª" ><!--FEMININE ORDINAL INDICATOR -->
<!ENTITY ordm	"º" ><!--MASCULINE ORDINAL INDICATOR -->
<!ENTITY para	"¶" ><!--PILCROW SIGN -->
<!ENTITY percent	"%" ><!--PERCENT SIGN -->
<!ENTITY period	"." ><!--FULL STOP -->
<!ENTITY plus	"+" ><!--PLUS SIGN -->
<!ENTITY plusmn	"±" ><!--PLUS-MINUS SIGN -->
<!ENTITY pound	"£" ><!--POUND SIGN -->
<!ENTITY quest	"?" ><!--QUESTION MARK -->
<!ENTITY quot	""" ><!--QUOTATION MARK -->
<!ENTITY raquo	"»" ><!--RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK -->
<!ENTITY rarr	"→" ><!--RIGHTWARDS ARROW -->
<!ENTITY rcub	"}" ><!--RIGHT CURLY BRACKET -->
<!ENTITY rdquo	"”" ><!--RIGHT DOUBLE QUOTATION MARK -->

<!ENTITY reg	"®" ><!--REGISTERED SIGN -->
<!ENTITY rpar	")" ><!--RIGHT PARENTHESIS -->
<!ENTITY rsqb	"]" ><!--RIGHT SQUARE BRACKET -->
<!ENTITY rsquo	"’" ><!--RIGHT SINGLE QUOTATION MARK -->
<!ENTITY sect	"§" ><!--SECTION SIGN -->
<!ENTITY semi	";" ><!--SEMICOLON -->
<!ENTITY shy	"­" ><!--SOFT HYPHEN -->
<!ENTITY sol	"/" ><!--SOLIDUS -->
<!ENTITY sung	"♪" ><!--EIGHTH NOTE -->
<!ENTITY sup1	"¹" ><!--SUPERSCRIPT ONE -->
<!ENTITY sup2	"²" ><!--SUPERSCRIPT TWO -->
<!ENTITY sup3	"³" ><!--SUPERSCRIPT THREE -->
<!ENTITY times	"×" ><!--MULTIPLICATION SIGN -->
<!ENTITY trade	"™" ><!--TRADE MARK SIGN -->
<!ENTITY uarr	"↑" ><!--UPWARDS ARROW -->
<!ENTITY verbar	"|" ><!--VERTICAL LINE -->
<!ENTITY yen	"¥" ><!--YEN SIGN -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isonum.ent

No license file was found, but licenses were detected in source scan.

<!--

File isogr3.ent produced by the XSL script entities.xsl
from input data in unicode.xml.

Copyright 1998 - 2009 W3C.

Use and distribution of this code are permitted under the terms of the
W3C Software Notice and License.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231.html>

Please report any errors to David Carlisle
via the public W3C list www-math@w3.org.

The numeric character values assigned to each entity
(should) match the Unicode assignments in Unicode 5.x.

Entity names in this file are derived from files carrying the
following notice:

(C) International Organization for Standardization 1991
Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

-->

<!--

Public identifier: -//W3C//ENTITIES Greek Symbols//EN//XML

System identifier: <http://www.w3.org/2003/entities/2007/isogr3.ent>

The public identifier should always be used verbatim.

The system identifier may be changed to suit local requirements.

Typical invocation:

```
<!ENTITY % isogr3 PUBLIC
  "-//W3C//ENTITIES Greek Symbols//EN//XML"
  "http://www.w3.org/2003/entities/2007/isogr3.ent"
>
%isogr3;
```

-->

<!ENTITY alpha	"α" ><!--GREEK SMALL LETTER ALPHA -->
<!ENTITY beta	"β" ><!--GREEK SMALL LETTER BETA -->
<!ENTITY chi	"χ" ><!--GREEK SMALL LETTER CHI -->
<!ENTITY delta	"δ" ><!--GREEK SMALL LETTER DELTA -->
<!ENTITY Delta	"Δ" ><!--GREEK CAPITAL LETTER DELTA -->
<!ENTITY epsi	"ε" ><!--GREEK SMALL LETTER EPSILON -->
<!ENTITY epsiv	"ϵ" ><!--GREEK LUNATE EPSILON SYMBOL -->
<!ENTITY eta	"η" ><!--GREEK SMALL LETTER ETA -->
<!ENTITY gamma	"γ" ><!--GREEK SMALL LETTER GAMMA -->
<!ENTITY Gamma	"Γ" ><!--GREEK CAPITAL LETTER GAMMA -->
<!ENTITY gammad	"ϝ" ><!--GREEK SMALL LETTER DIGAMMA -->
<!ENTITY Gammad	"Ϝ" ><!--GREEK LETTER DIGAMMA -->
<!ENTITY iota	"ι" ><!--GREEK SMALL LETTER IOTA -->
<!ENTITY kappa	"κ" ><!--GREEK SMALL LETTER KAPPA -->
<!ENTITY kappav	"ϰ" ><!--GREEK KAPPA SYMBOL -->
<!ENTITY lambda	"λ" ><!--GREEK SMALL LETTER LAMDA -->
<!ENTITY Lambda	"Λ" ><!--GREEK CAPITAL LETTER LAMDA -->
<!ENTITY mu	"μ" ><!--GREEK SMALL LETTER MU -->
<!ENTITY nu	"ν" ><!--GREEK SMALL LETTER NU -->
<!ENTITY omega	"ω" ><!--GREEK SMALL LETTER OMEGA -->
<!ENTITY Omega	"Ω" ><!--GREEK CAPITAL LETTER OMEGA -->
<!ENTITY phi	"φ" ><!--GREEK SMALL LETTER PHI -->
<!ENTITY Phi	"Φ" ><!--GREEK CAPITAL LETTER PHI -->
<!ENTITY phiv	"ϕ" ><!--GREEK PHI SYMBOL -->
<!ENTITY pi	"π" ><!--GREEK SMALL LETTER PI -->
<!ENTITY Pi	"Π" ><!--GREEK CAPITAL LETTER PI -->
<!ENTITY piv	"ϖ" ><!--GREEK PI SYMBOL -->
<!ENTITY psi	"ψ" ><!--GREEK SMALL LETTER PSI -->

```

<!ENTITY Psi      "Ψ" ><!--GREEK CAPITAL LETTER PSI -->
<!ENTITY rho      "ρ" ><!--GREEK SMALL LETTER RHO -->
<!ENTITY rhov     "ϱ" ><!--GREEK RHO SYMBOL -->
<!ENTITY sigma    "σ" ><!--GREEK SMALL LETTER SIGMA -->
<!ENTITY Sigma    "Σ" ><!--GREEK CAPITAL LETTER SIGMA -->
<!ENTITY sigmav   "ς" ><!--GREEK SMALL LETTER FINAL SIGMA -->
<!ENTITY tau      "τ" ><!--GREEK SMALL LETTER TAU -->
<!ENTITY theta    "θ" ><!--GREEK SMALL LETTER THETA -->
<!ENTITY Theta    "Θ" ><!--GREEK CAPITAL LETTER THETA -->
<!ENTITY thetav   "ϑ" ><!--GREEK THETA SYMBOL -->
<!ENTITY upsi     "υ" ><!--GREEK SMALL LETTER UPSILON -->
<!ENTITY Upsi     "ϒ" ><!--GREEK UPSILON WITH HOOK SYMBOL -->
<!ENTITY xi       "ξ" ><!--GREEK SMALL LETTER XI -->
<!ENTITY Xi       "Ξ" ><!--GREEK CAPITAL LETTER XI -->
<!ENTITY zeta     "ζ" ><!--GREEK SMALL LETTER ZETA -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/mathml/mathml3/isogr3.ent
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Text Module ..... -->
<!-- file: xhtml-text-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.
 Copyright 1998-2000 W3C (MIT, INRIA, Keio), All Rights Reserved.
 Revision: \$Id: xhtml-text-1.mod,v 1.1 2001/02/13 12:24:23 ht Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Text 1.0//EN"
SYSTEM "http://www.w3.org/TR/xhtml-modulization/DTD/xhtml-text-1.mod"

```

Revisions:

(none)

```
..... -->
```

```
<!-- Textual Content
```

The Text module includes declarations for all core
 text container elements and their attributes.

```
-->
```

```

<!ENTITY % xhtml-instruct.module "INCLUDE" >
<![%xhtml-instruct.module;[
<!ENTITY % xhtml-instruct.mod
PUBLIC "-//W3C//ELEMENTS XHTML Inline Structural 1.0//EN"

```

```

    "xhtml-inlstruct-1.mod" >
%xhtml-inlstruct.mod;]]>

<!ENTITY % xhtml-inlphras.module "INCLUDE" >
<![%xhtml-inlphras.module;[
<!ENTITY % xhtml-inlphras.mod
    PUBLIC "-//W3C//ELEMENTS XHTML Inline Phrasal 1.0//EN"
        "xhtml-inlphras-1.mod" >
%xhtml-inlphras.mod;]]>

<!ENTITY % xhtml-blkstruct.module "INCLUDE" >
<![%xhtml-blkstruct.module;[
<!ENTITY % xhtml-blkstruct.mod
    PUBLIC "-//W3C//ELEMENTS XHTML Block Structural 1.0//EN"
        "xhtml-blkstruct-1.mod" >
%xhtml-blkstruct.mod;]]>

<!ENTITY % xhtml-blkphras.module "INCLUDE" >
<![%xhtml-blkphras.module;[
<!ENTITY % xhtml-blkphras.mod
    PUBLIC "-//W3C//ELEMENTS XHTML Block Phrasal 1.0//EN"
        "xhtml-blkphras-1.mod" >
%xhtml-blkphras.mod;]]>

<!-- end of xhtml-text-1.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/rddl/xhtml-
text-1.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- XHTML Base Element Module ..... -->
<!-- file: xhtml-base-1.mod

```

This is XHTML, a reformulation of HTML as a modular XML application.

Copyright 1998-2005 W3C (MIT, ERCIM, Keio), All Rights Reserved.

Revision: \$Id: xhtml-base-1.mod,v 4.0 2001/04/02 22:42:49 altheim Exp \$ SMI

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```

PUBLIC "-//W3C//ELEMENTS XHTML Base Element 1.0//EN"
SYSTEM "http://www.w3.org/MarkUp/DTD/xhtml-base-1.mod"

```

Revisions:

(none)

```
..... -->
```

<!-- Base element

base

This module declares the base element type and its attributes, used to define a base URI against which relative URIs in the document will be resolved.

Note that this module also redeclares the content model for the head element to include the base element.

-->

<!-- base: Document Base URI -->

```
<!ENTITY % base.element "INCLUDE" >
<![%base.element;[
<!ENTITY % base.content "EMPTY" >
<!ENTITY % base.qname "base" >
<!ELEMENT %base.qname; %base.content; >
<!-- end of base.element -->]]>
```

```
<!ENTITY % base.attlist "INCLUDE" >
<![%base.attlist;[
<!ATTLIST %base.qname;
    %XHTML.xmlns.attrib;
    href      %URI.datatype;      #REQUIRED
>
<!-- end of base.attlist -->]]>
```

```
<!ENTITY % head.content
" ( %HeadOpts.mix;
  ( ( %title.qname;, %HeadOpts.mix;, ( %base.qname;, %HeadOpts.mix; )? )
  | ( %base.qname;, %HeadOpts.mix;, ( %title.qname;, %HeadOpts.mix; )))"
>
```

<!-- end of xhtml-base-1.mod -->

Found in path(s):

* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-
zip/net/sf/saxon/data/w3c/xhtml11/xhtml-base-1.mod

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Image Module ..... -->
<!-- file: svg-image.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

PUBLIC "-//W3C//ELEMENTS SVG 1.1 Image//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-image.mod"

..... -->

<!-- Image

image

This module declares markup to provide support for image.

-->

<!-- Qualified Names (Default) -->

<!ENTITY % SVG.image.qname "image" >

<!-- Attribute Collections (Default) -->

<!ENTITY % SVG.Core.attrib "" >

<!ENTITY % SVG.Conditional.attrib "" >

<!ENTITY % SVG.Style.attrib "" >

<!ENTITY % SVG.Viewport.attrib "" >

<!ENTITY % SVG.Color.attrib "" >

<!ENTITY % SVG.Opacity.attrib "" >

<!ENTITY % SVG.Graphics.attrib "" >

<!ENTITY % SVG.ColorProfile.attrib "" >

<!ENTITY % SVG.Clip.attrib "" >

<!ENTITY % SVG.Mask.attrib "" >

<!ENTITY % SVG.Filter.attrib "" >

<!ENTITY % SVG.GraphicalEvents.attrib "" >

<!ENTITY % SVG.Cursor.attrib "" >

<!ENTITY % SVG.XLinkEmbed.attrib "" >

<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Image.class -->

<!ENTITY % SVG.Image.extra.class "" >

<!ENTITY % SVG.Image.class

"| %SVG.image.qname; %SVG.Image.extra.class;"

>

<!-- image: Image Element -->

```

<!ENTITY % SVG.image.extra.content "" >

<!ENTITY % SVG.image.element "INCLUDE" >
<![%SVG.image.element;[
<!ENTITY % SVG.image.content
  "(( %SVG.Description.class; )*, ( %SVG.Animation.class;
    %SVG.image.extra.content; )*)"
>
<!ELEMENT %SVG.image.qname; %SVG.image.content; >
<!-- end of SVG.image.element -->]]>

<!ENTITY % SVG.image.attlist "INCLUDE" >
<![%SVG.image.attlist;[
<!ATTLIST %SVG.image.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.Style.attrib;
  %SVG.Viewport.attrib;
  %SVG.Color.attrib;
  %SVG.Opacity.attrib;
  %SVG.Graphics.attrib;
  %SVG.ColorProfile.attrib;
  %SVG.Clip.attrib;
  %SVG.Mask.attrib;
  %SVG.Filter.attrib;
  %SVG.GraphicalEvents.attrib;
  %SVG.Cursor.attrib;
  %SVG.XLinkEmbed.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED
  y %Coordinate.datatype; #IMPLIED
  width %Length.datatype; #REQUIRED
  height %Length.datatype; #REQUIRED
  preserveAspectRatio %PreserveAspectRatioSpec.datatype; 'xMidYMid meet'
  transform %TransformList.datatype; #IMPLIED
>
<!-- end of SVG.image.attlist -->]]>

<!-- end of svg-image.mod -->

```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-image.mod
```

No license file was found, but licenses were detected in source scan.

```

<!-- ..... -->
<!-- SVG 1.1 Basic Attribute Collection Module ..... -->
<!-- file: svg11-basic-attribs.mod

```

This is SVG Basic, a proper subset of SVG.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg11-basic-attrs.mod,v 1.5 2002/11/14 15:11:03 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ENTITIES SVG 1.1 Basic Attribute Collection//EN"  
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg11-basic-attrs.mod"
```

```
..... -->
```

```
<!-- SVG 1.1 Basic Attribute Collection
```

```
    This module defines the set of common attributes that can be present  
    on many SVG elements.
```

```
-->
```

```
<!-- module: svg-conditional.mod ..... -->
```

```
<!ENTITY % ExtensionList.datatype "CDATA" >
```

```
<!ENTITY % FeatureList.datatype "CDATA" >
```

```
<!ENTITY % SVG.Conditional.extra.attrb "" >
```

```
<!ENTITY % SVG.Conditional.attrb
```

```
    "requiredFeatures %FeatureList.datatype; #IMPLIED  
    requiredExtensions %ExtensionList.datatype; #IMPLIED  
    systemLanguage %LanguageCodes.datatype; #IMPLIED  
    %SVG.Conditional.extra.attrb;"
```

```
>
```

```
<!-- module: svg-style.mod ..... -->
```

```
<!ENTITY % ClassList.datatype "CDATA" >
```

```
<!ENTITY % StyleSheet.datatype "CDATA" >
```

```
<!ENTITY % SVG.Style.extra.attrb "" >
```

```
<!ENTITY % SVG.Style.attrb
```

```
    "style %StyleSheet.datatype; #IMPLIED  
    class %ClassList.datatype; #IMPLIED  
    %SVG.Style.extra.attrb;"
```

```
>
```

```
<!-- module: svg-text.mod ..... -->
```

```
<!ENTITY % BaselineShiftValue.datatype "CDATA" >
```

```
<!ENTITY % FontFamilyValue.datatype "CDATA" >
```

```
<!ENTITY % FontSizeValue.datatype "CDATA" >
```

```

<!ENTITY % FontSizeAdjustValue.datatype "CDATA" >
<!ENTITY % GlyphOrientationHorizontalValue.datatype "CDATA" >
<!ENTITY % GlyphOrientationVerticalValue.datatype "CDATA" >
<!ENTITY % KerningValue.datatype "CDATA" >
<!ENTITY % SpacingValue.datatype "CDATA" >
<!ENTITY % TextDecorationValue.datatype "CDATA" >

<!ENTITY % SVG.Text.extra.attrib "" >
<!ENTITY % SVG.Text.attrib
"writing-mode ( lr-tb | rl-tb | tb-rl | lr | rl | tb | inherit ) #IMPLIED
%SVG.Text.extra.attrib;"
>

<!ENTITY % SVG.TextContent.extra.attrib "" >
<!ENTITY % SVG.TextContent.attrib
"alignment-baseline ( auto | baseline | before-edge | text-before-edge |
middle | central | after-edge | text-after-edge |
ideographic | alphabetic | hanging | mathematical |
inherit ) #IMPLIED
baseline-shift %BaselineShiftValue.datatype; #IMPLIED
direction ( ltr | rtl | inherit ) #IMPLIED
dominant-baseline ( auto | use-script | no-change | reset-size |
ideographic | alphabetic | hanging | mathematical |
central | middle | text-after-edge | text-before-edge |
inherit ) #IMPLIED
glyph-orientation-horizontal %GlyphOrientationHorizontalValue.datatype;
#IMPLIED
glyph-orientation-vertical %GlyphOrientationVerticalValue.datatype;
#IMPLIED
kerning %KerningValue.datatype; #IMPLIED
letter-spacing %SpacingValue.datatype; #IMPLIED
text-anchor ( start | middle | end | inherit ) #IMPLIED
text-decoration %TextDecorationValue.datatype; #IMPLIED
unicode-bidi ( normal | embed | bidi-override | inherit ) #IMPLIED
word-spacing %SpacingValue.datatype; #IMPLIED
%SVG.TextContent.extra.attrib;"
>

<!ENTITY % SVG.Font.extra.attrib "" >
<!ENTITY % SVG.Font.attrib
"font-family %FontFamilyValue.datatype; #IMPLIED
font-size %FontSizeValue.datatype; #IMPLIED
font-size-adjust %FontSizeAdjustValue.datatype; #IMPLIED
font-stretch ( normal | wider | narrower | ultra-condensed |
extra-condensed | condensed | semi-condensed |
semi-expanded | expanded | extra-expanded |
ultra-expanded | inherit ) #IMPLIED
font-style ( normal | italic | oblique | inherit ) #IMPLIED

```

```

font-variant ( normal | small-caps | inherit ) #IMPLIED
font-weight ( normal | bold | bolder | lighter | 100 | 200 | 300 | 400 |
             500 | 600 | 700 | 800 | 900 | inherit ) #IMPLIED
%SVG.Font.extra.attrib;"
>

<!-- module: svg-profile.mod ..... -->

<!ENTITY % SVG.ColorProfile.extra.attrib "" >
<!ENTITY % SVG.ColorProfile.attrib
"color-profile CDATA #IMPLIED
%SVG.ColorProfile.extra.attrib;"
>

<!-- module: svg-gradient.mod ..... -->

<!ENTITY % NumberOrPercentage.datatype "CDATA" >

<!ENTITY % SVG.Gradient.extra.attrib "" >
<!ENTITY % SVG.Gradient.attrib
"stop-color %SVGColor.datatype; #IMPLIED
stop-opacity %OpacityValue.datatype; #IMPLIED
%SVG.Gradient.extra.attrib;"
>

<!-- module: svg-basic-clip.mod ..... -->

<!ENTITY % ClipPathValue.datatype "CDATA" >

<!ENTITY % SVG.Clip.extra.attrib "" >
<!ENTITY % SVG.Clip.attrib
"clip-path %ClipPathValue.datatype; #IMPLIED
clip-rule %ClipFillRule.datatype; #IMPLIED
%SVG.Clip.extra.attrib;"
>

<!-- module: svg-mask.mod ..... -->

<!ENTITY % MaskValue.datatype "CDATA" >

<!ENTITY % SVG.Mask.extra.attrib "" >
<!ENTITY % SVG.Mask.attrib
"mask %MaskValue.datatype; #IMPLIED
%SVG.Mask.extra.attrib;"
>

<!-- module: svg-basic-filter.mod ..... -->

```

```
<!ENTITY % FilterValue.datatype "CDATA" >
<!ENTITY % NumberOptionalNumber.datatype "CDATA" >
```

```
<!ENTITY % SVG.Filter.extra.attrib "" >
<!ENTITY % SVG.Filter.attrib
"filter %FilterValue.datatype; #IMPLIED
%SVG.Filter.extra.attrib;"
>
```

```
<!ENTITY % SVG.FilterColor.extra.attrib "" >
<!ENTITY % SVG.FilterColor.attrib
"color-interpolation-filters ( auto | sRGB | linearRGB | inherit )
#IMPLIED
%SVG.FilterColor.extra.attrib;"
>
```

```
<!-- end of svg11-basic-attrs.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg11-
basic-attrs.mod
```

No license file was found, but licenses were detected in source scan.

```
<!-- ..... -->
<!-- SVG 1.1 Cursor Module ..... -->
<!-- file: svg-cursor.mod
```

This is SVG, a language for describing two-dimensional graphics in XML.
Copyright 2001, 2002 W3C (MIT, INRIA, Keio), All Rights Reserved.
Revision: \$Id: svg-cursor.mod,v 1.3 2002/10/24 17:40:15 fujisawa Exp \$

This DTD module is identified by the PUBLIC and SYSTEM identifiers:

```
PUBLIC "-//W3C//ELEMENTS SVG 1.1 Cursor//EN"
SYSTEM "http://www.w3.org/Graphics/SVG/1.1/DTD/svg-cursor.mod"
```

```
..... -->
```

```
<!-- Cursor
```

```
cursor
```

This module declares markup to provide support for cursor.

```
-->
```

```
<!-- 'cursor' property/attribute value (e.g., 'crosshair', <uri>) -->
<!ENTITY % CursorValue.datatype "CDATA" >
```

```

<!-- Qualified Names (Default) ..... -->

<!ENTITY % SVG.cursor.qname "cursor" >

<!-- Attribute Collections (Default) ..... -->

<!ENTITY % SVG.Core.attrib "" >
<!ENTITY % SVG.Conditional.attrib "" >
<!ENTITY % SVG.XLinkRequired.attrib "" >
<!ENTITY % SVG.External.attrib "" >

<!-- SVG.Cursor.class ..... -->

<!ENTITY % SVG.Cursor.extra.class "" >

<!ENTITY % SVG.Cursor.class
  "| %SVG.cursor.qname; %SVG.Cursor.extra.class;"
>

<!-- SVG.Cursor.attrib ..... -->

<!ENTITY % SVG.Cursor.extra.attrib "" >

<!ENTITY % SVG.Cursor.attrib
  "cursor %CursorValue.datatype; #IMPLIED
  %SVG.Cursor.extra.attrib;"
>

<!-- cursor: Cursor Element ..... -->

<!ENTITY % SVG.cursor.extra.content "" >

<!ENTITY % SVG.cursor.element "INCLUDE" >
<![%SVG.cursor.element;[
<!ENTITY % SVG.cursor.content
  "( %SVG.Description.class; %SVG.cursor.extra.content; )*"
>
<!ELEMENT %SVG.cursor.qname; %SVG.cursor.content; >
<!-- end of SVG.cursor.element -->]]>

<!ENTITY % SVG.cursor.attlist "INCLUDE" >
<![%SVG.cursor.attlist;[
<!ATTLIST %SVG.cursor.qname;
  %SVG.Core.attrib;
  %SVG.Conditional.attrib;
  %SVG.XLinkRequired.attrib;
  %SVG.External.attrib;
  x %Coordinate.datatype; #IMPLIED

```

```
y %Coordinate.datatype; #IMPLIED
```

```
>
```

```
<!-- end of SVG.cursor.attlist -->]]>
```

```
<!-- end of svg-cursor.mod -->
```

Found in path(s):

```
* /opt/cola/permits/1290493648_1655332244.0692494/0/saxon10-1source-zip/net/sf/saxon/data/w3c/svg11/svg-cursor.mod
```

1.35 javax-inject1-as-osgi-bundle 2.6.1

1.35.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial

product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's

rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to

look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided

that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new

versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made

available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.36 scala-xml 1.0.6

1.36.1 Available under license :

Copyright (c) 2002-2013 EPFL

Copyright (c) 2011-2013 Typesafe, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.37 junit-platform-junit-platform-launcher

1.8.2

1.37.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

- * **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- * **b)** in the case of each subsequent Contributor:
 - * **i)** changes to the Program, and
 - * **ii)** additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale

of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of ****a)**** distributing or ****b)**** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

****a)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

****b)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

****c)**** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

****d)**** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any,

to grant the copyright license set forth in this Agreement.

****e)**** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

****3.1)**** If a Contributor Distributes the Program in any form, then:

****a)**** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

****b)**** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

****i)**** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

****ii)**** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

****iii)**** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

****iv)**** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

****3.2)**** When the Program is Distributed as Source Code:

****a)**** it must be made available under this Agreement, or if the Program ****i)**** is combined with other material in a separate file or files made available under a Secondary License, and ****ii)**** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

****b)**** a copy of this Agreement must be included with each copy of the Program.

****3.3)**** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial

product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: ****a)**** promptly notify the Commercial Contributor in writing of such claim, and ****b)**** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of

such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here }.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

1.38 jakarta-expression-language-3.0-api 3.0.3

1.38.1 Available under license :

Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

* Project home: <https://projects.eclipse.org/projects/ee4j.el>

Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/el-ri>

Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available

in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF

TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of

this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code

means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who

receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the

two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.39 java-servlet-api 4.0.4

1.39.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

<![CDATA[

Comments to: servlet-dev@eclipse.org.

Copyright © 1997-2019 Eclipse Foundation. All rights reserved.

Use is subject to license terms.]>

Found in path(s):

* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/META-INF/maven/jakarta.servlet/jakarta.servlet-api/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>

Bundle-SymbolicName: jakarta.servlet-api
Archiver-Version: Plexus Archiver
Built-By: default
Bnd-LastModified: 1592488669617
Implementation-Vendor-Id: org.eclipse
Bundle-DocURL: https://www.eclipse.org
Import-Package: javax.servlet,javax.servlet.annotation,javax.servlet.descriptor
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"
Export-Package: javax.servlet;uses:="javax.servlet.annotation,javax.servlet.descriptor";version="4.0.0",javax.servlet.annotation;uses:="javax.servlet";version="4.0.0",javax.servlet.descriptor;version="4.0.0",javax.servlet.http;uses:="javax.servlet";version="4.0.0"
Bundle-Name: Jakarta Servlet
Extension-Name: javax.servlet
Bundle-Description: Jakarta Servlet 4.0
Automatic-Module-Name: java.servlet
Implementation-Version: 4.0.4
Bundle-ManifestVersion: 2
Specification-Vendor: Eclipse Foundation
Bundle-Vendor: Eclipse Foundation
Tool: Bnd-4.0.0.201805111645
Implementation-Vendor: Eclipse Foundation
Bundle-Version: 4.0.0
Created-By: Apache Maven Bundle Plugin
Build-Jdk: 1.8.0_202
Specification-Version: 4.0

Found in path(s):

* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):

* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/descriptor/package.html

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):

* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/annotation/package.html

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/annotation/ServletSecurity\$TransportGuarantee.class: binary file matches

Found in path(s):

* /bin/grep

No license file was found, but licenses were detected in source scan.

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/http/LocalStrings_ja.properties

```
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-
jar/javax/servlet/http/LocalStrings.properties
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-
jar/javax/servlet/http/LocalStrings_fr.properties
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-
jar/javax/servlet/LocalStrings_ja.properties
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-
jar/javax/servlet/http/LocalStrings_es.properties
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-
jar/javax/servlet/LocalStrings.properties
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-
jar/javax/servlet/LocalStrings_fr.properties
No license file was found, but licenses were detected in source scan.
```

<!--

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.
Copyright 2004 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-
jar/javax/servlet/http/package.html
* /opt/cola/permits/1473592191_1668494743.5916002/0/jakarta-servlet-api-4-0-4-2-jar/javax/servlet/package.html
```

1.40 metrics-integration-for-jersey-2.x 4.1.31

1.40.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics.logback
Build-Jdk-Spec: 1.8
Bundle-Description: An instrumented appender for Logback.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>
Bundle-ManifestVersion: 2
Bundle-Name: Metrics Integration for Logback
Bundle-SymbolicName: io.dropwizard.metrics.logback
Bundle-Version: 4.1.31
Created-By: Apache Maven Bundle Plugin 5.1.4
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"
Implementation-Title: Metrics Integration for Logback
Implementation-Version: 4.1.31
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337069801_1654206120.7940183/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

1.41 hibernate-validator 6.2.0.Final

1.41.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Hibernate Validator, declare and validate application constraints
 *
 * License: Apache License, Version 2.0
 * See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
 */
/*
 * Written by Doug Lea with assistance from members of JCP JSR-166
 * Expert Group and released to the public domain, as explained at
 * http://creativecommons.org/licenses/publicdomain
 */
```

Found in path(s):

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ConcurrentReferenceHashMap.java

No license file was found, but licenses were detected in source scan.

~ Hibernate Validator, declare and validate application constraints

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>

Found in path(s):

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-configuration-1.0.xsd

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-configuration-1.1.xsd

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/overview.html

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-mapping-1.0.xsd

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-mapping-2.0.xsd

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-mapping-1.1.xsd

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/maven/org.hibernate.validator/hibernate-validator/pom.xml

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/META-INF/validation-configuration-2.0.xsd

No license file was found, but licenses were detected in source scan.

/*

* Hibernate Validator, declare and validate application constraints

*

* License: Apache License, Version 2.0

* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

*/

/**

* <p>

* A method-level constraint, that evaluates a script expression against the annotated method or constructor. This constraint can be used to implement validation routines that depend on several parameters of the annotated executable.

* </p>

* <p>

* Script expressions can be written in any scripting or expression language, for which a JSR 223 ("Scripting for the JavaTM Platform") compatible engine can be found on the classpath. To refer to a parameter within the scripting expression, use its name as obtained by the active { @link javax.validation.ParameterNameProvider }. The default provider will return the actual parameter names, if the -parameters compiler option has been enabled, and { @code arg0 }, { @code arg1 } etc. otherwise.

* </p>

* <p>

* The following listing shows an example using the JavaScript engine which comes with the JDK:

* </p>

* <pre>

* { @code @ParameterScriptAssert(script = "start.before(end)", lang = "javascript")

* public void createEvent(Date start, Date end) { ... }

```
* }
* </pre>
* <p>
* Can be specified on any method or constructor.
* </p>
*
* @author Gunnar Morling
*/
```

Found in path(s):

```
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/ParameterScriptAssert.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2009 IIZUKA Software Technologies Ltd
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/TypeHelper.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/
```

```
/**
* Retrieves constraint related meta data for the parameters of the given
* executable.
*
* @param javaBeanExecutable The executable of interest.
*
* @return A list with parameter meta data for the given executable.
```

*/

Found in path(s):

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/provider/AnnotationMetaDataProvider.java

No license file was found, but licenses were detected in source scan.

/*

* Hibernate Validator, declare and validate application constraints

*

* License: Apache License, Version 2.0

* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

*/

Found in path(s):

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForInteger.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/EANValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForInteger.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForMonthDay.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/groups/ValidationOrder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/rule/ParallelMethodsMustNotDefineParameterConstraints.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/PredefinedScopeValidatorContextImpl.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ParameterConstraintMappingContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/CompositionType.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NotEmptyDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForYearMonth.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentJavaTimeValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/BaseBeanValidationContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/engine/messageinterpolation/ParameterTermResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureInstantBasedValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/PositiveOrZeroDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/AssertTrueDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForFloat.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/PredefinedScopeHibernateValidatorFactory.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/AbstractScriptAssertValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfBoolean.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/ValidatorContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/Mod11CheckDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/stereotypes/Immutable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/InfinityNumberComparatorHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/EmailDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/AnnotationProcessingOptions.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/InterpolationTermType.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ReturnValueConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanPropertiesElContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/URL.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/CurrencyDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/resourceloading/PlatformResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/GroupConversionTargetContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/classhierarchy/ClassHierarchyHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/util/TypeResolutionHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/BeanDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForCharSe
quence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForYearMonth.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/resolver/AbstractTraversableHolder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/Mod10Check.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalD
ate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Callable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/nodenameprovider/JavaBeanProperty.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/Mod11Check.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valuecontext/BeanValueContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/location/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/OptionalValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypeConfigurationBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForHijrahDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/ScriptAssert.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/messageinterpolation/LocaleResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/ValidationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/UniqueElementsValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForMonthDay.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfPrimitives.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForOffsetDateTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/ParallelMethodsMustNotDefineGroupConversionForC
ascadedReturnValue.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/location/ParameterConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/resourceloading/DelegatingResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/NegativeOrZeroValidatorForMonetaryAmount.ja
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/Contracts.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidatorContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/core/AnnotationProcessingOptions.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/PredefinedScopeConstraintValidatorManagerImpl.ja
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForFloat.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/messageinterpolation/LocaleResolverContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/Sequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintdefinition/ConstraintDefinitionContribution.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalDate.j
ava
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/NIPValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ConstraintTypeStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetMethod.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/cfg/context/GetterConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/Group.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/provider/MetaDataProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/formatter/ClassObjectFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/metadata/BeanMetaDataClassNormalizer.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/LengthValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/CrossParameterTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForLong.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Constrainable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypeStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ValidStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/UniqueElements.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForYear.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/MessageState.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/scripting/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/FieldCascadable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/DurationMaxDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/br/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/OptionalIntValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredFields.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/scripting/ScriptEngineScriptEvaluator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/formatter/ExecutableFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfShort.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/VariablesELContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/rule/MethodConfigurationRule.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/annotation/AnnotationDescriptor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/GroupConversionTargetContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/ArrayOfClassesObjectFormatter.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/messageinterpolation/HibernateMessageInterpolatorContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/MinDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/PastOrPresentDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/TypeConstraintMappingContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/PropertyValidationContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalNumberComparatorHelper.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/rule/ReturnValueMayOnlyBeMarkedOnceAsCascadedPerHierarchyLine.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/Range.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/NonContainerCascadingMetaData.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ConstraintComposition.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ParameterMetaData.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForInteger.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureJavaTimeValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ModCheck.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedGetterStaxBuilder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/classhierarchy/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForInstant.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/util/classhierarchy/Filters.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/group/DefaultGroupSequenceProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/br/CNPJValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NotNullDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ParameterScriptAssertValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/BeanMetaDataManager.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/ConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentEpochBasedValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/ConstraintMapping.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/resolver/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethodHandle.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DecimalMaxValidatorForMonetaryAmount.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForOffsetDateTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForMap.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalDateTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/DefaultParameterNameProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForJapaneseDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/ConstraintOrigin.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ReflectionHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/Mod10CheckValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/pl/PESEL.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/util/annotation/AnnotationProxy.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/formatter/ObjectArrayFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorManager.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanGetter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForInstant.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorManagerImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/location/FieldConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/core/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ConstructorTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForLong.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/pl/PESELDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForYear.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/LuhnCheckDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/Email.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/AbstractMultiValuedElementStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanAnnotatedElement.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/CrossParameterStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/PositiveOrZeroValidatorForMonetaryAmount.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/NumberComparatorHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valuecontext/ValueContexts.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/ScriptAssertDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ClassLoadingHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForOffsetDateTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForBigDecimal.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/resolver/CachingJPATraversableResolverForSingleValidation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/pl/REGONDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/FutureOrPresentDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/InterpolationTerm.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypePath.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorDescriptor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/PatternDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForBigDecimal.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/AbstractStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/AssertFalseValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/MinValidatorForMonetaryAmount.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/AbstractValidationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ContainerElementTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForMingu
oDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForReadablePa
rtial.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/util/privilegedactions/GetClassLoader.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidatorInitializationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/groups/GroupWithInheritance.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Field.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/Currency.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/resolver/CachingTraversableResolverForSingleValidation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanPropertiesELResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForInteger.j
ava
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForReadableInstant.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/CascadingMetaDataBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/Token.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ListPropertyValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/TermResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/IntArrayValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForMinguoDat
e.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/ConstraintDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/ru/INNValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/ScriptAssertContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/DefaultClockProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/config/ValidationConfigStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/br/CPFValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/engine/valueextraction/AnnotatedObject.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/nodenameprovider/PropertyNodeNameProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/ReturnValueExecutableValidationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredConstructors.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanParameter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/PropertyMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Getter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/NoOpElResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/CurrencyValidatorForMonetaryAmount.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyListPropertyValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ReturnValueTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureEpochBasedValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/time/DurationMin.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/path/NodeImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForMonthDay.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/ELState.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/CrossParameterConstraintValidatorContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ConstraintMappingsStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForBigDecimal.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethod.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForLong.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ReturnValueConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/engine/ConstraintViolationImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForOffsetTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/ModCheckBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/ParameterDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/MapPropertyValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/LoadClass.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/ExecutableMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ConstrainedFieldStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForOffsetTime
.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/config/ValidationBootstrapParameters.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForCharSequence.
java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ConstraintDefinitionContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastJavaTimeValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/core/BuiltinConstraint.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/AbstractDecimalMinValidator.jav
a
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/ISBNDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/PolishNumberValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForHijrahDate.
java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/resourceloading/AggregateResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/constraints/EAN.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedConstructorStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyMapPropertyValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/path/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ValidatorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArray.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForBigDecimal.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/PredefinedScopeValidatorFactoryImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/AbstractCachingScriptEvaluatorFactory.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/ru/INNDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ReturnValueMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForJapaneseDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/ScriptEvaluatorFactory.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/DomainNameUtil.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForBigDecimal.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/PastDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ClassMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NullDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ExecutableHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/javabean/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/constraints/ru/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/MapValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/br/CNPJDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/scripting/DefaultScriptEvaluatorFactory.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/InterpolationTermState.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/resourceloading/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/MethodConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/AnnotationIgnoreOptions.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/pl/NIPDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/messageinterpolation/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/FormatterWrapper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/AbstractDecimalMaxValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/PredefinedScopeHibernateValidatorConfiguration.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/messageinterpolation/AbstractMessageInterpolator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/ReturnValueConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForYear.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/ConstraintContextImplBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/AbstractMaxValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForInteger.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorFactoryImpl.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/provider/ProgrammaticMetaDataProvider.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForBigDecimal.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForDouble.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/DoubleArrayValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/Incubating.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/BeanMetaDataManagerImpl.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForBigDecimal.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/BeanValidationContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/javabean/JavaBeanHelper.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/ValidationContextBuilder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/MetaConstraints.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForMinguoDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForLong.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/PESELValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/OptionalLongValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForZonedDateTime.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/parameternameprovider/ParanamerParameterNameProvider.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/ru/INN.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/properties/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ConstructorConstraintMappingContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ComposingConstraintTree.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/scripting/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ScriptAssertValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/parameternameprovider/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintViolationCreationContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/XmlParserHelper.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalTime.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/NegativeValidatorForMonetaryAmount.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForZonedDateTime.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ValidatorFactoryConfigurationHelper.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ConstraintMappingTarget.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/groups/ValidationOrderGenerator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalDateTime.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForFloat.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForReadableInstant.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/NewInstance.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetAnnotationAttributes.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ByteArrayValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredConstructor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ISBNValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/MaxValidatorForMonetaryAmount.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentEpochBasedValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/PropertyTarget.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanMethodsELContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForCharSequence.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ObjectArrayValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForLong.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForDouble.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/TypeVariableBindings.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/PropertyAccessor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/DefaultGetterPropertySelectionStrategy.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/CrossParameterConstraintLocation.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/NotBlank.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetInstancesFromServiceLoader.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForOffsetDateTime.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/BeanConstraintLocation.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ShortArrayValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/DigitsDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/resolver/TraversableResolvers.java

- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ConfigurationImpl.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/DefaultLocaleResolver.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/HibernateValidatorConfiguration.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/br/TituloEleitoralDef.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/CrossParameterConstraintMappingContextImpl.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/group/package-info.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/config/BootstrapConfigurationImpl.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForReadablePartial.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/util/InterpolationHelper.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalDateTime.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/package-info.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForCharSequence.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractEpochBasedTimeValidator.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/stereotypes/Lazy.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForInstant.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/DefaultPropertyNameProvider.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/Cascadable.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/facets/package-info.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalTime.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForCalendar.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/time/DurationMinValidator.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraintvalidation/HibernateCrossParameterConstraintValidatorContext.java
- * /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/ContainerElementTypeDescriptorImpl.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/BeanStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/CollectionOfClassesObjectFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/RootResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/ModCheckValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForCharSequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForCollection.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraintvalidators/RegexpURLValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/AbstractConstrainedElementStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/br/CPF.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/ScriptEvaluationException.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/MessageDescriptorFormatException.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ReturnValueStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/ConstraintHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForJapaneseDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/EANDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForBigDecimal.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/LuhnCheckValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ContainerCascadingMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/br/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/HibernateValidatorContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/GetterConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/engine/valueextraction/FloatArrayValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/ServiceLoaderBasedConstraintMappingContributor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/CrossParameterDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraintvalidation/HibernateConstraintViolationBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfChar.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/SetPropertyValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/properties/ConstrainableExecutable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ListViewValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/ConstraintDefinitionContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/AbstractConstrainedElement.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForFloat.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/CodePointLengthDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/LambdaBasedValidatorDescriptor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/REGONValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/TypeVariables.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/path/PropertyNode.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanAnnotatedConstrainable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/OptionalDoubleValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/properties/javabean/JavaBeanField.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/ParameterConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/PredefinedScopeConfigurationImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/pl/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/ScriptEvaluatorNotFoundException.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ConstraintDefinitionTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/DecimalMaxDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NormalizedDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForThaiBuddhistDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DecimalMinValidatorForMonetaryAmount.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/TypeConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/AbstractPropertyConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/PredefinedScopeBeanMetaDataManager.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentJavaTimeValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForLong.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/group/GroupSequenceProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/ExecutableDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/SetContextClassLoader.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/br/CPFDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/URLValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ModUtil.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/cfg/AnnotationDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractInstantBasedTimeValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valuecontext/ValueContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetResources.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/Signature.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/ConstrainedExecutable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/hv/NormalizedValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/ParameterExecutableValidationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/core/AnnotationProcessingOptionsImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/FieldConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/HibernateValidatorFactory.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/ConstrainedMethodStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForFloat.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/ExecutableValidationContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/pl/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/SizeDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/engine/HibernateConstraintViolation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/MethodValidationConfiguration.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/Version.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ConstructorConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/MetaDataBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForBigInteger.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentInstantBasedValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/DefaultBeanMetaDataClassNormalizer.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/NewSchema.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/LengthDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/TokenIterator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/DurationFormatter.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/NotEmpty.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ValidatorFactoryImpl.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/resourceloading/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForNumber.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalTime.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/ru/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/IsClassPresent.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ObservableValueValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/classhierarchy/Filter.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/ConstrainedElement.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForReadableInstant.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/ConstructorInstance.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetResolvedMemberMethods.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForCalendar.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfFloat.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForByte.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/Messages.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForYear.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForThaiBuddhistDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfLong.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/groups/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForZonedDate
Time.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/groups/DefaultValidationOrder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/ParameterScriptAssertDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/NotBlankValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/core/MetaConstraint.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/AbstractConstrainedExecutableElementStaxBuilder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/PredefinedScopeHibernateValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/EscapedState.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NumberSignHelper.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/DisabledFeatureELException.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/LocalizedMessage.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorResolver.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/ParserState.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/UniqueElementsDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ParameterTarget.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForShort.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/properties/Property.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/metadata/raw/BeanConfiguration.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForReadablePartial.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/ConstraintMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/pl/REGON.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/AbstractPropertyConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ExecutableConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/AbstractConstraintMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/AbstractConfigurationImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForZonedDateTime.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaDataImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForOffset
Time.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForDouble.
java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/ConstrainedType.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/messageinterpolation/ExpressionLanguageFeatureLevel.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/resourceloading/ResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ContainerElementConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/messageinterpolation/ParameterMessageInterpolator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/CascadingMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArrayOfByte.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/cfg/context/PropertyConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/ValidatorFactoryScopedContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlySetPropertyValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ClassBasedValidatorDescriptor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/VoidMethodsMustNotBeReturnValueConstrained.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForDouble.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForShort.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/URLDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/BaseHibernateValidatorConfiguration.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/parameternameprovider/ReflectionParameterNameProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/MethodTarget.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanExecutable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/DigitsValidatorForCharSequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/AbstractPropertyCascadable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/AbstractMinValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/DefaultPackageStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/context/Constrainable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForCalendar.java
va
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/resourceloading/CachingResourceBundleLocator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/engine/valueextraction/CharArrayValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForCollection.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredField.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/facets/Cascadable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/ISBN.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ArrayElement.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/CascadableConstraintMappingContextImplBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/privilegedactions/GetResource.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForDouble.
java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForThaiBuddh
istDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/CreditCardNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForShort.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/annotation/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/logging/formatter/CollectionOfObjectsToStringFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/spi/cfg/ConstraintMappingContributor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/MapKeyExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/raw/ConfigurationSource.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/HibernateConstraintValidatorInitializationContextIm
pl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/cfg/context/ConstraintMappingContextImplBase.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/PositiveDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/GenericConstraintDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentInstantBasedValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/CodePointLength.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/LoggerFactory.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/config/ValidationXmlParser.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/SimpleConstraintTree.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfBoolean.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/IgnoreForbiddenApisErrors.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/AbstractConstraintValidatorManagerImpl.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/pl/NIP.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/AbstractEmailValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/br/CNPJ.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/ExecutableParameterNameProvider.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForCalendar.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForByte.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/Normalized.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NotBlankDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfInt.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorDescriptor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/provider/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/cfg/defs/RangeDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/path/PathImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/PotentiallyContainerCascadingMetaData.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyMapPropertyKeyExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/Length.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorManager.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/PatternValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/LuhnCheck.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/DurationMinDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/aggregated/GroupConversionHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanMethod.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForThaiBu
ddhistDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForNumber.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/xml/mapping/AbstractOneLineStringStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DigitsValidatorForMonetaryAmount.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/constraints/br/TituloEleitoral.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/util/CollectionHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForCharSequence.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArrayOfFloat.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastInstantBasedValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/messageinterpolation/EItermResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfInt.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/ReturnValueDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/messageinterpolation/ResourceBundleMessageInterpolator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForYearMonth.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/GetterCascadable.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/ContainerElementConstraintMappingContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/formatter/TypeFormatter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastEpochBasedValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/MessageInterpolatorContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/provider/XmlMetaDataProvider.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/MappingXmlParser.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/MethodConstraintMappingContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/TokenCollector.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/NotNullValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ClassConstraintTypeStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/validationcontext/ValidatorScopedContext.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForInstant.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/engine/HibernateValidatorEnhancedBean.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraintvalidation/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/config/ResourceLoaderHelper.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/HibernateValidatorPermission.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstraintDefinitionStaxBuilder.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/ConstrainedField.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/util/annotation/AnnotationFactory.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/BooleanArrayValueExtractor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/rule/OverridingMethodMustNotAlterParameterConstraints.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/resolver/JPATraversableResolver.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfChar.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForReadablePartial.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorContextImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/time/DurationMax.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/location/TypeArgumentConstraintLocation.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/PositiveValidatorForMonetaryAmount.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/properties/GetterPropertySelectionStrategy.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/GroupConversionDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/AssertFalseDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForBigInteger.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/CreditCardNumberDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/ConstraintDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/Mod11CheckValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForReadableInstant.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/raw/ConstrainedParameter.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/AssertTrueValidator.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/descriptor/ElementDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForMinguoDate.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethods.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/ConfiguredConstraint.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/CodePointLengthValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractJavaTimeValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForCharSequence.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/facets/Validatable.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForShort.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForFloat.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/stereotypes/ThreadSafe.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/logging/Log.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForMonthDay.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForHijrahDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForHijrahDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetMethodFromGetterNameCandidates.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForCharSequence.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalDateTime.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForLong.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/StringHelper.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/DefaultConstraintMapping.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetMethods.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/context/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/GetAnnotationAttribute.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/GroupConversionStaxBuilder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/resolver/TraverseAllTraversableResolver.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForJapaneseDate.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/group/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForFloat.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaDataBuilder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForMap.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedParameterStaxBuilder.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/path/ContainerElementNode.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintTree.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/NotBlankValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/EmailValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/annotation/ConstraintAnnotationDescriptor.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/path/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForFloat.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/constraints/time/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/messageinterpolation/DefaultLocaleResolverContext.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForBigInteger.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/TypeTarget.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/NullValidator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForCharSequence.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/scripting/ScriptEvaluator.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NegativeDef.java

* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/NegativeOrZeroDef.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/MapPropertyKeyExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/util/privilegedactions/NewProxyInstance.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/LongArrayValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForCharSequence.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorHelper.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/ConstraintCreationContext.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/metadata/aggregated/ValidatableParametersMetaData.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/xml/CloseIgnoringInputStream.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForShort.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/Mod10CheckDef.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/EmailValidator.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/DecimalMinDef.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/defs/FutureDef.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArray.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/DigitsValidatorForNumber.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/cfg/context/CrossParameterConstraintMappingContext.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/engine/valueextraction/IterableValueExtractor.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForYearMonth.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/hv/time/DurationMaxValidator.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/HibernateValidator.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/spi/nodenameprovider/Property.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/cfg/package-info.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForLong.java

* /opt/cola/permits/1183889106_1627493628.54/hibernate-validator-6-2-0-final-sources-1-

jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfLong.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/engine/validationcontext/package-info.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/ClassDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/cfg/defs/MaxDef.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanConstructor.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/metadata/descriptor/PropertyDescriptorImpl.java
* /opt/cola/permits/1183889106_1627493628.54/0/hibernate-validator-6-2-0-final-sources-1-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForOffsetTime.java

1.42 jackson-bom 2.14.1

1.42.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.43 slf4j-api-module 1.8.0-beta4

1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
```

* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):

* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/Util.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/Logger.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/MessageFormatter.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/ILoggerFactory.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/FormattingTuple.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/LoggerFactory.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/NOPLogger.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/MDC.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/SubstituteLogger.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/MarkerFactory.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/helpers/BasicMarker.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/Marker.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/spi/LocationAwareLogger.java
* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-

jar/org/slf4j/helpers/NamedLoggerBase.java

* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-

jar/org/slf4j/spi/LoggerFactoryBinder.java

* /opt/cola/permits/1274704929_1650660403.58/0/slf4j-api-1-8-0-beta4-sources-jar/org/slf4j/IMarkerFactory.java

1.44 mockito v2.24.5

1.44.1 Available under license :

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.45 args4j 2.32

1.45.1 Available under license :

Copyright (c) 2013 Kohsuke Kawaguchi and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.46 log4j-over-slf4j 1.7.36

1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1282430134_1646467465.09/0/log4j-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/log4j-over-slf4j/pom.xml

1.47 asm-analysis 9.1

1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/package.html

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/Analyzer.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/Value.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/Frame.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-jar/org/objectweb/asm/tree/analysis/SmallSet.java

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without
```

```
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link BasicInterpreter } for the latest ASM API version. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the { @link #BasicInterpreter(int) }
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-
jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link SourceInterpreter } for the latest ASM API version. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the { @link #SourceInterpreter(int) }
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1183891316_1627493686.82/0/asm-analysis-9-1-sources-
jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
```

1.48 jcl-1-2-implemented-over-slf4j 1.7.32

1.48.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

* /opt/cola/permits/1300428401_1649931151.46/0/jcl-over-slf4j-1-7-32-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

1.49 kotlin 1.2.51

1.49.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","runtime/primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Comparisons.kt","kotlin/Comparator.kt","util/Standard.kt","generated/_ComparisonsJs.kt","collections/Iterables.kt","collections/Sequences.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","kotlin/ranges.kt","generated/_Sequences.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/string.kt","Collections.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","Unit.kt","annotation/Annotations.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","reflect/KParameter.kt","reflect/KType.kt","reflect/KVariance.kt","reflect/KVisibility.kt","kotlin/builtins.kt","generated/_CollectionsJs.kt","jquery/ui.kt","kotlin/annotations.kt","kotlin/annotationsJVM.kt","kotlin/jsTypeOf.kt","kotlin/kotlin.kt","kotlin/char.kt","kotlin/math.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/AbstractMutableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/collections/ArrayList.kt","kotlin/collections/EqualityComparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCodeMap.kt","kotlin/collections/Utils.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","kotlin/collections/LinkedHashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt","kotlin/coroutines.kt","coroutines/experimental/CoroutinesLibrary.kt","kotlin/coroutinesIntrinsics.kt","kotlin/date.kt","kotlin/dom/BUILDERS.kt","kotlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/DOM.kt","kotlin/dom/EventListener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptionUtils.kt","kotlin/exceptions.kt","collections/Grouping.kt","kotlin/grouping.kt","kotlin/js.math.kt","kotlin/json.kt","kotlin/numbers.kt","kotlin/numberConversions.kt","kotlin/promise.kt","kotlin/reflect/JsClass.kt","kotlin/reflect/KClassImpl.kt","kotlin/reflect/primitives.kt","kotlin/reflect/reflection.kt","kotlin/regex.kt","kotlin/TextH.kt","kotlin/regexp.kt","kotlin/sequence.kt","kotlin/stringsCode.kt","kotlin/text.kt","org.w3c/org.khronos.webgl.kt","org.w3c/org.w3c.dom.css.kt","org.w3c/org.w3c.dom.events.kt","org.w3c/org.w3c.dom.kt","org.w3c/org.w3c.fetch.kt","org.w3c/org.w3c.dom.svg.kt","org.w3c/org.w3c.files.kt","org.w3c/org.w3c.notifications.kt","org.w3c/org.w3c.workers.kt","org.w3c/org.w3c.xhr.kt","annotations/Experimental.kt","collections/AbstractCollection.kt","collections/AbstractIterator.kt","collections/AbstractList.kt","collections/AbstractMap.kt","collections/AbstractSet.kt","collections/Arrays.kt","collections/IndexedValue.kt","collections/MapAccessors.kt","collections/MapWithDefault.kt","collections/MutableCollections.kt","collections/ReversedViews.kt","collections/SlidingWindow.kt","coroutines/experimental/ContinuationInterceptor.kt","coroutines/experimental/CoroutineContext.kt","coroutines/experimental/CoroutineContextImpl.kt","coroutines/experimental/Coroutines.kt","coroutines/experimental/SequenceBuilder.kt","coroutines/experimental/intrinsics/Intrinsics.kt","experimental/bitwiseOperations.kt","internal/Annotations.kt","internal/contracts/ContractBuilder.kt","properties/Delegates.kt","properties/ObservableProperty.kt","ranges/Ranges.kt","text/Char.kt","text/Indent.kt","dummy.kt","text/Typography.kt","text/regex/MatchResult.kt","util/KotlinVersion.kt","util/Lateinit.kt","util/Lazy.kt","util/Suspend.kt","util/Tuples.kt","kotlin/MathH.kt"],"sourcesContent":["(function (root, factory) {\n  if (typeof define === 'function' && define.amd) {\n    define('kotlin', ['exports'], factory);\n  } else if (typeof
```

```

exports === 'object') {\n    factory(module.exports);\n } \n else {\n    root.kotlin = {};\n
factory(root.kotlin);\n } \n}(this, function (Kotlin) {\n    var _ = Kotlin;\n\n    insertContent();\n});\n", "/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n *\n\nKotlin.isArray = function (a) {\n    return (Array.isArray(a) ||
a instanceof Int8Array) && a.$type$ === \"BooleanArray\";\n};\n\nKotlin.isByteArray = function (a) {\n    return a
instanceof Int8Array && a.$type$ !== \"BooleanArray\";\n};\n\nKotlin.isShortArray = function (a) {\n    return a
instanceof Int16Array;\n};\n\nKotlin.isCharArray = function (a) {\n    return a instanceof Uint16Array && a.$type$
=== \"CharArray\";\n};\n\nKotlin.isIntArray = function (a) {\n    return a instanceof
Int32Array;\n};\n\nKotlin.isFloatArray = function (a) {\n    return a instanceof
Float32Array;\n};\n\nKotlin.isDoubleArray = function (a) {\n    return a instanceof
Float64Array;\n};\n\nKotlin.isLongArray = function (a) {\n    return Array.isArray(a) && a.$type$ ===
\"LongArray\";\n};\n\nKotlin.isArray = function (a) {\n    return Array.isArray(a) &&
!a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n    return Array.isArray(a) ||
ArrayBuffer.isView(a);\n};\n\nKotlin.arrayToString = function (a) {\n    var toString = Kotlin.isCharArray(a) ?
String.fromCharCode : Kotlin.toString;\n    return \"[\" + Array.prototype.map.call(a, function(e) { return
toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (a, visited) {\n    visited = visited ||
[a];\n    var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n    return \"[\" +
Array.prototype.map.call(a, function (e) {\n        if (Kotlin.isArrayish(e) && visited.indexOf(e) < 0) {\n
visited.push(e);\n            var result = Kotlin.arrayDeepToString(e, visited);\n            visited.pop();\n
return result;\n        }\n        else {\n            return toString(e);\n        }\n    }).join(\", \") +
\"]\";\n};\n\nKotlin.arrayEquals = function (a, b) {\n    if (a === b) {\n        return true;\n    } \n    if
(!Kotlin.isArrayish(b) || a.length !== b.length) {\n        return false;\n    }\n\n    for (var i = 0, n = a.length; i < n; i++)
{\n        if (!Kotlin.equals(a[i], b[i])) {\n            return false;\n        }\n    }\n    return
true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n    if (a === b) {\n        return true;\n    } \n    if
(!Kotlin.isArrayish(b) || a.length !== b.length) {\n        return false;\n    }\n\n    for (var i = 0, n = a.length; i < n; i++)
{\n        if (Kotlin.isArrayish(a[i])) {\n            if (!Kotlin.arrayDeepEquals(a[i], b[i])) {\n                return false;\n
            }\n        } \n        else if (!Kotlin.equals(a[i], b[i])) {\n            return false;\n        }\n    }\n    return
true;\n};\n\nKotlin.arrayHashCode = function (arr) {\n    var result = 1;\n    for (var i = 0, n = arr.length; i < n; i++)
{\n        result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n    }\n    return
result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n    var result = 1;\n    for (var i = 0, n = arr.length; i < n;
i++) {\n        var e = arr[i];\n        result = ((31 * result | 0) + (Kotlin.isArrayish(e) ? Kotlin.arrayDeepHashCode(e) :
Kotlin.hashCode(e))) | 0;\n    }\n    return result;\n};\n\nKotlin.primitiveArraySort = function (array) {\n
array.sort(Kotlin.doubleCompareTo);\n};\n", "/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\nKotlin.getCallableRef = function(name, f) {\n    f.callableName = name;\n    return
f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n    getter.get = getter;\n
getter.set = setter;\n    getter.callableName = name;\n    return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n    return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n    {\n        mutable: { value:
null, implementedInterface: function () {\n            return Kotlin.kotlin.reflect.KMutableProperty0 }\n        },\n
immutable: { value: null, implementedInterface: function () {\n            return Kotlin.kotlin.reflect.KProperty0 }\n
        }\n    },\n    {\n        mutable: { value: null, implementedInterface: function () {\n            return
Kotlin.kotlin.reflect.KMutableProperty1 }\n        },\n        immutable: { value: null, implementedInterface: function
() {\n            return Kotlin.kotlin.reflect.KProperty1 }\n        }\n    }\n];\n\nfunction getPropertyRefMetadata(cache)
{\n    if (cache.value === null) {\n        cache.value = {\n            interfaces: [cache.implementedInterface()],\n
baseClass: null,\n            functions: {},\n            properties: {},\n            types: {},\n            staticMembers: {}
}\n    }\n    return cache.value;\n}\n", "/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is

```

```

governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.toShort =
function (a) {\n  return (a & 0xFFFF) << 16 >> 16;\n};\n\nKotlin.toByte = function (a) {\n  return (a & 0xFF) <<
24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n  return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a)
{\n  return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a)
{\n  return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function
(a) {\n  return Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n  if (a == null) return a;\n  return
Kotlin.toChar(a);\n};\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1,
obj2) {\n  if (obj1 == null) {\n    return obj2 == null;\n  }\n\n  if (obj2 == null) {\n    return false;\n  }\n\n
if (obj1 !== obj2) {\n    return obj2 !== obj2;\n  }\n\n  if (typeof obj1 === "object" && typeof obj1.equals
=== "function") {\n    return obj1.equals(obj2);\n  }\n\n  if (typeof obj1 === "number" && typeof obj2 ===
"number") {\n    return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2);\n  }\n\n  return obj1 ===
obj2;\n};\n\nKotlin.hashCode = function (obj) {\n  if (obj == null) {\n    return 0;\n  }\n  var objType = typeof
obj;\n  if ("object" === objType) {\n    return "function" === typeof obj.hashCode ? obj.hashCode() :
getObjectHashCode(obj);\n  }\n  if ("function" === objType) {\n    return getObjectHashCode(obj);\n  }\n
if ("number" === objType) {\n    return Kotlin.numberHashCode(obj);\n  }\n  if ("boolean" === objType)
{\n    return Number(obj)\n  }\n\n  var str = String(obj);\n  return
getStringHashCode(str);\n};\n\n\nKotlin.toString = function (o) {\n  if (o == null) {\n    return "null";\n  }\n
else if (Kotlin.isArrayish(o)) {\n    return "[...]";\n  }\n  else {\n    return o.toString();\n  }\n};\n\n\n**
@const *\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol type once we are on ES6.\n\n**
@const *\nvar OBJECT_HASH_CODE_PROPERTY_NAME = "kotlinHashCodeValue$";\n\nfunction
getObjectHashCode(obj) {\n  if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash =
(Math.random() * POW_2_32) | 0; // Make 32-bit signed integer.\n    Object.defineProperty(obj,
OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n  }\n  return
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n  var hash = 0;\n  for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0; // Keep
it 32-bit.\n  }\n  return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n\n//\n
Licensed under the Apache License, Version 2.0 (the "License");\n// you may not use this file except in compliance
with the License.\n// You may obtain a copy of the License at\n\n// http://www.apache.org/licenses/LICENSE-
2.0\n\n// Unless required by applicable law or agreed to in writing, software\n// distributed under the License is
distributed on an "AS-IS" BASIS,\n// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express or implied.\n\n\n * Constructs a 64-bit two's-complement integer, given its low and high 32-bit\n *
values as *signed* integers. See the from* functions below for more\n * convenient ways of constructing Longs.\n
*\n * The internal representation of a long is the two given signed, 32-bit values.\n * We use 32-bit pieces because
these are the size of integers on which\n * Javascript performs bit-operations. For operations like addition and\n *
multiplication, we split each number into 16-bit pieces, which can easily be\n * multiplied within Javascript's
floating-point representation without overflow\n * or change in sign.\n *\n * In the algorithms below, we frequently
reduce the negative case to the\n * positive case by negating the input(s) and then post-processing the result.\n *
Note that we must ALWAYS check specially whether those values are MIN_VALUE\n * (-2^63) because -
MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a positive number, it overflows back into

```

```

a negative). Not handling this case would often result in infinite recursion.
 * @param {number} low The low (signed) 32 bits of the long.
 * @param {number} high The high (signed) 32 bits of the long.
 * @constructor
 * @final
 * Kotlin.Long = function(low, high) {
 * /**
 * @type {number}
 * @private
 */
 * this.low_ = low | 0; // force into 32 signed bits.
 *
 * /**
 * @type {number}
 * @private
 */
 * this.high_ = high | 0; // force into 32 signed bits.
 * };
 * Kotlin.Long.$metadata$ = {
 * kind: "class",
 * simpleName: "Long",
 * interfaces: []
 * };
 * // NOTE: Common constant values ZERO, ONE, NEG_ONE, etc.
 * are defined below the from* methods on which they depend.
 *
 * /**
 * A cache of the Long representations of
 * small integer values.
 * @type {!Object}
 * @private
 */
 * Kotlin.Long.IntCache_ = {};
 *
 * /**
 * Returns a
 * Long representing the given (32-bit) integer value.
 * @param {number} value The 32-bit integer in question.
 * @return {!Kotlin.Long} The corresponding Long value.
 */
 * Kotlin.Long.fromInt = function(value) {
 * if (-128
 * <= value && value < 128) {
 * var cachedObj = Kotlin.Long.IntCache_[value];
 * if (cachedObj) {
 * return
 * cachedObj;
 * }
 * }
 * var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);
 * if (-128 <= value && value <
 * 128) {
 * Kotlin.Long.IntCache_[value] = obj;
 * }
 * return obj;
 * };
 *
 * /**
 * Returns a Long representing the
 * given value, provided that it is a finite
 * number. Otherwise, zero is returned.
 * @param {number} value The
 * number in question.
 * @return {!Kotlin.Long} The corresponding Long value.
 */
 * Kotlin.Long.fromNumber =
 * function(value) {
 * if (isNaN(value) || !isFinite(value)) {
 * return Kotlin.Long.ZERO;
 * } else if (value <= -
 * Kotlin.Long.TWO_PWR_63_DBL_) {
 * return Kotlin.Long.MIN_VALUE;
 * } else if (value + 1 >=
 * Kotlin.Long.TWO_PWR_63_DBL_) {
 * return Kotlin.Long.MAX_VALUE;
 * } else if (value < 0) {
 * return
 * Kotlin.Long.fromNumber(-value).negate();
 * } else {
 * return new Kotlin.Long(
 * (value %
 * Kotlin.Long.TWO_PWR_32_DBL_) | 0,
 * (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);
 * }
 * };
 *
 * /**
 * Returns a Long representing the 64-bit integer that comes by concatenating
 * the given high and
 * low bits. Each is assumed to use 32 bits.
 * @param {number} lowBits The low 32-bits.
 * @param {number}
 * highBits The high 32-bits.
 * @return {!Kotlin.Long} The corresponding Long value.
 */
 * Kotlin.Long.fromBits =
 * function(lowBits, highBits) {
 * return new Kotlin.Long(lowBits, highBits);
 * };
 *
 * /**
 * Returns a Long
 * representation of the given string, written using the given
 * radix.
 * @param {string} str The textual
 * representation of the Long.
 * @param {number=} opt_radix The radix in which the text is written.
 * @return
 * {!Kotlin.Long} The corresponding Long value.
 */
 * Kotlin.Long.fromString =
 * function(str, opt_radix) {
 * if
 * (str.length == 0) {
 * throw Error('number format error: empty string');
 * }
 * var radix = opt_radix || 10;
 * if
 * (radix < 2 || 36 < radix) {
 * throw Error('radix out of range: ' + radix);
 * }
 * if (str.charAt(0) == '-') {
 * return
 * Kotlin.Long.fromString(str.substring(1), radix).negate();
 * } else if (str.indexOf('-') >= 0) {
 * throw Error('number
 * format error: interior "-" character: ' + str);
 * }
 * // Do several (8) digits each time through the loop, so as to
 * // minimize the calls to the very expensive emulated div.
 * var radixToPower =
 * Kotlin.Long.fromNumber(Math.pow(radix, 8));
 * var result = Kotlin.Long.ZERO;
 * for (var i = 0; i < str.length;
 * i += 8) {
 * var size = Math.min(8, str.length - i);
 * var value = parseInt(str.substring(i, i + size), radix);
 * if
 * (size < 8) {
 * var power = Kotlin.Long.fromNumber(Math.pow(radix, size));
 * result =
 * result.multiply(power).add(Kotlin.Long.fromNumber(value));
 * } else {
 * result =
 * result.multiply(radixToPower);
 * result = result.add(Kotlin.Long.fromNumber(value));
 * }
 * }
 * return
 * result;
 * };
 *
 * // NOTE: the compiler should inline these constant values below and then remove
 * // these
 * variables, so there should be no runtime penalty for these.
 *
 * /**
 * Number used repeated below in calculations.
 * This must appear before the
 * first call to any from* function below.
 * @type {number}
 * @private
 */
 * Kotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;
 *
 * /**
 * @type {number}
 * @private
 */
 * Kotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;
 *
 * /**
 * @type {number}
 * @private
 */
 * Kotlin.Long.TWO_PWR_32_DBL_ =
 * Kotlin.Long.TWO_PWR_16_DBL_ *
 * Kotlin.Long.TWO_PWR_16_DBL_;
 *
 * /**
 * @type {number}
 * @private
 */
 * Kotlin.Long.TWO_PWR_31_DBL_ =
 * Kotlin.Long.TWO_PWR_32_DBL_ / 2;
 *
 * /**
 * @type
 * {number}
 * @private
 */
 * Kotlin.Long.TWO_PWR_48_DBL_ =
 * Kotlin.Long.TWO_PWR_32_DBL_ *
 * Kotlin.Long.TWO_PWR_16_DBL_;
 *
 * /**
 * @type {number}
 * @private
 */
 * Kotlin.Long.TWO_PWR_64_DBL_ =
 * Kotlin.Long.TWO_PWR_32_DBL_ *

```

```

Kotlin.Long.TWO_PWR_32_DBL_;\n\n/**\n * @type {number}\n * @private\n *\nKotlin.Long.TWO_PWR_63_DBL_ =\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n/** @type  

{!Kotlin.Long} *\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n/** @type {!Kotlin.Long}  

*\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n/** @type {!Kotlin.Long} *\nKotlin.Long.NEG_ONE =  

Kotlin.Long.fromInt(-1);\n\n/** @type {!Kotlin.Long} *\nKotlin.Long.MAX_VALUE =\n Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n/** @type {!Kotlin.Long}  

*\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n/**\n * @type {!Kotlin.Long}\n * @private\n *\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n/** @return {number} The  

value, assuming it is a 32-bit integer. *\nKotlin.Long.prototype.toInt = function() {\n return this.low_;\n};\n\n/**  

@return {number} The closest floating-point representation to this value. *\nKotlin.Long.prototype.toNumber =  

function() {\n return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n this.getLowBitsUnsigned();\n};\n\n/** @return {number} The 32-bit hashCode of this value.  

*\nKotlin.Long.prototype.hashCode = function() {\n return this.high_ ^ this.low_;\n};\n\n/**\n * @param  

{number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation  

of this value.\n * @override\n *\nKotlin.Long.prototype.toString = function(opt_radix) {\n var radix = opt_radix ||  

10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if (this.isZero()) {\n  

return '0';\n }\n\n if (this.isNegative()) {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n // We need to  

change the Long value before it can be negated, so we remove\n // the bottom-most digit in this base and then  

recurse to do the rest.\n var radixLong = Kotlin.Long.fromNumber(radix);\n var div = this.div(radixLong);\n  

var rem = div.multiply(radixLong).subtract(this);\n return div.toString(radix) + rem.toInt().toString(radix);\n }  

else {\n return '-' + this.negate().toString(radix);\n }\n }\n\n // Do several (6) digits each time through the loop,  

so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower =  

Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n var rem = this;\n var result = '';\n while (true) {\n var  

remDiv = rem.div(radixToPower);\n var intVal = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n var  

digits = intVal.toString(radix);\n rem = remDiv;\n if (rem.isZero()) {\n return digits + result;\n } else {\n  

while (digits.length < 6) {\n digits = '0' + digits;\n }\n result = " + digits + result;\n }\n }\n};\n\n/**  

@return {number} The high 32-bits as a signed value. *\nKotlin.Long.prototype.getHighBits = function() {\n  

return this.high_;\n};\n\n/** @return {number} The low 32-bits as a signed value.  

*\nKotlin.Long.prototype.getLowBits = function() {\n return this.low_;\n};\n\n/** @return {number} The low  

32-bits as an unsigned value. *\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n return (this.low_ >=  

0) ?\n this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n/**\n * @return {number} Returns  

the number of bits needed to represent the absolute\n * value of this Long.\n *\nKotlin.Long.prototype.getNumBitsAbs = function() {\n if (this.isNegative()) {\n if  

(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return 64;\n } else {\n return  

this.negate().getNumBitsAbs();\n }\n } else {\n var val = this.high_ != 0 ? this.high_ : this.low_;\n for (var bit  

= 31; bit > 0; bit--) {\n if ((val & (1 << bit)) != 0) {\n break;\n }\n }\n return this.high_ != 0 ? bit + 33  

: bit + 1;\n }\n};\n\n/** @return {boolean} Whether this value is zero. *\nKotlin.Long.prototype.isZero =  

function() {\n return this.high_ == 0 && this.low_ == 0;\n};\n\n/** @return {boolean} Whether this value is  

negative. *\nKotlin.Long.prototype.isNegative = function() {\n return this.high_ < 0;\n};\n\n/** @return  

{boolean} Whether this value is odd. *\nKotlin.Long.prototype.isOdd = function() {\n return (this.low_ & 1) ==  

1;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this  

Long equals the other.\n *\nKotlin.Long.prototype.equalsLong = function(other) {\n return (this.high_ ==  

other.high_) && (this.low_ == other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare  

against.\n * @return {boolean} Whether this Long does not equal the other.\n *\nKotlin.Long.prototype.notEqualsLong = function(other) {\n return (this.high_ != other.high_) || (this.low_ !=  

other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean}  

Whether this Long is less than the other.\n *\nKotlin.Long.prototype.lessThan = function(other) {\n return  

this.compare(other) < 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return

```

```

{boolean} Whether this Long is less than or equal to the other.
*\nKotlin.Long.prototype.lessThanOrEqual =
function(other) {\n return this.compare(other) <= 0;\n};\n\n/>\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long is greater than the other.
*\nKotlin.Long.prototype.greaterThan = function(other) {\n return this.compare(other) > 0;\n};\n\n/>\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or
equal to the other.
*\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n return
this.compare(other) >= 0;\n};\n\n/>\n * Compares this Long with the given one.
*\n * @param {Kotlin.Long}
other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1
*\n * if
the given one is greater.
*\nKotlin.Long.prototype.compare = function(other) {\n if (this.equalsLong(other)) {\n
return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg = other.isNegative();\n if (thisNeg &&
!otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n }\n\n // at this point, the signs are the
same, so subtraction will not overflow\n if (this.subtract(other).isNegative()) {\n return -1;\n } else {\n
return
1;\n }\n};\n\n/>\n * @return {!Kotlin.Long} The negation of this value.
*\nKotlin.Long.prototype.negate =
function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.MIN_VALUE;\n } else
{\n return this.not().add(Kotlin.Long.ONE);\n }\n};\n\n/>\n * Returns the sum of this and the given Long.
*\n * @param {Kotlin.Long} other Long to add to this one.
*\n * @return {!Kotlin.Long} The sum of this and the given
Long.
*\nKotlin.Long.prototype.add = function(other) {\n // Divide each number into 4 chunks of 16 bits, and
then sum the chunks.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_
>>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n
var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00
+= a00 + b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &=
0xFFFF;\n c32 += a32 + b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &=
0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/>\n * Returns the
difference of this and the given Long.
*\n * @param {Kotlin.Long} other Long to subtract from this.
*\n * @return
{!Kotlin.Long} The difference of this and the given Long.
*\nKotlin.Long.prototype.subtract = function(other)
{\n return this.add(other.negate());\n};\n\n/>\n * Returns the product of this and the given long.
*\n * @param
{Kotlin.Long} other Long to multiply with this.
*\n * @return {!Kotlin.Long} The product of this and the other.
*\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else
if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return
other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return
this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n }\n } else
if (other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are small, use float
multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.
*\n // We can
skip products that would overflow.
*\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n
var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &
0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 +=
c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 *
b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48
&= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/>\n * Returns this
Long divided by the given one.
*\n * @param {Kotlin.Long} other Long by which to divide.
*\n * @return
{!Kotlin.Long} This Long divided by the given one.
*\nKotlin.Long.prototype.div = function(other) {\n if
(other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return Kotlin.Long.ZERO;\n
}

```

```

} else if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {
    if (other.equalsLong(Kotlin.Long.ONE) ||
        other.equalsLong(Kotlin.Long.NEG_ONE)) {
        return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE
        == MIN_VALUE
    } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {
        return Kotlin.Long.ONE;
    } else {
        // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.
        var halfThis = this.shiftRight(1);
        var approx = halfThis.div(other).shiftLeft(1);
        if (approx.equalsLong(Kotlin.Long.ZERO)) {
            return other.isNegative() ? Kotlin.Long.ONE :
                Kotlin.Long.NEG_ONE;
        } else {
            var rem = this.subtract(other.multiply(approx));
            var result = approx.add(rem.div(other));
            return result;
        }
    }
} else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {
    return Kotlin.Long.ZERO;
}

if (this.isNegative()) {
    if (other.isNegative()) {
        return this.negate().div(other.negate());
    } else {
        return this.negate().div(other.negate());
    }
} else if (other.isNegative()) {
    return this.div(other.negate()).negate();
}

// Repeat the following until the remainder is less than other: find a
// floating-point that approximates remainder / other *from below*, add this
// into the result, and subtract it from the remainder. It is critical that
// the approximate value is less than or equal to the real value so that the
// remainder never becomes negative.
var res = Kotlin.Long.ZERO;
var rem = this;
while (rem.greaterThanOrEqual(other)) {
    // Approximate the result of division. This may be a little greater or
    // smaller than the actual value.
    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));
    // We will tweak the approximate result by changing it in the 48-th digit or
    // the smallest non-fractional digit, whichever is larger.
    var log2 = Math.ceil(Math.log(approx) / Math.LN2);
    var delta = (log2 <= 48) ? 1 :
        Math.pow(2, log2 - 48);
    // Decrease the approximation until it is smaller than the remainder. Note
    // that if it is too large, the product overflows and is negative.
    var approxRes = Kotlin.Long.fromNumber(approx);
    var approxRem = approxRes.multiply(other);
    while (approxRem.isNegative() || approxRem.greaterThan(rem)) {
        approx -= delta;
        approxRes = Kotlin.Long.fromNumber(approx);
        approxRem = approxRes.multiply(other);
    }
    // We know the answer can't be zero... and actually, zero would cause
    // infinite recursion since we would make no progress.
    if (approxRes.isZero()) {
        approxRes = Kotlin.Long.ONE;
    }
    res = res.add(approxRes);
    rem = rem.subtract(approxRem);
}
return res;
}

/**
 * Returns this Long modulo the given one.
 * @param {Kotlin.Long} other Long by which to mod.
 * @return {!Kotlin.Long} This Long modulo the given one.
 */
Kotlin.Long.prototype.modulo = function(other) {
    return this.subtract(this.div(other).multiply(other));
};

/**
 * @return {!Kotlin.Long} The bitwise-NOT of this value.
 */
Kotlin.Long.prototype.not = function() {
    return Kotlin.Long.fromBits(~this.low_ |
        ~this.high_);
};

/**
 * Returns the bitwise-AND of this Long and the given one.
 * @param {Kotlin.Long} other The Long with which to AND.
 * @return {!Kotlin.Long} The bitwise-AND of this and the other.
 */
Kotlin.Long.prototype.and = function(other) {
    return Kotlin.Long.fromBits(this.low_ & other.low_ |
        this.high_ & other.high_);
};

/**
 * Returns the bitwise-OR of this Long and the given one.
 * @param {Kotlin.Long} other The Long with which to OR.
 * @return {!Kotlin.Long} The bitwise-OR of this and the other.
 */
Kotlin.Long.prototype.or = function(other) {
    return Kotlin.Long.fromBits(this.low_ |
        other.low_ |
        this.high_ | other.high_);
};

/**
 * Returns the bitwise-XOR of this Long and the given one.
 * @param {Kotlin.Long} other The Long with which to XOR.
 * @return {!Kotlin.Long} The bitwise-XOR of this and the other.
 */
Kotlin.Long.prototype.xor = function(other) {
    return Kotlin.Long.fromBits(this.low_ ^ other.low_ |
        this.high_ ^ other.high_);
};

/**
 * Returns this Long with bits shifted to the left by the given amount.
 * @param {number} numBits The number of bits by which to shift.
 * @return {!Kotlin.Long} This shifted to the left by the given amount.
 */
Kotlin.Long.prototype.shiftLeft = function(numBits) {
    numBits &= 63;
    if (numBits == 0) {
        return this;
    } else {
        var low = this.low_;
        if (numBits < 32) {
            var high = this.high_;
            return Kotlin.Long.fromBits(
                low << numBits,
                (high << numBits) | (low >>> (32 - numBits)));
        } else {
            return Kotlin.Long.fromBits(0, low << (numBits - 32));
        }
    }
};

/**
 * Returns this Long with bits shifted to the right by the given amount.
 * @param {number} numBits The number of bits by which to shift.
 * @return {!Kotlin.Long} This shifted to the right by the given amount.
 */
Kotlin.Long.prototype.shiftRight =

```

```

function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits((low >>> numBits) | (high << (32 - numBits)),\n        high >> numBits);\n    } else {\n      return Kotlin.Long.fromBits(high >> (numBits - 32),\n        high >= 0 ? 0 : -1);\n    }\n  }\n};\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits((low >>> numBits) | (high << (32 - numBits)),\n        high >>> numBits);\n    } else if (numBits == 32) {\n      return Kotlin.Long.fromBits(high, 0);\n    } else {\n      return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n    }\n  }\n};\n\n// Support for Kotlin\nKotlin.Long.prototype.equals = function (other) {\n  return other instanceof Kotlin.Long && this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ = Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n  return this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n  return this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n  return this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n  return this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\n\nKotlin.Long.prototype.inv = Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n  return new Kotlin.kotlin.ranges.LongRange(this, other);\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * @param {string} id\n * @param {Object} declaration\n */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n  return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n  var f = function() {\n    f = fun();\n    return f.apply(this, arguments);\n  }; \n  return function() {\n    return f.apply(this, arguments);\n  }; \n};\n\nKotlin.isTypeOf = function(type) {\n  return function (object) {\n    return typeof object === type;\n  };\n};\n\nKotlin.isInstanceOf = function (klass) {\n  return function (object) {\n    return Kotlin.isType(object, klass);\n  };\n};\n\nKotlin.orNull = function (fn) {\n  return function (object) {\n    return object == null || fn(object);\n  };\n};\n\nKotlin.andPredicate = function (a, b) {\n  return function (object) {\n    return a(object) && b(object);\n  };\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall = function(value) {\n  return value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n  throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n  throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n  throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n  throwMarkerError();\n};\n\nfunction throwMarkerError() {\n  throw new Error("\n    \"This marker function should never be called. \"\n    +\n    \"Looks like compiler did not eliminate it properly. \"\n    +\n    \"Please, report an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n  return function() {\n    return defaultValue;\n  };\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n  var typeA = typeof a;\n  if (typeA === \"number\") {\n    if (typeof b === \"number\") {\n      return Kotlin.doubleCompareTo(a, b);\n    } \n    return Kotlin.primitiveCompareTo(a, b);\n  } \n  if (typeA === \"string\" || typeA === \"boolean\") {\n    return Kotlin.primitiveCompareTo(a, b);\n  } \n  return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n  return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n  if (a < b) return -1;\n  if (a > b) return 1;\n\n  if (a === b) {\n    if (a !== 0) return 0;\n\n    var ia = 1 / a;\n    return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  } \n  return a !== b ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function (value) {\n  return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n  return Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a,

```



```

}\n}\n\n@JsName("booleanArrayF")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean):
Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName("charArray")\n@Suppress("UNUSED_PARAMETER")\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js("new Uint16Array(size)")\n    result.`$type$` = "CharArray"\n    return when (init) {\n        null, true, false -> result // For consistency\n        else -> fillArrayFun<Char>(result,
init)\n    }\n}\n\n@JsName("charArrayF")\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char):
Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size - 1) {\n        val value = init(i)\n        js("array[i] = value;")\n    }\n    return array\n}\n\n@JsName("untypedCharArrayF")\ninline fun
untypedCharArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n    val array = Array<Char>(size)\n    for
(i in 0..array.size - 1) {\n        val value = init(i)\n        js("array[i] = value;")\n    }\n    return
array\n}\n\n@JsName("longArray")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n    val result:
dynamic = Array<Long>(size)\n    result.`$type$` = "LongArray"\n    return when (init) {\n        null, true ->
fillArrayVal(result, 0L)\n        false -> result\n        else -> fillArrayFun<Long>(result, init)\n    }\n}\n\n@JsName("longArrayF")\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> =
fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initialValue: T): Array<T>
{\n    for (i in 0..array.size - 1) {\n        array[i] = initialValue\n    }\n    return array\n}", "/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>>
{\n    @JsName("name$") private var _name: String = ""\n    @JsName("ordinal$") private var _ordinal: Int =
0\n\n    val name: String\n        get() = _name\n\n    val ordinal: Int\n        get() = _ordinal\n\n    override fun
compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n    override fun equals(other: Any?) = this ===
other\n\n    override fun hashCode(): Int = js("Kotlin.identityHashCode")(this)\n\n    override fun toString() =
name\n\n    companion object\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed
by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js.internal\n\n@JsName("DoubleCompanionObject")\nprivate object DoubleCompanionObject {\n
@JsName("MIN_VALUE")\n    val MIN_VALUE: Double = js("Number.MIN_VALUE")\n\n    @JsName("MAX_VALUE")\n    val MAX_VALUE: Double = js("Number.MAX_VALUE")\n\n    @JsName("POSITIVE_INFINITY")\n    val POSITIVE_INFINITY: Double =
js("Number.POSITIVE_INFINITY")\n\n    @JsName("NEGATIVE_INFINITY")\n    val
NEGATIVE_INFINITY: Double = js("Number.NEGATIVE_INFINITY")\n\n    @JsName("NaN")\n    val NaN:
Double = js("Number.NaN")\n}\n\n@JsName("FloatCompanionObject")\nprivate object FloatCompanionObject
{\n    @JsName("MIN_VALUE")\n    val MIN_VALUE: Float = js("Number.MIN_VALUE")\n\n    @JsName("MAX_VALUE")\n    val MAX_VALUE: Float = js("Number.MAX_VALUE")\n\n    @JsName("POSITIVE_INFINITY")\n    val POSITIVE_INFINITY: Float =
js("Number.POSITIVE_INFINITY")\n\n    @JsName("NEGATIVE_INFINITY")\n    val
NEGATIVE_INFINITY: Float = js("Number.NEGATIVE_INFINITY")\n\n    @JsName("NaN")\n    val NaN:
Float = js("Number.NaN")\n}\n\n@JsName("IntCompanionObject")\nprivate object IntCompanionObject {\n
@JsName("MIN_VALUE")\n    val MIN_VALUE: Int = -2147483647 - 1\n\n    @JsName("MAX_VALUE")\n    val
MAX_VALUE: Int = 2147483647\n}\n\n@JsName("LongCompanionObject")\nprivate object
LongCompanionObject {\n    @JsName("MIN_VALUE")\n    val MIN_VALUE: Long =
js("Kotlin.Long.MIN_VALUE")\n\n    @JsName("MAX_VALUE")\n    val MAX_VALUE: Long =
js("Kotlin.Long.MAX_VALUE")\n}\n\n@JsName("ShortCompanionObject")\nprivate object
ShortCompanionObject {\n    @JsName("MIN_VALUE")\n    val MIN_VALUE: Short = -32768\n\n    @JsName("MAX_VALUE")\n    val MAX_VALUE: Short =
32767\n}\n\n@JsName("ByteCompanionObject")\nprivate object ByteCompanionObject {\n
@JsName("MIN_VALUE")\n    val MIN_VALUE: Byte = -128\n\n    @JsName("MAX_VALUE")\n    val
MAX_VALUE: Byte = 127\n}\n\n@JsName("CharCompanionObject")\nprivate object CharCompanionObject {\n
@JsName("MIN_HIGH_SURROGATE")\n    public const val MIN_HIGH_SURROGATE: Char = "\u0000800\n\n

```

```
@JsName("MAX_HIGH_SURROGATE")\n public const val MAX_HIGH_SURROGATE: Char =  
"\uDBFF"\n @JsName("MIN_LOW_SURROGATE")\n public const val MIN_LOW_SURROGATE: Char =  
"\uDC00"\n @JsName("MAX_LOW_SURROGATE")\n public const val MAX_LOW_SURROGATE: Char  
= "\uDFFF"\n @JsName("MIN_SURROGATE")\n public const val MIN_SURROGATE: Char =  
MIN_HIGH_SURROGATE\n @JsName("MAX_SURROGATE")\n public const val MAX_SURROGATE:  
Char = MAX_LOW_SURROGATE\n\nprivate object StringCompanionObject {\n\n    * Copyright 2010-  
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n    * that can be found in the  
license/LICENSE.txt file.\n
```

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage  
kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:  
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n * Returns 1st *element* from the collection.\n
```

```
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T {\n    return  
get(0)\n}\n\n * Returns 1st *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic inline  
operator fun ByteArray.component1(): Byte {\n    return get(0)\n}\n\n * Returns 1st *element* from the  
collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n  
return get(0)\n}\n\n * Returns 1st *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun IntArray.component1(): Int {\n    return get(0)\n}\n\n * Returns 1st *element* from the  
collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n  
return get(0)\n}\n\n * Returns 1st *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun FloatArray.component1(): Float {\n    return get(0)\n}\n\n * Returns 1st *element* from the  
collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n  
return get(0)\n}\n\n * Returns 1st *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun BooleanArray.component1(): Boolean {\n    return get(0)\n}\n\n * Returns 1st *element*  
from the collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char  
{\n    return get(0)\n}\n\n * Returns 2nd *element* from the collection.\n
```

```
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n    return  
get(1)\n}\n\n * Returns 2nd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic inline  
operator fun ByteArray.component2(): Byte {\n    return get(1)\n}\n\n * Returns 2nd *element* from the  
collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n  
return get(1)\n}\n\n * Returns 2nd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun IntArray.component2(): Int {\n    return get(1)\n}\n\n * Returns 2nd *element* from the  
collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n  
return get(1)\n}\n\n * Returns 2nd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun FloatArray.component2(): Float {\n    return get(1)\n}\n\n * Returns 2nd *element* from  
the collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n  
return get(1)\n}\n\n * Returns 2nd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun BooleanArray.component2(): Boolean {\n    return get(1)\n}\n\n * Returns 2nd *element*  
from the collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char  
{\n    return get(1)\n}\n\n * Returns 3rd *element* from the collection.\n
```

```
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n    return  
get(2)\n}\n\n * Returns 3rd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic inline  
operator fun ByteArray.component3(): Byte {\n    return get(2)\n}\n\n * Returns 3rd *element* from the  
collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n  
return get(2)\n}\n\n * Returns 3rd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun IntArray.component3(): Int {\n    return get(2)\n}\n\n * Returns 3rd *element* from the  
collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n  
return get(2)\n}\n\n * Returns 3rd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun FloatArray.component3(): Float {\n    return get(2)\n}\n\n * Returns 3rd *element* from  
the collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n  
return get(2)\n}\n\n * Returns 3rd *element* from the collection.\n\n@kotlin.internal.InlineOnly\npublic  
inline operator fun BooleanArray.component3(): Boolean {\n    return get(2)\n}\n\n * Returns 3rd *element*  
from the collection.\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char  
{\n    return get(2)\n}\n\n * Returns 4th *element* from the collection.\n
```

```

inline operator fun FloatArray.component3(): Float {\n  return get(2)\n}\n\n/**\n * Returns 3rd *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n
return get(2)\n}\n\n/**\n * Returns 3rd *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun BooleanArray.component3(): Boolean {\n  return get(2)\n}\n\n/**\n * Returns 3rd *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char
{\n  return get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun ByteArray.component4(): Byte {\n  return get(3)\n}\n\n/**\n * Returns 4th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n
return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun IntArray.component4(): Int {\n  return get(3)\n}\n\n/**\n * Returns 4th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n
return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun FloatArray.component4(): Float {\n  return get(3)\n}\n\n/**\n * Returns 4th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n
return get(3)\n}\n\n/**\n * Returns 4th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun BooleanArray.component4(): Boolean {\n  return get(3)\n}\n\n/**\n * Returns 4th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char
{\n  return get(3)\n}\n\n/**\n * Returns 5th *element* from the collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun ByteArray.component5(): Byte {\n  return get(4)\n}\n\n/**\n * Returns 5th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n
return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun IntArray.component5(): Int {\n  return get(4)\n}\n\n/**\n * Returns 5th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n
return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun FloatArray.component5(): Float {\n  return get(4)\n}\n\n/**\n * Returns 5th *element* from the
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n
return get(4)\n}\n\n/**\n * Returns 5th *element* from the collection.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun BooleanArray.component5(): Boolean {\n  return get(4)\n}\n\n/**\n * Returns 5th *element*
from the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char
{\n  return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n  return indexOf(element)
>= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
ByteArray.contains(element: Byte): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
IntArray.contains(element: Int): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\npublic operator fun LongArray.contains(element: Long): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun
FloatArray.contains(element: Float): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator
fun BooleanArray.contains(element: Boolean): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns
`true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n
return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an

```

[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n

```

*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAt(index: Int): T {\n  return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAt(index: Int): Byte {\n  return get(index)\n}\n\n/**\n * Returns an element at the given [index]
or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAt(index: Int): Short {\n  return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAt(index: Int): Int {\n  return get(index)\n}\n\n/**\n * Returns an element at the given [index] or
throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAt(index: Int): Long {\n  return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAt(index: Int): Float {\n  return get(index)\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAt(index: Int): Double {\n  return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAt(index: Int): Boolean {\n  return get(index)\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAt(index: Int): Char {\n  return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  return if (index >= 0 && index <= lastIndex)
get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n  return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result
of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) ->
Short): Short {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n
 * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int,
defaultValue: (Int) -> Int): Int {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*^@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) ->
Float): Float {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n
 * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int,
defaultValue: (Int) -> Double): Double {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *^@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n  return if (index >= 0 &&

```

index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n

```

*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n
```

```

*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given

```

```

[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) ->
Boolean): Int? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate:
(Double) -> Boolean): Double? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching
the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n    if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long
{\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
FloatArray.first(): Float {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun DoubleArray.first(): Double {\n    if (isEmpty())\n        throw NoSuchElementException("Array is
empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n    if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic
inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element))
return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) ->
Boolean): Byte {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the

```

```

predicate.)\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) ->
Boolean): Int {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) ->
Boolean): Float {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate:
(Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun <T> Array<out
T>.firstOrNull(): T? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if
the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n    return if (isEmpty()) null else
this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
ShortArray.firstOrNull(): Short? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,
or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull(): Int? {\n    return if (isEmpty()) null else
this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
LongArray.firstOrNull(): Long? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,
or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n    return if (isEmpty()) null else
this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
DoubleArray.firstOrNull(): Double? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n    return if
(isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
CharArray.firstOrNull(): Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out
T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n
return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (element in this)
if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun

```

```

FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double?
{\n  for (element in this) if (predicate(element)) return element\n  return null\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  for (element in this) if
(predicate(element)) return element\n  return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) ->
Boolean): Char? {\n  for (element in this) if (predicate(element)) return element\n  return null\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrNull(index: Int,
defaultValue: (Int) -> T): T {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.getOrNull(index: Int, defaultValue: (Int) -> Byte): Byte {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrNull(index: Int, defaultValue: (Int) -> Short):
Short {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrNull(index: Int, defaultValue: (Int) ->
Int): Int {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrNull(index: Int,
defaultValue: (Int) -> Long): Long {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float): Float {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrNull(index: Int, defaultValue: (Int) ->
Double): Double {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrNull(index: Int,
defaultValue: (Int) -> Boolean): Boolean {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.getOrNull(index: Int, defaultValue: (Int) -> Char): Char {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n  return if
(index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ShortArray.getOrNull(index: Int):
Short? {\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun IntArray.getOrNull(index:
Int): Int? {\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun LongArray.getOrNull(index:

```

```

Int): Long? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun
FloatArray.getOrNull(index: Int): Float? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
*/\npublic fun DoubleArray.getOrNull(index: Int): Double? {\n    return if (index >= 0 && index <= lastIndex)
get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? {\n    return if (index >= 0 && index <=
lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of
bounds of this array.\n */\npublic fun CharArray.getOrNull(index: Int): Char? {\n    return if (index >= 0 && index
<= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n    if
(element == null) {\n        for (index in indices) {\n            if (this[index] == null) {\n                return index\n
            }\n        }\n    } else {\n        for (index in indices) {\n            if (element == this[index]) {\n
                return index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int {\n    for (index in indices) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if
the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int {\n    for (index in
indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int):
Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n
    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun
LongArray.indexOf(element: Long): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n           
return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\npublic fun FloatArray.indexOf(element: Float): Int {\n    for (index in indices) {\n        if
(element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.indexOf(element: Double): Int {\n
    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return
-1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun
BooleanArray.indexOf(element: Boolean): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n    for (index in indices) {\n        if
(element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n    for (index in indices) {\n        if (predicate(this[index]))
{\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the
given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun

```

```

FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns the last element.\n */
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.last(): T {\n  if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n */\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
ByteArray.last(): Byte {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n */\n * @throws [NoSuchElementException] if the array is
empty.\n */\npublic fun ShortArray.last(): Short {\n  if (isEmpty())\n    throw NoSuchElementException("Array
is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n */\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.last(): Int {\n  if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.last(): Long {\n

```

```

    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun\nFloatArray.last(): Float {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return\nthis[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is\nempty.\n */\npublic fun DoubleArray.last(): Double {\n    if (isEmpty())\n        throw\nNoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.last(): Boolean {\n    if\n(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun\nCharArray.last(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return\nthis[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.last(predicate:\n(T) -> Boolean): T {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.last(predicate: (Byte) ->\nBoolean): Byte {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.last(predicate: (Short) ->\nBoolean): Short {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.last(predicate: (Int) ->\nBoolean): Int {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.last(predicate: (Long) ->\nBoolean): Long {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.last(predicate: (Float) ->\nBoolean): Float {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate:\n(Double) -> Boolean): Double {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate:\n(Boolean) -> Boolean): Boolean {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws\n[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) ->\nBoolean): Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if\n(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain\nelement.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n    if

```

```

(element == null) {\n    for (index in indices.reversed()) {\n        if (this[index] == null) {\n            return
index\n        }\n    } else {\n        for (index in indices.reversed()) {\n            if (element == this[index]) {\n
return index\n            }\n        }\n    } return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the
array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    } return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
ShortArray.lastIndexOf(element: Short): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    } return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    } return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
LongArray.lastIndexOf(element: Long): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    } return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    } return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    } return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n    for
(index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    } return -
1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
CharArray.lastIndexOf(element: Char): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index])
{\n            return index\n        }\n    } return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n    return if (isEmpty()) null else this[size -
1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull():
Byte? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun ShortArray.lastOrNull(): Short? {\n    return if (isEmpty()) null else this[size -
1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int?
{\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun LongArray.lastOrNull(): Long? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull(): Float? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*/\npublic fun DoubleArray.lastOrNull(): Double? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*/\npublic fun CharArray.lastOrNull(): Char? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T>
Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    } return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    } return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    } return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element
= this[index]\n        if (predicate(element)) return element\n    } return null\n}\n\n/**\n * Returns the last element

```

```

matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun <T>
Array<out T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun ByteArray.single(): Byte {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun ShortArray.single(): Short
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
IntArray.single(): Int {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n
        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun LongArray.single(): Long {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun FloatArray.single(): Float
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
DoubleArray.single(): Double {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun BooleanArray.single(): Boolean {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun CharArray.single(): Char
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n
var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw

```

```

IllegalArgumentException("Array contains more than one matching element.")\n        single = element\n
found = true\n    }\n }\n if (!found) throw NoSuchElementException("Array contains no element matching\n
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns the single\n
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n    var single: Byte? = null\n    var\n
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n
IllegalArgumentException("Array contains more than one matching element.")\n                single = element\n
found = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Array contains no element matching\n
the predicate.")\n    }\n    @Suppress("UNCHECKED_CAST")\n    return single as Byte\n}\n\n/**\n * Returns the\n
single element matching the given [predicate], or throws exception if there is no or more than one matching\n
element.\n */\n\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n    var single: Short? =\n
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n
IllegalArgumentException("Array contains more than one matching element.")\n                single = element\n
found = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Array contains no element matching\n
the predicate.")\n    }\n    @Suppress("UNCHECKED_CAST")\n    return single as Short\n}\n\n/**\n * Returns the\n
single element matching the given [predicate], or throws exception if there is no or more than one matching\n
element.\n */\n\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n    var single: Int? = null\n    var\n
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n
IllegalArgumentException("Array contains more than one matching element.")\n                single = element\n
found = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Array contains no element matching\n
the predicate.")\n    }\n    @Suppress("UNCHECKED_CAST")\n    return single as Int\n}\n\n/**\n * Returns the single\n
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n    var single: Long? = null\n    var\n
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n
IllegalArgumentException("Array contains more than one matching element.")\n                single = element\n
found = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Array contains no element matching\n
the predicate.")\n    }\n    @Suppress("UNCHECKED_CAST")\n    return single as Long\n}\n\n/**\n * Returns the\n
single element matching the given [predicate], or throws exception if there is no or more than one matching\n
element.\n */\n\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n    var single: Float? =\n
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n
IllegalArgumentException("Array contains more than one matching element.")\n                single = element\n
found = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Array contains no element matching\n
the predicate.")\n    }\n    @Suppress("UNCHECKED_CAST")\n    return single as Float\n}\n\n/**\n * Returns the\n
single element matching the given [predicate], or throws exception if there is no or more than one matching\n
element.\n */\n\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n    var single:\n
Double? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)\n
throw\n
IllegalArgumentException("Array contains more than one matching element.")\n                single = element\n
found = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Array contains no element\n
matching the predicate.")\n    }\n    @Suppress("UNCHECKED_CAST")\n    return single as Double\n}\n\n/**\n * Returns the single\n
element matching the given [predicate], or throws exception if there is no or more than one\n
matching element.\n */\n\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n    var\n
single: Boolean? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if\n
(found) throw\n
IllegalArgumentException("Array contains more than one matching element.")\n                single =\n
element\n                found = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Array contains no\n
element matching the predicate.")\n    }\n    @Suppress("UNCHECKED_CAST")\n    return single as\n
Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no\n
or more than one matching element.\n */\n\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char\n
{\n    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n

```

```

if (found) throw IllegalArgumentException("Array contains more than one matching element.")\n
element\n
found = true\n
}\n
}\n
if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n
return single as Char\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is empty or has more than one element.\n
 */\n
public fun <T>
Array<out T>.singleOrNull(): T? {\n
return if (size == 1) this[0] else null\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is empty or has more than one element.\n
 */\n
public fun ByteArray.singleOrNull(): Byte? {\n
return if (size == 1) this[0] else null\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is empty or has more
than one element.\n
 */\n
public fun ShortArray.singleOrNull(): Short? {\n
return if (size == 1) this[0] else
null\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is empty or has more than one element.\n
 */\n
public
fun IntArray.singleOrNull(): Int? {\n
return if (size == 1) this[0] else null\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is empty or has more than one element.\n
 */\n
public fun LongArray.singleOrNull(): Long? {\n
return if (size == 1) this[0] else null\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is empty or has more than one element.\n
 */\n
public fun FloatArray.singleOrNull(): Float? {\n
return if (size == 1) this[0] else
null\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is empty or has more than one element.\n
 */\n
public fun DoubleArray.singleOrNull(): Double? {\n
return if (size == 1) this[0] else null\n
}\n
}\n
/**\n
 * Returns single
element, or `null` if the array is empty or has more than one element.\n
 */\n
public fun BooleanArray.singleOrNull():
Boolean? {\n
return if (size == 1) this[0] else null\n
}\n
}\n
/**\n
 * Returns single element, or `null` if the array is
empty or has more than one element.\n
 */\n
public fun CharArray.singleOrNull(): Char? {\n
return if (size == 1)
this[0] else null\n
}\n
}\n
/**\n
 * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n
 */\n
public inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
-> Boolean): T? {\n
var single: T? = null\n
var found = false\n
for (element in this) {\n
if
(predicate(element)) {\n
if (found) return null\n
single = element\n
found = true\n
}\n
}\n
if (!found) return null\n
return single\n
}\n
}\n
/**\n
 * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
 */\n
public inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n
var single: Byte? = null\n
var found = false\n
for (element in this) {\n
if (predicate(element)) {\n
if (found) return null\n
single = element\n
found = true\n
}\n
}\n
if (!found) return null\n
return single\n
}\n
}\n
/**\n
 * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n
 */\n
public inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n
var single: Short? = null\n
var
found = false\n
for (element in this) {\n
if (predicate(element)) {\n
if (found) return null\n
single
= element\n
found = true\n
}\n
}\n
if (!found) return null\n
return single\n
}\n
}\n
/**\n
 * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n
 */\n
public inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n
var single: Int? = null\n
var found = false\n
for (element in this) {\n
if (predicate(element)) {\n
if (found) return null\n
single = element\n
found = true\n
}\n
}\n
if (!found) return null\n
return single\n
}\n
}\n
/**\n
 * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
 */\n
public inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n
var single: Long? = null\n
var found = false\n
for (element in this) {\n
if (predicate(element)) {\n
if
(found) return null\n
single = element\n
found = true\n
}\n
}\n
if (!found) return null\n
return
single\n
}\n
}\n
/**\n
 * Returns the single element matching the given [predicate], or `null` if element was not found or
more than one element was found.\n
 */\n
public inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean):
Float? {\n
var single: Float? = null\n
var found = false\n
for (element in this) {\n
if (predicate(element))
{\n
if (found) return null\n
single = element\n
found = true\n
}\n
}\n
if (!found) return
null\n
return single\n
}\n
}\n
/**\n
 * Returns the single element matching the given [predicate], or `null` if element
was not found or more than one element was found.\n
 */\n
public inline fun DoubleArray.singleOrNull(predicate:
(Double) -> Boolean): Double? {\n
var single: Double? = null\n
var found = false\n
for (element in this) {\n
if (predicate(element)) {\n
if (found) return null\n
single = element\n
found = true\n
}\n
}\n
if (!found) return null\n
return single\n
}\n
}\n
/**\n
 * Returns the single element matching the given

```

```

[predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun
BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    var single: Boolean? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
= element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var single: Char?
= null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return
null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.drop(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.drop(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.dropLast(n: Int): List<T>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n */\n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.dropLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.dropLast(n: Int): List<Double>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.dropLast(n: Int):
List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.dropLast(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T>
Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if
(!predicate(this[index])) {\n return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns
a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ByteArray.dropLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropLastWhile(predicate:
(Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun IntArray.dropLastWhile(predicate:
(Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropLastWhile(predicate:
(Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun FloatArray.dropLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropLastWhile(predicate:
(Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n } }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n } }\n return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun

```

```

CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\nReturns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Array<out
T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for
(item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
yielding = true\n    }\n  return list\n}\n\nReturns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list =
ArrayList<Byte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
list.add(item)\n      yielding = true\n    }\n  return list\n}\n\nReturns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropWhile(predicate:
(Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list = ArrayList<Short>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\nReturns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n  var yielding = false\n  val list =
ArrayList<Int>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
list.add(item)\n      yielding = true\n    }\n  return list\n}\n\nReturns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list = ArrayList<Long>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\nReturns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n  var yielding = false\n  val list =
ArrayList<Float>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n    list.add(item)\n      yielding = true\n    }\n  return list\n}\n\nReturns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n  var yielding = false\n  val list = ArrayList<Double>()\n  for (item in
this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n    list.add(item)\n
yielding = true\n    }\n  return list\n}\n\nReturns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  var yielding = false\n
val list = ArrayList<Boolean>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n    list.add(item)\n      yielding = true\n    }\n  return list\n}\n\nReturns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun CharArray.dropWhile(predicate:
(Char) -> Boolean): List<Char> {\n  var yielding = false\n  val list = ArrayList<Char>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\nReturns a list containing only elements matching the given [predicate].\n
*\n *\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n  return
filterTo(ArrayList<T>(), predicate)\n}\n\nReturns a list containing only elements matching the given
[predicate].\n *\n *\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n  return
filterTo(ArrayList<Byte>(), predicate)\n}\n\nReturns a list containing only elements matching the given
[predicate].\n *\n *\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n  return

```

```

filterTo(ArrayList<Short>(), predicate)\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n    return
filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n */\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n    return
filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n */\npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n    return
filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n    return
filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n */\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n    return
filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n    return
filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n */\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns
the result of predicate evaluation on the element.\n */\npublic inline fun <T> Array<out T>.filterIndexed(predicate:
(index: Int, T) -> Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a
list containing only elements matching the given [predicate].\n */\n * @param [predicate] function that takes the index of
an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline
fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n    return
filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n */\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n */\npublic inline fun ShortArray.filterIndexed(predicate:
(index: Int, Short) -> Boolean): List<Short> {\n    return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n    return
filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n */\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n */\npublic inline fun LongArray.filterIndexed(predicate:
(index: Int, Long) -> Boolean): List<Long> {\n    return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n    return
filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n */\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n */\npublic inline fun
DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n    return
filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n */\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n */\npublic inline fun
BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n    return
filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching
the given [predicate].\n */\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n */\npublic inline fun
CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n    return
filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n */\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in

```

```

T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Byte>>
ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Short>>
ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Int>>
IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Long>>
LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Float>>
FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Double>>
DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Boolean>>
BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
public inline fun <C : MutableCollection<in Char>>
CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Returns a list containing all elements that are instances of specified type parameter R.
public inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {
    return filterIsInstanceTo(ArrayList<R>())
}
Append all elements that are instances of specified type parameter R to the given [destination].
public inline fun <reified R, C : MutableCollection<in R>>
Array<*>.filterIsInstanceTo(destination: C): C {
    for (element in this) if (element is R)
        destination.add(element)
    return destination
}
Returns a list containing all elements not matching the given [predicate].
public inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {

```

```

return filterNotTo(ArrayList<T>(), predicate)\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n *\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n return
filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n *\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n
return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n *\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n return
filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given
[predicate].\n *\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n return
filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n *\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n
return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n *\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double>
{\n return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n *\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean):
List<Boolean> {\n return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all
elements not matching the given [predicate].\n *\npublic inline fun CharArray.filterNot(predicate: (Char) ->
Boolean): List<Char> {\n return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements that are not `null`.\n *\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n return
filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n
*\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n for
(element in this) if (element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for
(element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n for
(element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n for
(element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n for (element
in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements
not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in
Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n for (element in this) if
(!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in
Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n for (element in this) if
(!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n for (element in this) if
(!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in
Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n for (element in this)
if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in
Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if
(!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching

```

```

the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out
T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C,
predicate: (Byte) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n
*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n
*/\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean):
C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n
for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C :
MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices:
IntRange): List<T> {\n  if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start,
indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified
[indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n  if (indices.isEmpty()) return
listOf()\n  return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange):
List<Short> {\n  if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun IntArray.slice(indices: IntRange): List<Int> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun FloatArray.slice(indices: IntRange): List<Float> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n
if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +

```

```

1).asList()\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun <T> Array<out
T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0)
return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun
ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size
== 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun
ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size = indices.collectionSizeOrDefault(10)\n    if
(size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n    for (index in indices) {\n
list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n *\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n *\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n *\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val
size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Double>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n *\npublic fun BooleanArray.slice(indices: Iterable<Int>):
List<Boolean> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list
= ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n *\npublic fun CharArray.slice(indices: Iterable<Int>):
List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n *\npublic fun <T>
Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result = arrayOfNulls(this, indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n    val result = ByteArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n    val result = ShortArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
IntArray.sliceArray(indices: Collection<Int>): IntArray {\n    val result = IntArray(indices.size)\n    var targetIndex
= 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
LongArray.sliceArray(indices: Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n

```

```

var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n val result = BooleanArray(indices.size)\n
var targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {\n val result = CharArray(indices.size)\n var
targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
<T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n if (indices.isEmpty()) return copyOfRange(0, 0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n if
(indices.isEmpty()) return ByteArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
ShortArray.sliceArray(indices: IntRange): ShortArray {\n if (indices.isEmpty()) return ShortArray(0)\n return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n if
(indices.isEmpty()) return IntArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
LongArray.sliceArray(indices: IntRange): LongArray {\n if (indices.isEmpty()) return LongArray(0)\n return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at indices in
the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n if
(indices.isEmpty()) return FloatArray(0)\n return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n if (indices.isEmpty()) return DoubleArray(0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray
{\n if (indices.isEmpty()) return BooleanArray(0)\n return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun
CharArray.sliceArray(indices: IntRange): CharArray {\n if (indices.isEmpty()) return CharArray(0)\n return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n */\n
* @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int):
List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return
emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list =
ArrayList<T>(n)\n for (item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return
list\n}\n\n/**\n * Returns a list containing first [n] elements.\n */\n* @sample
samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Byte>(n)\n for
(item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n */\n* @sample samples.collections.Collections.Transformations.take\n
*/\npublic fun ShortArray.take(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n
var count = 0\n val list = ArrayList<Short>(n)\n for (item in this) {\n if (count++ == n)\n break\n
list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n */\n* @sample
samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Int>(n)\n for
(item in this) {\n if (count++ == n)\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns

```

```

a list containing first [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic fun LongArray.take(n: Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than\n
zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n
var count = 0\n  val list = ArrayList<Long>(n)\n  for (item in this) {\n    if (count++ == n)\n      break\n
list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun FloatArray.take(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than\n
zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n
var count = 0\n  val list = ArrayList<Float>(n)\n  for\n
(item in this) {\n    if (count++ == n)\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns\n
a list containing first [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun DoubleArray.take(n: Int): List<Double> {\n  require(n >= 0) { \"Requested element count $n is less\n
than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return\n
listOf(this[0])\n  var count = 0\n  val list = ArrayList<Double>(n)\n  for (item in this) {\n    if (count++ ==\n
n)\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun BooleanArray.take(n: Int):\n
List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return\n
emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list =\n
ArrayList<Boolean>(n)\n  for (item in this) {\n    if (count++ == n)\n      break\n    list.add(item)\n  }\n
return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun CharArray.take(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=\n
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Char>(n)\n  for\n
(item in this) {\n    if (count++ == n)\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns\n
a list containing last [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is\n
less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n ==\n
1) return listOf(this[size - 1])\n  val list = ArrayList<T>(n)\n  for (index in size - n until size)\n
list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =\n
size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Byte>(n)\n
for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last\n
[n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun\n
ShortArray.takeLast(n: Int): List<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n
listOf(this[size - 1])\n  val list = ArrayList<Short>(n)\n  for (index in size - n until size)\n
list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun IntArray.takeLast(n: Int): List<Int> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =\n
size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Int>(n)\n
for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last\n
[n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun\n
LongArray.takeLast(n: Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n
listOf(this[size - 1])\n  val list = ArrayList<Long>(n)\n  for (index in size - n until size)\n
list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample\n
samples.collections.Collections.Transformations.take\n
*\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =

```

```

size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Float>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last\n [n] elements.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun\nDoubleArray.takeLast(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than\n zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return\n listOf(this[size - 1])\n val list = ArrayList<Double>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int):\nList<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return\n emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list\n = ArrayList<Boolean>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun <T>\nArray<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if\n (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a\n list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun <T>\nArray<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if\n (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a\n list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate:\n(Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements\n satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic\ninline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex\n downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return\n toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int)\n-> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return\n drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the\n given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun\nLongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns\n a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeLastWhile(predicate:\n(Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements\n satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic\ninline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex\n downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return\n toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun\nBooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex\n downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return\n toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeLastWhile(predicate:\n(Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements

```



```

0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n } \n} \n \n /**\n * Reverses elements in the array in-place.\n */\npublic fun
DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex =
lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    } \n} \n \n /**\n * Reverses elements in the array in-place.\n
*/\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var
reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    } \n} \n \n /**\n * Reverses elements in the
array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)
return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index]
= this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    } \n} \n \n /**\n * Returns a list with
elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n    if (isEmpty()) return
emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list \n} \n \n /**\n * Returns a list with elements
in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n    if (isEmpty()) return emptyList()\n    val
list = toMutableList()\n    list.reverse()\n    return list \n} \n \n /**\n * Returns a list with elements in reversed order.\n
*/\npublic fun ShortArray.reversed(): List<Short> {\n    if (isEmpty()) return emptyList()\n    val list =
toMutableList()\n    list.reverse()\n    return list \n} \n \n /**\n * Returns a list with elements in reversed order.\n
*/\npublic fun IntArray.reversed(): List<Int> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list \n} \n \n /**\n * Returns a list with elements in reversed order.\n */\npublic fun
LongArray.reversed(): List<Long> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list \n} \n \n /**\n * Returns a list with elements in reversed order.\n */\npublic fun
FloatArray.reversed(): List<Float> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list \n} \n \n /**\n * Returns a list with elements in reversed order.\n */\npublic fun
DoubleArray.reversed(): List<Double> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list \n} \n \n /**\n * Returns a list with elements in reversed order.\n */\npublic fun
BooleanArray.reversed(): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list \n} \n \n /**\n * Returns a list with elements in reversed order.\n */\npublic fun
CharArray.reversed(): List<Char> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list \n} \n \n /**\n * Returns an array with elements of this array in reversed order.\n */\npublic
fun <T> Array<T>.reversedArray(): Array<T> {\n    if (isEmpty()) return this\n    val result = arrayOfNulls(this,
size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return
result \n} \n \n /**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
ByteArray.reversedArray(): ByteArray {\n    if (isEmpty()) return this\n    val result = ByteArray(size)\n    val
lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result \n} \n \n /**\n *
Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray():
ShortArray {\n    if (isEmpty()) return this\n    val result = ShortArray(size)\n    val lastIndex = lastIndex\n    for (i
in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result \n} \n \n /**\n * Returns an array with elements of this
array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n    if (isEmpty()) return this\n    val
result = IntArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n
return result \n} \n \n /**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
LongArray.reversedArray(): LongArray {\n    if (isEmpty()) return this\n    val result = LongArray(size)\n    val
lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result \n} \n \n /**\n *
Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray():
FloatArray {\n    if (isEmpty()) return this\n    val result = FloatArray(size)\n    val lastIndex = lastIndex\n    for (i
in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result \n} \n \n /**\n * Returns an array with elements of this
array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n    if (isEmpty()) return
this\n    val result = DoubleArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex -
i] = this[i]\n    return result \n} \n \n /**\n * Returns an array with elements of this array in reversed order.\n */\npublic

```

```

fun BooleanArray.reversedArray(): BooleanArray {\n  if (isEmpty()) return this\n  val result =
BooleanArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
CharArray.reversedArray(): CharArray {\n  if (isEmpty()) return this\n  val result = CharArray(size)\n  val
lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n *
Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector]
function.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?):
Unit {\n  if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R :
Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n  if (size > 1)
sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according
to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n
sortWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural
sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n
}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun
ShortArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n */\npublic fun
IntArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending():
Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place
descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n  if (size >
1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to
their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n
reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n
*/\npublic fun CharArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n *
Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun <T : Comparable<T>>
Array<out T>.sorted(): List<T> {\n  return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted
according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n  return
toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural
sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n  return toTypedArray().apply { sort()
}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun
IntArray.sorted(): List<Int> {\n  return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all
elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n  return
toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural
sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n  return toTypedArray().apply { sort()
}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun
DoubleArray.sorted(): List<Double> {\n  return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a
list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n
return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted
according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n
if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n
if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n
if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n
if (isEmpty()) return this\n  return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n
if

```

```

isEmpty() return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n    if
isEmpty() return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n
if isEmpty() return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n
if isEmpty() return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted descending according to their natural sort order.\n */\npublic fun <T : Comparable<T>>
Array<T>.sortedArrayDescending(): Array<T> {\n    if isEmpty() return this\n    return this.copyOf().apply {
sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending
according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n    if
isEmpty() return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n */\npublic fun
ShortArray.sortedArrayDescending(): ShortArray {\n    if isEmpty() return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n    if isEmpty() return
this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this
array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending():
LongArray {\n    if isEmpty() return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns
an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun
FloatArray.sortedArrayDescending(): FloatArray {\n    if isEmpty() return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n    if isEmpty()
return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted descending according to their natural sort order.\n */\npublic fun
CharArray.sortedArrayDescending(): CharArray {\n    if isEmpty() return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified
[comparator].\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T>
{\n    if isEmpty() return this\n    return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list
of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\n
public inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n
return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort
order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>

```

DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return
 sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
 of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
 BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return
 sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
 of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
 CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return
 sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
 sort order of the value returned by specified [selector] function.\n */\npublic inline fun <T, R : Comparable<R>>
 Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return
 sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return
 sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n return
 sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return
 sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return
 sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return
 sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n
 return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n
 return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
 Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return
 sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to their natural sort order.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending():
 List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending
 according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return
 copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their
 natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort()
 }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n
 */\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n
 * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun
 LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns
 a list of all elements sorted descending according to their natural sort order.\n */\npublic fun
 FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns
 a list of all elements sorted descending according to their natural sort order.\n */\npublic fun
 DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *

Returns a list of all elements sorted descending according to their natural sort order.

```

public fun
CharArray.sortedDescending(): List<Char> {
    return copyOf().apply { sort() }.reversed()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun <T> Array<out
T>.sortedWith(comparator: Comparator<in T>): List<T> {
    return
sortedArrayWith(comparator).asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {
    return
toTypedArray().apply { sortWith(comparator) }.asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun ShortArray.sortedWith(comparator: Comparator<in Short>):
List<Short> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun IntArray.sortedWith(comparator:
Comparator<in Int>): List<Int> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {
    return toTypedArray().apply {
sortWith(comparator) }.asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {
    return
toTypedArray().apply { sortWith(comparator) }.asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun DoubleArray.sortedWith(comparator: Comparator<in Double>):
List<Double> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun BooleanArray.sortedWith(comparator:
Comparator<in Boolean>): List<Boolean> {
    return toTypedArray().apply { sortWith(comparator)
}.asList()
}

```

* Returns a list of all elements sorted according to the specified [comparator].

```

public fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {
    return toTypedArray().apply {
sortWith(comparator) }.asList()
}

```

* Returns a [List] that wraps the original array.

```

public expect fun
<T> Array<out T>.asList(): List<T>

```

* Returns a [List] that wraps the original array.

```

public expect fun
ByteArray.asList(): List<Byte>

```

* Returns a [List] that wraps the original array.

```

public expect fun
ShortArray.asList(): List<Short>

```

* Returns a [List] that wraps the original array.

```

public expect fun
IntArray.asList(): List<Int>

```

* Returns a [List] that wraps the original array.

```

public expect fun
LongArray.asList(): List<Long>

```

* Returns a [List] that wraps the original array.

```

public expect fun
FloatArray.asList(): List<Float>

```

* Returns a [List] that wraps the original array.

```

public expect fun
DoubleArray.asList(): List<Double>

```

* Returns a [List] that wraps the original array.

```

public
expect fun BooleanArray.asList(): List<Boolean>

```

* Returns a [List] that wraps the original array.

```

public
expect fun CharArray.asList(): List<Char>

```

* Returns `true` if the two specified arrays are *deeply* equal to one another, i.e. contain the same number of the same elements in the same order.

* If two corresponding elements are nested arrays, they are also compared deeply.

* If any of arrays contains itself on any nesting level the behavior is undefined.

```

@SinceKotlin("1.1")
public expect infix fun <T> Array<out
T>.contentDeepEquals(other: Array<out T>): Boolean

```

* Returns a hash code based on the contents of this array as if it is [List].

* Nested arrays are treated as lists too.

* If any of arrays contains itself on any nesting level the behavior is undefined.

```

@SinceKotlin("1.1")
public expect fun <T> Array<out
T>.contentDeepHashCode(): Int

```

* Returns a string representation of the contents of this array as if it is a [List].

* Nested arrays are treated as lists too.

* If any of arrays contains itself on any nesting level that reference is rendered as `[...]` to prevent recursion.

```

@sample
samples.collections.Arrays.ContentOperations.contentDeepToString

```

```

public expect fun
<T> Array<out T>.contentDeepToString(): String

```

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
public expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>):
Boolean

```

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

```

@SinceKotlin("1.1")
public expect infix fun
ByteArray.contentEquals(other: ByteArray): Boolean

```

* Returns `true` if the two specified arrays are

structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n

*\n@SinceKotlin("1.1")\npublic expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n**\n

* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n *\n@SinceKotlin("1.1")\npublic expect infix fun

IntArray.contentEquals(other: IntArray): Boolean\n\n**\n

* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n

*\n@SinceKotlin("1.1")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n**\n

* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n *\n@SinceKotlin("1.1")\npublic expect infix fun

FloatArray.contentEquals(other: FloatArray): Boolean\n\n**\n

* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n

*\n@SinceKotlin("1.1")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray):

Boolean\n\n**\n

* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n *\n@SinceKotlin("1.1")\npublic expect infix fun

BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n**\n

* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n

*\n@SinceKotlin("1.1")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

<T> Array<out T>.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

ByteArray.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

ShortArray.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

IntArray.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

LongArray.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

FloatArray.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

DoubleArray.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

BooleanArray.contentHashCode(): Int\n\n**\n

* Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\npublic expect fun

CharArray.contentHashCode(): Int\n\n**\n

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n

*\n@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n**\n

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample

samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\npublic expect fun

ByteArray.contentToString(): String\n\n**\n

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n

*\n@SinceKotlin("1.1")\npublic expect fun ShortArray.contentToString(): String\n\n**\n

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample

samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\npublic expect fun

IntArray.contentToString(): String\n\n**\n

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n

*\n@SinceKotlin("1.1")\npublic expect fun LongArray.contentToString(): String\n\n**\n

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample

samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\npublic expect fun

FloatArray.contentToString(): String\n\n**\n

* Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n

*\n@SinceKotlin("1.1")\npublic expect fun DoubleArray.contentToString(): String\n\n**\n

* Returns a string

representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n * \n * @SinceKotlin("1.1")\npublic expect fun BooleanArray.contentToString(): String\n\n\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n * \n * @SinceKotlin("1.1")\npublic expect fun CharArray.contentToString(): String\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun ByteArray.copyOf(): ByteArray\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun ShortArray.copyOf(): ShortArray\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun IntArray.copyOf(): IntArray\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun LongArray.copyOf(): LongArray\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun FloatArray.copyOf(): FloatArray\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun DoubleArray.copyOf(): DoubleArray\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun BooleanArray.copyOf(): BooleanArray\n\n\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n * \n * @public expect fun CharArray.copyOf(): CharArray\n\n\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @public expect fun ByteArray.copyOf(newSize: Int): ByteArray\n\n\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @public expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @public expect fun IntArray.copyOf(newSize: Int): IntArray\n\n\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @public expect fun LongArray.copyOf(newSize: Int): LongArray\n\n\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n * @public expect fun

`*\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/**\n * Returns new array which is a copy of range of original array.\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val <T> Array<out T>.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ByteArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ShortArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val IntArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val LongArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val FloatArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val DoubleArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val BooleanArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val CharArray.indices: IntRange\n get() = IntRange(0, lastIndex)`

```

    get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline
fun ShortArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline
fun LongArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline
fun DoubleArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n\n@kotlin.internal.InlineOnly\npublic inline
fun CharArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the
array.\n *\n\npublic val <T> Array<out T>.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val ByteArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val ShortArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val IntArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val LongArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val FloatArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val DoubleArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val BooleanArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\n\npublic val CharArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns an array containing all
elements of the original array and then the given [element].\n
*\n\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T):
Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*\n\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all
elements of the original array and then the given [element].\n *\n\npublic expect operator fun
ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original
array and then the given [element].\n *\n\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n
* Returns an array containing all elements of the original array and then the given [element].\n *\n\npublic expect
operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the
original array and then the given [element].\n *\n\npublic expect operator fun FloatArray.plus(element: Float):
FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n

```

`*\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\n@Suppress(\\"NO_ACTUAL_FOR_EXPECT\\")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\n@Suppress(\\"NO_ACTUAL_FOR_EXPECT\\")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *\n@Suppress(\\"NO_ACTUAL_FOR_EXPECT\\")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n**\n * Sorts the array in-place.\n *\npublic expect fun IntArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n *\npublic expect fun LongArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n *\npublic expect fun ByteArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n *\npublic expect fun ShortArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n *\npublic expect fun DoubleArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n *\npublic expect fun FloatArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n *\npublic expect fun CharArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n *`

according to the natural order of its elements.\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n val result = BooleanArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n val result = ByteArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n val result = CharArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n */\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n val result = DoubleArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n */\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n val result = FloatArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n */\npublic fun Array<out Int>.toIntArray(): IntArray {\n val result = IntArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this generic array.\n */\npublic fun Array<out Long>.toLongArray(): LongArray {\n val result = LongArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this generic array.\n */\npublic fun Array<out Short>.toShortArray(): ShortArray {\n val result = ShortArray(size)\n for (index in indices)\n result[index] = this[index]\n return result\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n val capacity =

```

mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K,
V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K):
Map<K, T> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return
associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun
<K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n val capacity =
mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n */\npublic inline fun <K> ShortArray.associateBy(keySelector: (Short) -> K): Map<K,
Short> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K,
Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed

```

by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K,

V>(capacity), keySelector, valueTransform)\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the

```

map.\n */\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M,
keySelector: (Short) -> K): M {\n  for (element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination:
M, keySelector: (Int) -> K): M {\n  for (element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Long>>
LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K,
in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K,
in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n  for (element in this)
{\n  destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function
applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic inline fun <K, M :
MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n
for (element in this) {\n  destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n
* Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic
inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) ->
K): M {\n  for (element in this) {\n  destination.put(keySelector(element), element)\n  }\n  return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is
provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to
elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out
T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n  for (element in this)
{\n  destination.put(keySelector(element), valueTransform(element))\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the
given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added
to the map.\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M,
keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n  for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n
*/

```

```

*public inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector:
(Short) -> K, valueTransform: (Short) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

*public inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector:
(Int) -> K, valueTransform: (Int) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
        valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable
map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.

*public inline fun <K, V, M :
MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform:
(Long) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
        valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable
map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.

*public inline fun <K, V, M :
MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform:
(Float) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
        valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable
map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.

*public inline fun <K, V, M :
MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K,
valueTransform: (Double) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
        valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable
map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.

*public inline fun <K, V, M :
MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
        valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable
map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.

*public inline fun <K, V, M :
MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform:
(Char) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
        valueTransform(element))
    }
    return destination
}
* Populates and returns the [destination] mutable
map with key-value pairs
* provided by [transform] function applied to each element of the given array.
* If any of two pairs would have the same key the last one gets added to the map.

*public inline fun <T, K, V, M :
MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for
(element in this) {
        destination += transform(element)
    }
    return destination
}
* Populates and
returns the [destination] mutable map with key-value pairs
* provided by [transform] function applied to each
element of the given array.
* If any of two pairs would have the same key the last one gets added to the
map.

*public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M,
transform: (Byte) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}
* Populates and returns the [destination] mutable map with key-value pairs

```

provided by [transform] function applied to each element of the given array.

`ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M` { \n for (element in this) { \n destination += transform(element)\n } \n return destination\n } \n\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.

`IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M` { \n for (element in this) { \n destination += transform(element)\n } \n return destination\n } \n\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.

`LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M` { \n for (element in this) { \n destination += transform(element)\n } \n return destination\n } \n\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.

`FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M` { \n for (element in this) { \n destination += transform(element)\n } \n return destination\n } \n\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.

`DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M` { \n for (element in this) { \n destination += transform(element)\n } \n return destination\n } \n\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.

`BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M` { \n for (element in this) { \n destination += transform(element)\n } \n return destination\n } \n\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.

`CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M` { \n for (element in this) { \n destination += transform(element)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`Array<out T>.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`ByteCollection<in Byte>.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`ShortCollection<in Short>.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`IntArray.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`LongCollection<in Long>.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`FloatCollection<in Float>.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`DoubleCollection<in Double>.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return destination\n } \n\n * Appends all elements to the given [destination] collection.

`BooleanCollection<in Boolean>.toCollection(destination: C): C` { \n for (item in this) { \n destination.add(item)\n } \n return


```

list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic
fun DoubleArray.toMutableList(): MutableList<Double> {\n    val list = ArrayList<Double>(size)\n    for (item in
this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n
*/\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n    val list = ArrayList<Boolean>(size)\n
for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this
array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n    val list = ArrayList<Char>(size)\n
for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n * The returned set
preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n
return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n * The
returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet():
Set<Byte> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n * The
returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet():
Set<Short> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet():
Set<Int> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n * The
returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet():
Set<Long> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet():
Set<Float> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet():
Set<Double> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun
BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n
else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n */\n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
CharArray.toSet(): Set<Char> {\n    return when (size) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else -
> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original array.\n */\npublic inline fun
<T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) ->
Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all
elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic
inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n    return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original array.\n */\npublic inline fun <R>
IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) ->
Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all
elements yielded from results of [transform] function being invoked on each element of original array.\n */\npublic

```

```

inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n  return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original array.\n */\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean)
-> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of
all elements yielded from results of [transform] function being invoked on each element of original array.\n
*/\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n  return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform]
function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C
: MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n  for (element in this) {\n    val list
= transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements
yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C,
transform: (Short) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n
for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C,
transform: (Float) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) ->
Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n
}\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n
for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n  for (element in this) {\n    val list
= transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out
T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n  return groupByTo(LinkedHashMap<K,

```

```

MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied
to each element of the original array\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The

```

```

returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <T, K, V>
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is

```

associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n }\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n }\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -
-> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key)
{ ArrayList<T>() }\n
list.add(element)\n
}\n
return destination\n }\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -
-> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key)
{ ArrayList<Byte>() }\n
list.add(element)\n
}\n
return destination\n }\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline
fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short)
-> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list =
destination.getOrPut(key) { ArrayList<Short>() }\n
list.add(element)\n
}\n
return destination\n }\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n
public inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M,
keySelector: (Int) -> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list =
destination.getOrPut(key) { ArrayList<Int>() }\n
list.add(element)\n
}\n
return destination\n }\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n
public inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M,
keySelector: (Long) -> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list =
destination.getOrPut(key) { ArrayList<Long>() }\n
list.add(element)\n
}\n
return destination\n }\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n
public inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M,
keySelector: (Float) -> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list =
destination.getOrPut(key) { ArrayList<Float>() }\n
list.add(element)\n
}\n
return destination\n }\n\n/**\n *

```

Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n }\n\n\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n }\n\n\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n }\n\n\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n }\n\n\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n }\n\n\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n }\n\n\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n }\n\n\n * Groups values returned by the [valueTransform] function applied to each element of the

original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map. @sample samples.collections.Collections.Transformations.groupByKeyAndValues

```

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map. @sample samples.collections.Collections.Transformations.groupByKeyAndValues

```

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map. @sample samples.collections.Collections.Transformations.groupByKeyAndValues

```

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map. @sample samples.collections.Collections.Transformations.groupByKeyAndValues

```

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map. @sample samples.collections.Collections.Transformations.groupByKeyAndValues

```

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Creates a [Grouping] source from an array to be used later with one of group-and-fold operations using the specified [keySelector] function to extract a key from each element. @sample samples.collections.Collections.Transformations.groupingByEachCount

```

@SinceKotlin("1.1")
public inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {
    return object : Grouping<T, K> {
        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()
        override fun keyOf(element: T): K = keySelector(element)
    }
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array. @sample samples.collections.Collections.Transformations.groupingByEachCount

```

public inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array. @sample samples.collections.Collections.Transformations.groupingByEachCount

```

public inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array. @sample samples.collections.Collections.Transformations.groupingByEachCount

```

public inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the

given [transform] function\n * to each element in the original array.\n */\npublic inline fun <R>
IntArray.map(transform: (Int) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original
array.\n */\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n return
mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original array.\n */\npublic inline fun <R>
FloatArray.map(transform: (Float) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original
array.\n */\npublic inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n return
mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original array.\n */\npublic inline fun <R>
BooleanArray.map(transform: (Boolean) -> R): List<R> {\n return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n */\npublic inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {\n
return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\npublic inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n */\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R>
{\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) ->
R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element and its index in the original array.\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int,
Long) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list
containing the results of applying the given [transform] function\n * to each element and its index in the original
array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the
result of the transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform:
(index: Int, Float) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns
a list containing the results of applying the given [transform] function\n * to each element and its index in the
original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R>
DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of

applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for

```

(item in this)\n    destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n    var index = 0\n    for
(item in this)\n        destination.add(transform(index++, item))\n        return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n    var index = 0\n    for (item in
this)\n        destination.add(transform(index++, item))\n        return destination\n}\n\n/**\n * Returns a list containing
only the non-null results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n    return
mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in
the original array\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R :
Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n    forEach {
element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C,
transform: (T) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R,
C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R,
C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n    for (item in
this)\n        destination.add(transform(item))\n        return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n    for
(item in this)\n        destination.add(transform(item))\n        return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean)
-> R): C {\n    for (item in this)\n        destination.add(transform(item))\n        return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C,
transform: (Char) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n        return
destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n    return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun

```

```

ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each element of the original array.\n */\npublic fun
CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun <T> Array<out T>.distinct(): List<T> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
ByteArray.distinct(): List<Byte> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
ShortArray.distinct(): List<Short> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
IntArray.distinct(): List<Int> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
LongArray.distinct(): List<Long> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
FloatArray.distinct(): List<Float> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
DoubleArray.distinct(): List<Double> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
BooleanArray.distinct(): List<Boolean> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic fun
CharArray.distinct(): List<Char> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n  val set = HashSet<K>()\n  val list = ArrayList<T>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n */\npublic inline fun <K>
ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n  val set = HashSet<K>()\n  val list = ArrayList<Byte>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they

```


set and the specified collection.

```

    * The returned set preserves the element iteration order of the original array.
    * public infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {
    val set =
    this.toMutableSet()
    set.retainAll(other)
    return set
    }
    * Returns a set containing all elements that are
    contained by both this set and the specified collection.
    * The returned set preserves the element iteration order
    of the original array.
    * public infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
    }
    * Returns a set containing all
    elements that are contained by both this set and the specified collection.
    * The returned set preserves the
    element iteration order of the original array.
    * public infix fun CharArray.intersect(other: Iterable<Char>):
    Set<Char> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
    }
    * Returns a set
    containing all elements that are contained by this array and not contained by the specified collection.
    * The returned set preserves the element iteration order of the original array.
    * public infix fun <T> Array<out
    T>.subtract(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return
    set
    }
    * Returns a set containing all elements that are contained by the
    specified collection.
    * The returned set preserves the element iteration order of the original array.
    * public
    infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a set containing all elements that are contained by this
    array and not contained by the specified collection.
    * The returned set preserves the element iteration order of
    the original array.
    * public infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {
    val set =
    this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a set containing all elements that
    are contained by this array and not contained by the specified collection.
    * The returned set preserves the
    element iteration order of the original array.
    * public infix fun IntArray.subtract(other: Iterable<Int>): Set<Int>
    {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a set containing all
    elements that are contained by this array and not contained by the specified collection.
    * The returned set
    preserves the element iteration order of the original array.
    * public infix fun LongArray.subtract(other:
    Iterable<Long>): Set<Long> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a set containing all elements that are contained by this array and not contained by the specified
    collection.
    * The returned set preserves the element iteration order of the original array.
    * public infix fun
    FloatArray.subtract(other: Iterable<Float>): Set<Float> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a set containing all elements that are contained by this
    array and not contained by the specified collection.
    * The returned set preserves the element iteration order of
    the original array.
    * public infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {
    val set
    = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a set containing all elements that
    are contained by this array and not contained by the specified collection.
    * The returned set preserves the
    element iteration order of the original array.
    * public infix fun BooleanArray.subtract(other: Iterable<Boolean>):
    Set<Boolean> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a set
    containing all elements that are contained by this array and not contained by the specified collection.
    * The
    returned set preserves the element iteration order of the original array.
    * public infix fun
    CharArray.subtract(other: Iterable<Char>): Set<Char> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a mutable set containing all distinct elements from the given array.
    * The
    returned set preserves the element iteration order of the original array.
    * public fun <T> Array<out
    T>.toMutableSet(): MutableSet<T> {
    val set = LinkedHashSet<T>(mapCapacity(size))
    for (item in this)
    set.add(item)
    return set
    }
    * Returns a mutable set containing all distinct elements from the given
    array.
    * The returned set preserves the element iteration order of the original array.
    * public fun
    ByteArray.toMutableSet(): MutableSet<Byte> {
    val set = LinkedHashSet<Byte>(mapCapacity(size))
    for
    (item in this) set.add(item)
    return set
    }
    * Returns a mutable set containing all distinct elements from
    the given array.
    * The returned set preserves the element iteration order of the original array.
    * public fun
    ShortArray.toMutableSet(): MutableSet<Short> {
    val set = LinkedHashSet<Short>(mapCapacity(size))
    for
    (item in this) set.add(item)
    return set
    }
    * Returns a mutable set containing all distinct elements from

```

the given array.
 * The returned set preserves the element iteration order of the original array.
 *
 public fun IntArray.toMutableSet(): MutableSet<Int> {
 val set = LinkedHashSet<Int>(mapCapacity(size))
 for (item in this) set.add(item)
 return set
 }
 * Returns a mutable set containing all distinct elements from the given array.
 * The returned set preserves the element iteration order of the original array.
 *
 public fun LongArray.toMutableSet(): MutableSet<Long> {
 val set = LinkedHashSet<Long>(mapCapacity(size))
 for (item in this) set.add(item)
 return set
 }
 * Returns a mutable set containing all distinct elements from the given array.
 * The returned set preserves the element iteration order of the original array.
 *
 public fun FloatArray.toMutableSet(): MutableSet<Float> {
 val set = LinkedHashSet<Float>(mapCapacity(size))
 for (item in this) set.add(item)
 return set
 }
 * Returns a mutable set containing all distinct elements from the given array.
 * The returned set preserves the element iteration order of the original array.
 *
 public fun DoubleArray.toMutableSet(): MutableSet<Double> {
 val set = LinkedHashSet<Double>(mapCapacity(size))
 for (item in this) set.add(item)
 return set
 }
 * Returns a mutable set containing all distinct elements from the given array.
 * The returned set preserves the element iteration order of the original array.
 *
 public fun BooleanArray.toMutableSet(): MutableSet<Boolean> {
 val set = LinkedHashSet<Boolean>(mapCapacity(size))
 for (item in this) set.add(item)
 return set
 }
 * Returns a mutable set containing all distinct elements from the given array.
 * The returned set preserves the element iteration order of the original array.
 *
 public fun CharArray.toMutableSet(): MutableSet<Char> {
 val set = LinkedHashSet<Char>(mapCapacity(size))
 for (item in this) set.add(item)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {
 val set = this.toMutableSet()
 set.addAll(other)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {
 val set = this.toMutableSet()
 set.addAll(other)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {
 val set = this.toMutableSet()
 set.addAll(other)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun IntArray.union(other: Iterable<Int>): Set<Int> {
 val set = this.toMutableSet()
 set.addAll(other)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun LongArray.union(other: Iterable<Long>): Set<Long> {
 val set = this.toMutableSet()
 set.addAll(other)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {
 val set = this.toMutableSet()
 set.addAll(other)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {
 val set = this.toMutableSet()
 set.addAll(other)
 return set
 }
 * Returns a set containing all distinct elements from both collections.
 * The returned set preserves the element iteration order of the original array.
 * Those elements of the [other] collection that are unique are iterated in the end
 * in the order of the [other] collection.
 *
 public infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {
 val set =

```

this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
*\n\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n
set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n *
@\n * @sample samples.collections.Collections.Aggregates.all\n *\n\npublic inline fun <T> Array<out T>.all(predicate: (T)
-> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\n\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\n\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\n\npublic inline fun
IntArray.all(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\n\npublic inline fun LongArray.all(predicate: (Long) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\n\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\n\npublic inline fun
DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\n\npublic inline fun BooleanArray.all(predicate: (Boolean) ->
Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\n\npublic inline fun CharArray.all(predicate: (Char) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\n\npublic fun
<T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\n\npublic fun ByteArray.any():
Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\n\npublic fun ShortArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\n\npublic fun IntArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\n\npublic fun LongArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\n\npublic fun FloatArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\n\npublic fun DoubleArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\n\npublic fun BooleanArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\n\npublic fun CharArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *\n\npublic inline fun <T> Array<out

```

```

T>.any(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun ByteArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun ShortArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun IntArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun LongArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun FloatArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun DoubleArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun BooleanArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly
public inline fun CharArray.count(): Int {
    return size
}

Returns the number of elements matching the given [predicate].

public inline fun <T> Array<out T>.count(predicate: (T) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) count++
    return count
}

Returns the number of elements matching the given [predicate].

public inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) count++
    return count
}

Returns the number of elements matching the given [predicate].

public inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) count++
    return count
}

Returns the number of elements matching the given [predicate].

public inline fun IntArray.count(predicate: (Int) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) count++
    return count
}

Returns the number of elements matching the given [predicate].

public inline fun LongArray.count(predicate: (Long) -> Boolean): Int {
    var count = 0
    for (element in this) if

```

```

(predicate(element)) count++\n return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n var count = 0\n for
(element in this) if (predicate(element)) count++\n return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n
var count = 0\n for (element in this) if (predicate(element)) count++\n return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean)
-> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) count++\n return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
CharArray.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if
(predicate(element)) count++\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R>
Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this)
accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n
*/\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n var accumulator =
initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R
{\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc:
R, Int) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator,
element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R>
LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n var accumulator = initial\n for (element in this)
accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n
*/\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n var accumulator =
initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R):
R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation:
(acc: R, Boolean) -> R): R {\n var accumulator = initial\n for (element in this) accumulator =
operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline
fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element
in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline
fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n
var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right\n * to current accumulator value and each element with its index in the original array.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation:

```

```

(index: Int, acc: R, Byte) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this)
accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline
fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Int) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator =
operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Float) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator =
operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc:
R, Boolean) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator =
operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R,
operation: (T, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n
  accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from right to left to each element and current accumulator
value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n  var index
= lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--),
accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying

```

```

[operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R>
ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator =
initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <R> IntArray.foldRight(initial: R, operation:
(Int, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from right to left to each element and current accumulator
value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n  var index
= lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--),
accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R>
FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator =
initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R,
operation: (Double, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0)
{\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left to each element and current accumulator
value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n  var
index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--),
accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R>
CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator =
initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index:
Int, T, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n
var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index,
get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n
* and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n  var index = lastIndex\n
var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n
    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
*/\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R,
operation: (index: Int, Int, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index
>= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return

```

```

accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int,
Long, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n
var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index,
get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n *
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n    var index =
lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n    var index =
lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n    var index = lastIndex\n
var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n
        --index\n    }\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic
inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this)\n        action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
ByteArray.forEach(action: (Byte) -> Unit): Unit {\n    for (element in this)\n        action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n
for (element in this)\n        action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline
fun IntArray.forEach(action: (Int) -> Unit): Unit {\n    for (element in this)\n        action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n
for (element in this)\n        action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline
fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n    for (element in this)\n        action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) ->
Unit): Unit {\n    for (element in this)\n        action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
*/\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n    for (element in this)\n        action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
CharArray.forEach(action: (Char) -> Unit): Unit {\n    for (element in this)\n        action(element)\n}\n\n/**\n * Performs
the given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic
inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item
in this)\n        action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index

```

with the element.

```

    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Performs the given [action] on each element, providing sequential index with the element.
    *
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Performs the given [action] on each element, providing sequential index with the element.
    *
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Performs the given [action] on each element, providing sequential index with the element.
    *
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Performs the given [action] on each element, providing sequential index with the element.
    *
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Performs the given [action] on each element, providing sequential index with the element.
    *
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Performs the given [action] on each element, providing sequential index with the element.
    *
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Performs the given [action] on each element, providing sequential index with the element.
    *
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    *
    * public inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {
    *     var index = 0
    *     for (item in this) action(index++, item)
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * * If any of elements is `NaN` returns `NaN`.
    *
    * @SinceKotlin("1.1")
    * public fun Array<out Double>.max(): Double? {
    *     if (isEmpty()) return null
    *     var max = this[0]
    *     if (max.isNaN()) return max
    *     for (i in 1..lastIndex) {
    *         val e = this[i]
    *         if (e.isNaN()) return e
    *         if (max < e) max = e
    *     }
    *     return max
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * * If any of elements is `NaN` returns `NaN`.
    *
    * @SinceKotlin("1.1")
    * public fun Array<out Float>.max(): Float? {
    *     if (isEmpty()) return null
    *     var max = this[0]
    *     if (max.isNaN()) return max
    *     for (i in 1..lastIndex) {
    *         val e = this[i]
    *         if (e.isNaN()) return e
    *         if (max < e) max = e
    *     }
    *     return max
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * public fun <T : Comparable<T>> Array<out T>.max(): T? {
    *     if (isEmpty()) return null
    *     var max = this[0]
    *     for (i in 1..lastIndex) {
    *         val e = this[i]
    *         if (max < e) max = e
    *     }
    *     return max
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * public fun ByteArray.max(): Byte? {
    *     if (isEmpty()) return null
    *     var max = this[0]
    *     for (i in 1..lastIndex) {
    *         val e = this[i]
    *         if (max < e) max = e
    *     }
    *     return max
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * public fun ShortArray.max(): Short? {
    *     if (isEmpty()) return null
    *     var max = this[0]
    *     for (i in 1..lastIndex) {
    *         val e = this[i]
    *         if (max < e) max = e
    *     }
    *     return max
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * public fun IntArray.max(): Int? {
    *     if (isEmpty()) return null
    *     var max = this[0]
    *     for (i in 1..lastIndex) {
    *         val e = this[i]
    *         if (max < e) max = e
    *     }
    *     return max
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * public fun LongArray.max(): Long? {
    *     if (isEmpty()) return null
    *     var max = this[0]
    *     for (i in 1..lastIndex) {
    *         val e = this[i]
    *         if (max < e) max = e
    *     }
    *     return max
    * }
    *
    * Returns the largest element or `null` if there are no elements.
    *
    * * If any of elements is `NaN` returns `NaN`.
    *
    * public fun FloatArray.max(): Float? {
    *     if (isEmpty())

```

```

return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun
DoubleArray.max(): Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return
max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun
CharArray.max(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e
= this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n * Returns the first element yielding the largest
value of the given function or `null` if there are no elements.\n */\npublic inline fun <T, R : Comparable<R>>
Array<out T>.maxBy(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var
maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n    if (isEmpty())
return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e
= this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
ShortArray.maxBy(selector: (Short) ->
R): Short? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for
(i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n
            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest
value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
IntArray.maxBy(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var
maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
LongArray.maxBy(selector: (Long) -> R): Long? {\n    if (isEmpty())
return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e
= this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
FloatArray.maxBy(selector: (Float) ->
R): Float? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for
(i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n
            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest
value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
DoubleArray.maxBy(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n
var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n
if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n    if
(isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex)
{\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n           
maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element yielding the largest value of the given
function or `null` if there are no elements.\n */\npublic inline fun <R : Comparable<R>>
CharArray.maxBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var
maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no

```

```

elements.\n */\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n    if (isEmpty())
return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max,
e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.maxWith(comparator:
Comparator<in Byte>): Byte? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n
public fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n    if (isEmpty()) return null\n    var max =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max =
e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n */\npublic fun IntArray.maxWith(comparator: Comparator<in
Int>): Int? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n    if (isEmpty()) return null\n    var max =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n
    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float?
{\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n    if (isEmpty()) return null\n    var max =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n
    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>):
Boolean? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var max =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n
    }\n    return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n * If any of
elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n    if
(isEmpty()) return null\n    var min = this[0]\n    if (min.isNaN()) return min\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the
smallest element or `null` if there are no elements.\n */\n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    if (min.isNaN()) return min\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n
        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n    if (isEmpty()) return null\n    var
min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ByteArray.min():
Byte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\npublic fun ShortArray.min(): Short? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i
in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns
the smallest element or `null` if there are no elements.\n */\npublic fun IntArray.min(): Int? {\n    if (isEmpty())
return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =
e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun
LongArray.min():

```

```

Long? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}
/**
 * Returns the smallest element or `null` if there are no
 * elements.
 */
 * If any of elements is `NaN` returns `NaN`.
 */
public fun FloatArray.min(): Float? {
    if (isEmpty()) return null
    var min = this[0]
    if (min.isNaN()) return min
    for (i in 1..lastIndex) {
        val e = this[i]
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}
/**
 * Returns the
 * smallest element or `null` if there are no elements.
 */
 * If any of elements is `NaN` returns `NaN`.
 */
public fun DoubleArray.min(): Double? {
    if (isEmpty()) return null
    var min = this[0]
    if (min.isNaN()) return
    min
    for (i in 1..lastIndex) {
        val e = this[i]
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}
/**
 * Returns the smallest element or `null` if there are no elements.
 */
public fun
CharArray.min(): Char? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e
        = this[i]
        if (min > e) min = e
    }
    return min
}
/**
 * Returns the first element yielding the smallest
 * value of the given function or `null` if there are no elements.
 */
 *
public inline fun <T, R : Comparable<R>>
Array<out T>.minBy(selector: (T) -> R): T? {
    if (isEmpty()) return null
    var minElem = this[0]
    var
    minV = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV = v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
ByteArray.minBy(selector: (Byte) -> R): Byte? {
    if (isEmpty())
    return null
    var minElem = this[0]
    var minV = selector(minElem)
    for (i in 1..lastIndex) {
        val e
        = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV = v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest value of the given function or
 * `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
ShortArray.minBy(selector: (Short) ->
R): Short? {
    if (isEmpty()) return null
    var minElem = this[0]
    var minV = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV = v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest
 * value of the given function or `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
IntArray.minBy(selector: (Int) -> R): Int? {
    if (isEmpty()) return null
    var minElem = this[0]
    var
    minV = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV = v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
LongArray.minBy(selector: (Long) -> R): Long? {
    if (isEmpty())
    return null
    var minElem = this[0]
    var minV = selector(minElem)
    for (i in 1..lastIndex) {
        val e
        = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV = v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest value of the given function or
 * `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
FloatArray.minBy(selector: (Float) ->
R): Float? {
    if (isEmpty()) return null
    var minElem = this[0]
    var minV = selector(minElem)
    for (i
    in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV = v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest value
 * of the given function or `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
DoubleArray.minBy(selector: (Double) -> R): Double? {
    if (isEmpty()) return null
    var minElem = this[0]
    var
    minV = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV = v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {
    if (isEmpty()) return null
    var minElem = this[0]
    var minV = selector(minElem)
    for (i in 1..lastIndex)
    {
        val e = this[i]
        val v = selector(e)
        if (minV > v) {
            minElem = e
            minV =
            v
        }
    }
    return minElem
}
/**
 * Returns the first element yielding the smallest value of the given
 * function or `null` if there are no elements.
 */
 *
public inline fun <R : Comparable<R>>
CharArray.minBy(selector:
(Char) -> R): Char? {
    if (isEmpty()) return null
    var minElem = this[0]
    var minV =

```

```

selector(minElem)\n for (i in 1..lastIndex) {\n     val e = this[i]\n     val v = selector(e)\n     if (minValue > v)\n     {\n         minElem = e\n         minValue = v\n     }\n } \n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample\n * samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample\n * samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample\n * samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample\n * samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample\n * samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample\n * samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample\n * samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n\n * @sample

```

```

samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate:
(Float) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.reduce(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to
current accumulator value and each element.\n * \n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation:
(acc: S, T) -> S): S {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be
reduced.")\n    var accumulator: S = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =
operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n * \n */\npublic
inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n */\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n
if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n * \n */\npublic inline fun IntArray.reduce(operation:
(acc: Int, Int) -> Int): Int {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be
reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =
operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the

```

```

first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic
inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {\n
if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator
= this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element.\n */\npublic inline fun DoubleArray.reduce(operation: (acc:
Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException("Empty
array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n */\npublic
inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element.\n */\npublic inline fun CharArray.reduce(operation: (acc: Char,
Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be
reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun <S, T : S>
Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator: S = this[0]\n for (index
in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) ->
Byte): Byte {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself and calculates the next accumulator value.\n */\npublic inline fun
ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index
in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int):
Int {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and

```

applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun

LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun IntArray.reduceRight(operation: (Int, acc:

function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

public inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

public inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

public inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

IntArray.sumBy(selector: (Int) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function
// applied to each element in the array.

public inline fun LongArray.sumBy(selector: (Long) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function
// applied to each element in the array.

public inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function
// applied to each element in the array.

public inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function
// applied to each element in the array.

public inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector]
// function applied to each element in the array.

public inline fun CharArray.sumBy(selector: (Char) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function
// applied to each element in the array.

public inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values
// produced by [selector] function applied to each element in the array.

public inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.

public inline fun ShortArray.sumByDouble(selector:
(Short) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function applied to each
// element in the array.

public inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function
// applied to each element in the array.

public inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values
// produced by [selector] function applied to each element in the array.

public inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.

public inline fun DoubleArray.sumByDouble(selector:
(Double) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function
// applied to each element in the array.

public inline fun BooleanArray.sumByDouble(selector: (Boolean) ->
Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function applied to each element in
// the array.

public inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are
// any `null` elements.

public fun <T : Any> Array<T?>.requireNonNulls(): Array<T> {
    for (element in this) {
        if (element == null) {
            throw IllegalArgumentException("\null element found in $this.")
        }
    }
    @Suppress("UNCHECKED_CAST")
    return this as Array<T>
}
// Splits the original array into
// pair of lists,
// where *first* list contains elements for which [predicate] yielded `true`,
// while *second* list
// contains elements for which [predicate] yielded `false`.

public inline fun <T> Array<out
T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair

```

of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n val first = ArrayList<Byte>()\n val second = ArrayList<Byte>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n val first = ArrayList<Short>()\n val second = ArrayList<Short>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n val first = ArrayList<Int>()\n val second = ArrayList<Int>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n val first = ArrayList<Long>()\n val second = ArrayList<Long>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n val first = ArrayList<Float>()\n val second = ArrayList<Float>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n val first = ArrayList<Double>()\n val second = ArrayList<Double>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n val first = ArrayList<Boolean>()\n val second = ArrayList<Boolean>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists, \n * where *first* list contains elements for which [predicate] yielded `true`, \n * while *second* list contains elements for which [predicate] yielded `false`. \n */\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n val first = ArrayList<Char>()\n val second = ArrayList<Char>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index. \n * The returned list has length of the shortest collection. \n * \n * @sample\n * samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index. \n * The returned list has length of the shortest collection. \n * \n * @sample\n * samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same

index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length

```

of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 * public inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {
 val size = minOf(size, other.size)
 val list = ArrayList<V>(size)
 for (i in 0 until size) {
 list.add(transform(this[i], other[i]))
 }
 return list
 }
 * Returns a list of values built from the elements
 of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each
 pair of elements.
 * The returned list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
 * public inline fun <R, V>
FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {
 val size = minOf(size,
 other.size)
 val list = ArrayList<V>(size)
 for (i in 0 until size) {
 list.add(transform(this[i], other[i]))
 }
 return list
 }
 * Returns a list of values built from the elements of `this` array and the [other] array
 with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
 * public inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {
 val size = minOf(size,
 other.size)
 val list = ArrayList<V>(size)
 for (i in 0 until size) {
 list.add(transform(this[i], other[i]))
 }
 return list
 }
 * Returns a list of values built from the elements of `this` array and the [other] array
 with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
 * public inline fun <R, V>
BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {
 val size = minOf(size,
 other.size)
 val list = ArrayList<V>(size)
 for (i in 0 until size) {
 list.add(transform(this[i], other[i]))
 }
 return list
 }
 * Returns a list of values built from the elements of `this` array and the [other] array
 with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
 * public inline fun <R, V>
CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {
 val size = minOf(size,
 other.size)
 val list = ArrayList<V>(size)
 for (i in 0 until size) {
 list.add(transform(this[i], other[i]))
 }
 return list
 }
 * Returns a list of pairs built from the elements of `this` collection and [other] array with
 the same index.
 * The returned list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterable
 * public infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {
 return zip(other) { t1, t2 -> t1 to t2 }
 }
 * Returns a list of pairs built
 from the elements of `this` collection and [other] array with the same index.
 * The returned list has length of the
 shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterable
 * public infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {
 return zip(other) { t1, t2 -> t1 to t2 }
 }
 * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.
 * The
 returned list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterable
 * public infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {
 return zip(other) { t1, t2 -> t1 to t2 }
 }
 * Returns a list of pairs built from the
 elements of `this` collection and [other] array with the same index.
 * The returned list has length of the shortest
 collection.
 * @sample samples.collections.Iterables.Operations.zipIterable
 * public infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {
 return zip(other) { t1, t2 -> t1 to t2 }
 }
 * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.
 * The
 returned list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterable
 * public infix fun <R> LongArray.zip(other: Iterable<R>):
List<Pair<Long, R>> {
 return zip(other) { t1, t2 -> t1 to t2 }
 }
 * Returns a list of pairs built from the
 elements of `this` collection and [other] array with the same index.
 * The returned list has length of the shortest
 collection.
 * @sample samples.collections.Iterables.Operations.zipIterable
 * public infix fun <R>
FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {
 return zip(other) { t1, t2 -> t1 to t2 }
 }
 * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.
 * The
 returned list has length of the shortest collection.
 * @sample

```

Returns a list of pairs built from the elements of `this` collection and [other] array with the same index. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterable
public infix fun <R> DoubleArray.zip(other:
Iterable<R>): List<Pair<Double, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

```

Returns a list of pairs built from the elements of `this` collection and [other] array with the same index. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterable
public infix fun <R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

```

Returns a list of pairs built from the elements of `this` collection and [other] array with the same index. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterable
public infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

```

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

```

samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {

```

```

if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n } return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element
in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray):
List<Pair<Byte, Byte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray):
List<Pair<Int, Int>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray):
List<Pair<Float, Float>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray):
List<Pair<Boolean, Boolean>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.

`@sample samples.collections.Iterables.Operations.zipIterableWithTransform`

```

public inline fun <V> CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value

of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = "\"\", postfix: CharSequence = "\"\", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = "\"\", postfix: CharSequence = "\"\", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Byte) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = "\"\", postfix: CharSequence = "\"\", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Short) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = "\"\", postfix: CharSequence = "\"\", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Int) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = "\", \"\", prefix: CharSequence = "\"\", postfix: CharSequence = "\"\", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((Long) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given

[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Float) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)\n buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Double) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)\n buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)\n buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Char) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)\n buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n * \npublic fun <T> Array<out T>.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first

```

[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun ByteArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Byte) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun ShortArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Short) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun IntArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Int) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun LongArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Long) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun FloatArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Float) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun DoubleArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Double) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun
BooleanArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence =
"\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): String {\n
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates
a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n

```

* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n * \n public fun CharArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Char) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun <T> Array<out T>.asIterable(): Iterable<T> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun ByteArray.asIterable(): Iterable<Byte> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun ShortArray.asIterable(): Iterable<Short> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun IntArray.asIterable(): Iterable<Int> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun LongArray.asIterable(): Iterable<Long> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun FloatArray.asIterable(): Iterable<Float> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun DoubleArray.asIterable(): Iterable<Double> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun BooleanArray.asIterable(): Iterable<Boolean> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n * \n public fun CharArray.asIterable(): Iterable<Char> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n public fun <T> Array<out T>.asSequence(): Sequence<T> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n public fun ByteArray.asSequence(): Sequence<Byte> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n public fun ShortArray.asSequence(): Sequence<Short> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n public fun IntArray.asSequence(): Sequence<Int> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n public fun LongArray.asSequence(): Sequence<Long> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n public fun FloatArray.asSequence(): Sequence<Float> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n public fun DoubleArray.asSequence(): Sequence<Double> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * \n * \n

```

@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n if (isEmpty()) return emptySequence()\n return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic
fun CharArray.asSequence(): Sequence<Char> {\n if (isEmpty()) return emptySequence()\n return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Array<out Byte>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n
return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\n\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Array<out Short>.average(): Double {\n var
sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n
return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\n\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Array<out Int>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n
return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\n\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Array<out Long>.average(): Double {\n var
sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n
return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\n\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Array<out Float>.average(): Double {\n var
sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n
return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\n\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Array<out Double>.average(): Double {\n
var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n
}\n return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\n\npublic fun ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for
(element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum /
count}\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\npublic fun ShortArray.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
count += 1\n }\n return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n\npublic fun IntArray.average(): Double {\n var sum: Double = 0.0\n var count: Int =
0\n for (element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN
else sum / count}\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\npublic fun
LongArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n *
Returns an average value of elements in the array.\n */\n\npublic fun FloatArray.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n count += 1\n }\n
return if (count == 0) Double.NaN else sum / count}\n}\n\n/**\n * Returns an average value of elements in the
array.\n */\n\npublic fun DoubleArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for
(element in this) {\n sum += element\n count += 1\n }\n return if (count == 0) Double.NaN else sum /
count}\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Array<out Byte>.sum(): Int {\n var sum: Int = 0\n for
(element in this) {\n sum += element\n }\n return sum}\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Array<out Short>.sum(): Int {\n var sum: Int =
0\n for (element in this) {\n sum += element\n }\n return sum}\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\n\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Array<out Int>.sum(): Int {\n var
sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum}\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Array<out Long>.sum(): Long
{\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum}\n}\n\n/**\n *

```

```

Returns the sum of all elements in the array.\n *^@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Array<out
Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *^@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Array<out Double>.sum(): Double {\n    var sum:
Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n *^public fun ByteArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *^public fun
ShortArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *^public fun IntArray.sum(): Int {\n    var sum:
Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n *^public fun LongArray.sum(): Long {\n    var sum: Long = 0L\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *^public
fun FloatArray.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *^public fun DoubleArray.sum(): Double
{\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n\n
*^@kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("inRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Byte):
Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value:
Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n *^@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun
ClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator
fun ClosedRange<Double>.contains(value: Byte): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("floatRangeContains")\npublic
operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("intRangeContains")\npublic
operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n    return value.toIntExactOrNull().let { if (it
!= null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value:
Double): Boolean {\n    return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("byteRangeContains")\npublic
operator fun ClosedRange<Byte>.contains(value: Double): Boolean {\n    return value.toByteExactOrNull().let { if
(it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value:
Double): Boolean {\n    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("floatRangeContains")\npublic
operator fun ClosedRange<Float>.contains(value: Double): Boolean {\n    return
contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*^@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Float):
Boolean {\n    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *^@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Float): Boolean {\n    return value.toLongExactOrNull().let { if (it != null)

```


`LongProgression.fromClosedRange(this, to.toLong(), -1L)` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Byte.downTo(to: Byte): IntProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Short.downTo(to: Byte): IntProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Char.downTo(to: Char): CharProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Int.downTo(to: Int): IntProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Long.downTo(to: Int): LongProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Byte.downTo(to: Int): IntProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Short.downTo(to: Int): IntProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Int.downTo(to: Long): LongProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Long.downTo(to: Long): LongProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Byte.downTo(to: Long): LongProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Short.downTo(to: Long): LongProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Int.downTo(to: Short): IntProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Long.downTo(to: Short): LongProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`Byte.downTo(to: Short): IntProgression` Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n\n/**\n * Returns a progression from this value
down to the specified [to] value with the step -1.\n * The [to] value should be less than or equal to `this` value.\n
* If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun
Short.downTo(to: Short): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -
1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n
*/\npublic fun IntProgression.reversed(): IntProgression {\n    return IntProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n    return
LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same
range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n
    return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the
same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n
    checkStepIsPositive(step > 0, step)\n    return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun
LongProgression.step(step: Long): LongProgression {\n    checkStepIsPositive(step > 0, step)\n    return
LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression
that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int):
CharProgression {\n    checkStepIsPositive(step > 0, step)\n    return CharProgression.fromClosedRange(first, last, if
(this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun
Long.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun
Short.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun
Double.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByte() else null\n}\n\ninternal fun
Float.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByte() else null\n}\n\ninternal fun
Long.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong())
this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n    return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun
Double.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toShort() else null\n}\n\n/**\n * Returns a range
from this value up to but excluding the specified [to] value.\n * If the [to] value is less than or equal to `this`
value the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n    return this .. (to.toInt() -
1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * If the
[to] value is less than or equal to `this` value the returned range is empty.\n */\npublic infix fun Long.until(to: Byte):
LongRange {\n    return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but

```

excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n */\npublic infix fun Byte.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n */\npublic infix fun Short.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to '\u0000' the returned range is empty. \n */\npublic infix fun Char.until(to: Char): CharRange {\n if (to <= '\u0000') return CharRange.EMPTY\n return this .. (to - 1).toChar()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Int.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Int.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n */\npublic infix fun Long.until(to: Int): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Int.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Byte.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Int.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Short.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n */\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n * \n * If the [to] value is less than or equal to [Long.MIN_VALUE] the returned range is empty. \n */\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value. \n * \n * If the [to] value is less than or equal to `this` value the returned range is empty. \n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified

```

[minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the
[minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n
*/\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n    return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n
* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun
Byte.coerceAtLeast(minimumValue: Byte): Byte {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short):
Short {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*/\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n    return if (this < minimumValue) minimumValue
else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this
value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long):
Long {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*/\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n    return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n
* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun
Double.coerceAtLeast(minimumValue: Double): Double {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>>
T.coerceAtMost(maximumValue: T): T {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n
* Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less
than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte):
Byte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short):
Short {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int
{\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater
than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or
the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n
*/\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n *
\n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Float.coerceAtMost(maximumValue: Float): Float {\n    return if (this > maximumValue) maximumValue else

```

```

this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun
<T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null
&& maximumValue !== null) {\n        if (minimumValue > maximumValue) throw
IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n        if (this < minimumValue) return minimumValue\n        if (this >
maximumValue) return maximumValue\n    }\n    else {\n        if (minimumValue !== null && this <
minimumValue) return minimumValue\n        if (maximumValue !== null && this > maximumValue) return
maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue: Byte,
maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue: Short): Short {\n    if (minimumValue > maximumValue) throw
IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {\n    if (minimumValue > maximumValue) throw IllegalArgumentOutOfRangeException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue)
return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in
the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater
than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n    if (minimumValue > maximumValue)
throw IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n    if (minimumValue > maximumValue) throw
IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range

```

```

[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Double.coerceIn(minimumValue: Double,
maximumValue: Double): Double {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n *^\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n    if (range.isEmpty()) throw
IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return when {\n        // this <
start equiv to this <= start && !(this >= start)\n        range.lessThanOrEqualTo(this, range.start) &&
!range.lessThanOrEqualTo(range.start, this) -> range.start\n        // this > end equiv to this >= end && !(this <= end)\n
range.lessThanOrEqualTo(range.endInclusive, this) && !range.lessThanOrEqualTo(this, range.endInclusive) ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n *^\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<T>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n
*^\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n    if (range is ClosedFloatingPointRange) {\n
return this.coerceIn<Int>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce
value to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the
specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long
{\n    if (range is ClosedFloatingPointRange) {\n        return this.coerceIn<Long>(range)\n    }\n    if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return
when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n        else ->
this\n    }\n}\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license\n * that can be found in the license/LICENSE.txt file.\n *^\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n *^\npublic class CharRange(start:
Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n    override val start:
Char get() = first\n    override val endInclusive: Char get() = last\n\n    override fun contains(value: Char): Boolean =
first <= value && value <= last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other:
Any?): Boolean =\n        other is CharRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last
== other.last\n}\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n}\n\n    override fun toString(): String = "$first..$last"\n}\n\n    companion object {\n        /** An empty range of values of
type Char. */\n        public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A
range of values of type `Int`.\n *^\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start,
endInclusive, 1), ClosedRange<Int> {\n    override val start: Int get() = first\n    override val endInclusive: Int get() =
last\n\n    override fun contains(value: Int): Boolean = first <= value && value <= last\n\n    override fun isEmpty():

```

```

Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n    other is IntRange && (isEmpty() &&
other.isEmpty()) ||\n    first == other.first && last == other.last\n\n override fun hashCode(): Int =\n    if
(isEmpty()) -1 else (31 * first + last)\n\n override fun toString(): String = \"$first..$last\"\n\n companion object
{\n    /** An empty range of values of type Int. */\n    public val EMPTY: IntRange = IntRange(1, 0)\n
}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) :
LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n    override val start: Long get() = first\n    override
val endInclusive: Long get() = last\n\n    override fun contains(value: Long): Boolean = first <= value && value <=
last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n    other is LongRange && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last\n\n
    override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr
32))).toInt()\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n    /** An empty
range of values of type Long. */\n    public val EMPTY: LongRange = LongRange(1, 0)\n    }\n\n}\n\n"/\n\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nimport kotlin.*\nimport kotlin.comparisons.compareValues\n\ninternal object EmptyIterator :
ListIterator<Nothing> {\n    override fun hasNext(): Boolean = false\n    override fun hasPrevious(): Boolean =
false\n    override fun nextIndex(): Int = 0\n    override fun previousIndex(): Int = -1\n    override fun next(): Nothing
= throw NoSuchElementException()\n    override fun previous(): Nothing = throw
NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>, Serializable, RandomAccess {\n    private
const val serialVersionUID: Long = -7390468764508069838L\n\n    override fun equals(other: Any?):
Boolean = other is List<*> && other.isEmpty()\n    override fun hashCode(): Int = 1\n    override fun toString():
String = "[]"\n\n    override val size: Int get() = 0\n    override fun isEmpty(): Boolean = true\n    override fun
contains(element: Nothing): Boolean = false\n    override fun containsAll(elements: Collection<Nothing>): Boolean
= elements.isEmpty()\n\n    override fun get(index: Int): Nothing = throw IndexOutOfBoundsException("Empty list
doesn't contain element at index $index.")\n    override fun indexOf(element: Nothing): Int = -1\n    override fun
lastIndexOf(element: Nothing): Int = -1\n\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n    override
fun listIterator(): ListIterator<Nothing> = EmptyIterator\n    override fun listIterator(index: Int):
ListIterator<Nothing> {\n    if (index != 0) throw IndexOutOfBoundsException("Index: $index")\n    return
EmptyIterator\n    }\n\n    override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n    if (fromIndex
== 0 && toIndex == 0) return this\n    throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex:
$toIndex")\n    }\n\n    private fun readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out
T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)\n\nprivate class
ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {\n    override val size:
Int get() = values.size\n    override fun isEmpty(): Boolean = values.isEmpty()\n    override fun contains(element:
T): Boolean = values.contains(element)\n    override fun containsAll(elements: Collection<T>): Boolean =
elements.all { contains(it) }\n    override fun iterator(): Iterator<T> = values.iterator()\n    // override hidden toArray
implementation to prevent copying of values array\n    public fun toArray(): Array<out Any?> =
values.copyToArrayOfAny(isVarargs)\n}\n\n/**\n * Returns an empty read-only list. The returned list is
serializable (JVM).\n */\n @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\npublic fun <T>
emptyList(): List<T> = EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is
serializable (JVM).\n */\n @sample samples.collections.Collections.Lists.readOnlyList\n */\npublic fun <T>
listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an
empty read-only list. The returned list is serializable (JVM).\n */\n @sample
samples.collections.Collections.Lists.emptyReadOnlyList\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n */\n @sample
samples.collections.Collections.Lists.emptyMutableList\n
*\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> =

```

```

ArrayList()\n\n**\n * Returns an empty new [ArrayList].\n * @sample
samples.collections.Collections.Lists.emptyArrayList\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> =
ArrayList()\n\n**\n * Returns a new [MutableList] with the given elements.\n * @sample
samples.collections.Collections.Lists.mutableList\n *\npublic fun <T> mutableListOf(vararg elements: T):
MutableList<T> =\n    if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs =
true))\n\n**\n * Returns a new [ArrayList] with the given elements.\n * @sample
samples.collections.Collections.Lists.arrayList\n *\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T>
=\n    if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The
returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n *\npublic fun
<T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n**\n *
Returns a new read-only list only of those given elements, that are not null. The returned list is serializable
(JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n *\npublic fun <T : Any>
listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n**\n * Creates a new read-only list with
the specified [size], where each element is calculated by calling the specified\n * [init] function. The [init] function
returns a list element given its index.\n * @sample
samples.collections.Collections.Lists.readOnlyListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T):
List<T> = MutableList(size, init)\n\n**\n * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified\n * [init] function. The [init] function returns a list element given its index.\n *
@sample samples.collections.Collections.Lists.mutableListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index:
Int) -> T): MutableList<T> {\n    val list = ArrayList<T>(size)\n    repeat(size) { index -> list.add(init(index)) }\n
return list\n}\n\n**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample
samples.collections.Collections.Collections.indicesOfCollection\n *\npublic val Collection<*>.indices: IntRange\n
get() = 0..size - 1\n\n**\n * Returns the index of the last item in the list or -1 if the list is empty.\n * \n * @sample
samples.collections.Collections.Lists.lastIndexOfList\n *\npublic val <T> List<T>.lastIndex: Int\n    get() =
this.size - 1\n\n**\n * Returns `true` if the collection is not empty.\n * @sample
samples.collections.Collections.Collections.collectionIsNotEmpty\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n**\n * Returns this Collection if it's not `null` and
the empty list otherwise.\n * @sample samples.collections.Collections.Collections.collectionOrEmpty\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orEmpty(): Collection<T> = this ?:
emptyList()\n\n**\n * Returns this List if it's not `null` and the empty list otherwise.\n * @sample
samples.collections.Collections.Lists.listOrEmpty\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n**\n * Checks if all elements in the specified collection are
contained in this collection.\n * \n * Allows to overcome type-safety restriction of `containsAll` that requires to pass
a collection of type `Collection<E>`.\n * @sample
samples.collections.Collections.Collections.collectionContainsAll\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\ninternal fun <T>
List<T>.optimizeReadOnlyList() = when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else ->
this\n}\n\n**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The
list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n *
otherwise the result is undefined.\n * \n * If the list contains multiple elements equal to the specified [element], there
is no guarantee which one will be found.\n * \n * `null` value is considered to be less than any non-null value.\n * \n *
@return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted

```

```

insertion point `(-insertion point - 1)`.n * The insertion point is defined as the index at which the element should be
inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample
samples.collections.Collections.Lists.binarySearchWithBoundaries\n *^npublic fun <T : Comparable<T>>
List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n    rangeCheck(size, fromIndex,
toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <= high) {\n        val mid = (low +
high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = compareValues(midVal,
element)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range
for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending
order according to the specified [comparator],\n * otherwise the result is undefined.\n * \n * If the list contains
multiple elements equal to the specified [element], there is no guarantee which one will be found.\n * \n * `null`
value is considered to be less than any non-null value.\n * \n * @return the index of the element, if it is contained in
the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.n * The
insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified
subrange of list) still remains sorted according to the specified [comparator].\n * @sample
samples.collections.Collections.Lists.binarySearchWithComparator\n *^npublic fun <T>
List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n
rangeCheck(size, fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <=
high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp =
comparator.compare(midVal, element)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n
high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to
the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order
according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n * \n * If
the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n * \n *
`null` value is considered to be less than any non-null value.\n * \n * @return the index of the element with the
specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point
`(-insertion point - 1)`.n * The insertion point is defined as the index at which the element should be inserted,\n * so
that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchByKey\n *^npublic inline fun <T, K : Comparable<K>>
List<T>.binarySearchBy(\n    key: K?,\n    fromIndex: Int = 0,\n    toIndex: Int = size,\n    crossinline selector: (T) ->
K?)\n): Int =\n    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this
overload --- too rare\n//public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>,
fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n//    binarySearch(fromIndex, toIndex) {\n
comparator.compare(selector(it), key) }\n\n\n/**\n * Searches this list or its range for an element for which
[comparison] function returns zero using the binary search algorithm.\n * The list is expected to be sorted into
ascending order according to the provided [comparison],\n * otherwise the result is undefined.\n * \n * If the list
contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n * \n
* @param comparison function that compares an element of the list with the element being searched.\n * \n *
@return the index of the found element, if it is contained in the list within the specified range;\n * otherwise, the
inverted insertion point `(-insertion point - 1)`.n * The insertion point is defined as the index at which the element
should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n *^npublic fun <T>
List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n    rangeCheck(size,
fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <= high) {\n        val mid
= (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = comparison(midVal)\n\n
        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return

```

```

mid // key found\n } \n return -(low + 1) // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n * \nprivate fun rangeCheck(size: Int,
fromIndex: Int, toIndex: Int) {\n when {\n fromIndex > toIndex -> throw
IllegalArgumentException("fromIndex ($fromIndex) is greater than toIndex ($toIndex).")\n fromIndex < 0 ->
throw IndexOutOfBoundsException("fromIndex ($fromIndex) is less than zero.")\n toIndex > size -> throw
IndexOutOfBoundsException("toIndex ($toIndex) is greater than size ($size).")\n }\n}\n\n"/**\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n

```

```

*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\n private const val
serialVersionUID: Long = 8246714829545688274\n\n override fun equals(other: Any?): Boolean = other is
Map<*, *> && other.isEmpty()\n\n override fun hashCode(): Int = 0\n\n override fun toString(): String = "{}"\n\n
override val size: Int get() = 0\n\n override fun isEmpty(): Boolean = true\n\n\n override fun containsKey(key:
Any?): Boolean = false\n\n override fun containsValue(value: Nothing): Boolean = false\n\n override fun get(key:
Any?): Nothing? = null\n\n override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n\n override
val keys: Set<Any?> get() = EmptySet\n\n override val values: Collection<Nothing> get() = EmptyList\n\n\n private
fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n * \n * The
returned map is serializable (JVM).\n * \n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n
*\n\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress("UNCHECKED_CAST") (EmptyMap as Map<K,
V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first
value is the key and the second is the value.\n * \n * If multiple pairs have the same key, the resulting map will
contain the value from the last of those pairs.\n * \n * Entries of the map are iterated in the order they were
specified.\n * \n * The returned map is serializable (JVM).\n * \n * @sample
samples.collections.Maps.Instantiation.mapFromPairs\n
*\n\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>):
Map<K, V> =\n if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else
emptyMap()\n\n/**\n * Returns an empty read-only map.\n * \n * The returned map is serializable (JVM).\n * \n
*\n\n@sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n
*\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n * \n * \n
*\n\nThe returned map preserves the entry iteration order.\n * \n * @sample
samples.collections.Maps.Instantiation.emptyMutableMap\n
*\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> mutableMapOf():
MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given
as a list of pairs\n * where the first component is the key and the second is the value.\n * \n * If multiple pairs
have the same key, the resulting map will contain the value from the last of those pairs.\n * \n * Entries of the map
are iterated in the order they were specified.\n * \n * @sample
samples.collections.Maps.Instantiation.mutableMapFromPairs\n
*\n\n@sample
samples.collections.Maps.Instantiation.emptyMutableMap\n
*\n\npublic <K, V> mutableMapOf(vararg pairs:
Pair<K, V>): MutableMap<K, V> =\n LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs)
}\n\n/**\n * Returns an empty new [HashMap].\n * \n * \n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with
the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n
*\n * \n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n
*\n\npublic fun <K, V>
hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply {
putAll(pairs) }\n\n/**\n * Returns an empty new [LinkedHashMap].\n * \n * \n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> linkedMapOf():
LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new [LinkedHashMap] with the specified
contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n * \n * If
multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n * \n *

```

Entries of the map are iterated in the order they were specified.

```

 * @sample
 samples.collections.Maps.Instantiation.linkedMapFromPairs
 ^\npublic fun <K, V> linkedMapOf(vararg pairs:
 Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))
 
```

Calculate the initial capacity of a map, based on Guava's `com.google.common.collect.Maps` approach. This is equivalent to the `Collection` constructor for `HashSet`, $(c.size()/.75f) + 1$, but provides further optimisations for very small or very large sizes, allows support non-collection classes, and provides consistency for all map based class construction.

```

 ^\n@PublishedApi\ninternal fun mapCapacity(expectedSize: Int): Int {
   if (expectedSize < 3) {
     return expectedSize + 1
   }
   if (expectedSize < INT_MAX_POWER_OF_TWO) {
     return expectedSize + expectedSize / 3
   }
   return Int.MAX_VALUE // any large value
 }
 
```

private const val `INT_MAX_POWER_OF_TWO`: Int = `Int.MAX_VALUE / 2 + 1`

Returns `true` if this map is not empty.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isEmpty(): Boolean =
 !isEmpty()
 
```

Returns the [Map] if its not `null`, or the empty [Map] otherwise.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?:
 emptyMap()
 
```

Checks if the map contains the given key.

This method allows to use the `x` in map syntax for checking whether an object is contained in the map.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline
 operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean =
 containsKey(key)
 
```

Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V>
 Map<out K, V>.get(key: K): V? =
   @Suppress("UNCHECKED_CAST") (this as Map<K,
 V>).get(key)
 
```

Allows to use the index operator for storing values in a mutable map.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit
 {
   put(key, value)
 }
 
```

Returns `true` if the map contains the specified [key].

Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K,
 *>.containsKey(key: K): Boolean =
   @Suppress("UNCHECKED_CAST") (this as Map<K,
 *>).containsKey(key)
 
```

Returns `true` if the map maps one or more keys to the specified [value].

Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.

```

 ^\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
 some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K,
 V>.containsValue(value: V): Boolean = this.containsValue(value)
 
```

Removes the specified key and its corresponding value from this map.

return the previous value associated with the key, or `null` if the key was not present in the map.

Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V>
 MutableMap<out K, V>.remove(key: K): V? =
   @Suppress("UNCHECKED_CAST") (this as MutableMap<K,
 V>).remove(key)
 
```

Returns the key component of the map entry.

This method allows to use destructuring declarations when working with maps, for example:

```

 for ((key, value) in map) {
   // do something with the key and the value
 }
 
```

```

 ^\n@kotlin.internal.InlineOnly\npublic inline operator fun <K,
 V> Map.Entry<K, V>.component1(): K = key
 
```

Returns the value component of the map entry.

This method allows to use destructuring declarations when working with maps, for example:

```

 for ((key, value) in map) {
   // do something with the key and the value
 }
 
```

```

 ^\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V =
 value
 
```

Converts entry to [Pair] with key being first component and value being second.

```

 ^\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key,
 value)
 
```

Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.

@sample `samples.collections.Maps.Usage.getOrElse`

```

 ^\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V
 = get(key) ?: defaultValue()
 
```

```

 ^\n@kotlin.internal.InlineOnly\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: ()
 -> V): V {
   val value = get(key)
   if (value == null && !containsKey(key)) {
     return defaultValue()
   }
 }
 
```

```

else {
    @Suppress("UNCHECKED_CAST")
    return value as V
}

Returns the value for the given [key] or throws an exception if there is no such key in the map. If the map was created by [withDefault], resorts to its `defaultValue` provider function instead of throwing an exception. @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default value was provided for that map.

@SinceKotlin("1.1")
public fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)

Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function, puts its result into the map under the given key and returns it.

@sample samples.collections.Maps.Usage.getOrPut
public inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, default: () -> V): V {
    val value = get(key)
    return if (value == null) {
        val answer = default()
        put(key, answer)
        answer
    } else {
        value
    }
}

Returns an [Iterator] over the entries in the [Map].

@sample samples.collections.Maps.Usage.forOverEntries
@kotlin.internal.InlineOnly
public inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()

Returns a [MutableIterator] over the mutable entries in the [MutableMap].

@kotlin.jvm.JvmName("mutableIterator")
@kotlin.internal.InlineOnly
public inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()

Populates the given [destination] map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map].

public inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {
    return entries.associateByTo(destination, { it.key }, transform)
}

Populates the given [destination] map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map. In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one.

public inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {
    return entries.associateByTo(destination, transform, { it.value })
}

Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.

public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.

public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.

public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

Returns a new map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map]. The returned map preserves the entry iteration order of the original map.

@sample samples.collections.Maps.Transformations.mapValues
public inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {
    return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map. In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one. The returned map preserves the entry iteration order of the original map.

@sample samples.collections.Maps.Transformations.mapKeys
public inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {
    return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

Returns a map containing all key-value pairs with keys matching the given [predicate]. The returned map preserves the entry iteration order of the original map.

@sample samples.collections.Maps.Filtering.filterKeys
public inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.key)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}

Returns a map containing all key-value pairs with values

```

matching the given [predicate].

* The returned map preserves the entry iteration order of the original map.

```

@sample samples.collections.Maps.Filtering.filterValues
public inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.value)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}

```

* Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.

* @return the destination map.

* @sample samples.collections.Maps.Filtering.filterTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}

```

* Returns a new map containing all key-value pairs matching the given [predicate].

* The returned map preserves the entry iteration order of the original map.

* @sample samples.collections.Maps.Filtering.filter

```

public inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterTo(LinkedHashMap<K, V>(), predicate)
}

```

* Appends all entries not matching the given [predicate] into the given [destination].

* @return the destination map.

* @sample samples.collections.Maps.Filtering.filterNotTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (!predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}

```

* Returns a new map containing all key-value pairs not matching the given [predicate].

* The returned map preserves the entry iteration order of the original map.

* @sample samples.collections.Maps.Filtering.filterNot

```

public inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterNotTo(LinkedHashMap<K, V>(), predicate)
}

```

* Returns a new map containing all key-value pairs from the given collection of pairs.

* The returned map preserves the entry iteration order of the original collection.

```

public fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {
    if (this is Collection) {
        return when (size) {
            0 -> emptyMap()
            1 -> mapOf(if (this is List) this[0] else iterator().next())
            else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))
        }
    }
    return toMap(LinkedHashMap<K, V>().optimizeReadOnlyMap())
}

```

* Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.

* @public fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =

```

destination.apply { putAll(this@toMap) }

```

* Returns a new map containing all key-value pairs from the given array of pairs.

* The returned map preserves the entry iteration order of the original array.

```

public fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {
    0 -> emptyMap()
    1 -> mapOf(this[0])
    else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))
}

```

* Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.

* @public fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =

```

destination.apply { putAll(this@toMap) }

```

* Returns a new map containing all key-value pairs from the given sequence of pairs.

* The returned map preserves the entry iteration order of the original sequence.

```

public fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>().optimizeReadOnlyMap())

```

* Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.

```

public fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

```

* Returns a new read-only map containing all key-value pairs from the original map.

* The returned map preserves the entry iteration order of the original map.

```

@SinceKotlin("1.1")
public fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {
    0 -> emptyMap()
    1 -> toSingletonMap()
    else -> toMutableMap()
}

```

* Returns a new mutable map containing all key-value pairs from the original map.

* The returned map preserves the entry iteration order of the original map.

```

@SinceKotlin("1.1")
public fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)

```

* Populates and returns the [destination] mutable map with key-value pairs from the given map.

```

@SinceKotlin("1.1")
public fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination:

```

M): `M = destination.apply { putAll(this@toMap) }`
 * Creates a new read-only map by replacing or adding an entry to this map from a given key-value [pair].
 * The returned map preserves the entry iteration order of the original map.
 * The [pair] is iterated in the end if it has a unique key.
 * `public operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =` if (this.isEmpty()) `mapOf(pair)` else
`LinkedHashMap(this).apply { put(pair.first, pair.second) }`
 * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].
 * The returned map preserves the entry iteration order of the original map.
 * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.
 * `public operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =` if (this.isEmpty()) `pairs.toMap()` else `LinkedHashMap(this).apply { putAll(pairs) }`
 * Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].
 * The returned map preserves the entry iteration order of the original map.
 * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.
 * `public operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =` if (this.isEmpty()) `pairs.toMap()` else `LinkedHashMap(this).apply { putAll(pairs) }`
 * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].
 * The returned map preserves the entry iteration order of the original map.
 * Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.
 * `public operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =` `LinkedHashMap(this).apply { putAll(pairs) }`
`.optimizeReadOnlyMap()`
 * Creates a new read-only map by replacing or adding entries to this map from another [map].
 * The returned map preserves the entry iteration order of the original map.
 * Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].
 * `public operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =` `LinkedHashMap(this).apply { putAll(map) }`
 * Appends or replaces the given [pair] in this mutable map.
 * `@kotlin.internal.InlineOnly`
 * `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {` `put(pair.first, pair.second)`
 * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.
 * `@kotlin.internal.InlineOnly`
 * `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {` `putAll(pairs)`
 * Appends or replaces all pairs from the given array of [pairs] in this mutable map.
 * `@kotlin.internal.InlineOnly`
 * `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {` `putAll(pairs)`
 * Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.
 * `@kotlin.internal.InlineOnly`
 * `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {` `putAll(pairs)`
 * Appends or replaces all entries from the given [map] in this mutable map.
 * `@kotlin.internal.InlineOnly`
 * `public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {` `putAll(map)`
 * Returns a map containing all entries of the original map except the entry with the given [key].
 * The returned map preserves the entry iteration order of the original map.
 * `@SinceKotlin("1.1")`
 * `public operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =` `this.toMutableMap().apply { minusAssign(key) }`
`.optimizeReadOnlyMap()`
 * Returns a map containing all entries of the original map except those entries
 * the keys of which are contained in the given [keys] collection.
 * The returned map preserves the entry iteration order of the original map.
 * `@SinceKotlin("1.1")`
 * `public operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =` `this.toMutableMap().apply { minusAssign(keys) }`
`.optimizeReadOnlyMap()`
 * Returns a map containing all entries of the original map except those entries
 * the keys of which are contained in the given [keys] array.
 * The returned map preserves the entry iteration order of the original map.
 * `@SinceKotlin("1.1")`
 * `public operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =` `this.toMutableMap().apply { minusAssign(keys) }`
`.optimizeReadOnlyMap()`
 * Returns a map containing all entries of the original map except those entries
 * the keys of which are contained in the given [keys] sequence.
 * The returned map preserves the entry iteration order of the original map.
 * `@SinceKotlin("1.1")`
 * `public operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =` `this.toMutableMap().apply { minusAssign(keys) }`
`.optimizeReadOnlyMap()`
 * Removes the entry with the given [key] from this mutable map.

```

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(key: K) {\n  remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in
the given [keys] collection from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Iterable<K>) {\n  this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of
which are contained in the given [keys] array from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Array<out K>) {\n  this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the
keys of which are contained in the given [keys] sequence from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Sequence<K>) {\n  this.keys.removeAll(keys)\n}\n\n// do not expose for now
@PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n  0 -> emptyMap()\n  1 -> toSingletonMapOrSelf()\n  else -> this\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage
kotlin.collections\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n  private const val
serialVersionUID: Long = 3406603774387020532\n  override fun equals(other: Any?): Boolean = other is
Set<*> && other.isEmpty()\n  override fun hashCode(): Int = 0\n  override fun toString(): String = "[]"\n
\n  override val size: Int get() = 0\n  override fun isEmpty(): Boolean = true\n  override fun contains(element:
Nothing): Boolean = false\n  override fun containsAll(elements: Collection<Nothing>): Boolean =
elements.isEmpty()\n\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n  private fun readResolve():
Any = EmptySet\n}\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n *
*\n@sample samples.collections.Collections.Sets.emptyReadOnlySet\n\npublic fun <T> emptySet(): Set<T> =
EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the
order they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.readOnlySet\n\npublic fun <T> setOf(vararg elements: T): Set<T> = if
(elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is
serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty
new [MutableSet].\n * The returned set preserves the element iteration order.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =
LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n *\npublic fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [HashSet].\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n\n/**\n * Returns a new [HashSet] with the given elements. *\npublic fun <T> hashSetOf(vararg elements:
T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new
[LinkedHashSet]. *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf():
LinkedHashSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n *
Elements of the set are iterated in the order they were specified.\n *\npublic fun <T> linkedSetOf(vararg elements:
T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns this
Set if it's not `null` and the empty set otherwise. *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size)
{\n  0 -> emptySet()\n  1 -> setOf(iterator().next())\n  else -> this\n}\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFOR
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\nimport kotlin.*\n\n\n/**\n * Parses the string as

```

```

a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toByteOrNull(radix: Int): Byte? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n    return int.toByte()\n}\n\n**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(radix: Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n    return int.toShort()\n}\n\n**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Int\n    val firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if (length == 1) return null // non-digit (possible sign) only, no digits after\n        start = 1\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Int.MIN_VALUE\n        } else if (firstChar == '+') {\n            isNegative = false\n            limit = Int.MAX_VALUE\n        } else\n            return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Int.MAX_VALUE\n    }\n\n    val limitBeforeMul = limit / radix\n    var result = 0\n    for (i in start..(length - 1)) {\n        val digit = digitOf(this[i], radix)\n        if (digit < 0) return null\n        if (result < limitBeforeMul) return null\n        result *= radix\n        if (result < limit + digit) return null\n        result -= digit\n    }\n    return if (isNegative) result else -result\n}\n\n**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Long\n    val firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if (length == 1) return null // non-digit (possible sign) only, no digits after\n        start = 1\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Long.MIN_VALUE\n        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -Long.MAX_VALUE\n        } else\n            return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Long.MAX_VALUE\n    }\n\n    val limitBeforeMul = limit / radix\n    var result = 0L\n    for (i in start..(length - 1)) {\n        val digit = digitOf(this[i], radix)\n        if (digit < 0) return null\n        if (result < limitBeforeMul) return null\n        result *= radix\n        if (result < limit + digit) return null\n        result -= digit\n    }\n    return if (isNegative) result else -result\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("PreconditionsKt")\n\npackage kotlin\n\nimport kotlin.internal.contracts.*\n\n**\n * Throws an [IllegalArgumentException] if the [value] is false.\n * \n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean): Unit {\n    contract {\n        returns() implies value\n    }\n    require(value) { "Failed requirement." }\n}\n\n**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\n * \n * @sample

```

```

samples.misc.Preconditions.failRequireWithLazyMessage\n *^n@kotlin.internal.InlineOnly\npublic inline fun
require(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if
(!value) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n
}\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n
*\n *^n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n contract {\n
returns() implies (value != null)\n }\n return requireNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n
* Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n
* returns the not null value.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
*\n *^n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T
{\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message =
lazyMessage()\n throw IllegalArgumentException(message.toString())\n } else {\n return value\n
}\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is false.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *^n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { \"Check failed.\"\n
}\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *^n@kotlin.internal.InlineOnly\npublic
inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n
if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n
}\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *^n@kotlin.internal.InlineOnly\npublic
inline fun <T : Any> checkNotNull(value: T?): T = checkNotNull(value) { \"Required value was null.\" }\n\n/**\n
* Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n
* returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\n *^n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T
{\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message =
lazyMessage()\n throw IllegalStateException(message.toString())\n } else {\n return value\n
}\n}\n\n/**\n * Throws an [IllegalStateException] with the given [message].\n *\n * @sample
samples.misc.Preconditions.failWithError\n *^n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any):
Nothing = throw IllegalStateException(message.toString())\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n *^n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\nimport
primitiveArrayConcat\nimport withType\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/**\n * Returns a [List] that wraps the original array.\n *\n *^npublic actual fun <T> Array<out
T>.asList(): List<T> {\n return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List]
that wraps the original array.\n *\n *^n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList():
List<Byte> {\n return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the
original array.\n *\n *^n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n
return this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n *^n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n return
this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n *^n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n *^n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n return
this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n *^n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n return
this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n

```


based on the contents of this array as if it is [List].\n

```
*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun ByteArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun ShortArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun IntArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun LongArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun FloatArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun DoubleArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun BooleanArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun <T> Array<out T>.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ByteArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ShortArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun IntArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun LongArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun FloatArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun DoubleArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun BooleanArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n * @sample\n samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun CharArray.contentToString(): String {\n    definedExternally\n}\n\n/**\n * Returns new array which is a copy of the original array.\n *\n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("ACTUAL_WITHOUT_EXPECT",
```


copy is either truncated or padded at the end with zero values if necessary.

`Array.copyOf(newSize: Int): Array<T>` - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].

`Array.copyOf(newSize: Int): Array<T>` - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

`FloatArray.copyOf(newSize: Int): FloatArray` - Returns new array which is a copy of the original array, resized to the given [newSize].

The copy is either truncated or padded at the end with zero values if necessary.

- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].

- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

`FloatArray.copyOf(newSize: Int): FloatArray` - Returns new array which is a copy of the original array, resized to the given [newSize].

The copy is either truncated or padded at the end with zero values if necessary.

- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].

- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

`DoubleArray.copyOf(newSize: Int): DoubleArray` - Returns new array which is a copy of the original array, resized to the given [newSize].

The copy is either truncated or padded at the end with `false` values if necessary.

- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].

- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

`BooleanArray.copyOf(newSize: Int): BooleanArray` - Returns new array which is a copy of the original array, resized to the given [newSize].

The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.

- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].

- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

`CharArray.copyOf(newSize: Int): CharArray` - Returns new array which is a copy of the original array, resized to the given [newSize].

The copy is either truncated or padded at the end with `null` values if necessary.

- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].

- If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.

@sample
samples.collections.Arrays.CopyOfOperations.resizingCopyOf

`Array.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>` - Returns new array which is a copy of range of original array.

@Suppress("ACTUAL_WITHOUT_EXPECT")
public actual fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {
return arrayCopyResize(this, newSize, null)
}

@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {
return this.asDynamic().slice(fromIndex, toIndex)
}

@Suppress("NOTHING_TO_INLINE")
public actual inline fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {
return this.asDynamic().slice(fromIndex, toIndex)
}

@Suppress("NOTHING_TO_INLINE")
public actual inline fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {
return this.asDynamic().slice(fromIndex, toIndex)
}

@Suppress("NOTHING_TO_INLINE")
public actual inline fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {
return this.asDynamic().slice(fromIndex, toIndex)
}

@Suppress("NOTHING_TO_INLINE")
public actual inline fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {
return withType("LongArray", this.asDynamic().slice(fromIndex, toIndex))
}

@Suppress("NOTHING_TO_INLINE")
public actual inline fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {
return this.asDynamic().slice(fromIndex, toIndex)
}

@Suppress("NOTHING_TO_INLINE")
public actual inline fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {
return this.asDynamic().slice(fromIndex, toIndex)
}

which is a copy of range of original array.\n */\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n return withType("BooleanArray", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns new array which is a copy of range of original array.\n */\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n return withType("CharArray", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing

all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {
    return arrayPlusCollection(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {
    return this.asDynamic().concat(elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun IntArray.plus(elements: IntArray): IntArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun LongArray.plus(elements: LongArray): LongArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun CharArray.plus(elements: CharArray): CharArray {
    return primitiveArrayConcat(this, elements)
}

```

* Returns an array containing all elements of the original array and then the given [element].

```

@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {
    return this.asDynamic().concat(arrayOf(element))
}

```

* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun IntArray.sort(): Unit {
    definedExternally
}

```

* Sorts the array in-place.

```

public actual fun LongArray.sort(): Unit {
    if (size > 1)
        sort { a: Long, b: Long -> a.compareTo(b) }
}

```

* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun ByteArray.sort(): Unit {
    definedExternally
}

```

* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun ShortArray.sort(): Unit {
    definedExternally
}

```

* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun DoubleArray.sort(): Unit {
    definedExternally
}

```

* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun FloatArray.sort(): Unit {
    definedExternally
}

```

* Sorts the array in-place.

```

@library("primitiveArraySort")
public actual fun CharArray.sort(): Unit {
    definedExternally
}

```

* Sorts the array in-place according to the natural order of its elements.

```

public actual fun <T : Comparable<T>> Array<out T>.sort(): Unit {
    if (size > 1)
        sort { a: T, b: T -> a.compareTo(b) }
}

```

```

}
}

* Sorts the array in-place according to the order specified by the given [comparison] function.
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.sort(noinline comparison: (a: T, b: T) -> Int):
Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-place according to the order specified by
the given [comparison] function.
@kotlin.internal.InlineOnly
public inline fun ByteArray.sort(noinline
comparison: (a: Byte, b: Byte) -> Int): Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-
place according to the order specified by the given [comparison] function.
@kotlin.internal.InlineOnly
public
inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-place according to the order specified by the given
[comparison] function.
@kotlin.internal.InlineOnly
public inline fun IntArray.sort(noinline comparison: (a:
Int, b: Int) -> Int): Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-place according to the
order specified by the given [comparison] function.
@kotlin.internal.InlineOnly
public inline fun
LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-place according to the order specified by the given
[comparison] function.
@kotlin.internal.InlineOnly
public inline fun FloatArray.sort(noinline comparison: (a:
Float, b: Float) -> Int): Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-place according to
the order specified by the given [comparison] function.
@kotlin.internal.InlineOnly
public inline fun
DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-place according to the order specified by the given
[comparison] function.
@kotlin.internal.InlineOnly
public inline fun CharArray.sort(noinline comparison: (a:
Char, b: Char) -> Int): Unit {
    asDynamic().sort(comparison)
}

* Sorts the array in-place according to
the order specified by the given [comparator].
@public actual fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>): Unit {
    if (size > 1)
        sort { a, b -> comparator.compare(a, b) }
}

* Returns a
*typed* object array containing all of the elements of this primitive array.
@public actual fun
ByteArray.toTypedArray(): Array<Byte> {
    return js("[]").slice.call(this)
}

* Returns a *typed*
object array containing all of the elements of this primitive array.
@public actual fun
ShortArray.toTypedArray(): Array<Short> {
    return js("[]").slice.call(this)
}

* Returns a *typed*
object array containing all of the elements of this primitive array.
@public actual fun IntArray.toTypedArray():
Array<Int> {
    return js("[]").slice.call(this)
}

* Returns a *typed* object array containing all of the
elements of this primitive array.
@public actual fun LongArray.toTypedArray(): Array<Long> {
    return
copyOf().unsafeCast<Array<Long>>()
}

* Returns a *typed* object array containing all of the elements
of this primitive array.
@public actual fun FloatArray.toTypedArray(): Array<Float> {
    return
js("[]").slice.call(this)
}

* Returns a *typed* object array containing all of the elements of this primitive
array.
@public actual fun DoubleArray.toTypedArray(): Array<Double> {
    return
js("[]").slice.call(this)
}

* Returns a *typed* object array containing all of the elements of this primitive
array.
@public actual fun BooleanArray.toTypedArray(): Array<Boolean> {
    return
copyOf().unsafeCast<Array<Boolean>>()
}

* Returns a *typed* object array containing all of the
elements of this primitive array.
@public actual fun CharArray.toTypedArray(): Array<Char> {
    return
Array<Char>(size, { i -> this[i] })
}

/* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license
* that can be found in the license/LICENSE.txt file.
@file:kotlin.jvm.JvmName("ComparisonsKt")
@file:kotlin.jvm.JvmMultifileClass
package
kotlin.comparisons

* Compares two values using the specified functions [selectors] to calculate the result
of the comparison.
* The functions are called sequentially, receive the given values [a] and [b] and return
[Comparable]
* objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do
not
* compare as equal, the result of that comparison is returned.
* @sample
samples.comparisons.Comparisons.compareValuesByWithSelectors
@public fun <T> compareValuesBy(a: T,
b: T, vararg selectors: (T) -> Comparable<*>?): Int {
    require(selectors.size > 0)
    return
compareValuesByImpl(a, b, selectors)
}

private fun <T> compareValuesByImpl(a: T, b: T, selectors:
Array<out (T) -> Comparable<*>?): Int {
    for (fn in selectors) {
        val v1 = fn(a)
        val v2 = fn(b)

```

```

val diff = compareValues(v1, v2)\n    if (diff != 0) return diff\n    } \n    return 0\n}\n\n/**\n * Compares two
values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to
the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable]
instances is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) ->
Comparable<*>?): Int {\n    return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values
using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the
given values [a] and [b] and return objects of type K which are then being\n * compared with the given
[comparator].\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in
K>, selector: (T) -> K): Int {\n    return comparator.compare(selector(a), selector(b))\n}\n\n//// Not so useful without
type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 }
thenByDescending { it.prop2 })\n\n/**\n * Compares two values using the specified [comparator].\n\n
*\n@Suppress("NOTHING_TO_INLINE")\n//public inline fun <T> compareValuesWith(a: T, b: T, comparator:
Comparator<T>): Int = comparator.compare(a, b)\n\n/**\n * Compares two nullable [Comparable] values. Null
is considered less than any value.\n *\n * @sample samples.comparisons.Comparisons.compareValues\n *\npublic
fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n    if (a === b) return 0\n    if (a == null) return -1\n
if (b == null) return 1\n    @Suppress("UNCHECKED_CAST")\n    return (a as
Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a
result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do
not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample
samples.comparisons.Comparisons.compareByWithSelectors\n *\npublic fun <T> compareBy(vararg selectors: (T)
-> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b ->
compareValuesByImpl(a, b, selectors) }\n}\n\n/**\n * Creates a comparator using the function to transform value
to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareByWithSingleSelector\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->
compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values
being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample
samples.comparisons.Comparisons.compareByWithComparator\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator
using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) ->
Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n *
Creates a descending comparator using the [selector] function to transform values being compared and then
applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is
reversed by this wrapper.\n *\n * @sample
samples.comparisons.Comparisons.compareByDescendingWithComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, comparator,
selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It
uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenBy\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -
>\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else

```

```

compareValuesBy(a, b, selector)\n } \n\n/**\n * Creates a comparator comparing values after the primary
comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with
the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByWithComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b,
comparator, selector)\n    } \n\n/**\n * Creates a descending comparator using the primary comparator and\n * the
function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenByDescending\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n
    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if
(previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n    } \n\n/**\n * Creates a
descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector]
function to transform values and then compares them with the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.thenByDescendingWithComparator\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) ->
K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a,
b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n    }
\n\n/**\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\n
*\n * @sample samples.comparisons.Comparisons.thenComparator\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n
    Comparator { a, b ->\n        val previousCompare = this@thenComparator.compare(a, b)\n        if (previousCompare
!= 0) previousCompare else comparison(a, b)\n    } \n\n/**\n * Combines this comparator and the given [comparator]
such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample
samples.comparisons.Comparisons.then\n *\npublic infix fun <T> Comparator<T>.then(comparator:
Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n    }
\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the
former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n *\npublic
infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n
    Comparator<T> { a, b ->\n        val previousCompare = this@thenDescending.compare(a, b)\n        if
(previousCompare != 0) previousCompare else comparator.compare(b, a)\n    } \n\n// Not so useful without type
inference for receiver of expression\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator
of nullable values\n * considering `null` value less than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n    }
\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other
value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> =
nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of
nullable values\n * considering `null` value greater than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n    }
\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any
other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =

```

```

nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n *\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n */\npublic fun <T> : Comparator<T>>
naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T> :
Comparator<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n */\npublic fun <T>
Comparator<T>.reversed(): Comparator<T> = when (this) {\n    is ReversedComparator -> this.comparator\n    NaturalOrderComparator -> @Suppress("UNCHECKED_CAST") (ReverseOrderComparator as
Comparator<T>)\n    ReverseOrderComparator -> @Suppress("UNCHECKED_CAST")
(NaturalOrderComparator as Comparator<T>)\n    else -> ReversedComparator(this)\n}\n\nprivate class
ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {\n    override fun compare(a:
T, b: T): Int = comparator.compare(b, a)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed():
Comparator<T> = comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
NaturalOrderComparator\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic
actual interface Comparator<T> {\n    @JsName("compare")\n    actual fun compare(a: T, b: T): Int\n}\n\npublic
actual inline fun <T> Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object :
Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparison(a, b)\n}\n\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\n\nimport
kotlin.internal.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be
implemented.\n */\npublic class NotImplementedError(message: String = "An operation is not implemented.") :
Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string
explaining why the implementation is missing.\n */\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")\n\n\n/**\n * Calls
the specified function [block] and returns its result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <R>
run(block: () -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n
return block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its
result.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n    contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified
function [block] with the given [receiver] as its receiver and returns its result.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n    contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return receiver.block()\n}\n\n\n/**\n * Calls the
specified function [block] with `this` value as its receiver and returns `this` value.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n    contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    block()\n    return this\n}\n\n\n/**\n * Calls the
specified function [block] with `this` value as its argument and returns `this` value.\n
*\n\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n

```



```

equal, returns the first one.\n *^@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T):
T {\n    return if (a <= b) a else b}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte): Byte {\n
return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short): Short
{\n    return Math.min(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int): Int {\n
return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun minOf(a: Long, b:
Long): Long {\n    return if (a <= b) a else b}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float): Float {\n
return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double):
Double {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n    return minOf(a,
minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte {\n    return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of
three values.\n *^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b:
Short, c: Short): Short {\n    return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n *
Returns the smaller of three values.\n *^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline
fun minOf(a: Int, b: Int, c: Int): Int {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long):
Long {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float, c: Float):
Float {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double, c:
Double): Double {\n    return Math.min(a, b, c)\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*^@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through
the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n
*^@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>
= object : Iterable<T> {\n    override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another
[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n *^@internal class
IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n    override
fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n/**\n * Returns the size of
this iterable if it is known, or `null` otherwise.\n *^@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of
this iterable if it is known, or the specified [default] value otherwise.\n *^@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n/**
Returns true when it's safe to convert this collection to a set without changing contains method behavior. ^@private
fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/** Converts this collection to a
set, when it's worth so and it doesn't change contains method behavior. ^@internal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n    when (this) {\n        is
Set -> this\n        is Collection -> when {\n            source is Collection && source.size < 2 -> this\n
            else -> if (this.safeToConvertToSet()) toHashSet() else this\n        }\n        else -> toHashSet()\n    }\n\n/**
Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. ^@internal fun

```

```

<T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n  when (this) {\n    is Set -> this\n    is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n  } else -> toHashSet()\n }\n\n/*\n * Returns a single list of all elements from all collections in the given collection.\n * @sample\n samples.collections.Iterables.Operations.flattenIterable\n */\npublic fun <T> Iterable<Iterable<T>>.flatten():\n List<T> {\n  val result = ArrayList<T>()\n  for (element in this) {\n    result.addAll(element)\n  }\n  return result\n }\n\n/*\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this\n collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample\n samples.collections.Iterables.Operations.unzipIterable\n */\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():\n Pair<List<T>, List<R>> {\n  val expectedSize = collectionSizeOrDefault(10)\n  val listT =\n  ArrayList<T>(expectedSize)\n  val listR = ArrayList<R>(expectedSize)\n  for (pair in this) {\n    listT.add(pair.first)\n    listR.add(pair.second)\n  }\n  return listT to listR\n }\n\n/*\n * Copyright 2010-2018\n JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the\n license/LICENSE.txt file.\n\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage\n kotlin.sequences\n\nimport kotlin.*\n\n/*\n * Given an [iterator] function constructs a [Sequence] that returns\n values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is\n potentially infinite.\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>):\n Sequence<T> = object : Sequence<T> {\n  override fun iterator(): Iterator<T> = iterator()\n }\n\n/*\n * Creates a\n sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\n\npublic fun <T>\n Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/*\n * Creates a sequence that\n returns the specified values.\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n */\n\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else\n elements.asSequence()\n\n/*\n * Returns an empty sequence.\n */\n\npublic fun <T> emptySequence():\n Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>,\n DropTakeSequence<Nothing> {\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n  override fun\n drop(n: Int) = EmptySequence\n  override fun take(n: Int) = EmptySequence\n }\n\n/*\n * Returns a sequence of\n all elements from all sequences in this sequence.\n * The operation is _intermediate_ and _stateless_.\n */\n\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/*\n * Returns a\n sequence of all elements from all iterables in this sequence.\n * The operation is _intermediate_ and\n _stateless_.\n */\n\n@kotlin.jvm.JvmName("flattenSequenceOfIterable")\npublic fun <T>\n Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R>\n Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {\n  if (this is TransformingSequence<*, *>) {\n    return (this as TransformingSequence<*, T>).flatten(iterator)\n  }\n  return FlatteningSequence(this, { it },\n iterator)\n }\n\n/*\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this\n sequence,\n * *second* list is built from the second values of each pair from this sequence.\n * The operation is\n _terminal_.\n */\n\npublic fun <T, R> Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n  val listT =\n  ArrayList<T>()\n  val listR = ArrayList<R>()\n  for (pair in this) {\n    listT.add(pair.first)\n    listR.add(pair.second)\n  }\n  return listT to listR\n }\n\n/*\n * A sequence that returns the values from the\n underlying [sequence] that either match or do not match\n * the specified [predicate].\n * @param sendWhen If\n `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values for which the predicate\n returns `false` are returned\n */\n\ninternal class FilteringSequence<T>(\n  private val sequence: Sequence<T>,\n  private val sendWhen: Boolean = true,\n  private val predicate: (T) -> Boolean\n) : Sequence<T> {\n  override\n fun iterator(): Iterator<T> = object : Iterator<T> {\n    val iterator = sequence.iterator()\n    var nextState: Int = -\n 1 // -1 for unknown, 0 for done, 1 for continue\n    var nextItem: T? = null\n    private fun calcNext() {\n      while (iterator.hasNext()) {\n        val item = iterator.next()\n        if (predicate(item) == sendWhen) {\n          nextItem = item\n          nextState = 1\n          return\n        }\n      }\n      nextState\n    }\n  }\n}

```

```

= 0\n    }\n    override fun next(): T {\n        if (nextState == -1)\n            calcNext()\n        if (nextState == 0)\n            throw NoSuchElementException()\n        val result = nextItem\n        nextItem = null\n        nextState = -1\n        @Suppress("UNCHECKED_CAST")\n        return result as T\n    }\n    override fun hasNext(): Boolean {\n        if (nextState == -1)\n            calcNext()\n        return nextState == 1\n    }\n}\n}\n\n**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence].\n *^\n\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override fun next(): R {\n            return transformer(iterator.next())\n        }\n    }\n    override fun hasNext(): Boolean {\n        return iterator.hasNext()\n    }\n}\n\ninternal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n    return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n}\n}\n}\n\n**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n *^\n\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): R {\n            return transformer(index++, iterator.next())\n        }\n    }\n    override fun hasNext(): Boolean {\n        return iterator.hasNext()\n    }\n}\n}\n\n**\n * A sequence which combines values from the underlying [sequence] with their indices and returns them as\n * [IndexedValue] objects.\n *^\n\ninternal class IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): IndexedValue<T> {\n            return IndexedValue(index++, iterator.next())\n        }\n    }\n    override fun hasNext(): Boolean {\n        return iterator.hasNext()\n    }\n}\n}\n\n**\n * A sequence which takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning values.\n *^\n\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1: Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V) : Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun next(): V {\n            return transform(iterator1.next(), iterator2.next())\n        }\n    }\n    override fun hasNext(): Boolean {\n        return iterator1.hasNext() && iterator2.hasNext()\n    }\n}\n}\n\ninternal class FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>)\n: Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return itemIterator!!.next()\n        }\n    }\n    override fun hasNext(): Boolean {\n        return ensureItemIterator()\n    }\n    private fun ensureItemIterator(): Boolean {\n        if (itemIterator?.hasNext() == false)\n            itemIterator = null\n        while (itemIterator == null) {\n            if (!iterator.hasNext())\n                return false\n            } else {\n                val element = iterator.next()\n                val nextItemIterator = iterator(transformer(element))\n                if (nextItemIterator.hasNext()) {\n                    itemIterator = nextItemIterator\n                    return true\n                }\n            }\n        }\n    }\n}\n}\n\n**\n * A sequence that supports drop(n) and take(n) operations\n *^\n\ninterface DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n: Int): Sequence<T>\n}\n}\n\n**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n *^\n\ninternal class SubSequence<T>(\n    private val sequence: Sequence<T>,\n    private val startIndex: Int,\n    private val endIndex: Int)\n: Sequence<T>,\nDropTakeSequence<T> {\n    init {\n        require(startIndex >= 0) { "startIndex should be non-negative, but is $startIndex" }\n        require(endIndex >= 0) { "endIndex should be non-negative, but is $endIndex" }\n    }\n}

```



```

*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/**\n * Returns 1st *element* from the collection.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the collection.\n *\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component2(): T {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the
collection.\n *\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component3(): T {\n    return
get(2)\n}\n\n/**\n * Returns 4th *element* from the collection.\n *\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component4(): T {\n    return get(3)\n}\n\n/**\n * Returns 5th *element* from the
collection.\n *\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component5(): T {\n    return
get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n *\n\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if (this is Collection)\n    return contains(element)\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or
throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n *\n\npublic fun <T>
Iterable<T>.elementAt(index: Int): T {\n    if (this is List)\n        return get(index)\n    return
elementAtOrElse(index) { throw IndexOutOfBoundsException("Collection doesn't contain element at index
$index.") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if
the [index] is out of bounds of this list.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
List<T>.elementAt(index: Int): T {\n    return get(index)\n}\n\n/**\n * Returns an element at the given [index] or
the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n *\n\npublic fun
<T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return
this.getOrElse(index, defaultValue)\n    if (index < 0)\n        return defaultValue(index)\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) ->
T): T {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns
an element at the given [index] or `null` if the [index] is out of bounds of this collection.\n *\n\npublic fun <T>
Iterable<T>.elementOrNull(index: Int): T? {\n    if (this is List)\n        return this.getOrElse(index)\n    if (index <
0)\n        return null\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element =
iterator.next()\n        if (index == count++)\n            return element\n    }\n    return null\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this list.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementOrNull(index: Int): T? {\n    return
this.getOrElse(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) ->
Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n    return
lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection
is empty.\n *\n\npublic fun <T> Iterable<T>.first(): T {\n    when (this) {\n        is List -> return this.first()\n        else
-> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw
NoSuchElementException("Collection is empty.")\n            return iterator.next()\n        }\n    }\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n *\n\npublic fun <T>
List<T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("List is empty.")\n    return
this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws

```

```

[NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.first(predicate: (T)
-> Boolean): T {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n/**\n * Returns the
first element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n    when
(this) {\n        is List -> {\n            if (isEmpty())\n                return null\n            else\n                return this[0]\n        }\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * Returns the first element, or `null` if the list is empty.\n */\npublic
fun <T> List<T>.firstOrNull(): T? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T>
Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.\n */\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n    return if (index >=
0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection
does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T):
Int {\n    if (this is List) return this.indexOf(element)\n    var index = 0\n    for (item in this) {\n        if (element ==
item)\n            return index\n            index++\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if
the list does not contain element.\n */\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T>
List<T>.indexOf(element: T): Int {\n    return indexOf(element)\n}\n\n/**\n * Returns index of the first element
matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T>
Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if
(predicate(item))\n            return index\n            index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T>
List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if
(predicate(item))\n            return index\n            index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun
<T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item
in this) {\n        if (predicate(item))\n            lastIndex = index\n            index++\n    }\n    return lastIndex\n}\n\n/**\n *
Returns index of the last element matching the given [predicate], or -1 if the list does not contain such element.\n */\n
public inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    val iterator =
this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n            return
iterator.nextIndex()\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n */\n@throws
[NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this)
{\n        is List -> return this.last()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            var last = iterator.next()\n            while
(iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last
element.\n */\n@throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.last(): T {\n    if
(isEmpty())\n        throw NoSuchElementException("List is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the
last element matching the given [predicate].\n */\n@throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? =
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Collection contains no element
matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return last as T\n}\n\n/**\n * Returns the
last element matching the given [predicate].\n */\n@throws [NoSuchElementException] if no such element is found.\n */\n
public inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n

```

```

while (iterator.hasPrevious()) {
    val element = iterator.previous()
    if (predicate(element)) return element
}
throw NoSuchElementException("List contains no element matching the predicate.")
}

* Returns last index of [element], or -1 if the collection does not contain element.
public fun
<@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {
    if (this is List) return this.lastIndexOf(element)
    var lastIndex = -1
    var index = 0
    for (item in this) {
        if (element == item) {
            lastIndex = index
            index++
        }
    }
    return lastIndex
}

* Returns last index of [element], or -1 if the list does not contain element.
@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in some cases
public fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {
    return lastIndexOf(element)
}

* Returns the last element, or `null` if the collection is empty.
public fun
<T> Iterable<T>.lastOrNull(): T? {
    when (this) {
        is List -> return if (isEmpty()) null else this[size - 1]
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext()) return null
            var last = iterator.next()
            while (iterator.hasNext()) last = iterator.next()
            return last
        }
    }
}

* Returns the last element, or `null` if the list is empty.
public fun <T> List<T>.lastOrNull(): T? {
    return if (isEmpty()) null else this[size - 1]
}

* Returns the last element matching the given [predicate], or `null` if no such element was found.
public inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {
    var last: T? = null
    for (element in this) {
        if (predicate(element)) last = element
    }
    return last
}

* Returns the last element matching the given [predicate], or `null` if no such element was found.
public inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {
    val iterator = this.listIterator(size)
    while (iterator.hasPrevious()) {
        val element = iterator.previous()
        if (predicate(element)) return element
    }
    return null
}

* Returns the single element, or throws an exception if the collection is empty or has more than one element.
public fun <T> Iterable<T>.single(): T {
    when (this) {
        is List -> return this.single()
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext()) throw NoSuchElementException("Collection is empty.")
            val single = iterator.next()
            if (iterator.hasNext()) throw IllegalArgumentException("Collection has more than one element.")
            return single
        }
    }
}

* Returns the single element, or throws an exception if the list is empty or has more than one element.
public fun <T> List<T>.single(): T {
    return when (size) {
        0 -> throw NoSuchElementException("List is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("List has more than one element.")
    }
}

* Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.
public inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {
    var single: T? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw
                IllegalArgumentException("Collection contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Collection contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as T
}

* Returns single element, or `null` if the collection is empty or has more than one element.
public fun <T>
Iterable<T>.singleOrNull(): T? {
    when (this) {
        is List -> return if (size == 1) this[0] else null
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext()) return null
            val single = iterator.next()
            if (iterator.hasNext()) return null
            return single
        }
    }
}

* Returns single element, or `null` if the list is empty or has more than one element.
public fun <T>
List<T>.singleOrNull(): T? {
    return if (size == 1) this[0] else null
}

* Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.
public inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {
    var single: T? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
    }
    if (!found) return null
    return single
}

* Returns a list containing all elements except first [n] elements.
public fun @sample
samples.collections.Collections.Transformations.drop(n: Int): List<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return toList()
    val list:

```

```

ArrayList<T>\n if (this is Collection<*>) {\n     val resultSize = size - n\n     if (resultSize <= 0)\n         return\n     emptyList()\n     if (resultSize == 1)\n         return listOf(last())\n     list = ArrayList<T>(resultSize)\n     if\n (this is List<T>) {\n         if (this is RandomAccess) {\n             for (index in n until size)\n list.add(this[index])\n         } else {\n             for (item in listIterator(n))\n                 list.add(item)\n         }\n     }\n     return list\n }\n } else {\n     list = ArrayList<T>()\n     var count = 0\n     for (item in this) {\n         if (count++ >= n) list.add(item)\n     }\n     return list.optimizeReadOnlyList()\n }\n\n/**\n * Returns a list\n containing all elements except last [n] elements.\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -\n n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given\n [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T>\n List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n if (!isEmpty()) {\n     val iterator =\n listIterator(size)\n     while (iterator.hasPrevious()) {\n         if (!predicate(iterator.previous()))\n             return\n         take(iterator.nextIndex() + 1)\n     }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing\n all elements except first elements that satisfy the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Iterable<T>.dropWhile(predicate:\n (T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n     if\n (yielding)\n         list.add(item)\n     else if (!predicate(item)) {\n         list.add(item)\n         yielding = true\n     }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *\npublic\n inline fun <T> Iterable<T>.filter(predicate: (T) -> Boolean): List<T> {\n return filterTo(ArrayList<T>(),\n predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *\n * @param\n [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate\n evaluation on the element.\n *\npublic inline fun <T> Iterable<T>.filterIndexed(predicate: (index: Int, T) ->\n Boolean): List<T> {\n return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements\n matching the given [predicate] to the given [destination].\n *\n * @param [predicate] function that takes the index of an\n element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\npublic inline\n fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) ->\n Boolean): C {\n forEachIndexed { index, element ->\n     if (predicate(index, element))\n         destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements that are\n instances of specified type parameter R.\n *\npublic inline fun <reified R> Iterable<*>.filterIsInstance():\n List<@kotlin.internal.NoInfer R> {\n return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all\n elements that are instances of specified type parameter R to the given [destination].\n *\npublic inline fun <reified\n R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if\n (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing all elements\n not matching the given [predicate].\n *\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean):\n List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that\n are not `null`.\n *\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n return\n filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n *\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n for\n (element in this) if (element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all\n elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <T, C :\n MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element\n in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements\n matching the given [predicate] to the given [destination].\n *\npublic inline fun <T, C : MutableCollection<in T>>\n Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element))\n destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the\n specified [indices] range.\n *\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n if\n (indices.isEmpty()) return listOf()\n return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n
```

```

* Returns a list containing elements at specified [indices].\n * \n\npublic fun <T> List<T>.slice(indices:
Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n
val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n
require(n >= 0) {\n    "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (this is
Collection<T>) {\n        if (n >= size) return toList()\n        if (n == 1) return listOf(first())\n    }\n    var count = 0\n
val list = ArrayList<T>(n)\n    for (item in this) {\n        if (count++ == n)\n            break\n        list.add(item)\n    }\n
return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) {\n    "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(last())\n    val list = ArrayList<T>(n)\n    if (this is
RandomAccess) {\n        for (index in size - n until size)\n            list.add(this[index])\n    } else {\n        for (item in
listIterator(size - n))\n            list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n\npublic
inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (isEmpty())\n        return
emptyList()\n    val iterator = listIterator(size)\n    while (iterator.hasPrevious()) {\n        if
(!predicate(iterator.previous())) {\n            iterator.next()\n            val expectedSize = size - iterator.nextIndex()\n
            if (expectedSize == 0) return emptyList()\n            return ArrayList<T>(expectedSize).apply {\n                while
(iterator.hasNext())\n                    add(iterator.next())\n            }\n        }\n    }\n    return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this) {\n        if (!predicate(item))\n
            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the list in-place.\n * \n\npublic
expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n * \n\npublic fun <T>
Iterable<T>.reversed(): List<T> {\n    if (this is Collection && size <= 1) return toList()\n    val
list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Sorts elements in the list in-place according to
natural sort order of the value returned by specified [selector] function.\n * \n\npublic inline fun <T, R :
Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortByWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort
order of the value returned by specified [selector] function.\n * \n\npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortByWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to
their natural sort order.\n * \n\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n
sortByWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n\npublic
fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n    if (this is Collection) {\n        if (size <= 1)
return this.toList()\n        @Suppress("UNCHECKED_CAST")\n        return (toArray<Comparable<T>>())
as Array<T>().apply { sort() }.asList()\n    }\n    return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of
all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n\npublic
inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending():
List<T> {\n    return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the
specified [comparator].\n * \n\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n
if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress("UNCHECKED_CAST")\n

```


list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n public inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n   for (element in this) {\n     val key = keySelector(element)\n     val list =
destination.getOrPut(key) { ArrayList<V>() }\n     list.add(valueTransform(element))\n   }\n   return
destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Collections.Transformations.groupingByEachCount\n * \n @SinceKotlin("1.1")\n public inline
fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n   return object :
Grouping<T, K> {\n     override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n     override fun
keyOf(element: T): K = keySelector(element)\n   }\n}\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element in the original collection.\n * \n public inline fun <T, R>
Iterable<T>.map(transform: (T) -> R): List<R> {\n   return mapTo(ArrayList<R>(collectionSizeOrDefault(10)),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original collection.\n * \n @param [transform] function that takes the index of an element
and the element itself\n * and returns the result of the transform applied to the element.\n * \n public inline fun <T,
R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n   return
mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only
the non-null results of applying the given [transform] function\n * to each element and its index in the original
collection.\n * \n @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n * \n public inline fun <T, R : Any>
Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n   return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n *
\n @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n * \n public inline fun <T, R : Any, C : MutableCollection<in R>>
Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n   forEachIndexed {
index, element -> transform(index, element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original collection\n * and appends the
results to the given [destination].\n * \n @param [transform] function that takes the index of an element and the
element itself\n * and returns the result of the transform applied to the element.\n * \n public inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n   var
index = 0\n   for (item in this)\n     destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n *
Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in
the original collection.\n * \n public inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?):
List<R> {\n   return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform]
function to each element in the original collection\n * and appends only the non-null results to the given
[destination].\n * \n public inline fun <T, R : Any, C : MutableCollection<in R>>
Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n   forEach { element ->
transform(element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original collection\n * and appends the results to the given [destination].\n * \n public
inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n   for
(item in this)\n     destination.add(transform(item))\n   return destination\n}\n\n/**\n * Returns a lazy [Iterable] of
[IndexedValue] for each element of the original collection.\n * \n public fun <T> Iterable<T>.withIndex():
Iterable<IndexedValue<T>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only
distinct elements from the given collection.\n * \n * The elements in the resulting list are in the same order as they
were in the source collection.\n * \n public fun <T> Iterable<T>.distinct(): List<T> {\n   return
this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n *

```

having distinct keys returned by the given [selector] function.

```

    * The elements in the resulting list are in the
    same order as they were in the source collection.
    * public inline fun <T, K> Iterable<T>.distinctBy(selector: (T
    -> K): List<T> {
    val set = HashSet<K>()
    val list = ArrayList<T>()
    for (e in this) {
    val key =
    selector(e)
    if (set.add(key))
    list.add(e)
    }
    return list
    }
    * Returns a set containing all
    elements that are contained by both this set and the specified collection.
    * The returned set preserves the
    element iteration order of the original collection.
    * public infix fun <T> Iterable<T>.intersect(other:
    Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
    }
    * Returns
    a set containing all elements that are contained by this collection and not contained by the specified collection.
    * The returned set preserves the element iteration order of the original collection.
    * public infix fun <T>
    Iterable<T>.subtract(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
    }
    * Returns a mutable set containing all distinct elements from the given collection.
    * The
    returned set preserves the element iteration order of the original collection.
    * public fun <T>
    Iterable<T>.toMutableSet(): MutableSet<T> {
    return when (this) {
    is Collection<T> ->
    LinkedHashSet(this)
    else -> toCollection(LinkedHashSet<T>())
    }
    }
    * Returns a set containing
    all distinct elements from both collections.
    * The returned set preserves the element iteration order of the
    original collection.
    * Those elements of the [other] collection that are unique are iterated in the end
    * in the order
    of the [other] collection.
    * public infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {
    val set =
    this.toMutableSet()
    set.addAll(other)
    return set
    }
    * Returns `true` if all elements match the given
    [predicate].
    * @sample samples.collections.Collections.Aggregates.all
    * public inline fun <T>
    Iterable<T>.all(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return true
    for
    (element in this) if (!predicate(element)) return false
    return true
    }
    * Returns `true` if collection has at
    least one element.
    * @sample samples.collections.Collections.Aggregates.any
    * public fun <T>
    Iterable<T>.any(): Boolean {
    if (this is Collection) return !isEmpty()
    return iterator().hasNext()
    }
    * Returns `true` if at least one element matches the given [predicate].
    * @sample
    samples.collections.Collections.Aggregates.anyWithPredicate
    * public inline fun <T>
    Iterable<T>.any(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return false
    for
    (element in this) if (predicate(element)) return true
    return false
    }
    * Returns the number of elements in
    this collection.
    * public fun <T> Iterable<T>.count(): Int {
    if (this is Collection) return size
    var count =
    0
    for (element in this) count++
    return count
    }
    * Returns the number of elements in this
    collection.
    * @kotlin.internal.InlineOnly
    * public inline fun <T> Collection<T>.count(): Int {
    return
    size
    }
    * Returns the number of elements matching the given [predicate].
    * public inline fun <T>
    Iterable<T>.count(predicate: (T) -> Boolean): Int {
    if (this is Collection && isEmpty()) return 0
    var count =
    0
    for (element in this) if (predicate(element)) count++
    return count
    }
    * Accumulates value starting
    with [initial] value and applying [operation] from left to right to current accumulator value and each element.
    * public inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator =
    initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
    }
    * Accumulates value starting with [initial] value and applying [operation] from left to right
    * to current accumulator
    value and each element with its index in the original collection.
    * @param [operation] function that takes the
    index of an element, current accumulator value
    * and the element itself, and calculates the next accumulator
    value.
    * public inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R
    {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++,
    accumulator, element)
    return accumulator
    }
    * Accumulates value starting with [initial] value and
    applying [operation] from right to left to each element and current accumulator value.
    * public inline fun <T, R>
    List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
    val iterator = listIterator(size)
    while (iterator.hasPrevious()) {
    accumulator =
    operation(iterator.previous(), accumulator)
    }
    }
    return accumulator
    }
    * Accumulates value
    starting with [initial] value and applying [operation] from right to left
    * to each element with its index in the
    original list and current accumulator value.
    * @param [operation] function that takes the index of an element, the

```

```

element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun
<T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n    var accumulator =
initial\n    if (!isEmpty()) {\n        val iterator = listIterator(size)\n        while (iterator.hasPrevious()) {\n            val
index = iterator.previousIndex()\n            accumulator = operation(index, iterator.previous(), accumulator)\n        }\n    }\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n    for
(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential
index with the element.\n * @param [action] function that takes the index of an element and the element itself\n *
and performs the desired action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action:
(index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Returns
the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Iterable<Double>.max(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var max = iterator.next()\n    if (max.isNaN()) return max\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Iterable<Float>.max(): Float? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    if (max.isNaN()) return max\n
while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T :
Comparable<T>> Iterable<T>.max(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var
max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there
are no elements.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    var maxV =
selector(maxElem)\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        val v = selector(e)\n        if
(maxV < v) {\n            maxElem = e\n            maxV = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no
elements.\n */\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n
val e = iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Iterable<Double>.min(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return min\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Iterable<Float>.min(): Float? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return min\n
while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun <T :
Comparable<T>> Iterable<T>.min(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var
min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    var minV =
selector(minElem)\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        val v = selector(e)\n        if
(minV > v) {\n            minElem = e\n            minV = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no
elements.\n */\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n    val iterator =

```

```

iterator()\n  if (!iterator.hasNext()) return null\n  var min = iterator.next()\n  while (iterator.hasNext()) {\n  val e = iterator.next()\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n * Returns `true` if the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n * \n\npublic fun <T> Iterable<T>.none(): Boolean {\n  if (this is Collection) return isEmpty()\n  return !iterator().hasNext()\n}\n\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n * \n\npublic inline fun <T> Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n  if (this is Collection && isEmpty()) return true\n  for (element in this) if (predicate(element)) return false\n  return true\n}\n\n * Performs the given [action] on each element and returns the collection itself afterwards.\n * \n\n@SinceKotlin("1.1")\npublic inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C {\n  return apply { for (element in this) action(element) }\n}\n\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n  val iterator = this.iterator()\n  if (!iterator.hasNext()) throw\n  UnsupportedOperationException("Empty collection can't be reduced.")\n  var accumulator: S = iterator.next()\n  while (iterator.hasNext()) {\n    accumulator = operation(accumulator, iterator.next())\n  }\n  return accumulator\n}\n\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (index: Int, acc: S, T) -> S): S {\n  val iterator = this.iterator()\n  if (!iterator.hasNext()) throw\n  UnsupportedOperationException("Empty collection can't be reduced.")\n  var index = 1\n  var accumulator: S = iterator.next()\n  while (iterator.hasNext()) {\n    accumulator = operation(index++, accumulator, iterator.next())\n  }\n  return accumulator\n}\n\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n\npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n  val iterator = listIterator(size)\n  if (!iterator.hasPrevious())\n    throw UnsupportedOperationException("Empty list can't be reduced.")\n  var accumulator: S = iterator.previous()\n  while (iterator.hasPrevious()) {\n    accumulator = operation(iterator.previous(), accumulator)\n  }\n  return accumulator\n}\n\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n  val iterator = listIterator(size)\n  if (!iterator.hasPrevious())\n    throw UnsupportedOperationException("Empty list can't be reduced.")\n  var accumulator: S = iterator.previous()\n  while (iterator.hasPrevious()) {\n    val index = iterator.previousIndex()\n    accumulator = operation(index, iterator.previous(), accumulator)\n  }\n  return accumulator\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n * \n\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n * \n\npublic inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n * \n\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n  for (element in this) {\n    if (element == null) {\n      throw\n      IllegalArgumentException("null element found in $this.")\n    }\n  }\n  @Suppress("UNCHECKED_CAST")\n  return this as Iterable<T>\n}\n\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n * \n\npublic fun <T : Any> List<T?>.requireNoNulls(): List<T> {\n  for (element in this) {\n    if (element == null) {\n      throw\n      IllegalArgumentException("null element found in $this.")\n    }\n  }\n}\n
```

```

@Suppress("UNCHECKED_CAST")\n    return this as List<T>\n}\n\n/**\n * Splits this collection into a list of
lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have less elements than the
given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n * \n@SinceKotlin("1.2")\n\npublic fun <T>
Iterable<T>.chunked(size: Int): List<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform]
function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the
list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it
or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the
given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n
*\n@SinceKotlin("1.2")\n\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R>
{\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list
containing all elements of the original collection without the first occurrence of the given [element].\n * \n@npublic
operator fun <T> Iterable<T>.minus(element: T): List<T> {\n    val result =
ArrayList<T>(collectionSizeOrDefault(10))\n    var removed = false\n    return this.filterTo(result) { if (!removed
&& it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the
original collection except the elements contained in the given [elements] array.\n * \n@npublic operator fun <T>
Iterable<T>.minus(elements: Array<out T>): List<T> {\n    if (elements.isEmpty()) return this.toList()\n    val other
= elements.toHashSet()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of
the original collection except the elements contained in the given [elements] collection.\n * \n@npublic operator fun
<T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n    val other =
elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return this.toList()\n    return
this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the
elements contained in the given [elements] sequence.\n * \n@npublic operator fun <T> Iterable<T>.minus(elements:
Sequence<T>): List<T> {\n    val other = elements.toHashSet()\n    if (other.isEmpty())\n        return this.toList()\n
return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection
without the first occurrence of the given [element].\n * \n@kotlin.internal.InlineOnly\n\npublic inline fun <T>
Iterable<T>.minusElement(element: T): List<T> {\n    return minus(element)\n}\n\n/**\n * Splits the original
collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n * \n@npublic inline fun <T>
Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val
second = ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list
containing all elements of the original collection and then the given [element].\n * \n@npublic operator fun <T>
Iterable<T>.plus(element: T): List<T> {\n    if (this is Collection) return this.plus(element)\n    val result =
ArrayList<T>()\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list
containing all elements of the original collection and then the given [element].\n * \n@npublic operator fun <T>
Collection<T>.plus(element: T): List<T> {\n    val result = ArrayList<T>(size + 1)\n    result.addAll(this)\n
result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection
and then all elements of the given [elements] array.\n * \n@npublic operator fun <T> Iterable<T>.plus(elements:
Array<out T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then all elements of the given [elements] array.\n * \n@npublic operator fun <T>
Collection<T>.plus(elements: Array<out T>): List<T> {\n    val result = ArrayList<T>(this.size + elements.size)\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then all elements of the given [elements] collection.\n * \n@npublic operator fun <T>

```



```

collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n
 * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <T, R> Iterable<T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values
built from the elements of `this` collection and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <T, R, V>
Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = other.size\n    val
list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in this) {\n        if
(i >= arraySize) break\n        list.add(transform(element, other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a list
of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list
has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val first = iterator()\n    val second
= other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two
elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
*\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext
{ a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to
an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains
less than two elements.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n * \n@SinceKotlin("1.2")\npublic
inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n
while (iterator.hasNext()) {\n        val next = iterator.next()\n        result.add(transform(current, next))\n        current
= next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n * \npublic fun <T, A : Appendable>
Iterable<T>.joinTo(buffer: A, separator: CharSequence = '\n', prefix: CharSequence = "\n", postfix: CharSequence
= "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n
        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n
if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n *
\n * @sample samples.collections.Collections.Transformations.joinToString\n * \npublic fun <T>
Iterable<T>.joinToString(separator: CharSequence = '\n', prefix: CharSequence = "\n", postfix: CharSequence =
"\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this
collection as an [Iterable].\n * \n * @kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable():

```

```

Iterable<T> { \n    return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n * \npublic fun <T> Iterable<T>.asSequence():
Sequence<T> { \n    return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Iterable<Byte>.average(): Double { \n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) { \n        sum += element\n        count += 1\n    }\n
return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Iterable<Short>.average(): Double { \n
var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) { \n        sum += element\n        count += 1\n
}\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Iterable<Int>.average(): Double { \n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) { \n        sum += element\n        count += 1\n
}\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Iterable<Long>.average(): Double { \n
var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) { \n        sum += element\n        count += 1\n
}\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Iterable<Float>.average(): Double { \n
var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) { \n        sum += element\n        count += 1\n
}\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Iterable<Double>.average(): Double { \n
var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) { \n        sum += element\n        count += 1\n
}\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the
collection.\n * \n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Iterable<Byte>.sum(): Int { \n    var sum: Int =
0\n    for (element in this) { \n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the collection.\n * \n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Iterable<Short>.sum(): Int { \n
var sum: Int = 0\n    for (element in this) { \n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all elements in the collection.\n * \n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Iterable<Int>.sum():
Int { \n    var sum: Int = 0\n    for (element in this) { \n        sum += element\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all elements in the collection.\n * \n@kotlin.jvm.JvmName("sumOfLong")\npublic fun
Iterable<Long>.sum(): Long { \n    var sum: Long = 0L\n    for (element in this) { \n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Iterable<Float>.sum(): Float { \n    var sum: Float = 0.0f\n
for (element in this) { \n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the collection.\n * \n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Iterable<Double>.sum(): Double { \n
var sum: Double = 0.0\n    for (element in this) { \n        sum += element\n    }\n    return sum\n}\n\n"/**\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n * \n\npackage kotlin.collections\n\nimport
kotlin.comparisons.naturalOrder\n\nimport kotlin.math.floor\n\n/** Returns the array if it's not `null`, or an empty
array otherwise. *\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty():
Array<out T> = this ?: emptyArray<T>()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T>
Collection<T>.toArray(): Array<T> =
copyToArray(this)\n\n@JsName("copyToArray")\n@PublishedApi\ninternal fun <T> copyToArray(collection:
Collection<T>): Array<T> { \n    return if (collection.asDynamic().toArray !== undefined)\n
collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName("copyToArrayImpl")\ninternal actual fun
copyToArrayImpl(collection: Collection<*>): Array<Any?> { \n    val array = emptyArray<Any?>()\n    val iterator
= collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return
array\n}\n\n@JsName("copyToExistingArrayImpl")\ninternal actual fun <T> copyToArrayImpl(collection:

```

```

Collection<*>, array: Array<T>): Array<T> {\n  if (array.size < collection.size)\n    return
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n\n  val iterator = collection.iterator()\n  var index = 0\n  while (iterator.hasNext()) {\n    array[index++] = iterator.next().unsafeCast<T>()\n  }\n  if (index < array.size)\n  {\n    array[index] = null.unsafeCast<T>()\n  }\n  return
array\n}\n\n@library("arrayToString")\n@Suppress("UNUSED_PARAMETER")\ninternal fun
arrayToString(array: Array<*>): String = definedExternally\n\n/**\n * Returns an immutable list containing only
the specified object [element].\n * \npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\n\n/**\n *
Returns an immutable set containing only the specified object [element].\n * \npublic fun <T> setOf(element: T):
Set<T> = hashSetOf(element)\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n *
specified value.\n * \npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\n\n/**\n * Fills
the list with the provided [value].\n * \n * Each element in the list gets replaced with the [value].\n\n
*\n\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n  for (index in
0..lastIndex) {\n    this[index] = value\n  }\n}\n\n/**\n * Randomly shuffles elements in this list.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n\n
*\n\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit {\n  for (i in lastIndex downTo
1) {\n    val j = rand(i + 1)\n    val copy = this[i]\n    this[i] = this[j]\n    this[j] = copy\n  }\n}\n\nprivate
fun rand(upperBound: Int) = floor(kotlin.js.Math.random() * upperBound).toInt()\n\n/**\n * Returns a new list with
the elements of this list randomly shuffled.\n * \n\n@SinceKotlin("1.2")\npublic actual fun <T>
Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-place
according to their natural sort order.\n * \n\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n
collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified
with [comparator].\n * \n\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n
collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator:
Comparator<in T>) {\n  if (list.size <= 1) return\n\n  val array = copyToArray(list)\n\n  array.asDynamic().sort(comparator.asDynamic().compare.bind(comparator))\n\n  for (i in 0 until array.size) {\n
list[i] = array[i]\n  }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n
return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n// no singleton map implementation in js, return
map as is\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline
fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> =
this.toMutableMap()\n\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <T> Array<out
T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n  if (isVarargs)\n    // no need to copy vararg
array in JS\n    this\n  else\n    this.copyOf()\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop.\n * \n * @sample samples.collections.Iterators.iterator\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n/**\n * Returns an [Iterator] wrapping each value produced by
this [Iterator] with the [IndexedValue],\n * containing value and it's index.\n * \n * @sample
samples.collections.Iterators.withIndexIterator\n * \n\npublic fun <T> Iterator<T>.withIndex():
Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of
this [Iterator].\n * \n * @sample samples.collections.Iterators.forEachIterator\n * \n\npublic inline fun <T>
Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n  for (element in this) operation(element)\n}\n\n/**\n *
Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n * \n\ninternal class
IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n  private var index =
0\n  final override fun hasNext(): Boolean = iterator.hasNext()\n  final override fun next(): IndexedValue<T> =
IndexedValue(index++, iterator.next())\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n\n

```

```

*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("ComparisonsKt")^package
kotlin.comparisons^/^ NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt^ See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib/^import kotlin.^import kotlin.text.^import
kotlin.comparisons.^ Returns the greater of two values.^ If values are equal, returns the first one.^
*^@SinceKotlin("1.1")^public expect fun <T : Comparable<T>> maxOf(a: T, b: T): T^ Returns the
greater of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a:
Byte, b: Byte): Byte^ Returns the greater of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Short, b: Short):
Short^ Returns the greater of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Int, b: Int): Int^
* Returns the greater of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline
fun maxOf(a: Long, b: Long): Long^ Returns the greater of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Float, b: Float):
Float^ Returns the greater of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Double, b: Double):
Double^ Returns the greater of three values.^
*^@SinceKotlin("1.1")^public expect fun <T :
Comparable<T>> maxOf(a: T, b: T, c: T): T^ Returns the greater of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Byte, b: Byte, c: Byte):
Byte^ Returns the greater of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Short, b: Short, c:
Short): Short^ Returns the greater of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Int, b: Int, c: Int):
Int^ Returns the greater of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public
expect inline fun maxOf(a: Long, b: Long, c: Long): Long^ Returns the greater of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Float, b: Float, c:
Float): Float^ Returns the greater of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Double, b: Double, c:
Double): Double^ Returns the greater of three values according to the order specified by the given
[comparator].^
*^@SinceKotlin("1.1")^public fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {^ return maxOf(a, maxOf(b, c, comparator), comparator)^}^ Returns the greater of two values
according to the order specified by the given [comparator].^ If values are equal, returns the first one.^
*^@SinceKotlin("1.1")^public fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {^ return if
(comparator.compare(a, b) >= 0) a else b^}^ Returns the smaller of two values.^ If values are equal,
returns the first one.^
*^@SinceKotlin("1.1")^public expect fun <T : Comparable<T>> minOf(a: T, b: T):
T^ Returns the smaller of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public
expect inline fun minOf(a: Byte, b: Byte): Byte^ Returns the smaller of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Short, b: Short):
Short^ Returns the smaller of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Int, b: Int): Int^
* Returns the smaller of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline
fun minOf(a: Long, b: Long): Long^ Returns the smaller of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Float, b: Float):
Float^ Returns the smaller of two values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Double, b: Double):
Double^ Returns the smaller of three values.^
*^@SinceKotlin("1.1")^public expect fun <T :
Comparable<T>> minOf(a: T, b: T, c: T): T^ Returns the smaller of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte^ Returns the smaller of three values.^

```

```

*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^@public expect inline fun minOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the smaller of three values.\n\n*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^@public expect inline fun minOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the smaller of three values.\n\n*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^@public expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n\n*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^@public expect inline fun minOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the smaller of three values.\n\n*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^@public expect inline fun minOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the smaller of three values according to the order specified by the given [comparator].\n\n*^@SinceKotlin("1.1")^@public fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n    return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n\n*^@SinceKotlin("1.1")^@public fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if (comparator.compare(a, b) <= 0) a else b\n}\n\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n\n*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("MapsKt")^@package kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport kotlin.comparisons.*\n\n/**\n * Returns a [List] containing all key-value pairs.\n\n*^@public fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n    if (size == 0)\n        return emptyList()\n    val iterator = entries.iterator()\n    if (!iterator.hasNext())\n        return emptyList()\n    val first = iterator.next()\n    if (!iterator.hasNext())\n        return listOf(first.toPair())\n    val result = ArrayList<Pair<K, V>>(size)\n    result.add(first.toPair())\n    do {\n        result.add(iterator.next().toPair())\n    } while (iterator.hasNext())\n    return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each entry of original map.\n\n*^@public inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to the given [destination].\n\n*^@public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each entry in the original map.\n\n*^@public inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each entry in the original map.\n\n*^@public inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends only the non-null results to the given [destination].\n\n*^@public inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n    forEach { element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n * and appends the results to the given [destination].\n\n*^@public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Returns `true` if all entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n\n*^@public inline fun <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n\n*^@public fun <K, V> Map<out K, V>.any(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n\n*^@public inline fun

```

```

<K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
    if (isEmpty()) return false
    for (element in this) if (predicate(element)) return true
    return false
}

Returns the number of entries in this map.
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<out K, V>.count(): Int {
    return size
}

Returns the number of entries matching the given [predicate].
public inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {
    if (isEmpty()) return 0
    var count = 0
    for (element in this) if (predicate(element)) count++
    return count
}

Performs the given [action] on each entry.
@kotlin.internal.HidesMembers
public inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {
    for (element in this) action(element)
}

Returns the first entry yielding the largest value of the given function or `null` if there are no entries.
@kotlin.internal.InlineOnly
public inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    return entries.maxBy(selector)
}

Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no entries.
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<out K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {
    return entries.maxWith(comparator)
}

Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.
public inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    return entries.minBy(selector)
}

Returns the first entry having the smallest value according to the provided [comparator] or `null` if there are no entries.
public fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {
    return entries.minWith(comparator)
}

Returns `true` if the map has no entries.
@sample
samples.collections.Collections.Aggregates.none
public fun <K, V> Map<out K, V>.none(): Boolean {
    return isEmpty()
}

Returns `true` if no entries match the given [predicate].
@sample
samples.collections.Collections.Aggregates.noneWithPredicate
public inline fun <K, V> Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
    if (isEmpty()) return true
    for (element in this) if (predicate(element)) return false
    return true
}

Performs the given [action] on each entry and returns the map itself afterwards.
@SinceKotlin("1.1")
public inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {
    return apply { for (element in this) action(element) }
}

Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {
    return entries
}

Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.
public fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {
    return entries.asSequence()
}

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
kotlin.ranges
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> =
    this.toDouble().rangeTo(that.toDouble()).unsafeCast<ClosedFloatingPointRange<Float>>()
}

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("SequencesKt")
kotlin.sequences
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.*
import kotlin.text.*
import kotlin.comparisons.*
import kotlin.coroutines.experimental.*

Returns `true` if [element] is found in the sequence.
The operation is _terminal_.
public operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {
    return indexOf(element) >= 0
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.
The operation is _terminal_.
public fun <T> Sequence<T>.elementAt(index: Int): T {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at index $index.") }
}

Returns an element at the given [index] or the result of calling the [defaultValue] function

```

```

if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n *\npublic fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  if (index < 0)\n    return
defaultValue(index)\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n    val element
= iterator.next()\n    if (index == count++)\n      return element\n  }\n  return
defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this sequence.\n *\n * The operation is _terminal_.\n *\npublic fun <T> Sequence<T>.elementOrNull(index: Int):
T? {\n  if (index < 0)\n    return null\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext())
{\n    val element = iterator.next()\n    if (index == count++)\n      return element\n  }\n  return
null\n}\n\n**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*\n * The operation is _terminal_.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.find(predicate: (T) -> Boolean): T? {\n  return firstOrNull(predicate)\n}\n\n**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is
_terminal_.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) ->
Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n**\n * Returns first element.\n * @throws
[NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n *\npublic fun <T>
Sequence<T>.first(): T {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n    throw
NoSuchElementException("Sequence is empty.")\n  return iterator.next()\n}\n\n**\n * Returns the first element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The
operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n  for
(element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Sequence contains no
element matching the predicate.")\n}\n\n**\n * Returns the first element, or `null` if the sequence is empty.\n *\n *
The operation is _terminal_.\n *\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n  val iterator = iterator()\n  if
(!iterator.hasNext())\n    return null\n  return iterator.next()\n}\n\n**\n * Returns the first element matching the
given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n *\npublic inline fun
<T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n**\n * Returns first index of [element], or -1 if the sequence does not contain
element.\n *\n * The operation is _terminal_.\n *\npublic fun <@kotlin.internal.OnlyInputTypes T>
Sequence<T>.indexOf(element: T): Int {\n  var index = 0\n  for (item in this) {\n    if (element == item)\n      return index\n    index++\n  }\n  return -1\n}\n\n**\n * Returns index of the first element matching the given
[predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n *\npublic
inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n  var index = 0\n  for (item in this)
{\n    if (predicate(item))\n      return index\n    index++\n  }\n  return -1\n}\n\n**\n * Returns index of
the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The
operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n
var lastIndex = -1\n  var index = 0\n  for (item in this) {\n    if (predicate(item))\n      lastIndex = index\n    index++\n  }\n  return lastIndex\n}\n\n**\n * Returns the last element.\n * @throws [NoSuchElementException]
if the sequence is empty.\n *\n * The operation is _terminal_.\n *\npublic fun <T> Sequence<T>.last(): T {\n  val
iterator = iterator()\n  if (!iterator.hasNext())\n    throw NoSuchElementException("Sequence is empty.")\n  var
last = iterator.next()\n  while (iterator.hasNext())\n    last = iterator.next()\n  return last\n}\n\n**\n *
Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.last(predicate: (T) -
> Boolean): T {\n  var last: T? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))
{\n      last = element\n      found = true\n    }\n  }\n  if (!found) throw
NoSuchElementException("Sequence contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return last as T\n}\n\n**\n * Returns last index of [element], or -1 if the
sequence does not contain element.\n *\n * The operation is _terminal_.\n *\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n  var lastIndex = -1\n  var
index = 0\n  for (item in this) {\n    if (element == item)\n      lastIndex = index\n    index++\n  }\n

```

```

return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is
_terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n    val iterator = iterator()\n    if
(iterator.hasNext())\n        return null\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last =
iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if
(predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the single element,
or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw
NoSuchElementException("Sequence is empty.")\n    val single = iterator.next()\n    if (iterator.hasNext())\n        throw
IllegalArgumentException("Sequence has more than one element.")\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) ->
Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))
{\n            if (found) throw IllegalArgumentException("Sequence contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Sequence
contains no element matching the predicate.")\n    @SuppressWarnings("UNCHECKED_CAST")\n    return single as
T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The
operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        return null\n    val single = iterator.next()\n    if (iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a sequence containing
all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int):
Sequence<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return when {\n        n
== 0 -> this\n        this is DropTakeSequence -> this.drop(n)\n        else -> DropSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {\n    return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n    return
FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the
given [predicate].\n *\n * @param [predicate] function that takes the index of an element and the element itself\n *\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n    // TODO:
Rewrite with generalized MapFilterIndexingSequence\n    return
TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value
})\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * @param
[predicate] function that takes the index of an element and the element itself\n *\n * and returns the result of predicate
evaluation on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in
T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter
R.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic inline fun <reified R>

```

```

Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n
@Suppress("UNCHECKED_CAST")\n  return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is
_terminal_.\n */\npublic inline fun <reified R, C : MutableCollection<in R>>
Sequence<*>.filterIsInstanceTo(destination: C): C {\n  for (element in this) if (element is R)
destination.add(element)\n  return destination\n}\n\n/**\n * Returns a sequence containing all elements not
matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T>
Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n  return FilteringSequence(this, false,
predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is
_intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n
@Suppress("UNCHECKED_CAST")\n  return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all
elements that are not `null` to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic fun <C :
MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if
(element != null) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C :
MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic
inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C
{\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n *
Returns a sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n
@sample samples.collections.Collections.Transformations.take\n\npublic fun <T> Sequence<T>.take(n: Int):
Sequence<T> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  return when {\n    n
== 0 -> emptySequence()\n    this is DropTakeSequence -> this.take(n)\n    else -> TakeSequence(this, n)\n  }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation
is _intermediate_ and _stateless_.\n */\n@sample samples.collections.Collections.Transformations.take\n\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n  return
TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted
according to their natural sort order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T :
Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n  return object : Sequence<T> {\n    override fun
iterator(): Iterator<T> {\n      val sortedList = this@sorted.toMutableList()\n      sortedList.sort()\n      return sortedList.iterator()\n    }\n  }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted according to natural sort order of the value returned by specified [selector] function.\n *\n * The operation is
_intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline
selector: (T) -> R?): Sequence<T> {\n  return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence
that yields elements of this sequence sorted descending according to natural sort order of the value returned by
specified [selector] function.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n  return
sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according
to the specified [comparator].\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T>
Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n  return object : Sequence<T> {\n
override fun iterator(): Iterator<T> {\n      val sortedList = this@sortedWith.toMutableList()\n      sortedList.sortWith(comparator)\n      return sortedList.iterator()\n    }\n  }\n}\n\n/**\n * Returns a [Map]
containing key-value pairs provided by [transform] function\n *\n * applied to elements of the given sequence.\n *\n * If any of two pairs would have the same key the last one gets added to the map.\n *\n * The returned map preserves

```

the entry iteration order of the original sequence.

```

    * The operation is _terminal_.
    * public inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
        return associateTo(LinkedHashMap<K, V>(), transform)
    }
    * Returns a [Map] containing the elements from the given sequence indexed by the key returned from [keySelector] function applied to each element.
    * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
    * The returned map preserves the entry iteration order of the original sequence.
    * The operation is _terminal_.
    * public inline fun <T, K> Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {
        return associateByTo(LinkedHashMap<K, T>(), keySelector)
    }
    * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given sequence.
    * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
    * The returned map preserves the entry iteration order of the original sequence.
    * The operation is _terminal_.
    * public inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {
        return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)
    }
    * Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given sequence and value is the element itself.
    * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
    * The operation is _terminal_.
    * public inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
        for (element in this) {
            destination.put(keySelector(element), element)
        }
        return destination
    }
    * Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given sequence.
    * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
    * The operation is _terminal_.
    * public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
        for (element in this) {
            destination.put(keySelector(element), valueTransform(element))
        }
        return destination
    }
    * Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given sequence.
    * If any of two pairs would have the same key the last one gets added to the map.
    * The operation is _terminal_.
    * public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
        for (element in this) {
            destination += transform(element)
        }
        return destination
    }
    * Appends all elements to the given [destination] collection.
    * The operation is _terminal_.
    * public fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {
        for (item in this) {
            destination.add(item)
        }
        return destination
    }
    * Returns a [HashSet] of all elements.
    * The operation is _terminal_.
    * public fun <T> Sequence<T>.toHashSet(): HashSet<T> {
        return toCollection(HashSet<T>())
    }
    * Returns a [List] containing all elements.
    * The operation is _terminal_.
    * public fun <T> Sequence<T>.toList(): List<T> {
        return this.toMutableList().optimizeReadOnlyList()
    }
    * Returns a [MutableList] filled with all elements of this sequence.
    * The operation is _terminal_.
    * public fun <T> Sequence<T>.toMutableList(): MutableList<T> {
        return toCollection(ArrayList<T>())
    }
    * Returns a [Set] of all elements.
    * The returned set preserves the element iteration order of the original sequence.
    * The operation is _terminal_.
    * public fun <T> Sequence<T>.toSet(): Set<T> {
        return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()
    }
    * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.
    * The operation is _intermediate_ and _stateless_.
    * public fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {
        return FlatteningSequence(this, transform, { it.iterator() })
    }
    * Appends all elements yielded from results of [transform] function being invoked on each element of original sequence, to the given [destination].
    * The operation is _terminal_.
    * public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {
        for (element in this) {
            val

```

```

list = transform(element)\n    destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Groups elements of
the original sequence by the key returned by the given [keySelector] function\n * applied to each element and
returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map
preserves the entry iteration order of the keys produced from the original sequence.\n * \n * The operation is
_terminal_\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T,
K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original sequence.\n * \n * The
operation is _terminal_\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * The operation is _terminal_\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this)
{\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<T>() }\n
list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function
applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
* \n * @return The [destination] map.\n * \n * The operation is _terminal_\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * The operation is
_intermediate_ and _stateless_\n * \n * @sample
samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline
fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n    return object :
Grouping<T, K> {\n        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n        override fun
keyOf(element: T): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a sequence containing the results of
applying the given [transform] function\n * to each element in the original sequence.\n * \n * The operation is
_intermediate_ and _stateless_\n */\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n
return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying
the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n * \n * The operation is _intermediate_ and _stateless_\n */\npublic fun <T, R>
Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n    return
TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null
results of applying the given [transform] function\n * to each element and its index in the original sequence.\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n * \n * The operation is _intermediate_ and _stateless_\n */\npublic fun <T, R
: Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n    return
TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function

```

to each element and its index in the original sequence and appends only the non-null results to the given [destination]. @param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is _terminal_.

```
public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    for (index, element) in this.withIndex() {
        transform(index, element)?.let { destination.add(it) }
    }
    return destination
}
```

Applies the given [transform] function to each element and its index in the original sequence and appends the results to the given [destination]. @param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is _terminal_.

```
public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this) {
        destination.add(transform(index++, item))
    }
    return destination
}
```

Returns a sequence containing only the non-null results of applying the given [transform] function to each element in the original sequence. The operation is _intermediate_ and _stateless_.

```
public fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {
    return TransformingSequence(this, transform).filterNotNull()
}
```

Applies the given [transform] function to each element in the original sequence and appends only the non-null results to the given [destination]. The operation is _terminal_.

```
public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    for (element) in this {
        transform(element)?.let { destination.add(it) }
    }
    return destination
}
```

Applies the given [transform] function to each element of the original sequence and appends the results to the given [destination]. The operation is _terminal_.

```
public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this) {
        destination.add(transform(item))
    }
    return destination
}
```

Returns a sequence of [IndexedValue] for each element of the original sequence. The operation is _intermediate_ and _stateless_.

```
public fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {
    return IndexingSequence(this)
}
```

Returns a sequence containing only distinct elements from the given sequence. The elements in the resulting sequence are in the same order as they were in the source sequence. The operation is _intermediate_ and _stateful_.

```
public fun <T> Sequence<T>.distinct(): Sequence<T> {
    return this.distinctBy { it }
}
```

Returns a sequence containing only elements from the given sequence having distinct keys returned by the given [selector] function. The elements in the resulting sequence are in the same order as they were in the source sequence. The operation is _intermediate_ and _stateful_.

```
public fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {
    return DistinctSequence(this, selector)
}
```

Returns a mutable set containing all distinct elements from the given sequence. The returned set preserves the element iteration order of the original sequence. The operation is _terminal_.

```
public fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {
    val set = LinkedHashSet<T>()
    for (item in this) {
        set.add(item)
    }
    return set
}
```

Returns `true` if all elements match the given [predicate]. The operation is _terminal_.

```
public fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {
    for (element in this) {
        if (!predicate(element)) return false
    }
    return true
}
```

Returns `true` if sequence has at least one element. The operation is _terminal_.

```
public fun <T> Sequence<T>.any(): Boolean {
    return iterator().hasNext()
}
```

Returns `true` if at least one element matches the given [predicate]. The operation is _terminal_.

```
public fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {
    for (element in this) {
        if (predicate(element)) return true
    }
    return false
}
```

Returns the number of elements in this sequence. The operation is _terminal_.

```
public fun <T> Sequence<T>.count(): Int {
    var count = 0
    for (element in this) {
        count++
    }
    return count
}
```

Returns the number of elements matching the given [predicate]. The operation is _terminal_.

```
public inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {
    var count = 0
    for (element in this) {
        if (predicate(element)) count++
    }
    return count
}
```

Accumulates value starting with

[initial] value and applying [operation] from left to right to current accumulator value and each element.

```

    * The operation is _terminal_
    * \n public inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {
    \n     var accumulator = initial
    \n     for (element in this) accumulator = operation(accumulator, element)
    \n     return accumulator
    \n }
    * Accumulates value starting with [initial] value and applying [operation] from left to right
    * to current accumulator value and each element with its index in the original sequence.
    * @param [operation] function that takes the index of an element, current accumulator value
    * and the element itself, and calculates the next accumulator value.
    * The operation is _terminal_
    * \n public inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    \n     var index = 0
    \n     var accumulator = initial
    \n     for (element in this) accumulator = operation(index++, accumulator, element)
    \n     return accumulator
    \n }
    * Performs the given [action] on each element.
    * The operation is _terminal_
    * \n public inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {
    \n     for (element in this)
    \n     action(element)
    \n }
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    * The operation is _terminal_
    * \n public inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    \n     var index = 0
    \n     for (item in this)
    \n     action(index++, item)
    \n }
    * Returns the largest element or `null` if there are no elements.
    * If any of elements is `NaN` returns `NaN`.
    * The operation is _terminal_
    * \n @SinceKotlin("1.1")
    \n public fun Sequence<Double>.max(): Double? {
    \n     val iterator = iterator()
    \n     if (!iterator.hasNext()) return null
    \n     var max = iterator.next()
    \n     if (max.isNaN()) return max
    \n     while (iterator.hasNext()) {
    \n         val e = iterator.next()
    \n         if (e.isNaN()) return e
    \n         if (max < e) max = e
    \n     }
    \n     return max
    \n }
    * Returns the largest element or `null` if there are no elements.
    * If any of elements is `NaN` returns `NaN`.
    * The operation is _terminal_
    * \n @SinceKotlin("1.1")
    \n public fun Sequence<Float>.max(): Float? {
    \n     val iterator = iterator()
    \n     if (!iterator.hasNext()) return null
    \n     var max = iterator.next()
    \n     if (max.isNaN()) return max
    \n     while (iterator.hasNext()) {
    \n         val e = iterator.next()
    \n         if (e.isNaN()) return e
    \n         if (max < e) max = e
    \n     }
    \n     return max
    \n }
    * Returns the largest element or `null` if there are no elements.
    * The operation is _terminal_
    * \n public fun <T : Comparable<T>> Sequence<T>.max(): T? {
    \n     val iterator = iterator()
    \n     if (!iterator.hasNext()) return null
    \n     var max = iterator.next()
    \n     while (iterator.hasNext()) {
    \n         val e = iterator.next()
    \n         if (max < e) max = e
    \n     }
    \n     return max
    \n }
    * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
    * The operation is _terminal_
    * \n public inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {
    \n     val iterator = iterator()
    \n     if (!iterator.hasNext()) return null
    \n     var maxElem = iterator.next()
    \n     var maxValue = selector(maxElem)
    \n     while (iterator.hasNext()) {
    \n         val e = iterator.next()
    \n         val v = selector(e)
    \n         if (maxValue < v) {
    \n             maxElem = e
    \n             maxValue = v
    \n         }
    \n     }
    \n     return maxElem
    \n }
    * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.
    * The operation is _terminal_
    * \n public fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {
    \n     val iterator = iterator()
    \n     if (!iterator.hasNext()) return null
    \n     var max = iterator.next()
    \n     while (iterator.hasNext()) {
    \n         val e = iterator.next()
    \n         if (comparator.compare(max, e) < 0)
    \n             max = e
    \n     }
    \n     return max
    \n }
    * Returns the smallest element or `null` if there are no elements.
    * If any of elements is `NaN` returns `NaN`.
    * The operation is _terminal_
    * \n @SinceKotlin("1.1")
    \n public fun Sequence<Double>.min(): Double? {
    \n     val iterator = iterator()
    \n     if (!iterator.hasNext()) return null
    \n     var min = iterator.next()
    \n     if (min.isNaN()) return min
    \n     while (iterator.hasNext()) {
    \n         val e = iterator.next()
    \n         if (e.isNaN()) return e
    \n         if (min > e) min = e
    \n     }
    \n     return min
    \n }
    * Returns the smallest element or `null` if there are no elements.
    * If any of elements is `NaN` returns `NaN`.
    * The operation is _terminal_
    * \n @SinceKotlin("1.1")
    \n public fun Sequence<Float>.min(): Float? {
    \n     val iterator = iterator()
    \n     if (!iterator.hasNext()) return null
    \n     var min = iterator.next()
    \n     if (min.isNaN()) return min
    \n     while (iterator.hasNext()) {
    \n         val e = iterator.next()
    \n         if (e.isNaN()) return e
    \n         if (min > e) min = e
    \n     }
    \n     return min
    \n }
    * Returns the smallest element or `null` if there are no elements.
    * The operation is _terminal_
    * \n public fun <T : Comparable<T>>

```

```

Sequence<T>.min(): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var min =\n  iterator.next()\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if (min > e) min = e\n  }\n  return\n  min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no\n  elements.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minBy(selector: (T) -> R): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var minElem = iterator.next()\n  var minValue = selector(minElem)\n  while (iterator.hasNext()) {\n    val e =\n  iterator.next()\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the\n  provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T>
Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n  return null\n  var min = iterator.next()\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if\n  (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns `true` if the sequence has no\n  elements.\n *\n * The operation is _terminal_.\n */\n\n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Sequence<T>.none(): Boolean {\n  return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if\n  no elements match the given [predicate].\n *\n * The operation is _terminal_.\n */\n\n * @sample\n  samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T>
Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return\n  false\n  return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the\n  original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n\n * @SinceKotlin("1.1")\n */\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n  return\n  map {\n    action(it)\n    it\n  }\n}\n\n/**\n * Accumulates value starting with the first element and applying\n  [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\n\n * @public inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n  val iterator =\n  this.iterator()\n  if (!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be\n  reduced.")\n  var accumulator: S = iterator.next()\n  while (iterator.hasNext()) {\n    accumulator =\n  operation(accumulator, iterator.next())\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with\n  the first element and applying [operation] from left to right\n * to current accumulator value and each element with\n  its index in the original sequence.\n *\n * @param [operation] function that takes the index of an element, current\n  accumulator value\n * and the element itself and calculates the next accumulator value.\n *\n * The operation is\n  _terminal_.\n */\n\n * @public inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S\n {\n  val iterator = this.iterator()\n  if (!iterator.hasNext()) throw UnsupportedOperationException("Empty\n  sequence can't be reduced.")\n  var index = 1\n  var accumulator: S = iterator.next()\n  while (iterator.hasNext())\n  {\n    accumulator = operation(index++, accumulator, iterator.next())\n  }\n  return accumulator\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The\n  operation is _terminal_.\n */\n\n * @public inline fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of\n  all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is\n  _terminal_.\n */\n\n * @public inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n  var\n  sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if\n  there are any `null` elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n\n * @public fun <T : Any>\n  Sequence<T?>.requireNonNulls(): Sequence<T> {\n  return map { it ?: throw IllegalArgumentException("null\n  element found in $this.") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given\n  [size].\n *\n * The last list in the resulting sequence may have less elements than the given [size].\n *\n * @param\n  size the number of elements to take in each list, must be positive and can be greater than the number of elements in\n  this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n */\n\n * @sample\n  samples.collections.Collections.Transformations.chunked\n */\n\n * @SinceKotlin("1.2")\n */\npublic fun <T>\n  Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n  return windowed(size, size, partialWindows =

```

true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * \n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * \n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n * \n * The operation is `_intermediate_` and `_stateful_`.\n * \n * @sample samples.text.Strings.chunkedTransform\n * \n * @Since Kotlin("1.2")\n * \n * public fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n }\n }\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n * \n * The operation is `_intermediate_` and `_stateless_`.\n * \n * public operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n var removed = false\n return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n }\n }\n }\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is `_intermediate_` and `_stateful_`.\n * \n * public operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n if (elements.isEmpty()) return this\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n }\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is `_intermediate_` and `_stateful_`.\n * \n * public operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n }\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is `_intermediate_` for this sequence and `_terminal_` and `_stateful_` for the [elements] sequence.\n * \n * public operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n }\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n * \n * The operation is `_intermediate_` and `_stateless_`.\n * \n * @kotlin.internal.InlineOnly\n * \n * public inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n }\n }\n\n/**\n * Splits the original sequence into pair of lists,\n * where `*first*` list contains elements for which [predicate] yielded `true`,
 while `*second*` list contains elements for which [predicate] yielded `false`.\n * \n * The operation is `_terminal_`.\n * \n * public inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n }\n }\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n * \n * The operation is `_intermediate_` and `_stateless_`.\n * \n * public operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n }\n }\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are

iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {
    return this.plus(elements.asList())
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.

Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {
    return sequenceOf(this, elements.asSequence()).flatten()
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.

Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {
    return sequenceOf(this, elements).flatten()
}

```

Returns a sequence containing all elements of the original sequence and then the given [element].

The operation is `_intermediate_` and `_stateless_`.

```

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {
    return plus(element)
}

```

Returns a sequence of snapshots of the window of the given [size] sliding along this sequence with the given [step], where each snapshot is a list.

Several last lists may have less elements than the given [size].

Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.

@param size the number of elements to take in each window

@param step the number of elements to move the window forward by on an each step, by default 1

@param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.takeWindows

```

@SinceKotlin("1.2")
public fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = false)
}

```

Returns a sequence of results of applying the given [transform] function to an each list representing a view over the window of the given [size] sliding along this sequence with the given [step].

Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.

You should not store it or allow it to escape in some way, unless you made a snapshot of it.

Several last lists may have less elements than the given [size].

Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.

@param size the number of elements to take in each window

@param step the number of elements to move the window forward by on an each step, by default 1

@param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.averageWindows

```

@SinceKotlin("1.2")
public fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)
}

```

Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.

The resulting sequence ends as soon as the shortest input sequence ends.

The operation is `_intermediate_` and `_stateless_`.

@sample samples.collections.Sequences.Transformations.zip

```

public infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {
    return MergingSequence(this, other) { t1, t2 -> t1 to t2 }
}

```

Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index using the provided [transform] function applied to each pair of elements.

The resulting sequence ends as soon as the shortest input sequence ends.

The operation is `_intermediate_` and `_stateless_`.

@sample samples.collections.Sequences.Transformations.zipWithTransform

```

public fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {
    return MergingSequence(this, other, transform)
}

```

Returns a sequence of pairs of each two adjacent elements in

this sequence.
 * The returned sequence is empty if this sequence contains less than two elements.
 * The operation is `_intermediate_` and `_stateless_`.
 @sample
 samples.collections.Collections.Transformations.zipWithNext
`zipWithNext`
 public fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {
 return zipWithNext { a, b -> a to b }
 }
 * Returns a sequence containing the results of applying the given [transform] function to an each pair of two adjacent elements in this sequence.
 * The returned sequence is empty if this sequence contains less than two elements.
 * The operation is `_intermediate_` and `_stateless_`.
 @sample
 samples.collections.Collections.Transformations.zipWithNextToFindDeltas
`zipWithNextToFindDeltas`
 public fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {
 return buildSequence {
 val iterator = iterator()
 if (!iterator.hasNext()) return@result
 var current = iterator.next()
 while (iterator.hasNext()) {
 val next = iterator.next()
 yield(transform(current, next))
 current = next
 }
 }
 }
 * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").
 * The operation is `_terminal_`.
 @sample
 samples.collections.Collections.Transformations.joinTo
`joinTo`
 public fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = "\", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {
 buffer.append(prefix)
 var count = 0
 for (element in this) {
 if (++count > 1)
 buffer.append(separator)
 if (limit < 0 || count <= limit) {
 buffer.appendElement(element, transform)
 } else break
 }
 if (limit >= 0 && count > limit) buffer.append(truncated)
 buffer.append(postfix)
 return buffer
 }
 * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
 * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").
 * The operation is `_terminal_`.
 @sample
 samples.collections.Collections.Transformations.joinToString
`joinToString`
 public fun <T> Sequence<T>.joinToString(separator: CharSequence = "\", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {
 return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
 }
 * Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.
 @sample
 samples.collections.Collections.Transformations.asIterable
`asIterable`
 public fun <T> Sequence<T>.asIterable(): Iterable<T> {
 return Iterable { this.iterator() }
 }
 * Returns this sequence as a [Sequence].
 @kotlin.internal.InlineOnly
 public inline fun <T> Sequence<T>.asSequence(): Sequence<T> {
 return this
 }
 * Returns an average value of elements in the sequence.
 * The operation is `_terminal_`.
 @kotlin.jvm.JvmName("averageOfByte")
 public fun Sequence<Byte>.average(): Double {
 var sum: Double = 0.0
 var count: Int = 0
 for (element in this) {
 sum += element
 count += 1
 }
 return if (count == 0) Double.NaN else sum / count
 }
 * Returns an average value of elements in the sequence.
 * The operation is `_terminal_`.
 @kotlin.jvm.JvmName("averageOfShort")
 public fun Sequence<Short>.average(): Double {
 var sum: Double = 0.0
 var count: Int = 0
 for (element in this) {
 sum += element
 count += 1
 }
 return if (count == 0) Double.NaN else sum / count
 }
 * Returns an average value of elements in the sequence.
 * The operation is `_terminal_`.
 @kotlin.jvm.JvmName("averageOfInt")
 public fun Sequence<Int>.average(): Double {
 var sum: Double = 0.0
 var count: Int = 0
 for (element in this) {
 sum += element
 count += 1
 }
 return if (count == 0) Double.NaN else sum / count
 }
 * Returns an average value of elements in the sequence.
 * The operation is `_terminal_`.
 @kotlin.jvm.JvmName("averageOfLong")
 public fun Sequence<Long>.average(): Double {
 var sum: Double = 0.0
 var count: Int = 0
 for (element in this) {
 sum += element
 count += 1
 }
 return if (count == 0) Double.NaN else sum / count
 }
 * Returns an average value of elements in the sequence.
 * The operation is `_terminal_`.
 @kotlin.jvm.JvmName("averageOfFloat")
 public fun Sequence<Float>.average(): Double {
 var sum:

```

Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    count += 1\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the\n sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun\n Sequence<Double>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    count += 1\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int {\n  var sum: Int = 0\n  for\n (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the\n sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun\n Sequence<Short>.sum(): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += element\n  }\n  return\n sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Sequence<Int>.sum(): Int {\n  var sum: Int = 0\n  for\n (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the\n sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun\n Sequence<Long>.sum(): Long {\n  var sum: Long = 0L\n  for (element in this) {\n    sum += element\n  }\n  return\n sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Sequence<Float>.sum(): Float {\n  var sum: Float = 0.0f\n  for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in\n the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun\n Sequence<Double>.sum(): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n", "\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the\n Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage\n kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\n https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport\n kotlin.comparisons.*\n\n/**\n * Returns a set containing all elements of the original set except the given\n [element].\n *\n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun\n <T> Set<T>.minus(element: T): Set<T> {\n  val result = LinkedHashSet<T>(mapCapacity(size))\n  var removed\n = false\n  return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true\n }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given\n [elements] array.\n *\n * The returned set preserves the element iteration order of the original set.\n */\npublic\n operator fun\n <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n  val result = LinkedHashSet<T>(this)\n  result.removeAll(elements)\n  return result\n}\n\n/**\n * Returns a set containing all elements of the original set\n except the elements contained in the given [elements] collection.\n *\n * The returned set preserves the element\n iteration order of the original set.\n */\npublic operator fun\n <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n  val\n other = elements.convertToSetForSetOperationWith(this)\n  if (other.isEmpty())\n    return this.toSet()\n  if\n (other is Set)\n    return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n  val result =\n LinkedHashSet<T>(this)\n  result.removeAll(other)\n  return result\n}\n\n/**\n * Returns a set containing all\n elements of the original set except the elements contained in the given [elements] sequence.\n *\n * The returned set\n preserves the element iteration order of the original set.\n */\npublic operator fun\n <T> Set<T>.minus(elements:\n Sequence<T>): Set<T> {\n  val result = LinkedHashSet<T>(this)\n  result.removeAll(elements)\n  return\n result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n *\n * The\n returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline\n fun\n <T> Set<T>.minusElement(element: T): Set<T> {\n  return minus(element)\n}\n\n/**\n * Returns a set\n containing all elements of the original set and then the given [element] if it isn't already in this set.\n *\n * The\n returned set preserves the element iteration order of the original set.\n */\npublic operator fun\n <T>\n Set<T>.plus(element: T): Set<T> {\n  val result = LinkedHashSet<T>(mapCapacity(size + 1))\n  result.addAll(this)\n  result.add(element)\n  return result\n}\n\n/**\n * Returns a set containing all elements of the

```

```

original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves
the element iteration order of the original set.\n * \n\npublic operator fun <T> Set<T>.plus(elements: Array<out T>):
Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set and
the given [elements] collection,\n * which aren't already in this set.\n * The returned set preserves the element
iteration order of the original set.\n * \n\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n
val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size *
2))\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all
elements of the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The
returned set preserves the element iteration order of the original set.\n * \n\npublic operator fun <T>
Set<T>.plus(elements: Sequence<T>): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of
the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the
element iteration order of the original set.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Set<T>.plusElement(element: T): Set<T> {\n    return plus(element)\n}\n\n"/\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the
license/LICENSE.txt file.\n
\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.*\nimport kotlin.text.*\nimport
kotlin.comparisons.*\n\n/**\n * Returns a character at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n
\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAt(index: Int): Char {\n    return
get(index)\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this char sequence.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if
the [index] is out of bounds of this char sequence.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrNull(index: Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first
character matching the given [predicate], or `null` if no such character was found.\n
\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no
such character was found.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate:
(Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws
[NoSuchElementException] if the char sequence is empty.\n * \n\npublic fun CharSequence.first(): Char {\n    if
(isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return this[0]\n}\n\n/**\n *
Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such
character is found.\n * \n\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n    for (element
in this) if (predicate(element)) return element\n    throw NoSuchElementException("Char sequence contains no
character matching the predicate.")\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is
empty.\n * \n\npublic fun CharSequence.firstOrNull(): Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n *
Returns the first character matching the given [predicate], or `null` if character was not found.\n * \n\npublic inline fun
CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this char sequence.\n
\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrNull(index: Int, defaultValue: (Int) -> Char):
Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a
character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n\npublic fun

```

```

CharSequence.getOrNull(index: Int): Char? {\n  return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n
  for (index in indices) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n
  for (index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns the last character.\n */\n * @throws [NoSuchElementException] if the char sequence is empty.\n
*/\npublic fun CharSequence.last(): Char {\n  if (isEmpty())\n    throw NoSuchElementException("Char
sequence is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given
[predicate].\n */\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun
CharSequence.last(predicate: (Char) -> Boolean): Char {\n  for (index in this.indices.reversed()) {\n    val
element = this[index]\n    if (predicate(element)) return element\n  }\n  throw NoSuchElementException("Char
sequence contains no character matching the predicate.")\n}\n\n/**\n * Returns the last character, or `null` if the
char sequence is empty.\n */\npublic fun CharSequence.lastOrNull(): Char? {\n  return if (isEmpty()) null else
this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character
was found.\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n  for (index in
this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n
return null\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence is empty or has
more than one character.\n */\npublic fun CharSequence.single(): Char {\n  return when (length) {\n    0 ->
throw NoSuchElementException("Char sequence is empty.")\n    1 -> this[0]\n    else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n  }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*/\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n  var single: Char? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Char sequence contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Char sequence
contains no character matching the predicate.")\n  @SuppressWarnings("UNCHECKED_CAST")\n  return single as
Char\n}\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n
*/\npublic fun CharSequence.singleOrNull(): Char? {\n  return if (length == 1) this[0] else null\n}\n\n/**\n *
Returns the single character matching the given [predicate], or `null` if character was not found or more than one
character was found.\n */\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n
  var single: Char? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if
(found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return
single\n}\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n */\n *
\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharSequence.drop(n: Int):
CharSequence {\n  require(n >= 0) { "Requested character count $n is less than zero." }\n  return
subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters removed.\n
*/\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun String.drop(n: Int): String
{\n  require(n >= 0) { "Requested character count $n is less than zero." }\n  return
substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence with the last [n]
characters removed.\n */\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun
CharSequence.dropLast(n: Int): CharSequence {\n  require(n >= 0) { "Requested character count $n is less than
zero." }\n  return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters
removed.\n */\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun
String.dropLast(n: Int): String {\n  require(n >= 0) { "Requested character count $n is less than zero." }\n  return
take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n */\n * \n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *^public inline fun
CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n  for (index in lastIndex downTo
0)\n    if (!predicate(this[index]))\n      return subSequence(0, index + 1)\n  return ""\n}\n\n * Returns a
string containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *^public inline fun String.dropLastWhile(predicate:
(Char) -> Boolean): String {\n  for (index in lastIndex downTo 0)\n    if (!predicate(this[index]))\n      return
substring(0, index + 1)\n  return ""\n}\n\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *^public inline fun CharSequence.dropWhile(predicate:
(Char) -> Boolean): CharSequence {\n  for (index in this.indices)\n    if (!predicate(this[index]))\n      return
subSequence(index, length)\n  return ""\n}\n\n * Returns a string containing all characters except first
characters that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *^public inline fun String.dropWhile(predicate: (Char) ->
Boolean): String {\n  for (index in this.indices)\n    if (!predicate(this[index]))\n      return substring(index)\n
return ""\n}\n\n * Returns a char sequence containing only those characters from the original char sequence
that match the given [predicate].\n *^public inline fun CharSequence.filter(predicate: (Char) -> Boolean):
CharSequence {\n  return filterTo(StringBuilder(), predicate)\n}\n\n * Returns a string containing only those
characters from the original string that match the given [predicate].\n *^public inline fun String.filter(predicate:
(Char) -> Boolean): String {\n  return filterTo(StringBuilder(), predicate).toString()\n}\n\n * Returns a char
sequence containing only those characters from the original char sequence that match the given [predicate].\n *
@param [predicate] function that takes the index of a character and the character itself\n * and returns the result of
predicate evaluation on the character.\n *^public inline fun CharSequence.filterIndexed(predicate: (index: Int,
Char) -> Boolean): CharSequence {\n  return filterIndexedTo(StringBuilder(), predicate)\n}\n\n * Returns a
string containing only those characters from the original string that match the given [predicate].\n * @param
[predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate
evaluation on the character.\n *^public inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean):
String {\n  return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n * Appends all characters
matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of a
character and the character itself\n * and returns the result of predicate evaluation on the character.\n *^public
inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))\n      destination.append(element)\n  }\n  return destination\n}\n\n * Returns a char sequence containing only
those characters from the original char sequence that do not match the given [predicate].\n *^public inline fun
CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n  return filterNotTo(StringBuilder(),
predicate)\n}\n\n * Returns a string containing only those characters from the original string that do not match
the given [predicate].\n *^public inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n  return
filterNotTo(StringBuilder(), predicate).toString()\n}\n\n * Appends all characters not matching the given
[predicate] to the given [destination].\n *^public inline fun <C : Appendable>
CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.append(element)\n  return destination\n}\n\n * Appends all characters
matching the given [predicate] to the given [destination].\n *^public inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (index in 0 until length) {\n    val
element = get(index)\n    if (predicate(element)) destination.append(element)\n  }\n  return
destination\n}\n\n * Returns a char sequence containing characters of the original char sequence at the
specified range of [indices].\n *^public fun CharSequence.slice(indices: IntRange): CharSequence {\n  if
(indices.isEmpty()) return ""\n  return subSequence(indices)\n}\n\n * Returns a string containing characters
of the original string at the specified range of [indices].\n *^public fun String.slice(indices: IntRange): String {\n
if (indices.isEmpty()) return ""\n  return substring(indices)\n}\n\n * Returns a char sequence containing

```

characters of the original char sequence at specified [indices].

```

public fun CharSequence.slice(indices:
Iterable<Int>): CharSequence {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return ""
    val result = StringBuilder(size)
    for (i in indices) {
        result.append(get(i))
    }
    return result
}

```

* Returns a string containing characters of the original string at specified [indices].

```

@kotlin.internal.InlineOnly
public inline fun String.slice(indices: Iterable<Int>): String {
    return (this as CharSequence).slice(indices).toString()
}

```

* Returns a subsequence of this char sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.

```

@sample samples.collections.Collections.Transformations.take
public fun CharSequence.take(n: Int):
CharSequence {
    require(n >= 0) { "Requested character count $n is less than zero." }
    return
subSequence(0, n.coerceAtMost(length))
}

```

* Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.

```

@sample
samples.collections.Collections.Transformations.take
public fun String.take(n: Int): String {
    require(n >= 0) { "Requested character count $n is less than zero." }
    return substring(0, n.coerceAtMost(length))
}

```

* Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.

```

@sample
samples.collections.Collections.Transformations.take
public fun CharSequence.takeLast(n: Int):
CharSequence {
    require(n >= 0) { "Requested character count $n is less than zero." }
    val length = length
    return subSequence(length - n.coerceAtMost(length), length)
}

```

* Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.

```

@sample
samples.collections.Collections.Transformations.take
public fun String.takeLast(n: Int): String {
    require(n >= 0) { "Requested character count $n is less than zero." }
    val length = length
    return substring(length - n.coerceAtMost(length))
}

```

* Returns a subsequence of this char sequence containing last characters that satisfy the given [predicate].

```

@sample samples.collections.Collections.Transformations.take
public inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return subSequence(index + 1, length)
        }
    }
    return subSequence(0, length)
}

```

* Returns a string containing last characters that satisfy the given [predicate].

```

@sample samples.collections.Collections.Transformations.take
public inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return substring(index + 1)
        }
    }
    return this
}

```

* Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].

```

@sample
samples.collections.Collections.Transformations.take
public inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean): CharSequence {
    for (index in 0 until length) {
        if (!predicate(get(index))) {
            return subSequence(0, index)
        }
    }
    return subSequence(0, length)
}

```

* Returns a string containing the first characters that satisfy the given [predicate].

```

@sample
samples.collections.Collections.Transformations.take
public inline fun String.takeWhile(predicate: (Char) -> Boolean): String {
    for (index in 0 until length) {
        if (!predicate(get(index))) {
            return substring(0, index)
        }
    }
    return this
}

```

* Returns a char sequence with characters in reversed order.

```

public fun CharSequence.reversed(): CharSequence {
    return StringBuilder(this).reverse()
}

```

* Returns a string with characters in reversed order.

```

@kotlin.internal.InlineOnly
public inline fun String.reversed(): String {
    return (this as CharSequence).reversed().toString()
}

```

* Returns a [Map] containing key-value pairs provided by [transform] function applied to characters of the given char sequence.

* If any of two pairs would have the same key the last one gets added to the map.

* The returned map preserves the entry iteration order of the original char sequence.

```

public inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(length).coerceAtLeast(16)
    return
associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

* Returns a [Map] containing the characters from the given char sequence indexed by the key returned from [keySelector] function applied to each character.

* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original char sequence.

```

public

```

```

inline fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n  val capacity =
mapCapacity(length).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have
the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original char sequence.\n */\npublic inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n  val capacity
= mapCapacity(length).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\
\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector]
the last one gets added to the map.\n */\npublic inline fun <K, M : MutableMap<in K, in Char>>
CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any
two characters would have the same key returned by [keySelector] the last one gets added to the map.\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char)
-> K, valueTransform: (Char) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each character of the given char
sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) ->
Pair<K, V>): M {\n  for (element in this) {\n    destination += transform(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n  for (item in this) {\n
destination.add(item)\n  }\n  return destination\n}\n\n/**\n * Returns a [HashSet] of all characters.\n */\npublic
fun CharSequence.toHashSet(): HashSet<Char> {\n  return
toCollection(HashSet<Char>(mapCapacity(length)))\n}\n\n/**\n * Returns a [List] containing all characters.\n
*/\npublic fun CharSequence.toList(): List<Char> {\n  return when (length) {\n    0 -> emptyList()\n    1 ->
listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n * Returns a [MutableList] filled with all
characters of this char sequence.\n */\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n  return
toCollection(ArrayList<Char>(length))\n}\n\n/**\n * Returns a [Set] of all characters.\n * \n * The returned set
preserves the element iteration order of the original char sequence.\n */\npublic fun CharSequence.toSet():
Set<Char> {\n  return when (length) {\n    0 -> emptySet()\n    1 -> setOf(this[0])\n    else ->
toCollection(LinkedHashSet<Char>(mapCapacity(length)))\n  }\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each character of original char sequence.\n */\npublic
inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n  return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform]
function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>):
C {\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given
[keySelector] function\n * applied to each character and returns a map where each group key is associated with a list
of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from
the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the

```

[valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each
character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n
* @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M,
keySelector: (Char) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Char>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n *
by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map
each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K,
valueTransform: (Char) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-
fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample
samples.collections.Collections.Transformations.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline
fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n    return object :
Grouping<Char, K> {\n        override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n
        override fun keyOf(element: Char): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic
inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n    return mapTo(ArrayList<R>(length),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
character and its index in the original char sequence.\n * @param [transform] function that takes the index of a
character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic
inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of
applying the given [transform] function\n * to each character and its index in the original char sequence.\n *
@param [transform] function that takes the index of a character and the character itself\n * and returns the result of
the transform applied to the character.\n */\npublic inline fun <R : Any>
CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n    return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
character and its index in the original char sequence\n * and appends only the non-null results to the given
[destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and
returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C :
MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) ->
R?): C {\n    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n    return
destination\n}\n\n/**\n * Applies the given [transform] function\n * to each character and its index in the original char
sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the
index of a character and the character itself\n * and returns the result of the transform applied to the character.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform:
(index: Int, Char) -> R): C {\n    var index = 0\n    for (item in this)\n        destination.add(transform(index++,

```

```

item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given
[transform] function\n * to each character in the original char sequence.\n */\npublic inline fun <R : Any>
CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>()),
transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n *
and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C :
MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n forEach
{ element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given
[transform] function to each character of the original char sequence\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C,
transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return
destination\n}\n\n/**\n * Returns a lazy [Iterable] of [IndexedValue] for each character of the original char
sequence.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable
{ iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n */\n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) ->
Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if char sequence has at least one character.\n */\n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n */\n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate:
(Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.count(): Int {\n return length\n}\n\n/**\n * Returns the number of characters matching the given
[predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n
for (element in this) if (predicate(element)) count++\n return count\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right to current accumulator value and each character.\n
*/\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator =
initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each character with its index in the original char sequence.\n */\n * @param [operation] function that takes the
index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator
value.\n */\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R):
R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++,
accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun <R>
CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var
accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each character with its index in the original char sequence and current accumulator value.\n */\n *
@param [operation] function that takes the index of a character, the character itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R,
operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while
(index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun
CharSequence.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each character, providing sequential index with the character.\n */\n * @param [action]
function that takes the index of a character and the character itself\n * and performs the desired action on the
character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var
index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest character or `null` if there are

```

```

no characters.\n */\npublic fun CharSequence.max(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or `null` if there are no characters.\n */\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic fun CharSequence.min(): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n */\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n */\n@sample\nsamples.collections.Collections.Aggregates.none\n\n/**\n * Returns `true` if no characters match the given [predicate].\n */\n@sample\nsamples.collections.Collections.Aggregates.noneWithPredicate\n\n/**\n * Returns `true` if the char sequence has no characters.\n */\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin("1.1")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n    if (isEmpty()) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character with its index in the original char sequence.\n */\n@param [operation] function that takes the index of a character, current accumulator value and the character itself and calculates the next accumulator value.\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n    if (isEmpty()) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value.\n */\n@param [operation] function that takes the index of a character, the character itself and current accumulator value, and calculates the next accumulator value.\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value.\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n    var index =

```


each snapshot is a string. Several last strings may have less characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.takeWindows

```

*^@SinceKotlin("1.2")
public fun
CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {
    return
    windowed(size, step, partialWindows) { it.toString() }
}

```

Returns a list of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have less characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.averageWindows

```

*^@SinceKotlin("1.2")
public fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows:
Boolean = false, transform: (CharSequence) -> R): List<R> {
    checkWindowSizeStep(size, step)
    val thisSize = this.length
    val result = ArrayList<R>((thisSize + step - 1) / step)
    var index = 0
    while (index < thisSize) {
        val end = index + size
        val coercedEnd = if (end > thisSize) { if (partialWindows) thisSize else break }
        else end
        result.add(transform(subSequence(index, coercedEnd)))
        index += step
    }
    return
    result
}

```

Returns a sequence of snapshots of the window of the given [size] sliding along this char sequence with the given [step], where each snapshot is a string. Several last strings may have less characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.takeWindows

```

*^@SinceKotlin("1.2")
public fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows:
Boolean = false): Sequence<String> {
    return windowedSequence(size, step, partialWindows) { it.toString() }
}

```

Returns a sequence of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have less characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.averageWindows

```

*^@SinceKotlin("1.2")
public fun <R>
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform:
(CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = (if
    (partialWindows) indices else 0 until length - size + 1) step step
    return windows.asSequence().map { index ->
    transform(subSequence(index, (index + size).coerceAtMost(length))) }
}

```

Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index. The returned list has length of the shortest char sequence.

@sample samples.text.Strings.zip

```

*^@SinceKotlin("1.2")
public infix fun CharSequence.zip(other:
CharSequence): List<Pair<Char, Char>> {
    return zip(other) { c1, c2 -> c1 to c2 }
}

```

Returns a list of

```

values built from the characters of `this` and the [other] char sequences with the same index\n * using the provided
[transform] function applied to each pair of characters.\n * The returned list has length of the shortest char
sequence.\n * \n * @sample samples.text.Strings.zipWithTransform\n * \n\npublic inline fun <V>
CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n    val length =
minOf(this.length, other.length)\n    val list = ArrayList<V>(length)\n    for (i in 0 until length) {\n
list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent
characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two
characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
*\n\n@SinceKotlin("1.2")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n    return
zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if
this char sequence contains less than two characters.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n * \n\n@SinceKotlin("1.2")\npublic
inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n    val size = length - 1\n
if (size < 1) return emptyList()\n    val result = ArrayList<R>(size)\n    for (index in 0 until size) {\n
result.add(transform(this[index], this[index + 1]))\n    }\n    return result\n}\n\n/**\n * Creates an [Iterable] instance
that wraps the original char sequence returning its characters when being iterated.\n * \n\npublic fun
CharSequence.asIterable(): Iterable<Char> {\n    if (this is String && isEmpty()) return emptyList()\n    return
Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence
returning its characters when being iterated.\n * \n\npublic fun CharSequence.asSequence(): Sequence<Char> {\n    if
(this is String && isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n"/**\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("StringsKt")\n\n\npackage
kotlin.text\n\nimport kotlin.*\nimport kotlin.comparisons.*\nimport kotlin.internal.contracts.*\n\n\n/**\n * Returns
a sub sequence of this char sequence having leading and trailing characters matching the [predicate] removed.\n
*\n\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n    var startIndex = 0\n
var endIndex = length - 1\n    var startFound = false\n\n    while (startIndex <= endIndex) {\n        val index = if
(!startFound) startIndex else endIndex\n        val match = predicate(this[index])\n\n        if (!startFound) {\n            if
(!match)\n                startFound = true\n            else\n                startIndex += 1\n        } else {\n            if (!match)\n
break\n            else\n                endIndex -= 1\n        }\n    }\n\n    return subSequence(startIndex, endIndex +
1)\n}\n\n/**\n * Returns a string having leading and trailing characters matching the [predicate] removed.\n
*\n\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n    (this as
CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading
characters matching the [predicate] removed.\n * \n\npublic inline fun CharSequence.trimStart(predicate: (Char) ->
Boolean): CharSequence {\n    for (index in this.indices)\n        if (!predicate(this[index]))\n            return
subSequence(index, length)\n\n    return ""\n}\n\n/**\n * Returns a string having leading characters matching the
[predicate] removed.\n * \n\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n    (this as
CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having
trailing characters matching the [predicate] removed.\n * \n\npublic inline fun CharSequence.trimEnd(predicate:
(Char) -> Boolean): CharSequence {\n    for (index in this.indices.reversed())\n        if (!predicate(this[index]))\n
return subSequence(0, index + 1)\n\n    return ""\n}\n\n/**\n * Returns a string having trailing characters
matching the [predicate] removed.\n * \n\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n
(this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence
having leading and trailing characters from the [chars] array removed.\n * \n\npublic fun CharSequence.trim(vararg
chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters
from the [chars] array removed.\n * \n\npublic fun String.trim(vararg chars: Char): String = trim { it in chars
}\n\n/**\n * Returns a sub sequence of this char sequence having leading characters from the [chars] array

```

```

removed.\n */\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars
}\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n */\npublic fun
String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char
sequence having trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg
chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the
[chars] array removed.\n */\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n
 * Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun
CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and
trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as
CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace
removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n *
Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this
char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as
CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at
the beginning\n * to the specified [length] with the specified character or space.\n * \n * @param length the desired
string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified.
Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char
sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n */\npublic fun
CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n    if (length < 0)\n        throw
IllegalArgumentException("Desired length $length is less than zero.")\n    if (length <= this.length)\n        return
this.subSequence(0, this.length)\n\n    val sb = StringBuilder(length)\n    for (i in 1..(length - this.length))\n
sb.append(padChar)\n    sb.append(this)\n    return sb\n}\n\n/**\n * Pads the string to the specified [length] at the
beginning with the specified character or space.\n * \n * @param length the desired string length.\n * @param
padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n
* @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many
times\n * as are necessary to reach that length.\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '):
String =\n    (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with
content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n
* \n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length
less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least
[length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that
length.\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n    if (length < 0)\n
throw IllegalArgumentException("Desired length $length is less than zero.")\n    if (length <= this.length)\n
return this.subSequence(0, this.length)\n\n    val sb = StringBuilder(length)\n    sb.append(this)\n    for (i in
1..(length - this.length))\n        sb.append(padChar)\n    return sb\n}\n\n/**\n * Pads the string to the specified
[length] at the end with the specified character or space.\n * \n * @param length the desired string length.\n *
@param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by
default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as
many times\n * as are necessary to reach that length.\n */\npublic fun String.padEnd(length: Int, padChar: Char = '
'): String =\n    (this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable
char sequence is either `null` or empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty !=
null)\n    }\n    return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty
(contains no characters).\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean =
length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n */\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n\npublic
fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n\n/**\n * Returns `true` if this char
sequence is not empty and contains some characters except of whitespace characters.\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n\n/**\n *
Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\n    contract {\n
returns(false) implies (this@isNullOrBlank != null)\n    }\n\n    return this == null || this.isBlank()\n}\n\n\n/**\n *
Iterator for characters of the given char sequence.\n
*\n\npublic operator fun CharSequence.iterator(): CharIterator =
object : CharIterator() {\n    private var index = 0\n\n    public override fun nextChar(): Char = get(index++)\n\n
public override fun hasNext(): Boolean = index < length\n}\n\n\n/**\n * Returns the string if it is not `null`, or the empty
string otherwise. *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun String?.orEmpty(): String = this ?: ""\n\n\n/**\n
* Returns the range of valid character indices for this char sequence.\n
*\n\npublic val CharSequence.indices:
IntRange\n    get() = 0..length - 1\n\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is
empty.\n
*\n\npublic val CharSequence.lastIndex: Int\n    get() = this.length - 1\n\n\n/**\n * Returns `true` if this
CharSequence has Unicode surrogate pair at the specified [index].\n
*\n\npublic fun
CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n    return index in 0..length - 2\n        &&
this[index].isHighSurrogate()\n        && this[index + 1].isLowSurrogate()\n}\n\n\n/**\n * Returns a substring
specified by the given [range] of indices.\n
*\n\npublic fun String.substring(range: IntRange): String =
substring(range.start, range.endInclusive + 1)\n\n\n/**\n * Returns a subsequence of this char sequence specified by
the given [range] of indices.\n
*\n\npublic fun CharSequence.subSequence(range: IntRange): CharSequence =
subSequence(range.start, range.endInclusive + 1)\n\n\n/**\n * Returns a subsequence of this char sequence.\n
*\n\n * This extension is chosen only for invocation with old-named parameters.\n
* Replace parameter names with the
same as those of [CharSequence.subSequence].\n
*\n\n@kotlin.internal.InlineOnly\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning\n\n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex
= start, endIndex = end)"))\n\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence =
subSequence(start, end)\n\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the
[startIndex] and ending right before the [endIndex].\n
*\n\n * @param startIndex the start index (inclusive).\n
*\n\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length):
String = subSequence(startIndex, endIndex).toString()\n\n\n/**\n * Returns a substring of chars at indices from the
specified [range] of this char sequence.\n
*\n\npublic fun CharSequence.substring(range: IntRange): String =
subSequence(range.start, range.endInclusive + 1).toString()\n\n\n/**\n * Returns a substring before the first
occurrence of [delimiter].\n
*\n\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\n
*\n\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0, index)\n}\n\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n
*\n\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n
*\n\npublic fun
String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n\n/**\n * Returns
a substring after the first occurrence of [delimiter].\n
*\n\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n
*\n\npublic fun String.substringAfter(delimiter:
Char, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else substring(index + 1, length)\n}\n\n\n/**\n * Returns a substring after the first occurrence
of [delimiter].\n
*\n\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n
*\n\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this):
String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)\n}\n\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n
*\n\n * If the string

```

does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

Returns a substring before the last occurrence of [delimiter].

If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

Returns a substring before the last occurrence of [delimiter].

If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index + 1, length)
}

```

Returns a substring after the last occurrence of [delimiter].

If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)
}

```

Returns a substring after the last occurrence of [delimiter].

If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    val sb = StringBuilder()
    sb.append(this, 0, startIndex)
    sb.append(replacement)
    sb.append(this, endIndex, length)
    return sb
}

```

Replaces the part of the string at the given range with the [replacement] char sequence.

@param startIndex the index of the first character to be replaced.

@param endIndex the index of the first character after the replacement to keep in the string.

```

@kotlin.internal.InlineOnly
public inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()

```

Returns a char sequence with content of this char sequence where its part at the given [range] is replaced with the [replacement] char sequence.

* The end index of the [range] is included in the part to be replaced.

```

public fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =
    replaceRange(range.start, range.endInclusive + 1, replacement)

```

Replace the part of string at the given [range] with the [replacement] string.

* The end index of the [range] is included in the part to be replaced.

```

@kotlin.internal.InlineOnly
public inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(range, replacement).toString()

```

Returns a char sequence with content of this char sequence where its part at the given range is removed.

* @param startIndex the index of the first character to be removed.

* @param endIndex the index of the first character after the removed part to keep in the string.

* [endIndex] is not included in the removed part.

```

public fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    if (endIndex == startIndex)
        return this.subSequence(0, length)
    val sb = StringBuilder(length - (endIndex - startIndex))
    sb.append(this, 0, startIndex)
    sb.append(this, endIndex, length)
    return sb
}

```

Removes the part of a string at a given range.

@param startIndex the index of the first character to be removed.

@param endIndex the index of the first character after the removed part to keep in the string.

* [endIndex] is not included in the removed part.

```

@kotlin.internal.InlineOnly
public inline fun String.removeRange(startIndex: Int, endIndex: Int): String =
    (this as CharSequence).removeRange(startIndex, endIndex).toString()

```

Returns a char sequence with content of this char sequence where its part at the given [range] is removed.

* The end index of the [range] is included in the removed part.

```

public fun CharSequence.removeRange(range: IntRange): CharSequence =
    removeRange(range.start, range.endInclusive + 1)

```

Removes the part of a string at the given [range].

* The end index of the [range] is included in the removed part.

```

@kotlin.internal.InlineOnly
public inline fun

```

String.removeRange(range: IntRange): String = \n (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given [prefix], returns a new char sequence\n * with the prefix removed.\n * Otherwise, returns a new char sequence with the same characters.\n */\npublic fun

CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n if (startsWith(prefix)) {\n return\n subSequence(prefix.length, length)\n }\n return subSequence(0, length)\n}\n\n/**\n * If this string starts with the\n * given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic\n fun String.removePrefix(prefix: CharSequence): String {\n if (startsWith(prefix)) {\n return\n substring(prefix.length)\n }\n return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns\n * a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same\n * characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n if\n (endsWith(suffix)) {\n return subSequence(0, length - suffix.length)\n }\n return subSequence(0,\n length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix\n * removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n if\n (endsWith(suffix)) {\n return substring(0, length - suffix.length)\n }\n return this\n}\n\n/**\n * When this\n * char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having\n * both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n if\n ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return\n subSequence(prefix.length, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/**\n * Removes\n * from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the\n * [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix:\n CharSequence, suffix: CharSequence): String {\n if ((length >= prefix.length + suffix.length) &&\n startsWith(prefix) && endsWith(suffix)) {\n return substring(prefix.length, length - suffix.length)\n }\n return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new\n * char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char\n * sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence):\n CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both\n * the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns\n * this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String =\n removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given\n * delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns\n * [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char,\n replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if\n (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string\n * before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the\n * delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun\n String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val\n index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index,\n replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement]\n * string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original\n * string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String =\n this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else\n replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given\n * delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns\n * [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String,\n replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if\n (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does

not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)
}

```

* Replace part of string after the last occurrence of given delimiter with the [replacement] string.

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)
}

```

* Replace part of string before the last occurrence of given delimiter with the [replacement] string.

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

```

* Replace part of string before the last occurrence of given delimiter with the [replacement] string.

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

```

// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific

```

public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific

```

* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the given [replacement].

* The [replacement] can consist of any combination of literal text and \$-substitutions. To treat the replacement string literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)

```

* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a replacement for that match.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String = regex.replace(this, transform)

```

* Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.

* @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)

```

* Returns `true` if this char sequence matches the given regular expression.

```

@kotlin.internal.InlineOnly
public inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)

```

* Implementation of [regionMatches] for CharSequences.

* Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.

```

internal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {
    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {
        return false
    }
    for (index in 0 until length) {
        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase)) {
            return false
        }
    }
    return true
}

```

* Returns `true` if this char sequence starts with the specified character.

```

public fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean = this.length > 0 && this[0].equals(char, ignoreCase)

```

* Returns `true` if this char sequence ends with the specified character.

```

public fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean = this.length > 0 && this[lastIndex].equals(char, ignoreCase)

```

* Returns `true` if this char sequence starts with the specified prefix.

```

public fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && prefix is String) {
        return this.startsWith(prefix)
    } else {
        return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)
    }
}

```

* Returns `true` if a substring of this char sequence starting at the specified offset [startIndex] starts with the specified prefix.

```

public fun

```

```

CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && prefix is String)
        return this.startsWith(prefix, startIndex)
    else
        return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)
}

/** Returns `true` if this char sequence ends with the specified suffix. */
public fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && suffix is String)
        return this.endsWith(suffix)
    else
        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)
}

// common prefix and suffix
/** Returns the longest string `prefix` such that this char sequence and [other] char sequence both start with this prefix, taking care not to split surrogate pairs. If this and [other] have no common prefix, returns the empty string.
    @param ignoreCase `true` to ignore character case when matching a character. By default `false`. */
public fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {
    val shortestLength = minOf(this.length, other.length)
    var i = 0
    while (i < shortestLength && this[i].equals(other[i], ignoreCase = ignoreCase)) {
        i++
    }
    if (this.hasSurrogatePairAt(i - 1) || other.hasSurrogatePairAt(i - 1)) {
        i--
    }
    return subSequence(0, i).toString()
}

/** Returns the longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix, taking care not to split surrogate pairs. If this and [other] have no common suffix, returns the empty string.
    @param ignoreCase `true` to ignore character case when matching a character. By default `false`. */
public fun CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {
    val thisLength = this.length
    val otherLength = other.length
    val shortestLength = minOf(thisLength, otherLength)
    var i = 0
    while (i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {
        i++
    }
    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {
        i--
    }
    return subSequence(thisLength - i, thisLength).toString()
}

// indexOfAny()
/** Finds the index of the first occurrence of any of the specified [chars] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.
    @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
    @return An index of the first occurrence of matched character from [chars] or -1 if none of [chars] are found. */
public fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    if (!ignoreCase && chars.size == 1 && this is String) {
        val char = chars.single()
        return nativeIndexOf(char, startIndex)
    }
    for (index in startIndex.coerceAtLeast(0)..lastIndex) {
        val charAtIndex = get(index)
        if (chars.any { it.equals(charAtIndex, ignoreCase) })
            return index
    }
    return -1
}

/** Finds the index of the last occurrence of any of the specified [chars] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.
    @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
    @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
    @return An index of the last occurrence of matched character from [chars] or -1 if none of [chars] are found. */
public fun CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {
    if (!ignoreCase && chars.size == 1 && this is String) {
        val char = chars.single()
        return nativeLastIndexOf(char, startIndex)
    }
    for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {
        val charAtIndex = get(index)
        if (chars.any { it.equals(charAtIndex, ignoreCase) })
            return index
    }
    return -1
}

private fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {
    val indices = if (!last)
        startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)
    else
        startIndex.coerceAtMost(lastIndex) downTo endIndex.coerceAtLeast(0)
    if (this is String && other is String) { // smart cast
        for (index in indices) {
            if (other.regionMatches(0, this, index, other.length, ignoreCase))
                return index
        }
    } else {
        for (index in indices) {
            if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))
                return index
        }
    }
    return -1
}

private fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {
    if (!ignoreCase && strings.size == 1) {
        val string = strings.single()
        val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)
        return if (index < 0) null else index to string
    }
    val indices = if (!last)

```

```

startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n  if (this is String) {\n
  for (index in indices) {\n      val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length,\n
  ignoreCase) }\n      if (matchingString != null)\n          return index to matchingString\n      }\n  } else {\n
  for (index in indices) {\n      val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index,\n
  it.length, ignoreCase) }\n      if (matchingString != null)\n          return index to matchingString\n      }\n  }\n  }\n\n  return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0,\n ignoreCase: Boolean = false): Pair<Int, String>? =\n  findAnyOf(strings, startIndex, ignoreCase, last = false)\n}\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int =\n lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n  findAnyOf(strings, startIndex, ignoreCase, last = true)\n}\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun\nCharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n  findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun\nCharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean =\n false): Int =\n  findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n}\n\n/**\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified\n * [startIndex].\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun\nCharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n  return if (ignoreCase\n || this !is String)\n    indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n  else\n    nativeIndexOf(char,\n startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the first occurrence of the specified\n * [string],\n * starting from the specified [startIndex].\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int

```

```

{\n  return if (ignoreCase || this !is String)\n    indexOf(string, startIndex, length, ignoreCase)\n  else\n  nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of\n the specified character,\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of\n character to start searching at. The search proceeds backward toward the beginning of the string.\n *\n * @param\n ignoreCase `true` to ignore character case when matching a character. By default `false`.\n *\n * @return An index of\n the first occurrence of [char] or -1 if none is found.\n */\n\npublic fun CharSequence.lastIndexOf(char: Char,\n  startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n  return if (ignoreCase || this !is String)\n    lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n  else\n    nativeLastIndexOf(char,\n  startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified\n [string],\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start\n searching at. The search proceeds backward toward the beginning of the string.\n *\n * @param ignoreCase `true` to\n ignore character case when matching a string. By default `false`.\n *\n * @return An index of the first occurrence of\n [string] or -1 if none is found.\n */\n\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex,\n  ignoreCase: Boolean = false): Int {\n  return if (ignoreCase || this !is String)\n    indexOf(string, startIndex, 0,\n  ignoreCase, last = true)\n  else\n    nativeLastIndexOf(string, startIndex)\n}\n\n\n/**\n * Returns `true` if this char\n sequence contains the specified [other] sequence of characters as a substring.\n *\n * @param ignoreCase `true` to\n ignore character case when comparing strings. By default `false`.\n */\n\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun\nCharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n  if (other is String)\n    indexOf(other, ignoreCase) >= 0\n  else\n    indexOf(other, 0, length, ignoreCase) >=\n  0\n}\n\n/**\n * Returns `true` if this char\n sequence contains the specified character [char].\n *\n * @param\n ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n */\n\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(char:\n  Char, ignoreCase: Boolean = false): Boolean =\n  indexOf(char, ignoreCase) >= 0\n}\n\n/**\n * Returns\n `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean =\n  regex.containsMatchIn(this)\n}\n\n// rangesDelimitedBy\n\nprivate class DelimitedRangesSequence(\n  private\n  val input: CharSequence,\n  private val startIndex: Int,\n  private val limit: Int,\n  private val getNextMatch:\n  CharSequence.(Int) -> Pair<Int, Int>?) : Sequence<IntRange> {\n  override fun iterator(): Iterator<IntRange> =\n  object : Iterator<IntRange> {\n    var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n    var\n    currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n    var nextSearchIndex: Int = currentStartIndex\n    var\n    nextItem: IntRange? = null\n    var counter: Int = 0\n    private fun calcNext() {\n      if\n      (nextSearchIndex < 0) {\n        nextState = 0\n        nextItem = null\n      } else {\n        if (limit >\n      0 && ++counter >= limit || nextSearchIndex > input.length) {\n          nextItem =\n      currentStartIndex..input.lastIndex\n          nextSearchIndex = -1\n        } else {\n          val match =\n      input.getNextMatch(nextSearchIndex)\n          if (match == null) {\n            nextItem =\n      currentStartIndex..input.lastIndex\n            nextSearchIndex = -1\n          } else {\n            val\n      (index, length) = match\n            nextItem = currentStartIndex until index\n            currentStartIndex\n      = index + length\n            nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n          }\n        }\n        nextState = 1\n      }\n    }\n    override fun next(): IntRange {\n      if (nextState ==\n      -1)\n        calcNext()\n      if (nextState == 0)\n        throw NoSuchElementException()\n      val\n      result = nextItem as IntRange\n      // Clean next to avoid keeping reference on yielded instance\n      nextItem = null\n      nextState = -1\n      return result\n    }\n    override fun hasNext(): Boolean {\n      if\n      (nextState == -1)\n        calcNext()\n      return nextState == 1\n    }\n  }\n}\n\n/**\n * Returns a\n sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n *\n * @param startIndex The index to start\n searching delimiters from.\n *\n * No range having its start value less than [startIndex] is returned.\n *\n * [startIndex] is\n coerced to be non-negative and not greater than length of this string.\n *\n * @param ignoreCase `true` to ignore

```

```

character case when matching a delimiter. By default `false`.
    @param limit The maximum number of substrings
to return. Zero by default means no limit is set.
    @private fun CharSequence.rangesDelimitedBy(delimiters:
CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {
    require(limit >= 0, { "Limit must be non-negative, but was $limit." })
    return DelimitedRangesSequence(this, startIndex,
limit, { startIndex ->
        indexOfAny(delimiters, startIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it
to 1 } })
}
    @Returns a sequence of index ranges of substrings in this char sequence around
occurrences of the specified [delimiters].
    @param delimiters One or more strings to be used as delimiters.
    @param startIndex The index to start searching delimiters from.
    @No range having its start value less than
[startIndex] is returned.
    @ [startIndex] is coerced to be non-negative and not greater than length of this string.
    @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
    @param limit The maximum number of substrings to return. Zero by default means no limit is set.
    @To avoid ambiguous
results when strings in [delimiters] have characters in common, this method proceeds from
the beginning to the
end of this string, and finds at each position the first element in [delimiters]
that matches this string at that
position.
    @private fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0,
ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {
    require(limit >= 0, { "Limit must be non-
negative, but was $limit." })
    val delimitersList = delimiters.asList()
    return
DelimitedRangesSequence(this, startIndex, limit, { startIndex -> findAnyOf(delimitersList, startIndex, ignoreCase =
ignoreCase, last = false)? })
}
    @Splits this char sequence to
a sequence of strings around occurrences of the specified [delimiters].
    @param delimiters One or more
strings to be used as delimiters.
    @param ignoreCase `true` to ignore character case when matching a delimiter.
By default `false`.
    @param limit The maximum number of substrings to return. Zero by default means no limit
is set.
    @To avoid ambiguous results when strings in [delimiters] have characters in common, this method
proceeds from
the beginning to the end of this string, and finds at each position the first element in [delimiters]
that matches this string at that position.
    @public fun CharSequence.splitToSequence(vararg delimiters: String,
ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase =
ignoreCase, limit = limit).map { substring(it) }
    @Splits this char sequence to a list of strings around
occurrences of the specified [delimiters].
    @param delimiters One or more strings to be used as delimiters.
    @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
    @param
limit The maximum number of substrings to return. Zero by default means no limit is set.
    @To avoid
ambiguous results when strings in [delimiters] have characters in common, this method proceeds from
the beginning to the end of this string, and matches at each position the first element in [delimiters]
that is equal to a
delimiter in this instance at that position.
    @public fun CharSequence.split(vararg delimiters: String, ignoreCase:
Boolean = false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        val delimiter = delimiters[0]
        if (!delimiter.isEmpty()) {
            return split(delimiter, ignoreCase, limit)
        }
    }
    return
rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }
    @Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].
    @param
delimiters One or more characters to be used as delimiters.
    @param ignoreCase `true` to ignore character case
when matching a delimiter. By default `false`.
    @param limit The maximum number of substrings to return.
    @public fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it)
}
    @Splits this char sequence to a list of strings around occurrences of the specified [delimiters].
    @param
delimiters One or more characters to be used as delimiters.
    @param ignoreCase `true` to ignore
character case when matching a delimiter. By default `false`.
    @param limit The maximum number of substrings
to return.
    @public fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):
List<String> {
    if (delimiters.size == 1) {
        return split(delimiters[0].toString(), ignoreCase, limit)
    }
    return
rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it)
}
}
    @Splits this char sequence to a list of strings around occurrences of the specified [delimiter].
    @This
is specialized version of split which receives single non-empty delimiter and offers better performance
}
}

```

```

@param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character case when matching a
delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n * private fun
CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n    require(limit >= 0, {
    \"Limit must be non-negative, but was $limit.\"})\n    var currentOffset = 0\n    var nextIndex =
indexOf(delimiter, currentOffset, ignoreCase)\n    if (nextIndex == -1 || limit == 1) {\n        return
listOf(this.toString())\n    }\n    val isLimited = limit > 0\n    val result = ArrayList<String>(if (isLimited)
limit.coerceAtMost(10) else 10)\n    do {\n        result.add(substring(currentOffset, nextIndex))\n        currentOffset
= nextIndex + delimiter.length\n        // Do not search for next occurrence if we're reaching limit\n        if (isLimited
&& result.size == limit - 1) break\n        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n    } while
(nextIndex != -1)\n    result.add(substring(currentOffset, length))\n    return result\n}\n\n/**\n * Splits this char
sequence around matches of the given regular expression.\n * @param limit Non-negative value specifying the
maximum number of substrings to return.\n * Zero by default means no limit is set.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =
regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the following
character sequences: CRLF, LF or CR.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> =
splitToSequence(\"\\r\\n\", \"\\n\", \"\\r\")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of
the following character sequences: CRLF, LF or CR.\n */\npublic fun CharSequence.lines(): List<String> =
lineSequence().toList()\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport
kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n
*/\n\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun String(chars: CharArray): String
{\n    return js(\"String.fromCharCode\").apply(null, chars)\n}\n\n/**\n * Converts the characters from a portion of
the specified array to a string.\n */\n\n@SinceKotlin(\"1.2\")\npublic actual fun String(chars: CharArray, offset: Int,
length: Int): String {\n    return String(chars.copyOfRange(offset, offset +
length))\n}\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String =
asDynamic().toUpperCase()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String =
asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(str:
String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual
inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str,
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeStartsWith(s: String, position: Int):
Boolean = asDynamic().startsWith(s, position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic
actual inline fun String.substring(startIndex: Int): String =
asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String =
asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String):
Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to
implement effective trimLeading and trimTrailing\n\n@Deprecated(\"Use length property instead.\",
ReplaceWith(\"length\"), level = DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\npublic inline val
CharSequence.size: Int get() = length\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n\"/*\n * Copyright 2010-2015 JetBrains s.r.o.\n * Licensed under the Apache License, Version
2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a
copy of the License at\n * http://www.apache.org/licenses/LICENSE-2.0\n * Unless required by applicable
law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n *
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for
the specific language governing permissions and\n * limitations under the License.\n */\n\npackage

```

```

kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can
be represented as a sequence of elements that can\n * be iterated over.\n * @param T the type of element being
iterated over. The iterator is covariant on its element type.\n */\npublic interface Iterable<out T> {\n // Query Operations\n /**\n * Returns an iterator over the elements of this object.\n */\n public operator fun iterator(): Iterator<T>\n}\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over
and that supports removing elements during iteration.\n * @param T the type of element being iterated over. The
mutable iterator is invariant on its element type.\n */\npublic interface MutableIterable<out T> : Iterable<T> {\n
// Query Operations\n /**\n * Returns an iterator over the elements of this sequence that supports removing elements during iteration.\n
*/\n override fun iterator(): MutableIterator<T>\n}\n\n/**\n * A generic collection of elements. Methods in this
interface support only read-only access to the collection;\n * read/write access is supported through the
[MutableCollection] interface.\n * @param E the type of elements contained in the collection. The collection is
covariant on its element type.\n */\npublic interface Collection<out E> : Iterable<E> {\n // Query Operations\n
/**\n * Returns the size of the collection.\n */\n public val size: Int\n\n /**\n * Returns `true` if the
collection is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n
* Checks if the specified element is contained in this collection.\n */\n public operator fun contains(element:
@UnsafeVariance E): Boolean\n\n // Bulk Operations\n /**\n *
Checks if all elements in the specified collection are contained in this collection.\n */\n public fun
containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements
that supports adding and removing elements.\n */\n * @param E the type of elements contained in the collection. The
mutable collection is invariant on its element type.\n */\npublic interface MutableCollection<E> : Collection<E>,
MutableIterable<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification
Operations\n /**\n * Adds the specified element to the collection.\n */\n * @return `true` if the element has
been added, `false` if the collection does not support duplicates\n * and the element is already contained in the
collection.\n */\n public fun add(element: E): Boolean\n\n /**\n * Removes a single instance of the
specified element from this\n * collection, if it is present.\n */\n * @return `true` if the element has been
successfully removed; `false` if it was not present in the collection.\n */\n public fun remove(element: E):
Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements in the specified collection to
this collection.\n */\n * @return `true` if any of the specified elements was added to the collection, `false` if
the collection was not modified.\n */\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n
* Removes all of this collection's elements that are also contained in the specified collection.\n */\n * @return
`true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n
*/\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this
collection that are contained in the specified collection.\n */\n * @return `true` if any element was removed
from the collection, `false` if the collection was not modified.\n */\n public fun retainAll(elements:
Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n */\n public fun clear():
Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access
to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements
contained in the list. The list is covariant on its element type.\n */\npublic interface List<out E> : Collection<E> {\n
// Query Operations\n override val size: Int\n\n override fun isEmpty(): Boolean\n\n override fun
contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n
override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access
Operations\n /**\n * Returns the element at the specified index in the list.\n */\n * @return\n */\n public operator fun
get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified
element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n * @return\n */\n public fun
indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified
element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n * @return\n */\n public fun
lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the
elements in this list (in proper sequence).\n */\n * @return\n */\n public fun listIterator(): ListIterator<E>\n\n /**\n
* Returns

```

```

a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n
 * public fun listIterator(index: Int): ListIterator<E>\n
 // View\n
 /**\n
 * Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n
 * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n
 *\n
 * Structural changes in the base list make the behavior of the view undefined.\n
 */\n
 public fun subList(fromIndex: Int, toIndex: Int): List<E>\n
}\n
/**\n
 * A generic ordered collection of elements that supports adding and removing elements.\n
 * @param E the type of elements contained in the list. The mutable list is invariant on its element type.\n
 */\n
public interface MutableList<E> : List<E>, MutableCollection<E> {\n
 // Modification Operations\n
 override fun add(element: E): Boolean\n
 override fun remove(element: E): Boolean\n
 // Bulk Modification Operations\n
 override fun addAll(elements: Collection<E>): Boolean\n
 /**\n
 * Inserts all of the elements in the specified collection [elements] into this list at the specified [index].\n
 *\n
 * @return `true` if the list was changed as the result of the operation.\n
 */\n
 public fun addAll(index: Int, elements: Collection<E>): Boolean\n
 override fun removeAll(elements: Collection<E>): Boolean\n
 override fun retainAll(elements: Collection<E>): Boolean\n
 // Positional Access Operations\n
 /**\n
 * Replaces the element at the specified position in this list with the specified element.\n
 *\n
 * @return the element previously at the specified position.\n
 */\n
 public operator fun set(index: Int, element: E): E\n
 /**\n
 * Inserts an element into the list at the specified [index].\n
 */\n
 public fun add(index: Int, element: E): Unit\n
 /**\n
 * Removes an element at the specified [index] from the list.\n
 *\n
 * @return the element that has been removed.\n
 */\n
 public fun removeAt(index: Int): E\n
 // List Iterators\n
 override fun listIterator(): MutableListIterator<E>\n
 override fun listIterator(index: Int): MutableListIterator<E>\n
 // View\n
 override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n
}\n
/**\n
 * A generic unordered collection of elements that does not support duplicate elements.\n
 * Methods in this interface support only read-only access to the set;\n
 * read/write access is supported through the [MutableSet] interface.\n
 * @param E the type of elements contained in the set. The set is covariant on its element type.\n
 */\n
public interface Set<out E> : Collection<E> {\n
 // Query Operations\n
 override val size: Int\n
 override fun isEmpty(): Boolean\n
 override fun contains(element: @UnsafeVariance E): Boolean\n
 override fun iterator(): Iterator<E>\n
 // Bulk Operations\n
 override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n
}\n
/**\n
 * A generic unordered collection of elements that does not support duplicate elements, and supports\n
 * adding and removing elements.\n
 * @param E the type of elements contained in the set. The mutable set is invariant on its element type.\n
 */\n
public interface MutableSet<E> : Set<E>, MutableCollection<E> {\n
 // Query Operations\n
 override fun iterator(): MutableIterator<E>\n
 // Modification Operations\n
 override fun add(element: E): Boolean\n
 override fun remove(element: E): Boolean\n
 // Bulk Modification Operations\n
 override fun addAll(elements: Collection<E>): Boolean\n
 override fun removeAll(elements: Collection<E>): Boolean\n
 override fun retainAll(elements: Collection<E>): Boolean\n
 override fun clear(): Unit\n
}\n
/**\n
 * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n
 * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n
 * Methods in this interface support only read-only access to the map; read-write access is supported through\n
 * the [MutableMap] interface.\n
 * @param K the type of map keys. The map is invariant on its key type, as it\n
 * can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n
 * @param V the type of map values. The map is covariant on its value type.\n
 */\n
public interface Map<K, out V> {\n
 // Query Operations\n
 /**\n
 * Returns the number of key/value pairs in the map.\n
 */\n
 public val size: Int\n
 /**\n
 * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n
 */\n
 public fun isEmpty(): Boolean\n
 /**\n
 * Returns `true` if the map contains the specified [key].\n
 */\n
 public fun containsKey(key: K): Boolean\n
 /**\n
 * Returns `true` if the map maps one or more keys to the specified [value].\n
 */\n
 public fun containsValue(value: @UnsafeVariance V): Boolean\n
 /**\n
 * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n
 */\n
 public operator fun get(key: K): V?\n
 /**\n
 * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n
 *\n
 * @since JDK 1.8\n
 */\n
 @SinceKotlin("1.1")\n
 @PlatformDependent\n
 public fun getOrDefault(key: K, defaultValue:

```

```

@UnsafeVariance V): V {
    // See default implementation in JDK sources
    return null as V
}

Views
/**
 * Returns a read-only [Set] of all keys in this map.
 */
public val keys: Set<K>

/**
 * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate
values.
 */
public val values: Collection<V>

/**
 * Returns a read-only [Set] of all key/value pairs
in this map.
 */
public val entries: Set<Map.Entry<K, V>>

/**
 * Represents a key/value pair held
by a [Map].
 */
public interface Entry<out K, out V> {
    /**
     * Returns the key of this key/value
pair.
     */
    public val key: K

    /**
     * Returns the value of this key/value pair.
     */
    public val value: V
}

/**
 * A modifiable collection that holds pairs of objects (keys and values) and
supports efficiently retrieving
 * the value corresponding to each key. Map keys are unique; the map holds only one
value for each key.
 * @param K the type of map keys. The map is invariant on its key type.
 * @param V the
type of map values. The mutable map is invariant on its value type.
 */
public interface MutableMap<K, V> :
Map<K, V> {
    // Modification Operations
    /**
     * Associates the specified [value] with the specified [key]
in the map.
     */
    * @return the previous value associated with the key, or `null` if the key was not present in
the map.
     */
    public fun put(key: K, value: V): V?

    /**
     * Removes the specified key and its
corresponding value from this map.
     */
    * @return the previous value associated with the key, or `null` if the
key was not present in the map.
     */
    public fun remove(key: K): V?

    /**
     * Removes the entry for the
specified key only if it is mapped to the specified value.
     */
    * @return true if entry was removed
     */
    @SinceKotlin("1.1")
    @PlatformDependent
    public fun remove(key: K, value: V): Boolean

    // Bulk Modification Operations
    /**
     * Updates this map with key/value pairs from the specified map [from].
     */
    public fun putAll(from: Map<out
K, V>): Unit

    /**
     * Removes all elements from this map.
     */
    public fun clear(): Unit

    // Views
    /**
     * Returns a [MutableSet] of all keys in this map.
     */
    override val keys:
MutableSet<K>

    /**
     * Returns a [MutableCollection] of all values in this map. Note that this collection
may contain duplicate values.
     */
    override val values: MutableCollection<V>

    /**
     * Returns a
[MutableSet] of all key/value pairs in this map.
     */
    override val entries:
MutableSet<MutableMap.MutableEntry<K, V>>

    /**
     * Represents a key/value pair held by a
[MutableMap].
     */
    public interface MutableEntry<K, V> : Map.Entry<K, V> {
        /**
         * Changes
the value associated with the key of this entry.
         */
        * @return the previous value corresponding to the
key.
         */
        public fun setValue(newValue: V): V
    }

    // Copyright 2010-2018 JetBrains s.r.o.
    Use of this source code is governed by the Apache 2.0 license
    that can be found in the license/LICENSE.txt
    file.
    // Auto-generated file. DO NOT EDIT!
    package kotlin.collections

    /**
     * An iterator over a sequence
of values of type `Byte`.
     */
    public abstract class ByteIterator : Iterator<Byte> {
        override final fun next() =
nextByte()

        /**
         * Returns the next value in the sequence without boxing.
         */
        public abstract fun nextByte():
Byte
    }

    /**
     * An iterator over a sequence of values of type `Char`.
     */
    public abstract class CharIterator :
Iterator<Char> {
        override final fun next() = nextChar()

        /**
         * Returns the next value in the sequence without
boxing.
         */
        public abstract fun nextChar(): Char
    }

    /**
     * An iterator over a sequence of values of type `Short`.
     */
    public abstract class ShortIterator : Iterator<Short> {
        override final fun next() = nextShort()

        /**
         * Returns the next value in the sequence without boxing.
         */
        public abstract fun nextShort(): Short
    }

    /**
     * An
iterator over a sequence of values of type `Int`.
     */
    public abstract class IntIterator : Iterator<Int> {
        override final
fun next() = nextInt()

        /**
         * Returns the next value in the sequence without boxing.
         */
        public abstract fun
nextInt(): Int
    }

    /**
     * An iterator over a sequence of values of type `Long`.
     */
    public abstract class LongIterator :
Iterator<Long> {
        override final fun next() = nextLong()

        /**
         * Returns the next value in the sequence without
boxing.
         */
        public abstract fun nextLong(): Long
    }

    /**
     * An iterator over a sequence of values of type `Float`.
     */
    public abstract class FloatIterator : Iterator<Float> {
        override final fun next() = nextFloat()

        /**
         * Returns
the next value in the sequence without boxing.
         */
        public abstract fun nextFloat(): Float
    }

    /**
     * An iterator
over a sequence of values of type `Double`.
     */
    public abstract class DoubleIterator : Iterator<Double> {
        override final fun next() = nextDouble()

        /**
         * Returns the next value in the sequence without boxing.
         */
        public abstract fun nextDouble(): Double
    }

    /**
     * An iterator over a sequence of values of type `Boolean`.
     */

```

```

*\npublic abstract class BooleanIterator : Iterator<Boolean> {\n    override final fun next() = nextBoolean()\n\n    /** Returns the next value in the sequence without boxing. */\n    public abstract fun nextBoolean(): Boolean\n\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`. \n * @property step the number by which the value is incremented on each step.\n */\n\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n    private val finalElement = last.toInt()\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private var next = if (hasNext) first.toInt() else finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextChar(): Char {\n        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value.toChar()\n    }\n}\n\n"/**\n * An iterator over a progression of values of type `Int`. \n * @property step the number by which the value is incremented on each step.\n */\n\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n    private val finalElement = last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private var next = if (hasNext) first else finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextInt(): Int {\n        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value\n    }\n}\n\n"/**\n * An iterator over a progression of values of type `Long`. \n * @property step the number by which the value is incremented on each step.\n */\n\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n    private val finalElement = last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private var next = if (hasNext) first else finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextLong(): Long {\n        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value\n    }\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`. \n */\n\npublic open class CharProgression(\n    internal constructor(\n        start: Char,\n        endInclusive: Char,\n        step: Int\n    ) : Iterable<Char> {\n        init {\n            if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-zero")\n        }\n\n        /**\n         * The first element in the progression.\n         */\n        public val first: Char = start\n\n        /**\n         * The last element in the progression.\n         */\n        public val last: Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toChar()\n\n        /**\n         * The step of the progression.\n         */\n        public val step: Int = step\n\n        override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n        /** Checks if the progression is empty. */\n        public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n        override fun equals(other: Any?): Boolean =\n            other is CharProgression && (isEmpty() && other.isEmpty() ||\n                first == other.first && last == other.last && step == other.step)\n\n        override fun hashCode(): Int =\n            if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step)\n\n        override fun toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-step}"\n    }\n\n    companion object {\n        /**\n         * Creates CharProgression within the specified bounds of a closed range.\n         * \n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * \n         * In order to go backwards the [step] must be negative.\n         */\n        public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n"/**\n * A progression of values of type `Int`. \n */\n\npublic open class IntProgression(\n    internal constructor(\n        start: Int,\n        endInclusive: Int,\n        step: Int\n    ) : Iterable<Int> {\n        init {\n            if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-zero")\n        }\n\n        /**\n         * The first element in the progression.\n         */\n        public val first: Int = start\n\n        /**\n         * The last element in the progression.\n         */\n        public val last: Int = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\n\n        /**\n         * The step of the progression.\n         */\n        public val step: Int = step\n\n        override fun iterator(): IntIterator =

```

```

IntProgressionIterator(first, last, step)\n\n  /** Checks if the progression is empty. */\n  public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n  override fun equals(other: Any?): Boolean =\n  other is IntProgression && (isEmpty() && other.isEmpty()) ||\n  first == other.first && last == other.last &&
step == other.step)\n\n  override fun hashCode(): Int =\n  if (isEmpty()) -1 else (31 * (31 * first + last) +
step)\n\n  override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-
step}\"\n\n  companion object {\n\n    /**\n     * Creates IntProgression within the specified bounds of a closed
range.\n     * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not
excluding it, with the specified [step].\n     * In order to go backwards the [step] must be negative.\n     */\n    public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart,
rangeEnd, step)\n  }\n\n  /**\n   * A progression of values of type `Long`.\n   */\n  public open class
LongProgression\n    internal constructor(\n      start: Long,\n      endInclusive: Long,\n      step:
Long\n    ): Iterable<Long> {\n    init {\n      if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be
non-zero\")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Long = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last: Long =
getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n    /**\n     * The step of the
progression.\n     */\n    public val step: Long = step\n\n    override fun iterator(): LongIterator =
LongProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. */\n    public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n    other is LongProgression && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last &&
step == other.step)\n\n    override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr
32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n    override fun toString(): String = if (step > 0)
\"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n    companion object {\n\n      /**\n       *
Creates LongProgression within the specified bounds of a closed range.\n       * The progression starts with the
[rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n       * In order
to go backwards the [step] must be negative.\n       */\n      public fun fromClosedRange(rangeStart: Long,
rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd, step)\n    }\n\n    /**\n     * Copyright 2010-2015 JetBrains s.r.o.\n     */\n    * Licensed under the Apache License, Version 2.0 (the \"License\");\n    * you may not use this file except in compliance with the License.\n    * You may obtain a copy of the License at\n    * http://www.apache.org/licenses/LICENSE-2.0\n    * Unless required by applicable law or agreed to in writing,
software\n    * distributed under the License is distributed on an \"AS IS\" BASIS,\n    * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n    * See the License for the specific language
governing permissions and\n    * limitations under the License.\n    */\n    * Represents a
range of values (for example, numbers or characters).\n    * See the [Kotlin language
documentation](http://kotlinlang.org/docs/reference/ranges.html) for more information.\n    */\n    public interface
ClosedRange<T: Comparable<T>> {\n\n      /**\n       * The minimum value in the range.\n       */\n      public val start:
T\n\n      /**\n       * The maximum value in the range (inclusive).\n       */\n      public val endInclusive: T\n\n      /**\n       * Checks whether the specified [value] belongs to the range.\n       */\n      public operator fun contains(value: T):
Boolean = value >= start && value <= endInclusive\n\n      /**\n       * Checks whether the range is empty.\n       */\n      public fun isEmpty(): Boolean = start > endInclusive\n    }\n\n    /**\n     * Copyright 2010-2015 JetBrains s.r.o.\n     */\n    * Licensed under the Apache License, Version 2.0 (the \"License\");\n    * you may not use this file except in
compliance with the License.\n    * You may obtain a copy of the License at\n    * http://www.apache.org/licenses/LICENSE-2.0\n    * Unless required by applicable law or agreed to in writing,
software\n    * distributed under the License is distributed on an \"AS IS\" BASIS,\n    * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n    * See the License for the specific language
governing permissions and\n    * limitations under the License.\n    */\n    * The type with only
one value: the Unit object. This type corresponds to the `void` type in Java.\n    */\n    public object Unit {\n\n      override
fun toString() = \"kotlin.Unit\"\n    }\n\n    /**\n     * Copyright 2010-2015 JetBrains s.r.o.\n     */\n    * Licensed under the
Apache License, Version 2.0 (the \"License\");\n    * you may not use this file except in compliance with the

```

License.\n * You may obtain a copy of the License at\n * <http://www.apache.org/licenses/LICENSE-2.0>\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n\n /**\n * Class, interface or object, annotation class is also included\n */\n CLASS,\n\n /**\n * Annotation class only\n */\n ANNOTATION_CLASS,\n\n /**\n * Generic type parameter (unsupported yet)\n */\n TYPE_PARAMETER,\n\n /**\n * Property\n */\n PROPERTY,\n\n /**\n * Field, including property's backing field\n */\n FIELD,\n\n /**\n * Local variable\n */\n LOCAL_VARIABLE,\n\n /**\n * Value parameter of a function or a constructor\n */\n VALUE_PARAMETER,\n\n /**\n * Constructor only (primary or secondary)\n */\n CONSTRUCTOR,\n\n /**\n * Function (constructors are not included)\n */\n FUNCTION,\n\n /**\n * Property getter only\n */\n PROPERTY_GETTER,\n\n /**\n * Property setter only\n */\n PROPERTY_SETTER,\n\n /**\n * Type usage\n */\n TYPE,\n\n /**\n * Any expression\n */\n EXPRESSION,\n\n /**\n * File\n */\n FILE,\n\n /**\n * Type alias\n */\n TYPEALIAS\n\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n */\nDetermines how an annotation is stored in binary output.\n\npublic enum class AnnotationRetention {\n\n /**\n * Annotation isn't stored in binary output\n */\n SOURCE,\n\n /**\n * Annotation is stored in binary output, but invisible for reflection\n */\n BINARY,\n\n /**\n * Annotation is stored in binary output and visible for reflection (default retention)\n */\n RUNTIME\n\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n */\n\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n */\n\n * @property allowedTargets list of allowed annotation targets\n */\n\n * @Target(AnnotationTarget.ANNOTATION_CLASS)\n\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n */\n\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n */\n\n * @Target(AnnotationTarget.ANNOTATION_CLASS)\n\npublic annotation class Retention(val value: AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\n */\n\n * @Target(AnnotationTarget.ANNOTATION_CLASS)\n\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n */\n\n * documentation for the element to which the annotation is applied.\n */\n\n * @Target(AnnotationTarget.ANNOTATION_CLASS)\n\npublic annotation class MustBeDocumented\n\n\nCopyright 2010-2016 JetBrains s.r.o.\n\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n * <http://www.apache.org/licenses/LICENSE-2.0>\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n */\n\n * That means it's completely safe to use generic types as argument for such parameter.\n */\n\n * @Target(AnnotationTarget.TYPE_PARAMETER)\n\n * @Retention(AnnotationRetention.BINARY)\n\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n */\n\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n */\n\n * For example MutableMap.remove(K, V) available only if corresponding\n */\n\n * method 'java.util.Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n */\n\n * @Target(AnnotationTarget.FUNCTION)\n\n * @Retention(AnnotationRetention.BINARY)\n\ninternal annotation

```

class PlatformDependent {
    /** Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
    Apache 2.0 license that can be found in the license/LICENSE.txt file.
    */
    package kotlin.internal {
        // a mod (in arithmetical sense)
        private fun mod(a: Int, b: Int): Int {
            val mod = a % b
            return if (mod >= 0) mod else
            mod + b
        }
        private fun mod(a: Long, b: Long): Long {
            val mod = a % b
            return if (mod >= 0) mod else
            mod + b
        }
        // (a - b) mod c
        private fun differenceModulo(a: Int, b: Int, c: Int): Int {
            return mod(mod(a, c) -
            mod(b, c), c)
        }
        private fun differenceModulo(a: Long, b: Long, c: Long): Long {
            return mod(mod(a, c) -
            mod(b, c), c)
        }
        /** Calculates the final element of a bounded arithmetic progression, i.e. the last element of
        the progression which is in the range from [start] to [end] in case of a positive [step], or from [end] to [start] in
        case of a negative [step].
        No validation on passed parameters is performed. The given parameters should
        satisfy the condition:
        - either `step > 0` and `start <= end`,
        - or `step < 0` and `start >= end`.
        @param start first element of the progression
        @param end ending bound for the progression
        @param step increment, or difference of successive elements in the progression
        @return the final element of the progression
        */
        @Suppress("InternalApi")
        internal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int {
            if (step > 0) {
                return end - differenceModulo(end, start, step)
            } else if (step < 0) {
                return end +
                differenceModulo(start, end, -step)
            } else {
                throw kotlin.IllegalArgumentException("Step is zero.")
            }
        }
        /** Calculates the final element of a bounded arithmetic progression, i.e. the last element of the
        progression which is in the range from [start] to [end] in case of a positive [step], or from [end] to [start] in case
        of a negative [step].
        No validation on passed parameters is performed. The given parameters should
        satisfy the condition:
        - either `step > 0` and `start <= end`,
        - or `step < 0` and `start >= end`.
        @param start first element of the progression
        @param end ending bound for the progression
        @param step increment, or difference of successive elements in the progression
        @return the final element of the progression
        */
        @Suppress("InternalApi")
        internal fun getProgressionLastElement(start: Long, end: Long, step: Long):
        Long {
            if (step > 0) {
                return end - differenceModulo(end, start, step)
            } else if (step < 0) {
                return end + differenceModulo(start, end, -step)
            } else {
                throw
                kotlin.IllegalArgumentException("Step is zero.")
            }
        }
    }
}
    /** Copyright 2010-2015 JetBrains s.r.o.
    Licensed under the Apache License, Version 2.0 (the "License");
    you may not use this file except in
    compliance with the License.
    You may obtain a copy of the License at
    http://www.apache.org/licenses/LICENSE-2.0
    Unless required by applicable law or agreed to in writing,
    software distributed under the License is distributed on an "AS IS" BASIS,
    WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
    See the License for the specific language
    governing permissions and limitations under the License.
    */
    package kotlin.reflect {
        /** Represents a
        parameter passed to a function or a property getter/setter,
        including `this` and extension receiver parameters.
        */
        public interface KParameter : KAnnotatedElement {
            /** 0-based index of this parameter in the
            parameter list of its containing callable.
            */
            public val index: Int
            /** Name of this parameter as it
            was declared in the source code,
            or `null` if the parameter has no name or its name is not available at
            runtime.
            Examples of nameless parameters include `this` instance for member functions,
            extension
            receiver for extension functions or properties, parameters of Java methods
            compiled without the debug
            information, and others.
            */
            public val name: String?
            /** Type of this parameter. For a `vararg`
            parameter, this is the type of the corresponding array,
            not the individual element.
            */
            public val type: KType
            /** Kind of this parameter.
            */
            public val kind: Kind
            /** Kind represents a
            particular position of the parameter declaration in the source code,
            such as an instance, an extension receiver
            parameter or a value parameter.
            */
            public enum class Kind {
                /** Instance required to make a call to
                the member, or an outer class instance for an inner class constructor.
                */
                INSTANCE,
                /** Extension
                receiver of an extension function or property.
                */
                EXTENSION_RECEIVER,
                /** Ordinary named
                value parameter.
                */
                VALUE
            }
            /** `true` if this parameter is optional and can be omitted when
            making a call via [KCallable.callBy], or `false` otherwise.
            A parameter is optional in any of the two
            cases:
            1. The default value is provided at the declaration of this parameter.
            2. The parameter is declared
            in a member function and one of the corresponding parameters in the super functions is optional.
            */
            public
    }
}

```

```

val isOptional: Boolean\n\n /**\n * `true` if this parameter is `vararg`.\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs)\n *
for more information.\n *\n @SinceKotlin("1.1")\n public val isVararg: Boolean\n\n","/*\n * Copyright
2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the "License");\n * you may
not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n *\n\npackage kotlin.reflect\n\n/**\n * Represents a
type. Type is usually either a class with optional type arguments,\n * or a type parameter of some declaration, plus
nullability.\n *\npublic interface KType {\n /**\n * The declaration of the classifier used in this type.\n * For
example, in the type `List<String>` the classifier would be the [KClass] instance for [List].\n *\n * Returns
`null` if this type is not denotable in Kotlin, for example if it is an intersection type.\n *\n
@SinceKotlin("1.1")\n public val classifier: KClassifier?\n\n /**\n * Type arguments passed for the
parameters of the classifier in this type.\n * For example, in the type `Array<out Number>` the only type
argument is `out Number`.\n *\n * In case this type is based on an inner class, the returned list contains the type
arguments provided for the innermost class first,\n * then its outer class, and so on.\n * For example, in the type
`Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.\n *\n @SinceKotlin("1.1")\n public val
arguments: List<KTypeProjection>\n\n /**\n * `true` if this type was marked nullable in the source code.\n
*\n * For Kotlin types, it means that `null` value is allowed to be represented by this type.\n * In practice it
means that the type was declared with a question mark at the end.\n * For non-Kotlin types, it means the type or
the symbol which was declared with this type\n * is annotated with a runtime-retained nullability annotation such
as [javax.annotation.Nullable].\n *\n * Note that even if [isMarkedNullable] is false, values of the type can still
be `null`.\n * This may happen if it is a type of the type parameter with a nullable upper bound:\n *\n * ```\n
* fun <T> foo(t: T) {\n * // isMarkedNullable == false for t's type, but t can be null here when T = "Any?"\n
* }\n * ```\n *\n public val isMarkedNullable: Boolean\n}\n\n/**\n * Represents a type projection. Type
projection is usually the argument to another type in a type usage.\n * For example, in the type `Array<out
Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n *\n * Type
projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n * See
the [Kotlin language documentation](http://kotlinlang.org/docs/reference/generics.html#type-projections)\n * for
more information.\n *\n@SinceKotlin("1.1")\npublic data class KTypeProjection constructor(\n /**\n *
The use-site variance specified in the projection, or `null` if this is a star projection.\n *\n public val
variance: KVariance?\n\n /**\n * The type specified in the projection, or `null` if this is a star projection.\n
*\n public val type: KType?\n)\n\n public companion object {\n /**\n * Star projection, denoted
by the `*` character.\n * For example, in the type `KClass<*>`, `*` is the star projection.\n * See the
[Kotlin language documentation](http://kotlinlang.org/docs/reference/generics.html#star-projections)\n * for
more information.\n *\n public val STAR: KTypeProjection = KTypeProjection(null, null)\n\n /**\n
* Creates an invariant projection of a given type. Invariant projection is just the type itself,\n * without any
use-site variance modifiers applied to it.\n * For example, in the type `Set<String>`, `String` is an invariant
projection of the type represented by the class `String`.\n *\n public fun invariant(type: KType):
KTypeProjection =\n\n KTypeProjection(KVariance.INVARIANT, type)\n\n /**\n * Creates a
contravariant projection of a given type, denoted by the `in` modifier applied to a type.\n * For example, in the
type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n *\n
public fun contravariant(type: KType): KTypeProjection =\n\n KTypeProjection(KVariance.IN, type)\n\n
/**\n * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\n
*\n * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class
`Number`.\n *\n public fun covariant(type: KType): KTypeProjection =\n\n
KTypeProjection(KVariance.OUT, type)\n }\n}\n\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed

```



```

CharArray) = object : CharIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")
}

@JsName("intArrayIterator")
internal fun intArrayIterator(array: IntArray) = object : IntIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")
}

@JsName("floatArrayIterator")
internal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextFloat() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")
}

@JsName("doubleArrayIterator")
internal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")
}

@JsName("longArrayIterator")
internal fun longArrayIterator(array: LongArray) = object : LongIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")
}

@JsName("PropertyMetadata")
internal class PropertyMetadata(@JsName("callableName") val name: String)
@JsName("noWhenBranchMatched")
internal fun noWhenBranchMatched(): Nothing = throw
NoSuchElementException()
@JsName("subSequence")
internal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {
    if (c is String) {
        return c.substring(startIndex, endIndex)
    } else {
        return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)
    }
}

@JsName("captureStack")
internal fun captureStack(baseClass: JsClass<in Throwable>, instance: Throwable) {
    if (js("Error").captureStackTrace) {
        js("Error").captureStackTrace(instance, instance::class.js)
    } else {
        instance.asDynamic().stack = js("new Error()").stack
    }
}

@JsName("newThrowable")
internal fun newThrowable(message: String?, cause: Throwable?): Throwable {
    val throwable = js("new Error()")
    throwable.message = if (jsTypeOf(message) == "undefined") {
        if (cause != null) cause.toString() else null
    } else {
        message
    }
    throwable.cause = cause
    throwable.name = "Throwable"
    return throwable
}

@JsName("BoxedChar")
internal class BoxedChar(val c: Int) : Comparable<Int> {
    override fun equals(other: Any?): Boolean {
        return other is BoxedChar && c == other.c
    }
    override fun hashCode(): Int {
        return c
    }
    override fun toString(): String {
        return js("this.c").unsafeCast<Char>().toString()
    }
    override fun compareTo(other: Int): Int {
        return js("this.c - other").unsafeCast<Int>()
    }
}

@JsName("valueOf")
public fun valueOf(): Int {
    return c
}

@kotlin.internal.InlineOnly
internal inline fun <T> concat(args: Array<T>): T {
    val typed = js("Array")(args.size)
    for (i in args.indices) {
        val arr = args[i]
        if (arr !is Array<*>) {
            typed[i] = js("[]").slice.call(arr)
        } else {
            typed[i] = arr
        }
    }
    return js("[]").concat.apply(js("[]"), typed)
}

/** Concat regular Array's and TypedArray's into an Array.
 *
 * @PublishedApi
 * @JsName("arrayConcat")
 * @Suppress("UNUSED_PARAMETER")
 * internal fun <T> arrayConcat(a: T, b: T): T {
    return concat(js("arguments"))
}

/** Concat primitive arrays. Main use:
 *
 * prepare vararg arguments.
 * For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.
 * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.
 * If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.
 * If the first argument is a regular Array without the $type$ property default to arrayConcat.
 *
 * @PublishedApi
 * @JsName("primitiveArrayConcat")
 * @Suppress("UNUSED_PARAMETER")
 * internal fun <T> primitiveArrayConcat(a: T, b: T): T {
    val args: Array<T> = js("arguments")
    if (a is Array<*> && a.asDynamic().`$type$` === undefined) {
        return concat(args)
    } else {
        var size = 0
        for (i in args.indices) {
            size += args[i].asDynamic().length as Int
        }
        val result = js("new a.constructor(size)")
        kotlin.copyArrayType(a, result)
        size = 0
        for (i in args.indices) {
            val

```

```

arr = args[i].asDynamic()\n      for (j in 0 until arr.length) {\n          result[size++] = arr[j]\n      }\n  }\n  return result\n}\n}\n\n@JsName("booleanArrayOf")\ninternal fun booleanArrayOf() =\n  withType("BooleanArray", js("[]\.slice\.call(arguments)"))\n\n@JsName("charArrayOf") // The arguments have\n  to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType("CharArray", js("new\n  Uint16Array([]\.slice\.call(arguments))"))\n\n@JsName("longArrayOf")\ninternal fun longArrayOf() =\n  withType("LongArray",\n    js("[]\.slice\.call(arguments)"))\n\n@JsName("withType")\n@kotlin\.internal\.InlineOnly\ninternal inline fun\n  withType(type: String, array: dynamic): dynamic {\n    array.`$type$` = type\n    return array\n}\n\n/*\n * Copyright\n  2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n  * that can be found in\n  the license/LICENSE.txt file.\n\n*/\n\n@file:kotlin\.jvm\.JvmMultifileClass\n@file:kotlin\.jvm\.JvmName("CollectionsKt")\n\npackage\n  kotlin\.collections\n\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\n  https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin\.js\nimport kotlin\nimport\n  kotlin\.text\nimport kotlin\.comparisons\n\n\n/*\n * Reverses elements in the list in-place.\n */\npublic actual fun\n  <T> MutableList<T>\.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var\n      reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] =\n          this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n\n\n@file:\n  Suppress("DEPRECATION")\npackage jquery\.ui\n\n\n/jquery UI\nimport jquery\.jQuery\nimport\n  kotlin\.js\.Json\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic inline fun\n  JQuery\.buttonset(): JQuery = asDynamic()\.buttonset()\n\n@Deprecated("jQuery is going to be removed from the\n  standard library")\npublic inline fun JQuery\.dialog(): JQuery = asDynamic()\.dialog()\n\n@Deprecated("jQuery is\n  going to be removed from the standard library")\npublic inline fun JQuery\.dialog(params: Json): JQuery =\n  asDynamic()\.dialog(params)\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic\n  inline fun JQuery\.dialog(mode: String, param: String): Any? = asDynamic()\.dialog(mode,\n  param)\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic inline fun\n  JQuery\.dialog(mode: String): JQuery = asDynamic()\.dialog(mode)\n\n@Deprecated("jQuery is going to be\n  removed from the standard library")\npublic inline fun JQuery\.dialog(mode: String, param: String, value: Any?):\n  JQuery = asDynamic()\.dialog(mode, param, value)\n\n@Deprecated("jQuery is going to be removed from the\n  standard library")\npublic inline fun JQuery\.button(): JQuery = asDynamic()\.button()\n\n@Deprecated("jQuery is\n  going to be removed from the standard library")\npublic inline fun JQuery\.accordion(): JQuery =\n  asDynamic()\.accordion()\n\n@Deprecated("jQuery is going to be removed from the standard library")\npublic\n  inline fun JQuery\.draggable(params: Json): JQuery = asDynamic()\.draggable(params)\n\n@Deprecated("jQuery is\n  going to be removed from the standard library")\npublic inline fun JQuery\.selectable(): JQuery =\n  asDynamic()\.selectable()\n\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the\n  Apache 2.0 license\n  * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\.js\n\nimport\n  kotlin\.annotation\.AnnotationTarget\n\n\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR,\n  VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)\n@Deprecated("Use `external` modifier\n  instead", level = DeprecationLevel.ERROR)\npublic annotation class native(public val name: String =\n  "")\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body using dynamic")\npublic\n  annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body\n  using dynamic")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline\n  extension function with body using dynamic")\npublic annotation class nativeInvoke\n\n@Target(CLASS,\n  FUNCTION, PROPERTY)\ninternal annotation class library(public val name: String =\n  "")\n\n@Target(CLASS)\ninternal annotation class marker\n\n\n/*\n * Gives a declaration (a function, a property or\n  a class) specific name in JavaScript.\n * This may be useful in the following cases:\n * * There are two\n  functions for which the compiler gives same name in JavaScript, you can\n  * mark one with `@JsName(...)` to\n  prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler\n  produces mangled names\n  * for functions with parameters, which is unnatural for usual JavaScript developer.\n */

```

You can put `@JsName(...)` on functions you want to be available from JavaScript. For some reason you want to rename declaration, e.g. there's common term in JavaScript for a concept provided by the declaration, which is uncommon in Kotlin. Example: `kotlin class Person(val name: String) { fun hello() { println("Hello $name!") } }` `@JsName("helloWithGreeting") fun hello(greeting: String) { println("$greeting $name!") } }` `@property name` the name which compiler uses both for declaration itself and for all references to the declaration. It's required to denote a valid JavaScript identifier. @since 1.1

```
*/@Retention(AnnotationRetention.BINARY)@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)annotation class JsName(val name: String)/* Denotes an `external` declaration that must be imported from native JavaScript library. The compiler produces the code relevant for the target module system, for example, in case of CommonJS, it will import the declaration via the `require(...)` function. The annotation can be used on top-level external declarations (classes, properties, functions) and files. In case of file (which can't be `external`) the following rule applies: all the declarations in the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object that contain all the declarations from the file. Example: kotlin @JsModule("jquery") external abstract class JQuery() { // some declarations here } @JsModule("jquery") external fun JQuery(element: Element): JQuery/* `@property import name` of a module to import declaration from. It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system. @see JsNonModule @since 1.1
```

```
*/@Retention(AnnotationRetention.BINARY)@Target(CLASS, PROPERTY, FUNCTION, FILE)annotation class JsModule(val import: String)/* Denotes an `external` declaration that can be used without module system. By default, an `external` declaration is available regardless your target module system. However, by applying [JsModule] annotation you can make a declaration unavailable to `plain` module system. Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package. To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation. For example: kotlin @JsModule("jquery") @JsNonModule @JsName("$") external abstract class JQuery() { // some declarations here } @JsModule("jquery") @JsNonModule @JsName("$") external fun JQuery(element: Element): JQuery/* `@see JsModule @since 1.1
```

```
*/@Retention(AnnotationRetention.BINARY)@Target(CLASS, PROPERTY, FUNCTION, FILE)annotation class JsNonModule/* Adds prefix to `external` declarations in a source file. JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects. The compiler turns references to `external` declarations either to plain unprefixed names (in case of `plain` modules) or to plain imports. However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this. You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation. Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations. Example: kotlin @file:JsQualifier("my.jsPackageName") package some.kotlinPackage external fun foo(x: Int) external fun bar(): String/* `@property value` the qualifier to add to the declarations in the generated code. It must be a sequence of valid JavaScript identifiers separated by the `.` character. Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$.f`. @see JsModule @since 1.1
```

```
*/@Retention(AnnotationRetention.BINARY)@Target(AnnotationTarget.FILE)annotation class JsQualifier(val value: String)/* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. package kotlin.jvm these are used in common generated code in stdlib @Target(AnnotationTarget.FUNCTION, AnnotationTarget.CONSTRUCTOR)@Retention(AnnotationRetention.SOURCE)internal annotation class JvmOverloads@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER,
```

```

AnnotationTarget.FILE)\n@Retention(AnnotationRetention.SOURCE)\n@MustBeDocumented\n@Suppress("ACTUAL_WITHOUT_EXPECT") // TODO: KT-19507\ninternal actual annotation class JvmName(public actual val name: String)\n\n@Target(AnnotationTarget.FILE)\n@Retention(AnnotationRetention.SOURCE)\n@MustBeDocumented\n@Suppress("ACTUAL_WITHOUT_EXPECT") // TODO: KT-19507\ninternal actual annotation class JvmMultifileClass\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\n@MustBeDocumented\n@Suppress("ACTUAL_WITHOUT_EXPECT") // TODO: KT-19507\ninternal actual annotation class JvmField\n\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\n\npublic actual annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\n\npublic annotation class Synchronized\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n *\npackage kotlin.js\n\n/**\n * Function corresponding to JavaScript's `typeof` operator\n *\n@kotlin.internal.InlineOnly\n@Suppress("UNUSED_PARAMETER")\n\npublic inline fun jsTypeOf(a: Any?): String = js("typeof a")\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n *\n@file:Suppress("UNUSED_PARAMETER", "NOTHING_TO_INLINE")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n *\npublic inline fun <T> emptyArray(): Array<T> = js("[]")\n\n@library\n\npublic fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally\n\n@library\n\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\n\n@library\n\npublic fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally\n\n@library\n\npublic fun longArrayOf(vararg elements: Long): LongArray = definedExternally\n\n@library\n\npublic fun intArrayOf(vararg elements: Int): IntArray = definedExternally\n\n@library\n\npublic fun charArrayOf(vararg elements: Char): CharArray = definedExternally\n\n@library\n\npublic fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally\n\n@library\n\npublic fun byteArrayOf(vararg elements: Byte): ByteArray = definedExternally\n\n@library\n\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally\n\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [mode] parameter is ignored.\n *\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter is ignored.\n *\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n    val srcLen: Int = src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index < srcLen && index < dstLen) dst[index] = src[index++]\n    return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\n    val result = source.slice(0, newSize)\n    copyArrayType(source, result)\n    var index: Int = source.length\n    if (newSize > index) {\n        result.length = newSize\n        while (index < newSize) result[index++] = defaultValue\n    }\n    return result\n}\n\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n    val result = array.slice()\n    result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in collection) result[index++] = element\n    return result\n}\n\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n    var index = startIndex\n    for (element in collection) dst[index++] = element\n    return dst\n}\n\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n    if (from.`$type$` !== undefined) {\n        to.`$type$` = from.`$type$`\n    }\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n *\npackage kotlin.text\n\n\n// actually \\s is enough to match all whitespace, but \\xA0

```

```

added because of different regexp behavior of Rhino used in Selenium tests\npublic actual fun Char.isWhitespace():
Boolean = toString().matches("[\\s\\xA0]")\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
Char.toLowerCase(): Char =
js("String.fromCharCode")(this).toLowerCase().charCodeAt(0)\n\n@kotlin.internal.InlineOnly\npublic actual
inline fun Char.toUpperCase(): Char = js("String.fromCharCode")(this).toUpperCase().charCodeAt(0)\n\n/**\n *
Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n
*/\npublic actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a
Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun
Char.isLowSurrogate(): Boolean = this in
Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n@file:Suppress("DEPRECATION")\npackage kotlin.math\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.js.Math as nativeMath\n\n// ===== Double Math
=====
\n\n/** Computes the sine of the angle [x] given in
radians.\n */\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double =
nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n */\n * Special cases:\n * -
`cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Double):
Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n */\n * Special cases:\n
* - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x:
Double): Double = nativeMath.tan(x)\n\n/** Computes the arc sine of the value [x];\n * the returned value is an
angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n */\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1`
or x is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Double): Double =
nativeMath.asin(x)\n\n/** Computes the arc cosine of the value [x];\n * the returned value is an angle in the
range from  $0.0$  to  $\pi$  radians.\n */\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double =
nativeMath.acos(x)\n\n/** Computes the arc tangent of the value [x];\n * the returned value is an angle in the
range from  $-\pi/2$  to  $\pi/2$  radians.\n */\n * Special cases:\n * - `atan(NaN)` is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double =
nativeMath.atan(x)\n\n/** Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the
rectangular coordinates `(x, y)` by computing the arc tangent of the value  $y / x$ ;\n * the returned value is an angle
in the range from  $-\pi$  to  $\pi$  radians.\n */\n * Special cases:\n * - `atan2(0.0, 0.0)` is  $0.0$ \n * - `atan2(0.0, x)` is
 $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ \n * - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ \n * - `atan2(y,
+Inf)` is  $0.0$  for  $0 < y < +\infty$  and  $-0.0$  for  $-\infty < y < 0$ \n * - `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +\infty$  and  $-\pi$ 
for  $-\infty < y < 0$ \n * - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ \n * - `atan2(+Inf, x)` is  $\pi/2$  for
finite  $x$ \n * - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$ \n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan2(y: Double, x: Double): Double =
nativeMath.atan2(y, x)\n\n/** Computes the hyperbolic sine of the value [x].\n */\n * Special cases:\n * -
`sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is  $+\infty$ \n * - `sinh(-Inf)` is  $-\infty$ \n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double =
nativeMath.sinh(x)\n\n/** Computes the hyperbolic cosine of the value [x].\n */\n * Special cases:\n * -
`cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is  $+\infty$ \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual
inline fun cosh(x: Double): Double = nativeMath.cosh(x)\n\n/** Computes the hyperbolic tangent of the value
[x].\n */\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is  $1.0$ \n * - `tanh(-Inf)` is  $-1.0$ \n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double =
nativeMath.tanh(x)\n\n/** Computes the inverse hyperbolic sine of the value [x].\n */\n * The returned value is
`y` such that  $\sinh(y) == x$ .\n */\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is  $+\infty$ \n * -

```

```

`asinh(-Inf)` is `-Inf`
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)
* Computes the inverse hyperbolic cosine of the value [x].
* The returned value is positive `y` such that `cosh(y) == x`.
* Special cases:
* - `acosh(NaN)` is `NaN`
* - `acosh(x)` is `NaN` when `x < 1`
* - `acosh(+Inf)` is `+Inf`
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)
* Computes the inverse hyperbolic tangent of the value [x].
* The returned value is `y` such that `tanh(y) == x`.
* Special cases:
* - `tanh(NaN)` is `NaN`
* - `tanh(x)` is `NaN` when `x > 1` or `x < -1`
* - `tanh(1.0)` is `+Inf`
* - `tanh(-1.0)` is `-Inf`
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)
* Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.
* Special cases:
* - returns `+Inf` if any of arguments is infinite
* - returns `NaN` if any of arguments is `NaN` and the other is not infinite
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)
* Computes the positive square root of the value [x].
* Special cases:
* - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)
* Computes Euler's number `e` raised to the power of the value [x].
* Special cases:
* - `exp(NaN)` is `NaN`
* - `exp(+Inf)` is `+Inf`
* - `exp(-Inf)` is `0.0`
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun exp(x: Double): Double = nativeMath.exp(x)
* Computes `exp(x) - 1`.
* This function can be implemented to produce more precise result for [x] near zero.
* Special cases:
* - `expm1(NaN)` is `NaN`
* - `expm1(+Inf)` is `+Inf`
* - `expm1(-Inf)` is `-1.0`
* @see [exp] function.
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)
* Computes the logarithm of the value [x] to the given [base].
* Special cases:
* - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`
* - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`
* - `log(+Inf, +Inf)` is `NaN`
* - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`
* - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`
* See also logarithm functions for common fixed bases: [ln], [log10] and [log2].
@SinceKotlin("1.2")
public actual fun log(x: Double, base: Double): Double {
    if (base <= 0.0 || base == 1.0) return Double.NaN
    return nativeMath.log(x) / nativeMath.log(base)
}
* Computes the natural logarithm (base `E`) of the value [x].
* Special cases:
* - `ln(NaN)` is `NaN`
* - `ln(x)` is `NaN` when `x < 0.0`
* - `ln(+Inf)` is `+Inf`
* - `ln(0.0)` is `-Inf`
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun ln(x: Double): Double = nativeMath.log(x)
* Computes the common logarithm (base 10) of the value [x].
* @see [ln] function for special cases.
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun log10(x: Double): Double = nativeMath.log10(x)
* Computes the binary logarithm (base 2) of the value [x].
* @see [ln] function for special cases.
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun log2(x: Double): Double = nativeMath.log2(x)
* Computes `ln(x + 1)`.
* This function can be implemented to produce more precise result for [x] near zero.
* Special cases:
* - `ln1p(NaN)` is `NaN`
* - `ln1p(x)` is `NaN` where `x < -1.0`
* - `ln1p(-1.0)` is `-Inf`
* - `ln1p(+Inf)` is `+Inf`
* @see [ln] function
* @see [expm1] function
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)
* Rounds the given value [x] to an integer towards positive infinity.
* @return the smallest double value that is greater than the given value [x] and is a mathematical integer.
* Special cases:
* - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun ceil(x: Double): Double = nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math
* Rounds the given value [x] to an integer towards negative infinity.
* @return the largest double value that is smaller than the given value [x] and is a mathematical integer.
* Special cases:
* - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.
@SinceKotlin("1.2")
@InlineOnly
public actual inline fun floor(x: Double): Double = nativeMath.floor(x).unsafeCast<Double>()
* Rounds the given value [x] to an integer towards zero.
* @return the value [x] having its fractional part truncated.
* Special cases:
* - `truncate(x)` is `x` where `x`

```

is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)

```

`* Rounds the given value [x] towards the closest integer with ties rounded towards even integer.`

```

@SinceKotlin("1.2")
public actual fun round(x: Double): Double {
    if (x % 0.5 != 0.0) {
        return nativeMath.round(x).unsafeCast<Double>()
    }
    val floor = floor(x)
    return if (floor % 2 == 0.0) floor else ceil(x)
}

```

`* Returns the absolute value of the given value [x].`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun abs(x: Double): Double =
    nativeMath.abs(x)

```

`* Returns the sign of the given value [x]:`

- `-1.0` if the value is negative,
- `0.0` if the value is zero,
- `1.0` if the value is positive

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sign(x: Double): Double =
    nativeMath.sign(x)

```

`* Returns the smaller of two values.`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun min(a: Double, b: Double): Double =
    nativeMath.min(a, b)

```

`* Returns the greater of two values.`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun max(a: Double, b: Double): Double =
    nativeMath.max(a, b)

```

`// extensions`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Double.pow(x: Double): Double =
    nativeMath.pow(this, x)

```

`* Raises this value to the power [x].`

- Special cases:

 - `b.pow(0.0)` is `1.0`
 - `b.pow(1.0) == b`
 - `b.pow(NaN)` is `NaN`
 - `NaN.pow(x)` is `NaN` for `x != 0.0`
 - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`
 - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Double.pow(n: Int): Double =
    nativeMath.pow(this, n.toDouble())

```

`* Returns the absolute value of this value.`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Double.absoluteValue: Double get() =
    nativeMath.abs(this)

```

`* Returns the sign of this value:`

- `-1.0` if the value is negative,
- `0.0` if the value is zero,
- `1.0` if the value is positive

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Double.sign: Double get() =
    nativeMath.sign(this)

```

`* Returns this value with the sign bit same as of the [sign] value.`

```

@SinceKotlin("1.2")
public actual fun Double.withSign(sign: Double): Double {
    val thisSignBit =
        js("Kotlin").doubleSignBit(this).unsafeCast<Int>()
    val newSignBit =
        js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()
    return if (thisSignBit == newSignBit) this else -
        this
}

```

`* Returns this value with the sign bit same as of the [sign] value.`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Double.withSign(sign: Int): Double =
    this.withSign(sign.toDouble())

```

`* Returns the ulp (unit in the last place) of this value.`

- An ulp is a positive distance between this value and the next nearest `[Double]` value larger in magnitude.
- Special Cases:

 - `NaN.ulp` is `NaN`
 - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`
 - `0.0.ulp` is `Double.MIN_VALUE`

```

@SinceKotlin("1.2")
public actual val Double.ulp: Double get() = when {
    this < 0 -> (-this).ulp
    this.isNaN() || this == Double.POSITIVE_INFINITY -> this
    this == Double.MAX_VALUE -> this - this.nextDown()
    else -> this.nextUp() - this
}

```

`* Returns the [Double] value nearest to this value in direction of positive infinity.`

```

@SinceKotlin("1.2")
public actual fun Double.nextUp(): Double = when {
    this.isNaN() || this == Double.POSITIVE_INFINITY -> this
    this == 0.0 -> Double.MIN_VALUE
    else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)
}

```

`* Returns the [Double] value nearest to this value in direction of negative infinity.`

```

@SinceKotlin("1.2")
public actual fun Double.nextDown(): Double = when {
    this.isNaN() || this == Double.NEGATIVE_INFINITY -> this
    this == 0.0 -> -Double.MIN_VALUE
    else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)
}

```

`* Returns the [Double] value nearest to this value in direction from this value towards the value [to].`

- Special cases:

 - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`
 - `x.nextTowards(x) == x`

```

@SinceKotlin("1.2")
public actual fun

```

Double.nextTowards(to: Double): Double = when {
 \n this.isNaN() || to.isNaN() -> Double.NaN
 \n to == this ->
 to
 \n to > this -> this.nextUp()
 \n else /* to < this */ -> this.nextDown()
 \n}\n\n/**
 \n * Rounds this [Double] value to the nearest integer and converts the result to [Int].
 \n * Ties are rounded towards positive infinity.
 \n *
 \n * Special cases:
 \n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`
 \n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`
 \n * @throws IllegalArgumentException when this value is `NaN`
 \n */\n@SinceKotlin("1.2")\npublic actual fun Double.roundToInt(): Int = when {
 \n isNaN() -> throw
 \n IllegalArgumentException("Cannot round NaN value.")
 \n this > Int.MAX_VALUE -> Int.MAX_VALUE
 \n this < Int.MIN_VALUE -> Int.MIN_VALUE
 \n else ->
 \n nativeMath.round(this).unsafeCast<Double>().toInt()
 \n}\n\n/**
 \n * Rounds this [Double] value to the nearest integer and converts the result to [Long].
 \n * Ties are rounded towards positive infinity.
 \n *
 \n * Special cases:
 \n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`
 \n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`
 \n * @throws IllegalArgumentException when this value is `NaN`
 \n */\n@SinceKotlin("1.2")\npublic actual fun Double.roundToLong(): Long = when {
 \n isNaN() -> throw
 \n IllegalArgumentException("Cannot round NaN value.")
 \n this > Long.MAX_VALUE ->
 \n Long.MAX_VALUE
 \n this < Long.MIN_VALUE -> Long.MIN_VALUE
 \n else ->
 \n nativeMath.round(this).unsafeCast<Double>().toLong()
 \n}\n\n\n// ===== Float Math
 \n =====\n\n/**
 \n * Computes the sine of the angle [x] given in radians.
 \n *
 \n * Special cases:
 \n * - `sin(NaN|+Inf|-Inf)` is `NaN`
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float =
 \n nativeMath.sin(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the cosine of the angle [x] given in radians.
 \n *
 \n * Special cases:
 \n * - `cos(NaN|+Inf|-Inf)` is `NaN`
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the tangent of the angle [x] given in radians.
 \n *
 \n * Special cases:
 \n * - `tan(NaN|+Inf|-Inf)` is `NaN`
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float =
 \n nativeMath.tan(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the arc sine of the value [x];
 \n * the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians.
 \n *
 \n * Special cases:
 \n * - `asin(x)` is `NaN`, when $abs(x) > 1$ or x is `NaN`
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float =
 \n nativeMath.asin(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the arc cosine of the value [x];
 \n * the returned value is an angle in the range from 0.0 to π radians.
 \n *
 \n * Special cases:
 \n * - `acos(x)` is `NaN`, when $abs(x) > 1$ or x is `NaN`
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float =
 \n nativeMath.acos(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the arc tangent of the value [x];
 \n * the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians.
 \n *
 \n * Special cases:
 \n * - `atan(NaN)` is `NaN`
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float =
 \n nativeMath.atan(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond
 \n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value y / x ;
 \n * the returned value is an angle in the range from $-\pi$ to π radians.
 \n *
 \n * Special cases:
 \n * - `atan2(0.0, 0.0)` is 0.0
 \n * - `atan2(0.0, x)` is 0.0 for $x > 0$ and π for $x < 0$
 \n * - `atan2(-0.0, x)` is -0.0 for $x > 0$ and $-\pi$ for $x < 0$
 \n * - `atan2(y, +Inf)` is 0.0 for $0 < y < +Inf$ and -0.0 for $-Inf < y < 0$
 \n * - `atan2(y, -Inf)` is π for $0 < y < +Inf$ and $-\pi$ for $-Inf < y < 0$
 \n * - `atan2(y, 0.0)` is $\pi/2$ for $y > 0$ and $-\pi/2$ for $y < 0$
 \n * - `atan2(+Inf, x)` is $\pi/2$ for finite x
 \n * - `atan2(-Inf, x)` is $-\pi/2$ for finite x
 \n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the hyperbolic sine of the value [x].
 \n *
 \n * Special cases:
 \n * - `sinh(NaN)` is `NaN`
 \n * - `sinh(+Inf)` is $+Inf$
 \n * - `sinh(-Inf)` is $-Inf$
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float =
 \n nativeMath.sinh(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the hyperbolic cosine of the value [x].
 \n *
 \n * Special cases:
 \n * - `cosh(NaN)` is `NaN`
 \n * - `cosh(+Inf|-Inf)` is $+Inf$
 \n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float =
 \n nativeMath.cosh(x.toDouble()).toFloat()
 \n}\n\n/**
 \n * Computes the hyperbolic tangent of the value [x].
 \n */

Special cases: $\tanh(\text{NaN})$ is NaN $\tanh(+\text{Inf})$ is 1.0 $\tanh(-\text{Inf})$ is -1.0

```

*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun tanh(x: Float): Float =
nativeMath.tanh(x.toDouble()).toFloat()n/n/**n * Computes the inverse hyperbolic sine of the value [x].n *n *
The returned value is `y` such that `sinh(y) == x`.n *n * Special cases:n * - `asinh(NaN)` is `NaN`n * -
`asinh(+Inf)` is `+Inf`n * - `asinh(-Inf)` is `-Inf`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline
fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()n/n/**n * Computes the inverse hyperbolic
cosine of the value [x].n *n * The returned value is positive `y` such that `cosh(y) == x`.n *n * Special cases:n *
- `acosh(NaN)` is `NaN`n * - `acosh(x)` is `NaN` when `x < 1`n * - `acosh(+Inf)` is `+Inf`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun acosh(x: Float): Float =
nativeMath.acosh(x.toDouble()).toFloat()n/n/**n * Computes the inverse hyperbolic tangent of the value [x].n *n
* The returned value is `y` such that `tanh(y) == x`.n *n * Special cases:n * - `tanh(NaN)` is `NaN`n * -
`tanh(x)` is `NaN` when `x > 1` or `x < -1`n * - `tanh(1.0)` is `+Inf`n * - `tanh(-1.0)` is `-Inf`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun atanh(x: Float): Float =
nativeMath.atanh(x.toDouble()).toFloat()n/n/**n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or
underflow.n *n * Special cases:n * - returns `+Inf` if any of arguments is infiniten * - returns `NaN` if any of
arguments is `NaN` and the other is not infinite
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun
hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()n/n/**n * Computes the
positive square root of the value [x].n *n * Special cases:n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun sqrt(x: Float): Float =
nativeMath.sqrt(x.toDouble()).toFloat()n/n/**n * Computes Euler's number `e` raised to the power of the value
[x].n *n * Special cases:n * - `exp(NaN)` is `NaN`n * - `exp(+Inf)` is `+Inf`n * - `exp(-Inf)` is `0.0`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun exp(x: Float): Float =
nativeMath.exp(x.toDouble()).toFloat()n/n/**n * Computes `exp(x) - 1`.n *n * This function can be implemented
to produce more precise result for [x] near zero.n *n * Special cases:n * - `expm1(NaN)` is `NaN`n * -
`expm1(+Inf)` is `+Inf`n * - `expm1(-Inf)` is `-1.0`n *n * @see [exp] function.n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun expm1(x: Float): Float =
nativeMath.expm1(x.toDouble()).toFloat()n/n/**n * Computes the logarithm of the value [x] to the given [base].n
*n * Special cases:n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`n * - `log(x, b)` is `NaN` when `x < 0`
or `b <= 0` or `b == 1.0`n * - `log(+Inf, +Inf)` is `NaN`n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b <
1`n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`n *n * See also logarithm functions for common
fixed bases: [ln], [log10] and [log2].n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun log(x:
Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()n/n/**n * Computes the natural logarithm
(base `E`) of the value [x].n *n * Special cases:n * - `ln(NaN)` is `NaN`n * - `ln(x)` is `NaN` when `x < 0.0`n
* - `ln(+Inf)` is `+Inf`n * - `ln(0.0)` is `-Inf`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun
ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()n/n/**n * Computes the common logarithm (base 10)
of the value [x].n *n * @see [ln] function for special cases.n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic
actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()n/n/**n * Computes the binary
logarithm (base 2) of the value [x].n *n * @see [ln] function for special cases.n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun log2(x: Float): Float =
nativeMath.log2(x.toDouble()).toFloat()n/n/**n * Computes `ln(a + 1)`.n *n * This function can be implemented
to produce more precise result for [x] near zero.n *n * Special cases:n * - `ln1p(NaN)` is `NaN`n * - `ln1p(x)`
is `NaN` where `x < -1.0`n * - `ln1p(-1.0)` is `-Inf`n * - `ln1p(+Inf)` is `+Inf`n *n * @see [ln] functionn
* @see [expm1] function
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun ln1p(x: Float): Float =
nativeMath.log1p(x.toDouble()).toFloat()n/n/**n * Rounds the given value [x] to an integer towards positive
infinity.n *n * @return the smallest Float value that is greater than the given value [x] and is a mathematical
integer.n *n * Special cases:n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical
integer.n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun ceil(x: Float): Float =
nativeMath.ceil(x.toDouble()).toFloat()n/n/**n * Rounds the given value [x] to an integer towards negative

```

infinity.
 * @return the largest Float value that is smaller than the given value [x] and is a mathematical integer.
 * Special cases:
 * - floor(x) is x where x is NaN or +Inf or -Inf or already a mathematical integer.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun floor(x: Float): Float =
 nativeMath.floor(x.toDouble()).toFloat()
 * Rounds the given value [x] to an integer towards zero.
 * @return the value [x] having its fractional part truncated.
 * Special cases:
 * - truncate(x) is x where x is NaN or +Inf or -Inf or already a mathematical integer.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()
 * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.
 * Special cases:
 * - round(x) is x where x is NaN or +Inf or -Inf or already a mathematical integer.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun round(x: Float): Float =
 round(x.toDouble()).toFloat()
 * Returns the absolute value of the given value [x].
 * Special cases:
 * - abs(NaN) is NaN
 * @see absoluteValue extension property for [Float]
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun abs(x: Float): Float =
 nativeMath.abs(x.toDouble()).toFloat()
 * Returns the sign of the given value [x]:
 * - -1.0 if the value is negative,
 * - zero if the value is zero,
 * - 1.0 if the value is positive
 * Special case:
 * - sign(NaN) is NaN
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun sign(x: Float): Float =
 nativeMath.sign(x.toDouble()).toFloat()
 * Returns the smaller of two values.
 * If either value is NaN, then the result is NaN.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)
 * Returns the greater of two values.
 * If either value is NaN, then the result is NaN.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)
 // extensions
 * Raises this value to the power [x].
 * Special cases:
 * - b.pow(0.0) is 1.0
 * - b.pow(1.0) == b
 * - b.pow(NaN) is NaN
 * - NaN.pow(x) is NaN for x != 0.0
 * - b.pow(Inf) is NaN for abs(b) == 1.0
 * - b.pow(x) is NaN for b < 0 and x is finite and not an integer
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()
 * Raises this value to the integer power [n].
 * See the other overload of [pow] for details.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()
 * Returns the absolute value of this value.
 * Special cases:
 * - NaN.absoluteValue is NaN
 * @see abs function
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline val Float.absoluteValue: Float get() =
 nativeMath.abs(this.toDouble()).toFloat()
 * Returns the sign of this value:
 * - -1.0 if the value is negative,
 * - zero if the value is zero,
 * - 1.0 if the value is positive
 * Special case:
 * - NaN.sign is NaN
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline val Float.sign: Float get() =
 nativeMath.sign(this.toDouble()).toFloat()
 * Returns this value with the sign bit same as of the [sign] value.
 * If [sign] is NaN the sign of the result is undefined.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun Float.withSign(sign: Float): Float =
 this.toDouble().withSign(sign.toDouble()).toFloat()
 * Returns this value with the sign bit same as of the [sign] value.
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun Float.withSign(sign: Int): Float =
 this.toDouble().withSign(sign.toDouble()).toFloat()
 * Rounds this [Float] value to the nearest integer and converts the result to [Int].
 * Ties are rounded towards positive infinity.
 * Special cases:
 * - x.roundToInt() == Int.MAX_VALUE when x > Int.MAX_VALUE
 * - x.roundToInt() == Int.MIN_VALUE when x < Int.MIN_VALUE
 * @throws IllegalArgumentException when this value is NaN
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun Float.roundToInt(): Int =
 toDouble().roundToInt()
 * Rounds this [Float] value to the nearest integer and converts the result to [Long].
 * Ties are rounded towards positive infinity.
 * Special cases:
 * - x.roundToLong() == Long.MAX_VALUE when x > Long.MAX_VALUE
 * - x.roundToLong() == Long.MIN_VALUE when x < Long.MIN_VALUE
 * @throws IllegalArgumentException when this value is NaN
 * SinceKotlin("1.2")
 @InlineOnly
 public actual inline fun Float.roundToLong(): Long =
 toDouble().roundToLong()
 * Returns the absolute value of the given value [n].
 * Special

cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n * \n * @see absoluteValue extension property for [Int]\n * \n // TODO: remove manual 'or' when KT-19290 is fixed\n @SinceKotlin("1.2")\n public actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n /**\n * Returns the smaller of two values.\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\n\n /**\n * Returns the greater of two values.\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\n\n /**\n * Returns the absolute value of this value.\n * \n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n * \n * @see abs function\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline val Int.absoluteValue: Int get() = abs(this)\n\n /**\n * Returns the sign of this value:\n * - -1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n * \n @SinceKotlin("1.2")\n public actual val Int.sign: Int get() = when {\n this < 0 -> -1\n this > 0 -> 1\n else -> 0\n }\n\n /**\n * Returns the absolute value of the given value [n].\n * \n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n * \n * @see absoluteValue extension property for [Long]\n * \n @SinceKotlin("1.2")\n public actual fun abs(n: Long): Long = if (n < 0) -n else n\n\n /**\n * Returns the smaller of two values.\n * \n @SinceKotlin("1.2")\n @Suppress("NOTHING_TO_INLINE")\n public actual inline fun min(a: Long, b: Long): Long = if (a <= b) a else b\n\n /**\n * Returns the greater of two values.\n * \n @SinceKotlin("1.2")\n @Suppress("NOTHING_TO_INLINE")\n public actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n /**\n * Returns the absolute value of this value.\n * \n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n * \n * @see abs function\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline val Long.absoluteValue: Long get() = abs(this)\n\n /**\n * Returns the sign of this value:\n * - -1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n * \n @SinceKotlin("1.2")\n public actual val Long.sign: Int get() = when {\n this < 0 -> -1\n this > 0 -> 1\n else -> 0\n }\n\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n * \n @package kotlin.collections\n\n /**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n * \n * @param E the type of elements contained in the collection. The collection is invariant on its element type.\n * \n public abstract class AbstractMutableCollection<E> protected constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n abstract override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean {\n val iterator = iterator()\n while (iterator.hasNext()) {\n if (iterator.next() == element) {\n iterator.remove()\n return true\n }\n }\n return false\n }\n\n override fun addAll(elements: Collection<E>): Boolean {\n var modified = false\n for (element in elements) {\n if (add(element)) modified = true\n }\n return modified\n }\n\n override fun removeAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it in elements }\n\n override fun retainAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { !it in elements }\n\n override fun clear(): Unit {\n val iterator = this.iterator()\n while (iterator.hasNext()) {\n iterator.next()\n iterator.remove()\n }\n }\n\n open fun toJSON(): Any = this.toArray()\n }\n\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n * \n @n * \n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n * \n @package kotlin.collections\n\n /**\n * Provides a skeletal implementation of the [MutableList] interface.\n * \n * @param E the type of elements contained in the list. The list is invariant on its element type.\n * \n public actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n\n protected var modCount: Int = 0\n\n abstract override fun add(index: Int, element: E): Unit\n\n abstract override fun removeAt(index: Int): E\n\n abstract override fun set(index: Int, element: E): E\n\n actual override fun add(element: E): Boolean {\n add(size, element)\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n var _index = index\n var changed = false\n for (e in elements) {\n add(_index++, e)\n changed = true\n }\n return changed\n }\n\n actual override fun clear() {\n removeRange(0, size)\n }\n\n actual

```

override fun removeAll(elements: Collection<E>): Boolean = removeAll { it in elements }
actual override fun retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }
actual override fun iterator(): MutableIterator<E> = IteratorImpl()
actual override fun contains(element: E): Boolean = indexOf(element) >= 0
actual override fun indexOf(element: E): Int {
    for (index in 0..lastIndex) {
        if (get(index) == element) {
            return index
        }
    }
    return -1
}
actual override fun lastIndexOf(element: E): Int {
    for (index in lastIndex downTo 0) {
        if (get(index) == element) {
            return index
        }
    }
    return -1
}
actual override fun listIterator(): MutableListIterator<E> = listIterator(0)
actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)
actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)
/**
 * Removes the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].
 */
protected open fun removeRange(fromIndex: Int, toIndex: Int) {
    val iterator = listIterator(fromIndex)
    repeat(toIndex - fromIndex) {
        iterator.next()
        iterator.remove()
    }
}
/**
 * Compares this list with another list instance with the ordered structural equality.
 */
@return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.
override fun equals(other: Any?): Boolean {
    if (other == this) return true
    if (other !is List<*>) return false
    return AbstractList.orderedEquals(this, other)
}
/**
 * Returns the hash code value for this list.
 */
override fun hashCode(): Int = AbstractList.orderedHashCode(this)
private open inner class IteratorImpl : MutableIterator<E> {
    /** the index of the item that will be returned on the next call to [next]() */
    protected var index = 0
    /** the index of the item that was returned on the previous call to [next]() * or [ListIterator.previous]() (for `ListIterator`), * -1 if no such item exists */
    protected var last = -1
    override fun hasNext(): Boolean = index < size
    override fun next(): E {
        if (!hasNext()) throw NoSuchElementException()
        last = index++
        return get(last)
    }
    override fun remove() {
        check(last != -1) { "Call next() or previous() before removing element from the iterator." }
        removeAt(last)
        index = last
        last = -1
    }
}
/**
 * Implementation of `MutableListIterator` for abstract lists.
 */
private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {
    init {
        AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)
        this.index = index
    }
    override fun hasPrevious(): Boolean = index > 0
    override fun nextIndex(): Int = index
    override fun previous(): E {
        if (!hasPrevious()) throw NoSuchElementException()
        last = --index
        return get(last)
    }
    override fun previousIndex(): Int = index - 1
    override fun add(element: E) {
        add(index, element)
        index++
        last = -1
    }
    override fun set(element: E) {
        check(last != -1) { "Call next() or previous() before updating element value with the iterator." }
        this@AbstractMutableList[last] = element
    }
}
private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {
    private var _size: Int = 0
    init {
        AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)
        this._size = toIndex - fromIndex
    }
    override fun add(index: Int, element: E) {
        AbstractList.checkPositionIndex(index, _size)
        list.add(fromIndex + index, element)
        _size++
    }
    override fun get(index: Int): E {
        AbstractList.checkElementIndex(index, _size)
        return list[fromIndex + index]
    }
    override fun removeAt(index: Int): E {
        AbstractList.checkElementIndex(index, _size)
        val result = list.removeAt(fromIndex + index)
        _size--
        return result
    }
    override fun set(index: Int, element: E): E {
        AbstractList.checkElementIndex(index, _size)
        return list.set(fromIndex + index, element)
    }
}
override val size: Int get() = _size
}
}
"/**
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
/*
 * Based on GWT AbstractMap
 * Copyright 2007 Google Inc.
 */
package kotlin.collections
/**
 * Provides a skeletal implementation of the [MutableMap] interface.
 */
/*
 * The implementor is required to implement the [entries] property, which should return mutable set of map entries, and the [put] function.
 */
/*
 * @param K the type of map

```

```

keys. The map is invariant on its key type.\n * @param V the type of map values. The map is invariant on its value
type.\n */\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K,
V>(), MutableMap<K, V> {\n\n    /**\n     * A mutable [Map.Entry] shared by several [Map] implementations.\n     */\n    internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V>
{\n        constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n        private var _value = value\n        override val value: V get() = _value\n        override fun setValue(newValue: V): V {\n            val oldValue =
this._value\n            this._value = newValue\n            return oldValue\n        }\n        override fun hashCode(): Int =
entryHashCode(this)\n        override fun toString(): String = entryToString(this)\n        override fun equals(other:
Any?): Boolean = entryEquals(this, other)\n    }\n\n    override fun clear() {\n        entries.clear()\n    }\n\n    private var _keys: MutableSet<K>? = null\n    override val keys: MutableSet<K>\n        get() {\n            if (_keys ==
null) {\n                _keys = object : AbstractMutableSet<K>() {\n                    override fun add(element: K): Boolean
= throw UnsupportedOperationException("Add is not supported on keys")\n                    override fun clear() {\n
                        this@AbstractMutableMap.clear()\n                    }\n                    override operator fun contains(element:
K): Boolean = containsKey(element)\n                    override operator fun iterator(): MutableIterator<K> {\n
                        val entryIterator = entries.iterator()\n                        return object : MutableIterator<K> {\n
                            override fun hasNext(): Boolean = entryIterator.hasNext()\n                            override fun next(): K =
entryIterator.next().key\n                            override fun remove() = entryIterator.remove()\n                        }\n
                    }\n                    override fun remove(element: K): Boolean {\n                        if (containsKey(element)) {\n
                            this@AbstractMutableMap.remove(element)\n                            return true\n                        }\n
                        return false\n                    }\n                    override val size: Int get() = this@AbstractMutableMap.size\n
                }\n            }\n            return _keys!!\n        }\n\n    actual abstract override fun put(key: K, value: V): V?\n\n    override fun putAll(from: Map<out K, V>) {\n        for ((key, value) in from) {\n            put(key, value)\n        }\n    }\n\n    private var _values: MutableCollection<V>? = null\n    override val values: MutableCollection<V>\n        get() {\n            if (_values == null) {\n                _values = object : AbstractMutableCollection<V>() {\n
                    override fun add(element: V): Boolean = throw UnsupportedOperationException("Add is not supported on
values")\n                    override fun clear() = this@AbstractMutableMap.clear()\n                    override operator
fun contains(element: V): Boolean = containsValue(element)\n                    override operator fun iterator():
MutableIterator<V> {\n                        val entryIterator = entries.iterator()\n                        return object :
MutableIterator<V> {\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\n                            override fun next(): V = entryIterator.next().value\n
                            override fun remove() =
entryIterator.remove()\n                        }\n                    }\n                    override val size: Int get() =
this@AbstractMutableMap.size\n                }\n            }\n            // TODO: should we implement them this way? Currently it's
unspecified in JVM\n            override fun equals(other: Any?): Boolean {\n                if (this === other)
return true\n                if (other !is Collection<*>) return false\n                return
AbstractList.orderedEquals(this, other)\n            }\n            override fun hashCode(): Int =
AbstractList.orderedHashCode(this)\n        }\n\n        override fun remove(key: K): V? {\n            val iter = entries.iterator()\n            while (iter.hasNext()) {\n                var entry =
iter.next()\n                val k = entry.key\n                if (key == k) {\n                    val value = entry.value\n                    iter.remove()\n                    return value\n                }\n            }\n            return null\n        }\n    }\n\n    /**\n     * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n     * that can be found in the
license/LICENSE.txt file.\n     */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the
[MutableSet] interface.\n * @param E the type of elements contained in the set. The set is invariant on its
element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() :
AbstractMutableCollection<E>(), MutableSet<E> {\n\n    /**\n     * Compares this set with another set instance with
the unordered structural equality.\n     */\n    @return true, if [other] instance is a [Set] of the same size, all
elements of which are contained in this set.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other
=== this) return true\n        if (other !is Set<*>) return false\n        return AbstractSet.setEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this set.\n     */\n    override fun hashCode(): Int =

```

```

AbstractSet.unorderedHashCode(this)\n\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n/**\n * Provides a [MutableList] implementation, which uses a resizable array as its backing
storage.\n */\n * This implementation doesn't provide a way to manage capacity, as backing JS array is resizable
itself.\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not
include any of the\n * capacity and \"growth increment\" concepts.\n */\n\npublic actual open class ArrayList<E>
internal constructor(private var array: Array<Any?>): AbstractMutableList<E>(), MutableList<E>, RandomAccess
{\n\n /**\n * Creates an empty [ArrayList].\n */\n public actual constructor(): this(emptyArray()) {\n\n
/**\n * Creates an empty [ArrayList].\n * @param initialCapacity initial capacity (ignored)\n */\n
@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n public actual
constructor(initialCapacity: Int = 0): this(emptyArray()) {\n\n /**\n * Creates an [ArrayList] filled from the
[elements] collection.\n */\n public actual constructor(elements: Collection<E>):
this(elements.toArray<Any?>()) {\n\n /**\n * Does nothing in this ArrayList implementation.\n */\n public
actual fun trimToSize() {\n\n /**\n * Does nothing in this ArrayList implementation.\n */\n public actual fun
ensureCapacity(minCapacity: Int) {\n\n actual override val size: Int get() = array.size\n actual override fun
get(index: Int): E = array[rangeCheck(index)] as E\n actual override fun set(index: Int, element: E): E {\n
rangeCheck(index)\n return array[index].apply { array[index] = element } as E\n }\n\n actual override fun
add(element: E): Boolean {\n array.asDynamic().push(element)\n modCount++\n return true\n }\n\n actual override fun add(index: Int, element: E): Unit {\n array.asDynamic().splice(insertionRangeCheck(index),
0, element)\n modCount++\n }\n\n actual override fun addAll(elements: Collection<E>): Boolean {\n if
(elements.isEmpty()) return false\n\n array += elements.toArray<Any?>()\n modCount++\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
insertionRangeCheck(index)\n\n if (index == size) return addAll(elements)\n if (elements.isEmpty()) return
false\n\n when (index) {\n size -> return addAll(elements)\n 0 -> array =
elements.toArray<Any?>() + array\n else -> array = array.copyOfRange(0,
index).asDynamic().concat(elements.toArray<Any?>(), array.copyOfRange(index, size))\n }\n\n modCount++\n return true\n }\n\n actual override fun removeAt(index: Int): E {\n rangeCheck(index)\n
modCount++\n return if (index == lastIndex)\n array.asDynamic().pop()\n else\n
array.asDynamic().splice(index, 1)[0]\n }\n\n actual override fun remove(element: E): Boolean {\n for
(index in array.indices) {\n if (array[index] == element) {\n array.asDynamic().splice(index, 1)\n
modCount++\n return true\n }\n }\n return false\n }\n\n override fun
removeRange(fromIndex: Int, toIndex: Int) {\n modCount++\n array.asDynamic().splice(fromIndex,
toIndex - fromIndex)\n }\n\n actual override fun clear() {\n array = emptyArray()\n modCount++\n
}\n\n actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun
lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n
override fun toArray(): Array<Any?> = js(\"[]\").slice.call(array)\n\n\n private fun rangeCheck(index: Int) =
index.apply {\n AbstractList.checkElementIndex(index, size)\n }\n\n private fun
insertionRangeCheck(index: Int) = index.apply {\n AbstractList.checkPositionIndex(index, size)\n }\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface EqualityComparator
{\n /**\n * Subclasses must override to return a value indicating\n * whether or not two keys or values are
equal.\n */\n abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n /**\n * Subclasses must
override to return the hash code of a given key.\n */\n abstract fun getHashCode(value: Any?): Int\n\n\n object
HashCode : EqualityComparator {\n override fun equals(value1: Any?, value2: Any?): Boolean = value1 ==
value2\n\n override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n }\n}", "/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n
*/\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based

```

```

implementation of the [MutableMap] interface.\n *\n * This implementation makes no guarantees regarding the
order of enumeration of [keys], [values] and [entries] collections.\n *\n\npublic actual open class HashMap<K, V> :
AbstractMutableMap<K, V>, MutableMap<K, V> {\n\n    private inner class EntrySet :
AbstractMutableSet<MutableEntry<K, V>>() {\n\n        override fun add(element: MutableEntry<K, V>): Boolean =
throw UnsupportedOperationException("Add is not supported on entries")\n        override fun clear() {\n
this@HashMap.clear()\n        }\n\n        override operator fun contains(element: MutableEntry<K, V>): Boolean =
containsEntry(element)\n\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> =
internalMap.iterator()\n\n        override fun remove(element: MutableEntry<K, V>): Boolean {\n            if
(contains(element)) {\n                this@HashMap.remove(element.key)\n                return true\n            }\n
return false\n        }\n\n        override val size: Int get() = this@HashMap.size\n    }\n\n\n    /**\n     * Internal
implementation of the map: either string-based or hashCode-based.\n     *\n     private val internalMap:
InternalMap<K, V>\n\n     private val equality: EqualityComparator\n\n     internal constructor(internalMap:
InternalMap<K, V>) : super() {\n         this.internalMap = internalMap\n         this.equality = internalMap.equality\n
}\n\n     /**\n     * Constructs an empty [HashMap] instance.\n     *\n     private constructor():
this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n     /**\n     * Constructs an empty [HashMap]
instance.\n     *\n     * @param initialCapacity the initial capacity (ignored)\n     * @param loadFactor the load
factor (ignored)\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n
*\n     * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n     actual
constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : this() {\n         // This implementation of HashMap has no
need of load factors or capacities.\n         require(initialCapacity >= 0) { "Negative initial capacity: $initialCapacity"
}\n         require(loadFactor >= 0) { "Non-positive load factor: $loadFactor" }\n     }\n\n     actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n     /**\n     * Constructs an instance of [HashMap]
filled with the contents of the specified [original] map.\n     *\n     actual constructor(original: Map<out K, V>) :
this() {\n         this.putAll(original)\n     }\n\n     actual override fun clear() {\n         internalMap.clear()\n//
structureChanged(this)\n     }\n\n     actual override fun containsKey(key: K): Boolean =
internalMap.containsKey(key)\n\n     actual override fun containsValue(value: V): Boolean = internalMap.any {
equality.equals(it.value, value) }\n\n     private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? =
null\n\n     actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n         get() {\n             if
(_entries == null) {\n                 _entries = createEntrySet()\n             }\n             return _entries!!\n         }\n\n
protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n     actual
override operator fun get(key: K): V? = internalMap.get(key)\n\n     actual override fun put(key: K, value: V): V? =
internalMap.put(key, value)\n\n     actual override fun remove(key: K): V? = internalMap.remove(key)\n\n     actual
override val size: Int get() = internalMap.size\n}\n\n\n    /**\n     * Constructs the specialized implementation of
[HashMap] with [String] keys, which stores the keys as properties of\n     * JS object without hashing them.\n     *\n
*\n     public fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n         return
HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n     }\n\n\n    /**\n     *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n     * that can be
found in the license/LICENSE.txt file.\n     *\n     *\n     * Based on GWT HashSet\n     * Copyright 2008 Google Inc.\n
*\n     *\n     package kotlin.collections\n\n     *\n     * The implementation of the [MutableSet] interface, backed by a
[HashMap] instance.\n     *\n     public actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n
private val map: HashMap<E, Any>\n\n     /**\n     * Constructs a new empty [HashSet].\n     *\n     actual
constructor() {\n         map = HashMap<E, Any>()\n     }\n\n     /**\n     * Constructs a new [HashSet] filled with the
elements of the specified collection.\n     *\n     actual constructor(elements: Collection<E>) {\n         map =
HashMap<E, Any>(elements.size)\n         addAll(elements)\n     }\n\n     /**\n     * Constructs a new empty
[HashSet].\n     *\n     * @param initialCapacity the initial capacity (ignored)\n     * @param loadFactor the load
factor (ignored)\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n
*\n     * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n     actual
constructor(initialCapacity: Int, loadFactor: Float = 0.0f) {\n         map = HashMap<E, Any>(initialCapacity,

```

```

loadFactor)\n } \n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n /**\n * Protected
constructor to specify the underlying map. This is used by\n * LinkedHashMap.\n\n * @param map underlying
map to use.\n */\n internal constructor(map: HashMap<E, Any>) {\n this.map = map\n }\n\n actual
override fun add(element: E): Boolean {\n val old = map.put(element, this)\n return old == null\n }\n\n
actual override fun clear() {\n map.clear()\n }\n\n// public override fun clone(): Any {\n// return
HashSet<E>(this)\n// }\n\n actual override operator fun contains(element: E): Boolean =
map.containsKey(element)\n\n actual override fun isEmpty(): Boolean = map.isEmpty()\n\n actual override fun
iterator(): MutableIterator<E> = map.keys.iterator()\n\n actual override fun remove(element: E): Boolean =
map.remove(element) != null\n\n actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new
instance of the specialized implementation of [HashSet] with the specified [String] elements,\n * which elements the
keys as properties of JS object without hashing them.\n */\n\npublic fun stringSetOf(vararg elements: String):
HashSet<String> {\n return HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n }\n\n"/\n\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n * Based on GWT InternalHashMap\n * Copyright 2008 Google Inc.\n\n
*/\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\nimport
kotlin.collections.AbstractMutableMap.SimpleEntry\n\n\n/**\n * A simple wrapper around JavaScriptObject to
provide [java.util.Map]-like semantics for any\n * key type.\n */\n\n * Implementation notes:\n * A key's
hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same
hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n\n
*/\n\ninternal class InternalHashMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V>
{\n\n private var backingMap: dynamic = createJsMap()\n override var size: Int = 0\n private set\n\n
override fun put(key: K, value: V): V? {\n val hashCode = equality.getHashCode(key)\n val chainOrEntry
= getChainOrEntryOrNull(hashCode)\n if (chainOrEntry == null) {\n // This is a new chain, put it to the
map.\n backingMap[hashCode] = SimpleEntry(key, value)\n } else {\n if (chainOrEntry !is
Array<*>) {\n // It is an entry\n val entry: SimpleEntry<K, V> = chainOrEntry\n if
(equality.equals(entry.key, key)) {\n return entry.setValue(value)\n } else {\n
backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n size++\n return null\n
}\n } else {\n // Chain already exists, perhaps key also exists.\n val chain:
Array<MutableEntry<K, V>> = chainOrEntry\n val entry = chain.findEntryInChain(key)\n if
(entry != null) {\n return entry.setValue(value)\n }\n }\n size++\n// structureChanged(host)\n
return null\n }\n\n override fun remove(key: K): V? {\n val hashCode = equality.getHashCode(key)\n
val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n
deleteProperty(backingMap, hashCode)\n size--\n return entry.value\n } else {\n
return null\n }\n } else {\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n for
(index in chain.indices) {\n val entry = chain[index]\n if (equality.equals(key, entry.key)) {\n
if (chain.size == 1) {\n chain.asDynamic().length = 0\n // remove the whole
array\n deleteProperty(backingMap, hashCode)\n } else {\n // splice out the
entry we're removing\n chain.asDynamic().splice(index, 1)\n }\n size--\n//
structureChanged(host)\n return entry.value\n }\n }\n }\n return null\n
}\n\n override fun clear() {\n backingMap = createJsMap()\n size = 0\n }\n\n override fun
contains(key: K): Boolean = getEntry(key) != null\n\n override fun get(key: K): V? = getEntry(key)?.value\n\n
private fun getEntry(key: K): MutableEntry<K, V>? {\n val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n return
entry\n } else {\n return null\n }\n } else {\n val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n return chain.findEntryInChain(key)\n }\n }\n\n private fun

```

```

Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n    firstOrNull { entry ->
equality.equals(entry.key, key) }\n\n    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n
return object : MutableIterator<MutableEntry<K, V>> {\n        var state = -1 // -1 not ready, 0 - ready, 1 -
done\n\n        val keys: Array<Int> = js("Object").keys(backingMap)\n        var keyIndex = -1\n        var
chainOrEntry: dynamic = null\n        var isChain = false\n        var itemIndex = -1\n        var lastEntry:
MutableEntry<K, V>? = null\n\n        private fun computeNext(): Int {\n            if (chainOrEntry != null &&
isChain) {\n                val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n
                if (++itemIndex < chainSize)\n                    return 0\n            }\n            if (++keyIndex < keys.size)
{\n                chainOrEntry = backingMap[keys[keyIndex]]\n                isChain = chainOrEntry is Array<*>\n
                itemIndex = 0\n                return 0\n            } else {\n                chainOrEntry = null\n
                return 1\n            }\n        }\n\n        override fun hasNext(): Boolean {\n            if (state == -1)\n                state = computeNext()\n            return state == 0\n        }\n\n        override fun next(): MutableEntry<K, V>
{\n            if (!hasNext()) throw NoSuchElementException()\n            val lastEntry = if (isChain) {\n
                chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n            } else {\n
                chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n            }\n            this.lastEntry = lastEntry\n
            state = -1\n            return lastEntry\n        }\n\n        override fun remove() {\n            checkNotNull(lastEntry)\n            this@InternalHashCodeMap.remove(lastEntry!!.key)\n            lastEntry =
null\n            // the chain being iterated just got modified by InternalHashCodeMap.remove\n            itemIndex-
\n            }\n        }\n\n        private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n            val
chainOrEntry = backingMap[hashCode]\n            return if (chainOrEntry === undefined) null else chainOrEntry\n
        }\n\n    }\n\n    /**\n     * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n     * that can be found in the license/LICENSE.txt file.\n     */\n\n    package
kotlin.collections\n\n    @kotlin.internal.InlineOnly\n    @Suppress("UNUSED_PARAMETER")\n    internal inline fun
deleteProperty(obj: Any, property: Any) {\n        js("delete obj[property]")\n    }\n\n    /**\n     * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n     * that can be found in the
license/LICENSE.txt file.\n     */\n\n    package kotlin.collections\n\n    /**\n     * The common interface of
[InternalStringMap] and [InternalHashCodeMap].\n     */\n    internal interface InternalMap<K, V> :
MutableIterable<MutableMap.MutableEntry<K, V>> {\n        val equality: EqualityComparator\n        val size: Int\n
        operator fun contains(key: K): Boolean\n        operator fun get(key: K): V?\n        fun put(key: K, value: V): V?\n
        fun remove(key: K): V?\n        fun clear(): Unit\n        fun createJsMap(): dynamic {\n            val result =
js("Object.create(null)")\n            // force to switch object representation to dictionary mode\n            result["foo"] =
1;\n            deleteProperty(result, "foo")\n            return result\n        }\n    }\n\n    /**\n     * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n     * that can be found in the license/LICENSE.txt
file.\n     */\n\n    Based on GWT InternalStringMap\n     * Copyright 2008 Google Inc.\n     */\n\n    package
kotlin.collections\n\n    import kotlin.collections.MutableMap.MutableEntry\n\n    /**\n     * A simple wrapper around
JavaScript Map for key type is string.\n     */\n     * Though this map is instantiated only with K=String, the K type is not
fixed to String statically,\n     * because we want to have it erased to Any? in order not to generate type-safe override
bridges for\n     * [get], [contains], [remove] etc, if they ever are generated.\n     */\n     * internal class InternalStringMap<K,
V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n        private var backingMap: dynamic =
createJsMap()\n        override var size: Int = 0\n        private set\n\n        /**\n         * A mod count to track 'value'
replacements in map to ensure that the 'value' that we have in the\n         * iterator entry is guaranteed to be still
correct.\n         * This is to optimize for the common scenario where the values are not modified during\n         *
iterations where the entries are never stale.\n         */\n        private var valueMod: Int = 0\n        override operator fun
contains(key: K): Boolean {\n            if (key !is String) return false\n            return backingMap[key] !== undefined\n
        }\n\n        override operator fun get(key: K): V? {\n            if (key !is String) return null\n            val value =
backingMap[key]\n            return if (value !== undefined) value.unsafeCast<V>() else null\n        }\n\n        override fun
put(key: K, value: V): V? {\n            require(key is String)\n            val oldValue = backingMap[key]\n            backingMap[key] = value\n            if (oldValue === undefined) {\n                size++\n            }\n        }\n    }

```

```

structureChanged(host)\n        return null\n        } else {\n//        valueMod++\n        return
oldValue.unsafeCast<V>()\n        }\n        }\n        override fun remove(key: K): V? {\n        if (key !is String) return
null\n        val value = backingMap[key]\n        if (value !== undefined) {\n        deleteProperty(backingMap,
key)\n        size--\n//        structureChanged(host)\n        return value.unsafeCast<V>()\n        } else {\n//
valueMod++\n        return null\n        }\n        }\n        override fun clear() {\n        backingMap = createJsMap()\n
size = 0\n        }\n        }\n        override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n        return object :
MutableIterator<MutableEntry<K, V>> {\n        private val keys: Array<String> =
js("Object").keys(backingMap)\n        private val iterator = keys.iterator()\n        private var lastKey: String? =
null\n        override fun hasNext(): Boolean = iterator.hasNext()\n        override fun next():
MutableEntry<K, V> {\n        val key = iterator.next()\n        lastKey = key\n
@Override\n        @Suppress("UNCHECKED_CAST")\n        return newMapEntry(key as K)\n        }\n        override
fun remove() {\n        @Suppress("UNCHECKED_CAST")\n
this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n        }\n        }\n        }\n        private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n        override val key: K get() =
key\n        override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n        override fun
setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n        override fun
hashCode(): Int = AbstractMap.entryHashCode(this)\n        override fun toString(): String =
AbstractMap.entryToString(this)\n        override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this,
other)\n        }\n        }\n        }, /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache
2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n * Based on GWT LinkedHashMap\n *
Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap]
interface, which additionally preserves the insertion order\n * of entries during the iteration.\n * The insertion
order is preserved by maintaining a doubly-linked list of all of its entries.\n */\npublic actual open class
LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n    /**\n     * The entry we use includes
next/prev pointers for a doubly-linked circular\n     * list with a head node. This reduces the special cases we have to
deal with\n     * in the list operations.\n     * Note that we duplicate the key from the underlying hash map so we
can find\n     * the eldest entry. The alternative would have been to modify HashMap so more\n     * of the code was
directly usable here, but this would have added some\n     * overhead to HashMap, or to reimplement most of the
HashMap code here with\n     * small modifications. Paying a small storage cost only if you use\n     *
LinkedHashMap and minimizing code size seemed like a better tradeoff\n     */\n    private class ChainEntry<K,
V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n        internal var next:
ChainEntry<K, V>? = null\n        internal var prev: ChainEntry<K, V>? = null\n        }\n\n    private inner class
EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n        private inner class EntryIterator :
MutableIterator<MutableEntry<K, V>> {\n            // The last entry that was returned from this iterator.\n
private var last: ChainEntry<K, V>? = null\n            // The next entry to return from this iterator.\n
private
var next: ChainEntry<K, V>? = null\n\n            init {\n                next = head\n//
recordLastKnownStructure(map, this)\n            }\n\n            override fun hasNext(): Boolean {\n                return
next !== null\n            }\n\n            override fun next(): MutableEntry<K, V> {\n//
checkStructuralChange(map, this)\n                if (!hasNext()) throw NoSuchElementException()\n                val
current = next!!\n                last = current\n                next = current.next.takeIf { it !== head }\n                return
current\n            }\n\n            override fun remove() {\n                check(last !== null)\n//
checkStructuralChange(map, this)\n                last!!.remove()\n                map.remove(last!!.key)\n//
recordLastKnownStructure(map, this)\n                last = null\n            }\n        }\n        }\n        override fun add(element:
MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries")\n        override fun clear() {\n        this@LinkedHashMap.clear()\n        }\n        }\n        override operator fun
contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n        }\n        }\n        override operator fun iterator():
MutableIterator<MutableEntry<K, V>> = EntryIterator()\n        }\n        }\n        override fun remove(element: MutableEntry<K,

```

```

V>): Boolean {
    if (contains(element)) {
        this@LinkedHashMap.remove(element.key)
    }
    return true
}
return false
}
override val size: Int get() = this@LinkedHashMap.size

}
/*
 * The head of the insert order chain, which is a doubly-linked circular
 * list.
 * The most recently inserted node is at the end of the chain, ie.
 * chain.prev.
 */
private var head: ChainEntry<K, V>? = null

/**
 * Add this node to the end of the chain.
 */
private fun ChainEntry<K, V>.addToEnd() {
    // This entry is not in the list.
    check(next == null && prev == null)
    val _head = head
    if (_head == null) {
        head = this
        next = this
        prev = this
    } else {
        // Chain is valid.
        val _tail = checkNotNull(_head.prev)
        // Update me.
        prev = _tail
        next = _head
        // Update my new siblings: current head and old tail
        _head.prev = this
        _tail.next = this
    }
}
/**
 * Remove this node from the chain it is a part of.
 */
private fun ChainEntry<K, V>.remove() {
    if (this.next === this) {
        // if this is single element, remove head
        head = null
    } else {
        if (head === this) {
            // if this is first element, move head to next
            head = next
        }
        next!!.prev = prev
        prev!!.next = next
    }
    next = null
    prev = null
}
/*
 * The hashmap that keeps track of our entries and the chain. Note that we
 * duplicate the key here to eliminate changes to HashMap and minimize the
 * code here, at the expense of additional space.
 */
private val map: HashMap<K, ChainEntry<K, V>>

/**
 * Constructs an empty [LinkedHashMap] instance.
 */
actual constructor(): super() {
    map = HashMap<K, ChainEntry<K, V>>()
}
internal constructor(backingMap: HashMap<K, Any>) : super() {
    @Suppress("UNCHECKED_CAST") // expected to work due to erasure
    map = backingMap as HashMap<K, ChainEntry<K, V>>
}
/**
 * Constructs an empty [LinkedHashMap] instance.
 * @param initialCapacity the initial capacity (ignored)
 * @param loadFactor the load factor (ignored)
 * @throws IllegalArgumentException if the initial capacity or load factor are negative
 */
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {
    map = HashMap<K, ChainEntry<K, V>>()
}
actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)

/**
 * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.
 */
actual constructor(original: Map<out K, V>) {
    map = HashMap<K, ChainEntry<K, V>>()
    this.putAll(original)
}
actual override fun clear() {
    map.clear()
    head = null
}
actual override fun clone(): Any {
    return LinkedHashMap(this)
}
actual override fun containsKey(key: K): Boolean = map.containsKey(key)
actual override fun containsValue(value: V): Boolean {
    var node: ChainEntry<K, V> = head
    return false
    do {
        if (node.value == value) {
            return true
        }
        node = node.next!!
    } while (node != head)
    return false
}
actual override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()
actual override operator fun get(key: K): V? = map.get(key)?.value
actual override fun put(key: K, value: V): V? {
    val old = map.get(key)
    if (old == null) {
        val newEntry = ChainEntry(key, value)
        map.put(key, newEntry)
        newEntry.addToEnd()
        return null
    } else {
        return old.setValue(value)
    }
}
actual override fun remove(key: K): V? {
    val entry = map.remove(key)
    if (entry != null) {
        entry.remove()
        return entry.value
    }
    return null
}
actual override val size: Int get() = map.size
}
/**
 * Constructs the specialized implementation of [LinkedHashMap] with [String] keys, which stores the keys as properties of
 * JS object without hashing them.
 */
public fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {
    return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }
}
/* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 * Based on GWT LinkedHashMap
 * Copyright 2008 Google Inc.
 */
package kotlin.collections

/**
 * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.
 * This implementation preserves the insertion order of elements during the iteration.
 */
public actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E> {
    internal constructor(map: LinkedHashMap<E, Any>) : super(map)

    /**
     * Constructs a new empty

```

```

[LinkedHashSet].\n    *^n    actual constructor() : super(LinkedHashMap<E, Any>())\n\n    /**\n    * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\n    *^n    actual constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) {\n        addAll(elements)\n    }\n\n    /**\n    * Constructs a new empty [LinkedHashSet].\n    *^n    * @param initialCapacity the initial capacity (ignored)\n    * @param loadFactor the load factor (ignored)\n    *^n    * @throws IllegalArgumentException if the initial capacity or load factor are negative\n    *^n    * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n//    public override fun clone(): Any {\n//        return LinkedHashSet(this)\n//    }\n\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n    return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin\n\n\n@Deprecated("Use Synchronized annotation from kotlin.jvm package", ReplaceWith("kotlin.jvm.Synchronized"), level = DeprecationLevel.WARNING)\npublic typealias Synchronized = kotlin.jvm.Synchronized\n\n\n@Deprecated("Use Volatile annotation from kotlin.jvm package", ReplaceWith("kotlin.jvm.Volatile"), level = DeprecationLevel.WARNING)\npublic typealias Volatile = kotlin.jvm.Volatile\n\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <R> synchronized(lock: Any, block: () -> R): R = block()\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.io\n\n\ninternal abstract class BaseOutput {\n    open fun println() {\n        print("\\n")\n    }\n\n    open fun println(message: Any?) {\n        print(message)\n        println()\n    }\n\n    abstract fun print(message: Any?)\n\n    open fun flush() {\n    }\n}\n\n/**\n * JsName used to make the declaration available outside of module to test it\n */\n@JsName("NodeJsOutput")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n    override fun print(message: Any?) = outputStream.write(String(message))\n}\n\n\n/**\n * JsName used to make the declaration available outside of module to test it\n */\n@JsName("OutputToConsoleLog")\ninternal class OutputToConsoleLog : BaseOutput() {\n    override fun print(message: Any?) {\n        console.log(message)\n    }\n\n    override fun println(message: Any?) {\n        console.log(message)\n    }\n\n    override fun println() {\n        console.log("")\n    }\n}\n\n\n/**\n * JsName used to make the declaration available outside of module to test it and use at try.kotl.in\n */\n@JsName("BufferedOutput")\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = ""\n\n    override fun print(message: Any?) {\n        buffer += String(message)\n    }\n\n    override fun flush() {\n        buffer = ""\n    }\n}\n\n\n/**\n * JsName used to make the declaration available outside of module to test it\n */\n@JsName("BufferedOutputToConsoleLog")\ninternal class BufferedOutputToConsoleLog : BufferedOutput() {\n    override fun print(message: Any?) {\n        var s = String(message)\n        val i = s.lastIndexOf('\\n')\n        if (i >= 0) {\n            buffer += s.substring(0, i)\n            flush()\n            s = s.substring(i + 1)\n        }\n        buffer += s\n    }\n\n    override fun flush() {\n        console.log(buffer)\n        buffer = ""\n    }\n}\n\n\n/**\n * JsName used to make the declaration available outside of module to test it and use at try.kotl.in\n */\n@JsName("output")\ninternal var output = run {\n    val isNode: Boolean = js("typeof process !== 'undefined' && process.versions && !!process.versions.node")\n    if (isNode) NodeJsOutput(js("process.stdout")) else\n    BufferedOutputToConsoleLog()\n}\n\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String = js("String")(value)\n\n\n/**\n * Prints a newline to the standard output stream.\n */\npublic actual fun println() {\n    output.println()\n}\n\n\n/**\n * Prints the given message and newline to the standard output stream.\n */\npublic actual fun println(message: Any?) {\n    output.println(message)\n}\n\n\n/**\n * Prints the given message to the standard output stream.\n */\npublic actual fun print(message: Any?) {\n    output.print(message)\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.coroutines.experimental\n\n\nimport kotlin.coroutines.experimental.intrinsics.*\n\n\n@JsName("CoroutineImpl")\ninternal abstract class

```

```

CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {
    protected var state = 0
    protected var exceptionState = 0
    protected var result: Any? = null
    protected var exception: Throwable? = null
    protected var finallyPath: Array<Int>? = null
    public override val context: CoroutineContext = resultContinuation.context
    val facade: Continuation<Any?> = context[ContinuationInterceptor]?.interceptContinuation(this) ?: this
    override fun resume(value: Any?) {
        result = value
        doResumeWrapper()
    }
    override fun resumeWithException(exception: Throwable) {
        state = exceptionState
        this.exception = exception
        doResumeWrapper()
    }
    protected fun doResumeWrapper() {
        processBareContinuationResume(resultContinuation) { doResume() }
    }
    protected abstract fun doResume(): Any?
    private val UNDECIDED: Any? = Any()
    private val RESUMED: Any? = Any()
    private class Fail(val exception: Throwable)
    @PublishedApi
    internal actual class SafeContinuation<in T>
    internal actual constructor(
        private val delegate: Continuation<T>,
        initialResult: Any?
    ) : Continuation<T> {
        @PublishedApi
        internal actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)
        public actual override val context: CoroutineContext
            get() = delegate.context
        private var result: Any? = initialResult
        actual override fun resume(value: T) {
            when {
                result === UNDECIDED -> {
                    result = value
                }
                result === COROUTINE_SUSPENDED -> {
                    result = RESUMED
                    delegate.resume(value)
                }
                else -> {
                    throw IllegalStateException("Already resumed")
                }
            }
            actual override fun resumeWithException(exception: Throwable) {
                when {
                    result === UNDECIDED -> {
                        result = Fail(exception)
                    }
                    result === COROUTINE_SUSPENDED -> {
                        result = RESUMED
                        delegate.resumeWithException(exception)
                    }
                    else -> {
                        throw IllegalStateException("Already resumed")
                    }
                }
            }
            @PublishedApi
            internal actual fun getResult(): Any? {
                if (result === UNDECIDED) {
                    result = COROUTINE_SUSPENDED
                }
                val result = this.result
                return when {
                    result === RESUMED -> {
                        COROUTINE_SUSPENDED // already called continuation, indicate SUSPENDED upstream
                    }
                    result is Fail -> {
                        throw result.exception
                    }
                    else -> {
                        result // either SUSPENDED or data
                    }
                }
            }
        }
    }
}
/*
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("CoroutinesKt")
package kotlin.coroutines.experimental
import kotlin.coroutines.experimental.intrinsics.COROUTINE_SUSPENDED
import kotlin.coroutines.experimental.intrinsics.createCoroutineUnchecked
import kotlin.coroutines.experimental.intrinsics.suspendCoroutineOrReturn
import kotlin.internal.InlineOnly
/**
 * Starts coroutine with receiver type [R] and result type [T].
 * This function creates and start a new, fresh instance of suspendable computation every time it is invoked.
 * The [completion] continuation is invoked when coroutine completes with result or exception.
 */
@SinceKotlin("1.1")
@Suppress("UNCHECKED_CAST")
public fun <R, T> (suspend R.() -> T).startCoroutine(
    receiver: R,
    completion: Continuation<T>
) {
    createCoroutineUnchecked(receiver, completion).resume(Unit)
}
/**
 * Starts coroutine without receiver and with result type [T].
 * This function creates and start a new, fresh instance of suspendable computation every time it is invoked.
 * The [completion] continuation is invoked when coroutine completes with result or exception.
 */
@SinceKotlin("1.1")
@Suppress("UNCHECKED_CAST")
public fun <T> (suspend () -> T).startCoroutine(
    completion: Continuation<T>
) {
    createCoroutineUnchecked(completion).resume(Unit)
}
/**
 * Creates a coroutine with receiver type [R] and result type [T].
 * This function creates a new, fresh instance of suspendable computation every time it is invoked.
 * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.
 * The [completion] continuation is invoked when coroutine completes with result or exception.
 * Repeated invocation of any resume function on the resulting continuation produces [IllegalStateException].
 */
@SinceKotlin("1.1")
@Suppress("UNCHECKED_CAST")
public fun <R, T> (suspend R.() -> T).createCoroutine(
    receiver: R,
    completion: Continuation<T>
): Continuation<Unit> = SafeContinuation(
    createCoroutineUnchecked(receiver, completion),
    COROUTINE_SUSPENDED
)

```

Creates a coroutine without receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n * Repeated invocation of any resume function on the resulting continuation produces [IllegalStateException].\n

```

*\n@SinceKotlin("1.1")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).createCoroutine(\n    completion: Continuation<T>\n): Continuation<Unit> =
SafeContinuation(createCoroutineUnchecked(completion), COROUTINE_SUSPENDED)\n\n/**\n * Obtains the
current continuation instance inside suspend functions and suspends\n * currently running coroutine.\n *\n * In this
function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously
in\n * the same stack-frame where suspension function is run or asynchronously later in the same thread or\n * from
a different thread of execution. Repeated invocation of any resume function produces [IllegalStateException].\n
*\n@SinceKotlin("1.1")\npublic suspend inline fun <T> suspendCoroutine(crossinline block: (Continuation<T>)-
> Unit): T =\n    suspendCoroutineOrReturn { c: Continuation<T> ->\n        val safe = SafeContinuation(c)\n
block(safe)\n        safe.getResult()\n    }\n\n/**\n * Continuation context of current coroutine.\n *\n * This allows the
user code to not pass an extra [CoroutineContext] parameter in basic coroutine builders\n * like
[launch](https://kotlin.github.io/kotlinx.coroutines/kotlinx-coroutines-core/kotlinx.coroutines.experimental/launch.html)\n * and [async](https://kotlin.github.io/kotlinx.coroutines/kotlinx-coroutines-core/kotlinx.coroutines.experimental/async.html),\n * but still provide easy access to coroutine context.\n
*\n@SinceKotlin("1.2")\n@Suppress("WRONG_MODIFIER_TARGET")\n@InlineOnly\npublic suspend inline
val coroutineContext: CoroutineContext\n    get() {\n        throw NotImplementedError("Implemented as
intrinsic")\n    }\n\n// INTERNAL DECLARATIONS\n\n@kotlin.internal.InlineOnly\ninternal inline fun
processBareContinuationResume(completion: Continuation<*>, block: () -> Any?) {\n    try {\n        val result =
block()\n        if (result !== COROUTINE_SUSPENDED) {\n            @Suppress("UNCHECKED_CAST")\n
(completion as Continuation<Any?>).resume(result)\n        }\n    } catch (t: Throwable) {\n
completion.resumeWithException(t)\n    }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines.experimental.intrinsics\n\nimport
kotlin.coroutines.experimental.Continuation\n\n@SinceKotlin("1.1")\n@Suppress("UNCHECKED_CAST")\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\n
completion: Continuation<T>\n): Any? = this.asDynamic()(completion,
false)\n\n@SinceKotlin("1.1")\n@Suppress("UNCHECKED_CAST")\n@kotlin.internal.InlineOnly\npublic
actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(\n    receiver: R,\n    completion:
Continuation<T>\n): Any? = this.asDynamic()(receiver, completion, false)\n\n@SinceKotlin("1.1")\npublic actual
fun <R, T> (suspend R.() -> T).createCoroutineUnchecked(\n    receiver: R,\n    completion: Continuation<T>\n):
Continuation<Unit> = this.asDynamic()(receiver, completion, true).facade\n\n@SinceKotlin("1.1")\npublic actual
fun <T> (suspend () -> T).createCoroutineUnchecked(\n    completion: Continuation<T>\n): Continuation<Unit> =
this.asDynamic()(completion, true).facade\n\n/**\n * This value is used as a return value of
[suspendCoroutineOrReturn] `block` argument to state that\n * the execution was suspended and will not return any
result immediately.\n */\n\n@SinceKotlin("1.1")\npublic actual val COROUTINE_SUSPENDED: Any =
CoroutineSuspendedMarker\n\nprivate object CoroutineSuspendedMarker, "/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date
API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*\n@Suppress("NOT_DOCUMENTED")\npublic external class Date() {\n    public constructor(milliseconds:
Number)\n\n    public constructor(dateString: String)\n\n    public constructor(year: Int, month: Int)\n\n    public
constructor(year: Int, month: Int, day: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n
public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n    public constructor(year: Int, month:

```

```

Int, day: Int, hour: Int, minute: Int, second: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int,
minute: Int, second: Int, millisecond: Number)\n\n public fun getDate(): Int\n\n public fun getDay(): Int\n\n
public fun getFullYear(): Int\n\n public fun getHours(): Int\n\n public fun getMilliseconds(): Int\n\n public fun
getMinutes(): Int\n\n public fun getMonth(): Int\n\n public fun getSeconds(): Int\n\n public fun getTime():
Double\n\n public fun getTimezoneOffset(): Int\n\n public fun getUTCDate(): Int\n\n public fun
getUTCDay(): Int\n\n public fun getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun
getUTCMilliseconds(): Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public
fun getUTCSeconds(): Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public
fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options:
LocaleOptions = definedExternally): String\n\n public fun toLocaleDateString(locales: String, options:
LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: Array<String> =
definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales:
String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales:
Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun
toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun
toTimeString(): String\n\n public fun toUTCString(): String\n\n public companion object {\n public fun
now(): Double\n\n public fun parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int):
Double\n\n public fun UTC(year: Int, month: Int, day: Int): Double\n\n public fun UTC(year: Int, month:
Int, day: Int, hour: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int):
Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n
public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n
}\n\n public interface LocaleOptions {\n public var localeMatcher: String?\n\n public var timeZone:
String?\n\n public var hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday:
String?\n\n public var era: String?\n\n public var year: String?\n\n public var month: String?\n\n
public var day: String?\n\n public var hour: String?\n\n public var minute: String?\n\n public var
second: String?\n\n public var timeZoneName: String? }\n}\n\npublic inline fun dateLocaleOptions(init:
Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n val result = js("new
Object()\n\n).unsafeCast<Date.LocaleOptions>()\n\n init(result)\n\n return result\n\n"},"/*\n\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n\n * that can be found in the
license/LICENSE.txt file.\n\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n\n * Creates a new element
with the specified [name].\n\n * The element is initialized with the specified [init] function.\n\n */\n\npublic fun
Document.createElement(name: String, init: Element.() -> Unit): Element =
createElement(name).apply(init)\n\n/**\n\n * Appends a newly created element with the specified [name] to this
element.\n\n * The element is initialized with the specified [init] function.\n\n */\n\npublic fun
Element.appendChild(name: String, init: Element.() -> Unit): Element =\nownerDocument!!.createElement(name, init).also { appendChild(it) }\n\n"},"/*\n\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n\n * that can be found in the
license/LICENSE.txt file.\n\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n\n * Returns true if the element
has the given CSS class style in its 'class' attribute\n\n */\n\nfun Element.hasClass(cssClass: String): Boolean =
className.matches("\\\\\\"(\\^|.*\\|s+)$cssClass(\\|s+.*)"\\.toRegex())\n\n/**\n\n * Adds CSS class to element. Has no
effect if all specified classes are already in class attribute of the element\n\n */\n\n @return true if at least one class has
been added\n\n */\n\nfun Element.addClass(vararg cssClasses: String): Boolean {\n val missingClasses =
cssClasses.filterNot { hasClass(it) }\n\n if (missingClasses.isNotEmpty()) {\n val presentClasses =
className.trim()\n\n className = buildString {\n append(presentClasses)\n\n if
(!presentClasses.isEmpty()) {\n append(" ")\n\n }\n\n missingClasses.joinTo(this, " ")
}\n\n return true\n\n }\n\n return false\n\n }\n\n /**\n\n * Removes all [cssClasses] from element. Has no effect if all
specified classes are missing in class attribute of the element\n\n */\n\n @return true if at least one class has been
removed\n\n */\n\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n if (cssClasses.any { hasClass(it)

```

```

}) {\n    val toBeRemoved = cssClasses.toSet()\n    className =
className.trim().split("\\s+").toRegex().filter { it !in toBeRemoved }.joinToString(" ")
return true\n
}\n\n return false\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\\StringsKt")\n\npackage
kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the
string into a regular expression [Regex] with the specified single [option].\n *\n\n@kotlin.internal.InlineOnly\npublic
inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a
regular expression [Regex] with the specified set of [options].\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun
String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\\StringsKt")\n\npackage
kotlin.text\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided
[builderAction]\n * and then converting it to [String].\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun
buildString(builderAction: StringBuilder.() -> Unit): String =\n
StringBuilder().apply(builderAction).toString()\n\n/**\n * Builds new string by populating newly created
[StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to
[String].\n *\n\n@SinceKotlin("\\1.1")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int,
builderAction: StringBuilder.() -> Unit): String =\n
StringBuilder(capacity).apply(builderAction).toString()\n\n/**\n * Appends all arguments to the given
[Appendable].\n *\n\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n    for (item in
value)\n        append(item)\n    return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n
*\n\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\n    for (item in value)\n
append(item)\n    return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n *\n\npublic fun
StringBuilder.append(vararg value: Any?): StringBuilder {\n    for (item in value)\n        append(item)\n    return
this\n}\n\n\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) -> CharSequence?) {\n
when {\n    transform != null -> append(transform(element))\n    element is CharSequence? ->
append(element)\n    element is Char -> append(element)\n    else -> append(element.toString())\n
}\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
* that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\nimport
kotlin.collections.*\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n *\n\npublic val Node.isText: Boolean\n    get() = nodeType == Node.TEXT_NODE ||
nodeType == Node.CDATA_SECTION_NODE\n\n\n/**\n * Gets a value indicating whether this node is an
[Element].\n *\n\npublic val Node.isElement: Boolean\n    get() = nodeType == Node.ELEMENT_NODE\n", /*\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n *\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler:
(Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val
handler: (Event) -> Unit) : EventListener {\n    public override fun handleEvent(e: Event) {\n        handler(e)\n
}\n\n    public override fun toString(): String = "EventListenerHandler($handler)"\n}\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n
val length: Int\n    fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as
`List<T>`\n *\n\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n    override val
size: Int get() = this@asList.length\n\n    override fun get(index: Int): T = when (index) {\n        in 0..lastIndex ->
this@asList.item(index).unsafeCast<T>()\n        else -> throw IndexOutOfBoundsException("index $index is not in
range [0..$lastIndex]")\n    }\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed

```

```

by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.dom\n\nimport org.w3c.dom.*\n\n/** Removes all the children from this node. *\n\npublic fun Node.clear()
{\n    while (hasChildNodes()) {\n        removeChild(firstChild!)\n    }\n}\n\n/**\n * Creates text node and append it
to the element.\n *\n * @return this element\n *\n\nfun Element.appendText(text: String): Element {\n
appendChild(ownerDocument!!.createTextNode(text))\n    return this\n}\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.js\n\n/**\n * Reinterprets this value as a value of the [dynamic
type](/docs/reference/dynamic-type.html).\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Any?.asDynamic():
dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual type
checking.\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T
= this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the specified type [T] without any
actual type checking.\n
*\n\n@kotlin.internal.DynamicExtension\n\n@JsName("unsafeCastDynamic")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an
instance of [kotlin.collections.Iterable]\n *\n\n@kotlin.internal.DynamicExtension\n\npublic operator fun
dynamic.iterator(): Iterator<dynamic> {\n    val r: Any? = this\n\n    return when {\n        this["iterator"] != null -
->\n            this["iterator"]()\n        js("Kotlin").isArrayish(r) ->\n            r.unsafeCast<Array<*>>().iterator()\n
        else ->\n            (r as Iterable<*>).iterator()\n    }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this
source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage // a
package is omitted to get declarations directly under the module\n\n@JsName("throwNPE")\n\ninternal fun
throwNPE(message: String) {\n    throw NullPointerException(message)\n}\n\n@JsName("throwCCE")\n\ninternal
fun throwCCE() {\n    throw ClassCastException("Illegal cast")\n}\n\n@JsName("throwISE")\n\ninternal fun
throwISE(message: String) {\n    throw IllegalStateException(message)\n}\n\n@JsName("throwUPAE")\n\ninternal
fun throwUPAE(propertyName: String) {\n    throw UninitializedPropertyAccessException("lateinit property
${propertyName} has not been initialized")\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this
template:\n\n/**\n\npublic open class MyException : Exception {\n    constructor() : super()\n    constructor(message:
String?) : super(message)\n    constructor(message: String?, cause: Throwable?) : super(message, cause)\n
    constructor(cause: Throwable?) : super(cause)\n}\n\n*/\n\n// TODO: remove workarounds for KT-22053 from
direct Throwable inheritors\n\n// TODO: remove primary constructors, make all secondary KT-
22055\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic actual open class Error actual
constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n    actual constructor() :
this(null, null) {\n        Error::class.js.asDynamic().call(this, null, null)\n    }\n\n    actual constructor(message:
String?) : this(message, null) {\n        Error::class.js.asDynamic().call(this, message, null)\n    }\n\n    actual
constructor(cause: Throwable?) : this(undefiend, cause) {\n        Error::class.js.asDynamic().call(this, undefiend,
cause)\n    }\n}\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic actual open class Exception
actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n    actual
constructor() : this(null, null) {\n        Exception::class.js.asDynamic().call(this, null, null)\n    }\n\n    actual
constructor(message: String?) : this(message, null) {\n        Exception::class.js.asDynamic().call(this, message,
null)\n    }\n\n    actual constructor(cause: Throwable?) : this(undefiend, cause) {\n
Exception::class.js.asDynamic().call(this, undefiend, cause)\n    }\n}\n\n\npublic actual open class RuntimeException
actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n    actual constructor() :
this(null, null)\n    actual constructor(message: String?) : this(message, null)\n    actual constructor(cause:
Throwable?) : this(undefiend, cause)\n}\n\n\npublic actual open class IllegalArgumentException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n    actual constructor() :
this(null, null)\n    actual constructor(message: String?) : this(message, null)\n    actual constructor(cause:

```

```

Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalStateException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual
constructor(message: String?) : RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic
actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual
open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic
actual open class NumberFormatException actual constructor(message: String?) :
IllegalArgumentException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class
NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class AssertionError
private constructor(message: String?, cause: Throwable?) : Error(message, cause) {\n  actual constructor() :
this(null)\n  constructor(message: String?) : this(message, null)\n  actual constructor(message: Any?) :
this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException actual
constructor(message: String?) : RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic
actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual
open class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n *
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n

```

```

*\n\n@file:kotlin.jvm.JvmName("\nGroupingKt")\n\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each
element to get its key.\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by their keys and then fold each group with some aggregating operation.\n * It is created
by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one
of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * -
[Array.groupingBy]\n * - [CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available,
see the [extension functions](#extension-functions) for `Grouping`.\n *\n * @SinceKotlin("1.1")\n\npublic interface
Grouping<T, out K> {\n  /** Returns an [Iterator] over the elements of the source of this grouping. *\n  fun
sourceIterator(): Iterator<T>\n  /** Extracts the key of an [element]. *\n  fun keyOf(element: T): K\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group
sequentially,\n * passing the previously accumulated value, and the current element as arguments, and stores the
results in a new map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n *
@param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the
group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null`
if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n
* - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * @return a [Map] associating
the key of each group with the result of aggregation of the group elements.\n *\n * @SinceKotlin("1.1")\n\npublic
inline fun <T, K, R> Grouping<T, K>.aggregate(\n  operation: (key: K, accumulator: R?, element: T, first:
Boolean) -> R): Map<K, R> {\n  return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups

```

elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in the given [destination] map. The key for each element is provided by the [Grouping.keyOf] function.

@param operation a function that is invoked on each element with the following parameters:

- `key`: the key of the group this element belongs to;
- `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;
- `element`: the element from the source being aggregated;
- `first`: indicates whether it's the first `element` encountered in the group.

If the [destination] map already has a value corresponding to some key, then the elements being aggregated for that key are never considered as `first`.

@return the [destination] map associating the key of each group with the result of aggregation of the group elements.

```

@SinceKotlin("1.1")
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(
    destination: M,
    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R): M {
    for (e in this.sourceIterator()) {
        val key = keyOf(e)
        val accumulator = destination[key]
        destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))
    }
    return destination
}

```

Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in a new map. An initial value of accumulator is provided by [initialValueSelector] function.

@param initialValueSelector a function that provides an initial value of accumulator for each group. It's invoked with parameters:

- `key`: the key of the group;
- `element`: the first element being encountered in that group.

@param operation a function that is invoked on each element with the following parameters:

- `key`: the key of the group this element belongs to;
- `accumulator`: the current value of the accumulator of the group;
- `element`: the element from the source being accumulated.

@return a [Map] associating the key of each group with the result of accumulating the group elements.

```

@SinceKotlin("1.1")
public inline fun <T, K, R> Grouping<T, K>.fold(
    initialValueSelector: (key: K, element: T) -> R,
    operation: (key: K, accumulator: R, element: T) -> R): Map<K, R> =
    @Suppress("UNCHECKED_CAST")
    aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }

```

Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in the given [destination] map. An initial value of accumulator is provided by [initialValueSelector] function.

@param initialValueSelector a function that provides an initial value of accumulator for each group. It's invoked with parameters:

- `key`: the key of the group;
- `element`: the first element being encountered in that group.

If the [destination] map already has a value corresponding to some key, that value is used as an initial value of the accumulator for that group and the [initialValueSelector] function is not called for that group.

@param operation a function that is invoked on each element with the following parameters:

- `key`: the key of the group this element belongs to;
- `accumulator`: the current value of the accumulator of the group;
- `element`: the element from the source being accumulated.

@return the [destination] map associating the key of each group with the result of accumulating the group elements.

```

@SinceKotlin("1.1")
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(
    destination: M,
    initialValueSelector: (key: K, element: T) -> R,
    operation: (key: K, accumulator: R, element: T) -> R): M =
    @Suppress("UNCHECKED_CAST")
    aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }

```

Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in a new map. An initial value of accumulator is the same [initialValue] for each group.

@param operation a function that is invoked on each element with the following parameters:

- `accumulator`: the current value of the accumulator of the group;
- `element`: the element from the source being accumulated.

@return a [Map] associating the key of each group with the result of accumulating the group elements.

```

@SinceKotlin("1.1")
public inline fun <T, K, R> Grouping<T, K>.fold(
    initialValue: R,
    operation: (accumulator: R, element: T) -> R): Map<K, R> =
    @Suppress("UNCHECKED_CAST")


```

```

aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }
    * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,
    * passing the previously accumulated value and the current element as arguments,
    * and stores the results in the given [destination] map.
    * An initial value of accumulator is the same [initialValue] for each group.
    * If the [destination] map already has a value corresponding to the key of some group,
    * that value is used as an initial value of the accumulator for that group.
    * @param operation a function that is invoked on each element with the following parameters:
    * - `accumulator`: the current value of the accumulator of the group;
    * - `element`: the element from the source being accumulated.
    * @return the [destination] map associating the key of each group with the result of accumulating the group elements.
    *
    * @SinceKotlin("1.1")
    public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(
        destination: M,
        initialValue: R,
        operation: (accumulator: R, element: T) -> R): M =
        @Suppress("UNCHECKED_CAST")
        aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }
    * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group
    * sequentially starting from the second element of the group,
    * passing the previously accumulated value and the current element as arguments,
    * and stores the results in a new map.
    * An initial value of accumulator is the first element of the group.
    * @param operation a function that is invoked on each subsequent element of the group with the following parameters:
    * - `key`: the key of the group this element belongs to;
    * - `accumulator`: the current value of the accumulator of the group;
    * - `element`: the element from the source being accumulated.
    * @return a [Map] associating the key of each group with the result of accumulating the group elements.
    *
    * @SinceKotlin("1.1")
    public inline fun <S, T : S, K> Grouping<T, K>.reduce(
        operation: (key: K, accumulator: S, element: T) -> S): Map<K, S> =
        aggregate { key, acc, e, first ->
            @Suppress("UNCHECKED_CAST")
            if (first) e else operation(key, acc as S, e)
        }
    * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group
    * sequentially starting from the second element of the group,
    * passing the previously accumulated value and the current element as arguments,
    * and stores the results in the given [destination] map.
    * An initial value of accumulator is the first element of the group.
    * If the [destination] map already has a value corresponding to the key of some group,
    * that value is used as an initial value of the accumulator for that group and the first element of that group is also
    * subjected to the [operation].
    * @param operation a function that is invoked on each subsequent element of the group with the following parameters:
    * - `accumulator`: the current value of the accumulator of the group;
    * - `element`: the element from the source being folded;
    * @return the [destination] map associating the key of each group with the result of accumulating the group elements.
    *
    * @SinceKotlin("1.1")
    public inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(
        destination: M,
        operation: (key: K, accumulator: S, element: T) -> S): M =
        aggregateTo(destination) { key, acc, e, first ->
            @Suppress("UNCHECKED_CAST")
            if (first) e else operation(key, acc as S, e)
        }
    * Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.
    * If the [destination] map already has a value corresponding to the key of some group,
    * that value is used as an initial value of the counter for that group.
    * @return the [destination] map associating the key of each group with the count of elements in the group.
    *
    * @sample samples.collections.Collections.Transformations.groupingByEachCount
    *
    * @SinceKotlin("1.1")
    public fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =
        foldTo(destination, 0) { acc, _ -> acc + 1 }
    * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements
    * in each group
    * to the given [destination] map.
    * If the [destination] map already has a value corresponding to the key of some group,
    * that value is used as an initial value of the sum for that group.
    * @return the [destination] map associating the key of each group with the sum of elements in the group.
    *
    * @SinceKotlin("1.1")
    public inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(
        destination: M, valueSelector: (T) -> Int): M =
        foldTo(destination, 0) { acc, e -> acc + valueSelector(e) }
    * // TODO: sum by long and by double overloads
    public inline fun <T, K, M :

```

```

MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M
=>foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T,
K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =>fold(0L) { acc, e -> acc +
valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T,
K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =>foldTo(destination, 0.0) { acc, e
-> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) ->
Double): Map<K, Double> =>fold(0.0) { acc, e -> acc + valueSelector(e)}\n\n/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source
by key and counts elements in each group.\n *\n * @return a [Map] associating the key of each group with the count
of element in the group.\n *\n * @SinceKotlin("1.1")\n */\npublic actual fun <T, K> Grouping<T, K>.eachCount():
Map<K, Int> =>fold(0) { acc, _ -> acc + 1 }\n\n/**\n * Groups elements from the [Grouping] source by key
and sums values provided by the [valueSelector] function for elements in each group.\n *\n * @return a [Map]
associating the key of each group with the count of element in the group.\n *\n * @SinceKotlin("1.1")\n */\npublic inline
fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =>fold(0) { acc, e -> acc +
valueSelector(e) }\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.js\n\n/**\n *
Exposes the JavaScript [Math
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n
*\n * @Deprecated("Use top-level functions from kotlin.math package instead.")\n */\npublic external object Math {\n
@Deprecated("Use kotlin.math.PI instead.", ReplaceWith("PI", "kotlin.math.PI"))\n public val PI: Double\n
public fun random(): Double\n @Deprecated("Use kotlin.math.abs instead.", ReplaceWith("abs(value)",
"kotlin.math.abs"))\n public fun abs(value: Double): Double\n @Deprecated("Use kotlin.math.acos instead.",
ReplaceWith("acos(value)", "kotlin.math.acos"))\n public fun acos(value: Double): Double\n
@Deprecated("Use kotlin.math.asin instead.", ReplaceWith("asin(value)", "kotlin.math.asin"))\n public fun
asin(value: Double): Double\n @Deprecated("Use kotlin.math.atan instead.", ReplaceWith("atan(value)",
"kotlin.math.atan"))\n public fun atan(value: Double): Double\n @Deprecated("Use kotlin.math.atan2
instead.", ReplaceWith("atan2(y, x)", "kotlin.math.atan2"))\n public fun atan2(y: Double, x: Double): Double\n
@Deprecated("Use kotlin.math.cos instead.", ReplaceWith("cos(value)", "kotlin.math.cos"))\n public fun
cos(value: Double): Double\n @Deprecated("Use kotlin.math.sin instead.", ReplaceWith("sin(value)",
"kotlin.math.sin"))\n public fun sin(value: Double): Double\n @Deprecated("Use kotlin.math.exp instead.",
ReplaceWith("exp(value)", "kotlin.math.exp"))\n public fun exp(value: Double): Double\n
@Deprecated("Use maxOf or kotlin.math.max instead")\n public fun max(vararg values: Int): Int\n
@Deprecated("Use maxOf or kotlin.math.max instead")\n public fun max(vararg values: Float): Float\n
@Deprecated("Use maxOf or kotlin.math.max instead")\n public fun max(vararg values: Double): Double\n
@Deprecated("Use minOf or kotlin.math.min instead")\n public fun min(vararg values: Int): Int\n
@Deprecated("Use minOf or kotlin.math.min instead")\n public fun min(vararg values: Float): Float\n
@Deprecated("Use minOf or kotlin.math.min instead")\n public fun min(vararg values: Double): Double\n
@Deprecated("Use kotlin.math.sqrt instead.", ReplaceWith("sqrt(value)", "kotlin.math.sqrt"))\n public fun
sqrt(value: Double): Double\n @Deprecated("Use kotlin.math.tan instead.", ReplaceWith("tan(value)",
"kotlin.math.tan"))\n public fun tan(value: Double): Double\n @Deprecated("Use kotlin.math.log instead.",
ReplaceWith("log(value)", "kotlin.math.log"))\n public fun log(value: Double): Double\n @Deprecated("Use
kotlin.math.pow instead.", ReplaceWith("pow(base, exp)", "kotlin.math.pow"))\n public fun pow(base:
Double, exp: Double): Double\n @Deprecated("Use kotlin.math.round instead.", ReplaceWith("round(value)",
"kotlin.math.round"))\n public fun round(value: Number): Int\n @Deprecated("Use kotlin.math.floor
instead.", ReplaceWith("floor(value)", "kotlin.math.floor"))\n public fun floor(value: Number): Int\n
@Deprecated("Use kotlin.math.ceil instead.", ReplaceWith("ceil(value)", "kotlin.math.ceil"))\n public fun
ceil(value: Number): Int\n\n @PublishedApi\n internal fun trunc(value: Number): Double\n @PublishedApi\n

```


finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).

```

public actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()

```

Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).

```

public actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()

```

Returns a bit representation of the specified floating-point value as [Long] according to the IEEE 754 floating-point "double format" bit layout.

```

@SinceKotlin("1.2")@library("doubleToBits")public actual fun Double.toBits(): Long =
definedExternally

```

Returns a bit representation of the specified floating-point value as [Long] according to the IEEE 754 floating-point "double format" bit layout, preserving `NaN` values exact layout.

```

@SinceKotlin("1.2")@library("doubleToRawBits")public actual fun Double.toRawBits(): Long =
definedExternally

```

Returns the [Double] value corresponding to a given bit representation.

```

@SinceKotlin("1.2")@kotlin.internal.InlineOnlypublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()

```

Returns a bit representation of the specified floating-point value as [Int] according to the IEEE 754 floating-point "single format" bit layout. Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent, so some [Float] values may overflow, underflow or lose their accuracy after conversion to bits and back.

```

@SinceKotlin("1.2")@library("floatToBits")public actual fun Float.toBits(): Int =
definedExternally

```

Returns a bit representation of the specified floating-point value as [Int] according to the IEEE 754 floating-point "single format" bit layout, preserving `NaN` values exact layout. Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent, so some [Float] values may overflow, underflow or lose their accuracy after conversion to bits and back.

```

@SinceKotlin("1.2")@library("floatToRawBits")public actual fun Float.toRawBits(): Int =
definedExternally

```

Returns the [Float] value corresponding to a given bit representation.

```

@SinceKotlin("1.2")@kotlin.internal.InlineOnlypublic actual inline fun Float.Companion.fromBits(bits: Int): Float = js("Kotlin").floatFromBits(bits).unsafeCast<Float>()

```

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.text

```

Returns `true` if the contents of this string is equal to the word "true", ignoring case, and `false` otherwise.

```

public actual fun String.toBoolean(): Boolean = toLowerCase() == "true"

```

Parses the string as a signed [Byte] number and returns the result. @throws NumberFormatException if the string is not a valid representation of a number.

```

public actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)

```

Parses the string as a signed [Byte] number and returns the result. @throws NumberFormatException if the string is not a valid representation of a number. @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.

```

public actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)

```

Parses the string as a [Short] number and returns the result. @throws NumberFormatException if the string is not a valid representation of a number.

```

public actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)

```

Parses the string as a [Short] number and returns the result. @throws NumberFormatException if the string is not a valid representation of a number. @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.

```

public actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)

```

Parses the string as an [Int] number and returns the result. @throws NumberFormatException if the string is not a valid representation of a number.

```

public actual fun String.toInt(): Int = toIntOrNull() ?: numberFormatError(this)

```

Parses the string as an [Int] number and returns the result. @throws NumberFormatException if the string is not a valid representation of a number. @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.

```

public actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)

```

Parses the string as a [Long] number and returns the result. @throws NumberFormatException if the string is not a valid representation of a number.

```

public actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)

```

Parses the string as a [Long] number and returns the result. @throws NumberFormatException if the string is not

```

a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toDouble(): Double = +(this.asDynamic()).unsafeCast<Double>().also { \n    if (it.isNaN() && !this.isNaN()
|| it == 0.0 && this.isBlank())\n        numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number
and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
+(this.asDynamic()).unsafeCast<Double>().takeIf { \n    !(it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is
not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation
of this [Byte] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of
this [Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of
this [Long] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n */\n@SinceKotlin("1.2")\npublic actual fun Long.toString(radix: Int):
String = asDynamic().toString(checkRadix(radix))\n\n/**\n * Returns a string representation of this [Int] value in
the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to
string conversion.\n */\n@SinceKotlin("1.2")\npublic actual fun Int.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) {\n
\n    "nan", "+nan", "-nan" -> true\n    else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for
string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int):
Int {\n    if (radix !in 2..36) {\n        throw IllegalArgumentException("\nradix $radix was not in valid range 2..36")\n    }\n    return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n    char >= '0' && char <=
'9' -> char - '0'\n    char >= 'A' && char <= 'Z' -> char - 'A' + 10\n    char >= 'a' && char <= 'z' -> char - 'a' + 10\n    else -> -1\n}.let { if (it >= radix) -1 else it }\n\nprivate fun numberFormatError(input: String): Nothing = throw
NumberFormatException("Invalid number format: '$input'"), /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the
JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*/\n@Suppress("NOT_DOCUMENTED")\npublic open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?): Promise<S>\n\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n    public open fun <S>
catch(onRejected: (Throwable) -> S): Promise<S>\n\n    companion object {\n        public fun <S> all(promise:
Array<out Promise<S>>): Promise<Array<out S>>\n\n        public fun <S> race(promise: Array<out
Promise<S>>): Promise<S>\n\n        public fun reject(e: Throwable): Promise<Nothing>\n\n        public fun <S>
resolve(e: S): Promise<S>\n\n        public fun <S> resolve(e: Promise<S>): Promise<S>\n    }\n}\n\n// It's workaround
for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\n\ninline fun <T, S>
Promise<Promise<T>>.then(\n    noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n    noinline

```

```

onFulfilled: ((T) -> S)?,\n    noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.js\n\nimport getKClass\n\nimport kotlin.reflect.KClass\n\nimport
kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be
passed to JavaScript APIs that expect a constructor reference.\n */\n\nexternal interface JsClass<T : Any> {\n    /**\n * Returns the unqualified name of the class represented by this instance.\n */\n    val name:
String\n}\n\n@Deprecated("Use class literal and extension property `js` instead.", replaceWith =
ReplaceWith("T::class.js"), level = DeprecationLevel.WARNING)\n\nexternal fun <T : Any> jsClass():
JsClass<T>\n\n@Deprecated("Use class literal and extension property `js` instead.", replaceWith =
ReplaceWith("this::class.js"), level = DeprecationLevel.WARNING)\n\nval <T : Any> T.jsClass: JsClass<T>\n\n
get() = when (jsTypeOf(this)) {\n    "string" -> js("String")\n    "number" -> js("Number")\n
"boolean" -> js("Boolean")\n    else -> js("Object").getPrototypeOf(this).constructor\n }\n\n/**\n * Obtains
a constructor reference for the given `KClass`.\n */\n\nval <T : Any> KClass<T>.js: JsClass<T>\n    get() = (this as
KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given constructor reference.\n */\n\nval <T :
Any> JsClass<T>.kotlin: KClass<T>\n    get() = getKClass(this)\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract class KClassImpl<T :
Any>(\n    internal open val jClass: JsClass<T>) : KClass<T> {\n    override val annotations: List<Annotation>\n
get() = TODO()\n    override val constructors: Collection<KFunction<T>>\n    get() = TODO()\n    override val
isAbstract: Boolean\n    get() = TODO()\n    override val isCompanion: Boolean\n    get() = TODO()\n
    override val isData: Boolean\n    get() = TODO()\n    override val isFinal: Boolean\n    get() = TODO()\n
    override val isInner: Boolean\n    get() = TODO()\n    override val isOpen: Boolean\n    get() = TODO()\n
    override val isSealed: Boolean\n    get() = TODO()\n    override val members: Collection<KCallable<*>>\n
get() = TODO()\n    override val nestedClasses: Collection<KClass<*>>\n    get() = TODO()\n    override val
objectInstance: T?\n    get() = TODO()\n    override val qualifiedName: String?\n    get() = TODO()\n
    override val supertypes: List<KType>\n    get() = TODO()\n    override val typeParameters:
List<KTypeParameter>\n    get() = TODO()\n    override val visibility: KVisibility?\n    get() = TODO()\n\n
    override fun equals(other: Any?): Boolean {\n        return other is KClassImpl<*> && jClass == other.jClass\n
    }\n\n    // TODO: use FQN\n    override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n    override fun
toString(): String {\n        // TODO: use FQN\n        return "class $simpleName"\n    }\n}\n\ninternal class
SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n    override val simpleName: String?
= jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n    override fun isInstance(value: Any?):
Boolean {\n        return js("Kotlin").isType(value, jClass)\n    }\n}\n\ninternal class PrimitiveKClassImpl<T :
Any>(\n    jClass: JsClass<T>,\n    private val givenSimpleName: String,\n    private val isInstanceFunction: (Any?)
-> Boolean\n) : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?): Boolean {\n        if (other !is
PrimitiveKClassImpl<*>) return false\n        return super.equals(other) && givenSimpleName ==
other.givenSimpleName\n    }\n\n    override val simpleName: String? get() = givenSimpleName\n\n    override fun
isInstance(value: Any?): Boolean {\n        return isInstanceFunction(value)\n    }\n}\n\ninternal object
NothingKClassImpl : KClassImpl<Nothing>(js("Object")) {\n    override val simpleName: String =
"Nothing"\n\n    override fun isInstance(value: Any?): Boolean = false\n\n    override val jClass:
JsClass<Nothing>\n    get() = throw UnsupportedOperationException("There's no native JS class for Nothing
type")\n\n    override fun equals(other: Any?): Boolean = other === this\n\n    override fun hashCode(): Int =
0\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n *
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.js.JsClass\n\n@JsName("PrimitiveClasses")\n\ninternal object PrimitiveClasses {\n\n    @JsName("anyClass")\n    val anyClass = PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(),
"Any", { it is Any })\n\n    @JsName("numberClass")\n    val numberClass =

```

```

PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "Number", { it is Number })\n\n
@JsName("nothingClass")\n val nothingClass = NothingKClassImpl\n\n @JsName("booleanClass")\n val
booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "Boolean", { it is Boolean
})\n\n @JsName("byteClass")\n val byteClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "Byte", { it is Byte })\n\n
@JsName("shortClass")\n val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(),
"Short", { it is Short })\n\n @JsName("intClass")\n val intClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int", { it is Int })\n\n
@JsName("floatClass")\n val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(),
"Float", { it is Float })\n\n @JsName("doubleClass")\n val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>>(), "Array", { it is Array<*> })\n\n
@JsName("stringClass")\n val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(),
"String", { it is String })\n\n @JsName("throwableClass")\n val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n @JsName("charArrayClass")\n val charArrayClass =
PrimitiveKClassImpl(js("UInt16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n @JsName("byteArrayClass")\n val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n @JsName("intArrayClass")\n val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length == arity })\n functionClasses.asDynamic()[arity]
= result\n result\n })\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0), "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// a package is
omitted to get declarations directly under the module\n\nimport kotlin.reflect.KClass\nimport
kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\n\ninternal fun <T : Any> getKClass(jClass: JsClass<T>):
KClass<T> = getOrCreateKClass(jClass)\n\n@JsName("getKClassFromExpression")\n\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (js("e | 0") === e) PrimitiveClasses.intClass else
PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n "function" ->
PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n e is BooleanArray
-> PrimitiveClasses.booleanArrayClass\n e is CharArray -> PrimitiveClasses.charArrayClass\n e
is ByteArray -> PrimitiveClasses.byteArrayClass\n e is ShortArray -> PrimitiveClasses.shortArrayClass\n

```

```

        e is IntArray -> PrimitiveClasses.intArrayClass\n        e is LongArray ->
PrimitiveClasses.longArrayClass\n        e is FloatArray -> PrimitiveClasses.floatArrayClass\n        e is
DoubleArray -> PrimitiveClasses.doubleArrayClass\n        e is KClass<*> -> KClass::class\n        e is
Array<*> -> PrimitiveClasses.arrayClass\n        else -> {\n            val constructor =
js(\\"Object\\").getPrototypeOf(e).constructor\n            when {\n                constructor === js(\\"Object\\") ->
PrimitiveClasses.anyClass\n                constructor === js(\\"Error\\") -> PrimitiveClasses.throwableClass\n            }
            else -> {\n                val jsClass: JsClass<T> = constructor\n                getOrCreateKClass(jsClass)\n            }\n        }\n    }\n    } unsafeCast<KClass<T>>()\n\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\n    if
(jClass === js(\\"String\\")) return PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n    val metadata =
jClass.asDynamic().`$metadata$`\n    return if (metadata != null) {\n        if (metadata.`$kClass$` == null) {\n            val kClass = SimpleKClassImpl(jClass)\n            metadata.`$kClass$` = kClass\n            kClass\n        } else {\n            metadata.`$kClass$`\n        }\n    } else {\n        SimpleKClassImpl(jClass)\n    }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.text\nimport kotlin.js.RegExp\n\n/** Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOptions(val value: String) {\n    /** Enables case-insensitive matching. */\n    IGNORE_CASE(\\"i\\"),\n    /** Enables multiline mode.\n     * In multiline mode the expressions `^` and `$` match just after or just before,\n     * respectively, a line terminator or the end of the input sequence. */\n    MULTILINE(\\"m\\")\n}\n\n/** Represents the results from a single capturing group within a [MatchResult] of [Regex].\n */\n@param value The value of captured group.\n\npublic actual data class MatchGroup(actual val value: String)\n\n/** A compiled representation of a regular expression.\n */\n * For pattern syntax reference see [https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp] and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp]\n\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n    /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n    public actual constructor(pattern: String, option: RegexOptions) : this(pattern, setOf(option))\n    /** Creates a regular expression from the specified [pattern] string and the default options. */\n    public actual constructor(pattern: String) : this(pattern, emptySet())\n    /** The pattern string of this regular expression. */\n    public actual val pattern: String = pattern\n    /** The set of options that were used to create this regular expression. */\n    public actual val options: Set<RegexOption> = options.toSet()\n    private val nativePattern: RegExp = RegExp(pattern, options.map { it.value }.joinToString(separator = \\"\\") + \\"g\\")\n    /** Indicates whether the regular expression matches the entire [input]. */\n    public actual infix fun matches(input: CharSequence): Boolean {\n        nativePattern.reset()\n        val match = nativePattern.exec(input.toString())\n        return match != null && match.index == 0 && nativePattern.lastIndex == input.length\n    }\n    /** Indicates whether the regular expression can find at least one match in the specified [input]. */\n    public actual fun containsMatchIn(input: CharSequence): Boolean {\n        nativePattern.reset()\n        return nativePattern.test(input.toString())\n    }\n    /** Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n     * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length`\n     * @return An instance of [MatchResult] if match was found or `null` otherwise.\n     */\n    @Suppress(\\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\\")\n    public actual fun find(input: CharSequence, startIndex: Int = 0): MatchResult? = nativePattern.findNext(input.toString(), startIndex)\n    /** Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n     * @Suppress(\\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\\")\n     public actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\n        generateSequence({ find(input, startIndex) }, { match -> match.next() })\n    /** Attempts to match the entire [input] CharSequence against the pattern.\n     * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n     */\n    public actual fun matchEntire(input: CharSequence): MatchResult? {\n        if

```

```

(pattern.startsWith('^') && pattern.endsWith('$'))\n        return find(input)\n        else\n            return
Regex(\'^${pattern.trimStart('^').trimEnd('$)}$', options).find(input)\n    }\n\n    /**\n     * Replaces all
occurrences of this regular expression in the specified [input] string with specified [replacement] expression.\n    *\n    * @param replacement A replacement expression that can include substitutions. See
[https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace] for details.\n    *\n    public actual fun replace(input: CharSequence, replacement: String): String =
input.toString().nativeReplace(nativePattern, replacement)\n\n    /**\n     * Replaces all occurrences of this regular
expression in the specified [input] string with the result of\n     * the given function [transform] that takes
[MatchResult] and returns a string to be used as a\n     * replacement for that match.\n    *\n    public actual inline
fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n        var match =
find(input)\n        if (match == null) return input.toString()\n\n        var lastStart = 0\n        val length = input.length\n        val sb = StringBuilder(length)\n        do {\n            val foundMatch = match!!\n            sb.append(input, lastStart,
foundMatch.range.start)\n            sb.append(transform(foundMatch))\n            lastStart =
foundMatch.range.endInclusive + 1\n            match = foundMatch.next()\n        } while (lastStart < length && match
!= null)\n\n        if (lastStart < length) {\n            sb.append(input, lastStart, length)\n        }\n\n        return
sb.toString()\n    }\n\n    /**\n     * Replaces the first occurrence of this regular expression in the specified [input]
string with specified [replacement] expression.\n    *\n    * @param replacement A replacement expression that can
include substitutions. See [Matcher.appendReplacement] for details.\n    *\n    public actual fun replaceFirst(input:
CharSequence, replacement: String): String {\n        val nonGlobalOptions = options.map { it.value
}.joinToString(separator = "\\")\n        return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions),
replacement)\n    }\n\n    /**\n     * Splits this string around matches of the given regular expression.\n    *\n    *
@param limit The maximum number of times the split can occur.\n    *\n    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    public actual fun split(input:
CharSequence, limit: Int = 0): List<String> {\n        require(limit >= 0) { \"Limit must be non-negative, but was
$limit\" }\n        val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n        val result =
mutableListOf<String>()\n        var lastStart = 0\n        for (match in matches) {\n            result.add(input.subSequence(lastStart, match.range.start).toString())\n            lastStart = match.range.endInclusive +
1\n        }\n        result.add(input.subSequence(lastStart, input.length).toString())\n        return result\n    }\n\n    /**
Returns the string representation of this regular expression. *\n    public override fun toString(): String =
nativePattern.toString()\n\n    actual companion object {\n        /** Returns a literal regex for the specified [literal]
string. *\n        public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\n\n        /** Returns a
literal pattern for the specified [literal] string. *\n        public actual fun escape(literal: String): String =
literal.nativeReplace(patternEscape, \"\\\\\\\\$&\")\n\n        /** Returns a literal replacement expression for the specified
[literal] string. *\n        public actual fun escapeReplacement(literal: String): String =
literal.nativeReplace(replacementEscape, \"$$$$\")\n\n        private val patternEscape = RegExp(\"\\\"[-
\\\\\\\\^$*+?.()|\\[\\]{}]|\\\"\", \"g\")\n        private val replacementEscape = RegExp(\"\\\"\\\"\\\"$\\\"\", \"g\")\n    }\n\n    /**
Creates a regular expression from the specified [pattern] string and the specified single [option].
*\n    *\n    @Deprecated(\"Provided for binary compatibility\", level =
DeprecationLevel.HIDDEN)\n    @JsName(\"Regex_sb3q2\\$\")\n    public fun Regex_0(pattern: String, option:
RegexOption): Regex = Regex(pattern, setOf(option))\n\n    /** Creates a regular expression from the specified
[pattern] string and the default options. *\n    *\n    @Deprecated(\"Provided for binary compatibility\", level =
DeprecationLevel.HIDDEN)\n    @JsName(\"Regex_61zpoe\\$\")\n    public fun Regex_1(pattern: String): Regex =
Regex(pattern, emptySet())\n\n    private fun RegExp.findNext(input: String, from: Int): MatchResult? {\n        this.lastIndex = from\n        val match = exec(input)\n        if (match == null) return null\n        val range =
match.index..lastIndex - 1\n        return object : MatchResult {\n            override val range: IntRange = range\n            override val value: String\n                get() = match[0]!!\n            override val groups: MatchGroupCollection = object :
MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n                override val size: Int get() = match.length\n                override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n            }\n        }\n    }\n

```

```

override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }
private var groupValues_: List<String>? = null
override val groupValues: List<String> get() {
    if (groupValues_ == null) {
        groupValues_ = object : AbstractList<String>() {
            override val size: Int get() = match.length
            override fun get(index: Int): String = match[index] ?: ""
        }
        return groupValues_!!
    }
    override fun next(): MatchResult? = this@findNext.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive + 1)
}
}

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

interface Appendable {
    fun append(c: Char): Appendable
    fun append(csq: CharSequence?): Appendable
    fun append(csq: CharSequence?, start: Int, end: Int): Appendable
}

class StringBuilder : Appendable, CharSequence {
    constructor()
    constructor(capacity: Int)
    constructor(content: CharSequence)
    override val length: Int
    override operator fun get(index: Int): Char
    override fun subSequence(startIndex: Int, endIndex: Int): CharSequence
    fun reverse(): StringBuilder
    override fun append(c: Char): StringBuilder
    override fun append(csq: CharSequence?): StringBuilder
    override fun append(csq: CharSequence?, start: Int, end: Int): StringBuilder
    fun append(obj: Any?): StringBuilder
}

class Regex {
    constructor(pattern: String)
    constructor(pattern: String, option: RegexOptions)
    constructor(pattern: String, options: Set<RegexOption>)
    val pattern: String
    val options: Set<RegexOption>
    fun matchEntire(input: CharSequence): MatchResult?
    infix fun matches(input: CharSequence): Boolean
    fun containsMatchIn(input: CharSequence): Boolean
    fun replace(input: CharSequence, replacement: String): String
    fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String
    fun replaceFirst(input: CharSequence, replacement: String): String
}

/**
 * Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].
 * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`.
 * @return An instance of [MatchResult] if match was found or `null` otherwise.
 */
fun find(input: CharSequence, startIndex: Int = 0): MatchResult?

/**
 * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].
 */
fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult>

/**
 * Splits the [input] CharSequence around matches of this regular expression.
 * @param limit Non-negative value specifying the maximum number of substrings the string can be split to. Zero by default means no limit is set.
 */
fun split(input: CharSequence, limit: Int = 0): List<String>

companion object {
    fun fromLiteral(literal: String): Regex
    fun escape(literal: String): String
    fun escapeReplacement(literal: String): String
}

enum class RegexOptions {
    IGNORE_CASE,
    MULTILINE
}

fun Char.isWhitespace(): Boolean
fun Char.toLowerCase(): Char
fun Char.toUpperCase(): Char
fun Char.isHighSurrogate(): Boolean
fun Char.isLowSurrogate(): Boolean

// From string.kt
fun String(chars: CharArray): String
fun String(chars: CharArray, offset: Int, length: Int): String
fun String.nativeIndexOf(str: String, fromIndex: Int): Int
fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int
fun String.substring(startIndex: Int): String
fun String.substring(startIndex: Int, endIndex: Int): String
fun String.toUpperCase(): String
fun String.toLowerCase(): String
fun String.capitalize(): String
fun String.decapitalize(): String
fun CharSequence.repeat(n: Int): String

/**
 * Returns a new string with all occurrences of [oldChar] replaced with [newChar].
 */
fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String

/**
 * Returns a new string obtained by replacing all occurrences of the [oldValue] substring in this string with the specified [newValue] string.
 */
fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String

/**
 * Returns a new string with the first occurrence of [oldChar] replaced with [newChar].
 */
fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String

/**
 * Returns a new string with the first occurrence of [oldValue] substring in this string replaced with the specified [newValue] string.
 */
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String

```

Returns a new string obtained by replacing the first occurrence of the [oldValue] substring in this string\n * with the specified [newValue] string.\n *
 expect fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String\n * Returns `true` if this string is equal to [other], optionally ignoring character case.\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n *
 expect fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean\n * From stringsCode.kt\n *
 internal inline expect fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int\n * internal inline expect fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int\n *
 expect fun CharSequence.isBlank(): Boolean\n * Returns `true` if the specified range in this char sequence is equal to the specified range in another char sequence.\n * @param thisOffset the start offset in this char sequence of the substring to compare.\n * @param other the string against a substring of which the comparison is performed.\n * @param otherOffset the start offset in the other char sequence of the substring to compare.\n * @param length the length of the substring to compare.\n *
 expect fun CharSequence.regionMatches(\n * thisOffset: Int,\n * other: CharSequence,\n * otherOffset: Int,\n * length: Int,\n * ignoreCase: Boolean = false): Boolean\n * Returns `true` if the contents of this string is equal to the word `true`, ignoring case, and `false` otherwise.\n *
 expect fun String.toBoolean(): Boolean\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toByte(): Byte\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toByte(radix: Int): Byte\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toShort(): Short\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toShort(radix: Int): Short\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toInt(): Int\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toInt(radix: Int): Int\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toLong(): Long\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toLong(radix: Int): Long\n * Parses the string as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toDouble(): Double\n * Parses the string as a [Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
 expect fun String.toFloat(): Float\n * Parses the string as a [Double] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *
 expect fun String.toDoubleOrNull(): Double?\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *
 expect fun String.toFloatOrNull(): Float?\n * Returns a string representation of this [Byte] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n *
 @SinceKotlin("1.2")\n * expect fun Byte.toString(radix: Int): String\n * Returns a string representation of this [Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n *
 @SinceKotlin("1.2")\n * expect fun Short.toString(radix: Int): String\n * Returns a string representation of this [Int] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n *
 @SinceKotlin("1.2")\n * expect fun Int.toString(radix: Int): String\n * Returns a string representation of this [Long] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n *
 @SinceKotlin("1.2")\n * expect fun Long.toString(radix: Int): String\n *
 @PublishedApi\n * internal expect fun checkRadix(radix: Int): Int\n * internal expect fun digitOf(char: Char, radix: Int): Int\n * ,"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache


```

definedExternally\n    var depth: Boolean? /* = true */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var stencil: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var antialias: Boolean? /* = true */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var premultipliedAlpha: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var preserveDrawingBuffer: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var preferLowPowerToHighPerformance: Boolean? /* =
false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var failIfMajorPerformanceCaveat:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? =
true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? =
true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n    val o = js("{}")\n    o["alpha"] = alpha\n    o["depth"] = depth\n    o["stencil"] = stencil\n    o["antialias"] = antialias\n
o["premultipliedAlpha"] = premultipliedAlpha\n    o["preserveDrawingBuffer"] = preserveDrawingBuffer\n
o["preferLowPowerToHighPerformance"] = preferLowPowerToHighPerformance\n
o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n\n    return o\n}\n\npublic external abstract
class WebGLObject {\n}\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\n\npublic external
abstract class WebGLBuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\n\npublic
external abstract class WebGLFramebuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\n\npublic external
abstract class WebGLProgram : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\n\npublic
external abstract class WebGLRenderbuffer : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\n\npublic external
abstract class WebGLShader : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\n\npublic external
abstract class WebGLTexture : WebGLObject {\n}\n\n/**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n
*/\n\npublic external abstract class WebGLUniformLocation {\n}\n\n/**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\n\npublic
external abstract class WebGLActiveInfo {\n    open val size: Int\n    open val type: Int\n    open val name:
String\n}\n\n/**\n * Exposes the JavaScript
[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to
Kotlin\n */\n\npublic external abstract class WebGLShaderPrecisionFormat {\n    open val rangeMin: Int\n    open val
rangeMax: Int\n    open val precision: Int\n}\n\npublic external interface WebGLRenderingContextBase {\n    val
canvas: HTMLCanvasElement\n    val drawingBufferWidth: Int\n    val drawingBufferHeight: Int\n    fun
getContextAttributes(): WebGLContextAttributes?\n    fun isContextLost(): Boolean\n    fun
getSupportedExtensions(): Array<String>?\n    fun getExtension(name: String): dynamic\n    fun
activeTexture(texture: Int): Unit\n    fun attachShader(program: WebGLProgram?, shader: WebGLShader?): Unit\n
fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String): Unit\n    fun bindBuffer(target: Int,
buffer: WebGLBuffer?): Unit\n    fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?): Unit\n    fun
bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?): Unit\n    fun bindTexture(target: Int, texture:
WebGLTexture?): Unit\n    fun blendColor(red: Float, green: Float, blue: Float, alpha: Float): Unit\n    fun
blendEquation(mode: Int): Unit\n    fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int): Unit\n    fun
blendFunc(sfactor: Int, dfactor: Int): Unit\n    fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int,
dstAlpha: Int): Unit\n    fun bufferData(target: Int, size: Int, usage: Int): Unit\n    fun bufferData(target: Int, data:

```

BufferDataSource?, usage: Int): Unit\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?): Unit\n
 fun checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int): Unit\n fun clearColor(red: Float, green:
 Float, blue: Float, alpha: Float): Unit\n fun clearDepth(depth: Float): Unit\n fun clearStencil(s: Int): Unit\n fun
 colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean): Unit\n fun compileShader(shader:
 WebGLShader?): Unit\n fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height:
 Int, border: Int, data: ArrayBufferView): Unit\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int,
 yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView): Unit\n fun copyTexImage2D(target: Int,
 level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int): Unit\n fun
 copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int): Unit\n
 fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n fun createProgram():
 WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun createShader(type: Int):
 WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int): Unit\n fun
 deleteBuffer(buffer: WebGLBuffer?): Unit\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?): Unit\n
 fun deleteProgram(program: WebGLProgram?): Unit\n fun deleteRenderbuffer(renderbuffer:
 WebGLRenderbuffer?): Unit\n fun deleteShader(shader: WebGLShader?): Unit\n fun deleteTexture(texture:
 WebGLTexture?): Unit\n fun depthFunc(func: Int): Unit\n fun depthMask(flag: Boolean): Unit\n fun
 depthRange(zNear: Float, zFar: Float): Unit\n fun detachShader(program: WebGLProgram?, shader:
 WebGLShader?): Unit\n fun disable(cap: Int): Unit\n fun disableVertexAttribArray(index: Int): Unit\n fun
 drawArrays(mode: Int, first: Int, count: Int): Unit\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int):
 Unit\n fun enable(cap: Int): Unit\n fun enableVertexAttribArray(index: Int): Unit\n fun finish(): Unit\n fun
 flush(): Unit\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer:
 WebGLRenderbuffer?): Unit\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture:
 WebGLTexture?, level: Int): Unit\n fun frontFace(mode: Int): Unit\n fun generateMipmap(target: Int): Unit\n
 fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun
 getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun
 getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program:
 WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun
 getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int,
 attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n
 fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname:
 Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun
 getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun
 getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n
 fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location:
 WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String):
 WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun
 getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int): Unit\n fun isBuffer(buffer:
 WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer:
 WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun
 isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n
 fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float): Unit\n fun
 linkProgram(program: WebGLProgram?): Unit\n fun pixelStorei(pname: Int, param: Int): Unit\n fun
 polygonOffset(factor: Float, units: Float): Unit\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int,
 type: Int, pixels: ArrayBufferView?): Unit\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int,
 height: Int): Unit\n fun sampleCoverage(value: Float, invert: Boolean): Unit\n fun scissor(x: Int, y: Int, width:
 Int, height: Int): Unit\n fun shaderSource(shader: WebGLShader?, source: String): Unit\n fun stencilFunc(func:
 Int, ref: Int, mask: Int): Unit\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int): Unit\n fun
 stencilMask(mask: Int): Unit\n fun stencilMaskSeparate(face: Int, mask: Int): Unit\n fun stencilOp(fail: Int, zfail:

```

Int, zpass: Int): Unit\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int): Unit\n fun
texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels:
ArrayBufferView?): Unit\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source:
TexImageSource?): Unit\n fun texParameterf(target: Int, pname: Int, param: Float): Unit\n fun
texParameteri(target: Int, pname: Int, param: Int): Unit\n fun texSubImage2D(target: Int, level: Int, xoffset: Int,
yoffset: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?): Unit\n fun
texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?):
Unit\n fun uniform1f(location: WebGLUniformLocation?, x: Float): Unit\n fun uniform1fv(location:
WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform1fv(location: WebGLUniformLocation?, v:
Array<Float>): Unit\n fun uniform1i(location: WebGLUniformLocation?, x: Int): Unit\n fun
uniform1iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform1iv(location:
WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y:
Float): Unit\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n fun
uniform2fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform2i(location:
WebGLUniformLocation?, x: Int, y: Int): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v:
Int32Array): Unit\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>): Unit\n fun
uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float): Unit\n fun uniform3fv(location:
WebGLUniformLocation?, v: Float32Array): Unit\n fun uniform3fv(location: WebGLUniformLocation?, v:
Array<Float>): Unit\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int): Unit\n fun
uniform3iv(location: WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>): Unit\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y:
Float, z: Float, w: Float): Unit\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array): Unit\n
fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>): Unit\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int): Unit\n fun uniform4iv(location:
WebGLUniformLocation?, v: Int32Array): Unit\n fun uniform4iv(location: WebGLUniformLocation?, v:
Array<Int>): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Float32Array): Unit\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Array<Float>): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Float32Array): Unit\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Array<Float>): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Float32Array): Unit\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value:
Array<Float>): Unit\n fun useProgram(program: WebGLProgram?): Unit\n fun validateProgram(program:
WebGLProgram?): Unit\n fun vertexAttrib1f(index: Int, x: Float): Unit\n fun vertexAttrib1fv(index: Int, values:
dynamic): Unit\n fun vertexAttrib2f(index: Int, x: Float, y: Float): Unit\n fun vertexAttrib2fv(index: Int, values:
dynamic): Unit\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float): Unit\n fun vertexAttrib3fv(index: Int,
values: dynamic): Unit\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float): Unit\n fun
vertexAttrib4fv(index: Int, values: dynamic): Unit\n fun vertexAttribPointer(index: Int, size: Int, type: Int,
normalized: Boolean, stride: Int, offset: Int): Unit\n fun viewport(x: Int, y: Int, width: Int, height: Int): Unit\n\n
companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val
COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val
LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN:
Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR:
Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val
ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val
BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT:
Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val
BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val

```

CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA:
 Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val
 ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING:
 Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val
 STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val
 BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK:
 Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER:
 Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val
 POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val
 SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val
 INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW:
 Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val
 ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n
 val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val
 DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val
 STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS:
 Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK:
 Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val
 STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val
 STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val
 STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val
 COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n
 val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n
 val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n
 val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val
 POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val
 TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val
 SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val
 COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val
 NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE:
 Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n
 val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val
 UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val
 UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n
 val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val
 MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
 Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n
 val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val
 SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n
 val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:
 Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
 NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val

TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
 val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
 TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val
 MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val
 TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val
 TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val
 TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val
 TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n
 val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val
 FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val
 INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val
 BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n
 val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED:
 Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
 val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
 val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
 Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val
 IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val
 LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n
 val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:
 Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16:
 Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val
 RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val
 RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val
 RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val
 RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val
 RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
 val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0:
 Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val
 DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n
 val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val
 FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val
 FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n
 val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val
 MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val
 UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val
 CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val
 BROWSER_DEFAULT_WEBGL: Int\n }}\n\n**\n * Exposes the JavaScript
 [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n

```

*\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext
{\n\n companion object {\n    val DEPTH_BUFFER_BIT: Int\n    val STENCIL_BUFFER_BIT: Int\n    val
COLOR_BUFFER_BIT: Int\n    val POINTS: Int\n    val LINES: Int\n    val LINE_LOOP: Int\n    val
LINE_STRIP: Int\n    val TRIANGLES: Int\n    val TRIANGLE_STRIP: Int\n    val TRIANGLE_FAN:
Int\n    val ZERO: Int\n    val ONE: Int\n    val SRC_COLOR: Int\n    val ONE_MINUS_SRC_COLOR:
Int\n    val SRC_ALPHA: Int\n    val ONE_MINUS_SRC_ALPHA: Int\n    val DST_ALPHA: Int\n    val
ONE_MINUS_DST_ALPHA: Int\n    val DST_COLOR: Int\n    val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n    val FUNC_ADD: Int\n    val BLEND_EQUATION: Int\n    val
BLEND_EQUATION_RGB: Int\n    val BLEND_EQUATION_ALPHA: Int\n    val FUNC_SUBTRACT:
Int\n    val FUNC_REVERSE_SUBTRACT: Int\n    val BLEND_DST_RGB: Int\n    val
BLEND_SRC_RGB: Int\n    val BLEND_DST_ALPHA: Int\n    val BLEND_SRC_ALPHA: Int\n    val
CONSTANT_COLOR: Int\n    val ONE_MINUS_CONSTANT_COLOR: Int\n    val CONSTANT_ALPHA:
Int\n    val ONE_MINUS_CONSTANT_ALPHA: Int\n    val BLEND_COLOR: Int\n    val
ARRAY_BUFFER: Int\n    val ELEMENT_ARRAY_BUFFER: Int\n    val ARRAY_BUFFER_BINDING:
Int\n    val ELEMENT_ARRAY_BUFFER_BINDING: Int\n    val STREAM_DRAW: Int\n    val
STATIC_DRAW: Int\n    val DYNAMIC_DRAW: Int\n    val BUFFER_SIZE: Int\n    val
BUFFER_USAGE: Int\n    val CURRENT_VERTEX_ATTRIB: Int\n    val FRONT: Int\n    val BACK:
Int\n    val FRONT_AND_BACK: Int\n    val CULL_FACE: Int\n    val BLEND: Int\n    val DITHER:
Int\n    val STENCIL_TEST: Int\n    val DEPTH_TEST: Int\n    val SCISSOR_TEST: Int\n    val
POLYGON_OFFSET_FILL: Int\n    val SAMPLE_ALPHA_TO_COVERAGE: Int\n    val
SAMPLE_COVERAGE: Int\n    val NO_ERROR: Int\n    val INVALID_ENUM: Int\n    val
INVALID_VALUE: Int\n    val INVALID_OPERATION: Int\n    val OUT_OF_MEMORY: Int\n    val CW:
Int\n    val CCW: Int\n    val LINE_WIDTH: Int\n    val ALIASED_POINT_SIZE_RANGE: Int\n    val
ALIASED_LINE_WIDTH_RANGE: Int\n    val CULL_FACE_MODE: Int\n    val FRONT_FACE: Int\n
val DEPTH_RANGE: Int\n    val DEPTH_WRITEMASK: Int\n    val DEPTH_CLEAR_VALUE: Int\n    val
DEPTH_FUNC: Int\n    val STENCIL_CLEAR_VALUE: Int\n    val STENCIL_FUNC: Int\n    val
STENCIL_FAIL: Int\n    val STENCIL_PASS_DEPTH_FAIL: Int\n    val STENCIL_PASS_DEPTH_PASS:
Int\n    val STENCIL_REF: Int\n    val STENCIL_VALUE_MASK: Int\n    val STENCIL_WRITEMASK:
Int\n    val STENCIL_BACK_FUNC: Int\n    val STENCIL_BACK_FAIL: Int\n    val
STENCIL_BACK_PASS_DEPTH_FAIL: Int\n    val STENCIL_BACK_PASS_DEPTH_PASS: Int\n    val
STENCIL_BACK_REF: Int\n    val STENCIL_BACK_VALUE_MASK: Int\n    val
STENCIL_BACK_WRITEMASK: Int\n    val VIEWPORT: Int\n    val SCISSOR_BOX: Int\n    val
COLOR_CLEAR_VALUE: Int\n    val COLOR_WRITEMASK: Int\n    val UNPACK_ALIGNMENT: Int\n
val PACK_ALIGNMENT: Int\n    val MAX_TEXTURE_SIZE: Int\n    val MAX_VIEWPORT_DIMS: Int\n
val SUBPIXEL_BITS: Int\n    val RED_BITS: Int\n    val GREEN_BITS: Int\n    val BLUE_BITS: Int\n
val ALPHA_BITS: Int\n    val DEPTH_BITS: Int\n    val STENCIL_BITS: Int\n    val
POLYGON_OFFSET_UNITS: Int\n    val POLYGON_OFFSET_FACTOR: Int\n    val
TEXTURE_BINDING_2D: Int\n    val SAMPLE_BUFFERS: Int\n    val SAMPLES: Int\n    val
SAMPLE_COVERAGE_VALUE: Int\n    val SAMPLE_COVERAGE_INVERT: Int\n    val
COMPRESSED_TEXTURE_FORMATS: Int\n    val DONT_CARE: Int\n    val FASTEST: Int\n    val
NICEST: Int\n    val GENERATE_MIPMAP_HINT: Int\n    val BYTE: Int\n    val UNSIGNED_BYTE:
Int\n    val SHORT: Int\n    val UNSIGNED_SHORT: Int\n    val INT: Int\n    val UNSIGNED_INT: Int\n
val FLOAT: Int\n    val DEPTH_COMPONENT: Int\n    val ALPHA: Int\n    val RGB: Int\n    val
RGBA: Int\n    val LUMINANCE: Int\n    val LUMINANCE_ALPHA: Int\n    val
UNSIGNED_SHORT_4_4_4_4: Int\n    val UNSIGNED_SHORT_5_5_5_1: Int\n    val
UNSIGNED_SHORT_5_6_5: Int\n    val FRAGMENT_SHADER: Int\n    val VERTEX_SHADER: Int\n
val MAX_VERTEX_ATTRIBS: Int\n    val MAX_VERTEX_UNIFORM_VECTORS: Int\n    val
MAX_VARYING_VECTORS: Int\n    val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n    val

```

MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
 Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n
 val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val
 SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n
 val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:
 Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
 NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val
 TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
 val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
 TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val
 MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val
 TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val
 TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val
 TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val
 TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n
 val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val
 FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val
 INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val
 BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n
 val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED:
 Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
 val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
 val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
 Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val
 IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val
 LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n
 val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:
 Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16:
 Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val
 RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val
 RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val
 RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val
 RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val
 RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
 val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0:


```

override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: Uint8ClampedArray, offset: Int =
definedExternally): Unit\n  fun set(array: Array<Byte>, offset: Int = definedExternally): Unit\n  fun
subarray(start: Int, end: Int): Uint8ClampedArray\n\n  companion object {\n    val BYTES_PER_ELEMENT:
Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.get(index: Int): Byte =
asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun Uint8ClampedArray.set(index: Int, value:
Byte): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n *\npublic external open class
Int16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Int16Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Short>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Int16Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator
fun Int16Array.get(index: Int): Short = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Int16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n *\npublic external open
class Uint16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Uint16Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Short>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Uint16Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator
fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Uint16Array.set(index: Int, value: Short): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n *\npublic external open class
Int32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int32Array, offset: Int = definedExternally): Unit\n  fun set(array:
Array<Int>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Int32Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator fun
Int32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Int32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n *\npublic external open
class Uint32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Uint32Array, offset: Int = definedExternally): Unit\n  fun set(array:
Array<Int>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Uint32Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n@kotlin.internal.InlineOnly inline operator
fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun
Uint32Array.set(index: Int, value: Int): Unit { asDynamic()[index] = value; }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n *\npublic external open
class Float32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float32Array)\n
constructor(array: Array<Float>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float32Array, offset: Int = definedExternally): Unit\n  fun
set(array: Array<Float>, offset: Int = definedExternally): Unit\n  fun subarray(start: Int, end: Int): Float32Array\n\n

```


borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String

```

open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorateColor:
String\n open var textDecorateLine: String\n open var textDecorateStyle: String\n open var textIndent:
String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n
open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open
var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle:
String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n
open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi:
String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open
var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var
voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace:
String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var
wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n
override fun item(index: Int): String\n fun getPropertyValue(property: String): String\n fun
getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String =
definedExternally): Unit\n fun setPropertyValue(property: String, value: String): Unit\n fun
setPropertyPriority(property: String, priority: String): Unit\n fun removeProperty(property: String):
String\n}\n@kotlin.internal.InlineOnly inline operator fun CSSStyleDeclaration.get(index: Int): String? =
asDynamic()[index]\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n open var mediaText:
String\n override val length: Int\n override fun item(index: Int): String?\n fun appendMedium(medium:
String): Unit\n fun deleteMedium(medium: String): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun
MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract
class StyleSheet {\n open val type: String\n open val href: String?\n open val ownerNode:
UnionElementOrProcessingInstruction?\n open val parentStyleSheet: StyleSheet?\n open val title: String?\n
open val media: MediaList\n open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external
abstract class CSSStyleSheet : StyleSheet {\n open val ownerRule: CSSRule?\n open val cssRules:
CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int): Unit\n}\n\n/**\n *
Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n
*/\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n override val length: Int\n
override fun item(index: Int): StyleSheet?\n}\n@kotlin.internal.InlineOnly inline operator fun
StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface
LinkStyle {\n val sheet: StyleSheet?\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract
class CSSRuleList : ItemArrayLike<CSSRule> {\n override val length: Int\n override fun item(index: Int):
CSSRule?\n}\n\n@kotlin.internal.InlineOnly inline operator fun CSSRuleList.get(index: Int): CSSRule? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class
CSSRule {\n open val type: Short\n open var cssText: String\n open val parentRule: CSSRule?\n open val
parentStyleSheet: CSSStyleSheet?\n\n companion object {\n val STYLE_RULE: Short\n val
CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val
FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val
NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n */\npublic external
abstract class CSSStyleRule : CSSRule {\n open var selectorText: String\n open val style:
CSSStyleDeclaration\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n open val href: String\n
open val media: MediaList\n open val styleSheet: CSSStyleSheet\n}\n\n/**\n * Exposes the JavaScript

```

[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n *
 external abstract class CSSGroupingRule : CSSRule {\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int): Unit\n}\n\n**\n * Exposes the JavaScript

[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n *
 external abstract class CSSMediaRule : CSSGroupingRule {\n open val media: MediaList\n}\n\n**\n * Exposes the JavaScript

[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n *
 external abstract class CSSPageRule : CSSGroupingRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n open val name: String\n open val style: CSSStyleDeclaration\n}\n\n**\n * Exposes the JavaScript

[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n *
 external abstract class CSSNamespaceRule : CSSRule {\n open val namespaceURI: String\n open val prefix: String\n}\n\npublic external interface ElementCSSInlineStyle {\n val style: CSSStyleDeclaration\n}\n\n**\n * Exposes the JavaScript

[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n *
 external abstract class CSS {\n companion object {\n fun escape(ident: String): String\n }\n}\n\n**\n * Exposes the JavaScript

Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *
 NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See libraries/tools/idl2k for details\n\n@file:Suppress("\\NESTED_CLASS_IN_EXTERNAL_INTERFACE\\")\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n**\n * Exposes the JavaScript

[UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n *
 external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n open val view: Window?\n open val detail: Int\n}\n\npublic external interface UIEventInit : EventInit {\n var view: Window? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var detail: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n val o = js("{}")\n o["view"] = view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n\n return o\n}\n\n**\n * Exposes the JavaScript

[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n *
 external open class FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n open val relatedTarget: EventTarget?\n}\n\npublic external interface FocusEventInit : UIEventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {\n val o = js("{}")\n o["relatedTarget"] = relatedTarget\n o["view"] = view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n\n return o\n}\n\n**\n * Exposes the JavaScript

[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n *
 external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent, UnionElementOrMouseEvent {\n open val region: String?\n open val screenX: Int\n open val screenY: Int\n open val pageX: Double\n open val pageY: Double\n open val clientX: Int\n open val clientY: Int\n open val offsetX: Double\n open val offsetY: Double\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val button: Short\n open val buttons: Short\n open val relatedTarget: EventTarget?\n fun getModifierState(keyArg: String): Boolean\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n var screenX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var screenY: Int? /* = 0 */\n get() = definedExternally\n set(value) =

```

definedExternally\n    var clientX: Int? /* = 0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var clientY: Int? /* = 0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var button: Short? /* = 0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var buttons: Short? /* = 0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var relatedTarget: EventTarget? /* = null */\n        get() = definedExternally\n        set(value)
= definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0,
screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n    val o = js("{}")\n\n    o["screenX"] = screenX\n    o["screenY"] = screenY\n    o["clientX"] = clientX\n    o["clientY"] = clientY\n\n    o["button"] = button\n    o["buttons"] = buttons\n    o["relatedTarget"] = relatedTarget\n    o["ctrlKey"] =
ctrlKey\n    o["shiftKey"] = shiftKey\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n\n    o["modifierAltGraph"] = modifierAltGraph\n    o["modifierCapsLock"] = modifierCapsLock\n\n    o["modifierFn"] = modifierFn\n    o["modifierFnLock"] = modifierFnLock\n    o["modifierHyper"] =
modifierHyper\n    o["modifierNumLock"] = modifierNumLock\n    o["modifierScrollLock"] =
modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n    o["modifierSymbol"] = modifierSymbol\n\n    o["modifierSymbolLock"] = modifierSymbolLock\n    o["view"] = view\n    o["detail"] = detail\n\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n\n    return
o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n    var ctrlKey: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var shiftKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var altKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var metaKey: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var modifierCapsLock: Boolean? /* = false */\n\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierHyper: Boolean? /* = false */\n\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierNumLock: Boolean? /* = false */\n\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierScrollLock: Boolean? /* = false
*/\n\n    *^n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierSuper: Boolean? /* = false
*/\n\n    *^n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierSymbol: Boolean? /* = false
*/\n\n    *^n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierSymbolLock: Boolean? /* =
false */\n\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): EventModifierInit {\n    val o = js("{}")\n\n    o["ctrlKey"] = ctrlKey\n    o["shiftKey"] = shiftKey\n\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n    o["modifierAltGraph"] = modifierAltGraph\n\n    o["modifierCapsLock"] = modifierCapsLock\n    o["modifierFn"] = modifierFn\n    o["modifierFnLock"] =
modifierFnLock\n    o["modifierHyper"] = modifierHyper\n    o["modifierNumLock"] = modifierNumLock\n\n    o["modifierScrollLock"] = modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n}

```

```

o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open
class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n  open val
deltaX: Double\n  open val deltaY: Double\n  open val deltaZ: Double\n  open val deltaMode: Int\n\n  companion object {\n    val DOM_DELTA_PIXEL: Int\n    val DOM_DELTA_LINE: Int\n    val
DOM_DELTA_PAGE: Int\n  }\n}\n\npublic external interface WheelEventInit : MouseEventInit {\n  var deltaX:
Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var deltaY: Double? /*
= 0.0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var deltaZ: Double? /* = 0.0 */\n
  get() = definedExternally\n  set(value) = definedExternally\n  var deltaMode: Int? /* = 0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX:
Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n  val o = js("{}")\n\n  o["deltaX"] = deltaX\n  o["deltaY"] = deltaY\n  o["deltaZ"] = deltaZ\n  o["deltaMode"] = deltaMode\n
  o["screenX"] = screenX\n  o["screenY"] = screenY\n  o["clientX"] = clientX\n  o["clientY"] = clientY\n
  o["button"] = button\n  o["buttons"] = buttons\n  o["relatedTarget"] = relatedTarget\n  o["ctrlKey"] =
ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n
  o["modifierAltGraph"] = modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n
  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"] =
modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n  o["modifierScrollLock"] =
modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n  o["modifierSymbol"] = modifierSymbol\n
  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] = view\n  o["detail"] = detail\n
  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return
o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to
Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) :
UIEvent {\n  open val data: String\n  open val isComposing: Boolean\n}\n\npublic external interface
InputEventInit : UIEventInit {\n  var data: String? /* = "" */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var isComposing: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = "",
isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): InputEventInit {\n  val o = js("{}")\n\n  o["data"] = data\n
  o["isComposing"] = isComposing\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n
  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external
open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n
  open val key: String\n  open val code: String\n  open val location: Int\n  open val ctrlKey: Boolean\n  open val
shiftKey: Boolean\n  open val altKey: Boolean\n  open val metaKey: Boolean\n  open val repeat: Boolean\n
  open val isComposing: Boolean\n  open val charCode: Int\n  open val keyCode: Int\n  open val which: Int\n
  fun getModifierState(keyArg: String): Boolean\n\n  companion object {\n    val
DOM_KEY_LOCATION_STANDARD: Int\n    val DOM_KEY_LOCATION_LEFT: Int\n    val
DOM_KEY_LOCATION_RIGHT: Int\n    val DOM_KEY_LOCATION_NUMPAD: Int\n  }\n}\n\npublic

```

```

external interface KeyboardEventInit : EventModifierInit {
    var key: String? /* = "" */ get() =
    definedExternally
    set(value) = definedExternally
    var code: String? /* = "" */ get() =
    definedExternally
    set(value) = definedExternally
    var location: Int? /* = 0 */ get() =
    definedExternally
    set(value) = definedExternally
    var repeat: Boolean? /* = false */ get() =
    definedExternally
    set(value) = definedExternally
    var isComposing: Boolean? /* = false */ get() =
    definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun
KeyboardEventInit(key: String? = "", code: String? = "", location: Int? = 0, repeat: Boolean? = false,
isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false,
metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn:
Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock:
Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol:
Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {
    val o =
    js("{}")
    o["key"] = key
    o["code"] = code
    o["location"] = location
    o["repeat"] = repeat
    o["isComposing"] = isComposing
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] =
    altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] =
    modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] =
    view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] =
    composed
    return o
}
/**
 * Exposes the JavaScript
 [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin
 */
public external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
UIEvent {
    open val data: String
}
@kotlin.internal.InlineOnly
public inline fun CompositionEventInit(data: String? = "",
view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CompositionEventInit {
    val o = js("{}")
    o["data"] = data
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] =
    composed
    return o
}
/**
 * Exposes the JavaScript
 [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin
 */
public external open class
Event(type: String, eventInitDict: EventInit = definedExternally) {
    open val type: String
    open val target:
    EventTarget?
    open val currentTarget: EventTarget?
    open val eventPhase: Short
    open val bubbles:
    Boolean
    open val cancelable: Boolean
    open val defaultPrevented: Boolean
    open val composed:
    Boolean
    open val isTrusted: Boolean
    open val timeStamp: Number
    fun composedPath():
    Array<EventTarget>
    fun stopPropagation(): Unit
    fun stopImmediatePropagation(): Unit
    fun
    preventDefault(): Unit
    fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean): Unit
}
companion
object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val
    BUBBLING_PHASE: Short
}
/**
 * Exposes the JavaScript
 [EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin
 */
public external abstract
class EventTarget {
    fun addEventListener(type: String, callback: EventListener?, options: dynamic =
    definedExternally): Unit
    fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
    definedExternally): Unit
    fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
    definedExternally): Unit
    fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
    definedExternally): Unit
    fun dispatchEvent(event: Event): Boolean
}
/**
 * Exposes the JavaScript
 [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin
 */
public external
interface EventListener {
    fun handleEvent(event: Event): Unit
}
/**
 * Copyright 2010-2018 JetBrains

```



```

override var onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n  override var
onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override var onshow:
((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit: ((Event) ->
dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) ->
dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) ->
dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var oncopy: ((Event) -> dynamic)?\n
override var oncut: ((Event) -> dynamic)?\n  override var onpaste: ((Event) -> dynamic)?\n  override val
fullscreenElement: Element?\n  override val children: HTMLCollection\n  override val firstElementChild:
Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n  fun
exitFullscreen(): Promise<Unit>\n  fun getElementsByName(elementName: String): NodeList\n  fun open(type:
String = definedExternally, replace: String = definedExternally): Document\n  fun open(url: String, name: String,
features: String): Window\n  fun close(): Unit\n  fun write(vararg text: String): Unit\n  fun writeln(vararg text:
String): Unit\n  fun hasFocus(): Boolean\n  fun execCommand(commandId: String, showUI: Boolean =
definedExternally, value: String = definedExternally): Boolean\n  fun queryCommandEnabled(commandId:
String): Boolean\n  fun queryCommandIndeterm(commandId: String): Boolean\n  fun
queryCommandState(commandId: String): Boolean\n  fun queryCommandSupported(commandId: String):
Boolean\n  fun queryCommandValue(commandId: String): String\n  fun clear(): Unit\n  fun captureEvents():
Unit\n  fun releaseEvents(): Unit\n  fun getElementsByTagName(qualifiedName: String): HTMLCollection\n
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n  fun
getElementsByTagName(classNames: String): HTMLCollection\n  fun createElement(localName: String,
options: ElementCreationOptions = definedExternally): Element\n  fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n  fun
createDocumentFragment(): DocumentFragment\n  fun createTextNode(data: String): Text\n  fun
createCDATASection(data: String): CDATASection\n  fun createComment(data: String): Comment\n  fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n  fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n  fun adoptNode(node: Node): Node\n  fun
createAttribute(localName: String): Attr\n  fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n  fun createEvent(interface_: String): Event\n  fun createRange(): Range\n  fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n  fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? =
definedExternally): NodeIterator\n  fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter:
NodeFilter? = definedExternally): TreeWalker\n  fun createTreeWalker(root: Node, whatToShow: Int =
definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n  fun elementFromPoint(x:
Double, y: Double): Element?\n  fun elementsFromPoint(x: Double, y: Double): Array<Element>\n  fun
caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n  override fun getElementById(elementId: String):
Element?\n  override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic):
Unit\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors:
String): NodeList\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n@kotlin.internal.InlineOnly inline operator fun Document.get(name: String):
dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n */\npublic external abstract class
Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope,
WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindow {\n  override
val performance: Performance\n  open val window: Window\n  open val self: Window\n  open val document:

```

```

Document\n open var name: String\n open val location: Location\n open val history: History\n open val
customElements: CustomElementRegistry\n open val locationbar: BarProp\n open val menubar: BarProp\n
open val personalbar: BarProp\n open val scrollbars: BarProp\n open val statusbar: BarProp\n open val
toolbar: BarProp\n open var status: String\n open val closed: Boolean\n open val frames: Window\n open val
length: Int\n open val top: Window\n open var opener: Any?\n open val parent: Window\n open val
frameElement: Element?\n open val navigator: Navigator\n open val applicationCache: ApplicationCache\n
open val external: External\n open val screen: Screen\n open val innerWidth: Int\n open val innerHeight: Int\n
open val scrollX: Double\n open val pageXOffset: Double\n open val scrollY: Double\n open val
pageYOffset: Double\n open val screenX: Int\n open val screenY: Int\n open val outerWidth: Int\n open val
outerHeight: Int\n open val devicePixelRatio: Double\n fun close(): Unit\n fun stop(): Unit\n fun focus():
Unit\n fun blur(): Unit\n fun open(url: String = definedExternally, target: String = definedExternally, features:
String = definedExternally): Window?\n fun alert(): Unit\n fun alert(message: String): Unit\n fun
confirm(message: String = definedExternally): Boolean\n fun prompt(message: String = definedExternally,
default: String = definedExternally): String?\n fun print(): Unit\n fun requestAnimationFrame(callback:
(Double) -> Unit): Int\n fun cancelAnimationFrame(handle: Int): Unit\n fun postMessage(message: Any?,
targetOrigin: String, transfer: Array<dynamic> = definedExternally): Unit\n fun captureEvents(): Unit\n fun
releaseEvents(): Unit\n fun matchMedia(query: String): MediaQueryList\n fun moveTo(x: Int, y: Int): Unit\n
fun moveBy(x: Int, y: Int): Unit\n fun resizeTo(x: Int, y: Int): Unit\n fun resizeBy(x: Int, y: Int): Unit\n fun
scroll(options: ScrollToOptions = definedExternally): Unit\n fun scroll(x: Double, y: Double): Unit\n fun
scrollTo(options: ScrollToOptions = definedExternally): Unit\n fun scrollTo(x: Double, y: Double): Unit\n fun
scrollBy(options: ScrollToOptions = definedExternally): Unit\n fun scrollBy(x: Double, y: Double): Unit\n fun
getComputedStyle(elt: Element, pseudoElt: String? = definedExternally):
CSSStyleDeclaration\n}\n@kotlin.internal.InlineOnly inline operator fun Window.get(name: String): dynamic =
asDynamic()[name]\n\npublic external abstract class HTMLAllCollection {\n open val length: Int\n// fun
namedItem(name: String): UnionElementOrHTMLCollection?\n fun item(nameOrIndex: String =
definedExternally): UnionElementOrHTMLCollection?}\n}\n//@kotlin.internal.InlineOnly inline operator fun
HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n//@kotlin.internal.InlineOnly inline operator
fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n *
Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin\n *\n\npublic external abstract class HTMLFormControlsCollection : HTMLCollection {\n// override fun
namedItem(name: String): UnionElementOrRadioNodeList?}\n}\n//@kotlin.internal.InlineOnly override inline
operator fun HTMLFormControlsCollection.get(name: String): UnionElementOrRadioNodeList? =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n *\n\npublic external
abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value: String\n}\n\n/**\n *
Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n
*\n\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open
var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before:
dynamic = definedExternally): Unit\n fun remove(index: Int): Unit\n}\n\n@kotlin.internal.InlineOnly inline operator
fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option;
}\n\n/**\n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n *\n\npublic external
abstract class HTMLInputElement : Element, ElementCSSInlineStyle, GlobalEventHandlers,
DocumentAndElementEventHandlers, ElementContentEditable {\n open var title: String\n open var lang:
String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var
hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n

```

open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu:
 HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent:
 Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val
 offsetHeight: Int\n fun click(): Unit\n fun focus(): Unit\n fun blur(): Unit\n fun forceSpellCheck():
 Unit\n}\n\n**\n * Exposes the JavaScript
 [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n
 *\npublic external abstract class HTMLUnknownElement : HTMLElement {\n}\n\n**\n * Exposes the JavaScript
 [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n *\npublic external
 abstract class DOMStringMap {\n}\n\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.get(name:
 String): String? = asDynamic()[name]\n\n@kotlin.internal.InlineOnly inline operator fun DOMStringMap.set(name:
 String, value: String): Unit { asDynamic()[name] = value; }\n}\n\n**\n * Exposes the JavaScript
 [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n *\npublic
 external abstract class HTMLHtmlElement : HTMLElement {\n open var version: String\n}\n}\n\n**\n * Exposes
 the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to
 Kotlin\n *\npublic external abstract class HTMLHeadElement : HTMLElement {\n}\n}\n\n**\n * Exposes the
 JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n
 *\npublic external abstract class HTMLTitleElement : HTMLElement {\n open var text: String\n}\n}\n\n**\n *
 Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement)
 to Kotlin\n *\npublic external abstract class HTMLBaseElement : HTMLElement {\n open var href: String\n
 open var target: String\n}\n}\n\n**\n * Exposes the JavaScript
 [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n *\npublic
 external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n open var scope: String\n open var
 workerType: WorkerType\n open var href: String\n open var crossOrigin: String?\n open var rel: String\n
 @JsName("\nas") open var as_: RequestDestination\n open val relList: DOMTokenList\n open var media:
 String\n open var nonce: String\n open var hreflang: String\n open var type: String\n open val sizes:
 DOMTokenList\n open var referrerPolicy: String\n open var charset: String\n open var rev: String\n open var
 target: String\n}\n}\n\n**\n * Exposes the JavaScript
 [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n *\npublic
 external abstract class HTMLMetaElement : HTMLElement {\n open var name: String\n open var httpEquiv:
 String\n open var content: String\n open var scheme: String\n}\n}\n\n**\n * Exposes the JavaScript
 [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n *\npublic
 external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n open var media: String\n open var
 nonce: String\n open var type: String\n}\n}\n\n**\n * Exposes the JavaScript
 [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n *\npublic
 external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n
 open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open
 var background: String\n}\n}\n\n**\n * Exposes the JavaScript
 [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n
 *\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n}\n}\n\n**\n *
 Exposes the JavaScript
 [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n
 *\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n}\n}\n\n**\n *
 Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement)
 to Kotlin\n *\npublic external abstract class HTMLHRElement : HTMLElement {\n open var align: String\n
 open var color: String\n open var noShade: Boolean\n open var size: String\n open var width:
 String\n}\n}\n\n**\n * Exposes the JavaScript
 [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n *\npublic
 external abstract class HTMLPreElement : HTMLElement {\n open var width: Int\n}\n}\n\n**\n * Exposes the

JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n *\\npublic external abstract class HTMLQuoteElement : HTMLInputElement {\n open var cite: String\n}\n\n**\n * Exposes the JavaScript

[HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin\n *\\npublic external abstract class HTMLLOListElement : HTMLInputElement {\n open var reversed: Boolean\n open var start: Int\n open var type: String\n open var compact: Boolean\n}\n\n**\n * Exposes the JavaScript

[HTMLULListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLULListElement) to Kotlin\n *\\npublic external abstract class HTMLULListElement : HTMLInputElement {\n open var compact: Boolean\n open var type: String\n}\n\n**\n * Exposes the JavaScript

[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n *\\npublic external abstract class HTMLLIElement : HTMLInputElement {\n open var value: Int\n open var type: String\n}\n\n**\n * Exposes the JavaScript

[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n *\\npublic external abstract class HTMLDListElement : HTMLInputElement {\n open var compact: Boolean\n}\n\n**\n * Exposes the JavaScript

[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n *\\npublic external abstract class HTMLDivElement : HTMLInputElement {\n open var align: String\n}\n\n**\n * Exposes the JavaScript

[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n *\\npublic external abstract class HTMLAnchorElement : HTMLInputElement, HTMLHyperlinkElementUtils {\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open var relList: DOMTokenList\n open var hreflang: String\n open var type: String\n open var text: String\n open var referrerPolicy: String\n open var coords: String\n open var charset: String\n open var name: String\n open var rev: String\n open var shape: String\n}\n\n**\n * Exposes the JavaScript

[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n *\\npublic external abstract class HTMLDataElement : HTMLInputElement {\n open var value: String\n}\n\n**\n * Exposes the JavaScript

[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n *\\npublic external abstract class HTMLTimeElement : HTMLInputElement {\n open var dateTime: String\n}\n\n**\n * Exposes the JavaScript

[HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n *\\npublic external abstract class HTMLSpanElement : HTMLInputElement {\n}\n\n**\n * Exposes the JavaScript

[HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n *\\npublic external abstract class HTMLBRElement : HTMLInputElement {\n open var clear: String\n}\n\n**\n * Exposes the JavaScript

[HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n *\\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n}\n\n**\n * Exposes the JavaScript

[HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n *\\npublic external abstract class HTMLModElement : HTMLInputElement {\n open var cite: String\n open var dateTime: String\n}\n\n**\n * Exposes the JavaScript

[HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n *\\npublic external abstract class HTMLPictureElement : HTMLInputElement {\n}\n\n**\n * Exposes the JavaScript

[HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n *\\npublic external abstract class HTMLSourceElement : HTMLInputElement {\n open var src: String\n open var type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n}\n\n**\n * Exposes the JavaScript

[HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n *\\npublic external abstract class HTMLImageElement : HTMLInputElement, TexImageSource, HTMLOrSVGImageElement {\n open var alt: String\n open var src: String\n open var srcset: String\n open

```

var sizes: String\n  open var crossOrigin: String?\n  open var useMap: String\n  open var isMap: Boolean\n
open var width: Int\n  open var height: Int\n  open val naturalWidth: Int\n  open val naturalHeight: Int\n  open
val complete: Boolean\n  open val currentSrc: String\n  open varreferrerPolicy: String\n  open var name:
String\n  open var lowsrc: String\n  open var align: String\n  open var hspace: Int\n  open var vspace: Int\n
open var longDesc: String\n  open var border: String\n  open val x: Int\n  open val y: Int\n}\n\n/**\n * Exposes
the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to
Kotlin\n */\npublic external abstract class HTMLIFrameElement : HTMLInputElement {\n  open var src: String\n
open var srcdoc: String\n  open var name: String\n  open val sandbox: DOMTokenList\n  open var
allowFullscreen: Boolean\n  open var allowUserMedia: Boolean\n  open var width: String\n  open var height:
String\n  open var referrerPolicy: String\n  open val contentDocument: Document?\n  open val contentWindow:
Window?\n  open var align: String\n  open var scrolling: String\n  open var frameBorder: String\n  open var
longDesc: String\n  open var marginHeight: String\n  open var marginWidth: String\n  fun getSVGDocument():
Document?\n}\n\n/**\n * Exposes the JavaScript
[HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n
*/\npublic external abstract class HTMLEmbedElement : HTMLInputElement {\n  open var src: String\n  open var
type: String\n  open var width: String\n  open var height: String\n  open var align: String\n  open var name:
String\n  fun getSVGDocument(): Document?\n}\n\n/**\n * Exposes the JavaScript
[HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n
*/\npublic external abstract class HTMLObjectElement : HTMLInputElement {\n  open var data: String\n  open var
type: String\n  open var typeMustMatch: Boolean\n  open var name: String\n  open var useMap: String\n  open
val form: HTMLFormElement?\n  open var width: String\n  open var height: String\n  open val
contentDocument: Document?\n  open val contentWindow: Window?\n  open val willValidate: Boolean\n  open
val validity: ValidityState\n  open val validationMessage: String\n  open var align: String\n  open var archive:
String\n  open var code: String\n  open var declare: Boolean\n  open var hspace: Int\n  open var standby:
String\n  open var vspace: Int\n  open var codeBase: String\n  open var codeType: String\n  open var border:
String\n  fun getSVGDocument(): Document?\n  fun checkValidity(): Boolean\n  fun reportValidity():
Boolean\n  fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n
*/\npublic external abstract class HTMLParamElement : HTMLInputElement {\n  open var name: String\n  open var
value: String\n  open var type: String\n  open var valueType: String\n}\n\n/**\n * Exposes the JavaScript
[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n */\npublic
external abstract class HTMLVideoElement : HTMLMediaElement, TexImageSource {\n  open var width: Int\n
open var height: Int\n  open val videoWidth: Int\n  open val videoHeight: Int\n  open var poster: String\n  open
var playsInline: Boolean\n}\n\n/**\n * Exposes the JavaScript
[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n
*/\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n}\n\n/**\n * Exposes the
JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n
*/\npublic external abstract class HTMLTrackElement : HTMLInputElement {\n  open var kind: String\n  open var src:
String\n  open var srclang: String\n  open var label: String\n  open var default: Boolean\n  open val readyState:
Short\n  open val track: TextTrack\n\n  companion object {\n    val NONE: Short\n    val LOADING: Short\n
    val LOADED: Short\n    val ERROR: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n
*/\npublic external abstract class HTMLMediaElement : HTMLInputElement {\n  open val error: MediaError?\n  open
var src: String\n  open var srcObject: dynamic\n  open val currentSrc: String\n  open var crossOrigin: String?\n
open val networkState: Short\n  open var preload: String\n  open val buffered: TimeRanges\n  open val
readyState: Short\n  open val seeking: Boolean\n  open var currentTime: Double\n  open val duration: Double\n
open val paused: Boolean\n  open var defaultPlaybackRate: Double\n  open var playbackRate: Double\n  open
val played: TimeRanges\n  open val seekable: TimeRanges\n  open val ended: Boolean\n  open var autoplay:

```

```

Boolean\n open var loop: Boolean\n open var controls: Boolean\n open var volume: Double\n open var
muted: Boolean\n open var defaultMuted: Boolean\n open val audioTracks: AudioTrackList\n open val
videoTracks: VideoTrackList\n open val textTracks: TextTrackList\n fun load(): Unit\n fun canPlayType(type:
String): CanPlayTypeResult\n fun fastSeek(time: Double): Unit\n fun getStartDate(): dynamic\n fun play():
Promise<Unit>\n fun pause(): Unit\n fun addTextTrack(kind: TextTrackKind, label: String = definedExternally,
language: String = definedExternally): TextTrack\n\n companion object {\n val NETWORK_EMPTY:
Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val
NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n
val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val
HAVE_ENOUGH_DATA: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external abstract
class MediaError {\n open val code: Short\n\n companion object {\n val MEDIA_ERR_ABORTED: Short\n
val MEDIA_ERR_NETWORK: Short\n val MEDIA_ERR_DECODE: Short\n val
MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n }\n}\n\npublic external abstract class AudioTrackList :
EventTarget {\n open val length: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack:
((Event) -> dynamic)?\n open var onremovetrack: ((Event) -> dynamic)?\n fun getTrackById(id: String):
AudioTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun AudioTrackList.get(index: Int): AudioTrack? =
asDynamic()[index]\n\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack
{\n open val id: String\n open val kind: String\n open val label: String\n open val language: String\n open
var enabled: Boolean\n}\n\npublic external abstract class VideoTrackList : EventTarget {\n open val length: Int\n
open val selectedIndex: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((Event) ->
dynamic)?\n open var onremovetrack: ((Event) -> dynamic)?\n fun getTrackById(id: String):
VideoTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun VideoTrackList.get(index: Int): VideoTrack? =
asDynamic()[index]\n\npublic external abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack
{\n open val id: String\n open val kind: String\n open val label: String\n open val language: String\n open
var selected: Boolean\n}\n\npublic external abstract class TextTrackList : EventTarget {\n open val length: Int\n
open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((Event) -> dynamic)?\n open var
onremovetrack: ((Event) -> dynamic)?\n fun getTrackById(id: String):
TextTrack?\n}\n\n@kotlin.internal.InlineOnly inline operator fun TextTrackList.get(index: Int): TextTrack? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external abstract
class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n open val kind: TextTrackKind\n
open val label: String\n open val language: String\n open val id: String\n open val
inBandMetadataTrackDispatchType: String\n open var mode: TextTrackMode\n open val cues:
TextTrackCueList?\n open val activeCues: TextTrackCueList?\n open var oncuechange: ((Event) ->
dynamic)?\n fun addCue(cue: TextTrackCue): Unit\n fun removeCue(cue: TextTrackCue): Unit\n}\n\npublic
external abstract class TextTrackCueList {\n open val length: Int\n fun getCueById(id: String):
TextTrackCue?\n}\n\n@kotlin.internal.InlineOnly inline operator fun TextTrackCueList.get(index: Int):
TextTrackCue? = asDynamic()[index]\n\npublic external abstract class TextTrackCue : EventTarget {\n open val
track: TextTrack?\n open var id: String\n open var startTime: Double\n open var endTime: Double\n open
var pauseOnExit: Boolean\n open var onenter: ((Event) -> dynamic)?\n open var onexit: ((Event) ->
dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract
class TimeRanges {\n open val length: Int\n fun start(index: Int): Double\n fun end(index: Int):
Double\n}\n\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit =
definedExternally) : Event {\n open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n}\n\npublic
external interface TrackEventInit : EventInit {\n var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* =
null */\n get() = definedExternally\n set(value) =

```

```

definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track:
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): TrackEventInit {\n  val o = js("{}")\n\n  o["track"] = track\n  o["bubbles"] =
bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n/**\n * Exposes the
JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin\n
*\npublic external abstract class HTMLMapElement : HTMLElement {\n  open var name: String\n  open val
areas: HTMLCollection\n}\n\n/**\n * Exposes the JavaScript
[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n *\npublic
external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n  open var alt:
String\n  open var coords: String\n  open var shape: String\n  open var target: String\n  open var download:
String\n  open var ping: String\n  open var rel: String\n  open val relList: DOMTokenList\n  open var
referrerPolicy: String\n  open var noHref: Boolean\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n *\npublic
external abstract class HTMLTableElement : HTMLElement {\n  open var caption:
HTMLTableCaptionElement?\n  open var tHead: HTMLTableSectionElement?\n  open var tFoot:
HTMLTableSectionElement?\n  open val tBodies: HTMLCollection\n  open val rows: HTMLCollection\n  open
var align: String\n  open var border: String\n  open var frame: String\n  open var rules: String\n  open var
summary: String\n  open var width: String\n  open var bgColor: String\n  open var cellPadding: String\n  open
var cellSpacing: String\n  fun createCaption(): HTMLTableCaptionElement\n  fun deleteCaption(): Unit\n  fun
createTHead(): HTMLTableSectionElement\n  fun deleteTHead(): Unit\n  fun createTFoot():
HTMLTableSectionElement\n  fun deleteTFoot(): Unit\n  fun createTBody(): HTMLTableSectionElement\n
fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n  fun deleteRow(index: Int):
Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
Kotlin\n *\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n  open var align:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n
*\npublic external abstract class HTMLTableColElement : HTMLElement {\n  open var span: Int\n  open var
align: String\n  open var ch: String\n  open var chOff: String\n  open var vAlign: String\n  open var width:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin\n *\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n  open val rows:
HTMLCollection\n  open var align: String\n  open var ch: String\n  open var chOff: String\n  open var vAlign:
String\n  fun insertRow(index: Int = definedExternally): HTMLTableSectionElement\n  fun deleteRow(index: Int):
Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n
*\npublic external abstract class HTMLTableRowElement : HTMLElement {\n  open val rowIndex: Int\n  open
val sectionRowIndex: Int\n  open val cells: HTMLCollection\n  open var align: String\n  open var ch: String\n
open var chOff: String\n  open var vAlign: String\n  open var bgColor: String\n  fun insertCell(index: Int =
definedExternally): HTMLTableSectionElement\n  fun deleteCell(index: Int): Unit\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n
*\npublic external abstract class HTMLTableCellElement : HTMLElement {\n  open var colSpan: Int\n  open var
rowSpan: Int\n  open var headers: String\n  open val cellIndex: Int\n  open var scope: String\n  open var abbr:
String\n  open var align: String\n  open var axis: String\n  open var height: String\n  open var width: String\n
open var ch: String\n  open var chOff: String\n  open var noWrap: Boolean\n  open var vAlign: String\n  open
var bgColor: String\n}\n\n/**\n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n *\npublic
external abstract class HTMLFormElement : HTMLElement {\n  open var acceptCharset: String\n  open var

```

action: String\n open var autocomplete: String\n open var enctype: String\n open var encoding: String\n open var method: String\n open var name: String\n open var noValidate: Boolean\n open var target: String\n open val elements: HTMLFormControlsCollection\n open val length: Int\n fun submit(): Unit\n fun reset(): Unit\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n *

Exposes the JavaScript

[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\npublic external abstract class HTMLLabelElement : HTMLFormElement {\n open val form: HTMLFormElement?\n open var htmlFor: String\n open val control: HTMLFormElement?\n}\n\n/**\n *

[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n */\npublic external abstract class HTMLInputElement : HTMLFormElement {\n open var accept: String\n open var alt: String\n open var autocomplete: String\n open var autofocus: Boolean\n open var defaultChecked: Boolean\n open var checked: Boolean\n open var dirName: String\n open var disabled: Boolean\n open val form:

HTMLFormElement?\n open val files: FileList?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var height: Int\n open var indeterminate: Boolean\n open var inputMode: String\n open val list: HTMLFormElement?\n open var max: String\n open var maxLength: Int\n open var min: String\n open var minLength: Int\n open var multiple: Boolean\n open var name: String\n open var pattern: String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var size: Int\n open var src: String\n open var step: String\n open var type: String\n open var defaultValue: String\n open var value: String\n open var valueAsDate: dynamic\n open var valueAsNumber: Double\n open var width: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n open var align: String\n open var useMap: String\n fun stepUp(n: Int = definedExternally): Unit\n fun stepDown(n: Int = definedExternally): Unit\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n fun select(): Unit\n fun setRangeText(replacement: String): Unit\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n/**\n *

[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n */\npublic external abstract class HTMLButtonElement : HTMLFormElement {\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n *

[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\npublic external abstract class HTMLSelectElement : HTMLFormElement, ItemArrayLike<Element> {\n open var autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n open var size: Int\n open val type: String\n open val options: HTMLCollection\n override var length: Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n override fun item(index: Int): Element?\n fun namedItem(name: String):

HTMLOptionElement?\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally): Unit\n fun remove(index: Int): Unit\n fun checkValidity(): Boolean\n fun

reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.get(index: Int): Element? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun HTMLSelectElement.set(index: Int, option: HTMLOptionElement?): Unit { asDynamic()[index] = option; }\n\n/**\n * Exposes the JavaScript [HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n */\npublic external abstract class HTMLDataListElement : HTMLInputElement {\n open val options: HTMLCollection\n}\n\n/**\n * Exposes the JavaScript [HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n */\npublic external abstract class HTMLOptGroupElement : HTMLInputElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\n open var disabled: Boolean\n open var label: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n */\npublic external abstract class HTMLOptionElement : HTMLInputElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var label: String\n open var defaultSelected: Boolean\n open var selected: Boolean\n open var value: String\n open var text: String\n open val index: Int\n}\n\n/**\n * Exposes the JavaScript [HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n */\npublic external abstract class HTMLTextAreaElement : HTMLInputElement {\n open var autocomplete: String\n open var autofocus: Boolean\n open var cols: Int\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var inputMode: String\n open var maxLength: Int\n open var minLength: Int\n open var name: String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var rows: Int\n open var wrap: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val textLength: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n fun select(): Unit\n fun setRangeText(replacement: String): Unit\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally): Unit\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n */\npublic external abstract class HTMLKeygenElement : HTMLInputElement {\n open var autofocus: Boolean\n open var challenge: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n */\npublic external abstract class HTMLOutputElement : HTMLInputElement {\n open val htmlFor: DOMTokenList\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n/**\n * Exposes the JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n */\npublic external abstract class HTMLProgressElement : HTMLInputElement {\n open var value: Double\n open var max: Double\n open val position: Double\n open val labels: NodeList\n}\n\n/**\n * Exposes the JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n */\npublic external abstract class HTMLMeterElement : HTMLInputElement {\n open var value: Double\n open var min: Double\n open var max: Double\n open var low: Double\n open var high: Double\n open var optimum: Double\n open val labels: NodeList\n}\n\n/**\n * Exposes the JavaScript

[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin
`*\npublic external abstract class HTMLFieldSetElement : HTMLInputElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements: HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String): Unit\n}\n\n**\n * Exposes the JavaScript`

[HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin
`*\npublic external abstract class HTMLLegendElement : HTMLInputElement {\n open val form: HTMLFormElement?\n open var align: String\n}\n\n**\n * Exposes the JavaScript`

[ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin
`*\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n**\n * Exposes the JavaScript`

[HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin
`*\npublic external abstract class HTMLDetailsElement : HTMLInputElement {\n open var open: Boolean\n}\n\npublic external abstract class HTMLMenuElement : HTMLInputElement {\n open var type: String\n open var label: String\n open var compact: Boolean\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLInputElement {\n open var type: String\n open var label: String\n open var icon: String\n open var disabled: Boolean\n open var checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n}\n\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n open val relatedTarget: EventTarget?\n}\n\npublic external interface RelatedEventInit : EventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\n val o = js("{}")\n o["relatedTarget"] = relatedTarget\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n**\n * Exposes the JavaScript`

[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin
`*\npublic external abstract class HTMLDialogElement : HTMLInputElement {\n open var open: Boolean\n open var returnValue: String\n fun show(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun showModal(anchor: UnionElementOrMouseEvent = definedExternally): Unit\n fun close(returnValue: String = definedExternally): Unit\n}\n\n**\n * Exposes the JavaScript`

[HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin
`*\npublic external abstract class HTMLScriptElement : HTMLInputElement, HTMLScriptElement, HTMLScriptElement {\n open var src: String\n open var type: String\n open var charset: String\n open var async: Boolean\n open var defer: Boolean\n open var crossOrigin: String?\n open var text: String\n open var nonce: String\n open var event: String\n open var htmlFor: String\n}\n\n**\n * Exposes the JavaScript`

[HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin
`*\npublic external abstract class HTMLTemplateElement : HTMLInputElement {\n open val content: DocumentFragment\n}\n\n**\n * Exposes the JavaScript`

[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin
`*\npublic external abstract class HTMLSlotElement : HTMLInputElement {\n open var name: String\n fun assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n}\n\npublic external interface AssignedNodesOptions {\n var flatten: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten: Boolean? = false): AssignedNodesOptions {\n val o = js("{}")\n o["flatten"] = flatten\n return o\n}\n\n**\n * Exposes the JavaScript`

[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin

```

*\npublic external abstract class HTMLCanvasElement : HTMLElement, TexImageSource {\n  open var width:
Int\n  open var height: Int\n  fun getContext(contextId: String, vararg arguments: Any?): RenderingContext?\n
fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally): String\n  fun
toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally):
Unit\n}\n\npublic external interface CanvasRenderingContext2DSettings {\n  var alpha: Boolean? /* = true *\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n  val o =
js("{}")\n  o["alpha"] = alpha\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,
CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n  fun save(): Unit\n  fun
restore(): Unit\n}\n\npublic external interface CanvasTransform {\n  fun scale(x: Double, y: Double): Unit\n  fun
rotate(angle: Double): Unit\n  fun translate(x: Double, y: Double): Unit\n  fun transform(a: Double, b: Double, c:
Double, d: Double, e: Double, f: Double): Unit\n  fun getTransform(): DOMMatrix\n  fun setTransform(a:
Double, b: Double, c: Double, d: Double, e: Double, f: Double): Unit\n  fun setTransform(transform: dynamic =
definedExternally): Unit\n  fun resetTransform(): Unit\n}\n\npublic external interface CanvasCompositing {\n
var globalAlpha: Double\n  var globalCompositeOperation: String\n}\n\npublic external interface
CanvasImageSmoothing {\n  var imageSmoothingEnabled: Boolean\n  var imageSmoothingQuality:
ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n  var strokeStyle: dynamic\n
var fillStyle: dynamic\n  fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double):
CanvasGradient\n  fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1:
Double): CanvasGradient\n  fun createPattern(image: dynamic, repetition: String): CanvasPattern?\n}\n\npublic
external interface CanvasShadowStyles {\n  var shadowOffsetX: Double\n  var shadowOffsetY: Double\n  var
shadowBlur: Double\n  var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n  var filter:
String\n}\n\npublic external interface CanvasRect {\n  fun clearRect(x: Double, y: Double, w: Double, h: Double):
Unit\n  fun fillRect(x: Double, y: Double, w: Double, h: Double): Unit\n  fun strokeRect(x: Double, y: Double, w:
Double, h: Double): Unit\n}\n\npublic external interface CanvasDrawPath {\n  fun beginPath(): Unit\n  fun
fill(fillRule: CanvasFillRule = definedExternally): Unit\n  fun fill(path: Path2D, fillRule: CanvasFillRule =
definedExternally): Unit\n  fun stroke(): Unit\n  fun stroke(path: Path2D): Unit\n  fun clip(fillRule:
CanvasFillRule = definedExternally): Unit\n  fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally):
Unit\n  fun resetClip(): Unit\n  fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule =
definedExternally): Boolean\n  fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule =
definedExternally): Boolean\n  fun isPointInStroke(x: Double, y: Double): Boolean\n  fun isPointInStroke(path:
Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n  fun
drawFocusIfNeeded(element: Element): Unit\n  fun drawFocusIfNeeded(path: Path2D, element: Element): Unit\n
fun scrollPathIntoView(): Unit\n  fun scrollPathIntoView(path: Path2D): Unit\n}\n\npublic external interface
CanvasText {\n  fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n
fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally): Unit\n  fun
measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n  fun
drawImage(image: dynamic, dx: Double, dy: Double): Unit\n  fun drawImage(image: dynamic, dx: Double, dy:
Double, dw: Double, dh: Double): Unit\n  fun drawImage(image: dynamic, sx: Double, sy: Double, sw: Double,
sh: Double, dx: Double, dy: Double, dw: Double, dh: Double): Unit\n}\n\npublic external interface
CanvasHitRegion {\n  fun addHitRegion(options: HitRegionOptions = definedExternally): Unit\n  fun
removeHitRegion(id: String): Unit\n  fun clearHitRegions(): Unit\n}\n\npublic external interface
CanvasImageData {\n  fun createImageData(sw: Double, sh: Double): ImageData\n  fun

```

```

createImageData(imagedata: ImageData): ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh:
Double): ImageData\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double): Unit\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double,
dirtyHeight: Double): Unit\n\npublic external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n
var lineCap: CanvasLineCap\n var lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset:
Double\n fun setLineDash(segments: Array<Double>): Unit\n fun getLineDash(): Array<Double>\n\npublic
external interface CanvasTextDrawingStyles {\n var font: String\n var textAlign: CanvasTextAlign\n var
textBaseline: CanvasTextBaseline\n var direction: CanvasDirection\n\npublic external interface CanvasPath
{\n fun closePath(): Unit\n fun moveTo(x: Double, y: Double): Unit\n fun lineTo(x: Double, y: Double):
Unit\n fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double): Unit\n fun bezierCurveTo(cp1x:
Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double): Unit\n fun arcTo(x1: Double, y1:
Double, x2: Double, y2: Double, radius: Double): Unit\n fun arcTo(x1: Double, y1: Double, x2: Double, y2:
Double, radiusX: Double, radiusY: Double, rotation: Double): Unit\n fun rect(x: Double, y: Double, w: Double, h:
Double): Unit\n fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double,
anticlockwise: Boolean = definedExternally): Unit\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY:
Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally):
Unit\n\n\n**\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n *\npublic external
abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String): Unit\n\n**\n * Exposes the
JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n *\npublic
external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally):
Unit\n\n\n**\n * Exposes the JavaScript
[TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n *\npublic external abstract
class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft: Double\n open val
actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val
fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val
actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent:
Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val
ideographicBaseline: Double\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null
*\n get() = definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO *\n get() = definedExternally\n set(value) = definedExternally\n var id:
String? /* = \"\" *\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /*
= null *\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* = \"inherit\"
*\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? /* = null *\n
get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null *\n get() =
definedExternally\n set(value) = definedExternally\n var role: String? /* = null *\n get() =
definedExternally\n set(value) = definedExternally\n\n\n@kotlin.internal.InlineOnly\npublic inline fun
HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\",
parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? =
null): HitRegionOptions {\n val o = js(\"{\}\")\n\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] =
id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n
o[\"role\"] = role\n\n return o\n\n\n**\n * Exposes the JavaScript
[ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n *\npublic external open class
ImageData : TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data: Uint8ClampedArray, sw: Int,
sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open val data:
Uint8ClampedArray\n\n\n**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n *\npublic external open class
Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule:

```

```

CanvasFillRule = definedExternally)\n  constructor(d: String)\n  fun addPath(path: Path2D, transform: dynamic =
definedExternally): Unit\n  override fun closePath(): Unit\n  override fun moveTo(x: Double, y: Double): Unit\n
override fun lineTo(x: Double, y: Double): Unit\n  override fun quadraticCurveTo(cpx: Double, cpy: Double, x:
Double, y: Double): Unit\n  override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double,
x: Double, y: Double): Unit\n  override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius:
Double): Unit\n  override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY:
Double, rotation: Double): Unit\n  override fun rect(x: Double, y: Double, w: Double, h: Double): Unit\n  override
fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* =
definedExternally */): Unit\n  override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double,
rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */):
Unit\n}\n\n/**\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to
Kotlin\n */\npublic external abstract class Touch {\n  open val region: String?\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n  open val canvas:
HTMLCanvasElement\n  fun transferFromImageBitmap(bitmap: ImageBitmap?): Unit\n}\n\npublic external
interface ImageBitmapRenderingContextSettings {\n  var alpha: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n  val o
= js("{}")\n  o["alpha"] = alpha\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*/\npublic external abstract class CustomElementRegistry {\n  fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally): Unit\n  fun get(name: String): Any?\n  fun
whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n  var
extends: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String?
= null): ElementDefinitionOptions {\n  val o = js("{}")\n  o["extends"] = extends\n  return
o\n}\n\npublic external interface ElementContentEditable {\n  var contentEditable: String\n  val
isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n */\npublic external
abstract class DataTransfer {\n  open var dropEffect: String\n  open var effectAllowed: String\n  open val items:
DataTransferItemList\n  open val types: Array<out String>\n  open val files: FileList\n  fun
setDragImage(image: Element, x: Int, y: Int): Unit\n  fun getData(format: String): String\n  fun setData(format:
String, data: String): Unit\n  fun clearData(format: String = definedExternally): Unit\n}\n\n/**\n * Exposes the
JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to
Kotlin\n */\npublic external abstract class DataTransferItemList {\n  open val length: Int\n  fun add(data: String,
type: String): DataTransferItem?\n  fun add(data: File): DataTransferItem?\n  fun remove(index: Int): Unit\n  fun
clear(): Unit\n}\n\n@kotlin.internal.InlineOnly inline operator fun DataTransferItemList.get(index: Int):
DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\npublic
external abstract class DataTransferItem {\n  open val kind: String\n  open val type: String\n  fun
getAsString(_callback: ((String) -> Unit)?): Unit\n  fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin\n */\npublic external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n  open val
dataTransfer: DataTransfer?\n}\n\npublic external interface DragEventInit : MouseEventInit {\n  var dataTransfer:
DataTransfer? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer: DataTransfer?
= null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? =
0, relatedTarget: EventTarget? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? =

```

```

false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n  val o =
js(\("{ }\}")\n\n  o["dataTransfer"] = dataTransfer\n  o["screenX"] = screenX\n  o["screenY"] = screenY\n
o["clientX"] = clientX\n  o["clientY"] = clientY\n  o["button"] = button\n  o["buttons"] = buttons\n
o["relatedTarget"] = relatedTarget\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] =
altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] =
modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n\n  return o\n}\n\npublic external abstract class BarProp {\n  open val visible: Boolean\n}\n\n**\n *
Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n *\n\npublic
external abstract class History {\n  open val length: Int\n  open var scrollRestoration: ScrollRestoration\n  open
val state: Any?\n  fun go(delta: Int = definedExternally): Unit\n  fun back(): Unit\n  fun forward(): Unit\n  fun
pushState(data: Any?, title: String, url: String? = definedExternally): Unit\n  fun replaceState(data: Any?, title:
String, url: String? = definedExternally): Unit\n}\n\n**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n *\n\npublic external abstract class
Location {\n  open var href: String\n  open val origin: String\n  open var protocol: String\n  open var host:
String\n  open var hostname: String\n  open var port: String\n  open var pathname: String\n  open var search:
String\n  open var hash: String\n  open val ancestorOrigins: Array<out String>\n  fun assign(url: String): Unit\n
fun replace(url: String): Unit\n  fun reload(): Unit\n}\n\n**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n *\n\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n  open val
state: Any?\n}\n\n\npublic external interface PopStateEventInit : EventInit {\n  var state: Any? /* = null */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean?
= false): PopStateEventInit {\n  val o = js(\("{ }\}")\n\n  o["state"] = state\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n *\n\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n  open val oldURL: String\n  open val newURL: String\n}\n\n\npublic external interface
HashChangeEventInit : EventInit {\n  var oldURL: String? /* = \"\" */\n  get() = definedExternally\n
set(value) = definedExternally\n  var newURL: String? /* = \"\" */\n  get() = definedExternally\n  set(value)
= definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun HashChangeEventInit(oldURL: String? =
\"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
HashChangeEventInit {\n  val o = js(\("{ }\}")\n\n  o["oldURL"] = oldURL\n  o["newURL"] = newURL\n
o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return
o\n}\n\n**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\n\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n  open val persisted: Boolean\n}\n\n\npublic external interface PageTransitionEventInit : EventInit {\n  var
persisted: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun PageTransitionEventInit(persisted: Boolean?
= false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):

```

```

PageTransitionEventInit {
    val o = js("{}")
    o["persisted"] = persisted
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/**
 * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin
 */
public external open class BeforeUnloadEvent : Event {
    var returnValue: String
}

public external abstract class ApplicationCache : EventTarget {
    open val status: Short
    open var onchecking: ((Event) -> dynamic)?
    open var onerror: ((Event) -> dynamic)?
    open var onnoupdate: ((Event) -> dynamic)?
    open var ondownloading: ((Event) -> dynamic)?
    open var onprogress: ((Event) -> dynamic)?
    open var onunupdateready: ((Event) -> dynamic)?
    open var oncached: ((Event) -> dynamic)?
    open var onobsolete: ((Event) -> dynamic)?
    fun update(): Unit
    fun abort(): Unit
    fun swapCache(): Unit
}

companion object {
    val UNCACHED: Short
    val IDLE: Short
    val CHECKING: Short
    val DOWNLOADING: Short
    val UPDATEREADY: Short
    val OBSOLETE: Short
}

/**
 * Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin
 */
public external interface NavigatorOnLine {
    val onLine: Boolean
}

/**
 * Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin
 */
public external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {
    open val message: String
    open val filename: String
    open val lineno: Int
    open val colno: Int
    open val error: Any?
}

public external interface ErrorEventInit : EventInit {
    var message: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var filename: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var lineno: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var colno: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var error: Any? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun ErrorEventInit(message: String? = "", filename: String? = "", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {
    val o = js("{}")
    o["message"] = message
    o["filename"] = filename
    o["lineno"] = lineno
    o["colno"] = colno
    o["error"] = error
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/**
 * Exposes the JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin
 */
public external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {
    open val promise: Promise<Any?>
    open val reason: Any?
}

public external interface PromiseRejectionEventInit : EventInit {
    var promise: Promise<Any?>
    get() = definedExternally
    set(value) = definedExternally
    var reason: Any?
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {
    val o = js("{}")
    o["promise"] = promise
    o["reason"] = reason
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/**
 * Exposes the JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin
 */
public external interface GlobalEventHandlers {
    var onabort: ((Event) -> dynamic)?
    var onblur: ((Event) -> dynamic)?
    var oncancel: ((Event) -> dynamic)?
    var oncanplay: ((Event) -> dynamic)?
    var oncanplaythrough: ((Event) -> dynamic)?
    var onchange: ((Event) -> dynamic)?
    var onclick: ((Event) -> dynamic)?
    var onclose: ((Event) -> dynamic)?
    var oncontextmenu: ((Event) -> dynamic)?
    var oncuechange: ((Event) -> dynamic)?
    var ondblclick: ((Event) -> dynamic)?
    var ondrag: ((Event) -> dynamic)?
    var ondragend: ((Event) -> dynamic)?
    var ondragenter: ((Event) -> dynamic)?
    var ondragexit: ((Event) -> dynamic)?
    var ondragleave: ((Event) -> dynamic)?
    var ondragover: ((Event) -> dynamic)?
    var ondragstart: ((Event) -> dynamic)?
    var ondrop: ((Event) -> dynamic)?
    var ondurationchange: ((Event) -> dynamic)?
    var onemptied: ((Event) -> dynamic)?
    var onended: ((Event) -> dynamic)?
    var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?
    var onfocus: ((Event) -> dynamic)?
    var oninput: ((Event) ->

```

dynamic)?\n var onuninvalid: ((Event) -> dynamic)?\n var onunkeydown: ((Event) -> dynamic)?\n var onunkeypress: ((Event) -> dynamic)?\n var onunkeyup: ((Event) -> dynamic)?\n var onunload: ((Event) -> dynamic)?\n var onunloadeddata: ((Event) -> dynamic)?\n var onunloadedmetadata: ((Event) -> dynamic)?\n var onunloadend: ((Event) -> dynamic)?\n var onunloadstart: ((Event) -> dynamic)?\n var onunmousedown: ((Event) -> dynamic)?\n var onunmouseenter: ((Event) -> dynamic)?\n var onunmouseleave: ((Event) -> dynamic)?\n var onunmousemove: ((Event) -> dynamic)?\n var onunmouseout: ((Event) -> dynamic)?\n var onunmouseover: ((Event) -> dynamic)?\n var onunmouseup: ((Event) -> dynamic)?\n var onunwheel: ((Event) -> dynamic)?\n var onunpause: ((Event) -> dynamic)?\n var onunplay: ((Event) -> dynamic)?\n var onunplaying: ((Event) -> dynamic)?\n var onunprogress: ((Event) -> dynamic)?\n var onunratechange: ((Event) -> dynamic)?\n var onunreset: ((Event) -> dynamic)?\n var onunresize: ((Event) -> dynamic)?\n var onunscroll: ((Event) -> dynamic)?\n var onunseeked: ((Event) -> dynamic)?\n var onunseeking: ((Event) -> dynamic)?\n var onunselect: ((Event) -> dynamic)?\n var onunshow: ((Event) -> dynamic)?\n var onunstalled: ((Event) -> dynamic)?\n var onunsubmit: ((Event) -> dynamic)?\n var onunsuspend: ((Event) -> dynamic)?\n var onuntimeupdate: ((Event) -> dynamic)?\n var onuntoggle: ((Event) -> dynamic)?\n var onunvolumechange: ((Event) -> dynamic)?\n var onunwaiting: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n */\npublic external interface WindowEventHandlers {\n var onunafterprint: ((Event) -> dynamic)?\n var onunbeforeprint: ((Event) -> dynamic)?\n var onunbeforeunload: ((Event) -> String?)?\n var onunhashchange: ((Event) -> dynamic)?\n var onunlanguagechange: ((Event) -> dynamic)?\n var onunmessage: ((Event) -> dynamic)?\n var onunoffline: ((Event) -> dynamic)?\n var onunonline: ((Event) -> dynamic)?\n var onunpagehide: ((Event) -> dynamic)?\n var onunpageshow: ((Event) -> dynamic)?\n var onunpopstate: ((Event) -> dynamic)?\n var onunrejectionhandled: ((Event) -> dynamic)?\n var onunstorage: ((Event) -> dynamic)?\n var onununhandledrejection: ((Event) -> dynamic)?\n var onununload: ((Event) -> dynamic)?\n}\n\npublic external interface DocumentAndElementEventHandlers {\n var onuncopy: ((Event) -> dynamic)?\n var onuncut: ((Event) -> dynamic)?\n var onunpaste: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope) to Kotlin\n */\npublic external interface WindowOrWorkerGlobalScope {\n val onun caches: CacheStorage\n val onun origin: String\n fun onun fetch(input: dynamic, init: RequestInit = definedExternally): Promise<Response>\n fun onun btoa(data: String): String\n fun onun atob(data: String): String\n fun onun setTimeout(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun onun clearTimeout(handle: Int = definedExternally): Unit\n fun onun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun onun clearInterval(handle: Int = definedExternally): Unit\n fun onun createImageBitmap(image: dynamic, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun onun createImageBitmap(image: dynamic, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n}\n\n/**\n * Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware {\n open val onun serviceWorker: ServiceWorkerContainer\n fun onun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface NavigatorID {\n val onun appCodeName: String\n val onun appName: String\n val onun appVersion: String\n val onun platform: String\n val onun product: String\n val onun productSub: String\n val onun userAgent: String\n val onun vendor: String\n val onun vendorSub: String\n val onun oscpu: String\n fun onun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic external interface NavigatorLanguage {\n val onun language: String\n val onun languages: Array<out String>\n}\n\npublic external interface NavigatorContentUtils {\n fun onun registerProtocolHandler(scheme: String, url: String, title: String): Unit\n fun onun registerContentHandler(mimeType: String, url: String, title: String): Unit\n fun onun isProtocolHandlerRegistered(scheme: String, url: String): String\n fun onun isContentHandlerRegistered(mimeType: String, url: String): String\n fun onun unregisterProtocolHandler(scheme: String, url: String): Unit\n fun onun

```

unregisterContentHandler(mimeType: String, url: String): Unit\n\npublic external interface NavigatorCookies
{\n  val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\npublic
external interface NavigatorPlugins {\n  val plugins: PluginArray\n  val mimeTypes: MimeTypeError\n  fun
javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n  override val length: Int\n  fun refresh(reload: Boolean =
definedExternally): Unit\n  override fun item(index: Int): Plugin?\n  fun namedItem(name: String):
Plugin?\n}\n\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(index: Int): Plugin? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun PluginArray.get(name: String): Plugin? =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n  override val length: Int\n  override fun
item(index: Int): MimeType?\n  fun namedItem(name: String): MimeType?\n}\n\n@kotlin.internal.InlineOnly inline
operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly
inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the
JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract
class Plugin : ItemArrayLike<MimeType> {\n  open val name: String\n  open val description: String\n  open val
filename: String\n  override val length: Int\n  override fun item(index: Int): MimeType?\n  fun namedItem(name:
String): MimeType?\n}\n\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(index: Int): MimeType? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun Plugin.get(name: String): MimeType? =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract
class MimeType {\n  open val type: String\n  open val description: String\n  open val suffixes: String\n  open
val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external
abstract class ImageBitmap : TexImageSource {\n  open val width: Int\n  open val height: Int\n  fun close():
Unit\n}\n\npublic external interface ImageBitmapOptions {\n  var imageOrientation: ImageOrientation? /* =
ImageOrientation.NONE */\n  get() = definedExternally\n  set(value) = definedExternally\n  var
premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n  get() = definedExternally\n
set(value) = definedExternally\n  var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n  get() = definedExternally\n  set(value) = definedExternally\n  var
resizeWidth: Int?\n  get() = definedExternally\n  set(value) = definedExternally\n  var resizeHeight: Int?\n
get() = definedExternally\n  set(value) = definedExternally\n  var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = null, resizeHeight: Int? = null, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n  val o = js("{}")\n\n  o["imageOrientation"] = imageOrientation\n  o["premultiplyAlpha"] = premultiplyAlpha\n
o["colorSpaceConversion"] = colorSpaceConversion\n  o["resizeWidth"] = resizeWidth\n  o["resizeHeight"]
= resizeHeight\n  o["resizeQuality"] = resizeQuality\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n  open val data:
Any?\n  open val origin: String\n  open val lastEventId: String\n  open val source:
UnionMessagePortOrWindow?\n  open val ports: Array<out MessagePort>\n  fun initMessageEvent(type: String,
bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source:

```

```

UnionMessagePortOrWindow?, ports: Array<MessagePort>): Unit\n}\n\npublic external interface
MessageEventInit : EventInit {\n  var data: Any? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var origin: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var lastEventId: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var source: UnionMessagePortOrWindow? /* = null */\n    get() = definedExternally\n
set(value) = definedExternally\n  var ports: Array<MessagePort>? /* = arrayOf() */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source:
UnionMessagePortOrWindow? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\n  val o = js(\"({})\")\n\n  o[\"data\"] = data\n  o[\"origin\"] = origin\n  o[\"lastEventId\"] = lastEventId\n  o[\"source\"] = source\n
o[\"ports\"] = ports\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n  open
val url: String\n  open val withCredentials: Boolean\n  open val readyState: Short\n  var onopen: ((Event) ->
dynamic)?\n  var onmessage: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  fun close():
Unit\n\n  companion object {\n    val CONNECTING: Short\n    val OPEN: Short\n    val CLOSED:
Short\n  }\n}\n\npublic external interface EventSourceInit {\n  var withCredentials: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n  val o = js(\"({})\")\n\n  o[\"withCredentials\"] = withCredentials\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n */\npublic external open class
WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n  open val url: String\n  open
val readyState: Short\n  open val bufferedAmount: Int\n  var onopen: ((Event) -> dynamic)?\n  var onerror:
((Event) -> dynamic)?\n  var onclose: ((Event) -> dynamic)?\n  open val extensions: String\n  open val protocol:
String\n  var onmessage: ((Event) -> dynamic)?\n  var binaryType: BinaryType\n  fun close(code: Short =
definedExternally, reason: String = definedExternally): Unit\n  fun send(data: String): Unit\n  fun send(data:
Blob): Unit\n  fun send(data: ArrayBuffer): Unit\n  fun send(data: ArrayBufferView): Unit\n\n  companion
object {\n    val CONNECTING: Short\n    val OPEN: Short\n    val CLOSING: Short\n    val CLOSED:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external open class
CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n  open val wasClean:
Boolean\n  open val code: Short\n  open val reason: String\n}\n\npublic external interface CloseEventInit :
EventInit {\n  var wasClean: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var code: Short? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var reason: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? = false,
code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CloseEventInit {\n  val o = js(\"({})\")\n\n  o[\"wasClean\"] = wasClean\n  o[\"code\"] =
code\n  o[\"reason\"] = reason\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"]
= composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n */\npublic external
open class MessageChannel {\n  open val port1: MessagePort\n  open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*/\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindow,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open var onmessage:
((Event) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n
}

```

```

fun start(): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n */\npublic
external open class BroadcastChannel(name: String) : EventTarget {\n open val name: String\n var onmessage:
((Event) -> dynamic)?\n fun postMessage(message: Any?): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*/\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,
GlobalPerformance {\n open val self: WorkerGlobalScope\n open val location: WorkerLocation\n open val
navigator: WorkerNavigator\n open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n open var
onlanguagechange: ((Event) -> dynamic)?\n open var onoffline: ((Event) -> dynamic)?\n open var ononline:
((Event) -> dynamic)?\n open var onrejectionhandled: ((Event) -> dynamic)?\n open var onunhandledrejection:
((Event) -> dynamic)?\n fun importScripts(vararg urls: String): Unit\n}\n\n/**\n * Exposes the JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n open var
onmessage: ((Event) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally): Unit\n fun close(): Unit\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n open val name:
String\n open val applicationCache: ApplicationCache\n open var onconnect: ((Event) -> dynamic)?\n fun
close(): Unit\n}\n\n/**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n */\npublic external
interface AbstractWorker {\n var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n var
onmessage: ((Event) -> dynamic)?\n override var onerror: ((Event) -> dynamic)?\n fun terminate(): Unit\n fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally): Unit\n}\n\npublic external interface
WorkerOptions {\n var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n
set(value) = definedExternally\n var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? =
RequestCredentials.OMIT): WorkerOptions {\n val o = js("{}")\n o["type"] = type\n o["credentials"] =
credentials\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open
class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions =
definedExternally) : EventTarget, AbstractWorker {\n open val port: MessagePort\n override var onerror:
((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to
Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n val hardwareConcurrency:
Int\n}\n\n/**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic
external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorConcurrentHardware {\n open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the
JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n
*/\npublic external abstract class WorkerLocation {\n open var href: String\n open val origin: String\n open val
protocol: String\n open val host: String\n open val hostname: String\n open val port: String\n open val
pathname: String\n open val search: String\n open val hash: String\n}\n\n/**\n * Exposes the JavaScript
[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class
Storage {\n open val length: Int\n fun key(index: Int): String?\n fun getItem(key: String): String?\n fun
setItem(key: String, value: String): Unit\n fun removeItem(key: String): Unit\n fun clear():

```

```

Unit\n}\n@kotlin.internal.InlineOnly inline operator fun Storage.get(key: String): String? =
asDynamic()[key]\n}\n@kotlin.internal.InlineOnly inline operator fun Storage.set(key: String, value: String): Unit {
asDynamic()[key] = value; }\n\n/**\n * Exposes the JavaScript
[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n
*/\n\npublic external interface WindowSessionStorage {\n    val sessionStorage: Storage\n}\n\n/**\n * Exposes the
JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to
Kotlin\n
*/\n\npublic external interface WindowLocalStorage {\n    val localStorage: Storage\n}\n\n/**\n * Exposes
the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n
*/\n\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n
open val key: String?\n    open val oldValue: String?\n    open val newValue: String?\n    open val url: String\n
open val storageArea: Storage?\n}\n\npublic external interface StorageEventInit : EventInit {\n    var key: String? /*
= null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var oldValue: String? /* = null
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var newValue: String? /* = null */\n
get() = definedExternally\n    set(value) = definedExternally\n    var url: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var storageArea: Storage? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\",
storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
StorageEventInit {\n    val o = js(\"({})\")\n    o[\"key\"] = key\n    o[\"oldValue\"] = oldValue\n    o[\"newValue\"]
= newValue\n    o[\"url\"] = url\n    o[\"storageArea\"] = storageArea\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\npublic external abstract class
HTMLAppletElement : HTMLInputElement {\n    open var align: String\n    open var alt: String\n    open var archive:
String\n    open var code: String\n    open var codeBase: String\n    open var height: String\n    open var hspace: Int\n
open var name: String\n    open var _object: String\n    open var vspace: Int\n    open var width: String\n}\n\npublic
external abstract class HTMLMarqueeElement : HTMLInputElement {\n    open var behavior: String\n    open var
bgColor: String\n    open var direction: String\n    open var height: String\n    open var hspace: Int\n    open var loop:
Int\n    open var scrollAmount: Int\n    open var scrollDelay: Int\n    open var trueSpeed: Boolean\n    open var
vspace: Int\n    open var width: String\n    open var onbounce: ((Event) -> dynamic)?\n    open var onfinish: ((Event)
-> dynamic)?\n    open var onstart: ((Event) -> dynamic)?\n    fun start(): Unit\n    fun stop(): Unit\n}\n\n/**\n *
Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n
*/\n\npublic external abstract class HTMLFrameSetElement : HTMLInputElement, WindowEventHandlers {\n    open var
cols: String\n    open var rows: String\n}\n\npublic external abstract class HTMLFrameElement : HTMLInputElement {\n
open var name: String\n    open var scrolling: String\n    open var src: String\n    open var frameBorder: String\n
open var longDesc: String\n    open var noResize: Boolean\n    open val contentDocument: Document?\n    open val
contentWindow: Window?\n    open var marginHeight: String\n    open var marginWidth: String\n}\n\npublic external
abstract class HTMLDirectoryElement : HTMLInputElement {\n    open var compact: Boolean\n}\n\n/**\n * Exposes the
JavaScript [HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement)
to Kotlin\n
*/\n\npublic external abstract class HTMLFontElement : HTMLInputElement {\n    open var color: String\n
open var face: String\n    open var size: String\n}\n\npublic external interface External {\n    fun
AddSearchProvider(): Unit\n    fun IsSearchProviderInstalled(): Unit\n}\n\npublic external interface EventInit {\n
var bubbles: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
cancelable: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
composed: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js(\"({})\")\n    o[\"bubbles\"] =
bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n\n    return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n
*/\n\npublic

```

```

external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {
    open val detail: Any?
    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?):
        Unit
}

public external interface CustomEventInit : EventInit {
    var detail: Any? /* = null */
    get() =
        definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun
CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
    false): CustomEventInit {
    val o = js("{}")
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

public external interface
EventListenerOptions {
    var capture: Boolean? /* = false */
    get() = definedExternally
    set(value) =
        definedExternally
}

@kotlin.internal.InlineOnly
public inline fun EventListenerOptions(capture: Boolean? =
    false): EventListenerOptions {
    val o = js("{}")
    o["capture"] = capture
    return o
}

public external interface AddEventListenerOptions : EventListenerOptions {
    var passive: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var once: Boolean? /* = false */
    get() =
        definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun
AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false):
    AddEventListenerOptions {
    val o = js("{}")
    o["passive"] = passive
    o["once"] = once
    o["capture"] = capture
    return o
}

public external interface NonElementParentNode {
    fun
    getElementById(elementId: String): Element?
}

/* Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin
*/

public external interface DocumentOrShadowRoot {
    val fullscreenElement: Element?
}

/* Exposes
the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin
*/

public external interface ParentNode {
    val children: HTMLCollection
    val firstElementChild: Element?
    val
    lastElementChild: Element?
    val childElementCount: Int
    fun prepend(vararg nodes: dynamic): Unit
    fun
    append(vararg nodes: dynamic): Unit
    fun querySelector(selectors: String): Element?
    fun
    querySelectorAll(selectors: String): NodeList
}

/* Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin
*/

public external interface NonDocumentTypeChildNode {
    val previousElementSibling: Element?
    val
    nextElementSibling: Element?
}

/* Exposes the JavaScript
[ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin
*/

public external interface
ChildNode {
    fun before(vararg nodes: dynamic): Unit
    fun after(vararg nodes: dynamic): Unit
    fun
    replaceWith(vararg nodes: dynamic): Unit
    fun remove(): Unit
}

/* Exposes the JavaScript
[Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin
*/

public external interface Slotable
{
    val assignedSlot: HTMLSlotElement?
}

/* Exposes the JavaScript
[NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin
*/

public external abstract class
NodeList : ItemArrayLike<Node> {
    override val length: Int
    override fun item(index: Int):
        Node?
}

@kotlin.internal.InlineOnly
inline operator fun NodeList.get(index: Int): Node? =
    asDynamic()[index]

/* Exposes the JavaScript
[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin
*/

public external abstract class HTMLCollection : UnionElementOrHTMLCollection, ItemArrayLike<Element> {
    override val length: Int
    override fun item(index: Int): Element?
    fun namedItem(name: String):
        Element?
}

@kotlin.internal.InlineOnly
inline operator fun HTMLCollection.get(index: Int): Element? =
    asDynamic()[index]

@kotlin.internal.InlineOnly
inline operator fun HTMLCollection.get(name: String): Element? =
    asDynamic()[name]

/* Exposes the JavaScript
[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin
*/

public external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {
    fun
    observe(target: Node, options: MutationObserverInit = definedExternally): Unit
    fun disconnect(): Unit
    fun
    takeRecords(): Array<MutationRecord>
}

public external interface MutationObserverInit {
    var childList:
        Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var attributes:
        Boolean?
    get() = definedExternally
    set(value) = definedExternally
    var characterData: Boolean?
    get() = definedExternally
    set(value) = definedExternally
}

```

```

    get() = definedExternally\n    set(value) = definedExternally\n    var subtree: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var attributeOldValue: Boolean?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var characterDataOldValue: Boolean?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var attributeFilter: Array<String>?\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = null, characterData: Boolean? = null,
subtree: Boolean? = false, attributeOldValue: Boolean? = null, characterDataOldValue: Boolean? = null,
attributeFilter: Array<String>? = null): MutationObserverInit {\n    val o = js("{}")\n    o["childList"] =
childList\n    o["attributes"] = attributes\n    o["characterData"] = characterData\n    o["subtree"] = subtree\n
o["attributeOldValue"] = attributeOldValue\n    o["characterDataOldValue"] = characterDataOldValue\n
o["attributeFilter"] = attributeFilter\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external
abstract class MutationRecord {\n    open val type: String\n    open val target: Node\n    open val addedNodes:
NodeList\n    open val removedNodes: NodeList\n    open val previousSibling: Node?\n    open val nextSibling:
Node?\n    open val attributeName: String?\n    open val attributeNamespace: String?\n    open val oldValue:
String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to
Kotlin\n */\npublic external abstract class Node : EventTarget {\n    open val nodeType: Short\n    open val
nodeName: String\n    open val baseURI: String\n    open val isConnected: Boolean\n    open val ownerDocument:
Document?\n    open val parentNode: Node?\n    open val parentElement: Element?\n    open val childNodes:
NodeList\n    open val firstChild: Node?\n    open val lastChild: Node?\n    open val previousSibling: Node?\n
open val nextSibling: Node?\n    open var nodeValue: String?\n    open var textContent: String?\n    fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node\n    fun hasChildNodes(): Boolean\n    fun
normalize(): Unit\n    fun cloneNode(deep: Boolean = definedExternally): Node\n    fun isEqualNode(otherNode:
Node?): Boolean\n    fun isSameNode(otherNode: Node?): Boolean\n    fun compareDocumentPosition(other:
Node): Short\n    fun contains(other: Node?): Boolean\n    fun lookupPrefix(namespace: String?): String?\n    fun
lookupNamespaceURI(prefix: String?): String?\n    fun isDefaultNamespace(namespace: String?): Boolean\n    fun
insertBefore(node: Node, child: Node?): Node\n    fun appendChild(node: Node): Node\n    fun replaceChild(node:
Node, child: Node): Node\n    fun removeChild(child: Node): Node\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetRootNodeOptions {\n    var composed: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean?
= false): GetRootNodeOptions {\n    val o = js("{}")\n    o["composed"] = composed\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external
open class XMLDocument : Document {\n    override fun getElementById(elementId: String): Element?\n    override
fun prepend(vararg nodes: dynamic): Unit\n    override fun append(vararg nodes: dynamic): Unit\n    override
fun querySelector(selectors: String): Element?\n    override fun querySelectorAll(selectors: String):
NodeList\n    override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n
    override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n    override fun convertRectFromNode(rect: DOMRectReadOnly, from:

```

```

dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\npublic external interface ElementCreationOptions {\n  @JsName("is")
var is_: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(is_: String? =
null): ElementCreationOptions {\n  val o = js("{}")\n  o["is"] = is_\n  return o\n}\n\n/**\n * Exposes the
JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to
Kotlin\n */\npublic external abstract class DOMImplementation {\n  fun createDocumentType(qualifiedName:
String, publicId: String, systemId: String): DocumentType\n  fun createDocument(namespace: String?,
qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n  fun
createHTMLDocument(title: String = definedExternally): Document\n  fun hasFeature(): Boolean\n}\n\n/**\n *
Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to
Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n  open val name: String\n  open
val publicId: String\n  open val systemId: String\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic
external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override fun getElementById(elementId: String): Element?\n  override fun
prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes: dynamic): Unit\n  override fun
querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String):
NodeList\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n  open val mode: ShadowRootMode\n  open val
host: Element\n  override val fullscreenElement: Element?\n  override fun getElementById(elementId:
String): Element?\n  override fun prepend(vararg nodes: dynamic): Unit\n  override fun append(vararg nodes:
dynamic): Unit\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class
Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrProcessingInstruction, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList,
UnionElementOrMouseEvent {\n  open var innerHTML: String\n  open var outerHTML: String\n  open val
namespaceURI: String?\n  open val prefix: String?\n  open val localName: String\n  open val tagName: String\n
open var id: String\n  open var className: String\n  open val classList: DOMTokenList\n  open var slot:
String\n  open val attributes: NamedNodeMap\n  open val shadowRoot: ShadowRoot?\n  open var scrollTop:
Double\n  open var scrollLeft: Double\n  open val scrollWidth: Int\n  open val scrollHeight: Int\n  open val
clientTop: Int\n  open val clientLeft: Int\n  open val clientWidth: Int\n  open val clientHeight: Int\n  fun
requestFullscreen(): Promise<Unit>\n  fun insertAdjacentHTML(position: String, text: String): Unit\n  fun
hasAttributes(): Boolean\n  fun getAttributeNames(): Array<String>\n  fun getAttribute(qualifiedName: String):
String?\n  fun getAttributeNS(namespace: String?, localName: String): String?\n  fun setAttribute(qualifiedName:
String, value: String): Unit\n  fun setAttributeNS(namespace: String?, qualifiedName: String, value: String): Unit\n
  fun removeAttribute(qualifiedName: String): Unit\n  fun removeAttributeNS(namespace: String?, localName:
String): Unit\n  fun hasAttribute(qualifiedName: String): Boolean\n  fun hasAttributeNS(namespace: String?,
localName: String): Boolean\n  fun getAttributeNode(qualifiedName: String): Attr?\n  fun
getAttributeNodeNS(namespace: String?, localName: String): Attr?\n  fun setAttributeNode(attr: Attr): Attr?\n
fun setAttributeNodeNS(attr: Attr): Attr?\n  fun removeAttributeNode(attr: Attr): Attr\n  fun attachShadow(init:
ShadowRootInit): ShadowRoot\n  fun closest(selectors: String): Element?\n  fun matches(selectors: String):
Boolean\n  fun webkitMatchesSelector(selectors: String): Boolean\n  fun
getElementByTagName(qualifiedName: String): HTMLCollection\n  fun

```

```

getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun
getElementsByClassName(classNames: String): HTMLCollection\n fun insertAdjacentElement(where: String,
element: Element): Element?\n fun insertAdjacentText(where: String, data: String): Unit\n fun getClientRects():
Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun scrollIntoView(): Unit\n fun
scrollIntoView(arg: dynamic): Unit\n fun scroll(options: ScrollToOptions = definedExternally): Unit\n fun
scroll(x: Double, y: Double): Unit\n fun scrollTo(options: ScrollToOptions = definedExternally): Unit\n fun
scrollTo(x: Double, y: Double): Unit\n fun scrollBy(options: ScrollToOptions = definedExternally): Unit\n fun
scrollBy(x: Double, y: Double): Unit\n}\n\npublic external interface ShadowRootInit {\n var mode:
ShadowRootMode?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n val o = js("{}")\n o["mode"] = mode\n return o\n}\n\n**\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n *\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n override val length: Int\n
override fun item(index: Int): Attr?\n fun getNamedItem(qualifiedName: String): Attr?\n fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n fun setNamedItem(attr: Attr): Attr?\n fun
setNamedItemNS(attr: Attr): Attr?\n fun removeNamedItem(qualifiedName: String): Attr\n fun
removeNamedItemNS(namespace: String?, localName: String): Attr\n}\n\n@kotlin.internal.InlineOnly inline operator
fun NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n**\n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n *\npublic external abstract class
Attr : Node {\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n
open val name: String\n open var value: String\n open val ownerElement: Element?\n open val specified:
Boolean\n}\n\n**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n *\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n open var data: String\n open
val length: Int\n fun substringData(offset: Int, count: Int): String\n fun appendData(data: String): Unit\n fun
insertData(offset: Int, data: String): Unit\n fun deleteData(offset: Int, count: Int): Unit\n fun replaceData(offset:
Int, count: Int, data: String): Unit\n}\n\n**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n *\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n open val wholeText: String\n override
val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot:
HTMLSlotElement?\n fun splitText(offset: Int): Text\n override fun before(vararg nodes: dynamic): Unit\n
override fun after(vararg nodes: dynamic): Unit\n override fun replaceWith(vararg nodes: dynamic): Unit\n
override fun remove(): Unit\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\n**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n *\npublic external
open class CDATASection : Text {\n override fun before(vararg nodes: dynamic): Unit\n override fun
after(vararg nodes: dynamic): Unit\n override fun replaceWith(vararg nodes: dynamic): Unit\n override fun
remove(): Unit\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n}\n\n**\n * Exposes the JavaScript

```

[ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n
 *\\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
 UnionElementOrProcessingInstruction {\\n open val target: String\\n}\\n\\n**\\n * Exposes the JavaScript

[Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n
 *\\npublic external open class
 Comment(data: String = definedExternally) : CharacterData {\\n override val previousElementSibling: Element?\\n
 override val nextElementSibling: Element?\\n override fun before(vararg nodes: dynamic): Unit\\n override fun
 after(vararg nodes: dynamic): Unit\\n override fun replaceWith(vararg nodes: dynamic): Unit\\n override fun
 remove(): Unit\\n}\\n\\n**\\n * Exposes the JavaScript

[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n
 *\\npublic external open class Range {\\n
 open val startContainer: Node\\n open val startOffset: Int\\n open val endContainer: Node\\n open val
 endOffset: Int\\n open val collapsed: Boolean\\n open val commonAncestorContainer: Node\\n fun
 createContextualFragment(fragment: String): DocumentFragment\\n fun setStart(node: Node, offset: Int): Unit\\n
 fun setEnd(node: Node, offset: Int): Unit\\n fun setStartBefore(node: Node): Unit\\n fun setStartAfter(node:
 Node): Unit\\n fun setEndBefore(node: Node): Unit\\n fun setEndAfter(node: Node): Unit\\n fun
 collapse(toStart: Boolean = definedExternally): Unit\\n fun selectNode(node: Node): Unit\\n fun
 selectNodeContents(node: Node): Unit\\n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\\n
 fun deleteContents(): Unit\\n fun extractContents(): DocumentFragment\\n fun cloneContents():
 DocumentFragment\\n fun insertNode(node: Node): Unit\\n fun surroundContents(newParent: Node): Unit\\n
 fun cloneRange(): Range\\n fun detach(): Unit\\n fun isPointInRange(node: Node, offset: Int): Boolean\\n fun
 comparePoint(node: Node, offset: Int): Short\\n fun intersectsNode(node: Node): Boolean\\n fun getClientRects():
 Array<DOMRect>\\n fun getBoundingClientRect(): DOMRect\\n\\n companion object {\\n val
 START_TO_START: Short\\n val START_TO_END: Short\\n val END_TO_END: Short\\n val
 END_TO_START: Short\\n }\\n}\\n\\n**\\n * Exposes the JavaScript

[NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n
 *\\npublic external abstract
 class NodeIterator {\\n open val root: Node\\n open val referenceNode: Node\\n open val
 pointerBeforeReferenceNode: Boolean\\n open val whatToShow: Int\\n open val filter: NodeFilter?\\n fun
 nextNode(): Node?\\n fun previousNode(): Node?\\n fun detach(): Unit\\n}\\n\\n**\\n * Exposes the JavaScript

[TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n
 *\\npublic external abstract
 class TreeWalker {\\n open val root: Node\\n open val whatToShow: Int\\n open val filter: NodeFilter?\\n open
 var currentNode: Node\\n fun parentNode(): Node?\\n fun firstChild(): Node?\\n fun lastChild(): Node?\\n fun
 previousSibling(): Node?\\n fun nextSibling(): Node?\\n fun previousNode(): Node?\\n fun nextNode():
 Node?\\n}\\n\\n**\\n * Exposes the JavaScript

[NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n
 *\\npublic external interface
 NodeFilter {\\n fun acceptNode(node: Node): Short\\n\\n companion object {\\n val FILTER_ACCEPT:
 Short\\n val FILTER_REJECT: Short\\n val FILTER_SKIP: Short\\n val SHOW_ALL: Int\\n val
 SHOW_ELEMENT: Int\\n val SHOW_ATTRIBUTE: Int\\n val SHOW_TEXT: Int\\n val
 SHOW_CDATA_SECTION: Int\\n val SHOW_ENTITY_REFERENCE: Int\\n val SHOW_ENTITY: Int\\n
 val SHOW_PROCESSING_INSTRUCTION: Int\\n val SHOW_COMMENT: Int\\n val
 SHOW_DOCUMENT: Int\\n val SHOW_DOCUMENT_TYPE: Int\\n val
 SHOW_DOCUMENT_FRAGMENT: Int\\n val SHOW_NOTATION: Int\\n }\\n}\\n\\n**\\n * Exposes the
 JavaScript

[DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n
 *\\npublic
 external abstract class DOMTokenList : ItemArrayLike<String> {\\n override val length: Int\\n open var value:
 String\\n override fun item(index: Int): String?\\n fun contains(token: String): Boolean\\n fun add(vararg tokens:
 String): Unit\\n fun remove(vararg tokens: String): Unit\\n fun toggle(token: String, force: Boolean =
 definedExternally): Boolean\\n fun replace(token: String, newToken: String): Unit\\n fun supports(token: String):
 Boolean\\n}\\n@kotlin.internal.InlineOnly inline operator fun DOMTokenList.get(index: Int): String? =
 asDynamic()[index]\\n\\n**\\n * Exposes the JavaScript

[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n
 *\\npublic

```

external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {
    open val x: Double
    open val y: Double
    open val z: Double
    open val w: Double
    fun matrixTransform(matrix: DOMMatrixReadOnly): DOMPoint
}

@kotlin.internal.InlineOnly
public external open class DOMPoint : DOMPointReadOnly {
    constructor(point: DOMPointInit)
    constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)

    override var x: Double
    override var y: Double
    override var z: Double
    override var w: Double

    public external interface DOMPointInit {
        var x: Double? /* = 0.0 */
        get() = definedExternally
        set(value) = definedExternally
        var y: Double? /* = 0.0 */
        get() = definedExternally
        set(value) = definedExternally
        var z: Double? /* = 0.0 */
        get() = definedExternally
        set(value) = definedExternally
        var w: Double? /* = 1.0 */
        get() = definedExternally
        set(value) = definedExternally
    }

    @kotlin.internal.InlineOnly
    public inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {
        val o = js("{}")
        o["x"] = x
        o["y"] = y
        o["z"] = z
        o["w"] = w
        return o
    }

    * Exposes the JavaScript [DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin

    public external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally) : DOMRectReadOnly {
        override var x: Double
        override var y: Double
        override var width: Double
        override var height: Double
    }

    * Exposes the JavaScript [DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin

    public external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {
        open val x: Double
        open val y: Double
        open val width: Double
        open val height: Double
        open val top: Double
        open val right: Double
        open val bottom: Double
        open val left: Double
    }

    public external interface DOMRectInit {
        var x: Double? /* = 0.0 */
        get() = definedExternally
        set(value) = definedExternally
        var y: Double? /* = 0.0 */
        get() = definedExternally
        set(value) = definedExternally
        var width: Double? /* = 0.0 */
        get() = definedExternally
        set(value) = definedExternally
        var height: Double? /* = 0.0 */
        get() = definedExternally
        set(value) = definedExternally
    }

    @kotlin.internal.InlineOnly
    public inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {
        val o = js("{}")
        o["x"] = x
        o["y"] = y
        o["width"] = width
        o["height"] = height
        return o
    }

    public external interface DOMRectList : ItemArrayLike<DOMRect> {
        override fun item(index: Int): DOMRect?
    }

    @kotlin.internal.InlineOnly
    inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]

    * Exposes the JavaScript [DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin

    public external open class DOMQuad {
        constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)
        constructor(rect: DOMRectInit)
        open val p1: DOMPoint
        open val p2: DOMPoint
        open val p3: DOMPoint
        open val p4: DOMPoint
        open val bounds: DOMRectReadOnly
    }

    * Exposes the JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin

    public external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {
        open val a: Double
        open val b: Double
        open val c: Double
        open val d: Double
        open val e: Double
        open val f: Double
        open val m11: Double
        open val m12: Double
        open val m13: Double
        open val m14: Double
        open val m21: Double
        open val m22: Double
        open val m23: Double
        open val m24: Double
        open val m31: Double
        open val m32: Double
        open val m33: Double
        open val m34: Double
        open val m41: Double
        open val m42: Double
        open val m43: Double
        open val m44: Double
        open val is2D: Boolean
        open val isIdentity: Boolean
        fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix
        fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix
        fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix
        fun scaleNonUniform(scaleX: Double, scaleY: Double =

```

```

definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun rotate(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun rotateFromVector(x:
Double, y: Double): DOMMatrix\n fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewX(sx: Double): DOMMatrix\n fun skewY(sy: Double): DOMMatrix\n fun
multiply(other: DOMMatrix): DOMMatrix\n fun flipX(): DOMMatrix\n fun flipY(): DOMMatrix\n fun
inverse(): DOMMatrix\n fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n fun
toFloat32Array(): Float32Array\n fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open
class DOMMatrix() : DOMMatrixReadOnly {\n constructor(transformList: String)\n constructor(other:
DOMMatrixReadOnly)\n constructor(array32: Float32Array)\n constructor(array64: Float64Array)\n
constructor(numberSequence: Array<Double>)\n override var a: Double\n override var b: Double\n override
var c: Double\n override var d: Double\n override var e: Double\n override var f: Double\n override var m11:
Double\n override var m12: Double\n override var m13: Double\n override var m14: Double\n override var
m21: Double\n override var m22: Double\n override var m23: Double\n override var m24: Double\n override
var m31: Double\n override var m32: Double\n override var m33: Double\n override var m34: Double\n
override var m41: Double\n override var m42: Double\n override var m43: Double\n override var m44:
Double\n fun multiplySelf(other: DOMMatrix): DOMMatrix\n fun preMultiplySelf(other: DOMMatrix):
DOMMatrix\n fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n fun
scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally,
originZ: Double = definedExternally): DOMMatrix\n fun scaleNonUniformSelf(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun rotateSelf(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun rotateFromVectorSelf(x:
Double, y: Double): DOMMatrix\n fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewXSelf(sx: Double): DOMMatrix\n fun skewYSelf(sy: Double): DOMMatrix\n fun
invertSelf(): DOMMatrix\n fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external
interface ScrollOptions {\n var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n val o = js("{}")\n\n
o["behavior"] = behavior\n\n return o\n}\n\npublic external interface ScrollToOptions : ScrollOptions {\n var
left: Double?\n get() = definedExternally\n set(value) = definedExternally\n var top: Double?\n get()
= definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ScrollToOptions(left: Double? = null, top: Double? = null, behavior: ScrollBehavior? = ScrollBehavior.AUTO):
ScrollToOptions {\n val o = js("{}")\n\n o["left"] = left\n o["top"] = top\n o["behavior"] =
behavior\n\n return o\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n */\npublic external
abstract class MediaQueryList : EventTarget {\n open val media: String\n open val matches: Boolean\n open
var onchange: ((Event) -> dynamic)?\n fun addListener(listener: EventListener?): Unit\n fun
addListener(listener: ((Event) -> Unit)?): Unit\n fun removeListener(listener: EventListener?): Unit\n fun
removeListener(listener: ((Event) -> Unit)?): Unit\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n */\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit =
definedExternally) : Event {\n open val media: String\n open val matches: Boolean\n}\n\npublic external
interface MediaQueryListEventInit : EventInit {\n var media: String? /* = \"\" */\n get() = definedExternally\n
set(value) = definedExternally\n var matches: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

MediaQueryListEventInit(media: String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n  val o = js("{}")\n\n
o["media"] = media\n  o["matches"] = matches\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
  o["composed"] = composed\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class
Screen {\n  open val availWidth: Int\n  open val availHeight: Int\n  open val width: Int\n  open val height: Int\n
  open val colorDepth: Int\n  open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript
[CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external
abstract class CaretPosition {\n  open val offsetNode: Node\n  open val offset: Int\n  fun getClientRect():
DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n  var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO):
ScrollIntoViewOptions {\n  val o = js("{}")\n  o["block"] = block\n  o["inline"] = inline\n
  o["behavior"] = behavior\n\n  return o\n}\n\npublic external interface BoxQuadOptions {\n  var box:
CSSBoxType? /* = CSSBoxType.BORDER */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var relativeTo: dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? =
CSSBoxType.BORDER, relativeTo: dynamic = null): BoxQuadOptions {\n  val o = js("{}")\n  o["box"] =
box\n  o["relativeTo"] = relativeTo\n\n  return o\n}\n\npublic external interface ConvertCoordinateOptions {\n
  var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n  get() = definedExternally\n
  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? =
CSSBoxType.BORDER): ConvertCoordinateOptions {\n  val o = js("{}")\n  o["fromBox"] = fromBox\n
  o["toBox"] = toBox\n\n  return o\n}\n\n/**\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external
interface GeometryUtils {\n  fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>\n  fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\n  fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n  fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions =
definedExternally): DOMPoint\n}\n\npublic external @marker interface UnionElementOrProcessingInstruction
{\n}\n\npublic external @marker interface UnionElementOrHTMLCollection {\n}\n\npublic external @marker
interface UnionElementOrRadioNodeList {\n}\n\npublic external @marker interface
UnionHTMLOptGroupElementOrHTMLOptionElement {\n}\n\npublic external @marker interface
UnionAudioTrackOrTextTrackOrVideoTrack {\n}\n\npublic external @marker interface
UnionElementOrMouseEvent {\n}\n\npublic external @marker interface UnionMessagePortOrWindow
{\n}\n\npublic external @marker interface UnionMessagePortOrServiceWorker {\n}\n\npublic external @marker
interface HTMLOrSVGScriptElement {\n}\n\npublic external @marker interface RenderingContext {\n}\n\npublic
external @marker interface HTMLOrSVGImageElement {\n}\n\n/* please, don't implement this interface!
*/\n\npublic external interface DocumentReadyState {\n  companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
"loading".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val

```

```

DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
  \"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
  *\npublic external interface CanPlayTypeResult {\n  companion object\n}\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
  \"\".asDynamic().unsafeCast<CanPlayTypeResult>()\npublic inline val CanPlayTypeResult.Companion.MAYBE:
CanPlayTypeResult get() = \"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
  \"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
  *\npublic external interface TextTrackMode {\n  companion object\n}\npublic inline val
TextTrackMode.Companion.DISABLED: TextTrackMode get() =
  \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\npublic inline val TextTrackMode.Companion.HIDDEN:
TextTrackMode get() = \"hidden\".asDynamic().unsafeCast<TextTrackMode>()\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
  \"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface! *\npublic
external interface TextTrackKind {\n  companion object\n}\npublic inline val
TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
  \"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val TextTrackKind.Companion.CAPTIONS:
TextTrackKind get() = \"captions\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
  \"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
  \"chapters\".asDynamic().unsafeCast<TextTrackKind>()\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
  \"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface! *\npublic
external interface SelectionMode {\n  companion object\n}\npublic inline val
SelectionMode.Companion.SELECT: SelectionMode get() =
  \"select\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
  \"end\".asDynamic().unsafeCast<SelectionMode>()\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface! *\npublic external interface CanvasFillRule {\n  companion object\n}\npublic inline val
CanvasFillRule.Companion.NONZERO: CanvasFillRule get() =
  \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\npublic inline val CanvasFillRule.Companion.EVENODD:
CanvasFillRule get() = \"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this
interface! *\npublic external interface ImageSmoothingQuality {\n  companion object\n}\npublic inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
  \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
  \"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
  \"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
  *\npublic external interface CanvasLineCap {\n  companion object\n}\npublic inline val
CanvasLineCap.Companion.BUTT: CanvasLineCap get() =
  \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val CanvasLineCap.Companion.ROUND:
CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\npublic inline val
CanvasLineCap.Companion.SQUARE: CanvasLineCap get() =
  \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface! *\npublic

```

```

external interface CanvasLineJoin {\n  companion object\n}\npublic inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasTextAlign {\n  companion object\n}\npublic inline val
CanvasTextAlign.Companion.START: CanvasTextAlign get() =
\"start\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.END:
CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =
\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val CanvasTextAlign.Companion.RIGHT:
CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
\"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasTextBaseline {\n  companion object\n}\npublic inline val
CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() =
\"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
\"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
\"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
\"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
\"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
\"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! */\npublic
external interface CanvasDirection {\n  companion object\n}\npublic inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
\"rtl\".asDynamic().unsafeCast<CanvasDirection>()\npublic inline val CanvasDirection.Companion.INHERIT:
CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this
interface! */\npublic external interface ScrollRestoration {\n  companion object\n}\npublic inline val
ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
\"auto\".asDynamic().unsafeCast<ScrollRestoration>()\npublic inline val ScrollRestoration.Companion.MANUAL:
ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement
this interface! */\npublic external interface ImageOrientation {\n  companion object\n}\npublic inline val
ImageOrientation.Companion.NONE: ImageOrientation get() =
\"none\".asDynamic().unsafeCast<ImageOrientation>()\npublic inline val ImageOrientation.Companion.FLIPY:
ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this
interface! */\npublic external interface PremultiplyAlpha {\n  companion object\n}\npublic inline val
PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() =
\"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
\"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
\"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! */\npublic

```

```

external interface ColorSpaceConversion {\n  companion object\n}\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
\"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
\"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*/\npublic external interface ResizeQuality {\n  companion object\n}\npublic inline val
ResizeQuality.Companion.PIXELATED: ResizeQuality get() =
\"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.LOW:
ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val
ResizeQuality.Companion.MEDIUM: ResizeQuality get() =
\"medium\".asDynamic().unsafeCast<ResizeQuality>()\npublic inline val ResizeQuality.Companion.HIGH:
ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this
interface! */\npublic external interface BinaryType {\n  companion object\n}\npublic inline val
BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\npublic inline
val BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
\"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface! */\npublic
external interface WorkerType {\n  companion object\n}\npublic inline val WorkerType.Companion.CLASSIC:
WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\npublic inline val
WorkerType.Companion.MODULE: WorkerType get() =
\"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface! */\npublic
external interface ShadowRootMode {\n  companion object\n}\npublic inline val
ShadowRootMode.Companion.OPEN: ShadowRootMode get() =
\"open\".asDynamic().unsafeCast<ShadowRootMode>()\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
\"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface! */\npublic
external interface ScrollBehavior {\n  companion object\n}\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
\"instant\".asDynamic().unsafeCast<ScrollBehavior>()\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this
interface! */\npublic external interface ScrollLogicalPosition {\n  companion object\n}\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
\"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
\"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*/\npublic external interface CSSBoxType {\n  companion object\n}\npublic inline val
CSSBoxType.Companion.MARGIN: CSSBoxType get() =
\"margin\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.BORDER:
CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val
CSSBoxType.Companion.PADDING: CSSBoxType get() =
\"padding\".asDynamic().unsafeCast<CSSBoxType>()\npublic inline val CSSBoxType.Companion.CONTENT:
CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()\n\n\"/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See

```

```

libraries/tools/idl2k for details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n *\n\npublic external open class
Headers(init: dynamic = definedExternally) {\n    fun append(name: String, value: String): Unit\n    fun delete(name:
String): Unit\n    fun get(name: String): String?\n    fun has(name: String): Boolean\n    fun set(name: String, value:
String): Unit\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to
Kotlin\n *\n\npublic external interface Body {\n    val bodyUsed: Boolean\n    fun arrayBuffer():
Promise<ArrayBuffer>\n    fun blob(): Promise<Blob>\n    fun formData(): Promise<FormData>\n    fun json():
Promise<Any?>\n    fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n *\n\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n    open val method: String\n    open val
url: String\n    open val headers: Headers\n    open val type: RequestType\n    open val destination:
RequestDestination\n    open val referrer: String\n    open val referrerPolicy: dynamic\n    open val mode:
RequestMode\n    open val credentials: RequestCredentials\n    open val cache: RequestCache\n    open val redirect:
RequestRedirect\n    open val integrity: String\n    open val keepalive: Boolean\n    override val bodyUsed:
Boolean\n    fun clone(): Request\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob():
Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n    override
fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n    var method: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var headers: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n    var referrer: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var referrerPolicy: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var mode: RequestMode?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var credentials: RequestCredentials?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var cache: RequestCache?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var redirect: RequestRedirect?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var integrity: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var keepalive: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var window:
Any?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = null, headers:
dynamic = null, body: dynamic = null, referrer: String? = null, referrerPolicy: dynamic = null, mode: RequestMode?
= null, credentials: RequestCredentials? = null, cache: RequestCache? = null, redirect: RequestRedirect? = null,
integrity: String? = null, keepalive: Boolean? = null, window: Any? = null): RequestInit {\n    val o = js(\"({})\")\n    o[\"method\"] = method\n    o[\"headers\"] = headers\n    o[\"body\"] = body\n    o[\"referrer\"] = referrer\n    o[\"referrerPolicy\"] = referrerPolicy\n    o[\"mode\"] = mode\n    o[\"credentials\"] = credentials\n    o[\"cache\"] = cache\n    o[\"redirect\"] = redirect\n    o[\"integrity\"] = integrity\n    o[\"keepalive\"] = keepalive\n    o[\"window\"] = window\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n *\n\npublic external open class
Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body {\n    open val type:
ResponseType\n    open val url: String\n    open val redirected: Boolean\n    open val status: Short\n    open val ok:
Boolean\n    open val statusText: String\n    open val headers: Headers\n    open val body: dynamic\n    open val
trailer: Promise<Headers>\n    override val bodyUsed: Boolean\n    fun clone(): Response\n    override fun
arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob(): Promise<Blob>\n    override fun formData():
Promise<FormData>\n    override fun json(): Promise<Any?>\n    override fun text(): Promise<String>\n}\n\ncompanion object {\n    fun error(): Response\n    fun redirect(url: String, status: Short = definedExternally):

```

```

Response\n }n}\n\npublic external interface ResponseInit {\n  var status: Short? /* = 200 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var statusText: String? /* = \"OK\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var headers: dynamic\n    get() = definedExternally\n
    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ResponseInit(status: Short? =
200, statusText: String? = \"OK\", headers: dynamic = null): ResponseInit {\n  val o = js(\"({})\")\n\n  o[\"status\"] = status\n  o[\"statusText\"] = statusText\n  o[\"headers\"] = headers\n\n  return o\n}\n\n/* please,
don't implement this interface! */\n\npublic external interface RequestType {\n  companion object\n}\n\npublic inline
val RequestType.Companion.EMPTY: RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.AUDIO: RequestType get() =
\"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT:
RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() = \"style\".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.TRACK: RequestType get() =
\"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.VIDEO:
RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this
interface! */\n\npublic external interface RequestDestination {\n  companion object\n}\n\npublic inline val
RequestDestination.Companion.EMPTY: RequestDestination get() =
\"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
\"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.IMAGE:
RequestDestination get() = \"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
\"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
\"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n\n/* please, don't implement this interface! */\n\npublic

```

```

external interface RequestMode {\n  companion object\n}\npublic inline val
RequestMode.Companion.NAVIGATE: RequestMode get() =
\"navigate\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\npublic inline val RequestMode.Companion.NO_CORS:
RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface! */\npublic external interface RequestCredentials {\n  companion
object\n}\npublic inline val RequestCredentials.Companion.OMIT: RequestCredentials get() =
\"omit\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
origin\".asDynamic().unsafeCast<RequestCredentials>()\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
\"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface! */\npublic
external interface RequestCache {\n  companion object\n}\npublic inline val
RequestCache.Companion.DEFAULT: RequestCache get() =
\"default\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
\"reload\".asDynamic().unsafeCast<RequestCache>()\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-
cache\".asDynamic().unsafeCast<RequestCache>()\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-
cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface! */\npublic external
interface RequestRedirect {\n  companion object\n}\npublic inline val RequestRedirect.Companion.FOLLOW:
RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val
RequestRedirect.Companion.ERROR: RequestRedirect get() =
\"error\".asDynamic().unsafeCast<RequestRedirect>()\npublic inline val RequestRedirect.Companion.MANUAL:
RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this
interface! */\npublic external interface ResponseType {\n  companion object\n}\npublic inline val
ResponseType.Companion.BASIC: ResponseType get() =
\"basic\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.CORS:
ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.DEFAULT: ResponseType get() =
\"default\".asDynamic().unsafeCast<ResponseType>()\npublic inline val ResponseType.Companion.ERROR:
ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.OPAQUE: ResponseType get() =
\"opaque\".asDynamic().unsafeCast<ResponseType>()\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
\"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\n\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n *^\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See libraries/tools/idl2k for
details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npackage
org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript

```

[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n * public external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus(): Unit\n fun blur(): Unit\n}\n\n public external interface SVGBoundingBoxOptions {\n var fill: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stroke: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var markers: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var clipped: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n @kotlin.internal.InlineOnly\n public inline fun SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n val o = js("{}")\n o["fill"] = fill\n o["stroke"] = stroke\n o["markers"] = markers\n o["clipped"] = clipped\n return o\n}\n\n /**\n * Exposes the JavaScript

[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n * public external abstract class SVGGraphicsElement : SVGElement, SVGTTests {\n open val transform: SVGAnimatedTransformList\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally): DOMRect\n fun getCTM(): DOMMatrix?\n fun getScreenCTM(): DOMMatrix?\n}\n\n /**\n * Exposes the JavaScript

[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n * public external abstract class SVGGeometryElement : SVGGraphicsElement {\n open val pathLength: SVGAnimatedNumber\n fun isPointInFill(point: DOMPoint): Boolean\n fun isPointInStroke(point: DOMPoint): Boolean\n fun getTotalLength(): Float\n fun getPointAtLength(distance: Float): DOMPoint\n}\n\n /**\n * Exposes the JavaScript

[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n * public external abstract class SVGNumber {\n open var value: Float\n}\n\n /**\n * Exposes the JavaScript

[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n * public external abstract class SVGLength {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits: Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n fun convertToSpecifiedUnits(unitType: Short): Unit\n\n companion object {\n val SVG_LENGTHTYPE_UNKNOWN: Short\n val SVG_LENGTHTYPE_NUMBER: Short\n val SVG_LENGTHTYPE_PERCENTAGE: Short\n val SVG_LENGTHTYPE_EMS: Short\n val SVG_LENGTHTYPE_EXS: Short\n val SVG_LENGTHTYPE_PX: Short\n val SVG_LENGTHTYPE_CM: Short\n val SVG_LENGTHTYPE_MM: Short\n val SVG_LENGTHTYPE_IN: Short\n val SVG_LENGTHTYPE_PT: Short\n val SVG_LENGTHTYPE_PC: Short\n }\n}\n\n /**\n * Exposes the JavaScript

[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n * public external abstract class SVGAngle {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits: Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float): Unit\n fun convertToSpecifiedUnits(unitType: Short): Unit\n\n companion object {\n val SVG_ANGLETYPE_UNKNOWN: Short\n val SVG_ANGLETYPE_UNSPECIFIED: Short\n val SVG_ANGLETYPE_DEG: Short\n val SVG_ANGLETYPE_RAD: Short\n val SVG_ANGLETYPE_GRAD: Short\n }\n}\n\n public external abstract class SVGNameList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun initialize(newItem: dynamic): dynamic\n fun getItem(index: Int): dynamic\n fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n fun replaceItem(newItem: dynamic, index: Int): dynamic\n fun removeItem(index: Int): dynamic\n fun appendItem(newItem: dynamic): dynamic\n}\n\n @kotlin.internal.InlineOnly\n inline operator fun SVGNameList.get(index: Int): dynamic = asDynamic()[index]\n\n @kotlin.internal.InlineOnly\n inline operator fun SVGNameList.set(index: Int, newItem: dynamic): Unit { asDynamic()[index] = newItem; }\n\n /**\n * Exposes the JavaScript

[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n * public external abstract class SVGNumberList {\n open val length: Int\n open val numberOfItems: Int\n

```

fun clear(): Unit\n fun initialize(newItem: SVGNumber): SVGNumber\n fun getItem(index: Int): SVGNumber\n
fun insertItemBefore(newItem: SVGNumber, index: Int): SVGNumber\n fun replaceItem(newItem:
SVGNumber, index: Int): SVGNumber\n fun removeItem(index: Int): SVGNumber\n fun appendItem(newItem:
SVGNumber): SVGNumber\n}\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.get(index: Int):
SVGNumber? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGNumberList.set(index:
Int, newItem: SVGNumber): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n *\npublic external
abstract class SVGLengthList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n
fun initialize(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n fun
insertItemBefore(newItem: SVGLength, index: Int): SVGLength\n fun replaceItem(newItem: SVGLength, index:
Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength):
SVGLength\n}\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.get(index: Int): SVGLength? =
asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGLengthList.set(index: Int, newItem:
SVGLength): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n *\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to
Kotlin\n *\npublic external abstract class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val
animVal: Short\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n *\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal:
Int\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n *\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal:
Float\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n *\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal:
SVGLength\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n *\npublic
external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal:
SVGAngle\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n *\npublic
external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/**\n
* Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect)
to Kotlin\n *\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val
animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n
*\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val
animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n
*\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val
animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript
[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n *\npublic external
abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear(): Unit\n fun
initialize(newItem: String): String\n fun getItem(index: Int): String\n fun insertItemBefore(newItem: String,
index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n
fun appendItem(newItem: String): String\n}\n@kotlin.internal.InlineOnly inline operator fun

```

SVGStringList.get(index: Int): String? = asDynamic()[index]\n@kotlin.internal.InlineOnly inline operator fun SVGStringList.set(index: Int, newItem: String): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n */\npublic external interface SVGUnitTypes {\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n */\npublic external interface SVGTTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n */\npublic external interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\npublic external interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open var currentScale: Float\n open val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll(): Unit\n fun createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\n fun unsuspendRedraw(suspendHandleID: Int): Unit\n fun unsuspendRedrawAll(): Unit\n fun forceRedraw(): Unit\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external abstract class SVGGElement : SVGGraphicsElement {\n}\n\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\n}\n\n/**\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\n}\n\n/**\n * Exposes the JavaScript [SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic external abstract class SVGDescElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n */\npublic external abstract class SVGMetadataElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic external abstract class SVGTitleElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n */\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n}\n\n/**\n * Exposes the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n */\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val

```

height: SVGAnimatedLength\n  open val instanceRoot: SVGElement?\n  open val animatedInstanceRoot:
SVGElement?\n}\n\npublic external open class SVGUseElementShadowRoot : ShadowRoot {\n  override fun
getElementById(elementId: String): Element?\n  override fun prepend(vararg nodes: dynamic): Unit\n  override
fun append(vararg nodes: dynamic): Unit\n  override fun querySelector(selectors: String): Element?\n  override
fun querySelectorAll(selectors: String): NodeList\n}\n\npublic external interface SVGElementInstance {\n  val
correspondingElement: SVGElement?\n  val correspondingUseElement: SVGUseElement?\n}\n\npublic external
open class ShadowAnimation(source: dynamic, newTarget: dynamic) {\n  open val sourceAnimation:
dynamic\n}\n\n/**\n * Exposes the JavaScript
[SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement) to Kotlin\n */\n\npublic
external abstract class SVGSwitchElement : SVGGraphicsElement {\n}\n\npublic external interface
GetSVGDocument {\n  fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */\n\npublic
external abstract class SVGStyleElement : SVGElement, LinkStyle {\n  open var type: String\n  open var media:
String\n  open var title: String\n}\n\n/**\n * Exposes the JavaScript
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */\n\npublic external
abstract class SVGTransform {\n  open val type: Short\n  open val matrix: DOMMatrix\n  open val angle:
Float\n  fun setMatrix(matrix: DOMMatrixReadOnly): Unit\n  fun setTranslate(tx: Float, ty: Float): Unit\n  fun
setScale(sx: Float, sy: Float): Unit\n  fun setRotate(angle: Float, cx: Float, cy: Float): Unit\n  fun
setSkewX(angle:
Float): Unit\n  fun setSkewY(angle: Float): Unit\n\n  companion object {\n    val
SVG_TRANSFORM_UNKNOWN: Short\n    val SVG_TRANSFORM_MATRIX: Short\n    val
SVG_TRANSFORM_TRANSLATE: Short\n    val SVG_TRANSFORM_SCALE: Short\n    val
SVG_TRANSFORM_ROTATE: Short\n    val SVG_TRANSFORM_SKEWX: Short\n    val
SVG_TRANSFORM_SKEWY: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n */\n\npublic
external abstract class SVGTransformList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear():
Unit\n  fun initialize(newItem: SVGTransform): SVGTransform\n  fun getItem(index: Int): SVGTransform\n
fun insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n  fun replaceItem(newItem:
SVGTransform, index: Int): SVGTransform\n  fun removeItem(index: Int): SVGTransform\n  fun
appendItem(newItem: SVGTransform): SVGTransform\n  fun createSVGTransformFromMatrix(matrix:
DOMMatrixReadOnly): SVGTransform\n  fun consolidate(): SVGTransform?\n}\n\n@kotlin.internal.InlineOnly
inline operator fun SVGTransformList.get(index: Int): SVGTransform? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun SVGTransformList.set(index: Int, newItem:
SVGTransform): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n */\n\npublic external abstract class SVGAnimatedTransformList {\n  open val baseVal:
SVGTransformList\n  open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n
*/\n\npublic external abstract class SVGPreserveAspectRatio {\n  open var align: Short\n  open var meetOrSlice:
Short\n\n  companion object {\n    val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n    val
SVG_PRESERVEASPECTRATIO_NONE: Short\n    val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n    val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n    val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n    val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n    val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n    val
SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n    val
SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n    val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n    val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n    val SVG_MEETORSlice_UNKNOWN: Short\n

```

```

    val SVG_MEETORSLICE_MEET: Short\n    val SVG_MEETORSLICE_SLICE: Short\n    }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n    open val baseVal:
SVGPreserveAspectRatio\n    open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\npublic
external abstract class SVGRectElement : SVGGeometryElement {\n    open val x: SVGAnimatedLength\n    open
val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n
    open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic
external abstract class SVGCircleElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
    open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n */\npublic
external abstract class SVGEllipseElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
    open val cy: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic
external abstract class SVGLineElement : SVGGeometryElement {\n    open val x1: SVGAnimatedLength\n    open
val y1: SVGAnimatedLength\n    open val x2: SVGAnimatedLength\n    open val y2:
SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript
[SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n */\npublic
external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n}\n\n/**\n * Exposes the
JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n
*/\npublic external interface SVGAnimatedPoints {\n    val points: SVGPointList\n    val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n    open val length: Int\n    open val
numberOfItems: Int\n    fun clear(): Unit\n    fun initialize(newItem: DOMPoint): DOMPoint\n    fun getItem(index:
Int): DOMPoint\n    fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n    fun
replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n    fun removeItem(index: Int): DOMPoint\n    fun
appendItem(newItem: DOMPoint): DOMPoint\n}\n\n@kotlin.internal.InlineOnly inline operator fun
SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly inline operator fun
SVGPointList.set(index: Int, newItem: DOMPoint): Unit { asDynamic()[index] = newItem; }\n\n/**\n * Exposes
the JavaScript [SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to
Kotlin\n */\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints
{\n}\n\n/**\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*/\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n}\n\n/**\n
 * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*/\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n    open val textLength:
SVGAnimatedLength\n    open val lengthAdjust: SVGAnimatedEnumeration\n    fun getNumberOfChars(): Int\n
    fun getComputedTextLength(): Float\n    fun getSubStringLength(charnum: Int, nchars: Int): Float\n    fun
getStartPositionOfChar(charnum: Int): DOMPoint\n    fun getEndPositionOfChar(charnum: Int): DOMPoint\n    fun
getExtentOfChar(charnum: Int): DOMRect\n    fun getRotationOfChar(charnum: Int): Float\n    fun
getCharNumAtPosition(point: DOMPoint): Int\n    fun selectSubString(charnum: Int, nchars: Int): Unit\n\n
companion object {\n        val LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING:
Short\n        val LENGTHADJUST_SPACINGANDGLYPHS: Short\n    }\n}\n\n/**\n * Exposes the JavaScript

```

[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to Kotlin\n *\\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n open val x: SVGAnimatedLengthList\n open val y: SVGAnimatedLengthList\n open val dx: SVGAnimatedLengthList\n open val dy: SVGAnimatedLengthList\n open val rotate: SVGAnimatedNumberList\n}\n\n/**\n * Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n *\\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n}\n\n/**\n * Exposes the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n *\\npublic external abstract class SVGTSpanElement : SVGTextPositioningElement {\n}\n\n/**\n * Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n *\\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n open val startOffset: SVGAnimatedLength\n open val method: SVGAnimatedEnumeration\n open val spacing: SVGAnimatedEnumeration\n\n companion object {\n val TEXTPATH_METHODTYPE_UNKNOWN: Short\n Short\n val TEXTPATH_METHODTYPE_ALIGN: Short\n val TEXTPATH_METHODTYPE_STRETCH: Short\n val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n val TEXTPATH_SPACINGTYPE_AUTO: Short\n val TEXTPATH_SPACINGTYPE_EXACT: Short\n}\n}\n\n/**\n * Exposes the JavaScript [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n *\\npublic external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference, HTMLorSVGImageElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n open var crossOrigin: String?\n}\n\n/**\n * Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\n *\\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n}\n\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val refY: SVGAnimatedLength\n open val markerUnits: SVGAnimatedEnumeration\n open val markerWidth: SVGAnimatedLength\n open val markerHeight: SVGAnimatedLength\n open val orientType: SVGAnimatedEnumeration\n open val orientAngle: SVGAnimatedAngle\n open var orient: String\n fun setOrientToAuto(): Unit\n fun setOrientToAngle(angle: SVGAngle): Unit\n\n companion object {\n val SVG_MARKERUNITS_UNKNOWN: Short\n val SVG_MARKERUNITS_USERSPACEONUSE: Short\n val SVG_MARKERUNITS_STROKEWIDTH: Short\n val SVG_MARKER_ORIENT_UNKNOWN: Short\n val SVG_MARKER_ORIENT_AUTO: Short\n val SVG_MARKER_ORIENT_ANGLE: Short\n}\n}\n\n/**\n * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n *\\npublic external abstract class SVGSolidcolorElement : SVGElement {\n}\n\n/**\n * Exposes the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n *\\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n open val gradientUnits: SVGAnimatedEnumeration\n open val gradientTransform: SVGAnimatedTransformList\n open val spreadMethod: SVGAnimatedEnumeration\n\n companion object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n}\n}\n\n/**\n * Exposes the JavaScript [SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to Kotlin\n *\\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n open val x1: SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val y2: SVGAnimatedLength\n}\n\n/**\n * Exposes the JavaScript

[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to Kotlin\n * public external abstract class SVGRadialGradientElement : SVGGradientElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n open val fx: SVGAnimatedLength\n open val fy: SVGAnimatedLength\n open val fr: SVGAnimatedLength\n}\n\n public external abstract class SVGMeshGradientElement : SVGGradientElement {\n}\n\n public external abstract class SVGMeshElement : SVGElement {\n}\n\n public external abstract class SVGMeshpatchElement : SVGElement {\n}\n\n /**\n * Exposes the JavaScript

[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n * public external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n}\n\n /**\n * Exposes the JavaScript

[SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n * public external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n public external abstract class SVGHatchElement : SVGElement {\n}\n\n public external abstract class SVGHatchpathElement : SVGElement {\n}\n\n /**\n * Exposes the JavaScript

[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n * public external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n}\n\n /**\n * Exposes the JavaScript

[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n * public external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n open var type: String\n open var crossOrigin: String?\n}\n\n /**\n * Exposes the JavaScript

[SVGAEElement](https://developer.mozilla.org/en/docs/Web/API/SVGAEElement) to Kotlin\n * public external abstract class SVGAEElement : SVGGraphicsElement, SVGURIReference {\n open val target: SVGAnimatedString\n open val download: SVGAnimatedString\n open val rel: SVGAnimatedString\n open val relList: SVGAnimatedString\n open val hreflang: SVGAnimatedString\n open val type: SVGAnimatedString\n}\n\n /**\n * Exposes the JavaScript

[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n * public external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n * NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n * See libraries/tools/idl2k for details\n\n @file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\n package org.w3c.files\n\n import kotlin.js.*\n import org.khronos.webgl.*\n import org.w3c.dom.*\n import org.w3c.dom.css.*\n import org.w3c.dom.events.*\n import org.w3c.dom.parsing.*\n import org.w3c.dom.svg.*\n import org.w3c.dom.url.*\n import org.w3c.fetch.*\n import org.w3c.notifications.*\n import org.w3c.performance.*\n import org.w3c.workers.*\n import org.w3c.xhr.*\n\n /**\n * Exposes the JavaScript

[Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n * public external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) {\n open val size: Int\n open val type: String\n open val isClosed: Boolean\n fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n fun close(): Unit\n}\n\n public external interface BlobPropertyBag {\n var type: String? /* = "" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n @kotlin.internal.InlineOnly\n\n public inline fun BlobPropertyBag(type: String? = ""): BlobPropertyBag {\n val o = js("{}")\n o["type"] = type\n\n return o\n}\n\n /**\n * Exposes the

```

JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class
File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n  open
val name: String\n  open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag
{\n  var lastModified: Int?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = null,
type: String? = \"\"): FilePropertyBag {\n  val o = js(\"({})\")\n  o[\"lastModified\"] = lastModified\n
o[\"type\"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\npublic external abstract class
FileList : ItemArrayLike<File> {\n  override val length: Int\n  override fun item(index: Int):
File?\n}\n\n@kotlin.internal.InlineOnly inline operator fun FileList.get(index: Int): File? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class
FileReader : EventTarget {\n  open val readyState: Short\n  open val result: dynamic\n  open val error:
dynamic\n  var onloadstart: ((Event) -> dynamic)?\n  var onprogress: ((Event) -> dynamic)?\n  var onload:
((Event) -> dynamic)?\n  var onabort: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  var
onloadend: ((Event) -> dynamic)?\n  fun readAsArrayBuffer(blob: Blob): Unit\n  fun readAsBinaryString(blob:
Blob): Unit\n  fun readAsText(blob: Blob, label: String = definedExternally): Unit\n  fun readAsDataURL(blob:
Blob): Unit\n  fun abort(): Unit\n\n  companion object {\n    val EMPTY: Short\n    val LOADING: Short\n
    val DONE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external
open class FileReaderSync {\n  fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n  fun readAsBinaryString(blob:
Blob): String\n  fun readAsText(blob: Blob, label: String = definedExternally): String\n  fun
readAsDataURL(blob: Blob): String\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See libraries/tools/idl2k for
details\n\n@file:Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npackage
org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n  var onclick:
((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  open val title: String\n  open val dir:
NotificationDirection\n  open val lang: String\n  open val body: String\n  open val tag: String\n  open val
image: String\n  open val icon: String\n  open val badge: String\n  open val sound: String\n  open val vibrate:
Array<out Int>\n  open val timestamp: Number\n  open val renotify: Boolean\n  open val silent: Boolean\n
open val noscreen: Boolean\n  open val requireInteraction: Boolean\n  open val sticky: Boolean\n  open val data:
Any?\n  open val actions: Array<out NotificationAction>\n  fun close(): Unit\n\n  companion object {\n    var
permission: NotificationPermission\n    var maxActions: Int\n    fun requestPermission(deprecatedCallback:
(NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n  }\n}\n\npublic
external interface NotificationOptions {\n  var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n
get() = definedExternally\n  set(value) = definedExternally\n  var lang: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var body: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var tag: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var image: String?\n  get() = definedExternally\n
set(value) = definedExternally\n  var icon: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var badge: String?\n  get() = definedExternally\n  set(value) = definedExternally\n
var sound: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var vibrate: dynamic\n

```

```

    get() = definedExternally\n    set(value) = definedExternally\n    var timestamp: Number?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var renotify: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var silent: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var noscreen: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var requireInteraction: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var sticky: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var data: Any? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var actions: Array<NotificationAction>? /* = arrayOf()
*/\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body:
String? = "", tag: String? = "", image: String? = null, icon: String? = null, badge: String? = null, sound: String? =
null, vibrate: dynamic = null, timestamp: Number? = null, renotify: Boolean? = false, silent: Boolean? = false,
noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null,
actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n    val o = js("{}")\n\n    o["dir"] =
dir\n    o["lang"] = lang\n    o["body"] = body\n    o["tag"] = tag\n    o["image"] = image\n    o["icon"] =
icon\n    o["badge"] = badge\n    o["sound"] = sound\n    o["vibrate"] = vibrate\n    o["timestamp"] =
timestamp\n    o["renotify"] = renotify\n    o["silent"] = silent\n    o["noscreen"] = noscreen\n
o["requireInteraction"] = requireInteraction\n    o["sticky"] = sticky\n    o["data"] = data\n    o["actions"] =
actions\n\n    return o\n}\n\npublic external interface NotificationAction {\n    var action: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var title: String?\n    get() = definedExternally\n
set(value) = definedExternally\n    var icon: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?, title:
String?, icon: String? = null): NotificationAction {\n    val o = js("{}")\n\n    o["action"] = action\n    o["title"]
= title\n    o["icon"] = icon\n\n    return o\n}\n\npublic external interface GetNotificationOptions {\n    var tag:
String? /* = "" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = ""):
GetNotificationOptions {\n    val o = js("{}")\n\n    o["tag"] = tag\n\n    return o\n}\n\n/** Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*/\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n    open val notification: Notification\n    open val action: String\n}\n\npublic external interface
NotificationEventInit : ExtendableEventInit {\n    var notification: Notification?\n    get() = definedExternally\n
set(value) = definedExternally\n    var action: String? /* = "" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n    val o = js("{}")\n\n    o["notification"] = notification\n    o["action"] =
action\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n\n    return
o\n}\n\n/* please, don't implement this interface! */\n\npublic external interface NotificationPermission {\n
companion object\n}\n\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission
get() = "default".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
"denied".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
"granted".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*/\n\npublic external interface NotificationDirection {\n    companion object\n}\n\npublic inline val
NotificationDirection.Companion.AUTO: NotificationDirection get() =
"auto".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
"ltr".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.RTL:

```

```

NotificationDirection get() = `rtl`.asDynamic().unsafeCast<NotificationDirection>()\n\n"/*\n * Copyright 2010-
2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license \n * that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
libraries/tools/idl2k for details\n\n@file:Suppress(`"NESTED_CLASS_IN_EXTERNAL_INTERFACE`")\npackage
org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n */\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n    open val installing:
ServiceWorker?\n    open val waiting: ServiceWorker?\n    open val active: ServiceWorker?\n    open val scope:
String\n    open var onupdatefound: ((Event) -> dynamic)?\n    open val APISpace: dynamic\n    fun update():
Promise<Unit>\n    fun unregister(): Promise<Boolean>\n    fun methodName(): Promise<dynamic>\n    fun
showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\n    fun
getNotifications(filter: GetNotificationOptions = definedExternally): Promise<dynamic>\n}\n\n/**\n * Exposes the
JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n */\n\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n    open val clients:
Clients\n    open val registration: ServiceWorkerRegistration\n    open var oninstall: ((Event) -> dynamic)?\n    open
var onactivate: ((Event) -> dynamic)?\n    open var onfetch: ((Event) -> dynamic)?\n    open var onforeignfetch:
((Event) -> dynamic)?\n    open var onmessage: ((Event) -> dynamic)?\n    open var onfunctionalevent: ((Event) ->
dynamic)?\n    open var onnotificationclick: ((Event) -> dynamic)?\n    open var onnotificationclose: ((Event) ->
dynamic)?\n    fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n */\n\npublic external
abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n    open val scriptURL: String\n    open val state:
ServiceWorkerState\n    open var onstatechange: ((Event) -> dynamic)?\n    fun postMessage(message: Any?,
transfer: Array<dynamic> = definedExternally): Unit\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n
*/\n\npublic external abstract class ServiceWorkerContainer : EventTarget {\n    open val controller:
ServiceWorker?\n    open val ready: Promise<ServiceWorkerRegistration>\n    open var oncontrollerchange:
((Event) -> dynamic)?\n    open var onmessage: ((Event) -> dynamic)?\n    fun register(scriptURL: String, options:
RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n    fun getRegistration(clientURL:
String = definedExternally): Promise<Any?>\n    fun getRegistrations(): Promise<dynamic>\n    fun
startMessages(): Unit\n}\n\npublic external interface RegistrationOptions {\n    var scope: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var type: WorkerType? /* = WorkerType.CLASSIC */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline
fun RegistrationOptions(scope: String? = null, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions
{\n    val o = js(`({})`)\n    o["scope"] = scope\n    o["type"] = type\n    return o\n}\n\n/**\n * Exposes the
JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n */\n\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n    open val data: Any?\n    open val origin:
String\n    open val lastEventId: String\n    open val source: UnionMessagePortOrServiceWorker?\n    open val
ports: Array<out MessagePort>?\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n
var data: Any?\n    get() = definedExternally\n    set(value) = definedExternally\n    var origin: String?\n
get() = definedExternally\n    set(value) = definedExternally\n    var lastEventId: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var source: UnionMessagePortOrServiceWorker?\n

```

```

get() = definedExternally\n    set(value) = definedExternally\n    var ports: Array<MessagePort>?\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ServiceWorkerMessageEventInit(data: Any? = null, origin: String? = null, lastEventId: String? = null, source:
UnionMessagePortOrServiceWorker? = null, ports: Array<MessagePort>? = null, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n    val o =
js("\({})")\n\n    o["data"] = data\n    o["origin"] = origin\n    o["lastEventId"] = lastEventId\n    o["source"] =
source\n    o["ports"] = ports\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] =
composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n *\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n    open val url: String\n    open val frameType: FrameType\n\n    open val id: String\n    fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally):
Unit\n}\n\n/**\n * Exposes the JavaScript
[WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin\n *\npublic external
abstract class WindowClient : Client {\n    open val visibilityState: dynamic\n    open val focused: Boolean\n    fun
focus(): Promise<WindowClient>\n    fun navigate(url: String): Promise<WindowClient>\n}\n\n/**\n * Exposes the
JavaScript [Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n *\npublic external abstract
class Clients {\n    fun get(id: String): Promise<Any?>\n    fun matchAll(options: ClientQueryOptions =
definedExternally): Promise<dynamic>\n    fun openWindow(url: String): Promise<WindowClient?>\n    fun
claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n    var includeUncontrolled:
Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var type:
ClientType? /* = ClientType.WINDOW */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled:
Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n    val o = js("\({})")\n\n    o["includeUncontrolled"] = includeUncontrolled\n    o["type"] = type\n\n    return o\n}\n\n/**\n * Exposes the
JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n *\npublic external open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit =
definedExternally) : Event {\n    fun waitUntil(f: Promise<Any?>): Unit\n}\n\npublic external interface
ExtendableEventInit : EventInit {\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ExtendableEventInit {\n    val o = js("\({})")\n\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"] = composed\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n *\npublic external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n    fun
registerForeignFetch(options: ForeignFetchOptions): Unit\n}\n\npublic external interface ForeignFetchOptions {\n
var scopes: Array<String>?\n    get() = definedExternally\n    set(value) = definedExternally\n    var origins:
Array<String>?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js("\({})")\n\n    o["scopes"] =
scopes\n    o["origins"] = origins\n\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n *\npublic external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open
val clientId: String?\n    open val isReload: Boolean\n    fun respondWith(r: Promise<Response>): Unit\n}\n\npublic
external interface FetchEventInit : ExtendableEventInit {\n    var request: Request?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var clientId: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var isReload: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {\n    val o = js("\({})")\n\n

```

```

o["request"] = request\n  o["clientId"] = clientId\n  o["isReload"] = isReload\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\npublic external open class
ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n  open val request:
Request\n  open val origin: String\n  fun respondWith(r: Promise<ForeignFetchResponse>): Unit\n}\n\npublic
external interface ForeignFetchEventInit : ExtendableEventInit {\n  var request: Request?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var origin: String? /* = \"null\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ForeignFetchEventInit(request: Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean?
= false, composed: Boolean? = false): ForeignFetchEventInit {\n  val o = js(\"({})\")\n\n  o["request"] =
request\n  o["origin"] = origin\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n\n  return o\n}\n\npublic external interface ForeignFetchResponse {\n  var
response: Response?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n
get() = definedExternally\n  set(value) = definedExternally\n  var headers: Array<String>?\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ForeignFetchResponse(response: Response?, origin: String? = null, headers: Array<String>? = null):
ForeignFetchResponse {\n  val o = js(\"({})\")\n\n  o["response"] = response\n  o["origin"] = origin\n
o["headers"] = headers\n  return o\n}\n\n**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*\n\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent {\n  open val data: Any?\n  open val origin: String\n  open val lastEventId:
String\n  open val source: UnionClientOrMessagePortOrServiceWorker?\n  open val ports: Array<out
MessagePort>?\n}\n\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\n  var data:
Any?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var lastEventId: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var source:
UnionClientOrMessagePortOrServiceWorker?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data: Any? =
null, origin: String? = null, lastEventId: String? = null, source: UnionClientOrMessagePortOrServiceWorker? = null,
ports: Array<MessagePort>? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ExtendableMessageEventInit {\n  val o = js(\"({})\")\n\n  o["data"] = data\n  o["origin"] = origin\n
o["lastEventId"] = lastEventId\n  o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n\n*\n\npublic external abstract class Cache
{\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n  fun
matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<dynamic>\n  fun add(request: dynamic): Promise<Unit>\n  fun addAll(requests: Array<dynamic>):
Promise<Unit>\n  fun put(request: dynamic, response: Response): Promise<Unit>\n  fun delete(request: dynamic,
options: CacheQueryOptions = definedExternally): Promise<Boolean>\n  fun keys(request: dynamic =
definedExternally, options: CacheQueryOptions = definedExternally): Promise<dynamic>\n}\n\npublic external
interface CacheQueryOptions {\n  var ignoreSearch: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var ignoreMethod: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var ignoreVary: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var cacheName: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch:
Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = null):
CacheQueryOptions {\n  val o = js(\"({})\")\n\n  o["ignoreSearch"] = ignoreSearch\n  o["ignoreMethod"] =
ignoreMethod\n  o["ignoreVary"] = ignoreVary\n  o["cacheName"] = cacheName\n\n  return o\n}\n\npublic

```

```

external interface CacheBatchOperation {
    var type: String?
    get() = definedExternally
    set(value) =
    definedExternally
    var request: Request?
    get() = definedExternally
    set(value) = definedExternally
    var response: Response?
    get() = definedExternally
    set(value) = definedExternally
    var options:
    CacheQueryOptions?
    get() = definedExternally
    set(value) =
    definedExternally
}

@kotlin.internal.InlineOnly
public inline fun CacheBatchOperation(type: String? = null,
    request: Request? = null, response: Response? = null, options: CacheQueryOptions? = null): CacheBatchOperation {
    val o = js("{}")
    o["type"] = type
    o["request"] = request
    o["response"] = response
    o["options"] = options
    return o
}

/**
 * Exposes the JavaScript
 [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin
 */
public external
abstract class CacheStorage {
    fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
    Promise<Any?>
    fun has(cacheName: String): Promise<Boolean>
    fun open(cacheName: String):
    Promise<Cache>
    fun delete(cacheName: String): Promise<Boolean>
    fun keys():
    Promise<dynamic>
}

public external open class FunctionalEvent : ExtendableEvent {}

public external
@marker interface UnionClientOrMessagePortOrServiceWorker {
    please, don't implement this interface!
}

public external interface ServiceWorkerState {
    companion object
}

public inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
    "installing".asDynamic().unsafeCast<ServiceWorkerState>()
public inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
    "installed".asDynamic().unsafeCast<ServiceWorkerState>()
public inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
    "activating".asDynamic().unsafeCast<ServiceWorkerState>()
public inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
    "activated".asDynamic().unsafeCast<ServiceWorkerState>()
public inline val
ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
    "redundant".asDynamic().unsafeCast<ServiceWorkerState>()
}

/** please, don't implement this interface!
 */
public external interface FrameType {
    companion object
}

public inline val
FrameType.Companion.AUXILIARY: FrameType get() =
    "auxiliary".asDynamic().unsafeCast<FrameType>()
public inline val FrameType.Companion.TOP_LEVEL:
FrameType get() = "top-level".asDynamic().unsafeCast<FrameType>()
public inline val
FrameType.Companion.NESTED: FrameType get() = "nested".asDynamic().unsafeCast<FrameType>()
public inline val FrameType.Companion.NONE: FrameType get() =
    "none".asDynamic().unsafeCast<FrameType>()
}

/** please, don't implement this interface!
 */
public external
interface ClientType {
    companion object
}

public inline val ClientType.Companion.WINDOW: ClientType
get() = "window".asDynamic().unsafeCast<ClientType>()
public inline val ClientType.Companion.WORKER:
ClientType get() = "worker".asDynamic().unsafeCast<ClientType>()
public inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
    "sharedworker".asDynamic().unsafeCast<ClientType>()
public inline val ClientType.Companion.ALL:
ClientType get() = "all".asDynamic().unsafeCast<ClientType>()
}

/**
 * Copyright 2010-2018 JetBrains s.r.o.
 Use of this source code is governed by the Apache 2.0 license
 that can be found in the license/LICENSE.txt
 file.
 */
// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
// See libraries/tools/idl2k for
details
@file:Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
package org.w3c.xhr

import
kotlin.js.*
import org.khronos.webgl.*
import org.w3c.dom.*
import org.w3c.dom.css.*
import
org.w3c.dom.events.*
import org.w3c.dom.parsing.*
import org.w3c.dom.svg.*
import
org.w3c.dom.url.*
import org.w3c.fetch.*
import org.w3c.files.*
import org.w3c.notifications.*
import
org.w3c.performance.*
import org.w3c.workers.*

/**
 * Exposes the JavaScript
 [XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to
 Kotlin
 */
public external abstract class XMLHttpRequestEventTarget : EventTarget {
    open var onloadstart:
    ((Event) -> dynamic)?
    open var onprogress: ((Event) -> dynamic)?
    open var onabort: ((Event) ->

```

```

dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n  open var onload: ((Event) -> dynamic)?\n  open var
ontimeout: ((Event) -> dynamic)?\n  open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external abstract
class XMLHttpRequestUpload : XMLHttpRequestEventTarget {\n}\n\n/**\n * Exposes the JavaScript
[XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n */\npublic
external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n  var onreadystatechange: ((Event) ->
dynamic)?\n  open val readyState: Short\n  var timeout: Int\n  var withCredentials: Boolean\n  open val upload:
XMLHttpRequestUpload\n  open val responseURL: String\n  open val status: Short\n  open val statusText:
String\n  var responseType: XMLHttpRequestResponseType\n  open val response: Any?\n  open val
responseText: String\n  open val responseXML: Document?\n  fun open(method: String, url: String): Unit\n  fun
open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? =
definedExternally): Unit\n  fun setRequestHeader(name: String, value: String): Unit\n  fun send(body: dynamic =
definedExternally): Unit\n  fun abort(): Unit\n  fun getResponseHeader(name: String): String?\n  fun
getAllResponseHeaders(): String\n  fun overrideMimeType(mime: String): Unit\n\n  companion object {\n
val UNSENT: Short\n  val OPENED: Short\n  val HEADERS_RECEIVED: Short\n  val LOADING:
Short\n  val DONE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n */\npublic external open class
FormData(form: HTMLFormElement = definedExternally) {\n  fun append(name: String, value: String): Unit\n
fun append(name: String, value: Blob, filename: String = definedExternally): Unit\n  fun delete(name: String):
Unit\n  fun get(name: String): dynamic\n  fun getAll(name: String): Array<dynamic>\n  fun has(name: String):
Boolean\n  fun set(name: String, value: String): Unit\n  fun set(name: String, value: Blob, filename: String =
definedExternally): Unit}\n\n/**\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n */\npublic external open
class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n  open val
lengthComputable: Boolean\n  open val loaded: Int\n  open val total: Int}\n\npublic external interface
ProgressEventInit : EventInit {\n  var lengthComputable: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var loaded: Int? /* = 0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var total: Int? /* = 0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable:
Boolean? = false, loaded: Int? = 0, total: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): ProgressEventInit {\n  val o = js("{}")\n  o["lengthComputable"] =
lengthComputable\n  o["loaded"] = loaded\n  o["total"] = total\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n\n  return o\n}\n\n/* please, don't implement this
interface! */\npublic external interface XMLHttpRequestResponseType {\n  companion object\n}\n\npublic inline
val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =
"\n".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =
"arraybuffer".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =
"blob".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =
"document".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() =
"json".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() =
"text".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\n", "/*\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport

```

```

kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an experimental API. Any declaration annotated with that marker is thus\n *
considered an experimental declaration and its call sites should accept the experimental aspect of it either by using
[UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further propagation
of that experimental aspect.\n *\n * This class is experimental itself and can only be used with the compiler
argument `Xuse-experimental=kotlin.Experimental`.\n
*\n@\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50
\", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@Suppress("ANNOTATION_CLASS_MEMBER")\nannot
ation class Experimental(val level: Level = Level.ERROR) {\n    /**\n     * Severity of the diagnostic that should be
reported on usages of experimental API which did not explicitly accept the experimental aspect\n     * of that API
either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n     */\n
enum class Level {\n        /** Specifies that a warning should be reported on incorrect usages of this experimental
API. */\n        WARNING,\n        /** Specifies that an error should be reported on incorrect usages of this
experimental API. */\n        ERROR,\n    }\n\n    @Deprecated("This enum is going to be removed and should no
longer be used.")\n    public enum class Impact {\n        COMPILATION,\n        LINKAGE,\n        RUNTIME,\n
    }\n}\n\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or
expression.\n * If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that
experimental API.\n *\n * This class is experimental itself and can only be used with the compiler argument `Xuse-
experimental=kotlin.Experimental`.\n *\n@\n@Target(\n    CLASS, PROPERTY, LOCAL_VARIABLE,\n    VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER,\n    EXPRESSION, FILE,\n    TYPEALIAS)\n)\n@Retention(SOURCE)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50\", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n\nannotation class UseExperimental(\n    vararg val
markerClass: KClass<out Annotation>)\n)\n\n@\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION,\n    TYPEALIAS)\n)\n@Retention(BINARY)\n\ninternal annotation class WasExperimental(\n    vararg val markerClass:
KClass<out Annotation>)\n)\n\n"/\n\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *\npackage
kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n *\n *
@param E the type of elements contained in the collection. The collection is covariant on its element type.\n
*\n@\n@SinceKotlin("1.1")\n\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E>
{\n    abstract override val size: Int\n    abstract override fun iterator(): Iterator<E>\n\n    override fun
contains(element: @UnsafeVariance E): Boolean = any { it == element }\n\n    override fun containsAll(elements:
Collection<@UnsafeVariance E>): Boolean =\n        elements.all { contains(it) } // use when js will support bound
refs: elements.all(this::contains)\n\n    override fun isEmpty(): Boolean = size == 0\n\n    override fun toString():
String = joinToString(", ", "[", "]") {\n        if (it === this) "(this Collection)" else it.toString()\n    }\n\n    /**\n     * Returns new array of type `Array<Any?>` with the elements of this collection.\n     */\n    protected open fun
toArray(): Array<Any?> = copyToArrayImpl(this)\n\n    /**\n     * Fills the provided [array] or creates new array of
the same type\n     * and fills it with the elements of this collection.\n     */\n    protected open fun <T>
toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n\n"/\n\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin.collections\n\nprivate enum class State {\n    Ready,\n    NotReady,\n    Done,\n    Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that
implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the
iteration is complete.\n *\n@\npublic abstract class AbstractIterator<T> : Iterator<T> {\n    private var state =
State.NotReady\n    private var nextValue: T? = null\n\n    override fun hasNext(): Boolean {\n        require(state !=
State.Failed)\n        return when (state) {\n            State.Done -> false\n            State.Ready -> true\n            else ->

```

```

tryToComputeNext()\n    }\n    }\n    override fun next(): T {\n        if (!hasNext()) throw
NoSuchElementException()\n        state = State.NotReady\n        @Suppress("UNCHECKED_CAST")\n        return nextValue as T\n    }\n    private fun tryToComputeNext(): Boolean {\n        state = State.Failed\n        computeNext()\n        return state == State.Ready\n    }\n    /**\n     * Computes the next item in the iterator.\n     *\n     * This callback method should call one of these two methods:\n     * * [setNext] with the next value of
the iteration\n     * * [done] to indicate there are no more elements\n     * * Failure to call either method will
result in the iteration terminating with a failed state\n     *\n     * abstract protected fun computeNext(): Unit\n    /**\n     * Sets the next value in the iteration, called from the [computeNext] function\n     *\n     * protected fun
setNext(value: T): Unit {\n        nextValue = value\n        state = State.Ready\n    }\n    /**\n     * Sets the state to
done so that the iteration terminates.\n     *\n     * protected fun done() {\n        state = State.Done\n    }\n}\n}\n"/*\n
* Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n */\n\n * Based on GWT AbstractList\n * Copyright 2007 Google
Inc.\n */\n\npackage kotlin.collections\nimport kotlin.*\n\n/**\n * Provides a skeletal implementation of the read-
only [List] interface.\n *\n * This class is intended to help implementing read-only lists so it doesn't support
concurrent modification tracking.\n *\n * @param E the type of elements contained in the list. The list is covariant
on its element type.\n */\n\n@SinceKotlin("1.1")\npublic abstract class AbstractList<out E> protected constructor() :
AbstractCollection<E>(), List<E> {\n    abstract override val size: Int\n    abstract override fun get(index: Int): E\n    override fun iterator(): Iterator<E> = IteratorImpl()\n    override fun indexOf(element: @UnsafeVariance E): Int =
indexOfFirst { it == element }\n    override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast {
it == element }\n    override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n    override fun
listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n    override fun subList(fromIndex: Int, toIndex:
Int): List<E> = SubList(this, fromIndex, toIndex)\n    private class SubList<out E>(private val list:
AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n        private var
_size: Int = 0\n        init {\n            checkRangeIndexes(fromIndex, toIndex, list.size)\n            this._size = toIndex
- fromIndex\n        }\n        override fun get(index: Int): E {\n            checkElementIndex(index, _size)\n            return list[fromIndex + index]\n        }\n        override val size: Int get() = _size\n    }\n    /**\n     * Compares
this list with other list instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a
[List] of the same size, which contains the same elements in the same order.\n     *\n     * override fun equals(other:
Any?): Boolean {\n        if (other === this) return true\n        if (other !is List<*>) return false\n        return
orderedEquals(this, other)\n    }\n    /**\n     * Returns the hash code value for this list.\n     *\n     * override fun
hashCode(): Int = orderedHashCode(this)\n    private open inner class IteratorImpl : Iterator<E> {\n        /** the
index of the item that will be returned on the next call to [next]`()\n     *\n     * protected var index = 0\n    override
fun hasNext(): Boolean = index < size\n    override fun next(): E {\n        if (!hasNext()) throw
NoSuchElementException()\n        return get(index++)\n    }\n}\n}\n    /**\n     * Implementation of
[ListIterator] for abstract lists.\n     *\n     * private open inner class ListIteratorImpl(index: Int) : IteratorImpl(),
ListIterator<E> {\n        init {\n            checkPositionIndex(index, this@AbstractList.size)\n            this.index =
index\n        }\n        override fun hasPrevious(): Boolean = index > 0\n        override fun nextIndex(): Int =
index\n        override fun previous(): E {\n            if (!hasPrevious()) throw NoSuchElementException()\n            return get(--index)\n        }\n        override fun previousIndex(): Int = index - 1\n    }\n    internal companion
object {\n        internal fun checkElementIndex(index: Int, size: Int) {\n            if (index < 0 || index >= size) {\n                throw IndexOutOfBoundsException("index: $index, size: $size")\n            }\n        }\n        internal fun
checkPositionIndex(index: Int, size: Int) {\n            if (index < 0 || index > size) {\n                throw
IndexOutOfBoundsException("index: $index, size: $size")\n            }\n        }\n        internal fun
checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n            if (fromIndex < 0 || toIndex > size) {\n                throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex, size: $size")\n            }\n            if (fromIndex > toIndex) {\n                throw IllegalArgumentException("fromIndex: $fromIndex > toIndex:
$toIndex")\n            }\n        }\n        internal fun orderedHashCode(c: Collection<*>): Int {\n            var
hashCode = 1\n            for (e in c) {\n                hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n            }\n        }\n    }\n}

```



```

Map.Entry<*, *> return false\n        return e.key == other.key && e.value == other.value\n    }\n}\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Set] interface.\n *\n * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n */\n@SinceKotlin("1.1")\npublic abstract class AbstractSet<out E> protected constructor() : AbstractCollection<E>(), Set<E> {\n\n    /**\n     * Compares this set with other set instance with the unordered structural equality.\n     *\n     * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n     *\n     * override fun equals(other: Any?): Boolean {\n     *     if (other === this) return true\n     *     if (other !is Set<*>) return false\n     *     return setEquals(this, other)\n     * }\n\n    /**\n     * Returns the hash code value for this set.\n     *\n     * override fun hashCode(): Int = unorderedHashCode(this)\n\n    internal companion object {\n        internal fun unorderedHashCode(c: Collection<*>): Int {\n            var hashCode = 0\n            for (element in c) {\n                hashCode += (element?.hashCode() ?: 0)\n            }\n            return hashCode\n        }\n\n        internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n            if (c.size != other.size) return false\n            return c.containsAll(other)\n        }\n    }\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage kotlin.collections\n\n/**\n * Returns a single list of all elements from all arrays in the given array.\n *\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic fun <T> Array<out Array<out T>>.flatten(): List<T> {\n    val result = ArrayList<T>(sumBy { it.size })\n    for (element in this) {\n        result.addAll(element)\n    }\n    return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this array.\n *\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>(size)\n    val listR = ArrayList<R>(size)\n    for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a collection or sequence, along with its index in that collection or sequence.\n *\n * @property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n */\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given object from this read-only map.\n *\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n *\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName("getVar")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n@Deprecated("Use getValue() with two type parameters")

```

```

instead")\n@kotlin.jvm.JvmName("getVarContravariant")\n@kotlin.internal.LowPriorityInOverloadResolution\n
@kotlin.internal.InlineOnly\npublic inline fun <V> MutableMap<in String, in V>.getValue(thisRef: Any?,
property: KProperty<*>): V =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as
V)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the
object for which the value is requested (not used).\n * @param property the metadata for the property, used to get
the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef:
Any?, property: KProperty<*>, value: V) {\n    this.put(property.name, value)\n}\n\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with
implicit default value use [withDefault] method.\n * \n * @throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default was provided for that map.\n
*/\n@kotlin.jvm.JvmName("getOrImplicitDefaultNullable")\n@PublishedApi\ninternal fun <K, V> Map<K,
V>.getOrImplicitDefault(key: K): V {\n    if (this is MapWithDefault)\n        return
this.getOrImplicitDefault(key)\n    return getOrElseNullable(key, { throw NoSuchElementException("Key $key
is missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value
provided with the specified function [defaultValue].\n * \n * This implicit default value is used when the original
map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for
example when properties are delegated to the map.\n * \n * When this map already has an implicit default value
provided with a former call to [withDefault], it is being replaced by this call.\n */\npublic fun <K, V> Map<K,
V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault ->
this.map.withDefault(defaultValue)\n        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns
a wrapper of this mutable map, having the implicit default value provided with the specified function
[defaultValue].\n * \n * This implicit default value is used when the original map doesn't contain a value for the key
specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the
map.\n * \n * When this map already has an implicit default value provided with a former call to [withDefault], it is
being replaced by this call.\n */\n@kotlin.jvm.JvmName("withDefaultMutable")\npublic fun <K, V>
MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n    when (this) {\n        is
MutableMapWithDefault -> this.map.withDefault(defaultValue)\n        else -> MutableMapWithDefaultImpl(this,
defaultValue)\n    }\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n    public val map: Map<K,
V>\n    public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> :
MutableMap<K, V>, MapWithDefault<K, V> {\n    public override val map: MutableMap<K, V>\n}\n\nprivate
class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {\n    override fun equals(other: Any?): Boolean = map.equals(other)\n    override fun
hashCode(): Int = map.hashCode()\n    override fun toString(): String = map.toString()\n    override val size: Int
get() = map.size\n    override fun isEmpty(): Boolean = map.isEmpty()\n    override fun containsKey(key: K): Boolean =
map.containsKey(key)\n    override fun containsValue(value: @UnsafeVariance V): Boolean =
map.containsValue(value)\n    override fun get(key: K): V? = map.get(key)\n    override val keys: Set<K> get() =
map.keys\n    override val values: Collection<V> get() = map.values\n    override val entries: Set<Map.Entry<K,
V>> get() = map.entries\n    override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, {
default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K,
V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n    override fun equals(other: Any?):
Boolean = map.equals(other)\n    override fun hashCode(): Int = map.hashCode()\n    override fun toString(): String
= map.toString()\n    override val size: Int get() = map.size\n    override fun isEmpty(): Boolean = map.isEmpty()\n
override fun containsKey(key: K): Boolean = map.containsKey(key)\n    override fun containsValue(value:

```

```

@UnsafeVariance V): Boolean = map.containsValue(value)\n  override fun get(key: K): V? = map.get(key)\n
override val keys: MutableSet<K> get() = map.keys\n  override val values: MutableCollection<V> get() =
map.values\n  override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n
override fun put(key: K, value: V): V? = map.put(key, value)\n  override fun remove(key: K): V? =
map.remove(key)\n  override fun putAll(from: Map<out K, V>) = map.putAll(from)\n  override fun clear() =
map.clear()\n\n  override fun getOrDefault(key: K): V = map.getOrNull(key, { default(key)
})\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Removes a single instance of the specified element from this\n * collection, if it is
present.\n * \n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type
`E`.\n * \n * @return `true` if the element has been successfully removed; `false` if it was not present in the
collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
MutableCollection<out T>.remove(element: T): Boolean =\n  @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also
contained in the specified collection.\n * \n * Allows to overcome type-safety restriction of `removeAll` that requires
to pass a collection of type `Collection<E>`.\n * \n * @return `true` if any of the specified elements was removed
from the collection, `false` if the collection was not modified.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean
=\n  @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n *
Retains only the elements in this collection that are contained in the specified collection.\n * \n * Allows to
overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\n * \n *
@return `true` if any element was removed from the collection, `false` if the collection was not modified.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out
T>.retainAll(elements: Collection<T>): Boolean =\n  @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).retainAll(elements)\n\n/**\n * Removes the element at the specified [index] from this list.\n *
\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n * \n\n@Deprecated("Use removeAt(index)
instead.", ReplaceWith("removeAt(index)"), level =
DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index:
Int): T = removeAt(index)\n\n/**\n * Adds the specified [element] to this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T)
{\n  this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable
collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Iterable<T>) {\n  this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given
[elements] array to this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.plusAssign(elements: Array<T>) {\n  this.addAll(elements)\n}\n\n/**\n * Adds all
elements of the given [elements] sequence to this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic
inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n
this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable
collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.minusAssign(element: T) {\n  this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given
[elements] collection from this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n  this.removeAll(elements)\n}\n\n/**\n *
Removes all elements contained in the given [elements] array from this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\n  this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements]
sequence from this mutable collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n  this.removeAll(elements)\n}\n\n/**\n * Adds

```



```

List<T> : AbstractList<T>() {\n  override val size: Int get() = delegate.size\n  override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n  override val size: Int get() = delegate.size\n  override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n\n  override fun clear() = delegate.clear()\n  override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n\n  override fun set(index: Int, element: T): T =
delegate.set(reverseElementIndex(index), element)\n  override fun add(index: Int, element: T) {\n
delegate.add(reversePositionIndex(index), element)\n  }\n}\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n  if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("\Element index
$index must be in range [${0..lastIndex}].")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n  if (index
in 0..size) size - index else throw IndexOutOfBoundsException("\Position index $index must be in range
[${0..size}].")\n}\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the
original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*/\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed
mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed
one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*/\n@kotlin.jvm.JvmName("\asReversedMutable")\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\nimport kotlin.*\nimport kotlin.coroutines.experimental.buildIterator\n\ninternal fun
checkWindowSizeStep(size: Int, step: Int) {\n  require(size > 0 && step > 0) {\n    if (size != step)\n    "\Both size $size and step $step must be greater than zero.\n" else\n    "\size $size must be greater than
zero.\n" }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean,
reuseBuffer: Boolean): Sequence<List<T>> {\n  checkWindowSizeStep(size, step)\n  return Sequence {
windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T>
windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean):
Iterator<List<T>> {\n  if (!iterator.hasNext()) return EmptyIterator\n  return buildIterator<List<T>> {\n    val
gap = step - size\n    if (gap >= 0) {\n      var buffer = ArrayList<T>(size)\n      var skip = 0\n      for (e
in iterator) {\n        if (skip > 0) { skip -- 1; continue }\n        buffer.add(e)\n        if (buffer.size ==
size) {\n          yield(buffer)\n          if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n
          skip = gap\n        }\n      }\n      if (buffer.isNotEmpty()) {\n        if (partialWindows || buffer.size
== size) yield(buffer)\n      }\n    } else {\n      val buffer = RingBuffer<T>(size)\n      for (e in iterator)
{\n        buffer.add(e)\n        if (buffer.isFull()) {\n          yield(if (reuseBuffer) buffer else
ArrayList(buffer))\n          buffer.removeFirst(step)\n        }\n      }\n      if (partialWindows) {\n
        while (buffer.size > step) {\n          yield(if (reuseBuffer) buffer else ArrayList(buffer))\n
          buffer.removeFirst(step)\n        }\n        if (buffer.isNotEmpty()) yield(buffer)\n      }\n    }\n}\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n
private var fromIndex: Int = 0\n  private var _size: Int = 0\n  fun move(fromIndex: Int, toIndex: Int) {\n
checkRangeIndexes(fromIndex, toIndex, list.size)\n  this.fromIndex = fromIndex\n  this._size = toIndex -
fromIndex\n  }\n\n  override fun get(index: Int): E {\n    checkElementIndex(index, _size)\n    return
list[fromIndex + index]\n  }\n\n  override val size: Int get() = _size\n}\n\n/**\n * Provides ring buffer
implementation.\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n
*/\nprivate class RingBuffer<T>(val capacity: Int) : AbstractList<T>(), RandomAccess {\n  init {\n
require(capacity >= 0) { "\ring buffer capacity should not be negative but it is $capacity" }\n  }\n\n  private val
buffer = arrayOfNulls<Any?>(capacity)\n  private var startIndex: Int = 0\n  override var size: Int = 0\n
private set\n\n  override fun get(index: Int): T {\n    checkElementIndex(index, size)\n
@Suppress("\UNCHECKED_CAST")\n    return buffer[startIndex.forward(index)] as T\n  }\n\n  fun isFull() =
size == capacity\n\n  override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n    private var count
= size\n    private var index = startIndex\n    override fun computeNext() {\n      if (count == 0) {\n

```



```

context (and thus is fast to get when present)\n
    val interceptor = removed[ContinuationInterceptor]\n
    if (interceptor == null) CombinedContext(removed, element) else {\n
        val left =\n
        removed.minusKey(ContinuationInterceptor)\n
        if (left === EmptyCoroutineContext)\n
        CombinedContext(element, interceptor) else\n
        CombinedContext(CombinedContext(left, element),\n
        interceptor)\n
    }\n
}

/**\n
 * Returns a context containing elements from this\n
 * context, but without an element with\n
 * the specified [key]. Keys are compared _by reference_, that is to remove\n
 * an element from the context\n
 * the reference to its actual key object must be presented to this function.\n
 */\n
public fun minusKey(key: Key<*>): CoroutineContext\n
/**\n
 * An element of the [CoroutineContext]. An\n
 * element of the coroutine context is a singleton context by itself.\n
 */\n
public interface Element {\n
    /**\n
     * A key of this coroutine context element.\n
     */\n
    public val key:\n
    Key<*>\n
    @Suppress("UNCHECKED_CAST")\n
    public override operator fun <E : Element> get(key:\n
    Key<E>): E? =\n
    if (this.key === key) this as E else null\n
    public override fun <R> fold(initial: R,\n
    operation: (R, Element) -> R): R =\n
    operation(initial, this)\n
    public override fun minusKey(key:\n
    Key<*>): CoroutineContext =\n
    if (this.key === key) EmptyCoroutineContext else this\n
}

/**\n
 * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n
 * Keys in the context are\n
 * compared _by reference_.\n
 */\n
public interface Key<E : Element>\n
}

/*\n
 * Copyright 2010-2018\n
 * JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
 * that can be found in the\n
 * license/LICENSE.txt file.\n
 */\n
package kotlin.coroutines.experimental\n
import\n
kotlin.coroutines.experimental.CoroutineContext.*\n
/**\n
 * Base class for [CoroutineContext.Element]\n
 * implementations.\n
 */\n
@SinceKotlin("1.1")\n
public abstract class AbstractCoroutineContextElement(public\n
override val key: Key<*>) : Element\n
/**\n
 * An empty coroutine context.\n
 */\n
@SinceKotlin("1.1")\n
public\n
object EmptyCoroutineContext : CoroutineContext {\n
    public override fun <E : Element> get(key: Key<E>): E? =\n
    null\n
    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n
    initial\n
    public override fun\n
    plus(context: CoroutineContext): CoroutineContext = context\n
    public override fun minusKey(key: Key<*>):\n
    CoroutineContext = this\n
    public override fun hashCode(): Int = 0\n
    public override fun toString(): String =\n
    \"EmptyCoroutineContext\"\n
}

//----- internal impl ----- internal impl -----\n
// this class is not exposed,\n
// but is hidden inside implementations\n
// this is a left-biased list, so that `plus` works naturally\n
internal class\n
CombinedContext(val left: CoroutineContext, val element: Element) : CoroutineContext {\n
    override fun <E :\n
    Element> get(key: Key<E>): E? {\n
        var cur = this\n
        while (true) {\n
            cur.element[key]?.let { return it\n
        }\n
        val next = cur.left\n
        if (next is CombinedContext) {\n
            cur = next\n
        } else {\n
            return next[key]\n
        }\n
    }\n
    public override fun <R> fold(initial: R, operation: (R, Element) ->\n
    R): R =\n
    operation(left.fold(initial, operation), element)\n
    public override fun minusKey(key: Key<*>):\n
    CoroutineContext {\n
        element[key]?.let { return left }\n
        val newLeft = left.minusKey(key)\n
        return\n
        when {\n
            newLeft === left -> this\n
            newLeft === EmptyCoroutineContext -> element\n
            else ->\n
            CombinedContext(newLeft, element)\n
        }\n
    }\n
    private fun size(): Int =\n
    if (left is CombinedContext)\n
    left.size() + 1 else 2\n
    private fun contains(element: Element): Boolean =\n
    get(element.key) == element\n
    private fun containsAll(context: CombinedContext): Boolean {\n
        var cur = context\n
        while (true) {\n
            if (!contains(cur.element)) return false\n
            val next = cur.left\n
            if (next is CombinedContext) {\n
                cur = next\n
            } else {\n
                return contains(next as Element)\n
            }\n
        }\n
    }\n
    override fun\n
    equals(other: Any?): Boolean =\n
    this === other || other is CombinedContext && other.size() == size() &&\n
    other.containsAll(this)\n
    override fun hashCode(): Int = left.hashCode() + element.hashCode()\n
    override\n
    fun toString(): String =\n
    \"[\" + fold(\"\") { acc, element ->\n
    if (acc.isEmpty()) element.toString() else\n
    acc + \", \" + element\n
    } + \"]\"\n
}

/*\n
 * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is\n
 * governed by the Apache 2.0 license\n
 * that can be found in the license/LICENSE.txt file.\n
 */\n
package\n
kotlin.coroutines.experimental\n
/**\n
 * Interface representing a continuation after a suspension point that returns\n
 * value of type `T`.\n
 */\n
@SinceKotlin("1.1")\n
public interface Continuation<in T> {\n
    /**\n
     * Context of the\n
     * coroutine that corresponds to this continuation.\n
     */\n
    public val context: CoroutineContext\n
    /**\n
     * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension

```



```

        step.resume(Unit)\n    }\n }\n\n override fun next(): T {\n    when (state) {\n        State_NotReady,\n        State_ManyNotReady -> return nextNotReady()\n        State_ManyReady -> {\n            state =\n            State_ManyNotReady\n            return nextIterator!!.next()\n        }\n        State_Ready -> {\n            state =\n            State_NotReady\n            @Suppress("UNCHECKED_CAST")\n            val result = nextValue as T\n            nextValue = null\n            return result\n        }\n        else -> throw exceptionalState()\n    }\n }\n\n private fun nextNotReady(): T {\n    if (!hasNext()) throw NoSuchElementException() else return next()\n }\n\n private fun exceptionalState(): Throwable = when (state) {\n    State_Done -> NoSuchElementException()\n    State_Failed -> IllegalStateException("Iterator has failed.")\n    else -> IllegalStateException("Unexpected state\nof the iterator: $state")\n }\n\n suspend override fun yield(value: T) {\n    nextValue = value\n    state =\n    State_Ready\n    return suspendCoroutineOrReturn { c ->\n        nextStep = c\n        COROUTINE_SUSPENDED\n    }\n }\n\n suspend override fun yieldAll(iterator: Iterator<T>) {\n    if\n    (!iterator.hasNext()) return\n    nextIterator = iterator\n    state = State_ManyReady\n    return\n    suspendCoroutineOrReturn { c ->\n        nextStep = c\n        COROUTINE_SUSPENDED\n    }\n }\n\n // Completion continuation implementation\n override fun resume(value: Unit) {\n    state = State_Done\n }\n\n override fun resumeWithException(exception: Throwable) {\n    throw exception // just rethrow\n }\n\n override val context: CoroutineContext\n    get() = EmptyCoroutineContext\n}\n\n"/*\n * Copyright 2010-2018\n JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the\n license/LICENSE.txt file.\n\n*/\n\n@file:kotlin.jvm.JvmName("IntrinsicsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage\nkotlin.coroutines.experimental.intrinsics\n\nimport kotlin.coroutines.experimental.*\n\n * Obtains the current\n continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result\n immediately without suspension.\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it\n means that suspend function did suspend the execution and will\n * not return any result immediately. In this case,\n the [Continuation] provided to the [block] shall be invoked at some moment in the\n * future when the result\n becomes available to resume the computation.\n * Otherwise, the return value of the [block] must have a type\n assignable to [T] and represents the result of this suspend function.\n * It means that the execution was not\n suspended and the [Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block]\n is declared as `Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of\n the suspend function's author.\n * Note that it is not recommended to call either [Continuation.resume] nor\n [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension\n function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n\n*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("UNUSED_PARAMETER")\npublic\nsuspend inline fun <T> suspendCoroutineOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\nsuspendCoroutineUninterceptedOrReturn { cont -> block(cont.intercepted()) }\n\n/*\n * Obtains the current\n continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result\n immediately without suspension.\n * Unlike [suspendCoroutineOrReturn] it does not intercept continuation.\n\n*/\n\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic suspend inline fun <T>\nsuspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\nthrow\nNotImplementedError("Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic")\n\n/*\n * Intercept continuation with [ContinuationInterceptor].\n\n*/\n\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Continuation<T>.intercepted():\nContinuation<T> =\nthrow\nNotImplementedError("Implementation of intercepted is intrinsic")\n\n/*\n * This\n value is used as a return value of [suspendCoroutineOrReturn] `block` argument to state that\n * the execution was\n suspended and will not return any result immediately.\n\n*/\n\n@SinceKotlin("1.1")\npublic expect val\nCOROUTINE_SUSPENDED: Any // get() = CoroutineSuspendedMarker\n\n"/*\n * Copyright 2010-2018 JetBrains\n s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the\n license/LICENSE.txt file.\n\n*/\n\npackage kotlin.experimental\n\n/*\n * Performs a bitwise AND operation between\n the two values.\n\n*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other:

```

Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n** Performs a bitwise OR operation between the two values. *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n** Performs a bitwise XOR operation between the two values.

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n** Inverts the bits in this value.

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n** Performs a bitwise AND operation between the two values.

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n** Performs a bitwise OR operation between the two values.

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n** Performs a bitwise XOR operation between the two values.

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n** Inverts the bits in this value.

\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n", "/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n**\n * Specifies that the corresponding type should be ignored during type inference.\n\n*\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n\n*\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n\n*\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n\n**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n\n*\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n\n*\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n\n**\n * Specifies that this function should not be called directly without inlining\n\n*\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n\n**\n * Specifies that this declaration can have dynamic receiver type.\n\n*\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n\n**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n\n*\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n**\n * Specifies that this declaration is only completely supported since the specified version.\n\n*\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n\n*\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated

```

declaration.\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported,
so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version.
Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION],
[RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the
actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n *
Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a
requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored
in a more compact form in the Kotlin metadata.\n *^\n@Target(AnnotationTarget.CLASS,
AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR,
AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@SinceKotlin("1.2")\ninternal
annotation class RequireKotlin(\n    val version: String,\n    val message: String = "\",\n    val level:
DeprecationLevel = DeprecationLevel.ERROR,\n    val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n    val errorCode: Int = -1\n)\n\n/**\n * The kind of the
version that is required by [RequireKotlin].\n *^\n@SinceKotlin("1.2")\ninternal enum class
RequireKotlinVersionKind {\n    LANGUAGE_VERSION,\n    COMPILER_VERSION,\n
API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing
function's contract.\n *^\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation
class ContractsDsl", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *^\n\npackage
kotlin.internal.contracts\n\nimport kotlin.internal.ContractsDsl\nimport
kotlin.internal.InlineOnly\n\n@ContractsDsl\n@SinceKotlin("1.2")\ninternal interface ContractBuilder {\n
@ContractsDsl fun returns(): Returns\n    @ContractsDsl fun returns(value: Any?): Returns\n    @ContractsDsl fun
returnsNotNull(): ReturnsNotNull\n    @ContractsDsl fun <R> callsInPlace(lambda: Function<R>, kind:
InvocationKind = InvocationKind.UNKNOWN):
CallsInPlace\n}\n\n@ContractsDsl\n@SinceKotlin("1.2")\ninternal enum class InvocationKind {\n
@ContractsDsl AT_MOST_ONCE,\n    @ContractsDsl AT_LEAST_ONCE,\n    @ContractsDsl
EXACTLY_ONCE,\n    @ContractsDsl
UNKNOWN\n}\n\n@ContractsDsl\n@InlineOnly\n@SinceKotlin("1.2")\ninternal inline fun contract(builder:
ContractBuilder.() -> Unit) { }", "/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by
the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n *^\n\npackage
kotlin.properties\n\nimport kotlin.*\nimport kotlin.reflect.KProperty\n\n/**\n * Standard property delegates.\n
*\npublic object Delegates {\n    /**\n     * Returns a property delegate for a read/write property with a non-`null`
value that is initialized not during\n     * object construction time but at a later time. Trying to read the property
before the initial value has been\n     * assigned results in an exception.\n     *\n     * @sample
samples.properties.Delegates.notNullDelegate\n     *\n     public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n     /**\n     * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n     * @param initialValue the initial value of the property.\n
     * @param onChange the callback which is called after the change of the property is made. The value of the
property\n     * has already been changed when this callback is invoked.\n     *\n     * @sample
samples.properties.Delegates.observableDelegate\n     *\n     public inline fun <T> observable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n
ReadWriteProperty<Any?, T> =\n     object : ObservableProperty<T>(initialValue) {\n         override fun
afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n
     }\n     /**\n     * Returns a property delegate for a read/write property that calls a specified callback function when
changed,\n     * allowing the callback to veto the modification.\n     * @param initialValue the initial value of the
property.\n     * @param onChange the callback which is called before a change to the property value is attempted.\n
     * The value of the property hasn't been changed yet, when this callback is invoked.\n     * If the callback returns
`true` the value of the property is being set to the new value,\n     * and if the callback returns `false` the new value

```

```

is discarded and the property remains its old value.\n * \n * @sample
samples.properties.Delegates.vetoableDelegate\n * @sample
samples.properties.Delegates.throwVetoableDelegate\n * \n public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
ReadWriteProperty<Any?, T> =\n object : ObservableProperty<T>(initialValue) {\n override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,
newValue)\n }\n\nprivate class NotNullVar<T : Any>(): ReadWriteProperty<Any?, T> {\n private var
value: T? = null\n public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n return value
?: throw IllegalStateException("Property ${property.name} should be initialized before get.")\n }\n public
override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n this.value = value\n
}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0
license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that
calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic
abstract class ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?, T> {\n private var value =
initialValue\n\n /**\n * The callback which is called before a change to the property value is attempted.\n *
The value of the property hasn't been changed yet, when this callback is invoked.\n * If the callback returns `true`
the value of the property is being set to the new value,\n * and if the callback returns `false` the new value is
discarded and the property remains its old value.\n */\n protected open fun beforeChange(property:
KProperty<*>, oldValue: T, newValue: T): Boolean = true\n\n /**\n * The callback which is called after the
change of the property is made. The value of the property\n * has already been changed when this callback is
invoked.\n */\n protected open fun afterChange(property: KProperty<*>, oldValue: T, newValue: T): Unit
{\n\n public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n return value\n }\n\n
public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n val oldValue = this.value\n
if (!beforeChange(property, oldValue, value)) {\n return\n }\n this.value = value\n
afterChange(property, oldValue, value)\n }\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source
code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\nimport kotlin.*\n\n/**\n * Represents a range of floating point numbers.\n * Extends
[ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain
type.\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and
[Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point
numbers.\n */\n\n@SinceKotlin("1.1")\npublic interface ClosedFloatingPointRange<T : Comparable<T>> :
ClosedRange<T> {\n override fun contains(value: T): Boolean = lessThanOrEquals(start, value) &&
lessThanOrEquals(value, endInclusive)\n override fun isEmpty(): Boolean = !lessThanOrEquals(start,
endInclusive)\n\n /**\n * Compares two values of range domain type and returns true if first is less than or
equal to second.\n */\n fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n/**\n * Represents a range of
[Comparable] values.\n */\nprivate open class ComparableRange<T : Comparable<T>>(\n override val start: T,\n
override val endInclusive: T\n) : ClosedRange<T> {\n\n override fun equals(other: Any?): Boolean {\n return
other is ComparableRange<*> && (isEmpty() && other.isEmpty()) ||\n start == other.start &&
endInclusive == other.endInclusive\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31
* start.hashCode() + endInclusive.hashCode()\n }\n\n override fun toString(): String =
"$start..$endInclusive"\n}\n\n/**\n * A closed range of values of type `Double`.\n * Numbers are compared
with the ends of this range according to IEEE-754.\n */\nprivate class ClosedDoubleRange(\n start: Double,\n
endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n private val _start = start\n private val
_endInclusive = endInclusive\n override val start: Double get() = _start\n override val endInclusive: Double get()
= _endInclusive\n\n override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n override fun
contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n\n override fun isEmpty():

```

```

Boolean = !(_start <= _endInclusive)\n\n override fun equals(other: Any?): Boolean {\n    return other is
ClosedDoubleRange && (isEmpty() && other.isEmpty()) ||\n        _start == other._start && _endInclusive ==
other._endInclusive)\n } \n\n override fun hashCode(): Int {\n    return if (isEmpty()) -1 else 31 *
_start.hashCode() + _endInclusive.hashCode()\n } \n\n override fun toString(): String =
\"$_start..$_endInclusive\"\n}\n\n\n/**\n * Creates a range from this [Comparable] value to the specified [that]
value.\n * This value needs to be smaller than [that] value, otherwise the returned range will be empty.\n *
@sample samples.ranges.Ranges.rangeFromComparable\n */\npublic operator fun <T : Comparable<T>>
T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n\n/**\n * Creates a range from this [Double]
value to the specified [that] value.\n * Numbers are compared with the ends of this range according to IEEE-
754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin("1.1")\npublic operator fun
Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n\n\ninternal
fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n    if (!isPositive) throw
IllegalArgumentException("Step must be positive, was: $step.")\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt
file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CharsKt")\n\npackage
kotlin.text\n\n/**\n * Concatenates this Char and a String.\n */\n@kotlin.internal.InlineOnly\npublic inline operator
fun Char.plus(other: String): String = this.toString() + other\n\n\n/**\n * Returns `true` if this character is equal to the
[other] character, optionally ignoring character case.\n * @param ignoreCase `true` to ignore character case
when comparing characters. By default `false`.\n * Two characters are considered the same ignoring case if at
least one of the following is `true`:\n * - The two characters are the same (as compared by the == operator)\n * -
Applying the method [toUpperCase] to each character produces the same result\n * - Applying the method
[toLowerCase] to each character produces the same result\n */\npublic fun Char.equals(other: Char, ignoreCase:
Boolean = false): Boolean {\n    if (this == other) return true\n    if (!ignoreCase) return false\n\n    if
(this.toUpperCase() == other.toUpperCase()) return true\n    if (this.toLowerCase() == other.toLowerCase()) return
true\n    return false\n}\n\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n */\npublic fun
Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n\n"/*\n * Copyright
2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source
string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n * Doesn't
affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n * Doesn't preserve the
original line endings.\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is
`|` (pipe character).\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see
kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = "|"): String =\n    replaceIndentByMargin("|", marginPrefix)\n\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and
replace it with [newIndent].\n * @param marginPrefix non-blank string, which is used as a margin delimiter.
Default is `|` (pipe character).\n */\npublic fun String.replaceIndentByMargin(newIndent: String = "|",
marginPrefix: String = "|"): String {\n    require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank
string." }\n    val lines = lines()\n    return lines.reindent(length + newIndent.length * lines.size,
getIndentFunction(newIndent), { line ->\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace()
}\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix,
firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n        }
}\n    })\n}\n\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and
also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n * Note that
blank lines do not affect the detected indent level.\n * In case if there are non-blank lines with no leading
whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change
the indentation.\n * Doesn't preserve the original line endings.\n * @sample

```

```

samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n * ^\npublic fun
String.trimIndent(): String = replaceIndent("\\")\n\n/**\n * Detects a common minimal indent like it does
[trimIndent] and replaces it with the specified [newIndent].\n * ^\npublic fun String.replaceIndent(newIndent: String
= "\\"): String {\n    val lines = lines()\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n
.map(String::indentWidth)\n        .min() ?: 0\n    return lines.reindent(length + newIndent.length * lines.size,
getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every
line of the original string.\n * ^\n * Doesn't preserve the original line endings.\n * ^\npublic fun
String.prependIndent(indent: String = "\\ "): String =\n    lines\n        .sequence()\n        .map {\n            when {\n
it.isBlank() -> {\n                when {\n                    it.length < indent.length -> indent\n                else -> it\n            }\n        }\n        .joinToString("\\n")\n\nprivate fun
String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun
getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -
> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction:
(String) -> String,\n    indentCutFunction: (String) -> String?): String {\n    val lastIndex = lastIndex\n    return
mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n        null\n        else\n            indentCutFunction(value)?.let(indentAddFunction) ?: value\n    }\n
.joinTo(StringBuilder(resultSizeEstimate), "\\n")\n    .toString()\n}\n", null, "/*\n * Copyright 2010-2018
JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n * ^\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper
Typography.\n * ^\npublic object Typography {\n    /** The character &#x22; \u2013 quotation mark * ^\n    public
const val quote: Char = "\u0022"\n    /** The character &#x24; \u2013 dollar sign * ^\n    public const val dollar:
Char = "\u0024"\n    /** The character &#x26; \u2013 ampersand * ^\n    public const val amp: Char = "\u0026"\n
/** The character &#x3C; \u2013 less-than sign * ^\n    public const val less: Char = "\u003C"\n    /** The character
&#x3E; \u2013 greater-than sign * ^\n    public const val greater: Char = "\u003E"\n    /** The non-breaking space
character * ^\n    public const val nbsp: Char = "\u00A0"\n    /** The character &#xD7; * ^\n    public const val times:
Char = "\u00D7"\n    /** The character &#xA2; * ^\n    public const val cent: Char = "\u00A2"\n    /** The character
&#xA3; * ^\n    public const val pound: Char = "\u00A3"\n    /** The character &#xA7; * ^\n    public const val
section: Char = "\u00A7"\n    /** The character &#xA9; * ^\n    public const val copyright: Char = "\u00A9"\n    /**
The character &#xAB; * ^\n    public const val leftGuillemete: Char = "\u00AB"\n    /** The character &#xBB; * ^\n
public const val rightGuillemete: Char = "\u00BB"\n    /** The character &#xAE; * ^\n    public const val registered:
Char = "\u00AE"\n    /** The character &#xB0; * ^\n    public const val degree: Char = "\u00B0"\n    /** The
character &#xB1; * ^\n    public const val plusMinus: Char = "\u00B1"\n    /** The character &#xB6; * ^\n    public
const val paragraph: Char = "\u00B6"\n    /** The character &#xB7; * ^\n    public const val middleDot: Char =
"\u00B7"\n    /** The character &#xBD; * ^\n    public const val half: Char = "\u00BD"\n    /** The character
&#x2013; * ^\n    public const val ndash: Char = "\u2013"\n    /** The character &#x2014; * ^\n    public const val
mdash: Char = "\u2014"\n    /** The character &#x2018; * ^\n    public const val leftSingleQuote: Char = "\u2018"\n
/** The character &#x2019; * ^\n    public const val rightSingleQuote: Char = "\u2019"\n    /** The character
&#x201A; * ^\n    public const val lowSingleQuote: Char = "\u201A"\n    /** The character &#x201C; * ^\n    public
const val leftDoubleQuote: Char = "\u201C"\n    /** The character &#x201D; * ^\n    public const val
rightDoubleQuote: Char = "\u201D"\n    /** The character &#x201E; * ^\n    public const val lowDoubleQuote: Char
= "\u201E"\n    /** The character &#x2020; * ^\n    public const val dagger: Char = "\u2020"\n    /** The character
&#x2021; * ^\n    public const val doubleDagger: Char = "\u2021"\n    /** The character &#x2022; * ^\n    public
const val bullet: Char = "\u2022"\n    /** The character &#x2026; * ^\n    public const val ellipsis: Char = "\u2026"\n
/** The character &#x2032; * ^\n    public const val prime: Char = "\u2032"\n    /** The character &#x2033; * ^\n
public const val doublePrime: Char = "\u2033"\n    /** The character &#x20AC; * ^\n    public const val euro: Char =
"\u20AC"\n    /** The character &#x2122; * ^\n    public const val tm: Char = "\u2122"\n    /** The character
&#x2248; * ^\n    public const val almostEqual: Char = "\u2248"\n    /** The character &#x2260; * ^\n    public
const val notEqual: Char = "\u2260"\n    /** The character &#x2264; * ^\n    public const val lessOrEqual: Char =

```

```

    \u2264\n    /** The character &#x2265; */\n    public const val greaterOrEqual: Char = "\u2265\n"}\n\n
Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n
that can be found in the license/LICENSE.txt file.\n\n
package kotlin.text\n\n
/** Represents a collection of captured groups in a single match of a regular expression.\n
 * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n
 * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n
 * An element of the collection at the particular index can be `null`,\n
 * if the corresponding group in the regular expression is optional and\n
 * there was no match captured by that group.\n\n
public interface MatchGroupCollection : Collection<MatchGroup?> {\n\n
    /** Returns a group with the specified [index].\n
     * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n
     * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\n
     * corresponds to the entire match.\n\n
    public operator fun get(index: Int): MatchGroup?\n\n
    /** Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n
    @SinceKotlin("1.1")\n\n
    public interface MatchNamedGroupCollection : MatchGroupCollection {\n
        /** Returns a named group with the specified [name].\n
         * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.\n
         *\n
        public operator fun get(name: String): MatchGroup?\n\n
    /** Represents the results from a single regular expression match.\n
    public interface MatchResult {\n
        /** The range of indices in the original string where match was captured. *\n
        public val range: IntRange\n
        /** The substring from the input string captured by this match. *\n
        public val value: String\n
        /** A collection of groups matched by the regular expression.\n
         * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n
         * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n
         *\n
        public val groups: MatchGroupCollection\n
        /** A list of matched indexed group values.\n
         * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n
         * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n
         * If the group in the regular expression is optional and there were no match captured by that group,\n
         * corresponding item in [groupValues] is an empty string.\n
         *\n
         * @sample: samples.text.Regexps.matchDestructuringToGroupValues\n
         *\n
        public val groupValues: List<String>\n\n
        /** An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment of group values.\n
         * component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.\n
         * @sample: samples.text.Regexps.matchDestructuring\n
         *\n
        public val destructured: Destructured get() = Destructured(this)\n\n
        /** Returns a new [MatchResult] with the results for the next match, starting at the position\n
         * at which the last match ended (at the character after the last matched character).\n
         *\n
        public fun next(): MatchResult?\n\n
        /** Provides components for destructuring assignment of group values.\n
         * [component1] corresponds to the value of the first group, [component2] \u2014 of the second, and so on.\n
         * If the group in the regular expression is optional and there were no match captured by that group,\n
         * corresponding component value is an empty string.\n
         *\n
         * @sample: samples.text.Regexps.matchDestructuringToGroupValues\n
         *\n
        public class Destructured internal constructor(public val match: MatchResult) {\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component1(): String = match.groupValues[1]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component2(): String = match.groupValues[2]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component3(): String = match.groupValues[3]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component4(): String = match.groupValues[4]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component5(): String = match.groupValues[5]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component6(): String = match.groupValues[6]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component7(): String = match.groupValues[7]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component8(): String = match.groupValues[8]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component9(): String = match.groupValues[9]\n
            @kotlin.internal.InlineOnly\n
            public operator inline fun component10(): String = match.groupValues[10]\n\n
            /** Returns destructured group values as a list of

```

```

strings.\n      * First value in the returned list corresponds to the value of the first group, and so on.\n      *\n * @sample: samples.text.Regexp.matchDestructuringToGroupValues\n      *\n public fun toList():\n List<String> = match.groupValues.subList(1, match.groupValues.size)\n } \n }", /*\n * Copyright 2010-2018\n JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the\n license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not\n greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three\n components.\n */\n\n@SinceKotlin("1.1")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) :\n Comparable<KotlinVersion> {\n    /**\n     * Creates a version from [major] and [minor] components, leaving\n [patch] component zero.\n     *\n     * public constructor(major: Int, minor: Int) : this(major, minor, 0)\n     *\n     * private val\n version = versionOf(major, minor, patch)\n     *\n     * private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n     * require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in\n 0..MAX_COMPONENT_VALUE) {\n     *     "Version components are out of range: $major.$minor.$patch"\n     * }\n     * return major.shl(16) + minor.shl(8) + patch\n     * }\n     *\n     * Returns the string representation of this\n version.\n     *\n     * override fun toString(): String = "$major.$minor.$patch"\n     *\n     * override fun equals(other:\n Any?): Boolean {\n     *     if (this === other) return true\n     *     val otherVersion = (other as? KotlinVersion) ?: return\n false\n     *     return this.version == otherVersion.version\n     * }\n     *\n     * override fun hashCode(): Int = version\n     *\n     * override fun compareTo(other: KotlinVersion): Int = version - other.version\n     *\n     * Returns `true` if this\n version is not less than the version specified\n     * with the provided [major] and [minor] components.\n     *\n     * public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n this.major > major || (this.major == major &&\n     *     this.minor >= minor)\n     *\n     * Returns `true` if this\n version is not less than the version specified\n     * with the provided [major], [minor] and [patch] components.\n     *\n     * public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor,\n patch)\n this.major > major || (this.major == major &&\n     *     (this.minor > minor || this.minor == minor\n     *     &&\n     *     this.patch >= patch))\n     *\n     * companion object {\n     *     /**\n     *      * Maximum value a version\n component can have, a constant value 255.\n     *     *\n     *     // NOTE: Must be placed before CURRENT because its\n initialization requires this field being initialized in JS\n     *     public const val MAX_COMPONENT_VALUE =\n 255\n     *     *\n     *     Returns the current version of the Kotlin standard library.\n     *     *\n     *     @kotlin.jvm.JvmField\n     *     public val CURRENT: KotlinVersion = KotlinVersion(1, 2, 51) // value is written here\n automatically during build\n     *     *\n     *     }\n     * }\n     *\n     * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is\n governed by the Apache 2.0 license\n     * that can be found in the license/LICENSE.txt file.\n     *\n     * @file: kotlin.jvm.JvmName("LateinitKt")\n     * @file: Suppress("unused")\n     *\n     * package kotlin\n     *\n     * import\n kotlin.internal.InlineOnly\n     *\n     * import kotlin.internal.AccessibleLateinitPropertyLiteral\n     *\n     * import\n kotlin.reflect.KProperty0\n     *\n     * /**\n     * Returns `true` if this lateinit property has been assigned a value, and `false`\n otherwise.\n     *\n     * Cannot be used in an inline function, to avoid binary compatibility issues.\n     *\n     * @SinceKotlin("1.2")\n     * @InlineOnly\n     *\n     * inline val @receiver: AccessibleLateinitPropertyLiteral\n KProperty0<*>.isInitialized: Boolean\n     * get() = throw NotImplementedError("Implementation is\n intrinsic")\n     *\n     * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0\n license\n     * that can be found in the license/LICENSE.txt file.\n     *\n     * @file: kotlin.jvm.JvmName("LazyKt")\n     * @file: kotlin.jvm.JvmMultifileClass\n     *\n     * package kotlin\n     *\n     * import\n kotlin.reflect.KProperty\n     *\n     * /**\n     * Represents a value with lazy initialization.\n     *\n     * To create an instance of\n [Lazy] use the [lazy] function.\n     *\n     * public interface Lazy<out T> {\n     *     /**\n     * Gets the lazily initialized value of\n the current Lazy instance.\n     * Once the value was initialized it must not change during the rest of lifetime of this\n Lazy instance.\n     *     *\n     *     public val value: T\n     *     *\n     *     Returns `true` if a value for this Lazy instance has been\n already initialized, and `false` otherwise.\n     * Once this function has returned `true` it stays `true` for the rest of\n lifetime of this Lazy instance.\n     *     *\n     *     public fun isInitialized(): Boolean\n     *     *\n     *     Creates a new instance of\n the [Lazy] that is already initialized with the specified [value].\n     *     *\n     *     public fun <T> lazyOf(value: T): Lazy<T> =\n InitializedLazyImpl(value)\n     *     *\n     *     An extension to delegate a read-only property of type [T] to an instance of

```

```

[Lazy].\n * This extension allows to use instances of Lazy for property delegation:\n * `val property: String by
lazy { initializer }`\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Lazy<T>.getValue(thisRef:
Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization
among multiple threads.\n */\npublic enum class LazyThreadSafetyMode {\n\n    /**\n     * Locks are used to ensure
that only a single thread can initialize the [Lazy] instance.\n     */\n    SYNCHRONIZED,\n\n    /**\n     * Initializer
function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n     * but only the
first returned value will be used as the value of [Lazy] instance.\n     */\n    PUBLICATION,\n\n    /**\n     * No
locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple
threads, its behavior is undefined.\n     */\n    NONE,\n}\n\n\ninternal object
UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\ninternal class UnsafeLazyImpl<out
T>(initializer: () -> T) : Lazy<T>, Serializable {\n    private var initializer: (() -> T)? = initializer\n    private var
_value: Any? = UNINITIALIZED_VALUE\n\n    override val value: T\n        get() {\n            if (_value ===
UNINITIALIZED_VALUE) {\n                _value = initializer!!()\n                initializer = null\n            }\n
\n            @Suppress("UNCHECKED_CAST")\n                return _value as T\n        }\n\n    override fun isInitialized():
Boolean = _value != UNINITIALIZED_VALUE\n\n    override fun toString(): String = if (isInitialized())
value.toString() else "Lazy value not initialized yet."\n\n    private fun writeReplace(): Any =
InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>,
Serializable {\n\n    override fun isInitialized(): Boolean = true\n\n    override fun toString(): String =
value.toString()\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use of this source code is governed by the
Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\nimport
kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.2")\n@Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")\n@RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun
<R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n\n"/\n * Copyright 2010-2018 JetBrains
s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the
license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("TuplesKt")\n\npackage kotlin\n\n/**\n *
Represents a generic pair of two values.\n * There is no meaning attached to values in this class, it can be used
for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\n * An
example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n * @param A
type of the first value.\n * @param B type of the second value.\n * @property first First value.\n * @property
second Second value.\n * @constructor Creates a new instance of Pair.\n */\n\npublic data class Pair<out A, out B>(\n
    public val first: A,\n    public val second: B)\n : Serializable {\n\n    /**\n     * Returns string representation of the
[Pair] including its [first] and [second] values.\n     */\n    public override fun toString(): String = "\($first,
\$\second)\n}\n\n"/\n * Creates a tuple of type [Pair] from this and [that].\n * This can be useful for creating
[Map] literals with less noise, for example:\n * @sample samples.collections.Maps.instantiation.mapFromPairs\n
*/\n\npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n
*/\n\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n
*/\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value
semantics, i.e. two triples are equal if all three components are equal.\n * An example of decomposing it into
values:\n * @sample samples.misc.Tuples.tripleDestructuring\n * @param A type of the first value.\n * @param
B type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property
second Second value.\n * @property third Third value.\n */\n\npublic data class Triple<out A, out B, out C>(\n
    public val first: A,\n    public val second: B,\n    public val third: C)\n : Serializable {\n\n    /**\n     * Returns string
representation of the [Triple] including its [first], [second] and [third] values.\n     */\n    public override fun
toString(): String = "\($first, $\second, $\third)\n}\n\n"/\n * Converts this triple into a list.\n */\n\npublic fun <T>
Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. Use

```

of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("MathKt")^
kotlin.math^// constants, can't use them from nativeMath as they are not constants there^
*^@SinceKotlin("1.2")^public const val PI:
Double = 3.141592653589793^
*^@SinceKotlin("1.2")^public const val E: Double = 2.718281828459045^// ===== Double
Math =====^
*^@SinceKotlin("1.2")^public expect fun
sin(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun cos(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun tan(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun asin(x: Double):
Double^
*^@SinceKotlin("1.2")^public expect fun acos(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun atan(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun atan2(y: Double, x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun sinh(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun cosh(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun tanh(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun asinh(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun acosh(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun atanh(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun sqrt(x: Double): Double^
*^@SinceKotlin("1.2")^public expect fun sqrt(x: Double, y: Double): Double^
*^@SinceKotlin("1.2")^public expect fun exp(x: Double): Double^

```

of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("MathKt")^

kotlin.math^// constants, can't use them from nativeMath as they are not constants there^

*^@SinceKotlin("1.2")^public const val PI: Double = 3.141592653589793^

*^@SinceKotlin("1.2")^public const val E: Double = 2.718281828459045^// ===== Double

Math =====^

*^@SinceKotlin("1.2")^public expect fun

sin(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun cos(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun tan(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun asin(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun acos(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun atan(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun atan2(y: Double, x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun sinh(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun cosh(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun tanh(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun asinh(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun acosh(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun atanh(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun sqrt(x: Double): Double^

*^@SinceKotlin("1.2")^public expect fun sqrt(x: Double, y: Double): Double^

*^@SinceKotlin("1.2")^public expect fun exp(x: Double): Double^

* - `exp(-Inf)` is `0.0`

`public expect fun exp(x: Double): Double`

Computes `exp(x) - 1`.

* This function can be implemented to produce more precise result for `[x]` near zero.

* Special cases:

- `expm1(NaN)` is `NaN`
- `expm1(+Inf)` is `+Inf`
- `expm1(-Inf)` is `-1.0`

* @see `[exp]` function.

`public expect fun expm1(x: Double): Double`

Computes the logarithm of the value `[x]` to the given `[base]`.

* Special cases:

- `log(x, b)` is `NaN` if either `x` or `b` are `NaN`
- `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`
- `log(+Inf, +Inf)` is `NaN`
- `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`
- `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`

* See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.

`public expect fun log(x: Double, base: Double): Double`

Computes the natural logarithm (base `E`) of the value `[x]`.

* Special cases:

- `ln(NaN)` is `NaN`
- `ln(x)` is `NaN` when `x < 0.0`
- `ln(+Inf)` is `+Inf`
- `ln(0.0)` is `-Inf`

`public expect fun ln(x: Double): Double`

Computes the common logarithm (base 10) of the value `[x]`.

* @see `[ln]` function for special cases.

`public expect fun log10(x: Double): Double`

Computes the binary logarithm (base 2) of the value `[x]`.

* @see `[ln]` function for special cases.

`public expect fun log2(x: Double): Double`

Computes `ln(x + 1)`.

* This function can be implemented to produce more precise result for `[x]` near zero.

* Special cases:

- `ln1p(NaN)` is `NaN`
- `ln1p(x)` is `NaN` where `x < -1.0`
- `ln1p(-1.0)` is `-Inf`
- `ln1p(+Inf)` is `+Inf`

* @see `[ln]` function

* @see `[expm1]` function

`public expect fun ln1p(x: Double): Double`

Rounds the given value `[x]` to an integer towards positive infinity.

* @return the smallest double value that is greater than the given value `[x]` and is a mathematical integer.

* Special cases:

- `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`public expect fun ceil(x: Double): Double`

Rounds the given value `[x]` to an integer towards negative infinity.

* @return the largest double value that is smaller than the given value `[x]` and is a mathematical integer.

* Special cases:

- `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`public expect fun floor(x: Double): Double`

Rounds the given value `[x]` to an integer towards zero.

* @return the value `[x]` having its fractional part truncated.

* Special cases:

- `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`public expect fun truncate(x: Double): Double`

Rounds the given value `[x]` towards the closest integer with ties rounded towards even integer.

* Special cases:

- `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`public expect fun round(x: Double): Double`

Returns the absolute value of the given value `[x]`.

* Special cases:

- `abs(NaN)` is `NaN`

* @see `absoluteValue` extension property for `[Double]`

`public expect fun abs(x: Double): Double`

Returns the sign of the given value `[x]`:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

* Special case:

- `sign(NaN)` is `NaN`

`public expect fun sign(x: Double): Double`

Returns the smaller of two values.

* If either value is `NaN`, then the result is `NaN`.

`public expect fun min(a: Double, b: Double): Double`

Returns the greater of two values.

* If either value is `NaN`, then the result is `NaN`.

`public expect fun max(a: Double, b: Double): Double`

// extensions

* Raises this value to the power `[x]`.

* Special cases:

- `b.pow(0.0)` is `1.0`
- `b.pow(1.0) == b`
- `b.pow(NaN)` is `NaN`
- `NaN.pow(x)` is `NaN` for `x != 0.0`
- `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`
- `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

`public expect fun Double.pow(x: Double): Double`

Raises this value to the integer power `[n]`.

* See the other overload of `[pow]` for details.

`public expect fun Double.pow(n: Int): Double`

Returns the absolute value of this value.

* Special cases:

- `NaN.absoluteValue` is `NaN`

* @see `abs` function

`public expect val Double.absoluteValue: Double`

Returns the sign of this value:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

* Special case:

- `NaN.sign` is `NaN`

`public expect val Double.sign: Double`

Double\n/n/**\n * Returns this value with the sign bit same as of the [sign] value.\n * If [sign] is `NaN` the sign of the result is undefined.\n *\n @SinceKotlin("1.2")\n public expect fun Double.withSign(sign: Double): Double\n/n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n @SinceKotlin("1.2")\n public expect fun Double.withSign(sign: Int): Double\n/n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n *\n @SinceKotlin("1.2")\n public expect val Double.ulp: Double\n/n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n *\n @SinceKotlin("1.2")\n public expect fun Double.nextUp(): Double\n/n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n *\n @SinceKotlin("1.2")\n public expect fun Double.nextDown(): Double\n/n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n @SinceKotlin("1.2")\n public expect fun Double.nextTowards(to: Double): Double\n/n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n *\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n @throws IllegalArgumentException when this value is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun Double.roundToInt(): Int\n/n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n *\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n @throws IllegalArgumentException when this value is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun Double.roundToLong(): Long\n/n\n/n\n/n// ===== Float\nMath =====\n/n/**\n * Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun sin(x: Float): Float\n/n/**\n * Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun cos(x: Float): Float\n/n/**\n * Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun tan(x: Float): Float\n/n/**\n * Computes the arc sine of the value [x];\n *\n * the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when $abs(x) > 1$ or x is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun asin(x: Float): Float\n/n/**\n * Computes the arc cosine of the value [x];\n *\n * the returned value is an angle in the range from 0.0 to π radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when $abs(x) > 1$ or x is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun acos(x: Float): Float\n/n/**\n * Computes the arc tangent of the value [x];\n *\n * the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun atan(x: Float): Float\n/n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n *\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value $y / [x]$;\n *\n * the returned value is an angle in the range from $-\pi$ to π radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is 0.0 \n * - `atan2(0.0, x)` is 0.0 for $x > 0$ and π for $x < 0$ \n * - `atan2(-0.0, x)` is -0.0 for $x > 0$ and $-\pi$ for $x < 0$ \n * - `atan2(y, +Inf)` is 0.0 for $0 < y < +Inf$ and -0.0 for $-Inf < y < 0$ \n * - `atan2(y, -Inf)` is π for $0 < y < +Inf$ and $-\pi$ for $-Inf < y < 0$ \n * - `atan2(y, 0.0)` is $\pi/2$ for $y > 0$ and $-\pi/2$ for $y < 0$ \n * - `atan2(+Inf, x)` is $\pi/2$ for finite `x`\n * - `atan2(-Inf, x)` is $-\pi/2$ for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n *\n @SinceKotlin("1.2")\n public expect fun atan2(y: Float, x: Float): Float\n/n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is $+Inf$ \n * - `sinh(-Inf)` is $-Inf$ \n *\n @SinceKotlin("1.2")\n public expect fun sinh(x: Float): Float\n/n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is $+Inf$ \n *\n @SinceKotlin("1.2")\n public expect fun cosh(x: Float): Float\n/n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is 1.0 \n * - `tanh(-

`Inf)` is `-1.0`.
`@SinceKotlin("1.2")` public expect fun `tanh(x: Float): Float`.
 Computes the inverse hyperbolic sine of the value `[x]`.
 The returned value is `y` such that `sinh(y) == x`.
 Special cases:
`asinh(NaN)` is `NaN`
`asinh(+Inf)` is `+Inf`
`asinh(-Inf)` is `-Inf`

`@SinceKotlin("1.2")` public expect fun `asinh(x: Float): Float`.
 Computes the inverse hyperbolic cosine of the value `[x]`.
 The returned value is positive `y` such that `cosh(y) == x`.
 Special cases:
`acosh(NaN)` is `NaN`
`acosh(x)` is `NaN` when `x < 1`
`acosh(+Inf)` is `+Inf`

`@SinceKotlin("1.2")` public expect fun `acosh(x: Float): Float`.
 Computes the inverse hyperbolic tangent of the value `[x]`.
 The returned value is `y` such that `tanh(y) == x`.
 Special cases:
`tanh(NaN)` is `NaN`
`tanh(x)` is `NaN` when `x > 1` or `x < -1`
`tanh(1.0)` is `+Inf`
`tanh(-1.0)` is `-Inf`

`@SinceKotlin("1.2")` public expect fun `atanh(x: Float): Float`.
 Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.
 Special cases:
 returns `+Inf` if any of arguments is infinite
 returns `NaN` if any of arguments is `NaN` and the other is not infinite

`@SinceKotlin("1.2")` public expect fun `hypot(x: Float, y: Float): Float`.
 Computes the positive square root of the value `[x]`.
 Special cases:
`sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`

`@SinceKotlin("1.2")` public expect fun `sqrt(x: Float): Float`.
 Computes Euler's number `e` raised to the power of the value `[x]`.
 Special cases:
`exp(NaN)` is `NaN`
`exp(+Inf)` is `+Inf`
`exp(-Inf)` is `0.0`

`@SinceKotlin("1.2")` public expect fun `exp(x: Float): Float`.
 Computes `exp(x)`.
 This function can be implemented to produce more precise result for `[x]` near zero.
 Special cases:
`expm1(NaN)` is `NaN`
`expm1(+Inf)` is `+Inf`
`expm1(-Inf)` is `-1.0`
 @see `[exp]` function.

`@SinceKotlin("1.2")` public expect fun `expm1(x: Float): Float`.
 Computes the logarithm of the value `[x]` to the given `[base]`.
 Special cases:
`log(x, b)` is `NaN` if either `x` or `b` are `NaN`
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`
`log(+Inf, +Inf)` is `NaN`
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`
 See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.

`@SinceKotlin("1.2")` public expect fun `log(x: Float, base: Float): Float`.
 Computes the natural logarithm (base 'E') of the value `[x]`.
 Special cases:
`ln(NaN)` is `NaN`
`ln(x)` is `NaN` when `x < 0.0`
`ln(+Inf)` is `+Inf`
`ln(0.0)` is `-Inf`

`@SinceKotlin("1.2")` public expect fun `ln(x: Float): Float`.
 Computes the common logarithm (base 10) of the value `[x]`.
 @see `[ln]` function for special cases.

`@SinceKotlin("1.2")` public expect fun `log10(x: Float): Float`.
 Computes the binary logarithm (base 2) of the value `[x]`.
 @see `[ln]` function for special cases.

`@SinceKotlin("1.2")` public expect fun `log2(x: Float): Float`.
 Computes `ln(a + 1)`.
 This function can be implemented to produce more precise result for `[x]` near zero.
 Special cases:
`ln1p(NaN)` is `NaN`
`ln1p(x)` is `NaN` where `x < -1.0`
`ln1p(-1.0)` is `-Inf`
`ln1p(+Inf)` is `+Inf`
 @see `[ln]` function
 @see `[expm1]` function

`@SinceKotlin("1.2")` public expect fun `ln1p(x: Float): Float`.
 Rounds the given value `[x]` to an integer towards positive infinity.
 @return the smallest `Float` value that is greater than the given value `[x]` and is a mathematical integer.
 Special cases:
`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `ceil(x: Float): Float`.
 Rounds the given value `[x]` to an integer towards negative infinity.
 @return the largest `Float` value that is smaller than the given value `[x]` and is a mathematical integer.
 Special cases:
`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `floor(x: Float): Float`.
 Rounds the given value `[x]` to an integer towards zero.
 @return the value `[x]` having its fractional part truncated.
 Special cases:
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `truncate(x: Float): Float`.
 Rounds the given value `[x]` towards the closest integer with ties rounded towards even integer.
 Special cases:
`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `round(x: Float): Float`.
 Returns the absolute value of the given value `[x]`.
 Special cases:
`abs(NaN)` is `NaN`
 @see `absoluteValue` extension property for `[Float]`

`@SinceKotlin("1.2")` public expect fun `abs(x: Float): Float`.
 Returns the sign of the

I,OAAL,C;;AAEf,CAAC,CAAC,IAAD,oB;EACG,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,gB;IACIB,OAAoD,CAA5
C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,KAAg,CAAC,OAAQ,KAAI,c;EACxE,C;EA
EA,MAAM,YAAa,gB;IACf,OAAO,CAAE,YAAW,SAAU,IAAG,CAAC,OAAQ,KAAI,c;EACID,C;EAEA,MAA
M,aAAc,gB;IACbB,OAAO,CAAE,YAAW,U;EACxB,C;EAEA,MAAM,YAAa,gB;IACf,OAAO,CAAE,YAAW,W
AAY,IAAG,CAAC,OAAQ,KAAI,W;EACpD,C;EAEA,MAAM,WAAy,gB;IACd,OAAO,CAAE,YAAW,U;EACx
B,C;EAEA,MAAM,aAAc,gB;IACbB,OAAO,CAAE,YAAW,Y;EACxB,C;EAEA,MAAM,cAAe,gB;IACjB,OAAO,
CAAE,YAAW,Y;EACxB,C;EAEA,MAAM,YAAa,gB;IACf,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,C
AAC,OAAQ,KAAI,W;EAC5C,C;EAEA,MAAM,QAAS,gB;IACX,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IA
AG,CAAC,CAAC,O;EACjC,C;EAEA,MAAM,WAAy,gB;IACd,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAA
G,WAAW,OAAO,CAAC,CAAD,C;EACjD,C;EAEA,MAAM,cAAe,gB;IACjB,IAAI,WAAW,MAAM,YAAy,CA
AC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MAAM,S;IACnE,OAAO,GAAI,GAAE,KAAK,UAAU,IAAI,K
AAK,CAAC,CAAD,e;MAAkB,OAAO,QAAQ,CAAC,CAAD,C;IAAK,CAAtC,CAAwC,KAAK,CAAC,IAAD,CA
AO,GAAE,G;EAC/F,C;EAEA,MAAM,kBAAmB,yB;IACrB,OAAQ,GAAE,OAAQ,IAAG,CAAC,CAAD,C;IACrB
,IAAI,WAAW,MAAM,YAAy,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MAAM,S;IACnE,OAAO,GA
AI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,e;MAC7B,IAAI,MAAM,WAAW,CAAC,CAAD,CAAI,IAA
G,OAAO,QAAQ,CAAC,CAAD,CAAI,GAAE,CAAjD,C;QACI,OAAO,KAAK,CAAC,CAAD,C;QACZ,IAAI,SA
S,MAAM,kBAAkB,CAAC,CAAD,EAAI,OAAJ,C;QACrC,OAAO,IAAI,E;QACX,OAAO,M;;;QAGP,OAAO,QAA
Q,CAAC,CAAD,C;;IAEvB,CAViC,CAU/B,KAAK,CAAC,IAAD,CAAO,GAAE,G;EACxB,C;EAEA,MAAM,YA
Aa,mB;IACf,IAAI,CAAE,KAAI,CAAV,C;MACI,OAAO,I;;IAEX,IAAI,CAAC,MAAM,WAAW,CAAC,CAAD,C
AAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OAA3C,C;MACI,OAAO,K;;IAGX,KAAK,IAAI,IAAI,CAAR,EA
AW,IAAI,CAAC,OAArB,EAA8B,CAAE,GAAE,CAAIC,EAAqC,CAAC,EAAtC,C;MACI,IAAI,CAAC,MAAM,
OAAO,CAAC,CAAC,CAAD,CAAF,EAAO,CAAC,CAAC,CAAD,CAAR,CAAIB,C;QACI,OAAO,K;;IAGf,
OAAO,I;EACX,C;EAEA,MAAM,gBAAiB,mB;IACnB,IAAI,CAAE,KAAI,CAAV,C;MACI,OAAO,I;;IAEX,
IAAI,CAAC,MAAM,WAAW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OAA3C,C;MACI,OAAO,
K;;IAGX,KAAK,IAAI,IAAI,CAAR,EA
AW,IAAI,CAAC,OAArB,EAA8B,CAAE,GAAE,CAAIC,EAAqC,CAAC,EAAtC,C;MA
CI,IAAI,MAAM,WAAW,CAAC,CAAC,CAAC,CAAD,CAAF,CAArB,C;QACI,IAAI,CAAC,MAAM,gBAAgB,C
AAC,CAAC,CAAC,CAAD,CAAF,EAAO,CAAC,CAAC,CAAD,CAAR,CAA3B,C;UACI,OAAO,K;;;YAGV,IAAI
,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EAAO,CAAC,CAAC,CAAD,CAAR,CAAIB,C;QAC
D,OAAO,K;;IAGf,OAAO,I;EACX,C;EAEA,MAAM,cAAe,kB;IACjB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,C
AAR,EA
AW,IAAI,GAAG,OAAvB,EAAgC,CAAE,GAAE,CAApC,EAAuC,CAAC,EAAXC,C;MACI,MAAO,GA
AqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CA
AU,GAAE,C;;IAE7D,OAAO,M;EACX,C;EAEA,MAAM,kBAAmB,kB;IACrB,IAAI,SAAS,C;IACb,KAAK,IAAI,
IAAI,CAAR,EA
AW,IAAI,GAAG,OAAvB,EAAgC,CAAE,GAAE,CAApC,EAAuC,CAAC,EAAXC,C;MACI,IAAI
,IAAI,GAAG,CAAC,CAAD,C;MACX,MAAO,GAAqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG,KAAg,MA
AM,WAAW,CAAC,CAAD,CAAI,GAAE,MAAM,kBAAkB,CAAC,CAAD,CAAIB,GAAgC,MAAM,SAAS,CAA
C,CAAD,CAAvE,CAA6E,GAAE,C;;IAE/G,OAAO,M;EACX,C;EAEA,MAAM,mBAAoB,oB;IACtB,KAAK,KAA
K,CAAC,MAAM,gBAAP,C;EACd,C;ECrHA,MAAM,eAAgB,sB;IACIB,CAAC,aAAc,GAAE,I;IACjB,OAAO,C;E
ACX,C;EAEA,MAAM,uBAAwB,+C;IACIB,MAAM,IAAK,GAAE,M;IACb,MAAM,IAAK,GAAE,M;IACb,MAA
M,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,EAaiB,6BAA6B,CAAC,UAAD,CAA9
C,C;EAC9B,C;;IAGI,GAAG,WAAy,GAAE,sBAAsB,CAAC,OAAO,MAAO,KAAI,UAAW,GAAE,KAAK,QAAP
,GAAkB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OAAO,G;EACX,C;EAEA,IAAI,gCAAgC,CA
ChC,UACa,QAAS,IAAT,oC;IACL,OAAO,MAAM,OAAO,QAAQ,kB;EAAmB,CAD1C,CADb,aAIe,QAAS,IAAT
,oC;IACP,OAAO,MAAM,OAAO,QAAQ,W;EAAY,CADjC,CAJf,CADgC,EAShC,UACa,QAAS,IAAT,oC;IACL,
OAAO,MAAM,OAAO,QAAQ,kB;EAAmB,CAD1C,CADb,aAIe,QAAS,IAAT,oC;IACP,OAAO,MAAM,OAAO,Q
AAQ,W;EAAY,CADjC,CAJf,CATgC,C;;IAoBhC,IAAI,KAAK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,G
AAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,IAFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK
,EANL,C;;IASIB,OAAO,KAAK,M;EACbB,C;ECjDA,MAAM,QAAS,gB;IACX,OAAoB,CAAZ,CAAE,GAAE,K
AAQ,KAAg,EAAG,IAAG,E;EACjC,C;EAEA,MAAM,OAAQ,gB;IACV,OAAkB,CAAV,CAAE,GAAE,GAAM,K

ACL,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;;IAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAe,GAAE,GAAG,OAAvB,EAAgC,CAAe,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC,CAAD,EAAI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAAD,EAAI,CAAe,GAAE,IAAR,CAAd,EAA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAAQ,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAAM,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;;QAEnC,MAAO,GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;;IAGvB,OAAO,M;EACT,C;EAaA,MAAM,KAAK,gBAAiB,GAAE,CAAe,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EA0IC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EA1IC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA1tC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA1rC,MAAM,KAAK,QAA S,GAAE,MAAM,KAAK,QAAQ,CAAC,EAAD,C;EA1zC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aAAW,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EA1xB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,CAAC,CAAD,EAAI,aAAW,GAAE,CAAjB,C;EA05C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAe,IAAG,EAAN,C;EA17C,MAAM,KAAK,UAAU,MAAO,e;IAC1B,OAAO,IAAI,K;EACb,C;EAIA,MAAM,KAAK,UAAU,SAAU,e;IAC7B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI,mBAAmB,E;EACb,C;EAGA,MAAM,KAAK,UAAU,SAAU,e;IAC7B,OAAO,IAAI,MAAO,GAAE,IAAI,K;EAC1B,C;EAOA,MAAM,KAAK,UAAU,SAAU,wB;IAC7B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAe,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;;IAGb,IAAI,IAAI,OAAO,EAAf,C;MACE,OAAO,G;;IAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACtC,IAAI,MAAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAAD,C;QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;;QAEjD,OAAO,GAAI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;IAMvC,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IACb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;MAE5B,GAAI,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;;QAEhB,OAAO,MAAM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAI,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,MAAO,GAAE,M;;EAG7B,C;EAIA,MAAM,KAAK,UAAU,YAAa,e;IACb,C;EAIA,MAAM,KAAK,UAAU,mBAAoB,e;IACvC,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;EACpD,C;EAOA,MAAM,KAAK,UAAU,cAAe,e;IACIC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;;MAGpC,IAAI,MAAM,IAAI,MAAO,IAAG,CAAe,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EAaf,EAAmB,GAAI,GAAE,CAAzB,EA4B,GAAG,EAAB,C;QACE,IAAuB,CAAIB,GAAI,GAAG,CAAe,IAAG,GAA M,KAAG,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAe,GAAE,GAAI,GAAE,EAAR,GAAa,GAAI,GAAE,C;;EAE9C,C;EAIA,MAAM,KAAK,UAAU,OAAQ,e;IAC3B,OAAO,IAAI,MAAO,IAAG,CAAe,IAAG,IAAI,KAAM,IAAG,C;EACzC,C;EAIA,MAAM,KAAK,UAAU,WAAy,e;IAC/B,OAAO,IAAI,MAAO,GAAE,C;EACtB,C;EAIA,MAAM,KAAK,UAAU,MAAO,e;IAC1B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,KAAG,C;EAC5B,C;EAOA,MAAM,KAAK,UAAU,WAAy,oB;IAC/B,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;EAC3D,C;EAOA,MAAM,KAAK,UAAU,cAAe,oB;IACIC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;EAC3D,C;EAOA,MAAM,KAAK,UAAU,SAAU,oB;IAC7B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;EAC/B,C;EAOA,MAAM,KAAK,UAAU,gBAAiB,oB;IAC

pC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;EACbC,C;EAOA,MAAM,KAAK,UAAU,YAAa,oB;IACb
C,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;EAC/B,C;EAOA,MAAM,KAAK,UAAU,mBAAoB,oB;IA
CvC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;EACbC,C;EASA,MAAM,KAAK,UAAU,QAAS,oB;IAC
5B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;;IAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7B,I
AAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAbB,C;MACE,OAAO,E;;IAET,IAAI,CAA
C,OAAQ,IAAG,QAAbB,C;MACE,OAAO,C;;IAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAQ,WAAW,EAAnC,C;M
ACE,OAAO,E;;MAEP,OAAO,C;;EAEX,C;EAIA,MAAM,KAAK,UAAU,OAAQ,e;IAC3B,IAAI,IAAI,WAAW,C
AAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEIB,OAAO,IAAI,IAAI,EAAE,IA
AI,CAAC,MAAM,KAAK,IAAZ,C;;EAEB,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IAGxB,IAAI,MAAM,IA
AI,MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IA
CxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KA
AK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,
K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAL
IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,
G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG
,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,K;IACP,OAAO,MA
AM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GAAf,EAaqB,GAAL,IAAG,EAAL,GAAE,GAAIC,C;EAC7B
,C;EAQA,MAAM,KAAK,UAAU,SAAU,oB;IAC7B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;EACjB,C;
EAQA,MAAM,KAAK,UAAU,SAAU,oB;IAC7B,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,MAAM,KAAK,K;;U
ACb,IAAI,KAAK,OAAO,EAAbB,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAAI,IAAI,WAAW,CAAC,MAA
M,KAAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAA
M,KAAK,K;;UACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,IAAI,MAA
M,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;;IAG3D,IAAI,IAAI,WAAW,EAAnB,C;MAC
E,IAAI,KAAK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;;QA
E7B,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAQ,OAAO,E;;UAExC,IAAI,KAAK,WAAW,EAAPB,
C;MACL,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;;IAI7C,IAAI,IAAI,SAAS,CAAC,M
AAM,KAAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADIB,C;MAEE,OAAO,MA
AM,KAAK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAajC,C;;IAM/B,IAAI,MAAM,IAAI,MA
AO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IA
AI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,M
AAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAE
vB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAL,IAAG
,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IAC
b,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL
,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL
,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAA
L,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAA
E,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,G;IACjD,GAAL,IAAG,K;I
ACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GAAf,EAaqB,GAAL,IAAG,EAAL,GAAE,
GAAIC,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,IAAI,KAAK,OAAO,EAAbB,C;MACE,MA
AM,KAAK,CAAC,kBAAD,C;;UACN,IAAI,IAAI,OAAO,EAaf,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAA
L,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,IA
AZ,CAAbB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAaz,CADpB,C;QAEE,OAAO,MAAM,KAAK,U;;Y
ACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGIB,IA
AI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAQ,UAAU,CAA
C,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,WAA
W,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;UAEdD,IAAI,MAAM,IAAI,SAAS,CAAC,K
AAK,SAAS,CAAC,MAAD,CAaf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAA

R,C;UACvB,OAAO,M;;;UAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,MAAM,KAAK,K;;IAGpB,IAAI,IAAI,WAAW,EAAhB,C;MACE,IAAI,KAAK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAD,CAAO,OAAO,E;;;UAEnC,IAAI,KAAK,WAAW,EAAPB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;;IAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,mBAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAl,IAAI,MAAM,CAAC,GAAG,SAAS,EAAG,GAAE,KAAK,SAAS,EAAhC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,CAAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAl,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,CAAD,EAAl,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACiC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAY,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,C;QACiC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAAPB,C;QACE,SAAU,GAAE,MAAM,KAAK,I;;MAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAAS,CAAC,SAAD,C;;IAEpB,OAAO,G;EACT,C;EAQA,MAAM,KAAK,UAAU,OAAQ,oB;IAC3B,OAAO,IAAI,SAAS,CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;EACtB,C;EAIA,MAAM,KAAK,UAAU,IAAK,e;IACxB,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAN,EAAa,CAAC,IAAI,MAAlB,C;EAC7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;EAE7B,C;EAQA,MAAM,KAAK,UAAU,GAAl,oB;IACvB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;EAE7B,C;EAQA,MAAM,KAAK,UAAU,IAAK,oB;IACxB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;EAE7B,C;EAQA,MAAM,KAAK,UAAU,UAAW,sB;IAC9B,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;;MAEP,IAAI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB,GAAl,IAAG,OADgB,EAEtB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,C;;;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OAAQ,GAAE,EAAtB,C;;;EAGjC,C;EAQA,MAAM,KAAK,UAAU,WAAW,sB;IAC/B,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAl,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IAAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;EAKjC,C;EAUA,MAAM,KAAK,UAAU,mBAAoB,sB;IACvC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAl,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;;YAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAArB,EAA0B,CAA1B,C;;;EAGjC,C;EAGA,MAAM,KAAK,UAAU,OAAQ,oB;IACzB,OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;EAC1D,C;EAEA,MAAM,KAAK,UAAU,gBAAlB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;EACnB,C;EAEA,MAAM,KAAK,UAAU,IAAK,e;IACtB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAs,C;EACnB,C;EAEA,MAAM,KAAK,UAAU,QAAS,e;IAC1B,OAAO,IAAI,SAAS,E;EACxB,C;EAEA,MAAM,KAAK,UAAU,UAAW,e;IAC5B,OAAO,I;EACX,C;EAEA,MAAM,KAAK,UAAU,WAAW,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAAK,UAAU,QAAS,oB;IAC1B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,EAAyC,KAAzC,C;EACX,C;ECzzBA,MAAM,aAAc,8B;EACpB,C;EAEA,MAAM,qBAAsB,uB;IACxB,OAAO,G;EACX,C;EAEA,MAAM,aAAc,kB;IAChB,IAAI,gB;MACA,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;IACIB,C;IACA,mB;MACI,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;IACIB,C;EACJ,C;EAEA,MAAM,SAAU,mB;IACZ,yB;MACI,OAAO,OAAO,MAAO,KAAI,I;IAC7B,C;EACJ,C;EAEA,MAAM,aAAc,oB;IACyB,yB;MACI,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAAT,C;IACxB,C;EACJ,C;EAEA,MAAM,OAAQ,iB;IACV,yB;MACI,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;IAC

/B,C;EACJ,C;EAEA,MAAM,aAAc,mB;IACbB,yB;MACI,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAAC,CAAC,MAAD,C;IACzB,C;EACJ,C;EAEA,MAAM,qBAAsB,2C;EAC5B,C;EAEA,MAAM,YAAa,oB;IACf,OAAO,K;EACX,C;EAEA,MAAM,gBAAiB,wB;IACnB,gBAAgB,E;EACpB,C;EAEA,MAAM,oBAAqB,wB;IACvB,gBAAgB,E;EACpB,C;EAEA,MAAM,kBAAmB,wB;IACrB,gBAAgB,E;EACpB,C;EAEA,MAAM,mBAAoB,+B;IACtB,gBAAgB,E;EACpB,C;IAGI,MAAM,IAAI,KAJ,CACF,iDAaKd,GACID,qDAAsD,GACTd,uDAHE,C;EAIv,C;EAEA,MAAM,gBAAiB,+B;IACnB,mB;MACI,OAAO,Y;IACX,C;EACJ,C;EC/EA,MAAM,UAAW,mB;IACb,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAJI,QAAd,C;MACI,IAAI,OAAO,CAAE,KAJI,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAI,CAAJ,C;MAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;IAEpC,IAAI,KAAM,KAJI,QAAS,IAAG,KAAM,KAJI,SAAP,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;IAEpC,OAAO,CAAC,gBAAgB,CAAC,CAAD,C;EAC5B,C;EAEA,MAAM,mBAAoB,mB;IACtB,OAAO,CAAE,GAAE,CAAE,GAAE,EAAF,GAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;EACpC,C;EAEA,MAAM,gBAAiB,mB;IACnB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CAAE,KAJI,CAAV,C;MACI,IAAI,CAAE,KAJI,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAJK,CAAE,GAAE,C;MACb,OAAO,EAAG,KAJI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAAF,GAAO,C;IAG7C,OAAO,CAAE,KAJI,CAAE,GAAG,CAAE,KAJI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;EACzC,C;EAEA,MAAM,QAAS,oB;IACX,OAAO,MAAM,OAAO,CAAC,KAJK,GAAC,CAAP,C;EACxB,C;EAEA,MAAM,QAAS,oB;IACX,OAAO,MAAM,OAAO,CAAC,KAJK,GAAC,CAAP,C;EAEA,MAAM,KAAM,GAAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;IAGIB,OAAyB,CAAhB,CAAE,GAAE,YAAY,KAAG,CAAE,GAAE,KAAP,CAAe,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAG,CAAE,GAAE,CAAP,CAAW,GAAE,C;EACxE,C;EA4DE,a;IAzDE,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAAe,GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAAY,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACbB,IAAI,QAAQ,CAAC,QAAD,CAAW,KAJI,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;IAGhB,MAAM,aAAc,oB;MACHb,OAAO,MAAM,gBAAgB,CAAC,KAJK,CAAC,KAAD,CAAQ,GAAE,GAFF,GAAQ,KAATB,C;IACjC,C;IAEA,MAAM,gBAAiB,oB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,MAAM,KAJK,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;IAC/B,C;IAEA,MAAM,eAAgB,oB;MACIB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAJK,K;MACIB,QAAQ,CAAC,SAAD,CAAY,GAAE,KAJK,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;IACrB,C;IAEA,MAAM,YAAa,oB;MACf,OAAO,MAAM,eAAe,CAAC,KAJK,CAAC,KAAD,CAAQ,GAAE,GAFF,GAAQ,KAATB,C;IACbB,C;IAEA,MAAM,eAAgB,oB;MACIB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,CAAD,C;IACnB,C;IAEA,MAAM,cAAe,oB;MACjB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;IACrB,C;IAGA,MAAM,cAAe,oB;MACjB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,SAAD,CAAY,GAAE,a;IACjC,C;IAEA,MAAM,eAAgB,kB;MACIB,IAAc,CAAT,GAAI,GAAE,CAAG,MAAI,GAAIB,C;QACI,OAAO,GAAI,GAAE,C;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHb,OAAc,CAA9B,QAAQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;IAErE,C;EACJ,CAAE,G;EAFF,MAAM,cAAe,gB;IACjB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;EAC1C,C;EC9GA,IAAI,OAAO,MAAM,UAAU,WAAJ,KAJI,WAA3C,C;IACI,MAAM,UAAU,WAAJ,qC;MACxB,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YAAD,EAAe,QAAf,CAAyB,KAJI,Q;IACxD,C;EA EJ,IAAI,OAAO,MAAM,UAAU,SAAU,KAJI,WAAzC,C;IACI,MAAM,UAAU,SAAU,qC;MACtB,IAAI,gBAAgB,IAAI,SAAS,E;MACjC,IAAI,QAAS,KAJI,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;MAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,OAAO,SAAU,KAJI,EAAG,IAAG,SAAU,KAJI,Q;IAC7C,C;EAGJ,IAAI,OAAO,IAAI,KAAM,KAJI,WAAzB,C;IACI,IAAI,KAAM,gB;MACN,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAJI,CAAE,IAAG,KAJK,CAAC,CAAD,CAAPB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;MAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,E;IACvB,C;EA EJ,IAAI,OAAO,IAAI,MAAO,KAJI,WAAIB,C;IACI,IAAI,MAAO,gB;MACP,IAAI,KAJK,CAAC,CAAD,CAAT,C;QACI,OAAO,G;MAEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAAM,CAAC,CAAD,C;MAErB,OAAO,IAAI,KAJK,CAAC,CAAD,C;IACpB,C;EAsKF,a;IAIKE,IAAI,UAAU,qB;IACd,IAAI,iBAAiB,IAAI,KAJK,CAAC,OAAD,C;IAC9B,IAAI,iBAAiB,I

AAI,KA AK,CAAC,cAAD,C;IAC9B,IAAI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE
7B,IAAI,OAAO,IAAI,KAAM,KA AI,WAAzB,C;MACI,IAAI,KAAM,gB;QACN,IAAI,IAAI,IAAI,CAAC,CAAD,
CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI
,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;;UAEP,IAAI,IAAI,IAAI,IAAI,C
AAC,CAAD,C;UACb,IAAI,KA AK,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAk
B,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;Y
AAmB,OAAO,CAAC,IAAI,IAAI,CAAC,CAAC,CAAE,GAAE,IAAI,IAAV,C;UACnC,OAAgB,CAAR,CAAE,GA
AE,EAAL,IAAE,C;;MAE1B,C;;IAEJ,IAAI,OAAO,IAAI,KAAM,KA AI,WAAzB,C;MACI,IAAI,KAAM,gB;QACN
,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;QACb,IAAI,KA AK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAA
C,CAAD,CAAI,IAAG,CAAC,QAAQ,CAAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,C
AAC,CAAD,CAAI,GAAE,IAAI,IAAnB,C;QACID,OAAgB,CAAR,CAAE,GAAE,EAAL,IAAE,C;MACtB,C;;IAGJ
,IAAI,OAAO,IAAI,KAAM,KA AI,WAAzB,C;MACI,IAAI,KAAM,gB;QACN,IAAI,IAAI,IAAI,CAAC,CAAD,CA
AI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,M
AAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;;UAGP,IAAI,IAAI,IAAI,IAAI,CA
AC,CAAC,CAAF,CAAhB,EAAsB,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,C;UACIC,OAAO,CAAE,KA AI,QAAS,
GAAE,CAAF,GAAM,CAAE,KA AI,QAAS,GAAE,EA AF,GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GA
AE,CAAP,C;;MAEIE,C;;IAMJ,IAAI,OAAO,IAAI,MAAO,KA AI,WAA1B,C;MACI,IAAI,qB;QACA,IAAI,CAAE,
IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,GAAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,I
AAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,C
AAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;;YAKnB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KA AK,CAA
C,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;cAGIB,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAA
C,KA AK,CAAC,CAAC,CAAF,C;;;UAKb,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cA
AnB,C;YAEI,IAAI,KA AK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;;UAE nB,OAA
O,M;;MAEf,C;MACA,IAAI,MAAO,GAAE,K;;IAEjB,IAAI,OAAO,IAAI,MAAO,KA AI,WAA1B,C;MACI,IAAI,
MAAO,gB;QACP,IAAI,CAAE,GAAE,CAAR,C;UAEI,OAAO,G;;cAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAb,
C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;;YAlzB,O
AAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KA AK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAK
nB,IAAI,IAAI,IAAI,KA AK,CAAC,CAAE,GAAE,CAAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAA
T,C;YAEI,IAAI,KA AK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;;UAGnB,OAAO,I
AAI,KA AK,CAAC,CAAD,CAAI,GAAE,M;;MAE9B,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KA AI,WAA1B,C;MAC
I,IAAI,MAAO,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IA
AI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GA
AE,C;;UAE5B,OAAO,M;;QAEX,OAAO,IAAI,IAAI,CAAS,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,C
AAP,CAAT,CAAoB,GAAE,C;MACzC,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KA AI,WAA1B,C;MACI,IAAI,MAA
O,gB;QACP,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,KA AK,CAAE,GAAE,C;UACb,I
AAI,KA AK,EAAG,GAAE,C;UACd,IAAI,KA AK,EAAG,GAAE,C;UAE d,OAAQ,CAAC,EAAG,GAAE,CAAE,G
AAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,CAAE,GA
AE,CAAL,C;MACnB,C;;IAEJ,IAAI,OAAO,IAAI,MAAO,KA AI,WAA1B,C;MACI,IAAI,MAAO,gB;QACP,IAAI,
IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,KA AK,CAAE,GAAE,C;UACb,IAAI,KA AK,EA
AG,GAAE,C;UACd,IAAI,KA AK,EAAG,GAAE,C;UAE d,OAAQ,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAA
E,GAAE,EAAG,GAAE,CAAE,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;MACzB,C;;E
AER,CAAE,G;EACF,IAAI,OAAO,IAAI,MAAO,KA AI,WAA1B,C;IACI,IAAI,MAAO,e;MACP,IAAI,IAAI,C;MA
CR,IAAI,SAAS,SAAS,O;MAEtB,KA AK,IAAI,IAAI,CAAb,EAAGb,CAAE,GAAE,MAApB,EA4B,CAAC,EA
7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KA AI,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KA AI,CAAC,QA
AnD,C;UACI,OAAO,Q;;QAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,C;;MAEj
C,OAAO,IAAI,KA AK,CAAC,CAAD,C;IACpB,C;;EAEJ,IAAI,OAAO,IAAI,MAAO,KA AI,WAA1B,C;IACI,IAAI
,MAAO,gB;MACP,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;IAC7B,C;;EAEJ,IAAI,OAAO,IAAI,K
AAM,KA AI,WAAzB,C;IACI,IAAI,KAAM,gB;MACN,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,M;I

ACV,OAAO,KAAM,YAAW,MAAM,U;EACIC,C;EAEA,MAAM,aAAc,oB;IACHB,IAAI,OAAO,OAAO,K;IAEIB ,OAAO,IAAK,KAAL,QAAS,IACIB,IAAK,KAAL,SAAU,IACnB,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MA AM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAARb,C;EACxB,C;EAEA,MAAM,eAAgB,oB;IACIB,OAAO ,OAAO,KAAM,KAAL,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aAArB,C;EACrD,C;;; ;;;;aCtD2C,gB;;;;MCjDvC,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;IAFpD,C;;MAKgB,iB;IAAA,C;;MAGA,o B;IAAA,C;;MAE6B,OAAQ,0BAAR,YAAQ,EAAU,KAAM,QAaHb,C;IAAR,C;;MAEN,gBAAS,K;IAAT,C;;MA EJ,OAAAnC,MAAmC,kBAA8B,IAA9B,C;IAAA,C;;MAEL,gB;IAAA,C;;MAE1B,8B;IAAA,C;;;MAAA,qC;QAAA ,oB;;MAAA,8B;IAAA,C;;MDdwC,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;IAAA,C;gEAE5C,yB;MAAA ,mB;MAAA,6B;QAC2D,YAAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,a AAU,CAAV,iB;UACI,MAAM,CAAN,IALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;MAPgD,C;KAD3D,C; ;MAKiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW ,KAAK,CAAL,C;;MAEf,OAAO,K;IACX,C;;MAMiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACTb,gBAakB,c; MAEd,IADS,IACt,mBADS,IACt,EAAM,IAAN,E;QAAC,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET ,S;QAAS,a;;QAZA,U;QAAA,SAaqB,Mabf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CA AM,CAAN,IAyS,C,IAZ3B,CAAK,CAAL,C;;QAYH,OAAaB,M;;MAHIC,W;IAKJ,C;2EAEA,yB;MAAA,iC;MAA A,6B;QACoF,YAAa,aAAa,IAAb,EAAMb,KAAAnB,C;QAIbHf,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;Q AAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAIbIE,OafzE,K;MAeyE,C;KA DpF,C;;MAQiB,IAAN,I;MAFP,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAakB,W;MAEd,IADS,IACt,mBA Ds,IACt,EAAM,IAAN,YADS,IACt,EAAY,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,G AAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;Q A0BH,OAAMb,M;;MAF/B,W;IAIJ,C;qEAEA,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,UA AU,IAAV,EAAGb,IAAhB,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YAAY ,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;MACX,C;KARA,C;mFAUA,y B;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GA Aa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YAAY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG, K;;QAEP,OAAO,K;MACX,C;KARA,C;;MAciB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACTb,gBAakB,W;MA Ed,IADS,IACt,mBADS,IACt,EAAM,IAAN,E;QAAC,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QAZDA ,U;QAAA,SA0DkB,MA1DZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA0D+B,MAZD3B,CAAM,CAAN, IAyDmC,IAzDxB,CAAK,CAAL,C;;QAYDH,OAAMb,M;;MAH/B,W;IAKJ,C;qEAEA,yB;MAAA,2B;MAAA,6B; QAC2E,YAAa,UAAU,IAAV,EAAGb,KAaHb,C;QA/DvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb ,aAAU,CAAV,iB;UACI,MAAM,CAAN,IA8DwG,IA9D7F,CAAK,CAAL,C;;QA8DwD,OA5DhE,K;MA4DgE,C;K AD3E,C;;MAIiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN ,IAAW,S;;MAEf,OAAO,K;IACX,C;;MEjFA,qC;MAEI,iBACJ,MAA4B,U;MAExB,iBACJ,MAA4B,U;MAExB,yB ACJ,MAAoC,kB;MAEHc,yBACJ,MAAoC,kB;MAEHc,WACJ,MAASB,I;IAfB,C;;;MAAA,4C;QAAA,2B;;MAA A,qC;IAAA,C;;MAkBA,oC;MAEI,iBACJ,MAA2B,U;MAEvB,iBACJ,MAA2B,U;MAEvB,yBACJ,MAAmC,kB;M AE/B,yBACJ,MAAmC,kB;MAE/B,WACJ,MAAqB,I;IAfB,C;;;MAAA,2C;QAAA,0B;;MAAA,oC;IAAA,C;;MA kBA,kC;MAEI,iBACqB,W;MAErB,iBACqB,U;IANzB,C;;;MAAA,yC;QAAA,wB;;MAAA,kC;IAAA,C;;MASA, mC;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;IAN1B,C;;;MAAA,0C;QAAA,yB;;MA AA,mC;IAAA,C;;MASA,oC;MAEI,iBACuB,U;MAEvB,iBACuB,K;IAN3B,C;;;MAAA,2C;QAAA,0B;;MAAA,o C;IAAA,C;;MASA,mC;MAEI,iBACsB,Q;MAEtB,iBACsB,G;IAN1B,C;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAA A,C;;MASA,mC;MAEI,0BAC4C,K;MAE5C,0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBA CuC,uB;MAEvC,qBACuC,sB;IAIB3C,C;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;MAqBA,qC;IAAA,C;;; MAAA,4C;QAAA,2B;;MAAA,qC;IAAA,C;;;aCy0aoB,gB;cCvha0C,mB;;gBAyEvC,yB;eA AyB,wB;;uBAGzB,gC;sBAawB,+B;mCA4KjC,qB;mCA5JmC,qB;;kBAQ1B,2B;iBAA0B,0B;;;aCvc8C,e;;; ;gCCzChD,yC;+BCZA,uC;+BCCA,sC;;gCCmJ/B,+B;;;MNvIZ,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UA AI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OA AO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MAOI,OAAO,UAAI,CAAJ,C;IACX,C;;MA

O,I;;;MA1XP,yB;IACJ,C;;MAOW,sB;;QAYXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU, OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1XP,yB;IACJ,C;;MAOW,sB;;QAYXS,Q; QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;Q AC9C,qBAAO,I;;;MA1XP,yB;IACJ,C;;MAOW,sB;;QAYXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAy XO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1XP,yB;IACJ,C;;MAOW,sB; ;QAYXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;Y AAP,uB;;;QAC9C,qBAAO,I;;;MA1XP,yB;IACJ,C;gFAEA,yB;MA0XA,oC;MAAA,gC;MA1XA,uC;QAKW,sB;;U AyXS,Q;UAAhB,iD;YAAgB,cAAhB,0B;YAAsB,IAzXH,SAyXO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cA AP,uB;;;UAC9C,qBAAO,I;;;QA1XP,yB;MACJ,C;KANA,C;sFAQA,yB;MAssCA,0D;MAAA,oD;MAtsCA,uC;QA KW,qB;;UAqsCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAA K,KAAL,C;YACd,IAvsCc,SAusCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;Q AzsCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAysCA,0D;MAAA,oD;MAzsCA,uC;QAKW,qB;;UAwsCO,Q;UAA A,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA1sCc ,SA0sCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5sCP,wB;MACJ,C;KAN A,C;wFAQA,yB;MA4sCA,0D;MAAA,oD;MA5sCA,uC;QAKW,qB;;UA2sCO,Q;UAAA,OAAa,SAAR,sBAAQ,C AAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA7sCc,SA6sCV,CAAU,OAAV,C AAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/sCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA+sCA, 0D;MAAA,oD;MA/sCA,uC;QAKW,qB;;UA8sCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd, C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAhtCc,SAgtCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;c AAP,sB;;;UAE5B,oBAAO,I;;;QAltCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAktCA,0D;MAAA,oD;MAltCA,uC; QAKW,qB;;UAitCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,U AAK,KAAL,C;YACd,IAntCc,SAmtCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I; ;QArtCP,wB;MACJ,C;KANA,C;wFAQA,yB;MAqtCA,0D;MAAA,oD;MArtCA,uC;QAKW,qB;;UAotCO,Q;UAA A,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAttCc, SAstCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxCP,wB;MACJ,C;KANA, C;wFAQA,yB;MAwtCA,0D;MAAA,oD;MAxtCA,uC;QAKW,qB;;UAutCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAA b,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAztCc,SAytCV,CAAU,OAAV,CAA J,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3tCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA2tCA,0D; MAAA,oD;MA3tCA,uC;QAKW,qB;;UA0tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;Y AAac,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA5tCc,SA4tCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP ,sB;;;UAE5B,oBAAO,I;;;QA9tCP,wB;MACJ,C;KANA,C;wFAQA,yB;MA8tCA,0D;MAAA,oD;MAAA,oC;MA9t CA,uC;QAKW,qB;;UA6tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,c AAac,UAAK,KAAL,C;YACd,IA/tCc,SA+tCV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oB AAO,I;;;QajuCP,wB;MACJ,C;KANA,C;;MAaI,IA46JO,qBAAQ,CA56Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA06JO,qBAAQ,CA16Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAw6JO,qBAAQ,CAX6Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAs6JO,qBAAQ,CAt6Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAo6JO,qBAAQ,CAP6Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAk6JO,qBAAQ,CA16Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IAg6JO,qBAAQ,CAh6Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA85JO,qBAAQ,CA95Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;;MAOI,IA45JO,qBAAQ,CA55Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,UAAK,CAAL,C;IACX,C;kFAEA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB ,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAu B,mDAAvB,C;MACV,C;KAPA,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;U AAAGB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mD AAvB,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB ,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB

,C;MACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAA A,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;M ACV,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA AAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV ,C;KAPA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB, M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;K APA,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U AAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAPA, C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U AAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAPA, C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB, UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAA vB,C;MACV,C;KAPA,C;;MAaI,OAKwJO,qBAAQ,CAIwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MA MI,OAmwJO,qBAAQ,CAnwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAowJO,qBAAQ,Cap wJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAqwJO,qBAAQ,CArwJR,GAAe,IAAf,GAAYB,U AAK,CAAL,C;IACpC,C;;MAMI,OAswJO,qBAAQ,CAtwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;M AMI,OAuwJO,qBAAQ,CAvwJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAwwJO,qBAAQ,Cax wJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;MAMI,OAYwJO,qBAAQ,CAzwJR,GAAe,IAAf,GAAYB,U AAK,CAAL,C;IACpC,C;;MAMI,OA0wJO,qBAAQ,CA1wJR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;IACpC,C;;M AMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAw B,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAg B,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAA O,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAA V,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAA A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;M AAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O ;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI, UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;;MAMoB,Q;MAAhB,wBAAgB,SAAhB,g B;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C ;+FAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB, SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;MACX,C;KANA,C;wFA QA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC, GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAA c,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA, 8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KA Ab,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3 B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;Q AKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE, C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI ,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SA AS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FA QA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC, GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;0FAQA,yB;MAAA,8D;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS, CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,uBAAa,KAAb,E;MACjE,C;KANA,C;;MAY I,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW, SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CA AT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KA AJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CAAT,IAAc,S

AAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BA
A3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAs
C,UAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,K
AAJ,CAAtC,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAt
C,GAAsD,I;IACjE,C;;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,
I;IACjE,C;;MAMI,IAAI,eAAJ,C;QACI,wD;UACI,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;;QAI,f,8D;UAC
I,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;;;MAInB,OAAO,E;IACX,C;;MAMI,wD;QACI,I
AAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,YAAW,
UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAA
L,CAAF,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,gBAAW,UAAK,KAAL,CAAX,C
AAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI
,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;
MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;;MAGf,OAA
O,E;IACX,C;;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;
;MAMI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MA
MI,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,w
D;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QA
CI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IA
AI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,U
AAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,
UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;;MAMI,wD;QACI,IAAI,UAAU,UAA
K,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;;MAGf,OAAO,E;IACX,C;gGAEA,yB;MAAA,oC;MAAA,uC;QAI,w
D;UACI,IAAI,UAAU,sBAAK,KAAL,EA AV,CAAJ,C;YACI,OAAO,K;;;;QAGf,OAAO,E;MACX,C;KAVA,C;4FA
YA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd
,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;;QAGf,OAAO,E;MACX,C;K
AVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,
OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;;QAGf,OAAO,E;
MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAA
R,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;;QA
Gf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,s
BAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OA
AO,K;;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q;QAAA,OA
AQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,
C;YACI,OAAO,K;;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,uC;QAIkB,Q
;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,C
AAV,CAAJ,C;YACI,OAAO,K;;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA,oD;MAAA,
uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UA
AK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,0D;MAAA
,oD;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,
UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;;QAGf,OAAO,E;MACX,C;KAVA,C;8FAYA,yB;MAAA,
0D;MAAA,oD;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;
UAAc,uB;UACV,IAAI,UAAU,sBAAK,KAAL,EA AV,CAAJ,C;YACI,OAAO,K;;;;QAGf,OAAO,E;MACX,C;KAV
A,C;;MAiBI,IAuqIO,qBAAQ,CAvqIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,wBAAL,C;IA
CX,C;;MAOI,IAqqIO,qBAAQ,CArqIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;IA
CX,C;;MAOI,IAiqIO,qBAAQ,CAjqIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;I
ACX,C;;MAOI,IA+pIO,qBAAQ,CA/pIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;I
ACX,C;;MAOI,IA6pIO,qBAAQ,CA7pIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;

IACX,C;;MAOI,IA2pIO,qBAAQ,CA3pIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C
;IACX,C;;MAOI,IAypIO,qBAAQ,CAzpf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,
C;IACX,C;;MAOI,IAupIO,qBAAQ,CAvpIf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL
,C;IACX,C;gFAEA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SA
AK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,
CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;gFAYA,yB;MAAA,0D;
MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEn
C,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;Q
AKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UA
AK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;M
ACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAA
L,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,O
AAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA
,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,O
AAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;
QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,
uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAA
c,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,
C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,
YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UA
AU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;
MAAA,0D;MAAA,oD;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;Q
AAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OA
AO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;MACV,C;KAVA,C;IFAYA,yB;MAAA,0D;MAAA,oD;MAAA,oC;
MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UA
Ac,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,
gCAAuB,mDAAvB,C;MACV,C;KAVA,C;;MAiBsB,UAMA,M;MAPIB,IAAI,eAAJ,C;QACKB,OAAQ,WAAR,sB
AAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAID,S
AAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAI,gBAAW,UAAK,OAAL,CAAX,
CAAJ,C;YACI,OAAO,O;;;MAInB,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;M
AAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;I
ACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,Y
AAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wB
AAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;
MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAC,u
B;QACV,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;
MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,
CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MA
Ad,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;IA
CX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,YA
AW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;MAMkB,Q;MAAA,OAAQ,WAAR,wBA
AQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;M
AGf,OAAO,E;IACX,C;;MAMI,OA82HO,qBAAQ,CA92HR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,
C;IACpC,C;;MAMI,OA+2HO,qBAAQ,CA/2HR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;
MAMI,OA93HO,qBAAQ,CAh3HR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAi
3HO,qBAAQ,CAj3HR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OAk3HO,qBAA
Q,CAI3HR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;IACpC,C;;MAMI,OA3HO,qBAAQ,CAn3HR,

AA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,c
AAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;
YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,
OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QA
XP,aAAmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OA
AV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAG
hB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakB
A,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,
wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAA
W,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAA
M,gCAAuB,mDAAvB,C;QAEIB,OAAO,iE;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;
MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA
AhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,S
AAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2
D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAs
B,I;QACtB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,
C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,C
AAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;MACX,C;KAhBA,C;qFakBA,yB;MAA
A,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAgB,S
AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8
BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,
mDAAvB,C;QAEIB,OAAO,4D;MACX,C;KAhBA,C;qFakBA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;M
AAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,
cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,g
DAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB
,C;QAEIB,OAAO,4E;MACX,C;KAhBA,C;;MASBI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I
;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBA
AQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL
,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MA
MI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAA
e,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I
;IACvC,C;;MAMI,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAQoB,Q;MAFhB,a
AAiB,I;MACjB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,C
AAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;
QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,
SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I
;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;
MAQoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,I
AAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,I
AAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAmB,I;MACnB,YAA
Y,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA
AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACn
B,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cA
AA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UAC
T,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aA
AqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CA
AJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;Q
AAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAsB,I;MACTB,YAAY,K;MACZ,wBAAgB,SA

AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAQoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;iGAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,OAAO,I;QACnB,OAAO,M;MACX,C;KAFa,C;;MO56EI,IAAI,EPm8EI,KAAK,CO8ET,CAAJ,C;QACI,cPk8Ec,sD;QOj8Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPk8EV,OAAO,oBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO8EI,IAAI,EP68EI,KAAK,CO78ET,CAAJ,C;QACI,cP48Ec,sD;QO38Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP48EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO/8EI,IAAI,EPu9EI,KAAK,COv9ET,CAAJ,C;QACI,cPs9Ec,sD;QOr9Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPs9EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOz9EI,IAAI,EPi+EI,KAAK,COj+ET,CAAJ,C;QACI,cPg+Ec,sD;QO/9Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPg+EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MON+EI,IAAI,EP2+EI,KAAK,CO3+ET,CAAJ,C;QACI,cP0+Ec,sD;QOz+Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP0+EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO7+EI,IAAI,EPq/EI,KAAK,CO/ET,CAAJ,C;QACI,cPo/Ec,sD;QOn/Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPo/EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOv/EI,IAAI,EP+/EI,KAAK,CO/ET,CAAJ,C;QACI,cP8/Ec,sD;QO7/Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP8/EV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOjgFI,IAAI,EPygFI,KAAK,COzgFT,CAAJ,C;QACI,cPwgFv,sD;QOvgFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPwgFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MO3gFI,IAAI,EPmhFI,KAAK,COnhFT,CAAJ,C;QACI,cPkhFv,sD;QOjhFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPkhFV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;IACX,C;;MOrhFI,IAAI,EP6hFI,KAAK,CO7hFT,CAAJ,C;QACI,cP4hFv,sD;QO3hFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP4hFV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MO/hFI,IAAI,EPuiFI,KAAK,COviFT,CAAJ,C;QACI,cPsiFv,sD;QOriFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPsiFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOziFI,IAAI,EPijFI,KAAK,COjjFT,CAAJ,C;QACI,cPgjFv,sD;QO/iFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPgjFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MONjFI,IAAI,EP2jFI,KAAK,CO3jFT,CAAJ,C;QACI,cP0jFv,sD;QOzjFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP0jFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MO7jFI,IAAI,EPqkFI,KAAK,COrkFT,CAAJ,C;QACI,cPokFv,sD;QONkFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPokFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOvkFI,IAAI,EP+kFI,KAAK,CO/kFT,CAAJ,C;QACI,cP8kFv,sD;QO7kFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP8kFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOjIFI,IAAI,EPyIFI,KAAK,COzIFT,CAAJ,C;QACI,cPwIFv,sD;QOvIFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPwIFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MO3IFI,IAAI,EPmmFI,KAAK,CONmFT,CAAJ,C;QACI,cPkmFv,sD;QOjmFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MPkmFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;MOrmFI,IAAI,EP6mFI,KAAK,CO7mFT,CAAJ,C;QACI,cP4mFv,sD;QO3mFd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP4mFV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;;iGAEA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI

V,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAta1D,OAAuO,W;MAtaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAuaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAvae,SAuaX,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAva1D,OAwaO,W;MAvaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAWaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAxagB,SAwaZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAXa1D,OAYaO,W;MAXaX,C;KALA,C;oFAOA,yB;MAAA,+D;MAAyaA,oC;MAAA,gC;MAzaA,uC;QAIW,kBAAS,gB;QAYaA,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IAzaa,SAyaT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QAza1D,OA0aO,W;MAzaX,C;KALA,C;gGAOA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAuiOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAR9NI,IAIFmC,SAkF/B,EAq9NkB,cAr9NIB,EAq9NkB,sBAr9NIB,WAq9N2B,IAr9N3B,CAAJ,C;YAA2C,sBAq9NZ,IAr9NY,C;;QAI/F,C,OAoFO,W;MAnFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAWiOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAN9NI,IArFsC,SAqFIC,EAm9NkB,cAn9NIB,EAm9NkB,sBA9NIB,WAm9N2B,IAN9N3B,CAAJ,C;YAA2C,sBA9NZ,IAN9NY,C;;QArF/C,OAuFO,W;MATFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAYiOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj9NI,IAxFuC,SAwFnC,Eai9NkB,cAj9NIB,Eai9NkB,sBAj9NIB,Wai9N2B,IAj9N3B,CAAJ,C;YAA2C,sBAi9NZ,IAj9NY,C;;QAXF/C,OAoFO,W;MAzFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QA0iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA/8NI,IA3FqC,SA2FjC,EA+8NkB,cA/8NIB,EA+8NkB,sBA/8NIB,WA+8N2B,IA/8N3B,CAAJ,C;YAA2C,sBA+8NZ,IA/8NY,C;;QA3F/C,OA6FO,W;MA5FX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QA2iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA78NI,IA9FsC,SA8FIC,EA68NkB,cA78NIB,EA68NkB,sBA78NIB,WA68N2B,IA78N3B,CAAJ,C;YAA2C,sBA68NZ,IA78NY,C;;QA9F/C,OAgoGO,W;MAFX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QA4iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA38NI,IAjGuC,SAiGnC,EA28NkB,cA38NIB,EA28NkB,sBA38NIB,WA28N2B,IA38N3B,CAAJ,C;YAA2C,sBA28NZ,IA38NY,C;;QAJG/C,OAgoGO,W;MAIGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QA6iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAz8NI,IApGwC,SAoGpC,Eay8NkB,cAz8NIB,Eay8NkB,sBAz8NIB,Way8N2B,IAz8N3B,CAAJ,C;YAA2C,sBAy8NZ,IAz8NY,C;;QApG/C,OAsoGO,W;MARGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QA8iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAv8NI,IAvGyC,SAuGrC,EAu8NkB,cAv8NIB,EAu8NkB,sBAv8NIB,WAu8N2B,IAv8N3B,CAAJ,C;YAA2C,sBAu8NZ,IAv8NY,C;;QAvG/C,OAyGO,W;MAXGX,C;KAPA,C;kGASA,yB;MAAA,+D;MAyGA,gC;MAq8NA,oC;MA9iOA,uC;QAMW,kBAAgB,gB;QA+iOV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAR8N/B,IA1GsC,SA0GIC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAL,OAAJ,C;;QA1G/C,OA4GO,W;MA3GX,C;KAPA,C;oGASA,yB;MAAA,oD;QA49NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAR9NI,IAAI,WAq9NkB,cAr9NIB,EAq9NkB,sBAr9NIB,WAq9N2B,IAr9N3B,CAAJ,C;YAA2C,sBAq9NZ,IAr9NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;qGAYA,yB;MAAA,oD;QA09NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAN9NI,IAAI,WAm9NkB,cAn9NIB,EAm9NkB,sBA9NIB,WAm9N2B,IAN9N3B,CAAJ,C;YAA2C,sBA9NZ,IAN9NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QAw9NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj9NI,IAAI,Wai9NkB,cAj9NIB,Eai9NkB,sBAj9NIB,Wai9N2B,IAj9N3B,CAAJ,C;YAA2C,sBAi9NZ,IAj9NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;qGAYA,yB;MAAA,oD;QAs9NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA/8NI,IAAI,WA+8NkB,cA/8NIB,EA+8NkB,sBA/8NIB,WA+8N2B,IA/8N3B,CAAJ,C;YAA2C,sBA+8NZ,IA/8NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QA09NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA78NI,IAAI,WA68NkB,cA78NIB,EA68NkB,sBA78NIB,WA68N2B,IA78N3B,CAAJ,C;YAA2C,sBA68NZ,IA78NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;Qak9NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA38NI,IAAI,WA28NkB,cA38NIB,EA28NkB,sBA38NIB,WA28N2B,IA38N3B,CAAJ,C;YAA2C,sBA28NZ,IA38NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QA99NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAz8NI,IAAI,Way8NkB,cAz8NIB,Eay8NkB,sBAz8NIB,Way8N2B,IAz8N3B,CAAJ,C;YAA2C,sBAy8NZ,IAz8NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,oD;QA88NiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAv8NI,IAAI,WAu8NkB,cAv8NIB,EAu8NkB,sBAv8NIB,WAu8N2B,IAv8N3B,CAAJ,C;YAA2C,sBAu8NZ,IAv8NY,C;;QAE/C,OAao,W;MACX,C;KAVA,C;sGAYA,yB;MAAA,gC;MAq8NA,oC;MAR8NA,oD;QA48NiB,gB;QADb,YAAY,C

AhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK, WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MO51HR,IAAI,EPq1HI,KAAK,COr1HT,CAAJ,C;Q ACI,cPo1Hc,sD;QOn1Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo1HV,IAAI,MAAK,CAAT,C;QAAY,OAAO, W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UA AK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WA AA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAC iB,UACL,M;MOh3HR,IAAI,EPy2HI,KAAK,COz2HT,CAAJ,C;QACI,cPw2Hc,sD;QOv2Hd,MAAM,gCAAyB,OA AQ,WAAjC,C;;MPw2HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAA O,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ, WAAW,iBAAbB,CAAlB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UA CI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAO,I;IACX,C;;MAciB,UACL,M;MOp4HR,IAAI,EP63HI,KAAK,C O73HT,CAAJ,C;QACI,cP43Hc,sD;QO33Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP43HV,IAAI,MAAK,CAAT, C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,O AAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SA Ab,gB;QAAa,WAAA,SAAb,M;QACI,IAAI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAA O,I;IACX,C;;MAciB,UACL,M;MOx5HR,IAAI,EPi5HI,KAAK,COj5HT,CAAJ,C;QACI,cPg5Hc,sD;QO/4Hd,MA AM,gCAAyB,OAAQ,WAAjC,C;;MPg5HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBA AT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,EAAP,C;MACnB, YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,IA AI,qDAAW,CAAf,C;UACI,K;QACJ,IAAK,WAAI,iBAAJ,C;;MAET,OAAO,I;IACX,C;;MO75HI,IAAI,EPq6HI,K AAK,COr6HT,CAAJ,C;QACI,cPo6Hc,sD;QOn6Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPo6HV,IAAI,MAAK, CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,iB;MACtB,IAAI,M AAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAaA,CAAb,C;M ACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I ;IACX,C;;MO96HI,IAAI,EPs7HI,KAAK,COt7HT,CAAJ,C;QACI,cPq7Hc,sD;QOp7Hd,MAAM,gCAAyB,OAAQ, WAAjC,C;;MPq7HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT, C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C ;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI ,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MO/7HI,IAAI,EPu8HI,KAAK,COv8HT,CAAJ,C;QACI,cPs8H c,sD;QOr8Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPs8HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB, WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAA O,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd, UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOh9HI,IAAI,EPw9HI ,KAAK,COx9HT,CAAJ,C;QACI,cPu9Hc,sD;QOt9Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPu9HV,IAAI,MAA K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI ,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAae,CAAf,C; MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAA O,I;IACX,C;;MOj+HI,IAAI,EPy+HI,KAAK,COz+HT,CAAJ,C;QACI,cPw+Hc,sD;QOv+Hd,MAAM,gCAAyB,OA AQ,WAAjC,C;;MPw+HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IA AT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAA P,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,W AAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOI/HI,IAAI,EP0/HI,KAAK,CO1/HT,CAAJ,C;QACI,cPy /Hc,sD;QOx/Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MPy/HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB ,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OA AO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAA d,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOngII,IAAI,EP2gII, KAAK,CO3gIT,CAAJ,C;QACI,cP0gIc,sD;QOzgId,MAAM,gCAAyB,OAAQ,WAAjC,C;;MP0gIV,IAAI,MAAK,C AAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,M

AAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAIB,C;
MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAA
O,I;IACX,C;;MOphII,IAAI,EP4hII,KAAK,CO5hIT,CAAJ,C;QACI,cP2hIc,sD;QO1hId,MAAM,gCAAYB,OAAQ,
WAAjC,C;;MP2hIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;
QAAe,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;M
ACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,U
AAK,KAAL,CAAJ,C;MACT,OAAO,I;IACX,C;;MOriII,IAAI,EP6iII,KAAK,CO7iIT,CAAJ,C;QACI,cP4iIc,sD;Q
O3iId,MAAM,gCAAYB,OAAQ,WAAjC,C;;MP4iIV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,g
B;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK
,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B
,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,EAAP,C;MACT,OAAO,I;IACX,C;gGAEa,yB;MAAA,8D;MAAA,
4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,
CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB
;MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA
AU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;K
AZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UA
CI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,O
AAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,W
AA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAA
R,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAM
I,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,g
BAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,
gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAA
L,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;kGAcA,yB;MAAA,8D;
MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,
KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;kG
AcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,C
AAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;M
ACX,C;KAZA,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,W
AA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EAAP,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAA
R,IAAL,C;;;QAGf,OAAO,iB;MACX,C;KAZA,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,g
B;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,I
AAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,W
AAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;
UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;Q
ADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;Y
ACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;MAAA,u
C;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IA
AV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA,+D;M
AAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UA
AU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;MAAA
,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CA
AC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;MACX,C;KAbA,C;0FA
eA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UA

Aa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;Q
AET,OAAO,I;MACX,C;KAbA,C;;MAMBI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAA
W,CAAf,C;QAAkB,M;MACIB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,K
AAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MA
MI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAA
mB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,U
AAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD
,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,
QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IA
AqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CA
Af,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C
;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAA
e,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;M
ACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAA
L,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CA
Ab,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;
QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QA
CrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAA
kB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,U
AAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,
mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,i
BAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q
ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;IAER,C;;MAMI,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;M
ACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,
UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,m
C;;IAER,C;;MAMI,IAwuCO,qBAAQ,CXuCF,C;QAAe,OAAO,W;MACtB,WAAW,wB;MACN,UAAI,IAAK,C;
MACL,OAAO,I;IACX,C;;MAMI,IASuCO,qBAAQ,CAtuCF,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAA
L,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAouCO,qBAAQ,CAPuCF,C;QAAe,OAAO,W;MACtB,WAAW,0B;
MACN,UAAI,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAkuCO,qBAAQ,CAluCF,C;QAAe,OAAO,W;MACtB,
WAAW,0B;MACN,UAAI,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IAguCO,qBAAQ,CAHuCF,C;QAAe,OAAO,
W;MACtB,WAAW,0B;MACN,UAAI,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA8tCO,qBAAQ,CA9tCF,C;QA
Ae,OAAO,W;MACtB,WAAW,0B;MACN,UAAI,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA4tCO,qBAAQ,CA
5tCF,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAI,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI,IA0tCO,q
BAAQ,CA1tCF,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAI,IAAK,C;MACL,OAAO,I;IACX,C;;MAMI
,IAwtCO,qBAAQ,CAxtCF,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,UAAI,IAAK,C;MACL,OAAO,I;IAC
X,C;;MAMI,IA8oCO,qBAAQ,CA9oCF,C;QAAe,OAAO,S;MACtB,aAAa,aAAa,SAAb,EAAMb,gBAAnB,C;MAC
b,gBAAgB,wB;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL
,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA0oCO,qBAAQ,CA1oCF,C;QAAe,OAAO,S;MACtB,aAAa,cAAU,gBAA
V,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UA
AK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAsoCO,qBAAQ,CAtoCF,C;QAAe,OAAO,S;MACtB,aAAa,eA
AW,gBAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IA
AwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IAkoCO,qBAAQ,CAloCF,C;QAAe,OAAO,S;MACt
B,aAAa,eAAS,gBAAT,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAA
Z,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA8nCO,qBAAQ,CA9nCF,C;QAAe,OAAO,
S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,Y
AAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IA0nCO,qBAAQ,CA1nCF,C;QA
Ae,OAAO,S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QAC
I,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;IACX,C;;MAMI,IASnCO,qBAAQ,CAt

,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAA sG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVk8JA,sC;QAIL, OAAO,mDS92JI,iBT82JiB,QS92JjB,CT82JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSx3JA,sC;MAAA,u BAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA 4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D; QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVy8JA,sC;QAIL,OAAO,mDSr3JI,iBTq3JiB,QSr 3JjB,CTq3JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS/3JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB ;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI, C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC, CAAd,C;MAAA,C;MAD5C,kF;MVg9JA,sC;QAIL,OAAO,mDS53JI,iBT43JiB,QS53JjB,CT43JJ,E;MACX,C;KAL A,C;wFAOA,yB;MAAA,wD;MSt4JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,O A5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf ,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,k F;MVu9JA,sC;QAIL,OAAO,mDSn4JI,iBTm4JiB,QSn4JjB,CTm4JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD; MS74JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5D hB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C; MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV89JA,sC;QAIL,OAAO, mDS14JI,iBT04JiB,QS14JjB,CT04JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MSp5JA,sC;MAAA,uBAOe, yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,C A5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4 C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVq+JA,sC;QAIL,OAAO,mDSj5JI,iBTi5JiB,QSj5JjB,C Ti5JJ,E;MACX,C;KALA,C;wFAOA,yB;MAAA,wD;MS35JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAA U,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QA AA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd, C;MAAA,C;MAD5C,kF;MV4+JA,sC;QAIL,OAAO,mDSx5JI,iBTw5JiB,QSx5JjB,CTw5JJ,E;MACX,C;KALA,C;w FAOA,yB;MAAA,wD;MSl6JA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd, cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;M AAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV m/JA,sC;QAIL,OAAO,mDS/5JI,iBT+5JiB,QS/5JjB,CT+5JJ,E;MACX,C;KALA,C;0GAOA,yB;MAAA,wD;MSt5JA ,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd, EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C; MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV0/JA,sC;QAIL,OAAO,mDSn5JI,2 BTm5J2B,QSn5J3B,CTm5JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS75JA,sC;MAAA,iCAOe,yB;QAxF f,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CA A3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW ,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVigKA,sC;QAIL,OAAO,mDS15JI,2BT05J2B,QS15J3B,CT05JJ,E ;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSp6JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAs B,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OA AA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAA A,C;MAD5C,kF;MVwgKA,sC;QAIL,OAAO,mDSj6JI,2BTi6J2B,QSj6J3B,CTi6JJ,E;MACX,C;KALA,C;4GAOA,y B;MAAA,wD;MS36JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA +EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;; QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MV+gKA,sC; QAIL,OAAO,mDSx6JI,2BTw6J2B,QSx6J3B,CTw6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSl7JA,sC; MAAA,iCAOe,yB;QAxFf,8D;;UAWFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EA A2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MA AA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MVshKA,sC;QAIL,OAAO,mDS/6JI,2BT+ 6J2B,QS/6J3B,CT+6JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MSz7JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;

UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAA X,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV6hKA,sC;QAI,OAAO,mDSt7JI,2BTs7J2B,QSt7J3B,CTs7JJ,E;MAC X,C;KALA,C;4GAOA,yB;MAAA,wD;MSh8JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB; YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C; MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;M AD5C,kF;MVoiKA,sC;QAI,OAAO,mDS77JI,2BT67J2B,QS77J3B,CT67JJ,E;MACX,C;KALA,C;4GAOA,yB;M AAA,wD;MSv8JA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+Eg B,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAA sG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MV2iKA,sC;QAI, OAAO,mDSp8JI,2BTo8J2B,QSp8J3B,CTo8JJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,wD;MS98JA,sC;MAAA, iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+ EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;Q AC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MVkjKA,sC;QAI,OAAO,mDS38JI,2BT28J2B,QS 38J3B,CT28JJ,E;MACX,C;KALA,C;;MAWI,OAAO,sBAAW,cAAX,C;IACX,C;;MAMoB,kBQvqJQ,iB;MRuqJA,i B;MAAxB,OAAiC,WWtgK1B,WXsgK0B,C;IACrC,C;;MAMoB,kBQpqJQ,iB;MRoqJA,iB;MAAxB,OAAiC,WW7 gK1B,WX6gK0B,C;IACrC,C;;MAMoB,kBQjqJQ,iB;MRiqJA,iB;MAAxB,OAAiC,WWphK1B,WXohK0B,C;IACr C,C;;MAMoB,kBAAT,mB;MAAiB,mB;MAAxB,OAAiC,WW3hK1B,WX2hK0B,C;IACrC,C;;MAMoB,kBQ5pJQ, iB;MR4pJA,iB;MAAxB,OAAiC,WWliK1B,WXkiK0B,C;IACrC,C;;MAMoB,kBQzpJQ,iB;MRypJA,iB;MAAxB,O AAIc,WWziK1B,WXyiK0B,C;IACrC,C;;MAMoB,kBAAT,mB;MAAiB,iB;MAAxB,OAAiC,WWhjK1B,WXgjK0 B,C;IACrC,C;;MAMI,OAAmC,OAA5B,2BAAgB,UAAhB,CAA4B,C;IACvC,C;;MAM0B,kBAAf,uB;MAAuB,iC; MAA9B,OAAqD,OW9jK9C,WX8jK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OWrkK9 C,WXqkK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OW5kK9C,WX4kK8C,C;IACzD,C; ;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OWnlK9C,WXmlK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MA AuB,iC;MAA9B,OAAqD,OW1kK9C,WX0kK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD, OWjmK9C,WXimK8C,C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OWxmK9C,WXwmK8C, C;IACzD,C;;MAM0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OW/mK9C,WX+mK8C,C;IACzD,C;;MAIeY,oBA AS,CAAT,EAAY,wBAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAA T,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY, 0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C;;MAMA,oBAAS,CAAT,EAAY,0BAAZ,C;IAAA,C; ;MAOR,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI ,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OAAO,qBAAQ,C;IACnB,C;;MAOI,OA AO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAx EA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBA AQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CA wER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;IACX,C;;MAOI,OAAO,EAxEA,qBAAQ,CAwER,C;I ACX,C;;MAMY,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C; ;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAM A,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAMA,0BAAO,CAAP,I;IAAA,C;;MAM MR,aA Aa,oBAaA,gBAAb,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;MACpB,OAAO,M;IACX,C;;MA MI,aAAa,cAAU,gBAAV,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;MACpB,OAAO,M;IACX, C;;MAMI,aAAa,iBAAU,gBAAV,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,oBAAK,KAAL,E;;MACpB,OAAO, M;IACX,C;;MAMI,aAAa,iBAAY,gBAAZ,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;;MACpB, OAAO,M;IACX,C;;MAMI,aAAa,iBAAW,gBAAX,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KAAL,C;; MACpB,OAAO,M;IACX,C;;MAMI,aAAa,eAAS,gBAAT,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAAK,KA AL,C;;MACpB,OAAO,M;IACX,C;;MAMI,aAAa,iBAAU,gBAAV,C;MACb,wD;QACI,OAAO,KAAP,IAAgB,UAA

K,KAAL,C;;MACpB,OAAO,M;IACX,C;;MAMI,aAAa,eAAW,gBAAX,C;MACb,wD;QACI,OAAO,KAAP,IAAg
B,UAAK,KAAL,C;;MACpB,OAAO,M;IACX,C;wFA0CA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAS
I,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAA
hB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGlB/B,CAAU,OAAV,C;UI5tMnB,wBAAI,IAAK,MAAT,EAAGB,IA
AK,OAArB,C;;QJ4oLA,OakIBO,W;MAjIBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,u
C;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,
Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGlB/B,CAAU,OAAV,C;UIzuMnB,wBAAI,IAAK,MAAT,EA
AgB,IAAK,OAArB,C;;QJypLA,OakIBO,W;MAjIBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;
MAAA,uC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;
QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGlB/B,CAAU,OAAV,C;UItvMnB,wBAAI,IAAK,
MAAT,EAAGB,IAAK,OAArB,C;;QJsqLA,OakIBO,W;MAjIBX,C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;M
AAA,uE;MAAA,uC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,Q
AApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGlB/B,CAAU,OAAV,C;UInwMnB,wBA
AI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QJmrLA,OakIBO,W;MAjIBX,C;KAXA,C;0FAaA,yB;MAAA,0D;M
AAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,m
BAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGlB/B,CAAU,OAAV,C;UIhx
MnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QJgsLA,OakIBO,W;MAjIBX,C;KAXA,C;0FAaA,yB;MA
AA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,
kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGlB/B,CAAU,OAA
V,C;UI7xMnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QJ6sLA,OakIBO,W;MAjIBX,C;KAXA,C;0FAa
A,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C
;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGlB/B,CA
AU,OAAV,C;UI1yMnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QJ0tLA,OakIBO,W;MAjIBX,C;KAXA
,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,
EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhIB8C,SAGl
B/B,CAAU,OAAV,C;UIvzMnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QJuuLA,OakIBO,W;MAjIBX,
C;KAXA,C;0FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAkIBA,oC;MAAA,gC;MAlIBA,uC;QASI,eAAiC,cA
AIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA+kBH,Q;QAAhB,iD;UAA
gB,cAAhB,0B;UACI,WAhIB8C,SAGlB/B,CAAU,oBAAV,C;UIp0MnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OA
ArB,C;;QJovLA,OakIBO,W;MAjIBX,C;KAXA,C;4FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAS
I,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+NL,Q;QAAh
B,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhOoC,WAgOhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAhOhB,OA
kOO,W;MAjOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAA
Y,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAgOL,Q;QAAhB,iD;UAAgB,cAAhB,
e;UACI,WAAY,aAjOuC,WaiOnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAJOhB,OAmOO,W;MAIOX,C;KA
XA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EA
Ac,EAAd,C;QAC1B,kBAAc,mBAAwB,QAAxB,C;QAIOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAIOW
C,WakOpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAIOhB,OAoOO,W;MANOX,C;KAXA,C;8FAaA,yB;MA
AA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,
kBAAc,mBAAxB,QAAtB,C;QAKOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnOsC,WAmOIC,CAAY,O
AAZ,CAAJ,EAA0B,OAA1B,C;;QAnOhB,OAqOO,W;MApOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;M
AAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAuB,Q
AvB,C;QAmOL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApOuC,WaOOnC,CAAY,OAAZ,CAAJ,EAA0B
,OAA1B,C;;QApOhB,OAsOO,W;MArOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;
QASI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAwB,QAAxB,C;QAoOL,Q;Q
AAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArOwC,WaqOpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArOhB
,OAuOO,W;MAtOX,C;KAXA,C;8FAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAiC,cAAIB,
YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAyB,QAAzB,C;QAqOL,Q;QAAhB,iD;UAAgB,cA

EhB,OA2EO,W;MA1EX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2EA,gD;MA3EA,uC;QAIW,kBAAU,gB;QA2ED,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5E6B,SA4EIB,CAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QA7EhB,OA+EO,W;MA9EX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+EA,gD;MA/EA,uC;QAIW,kBAAU,gB;QA+ED,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhF6B,SAgFIB,CAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAJfHb,OAmFO,W;MAIFX,C;KALA,C;sFAOA,yB;MAAA,+D;MAMFA,gD;MANFA,uC;QAIW,kBA AU,gB;QAmFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApF6B,SAoFIB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QArFhB,OAuFO,W;MATFX,C;KALA,C;sFAOA,yB;MAAA,+D;MAuFA,gD;MAvFA,uC;QAI W,kBAAU,gB;QAUFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAXF6B,SAwFIB,CAAU,OAAV,C;UACC,OAAZ ,WAA,Y,EAAO,IAAP,C;;QAZfHb,OA2FO,W;MA1FX,C;KALA,C;sFAOA,yB;MAAA,+D;MA2FA,gD;MA3FA,u C;QAIW,kBAAU,gB;QA2FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5F6B,SA4FIB,CAAU,OAAV,C;UACC, OAAZ,WAA,Y,EAAO,IAAP,C;;QA7FhB,OA+FO,W;MA9FX,C;KALA,C;sFAOA,yB;MAAA,+D;MA+FA,oC;M AAA,gD;MAAA,gC;MA/FA,uC;QAIW,kBAAU,gB;QA+FD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAhG6B, SAgGIB,CAAU,oBAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAJghB,OAmGO,W;MAIGX,C;KALA,C;uF AOA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAA W,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;M AAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,O AAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,gD;M AAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UA CC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q AIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ, WAA,Y,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QA AhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBA AgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP, C;;QAEhB,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAh B,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB, OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAA gB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB,OAAO,W; MACX,C;KATA,C;0FAWA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAh hB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP, C;;QAEhB,OAAO,W;MACX,C;KATA,C;oFAWA,yB;MAAA,wE;MAiOA,+D;MAjOA,yC;QASW,kBAAU,oB;Q AiOD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAIoID,WakOvC,CAAY,OAAZ,C;UI78OP,U;UADP,YJ+8Oe,WI/ 8OH,WJ+8OwB,GI/8OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ68OuC,gB;YAA5B,WI58OX,aJ48OgC,GI58OhC,EA AS,MAAT,C;YACA,e;;;YAEA,c;;UJy8OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApOT,OAsOO,W;MArOX,C;KA VA,C;sFAYA,yB;MAAA,wE;MAsoA,+D;MATOA,yC;QASW,kBAAU,oB;QAsOD,Q;QAAhB,iD;UAAgB,cAAh B,e;UACI,UAvOoD,WauO1C,CAAY,OAAZ,C;UI99OP,U;UADP,YJg+Oe,WIh+OH,WJg+OwB,GIh+OxB,C;UA CL,IAAI,aAAJ,C;YACH,aJ89OuC,gB;YAA5B,WI79OX,aJ69OgC,GI79OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c; ;UJ09OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAZOT,OA2OO,W;MA1OX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA 2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5OqD,WA4O3C,C AAY,OAAZ,C;UI/+OP,U;UADP,YJi/Oe,WIj/OH,WJi/OwB,GIj/OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ++OuC,gB; YAA5B,WI9+OX,aJ8+OgC,GI9+OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2+OA,iB;UACA,IAAK,WAAI,OA AJ,C;;QA9OT,OAgPO,W;MA/OX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAGPA,+D;MAhPA,yC;QASW,kBAAU,o B;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAJpMD,WAIpZC,CAAY,OAAZ,C;UIhgPP,U;UADP,YJkgPe, WIlgPH,WJkgPwB,GIlgPxB,C;UACL,IAAI,aAAJ,C;YACH,aJggPuC,gB;YAA5B,WI//OX,aJ+/OgC,GI//OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4/OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnPT,OaqPO,W;MApPX,C;KAVA, C;sFAYA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAAhB,iD;UAAgB,cAAhB,e;U ACI,UAtPoD,WAsPIC,CAAY,OAAZ,C;UIjhPP,U;UADP,YJmhPe,WIhPH,WJmhPwB,GIhPxB,C;UACL,IAAI, aAAJ,C;YACH,aJihPuC,gB;YAA5B,WIhhPX,aJghPgC,GIhhPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6gPA,iB

;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;MAzPX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA
1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;
UlliPP,U;UADP,YJoiPe,WIpiPH,WJoiPwB,GIpiPxB,C;UACL,IAAI,aAAJ,C;YACH,aJkiPuC,gB;YAA5B,WIjipX,
aJiiPgC,GIjiPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ8hPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO
,W;MA9PX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAaHb,i
D;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UInjPP,U;UADP,YJqjPe,WIriPH,WJqjPwB,GIrj
PxB,C;UACL,IAAI,aAAJ,C;YACH,aJmjPuC,gB;YAA5B,WIijPX,aJkjPgC,GIIjPhC,EAAS,MAAT,C;YACA,e;;;Y
AEA,c;;UJ+iPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO,W;MAnQX,C;KAVA,C;sFAYA,yB;MAAA,w
E;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ
7C,CAAY,OAAZ,C;UIpkPP,U;UADP,YJskPe,WItkPH,WJskPwB,GItkPxB,C;UACL,IAAI,aAAJ,C;YACH,aJokPu
C,gB;YAA5B,WInkPX,aJmkPgC,GInkPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJgkPA,iB;UACA,IAAK,WAAI
,OAAJ,C;;QAvQT,OAYQO,W;MAxQX,C;KAVA,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;
MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAaHb,iD;UAAgB,cAAhB,0B;UACI,UA1QoD,WA0Q1C,CAAY,oB
AAZ,C;UIrlPP,U;UADP,YJulPe,WIvlPH,WJulPwB,GIvlPxB,C;UACL,IAAI,aAAJ,C;YACH,aJqlPuC,gB;YAA5B,
WIplPX,aJolPgC,GIplPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJilPA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5Q
T,OA8QO,W;MA7QX,C;KAVA,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD
,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UIvmPP,U;UADP,YJymPe,WIzmPH
,WJymPwB,GIzmPxB,C;UACL,IAAI,aAAJ,C;YACH,aJumPuC,gB;YAA5B,WItmPX,aJsmPgC,GItmPhC,EAAS,
MAAT,C;YACA,e;;;YAEA,c;;UJmmPA,iB;UACA,IAAK,WAJRyD,cAiRrD,CAAe,OAAf,CAAJ,C;;QAJRT,OAm
RO,W;MAIRX,C;KAXA,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAnRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QA
AhB,iD;UAAgB,cAAhB,e;UACI,UApRiD,WAoRvC,CAAY,OAAZ,C;UIznPP,U;UADP,YJ2nPe,WI3nPH,WJ2nP
wB,GI3nPxB,C;UACL,IAAI,aAAJ,C;YACH,aJynPuC,gB;YAA5B,WIxnPX,aJwnPgC,GIxnPhC,EAAS,MAAT,C;
YACA,e;;;YAEA,c;;UJqnPA,iB;UACA,IAAK,WATryD,cAsRrD,CAAe,OAAf,CAAJ,C;;QATRT,OAwRO,W;MAV
RX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAaHb,iD;UA
AgB,cAAhB,e;UACI,UAzRiD,WAYRvC,CAAY,OAAZ,C;UI3oPP,U;UADP,YJ6oPe,WI7oPH,WJ6oPwB,GI7oP
B,C;UACL,IAAI,aAAJ,C;YACH,aJ2oPuC,gB;YAA5B,WI1oPX,aJ0oPgC,GI1oPhC,EAAS,MAAT,C;YACA,e;;;Y
AEA,c;;UJuoPA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAAf,CAAJ,C;;QA3RT,OA6RO,W;MA5RX,C;KAX
A,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAaHb,iD;UAAgB,cAAhB,
e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UI7pPP,U;UADP,YJ+pPe,WI/pPH,WJ+pPwB,GI/pPxB,C;UACL,IA
AI,aAAJ,C;YACH,aJ6pPuC,gB;YAA5B,WI5pPX,aJ4pPgC,GI5pPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJyp
A,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,OAKSO,W;MAjSX,C;KAXA,C;uFAaA,yB;
MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAnSiD
,WAmSvC,CAAY,OAAZ,C;UI/qPP,U;UADP,YJirPe,WIjrPH,WJirPwB,GIjrPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ
+qPuC,gB;YAA5B,WI9qPX,aJ8qPgC,GI9qPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2qPA,iB;UACA,IAAK,W
ArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;MATsX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAuSA,+
D;MAvSA,yD;QAUW,kBAAU,oB;QAUd,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAwSvC,CAAY,O
AAZ,C;UIjsPP,U;UADP,YJmsPe,WInsPH,WJmsPwB,GInsPxB,C;UACL,IAAI,aAAJ,C;YACH,aJisPuC,gB;YAA5
B,WIhsPX,aJgsPgC,GIhsPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6rPA,iB;UACA,IAAK,WA1SyD,cA0SrD,C
AAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;MA3SX,C;KAXA,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;Q
AUW,kBAAU,oB;QA4SD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UIntPP,U;
UADP,YJqtPe,WIrtPH,WJqtPwB,GIrtPxB,C;UACL,IAAI,aAAJ,C;YACH,aJmtPuC,gB;YAA5B,WIltPX,aJktPgC,
GIltPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+sPA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;
QA/ST,OAIto,W;MAhTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAiT
D,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAITiD,WAKTvC,CAAY,OAAZ,C;UIruPP,U;UADP,YJuuPe,WIvuPH,
WJuuPwB,GIvuPxB,C;UACL,IAAI,aAAJ,C;YACH,aJquPuC,gB;YAA5B,WIpuPX,aJouPgC,GIpuPhC,EAAS,MA
AT,C;YACA,e;;;YAEA,c;;UJiuPA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W
;MArTX,C;KAXA,C;uFAaA,yB;MAAA,wE;MASTa,oC;MAAA,+D;MAAA,gC;MATTA,yD;QAUW,kBAAU,oB;
QAsTD,Q;QAaHb,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAuTvC,CAAY,oBAAZ,C;UIvvPP,U;UADP,YJyvPe,

WlZvPH,WJyvPwB,GIzvPxB,C;UACL,IAAI,aAAJ,C;YACH,aJuvPuC,gB;YAA5B,WlTvPX,aJsvPgC,GIvPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmvPA,iB;UACA,IAAK,WAZTyD,cAyTrD,CAAE,oBAAf,CAAJ,C;;QAZTT,OA2TO,W;MA1TX,C;KAXA,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UI78OP,U;UADP,YJ+8Oe,WI/8OH,WJ+8OwB,GI/8OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ68OuC,gB;YAA5B,WI58OX,aJ48OgC,GI58OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJy8OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UI99OP,U;UADP,YJg+Oe,WIh+OH,WJg+OwB,GIh+OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ89OuC,gB;YAA5B,WI79OX,aJ69OgC,GI79OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ09OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UI/+OP,U;UADP,YJi/Oe,WJi/OwB,GIj/OxB,C;UACL,IAAI,aAAJ,C;YACH,aJ++OuC,gB;YAA5B,WI9+OX,aJ8+OgC,GI9+OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2+OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UIhgPP,U;UADP,YJkgPe,WIlgPH,WJkgPwB,GIlgPxB,C;UACL,IAAI,aAAJ,C;YACH,aJggPuC,gB;YAA5B,WI//OX,aJ+/OgC,GI//OhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ4/OA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UIjhPP,U;UADP,YJmhPe,WIhhPH,WJmhPwB,GIhhPxB,C;UACL,IAAI,aAAJ,C;YACH,aJihPuC,gB;YAA5B,WIhhPX,aJghPgC,GIhhPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ6gPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UIliPP,U;UADP,YJoiPe,WIpiPH,WJoiPwB,GIpiPxB,C;UACL,IAAI,aAAJ,C;YACH,aJkiPuC,gB;YAA5B,WIjiPX,aJiiPgC,GIjiPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ8hPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UIrjPP,U;UADP,YJqjPe,WIrlPH,WJrjPwB,GIrjPxB,C;UACL,IAAI,aAAJ,C;YACH,aJmjPuC,gB;YAA5B,WIjPX,aJkjPgC,GIjPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+iPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UIpkPP,U;UADP,YJskPe,WItkPH,WJskPwB,GItpkPxB,C;UACL,IAAI,aAAJ,C;YACH,aJokPuC,gB;YAA5B,WInkPX,aJmkPgC,GIkPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJgkPA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAhB,UAAgB,SAaHb,O;UACI,UAAU,YAAY,oBAAZ,C;UIrPP,U;UADP,YJulPe,WIvlPH,WJulPwB,GIvlpXB,C;UACL,IAAI,aAAJ,C;YACH,aJqlPuC,gB;YAA5B,WIplPX,aJolPgC,GIplPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJilPA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UIvmPP,U;UADP,YJymPe,WIzmPH,WJymPwB,GIzmPxB,C;UACL,IAAI,aAAJ,C;YACH,aJumPuC,gB;YAA5B,WItmPX,aJsmPgC,GItmPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJmmPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UIznPP,U;UADP,YJ2nPe,WI3nPH,WJ2nPwB,GI3nPxB,C;UACL,IAAI,aAAJ,C;YACH,aJynPuC,gB;YAA5B,WIxnPX,aJwnPgC,GIxnPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJqnPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UI3oPP,U;UADP,YJ6oPe,WI7oPH,WJ6oPwB,GI7oPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ2oPuC,gB;YAA5B,WI1oPX,aJ0oPgC,GI1oPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJuoPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UI7pPP,U;UADP,YJ+pPe,WI/pPH,WJ+pPwB,GI/pPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ6pPuC,gB;YAA5B,WI5pPX,aJ4pPgC,GI5pPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJypPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA

,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UI/qPP,U;UADP,YJirPe,WJjrPH,WJirPwB,GJjrPxB,C;UACL,IAAI,aAAJ,C;YACH,aJ+qPuC,gB;YA A5B,WI9qPX,aJ8qPgC,GI9qPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ2qPA,iB;UACA,IAAK,WAAI,eAAe,O AAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wB AAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UIjsPP,U;UADP,YJmsPe,WInsPH, WJmsPwB,GInsPxB,C;UACL,IAAI,aAAJ,C;YACH,aJisPuC,gB;YAA5B,WIhsPX,aJgsPgC,GIhsPhC,EAAS,MAA T,C;YACA,e;;;YAEA,c;;UJ6rPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAh BA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U ACI,UAAU,YAAAY,OAAZ,C;UIIntPP,U;UADP,YJqtPe,WIrtPH,WJqtPwB,GIrtPxB,C;UACL,IAAI,aAAJ,C;YACH, aJmtPuC,gB;YAA5B,WIltPX,aJktPgC,GIltPhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJ+sPA,iB;UACA,IAAK,W AAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q; QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UIruPP,U;UADP,YJuuP e,WIvuPH,WJuuPwB,GIvuPxB,C;UACL,IAAI,aAAJ,C;YACH,aJquPuC,gB;YAA5B,WIpuPX,aJouPgC,GIpuPhC, EAAS,MAAT,C;YACA,e;;;YAEA,c;;UJiuPA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;M ACX,C;KAhBA,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SA A hB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAAY,oBAAZ,C;UIvvPP,U;UADP,YJyvPe,WIzvPH,W JyvPwB,GIzvPxB,C;UACL,IAAI,aAAJ,C;YACH,aJuvPuC,gB;YAA5B,WItvPX,aJsvPgC,GIvPhC,EAAS,MAAT, C;YACA,e;;;YAEA,c;;UJmvPA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAh BA,C;0FAkBA,yB;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASqD,OAAgB,qBAAhB ,oBAAgB,C;MAAhB,C;MATrD,oE;QAU4C,gCAAY,OAAZ,C;MAAA,C;MAV5C,gF;MAAA,yC;QAQI,2D;MAIJ ,C;KAZA,C;4EAca,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6TA,Q;QAAb,iD;UAAa,WA Ab,e;UACI,WAAAY,WA9TiB,SA8Tb,CAAU,IAAV,CAAJ,C;;QA9ThB,OA+TO,W;MA9TX,C;KANA,C;8EAQA,y B;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA+TA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAAY, WAhUiB,SAgUb,CAAU,IAAV,CAAJ,C;;QAhUhB,OAIUO,W;MAhUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAA A,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAIUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAAY,WAIUiB,SAkUb,CA AU,IAAV,CAAJ,C;;QAIUhB,OAmUO,W;MAIUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAA M,eAAa,gBAAb,C;QAmUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAAY,WApUiB,SAoUb,CAAU,IAAV,CAAJ,C ;QApUhB,OAqUO,W;MApUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C; QAqUA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAAY,WAtUiB,SAsUb,CAAU,IAAV,CAAJ,C;;QAtUhB,OAuUO, W;MAtUX,C;KANA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAUUA,Q;QAAb,i D;UAAa,WAAb,e;UACI,WAAAY,WAXUiB,SAwUb,CAAU,IAAV,CAAJ,C;;QAXUhB,OAYUO,W;MAXUX,C;KA NA,C;8EAQA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAYUA,Q;QAAb,iD;UAAa,WAAb,e; UACI,WAAAY,WA1UiB,SA0Ub,CAAU,IAAV,CAAJ,C;;QA1UhB,OA2UO,W;MA1UX,C;KANA,C;8EAQA,yB; MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA2UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAAY,WA 5UiB,SA4Ub,CAAU,IAAV,CAAJ,C;;QA5UhB,OA6UO,W;MA5UX,C;KANA,C;8EAQA,yB;MAAA,gE;MA6UA, oC;MAAA,gC;MA7UA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,0B;UACI,WA AY,WA9UiB,SA8Ub,CAAU,iBAAV,CAAJ,C;;QA9UhB,OA+UO,W;MA9UX,C;KANA,C;0FAQA,yB;MAAA,gE ;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAgHP,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAA Y,WAjHwB,SAiHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAJHhB,OAkHO,W;MAjHX,C;K ARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAmHP,gB;QADb,YAAAY,C;QACZ,i D;UAAa,WAAb,e;UACI,WAAAY,WApHwB,SAoHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;Q ApHhB,OAqHO,W;MApHX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAs HP,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAAY,WAvHwB,SAuHpB,EAAU,cAAV,EAAU,sBA AV,WAAmB,IAAnB,CAAJ,C;;QAvHhB,OAwHO,W;MAvHX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QA OW,kBAaA,eAAa,gBAAb,C;QAYHP,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAAY,WA1HwB,S A0HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1HhB,OA2HO,W;MA1HX,C;KARA,C;4FA UA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAAY,C;QACZ,iD;UAAa,W AAb,e;UACI,WAAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7HhB,OA

8HO,W;MA7HX,C;KARA,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+HP,gB;QA
Db,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,WAhIwB,SAGIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,
IAAnB,CAAJ,C;;QAhIhB,OAIIO,W;MAhIX,C;KARA,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAA
a,gBAAb,C;QAKIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,WAnIwB,SAmIpB,EAAU,cAA
V,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;MAnIX,C;KARA,C;4FAUA,yB;MAAA,gE;MA
AA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,W
AtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;MAiIX,C;KARA,C;4
FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwIP,gB;QADb,YA
AY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAy,WazIwB,SayIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBA
AnB,CAAJ,C;;QAzIhB,OAoIO,W;MAzIX,C;KARA,C;wGAUA,yB;MAAA,+D;MAUA,sC;MAAA,6B;MAAA,iC
AOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;Q
AAA,C;OAAA,C;MAjBnB,uC;QAOW,kBAAoB,gB;QA21Dd,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj
1DmC,U;UAAA,cAVQ,SAUR,Eai1DT,cAj1DS,Eai1DT,sBAj1DS,Wai1DA,IAj1DA,W;YAA6C,6B;;;QAVhF,O
AWO,W;MAVX,C;KARA,C;4GAUA,yB;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YA
AA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MAPnB,oD;QAw1
DiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAj1DmC,U;UAAA,yBAi1DT,cAj1DS,Eai1DT,sBAj1DS,W
Ai1DA,IAj1DA,W;YAA6C,6B;;;QChF,OAAO,W;MACX,C;KATA,C;;MAMBiB,UACiB,M;MAF9B,YAAY,C;
MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB
,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;Q
AAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,
OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA
CI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUi
B,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WAAU,
cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAA
Y,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WA
AmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,
gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MA
ChB,OAAO,W;IACX,C;;MAUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M
;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;;M
AUiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WA
AU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;gAEA,yB;MAAA,oC;MAAA
,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UA
CI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QChB,OAAO,W;MACX,C;KAX
A,C;0FAaA,yB;MAAA,+D;MAQA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAA
V,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAbZ,uC;QAKW,kBAAa,gB;QAipDJ,Q;QAaHb,iD;
UAAgB,cAAhB,e;UAzoDqB,U;UAAA,cARe,SAQf,CAyoDQ,OAzoDR,W;YAAc,6B;;;QAR3D,OASO,W;MAR
X,C;KANA,C;8FAQA,yB;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAA
V,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MALZ,oD;QA8oDoB,Q;QAaHb,iD;UAAgB,cAAhB,
e;UAzoDqB,U;UAAA,wBAyoDQ,OAzoDR,W;YAAc,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MAciB,Q;M
AAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W
;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAA
J,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,W
AAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SA
Ab,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SA
Ab,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,
Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAA
O,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,
CAAJ,C;;MACHB,OAAO,W;IACX,C;;MAOiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAA

Y, WAAI, UAAU, IAAV, CAAJ, C;; MACHB, OAAO, W; IACX, C; kFAEA, yB; MAAA, oC; MAAA, gC; MAAA, oD; QAK
iB, Q; QAAb, wBAAa, SAAb, gB; UAAa, WAAb, UAAa, SAAb, O; UACI, WAAY, WAAI, UAAU, iBAAV, CAAJ, C;; QA
ChB, OAAO, W; MACX, C; KARA, C;; MAc4B, mB; QAAE, 2C; MAAF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 2BAAj
B, C; IACX, C;; MAM4B, mB; QAAE, +C; MAAF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 6BAAjB, C; IACX, C;; MAM4
B, mB; QAAE, gD; MAAF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 6BAAjB, C; IACX, C;; MAM4B, mB; QAAE, 8C; MA
AF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 6BAAjB, C; IACX, C;; MAM4B, mB; QAAE, +C; MAAF, C; IAAA, C;; MAA
xB, OAAO, qBAAiB, 6BAAjB, C; IACX, C;; MAM4B, mB; QAAE, gD; MAAF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 6
BAAjB, C; IACX, C;; MAM4B, mB; QAAE, iD; MAAF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 6BAAjB, C; IACX, C;; M
AM4B, mB; QAAE, kD; MAAF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 6BAAjB, C; IACX, C;; MAM4B, mB; QAAE, +C
; MAAF, C; IAAA, C;; MAAxB, OAAO, qBAAiB, 6BAAjB, C; IACX, C;; MAQI, OAA2B, SAAf, aAAL, SAAK, CAaE, C; I
AC/B, C;; MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC/B, C;; MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC
/B, C;; MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC/B, C;; MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC/B,
C;; MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC/B, C;; MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC/B, C;;
MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC/B, C;; MAQI, OAA2B, SAAf, eAAL, SAAK, CAaE, C; IAC/B, C; 0F
AEA, yB; MAAA, 2D; MAAA, +D; MAAA, sC; QASc, Q; QAFV, UAAU, c; QACV, WAAW, gB; QACX, wBAAU, SAAV,
gB; UAAU, QAAA, SAAV, M; UACI, UAAU, SAAS, CAAT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAAR, C; YACI, IA
AK, WAAI, CAAJ, C;; QAEb, OAAO, I; MACX, C; KAfA, C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA, sC; QASc, Q;
QAFV, UAAU, c; QACV, WAAW, gB; QACX, wBAAU, SAAV, gB; UAAU, QAAA, SAAV, M; UACI, UAAU, SAAS, CA
AT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAAR, C; YACI, IAAK, WAAI, CAAJ, C;; QAEb, OAAO, I; MACX, C; KAfA,
C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA, sC; QASc, Q; QAFV, UAAU, c; QACV, WAAW, gB; QACX, wBAAU, S
AAV, gB; UAAU, QAAA, SAAV, M; UACI, UAAU, SAAS, CAAT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAAR, C; YA
CI, IAAK, WAAI, CAAJ, C;; QAEb, OAAO, I; MACX, C; KAfA, C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA, sC; QA
Sc, Q; QAFV, UAAU, c; QACV, WAAW, gB; QACX, wBAAU, SAAV, gB; UAAU, QAAA, SAAV, M; UACI, UAAU, SAA
S, CAAT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAAR, C; YACI, IAAK, WAAI, CAAJ, C;; QAEb, OAAO, I; MACX, C; K
AfA, C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA, sC; QASc, Q; QAFV, UAAU, c; QACV, WAAW, gB; QACX, wBA
AU, SAAV, gB; UAAU, QAAA, SAAV, M; UACI, UAAU, SAAS, CAAT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAAR, C
; YACI, IAAK, WAAI, CAAJ, C;; QAEb, OAAO, I; MACX, C; KAfA, C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA, sC;
QASc, Q; QAFV, UAAU, c; QACV, WAAW, gB; QACX, wBAAU, SAAV, gB; UAAU, QAAA, SAAV, M; UACI, UAAU, S
AAS, CAAT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAAR, C; YACI, IAAK, WAAI, CAAJ, C;; QAEb, OAAO, I; MACX,
C; KAfA, C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA, sC; QASc, Q; QAFV, UAAU, c; QACV, WAAW, gB; QACX, w
BAAU, SAAV, gB; UAAU, QAAA, SAAV, M; UACI, UAAU, SAAS, CAAT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAA
R, C; YACI, IAAK, WAAI, CAAJ, C;; QAEb, OAAO, I; MACX, C; KAfA, C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA
, sC; QASc, Q; QAFV, UAAU, c; QACV, WAAW, gB; QACX, wBAAU, SAAV, gB; UAAU, QAAA, SAAV, M; UACI, UA
AU, SAAS, CAAT, C; UACV, IAAI, GAAI, WAAI, GAAJ, CAAR, C; YACI, IAAK, WAAI, CAAJ, C;; QAEb, OAAO, I; M
ACX, C; KAfA, C; 4FAiBA, yB; MAAA, 2D; MAAA, +D; MAAA, oC; MAAA, gC; MAAA, sC; QASc, Q; QAFV, UAAU, c;
QACV, WAAW, gB; QACX, wBAAU, SAAV, gB; UAAU, QAAV, UAAU, SAAV, O; UACI, UAAU, SAAS, cAAT, C; UA
CV, IAAI, GAAI, WAAI, GAAJ, CAAR, C; YACI, IAAK, WAAI, cAAJ, C;; QAEb, OAAO, I; MACX, C; KAfA, C;; MAuBI,
UAAe, aAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SA
AK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YA
AJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU,
KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ,
OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX,
C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, e
AAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SAAK, C; M
ACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, aAAL, SAAK, C; MACX, YAAJ, GAA
I, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C
; MACJ, OAAO, G; IACX, C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G;
IACX, C;; MAQI, UAAe, eAAL, SAAK, C; MACX, YAAJ, GAAI, EAAU, KAAV, C; MACJ, OAAO, G; IACX, C;; MAQI,

UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SA
AK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YA
AJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,
KAAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,
OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAiB,YAA Y,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QAA
a,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAo
B,YAA Y,gBAAZ,CAApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;
MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAqB,YAA Y,gBAAZ,CAArB,C;MACV,wBAAa,SAAb
,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAA
U,qBAAMb,YAA Y,gBAAZ,CAAnB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAA
I,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAoB,YAA Y,gBAAZ,CAApB,C;MACV,wB
AAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;M
ADb,UAAU,qBAAqB,YAA Y,gBAAZ,CAArB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GA
AL,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAsB,YAA Y,gBAAZ,CAAtB,C;MA
CV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MAS
iB,Q;MADb,UAAU,qBAAuB,YAA Y,gBAAZ,CAAvB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA
AMb,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;IACX,C;;MASiB,Q;MADb,UAAU,qBAAoB,YAA Y,gBAAZ,CA
ApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAMb,GAAL,WAAI,iBAAJ,C;;MACvB,OAA
O,G;IACX,C;;MAUI,UAAe,aAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;;MA
UI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;;MAUI,UAAe,eAAL,S
AAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,O
AAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO
,KAAP,C;MACJ,OAAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,
OAAO,G;IACX,C;;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C
;;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;;MAUI,UAAe,eA
AL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SA
AhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OA
AO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU
,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAG
B,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;
MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,
C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAh
B,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MA
AhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OA
AO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,I
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAG
B,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACt
D,OAAO,I;IACX,C;8EAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAGB,wBAAGB,SAAhB,gB;UA
AGB,cAAhB,UAGB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAA
O,I;MACX,C;KARA,C;;MAGBI,OAAO,EAvgHA,qBAAQ,CAugHR,C;IACX,C;;MAQI,OAAO,EAxgHA,qBAAQ,
CAwgHR,C;IACX,C;;MAQI,OAAO,EAzgHA,qBAAQ,CaygHR,C;IACX,C;;MAQI,OAAO,EA1gHA,qBAAQ,CA
0gHR,C;IACX,C;;MAQI,OAAO,EA3gHA,qBAAQ,CA2gHR,C;IACX,C;;MAQI,OAAO,EA5gHA,qBAAQ,CA4g
HR,C;IACX,C;;MAQI,OAAO,EA7gHA,qBAAQ,CA6gHR,C;IACX,C;;MAQI,OAAO,EA9gHA,qBAAQ,CA8gHR,
C;IACX,C;;MAQI,OAAO,EA/gHA,qBAAQ,CA+gHR,C;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QA
AGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MA
QoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,
OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAA
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAQoB,Q;MAAhB,wBAAGB,S

CtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAIkJO,qBAAQ,CAkKJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA5kJO,qBAAQ,CA4kJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAIkJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAhmJO,qBAAQ,CAgmJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAImJO,qBAAQ,CA0mJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IApJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAxoJO,qBAAQ,CAwoJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;MAwBiB,Q;MAFb,IAItJO,qBAAQ,CA0tJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA/tJO,qBAAQ,CA+tJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IApuJO,qBAAQ,CAouJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9uJO,qBAAQ,CA8uJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAzvJO,qBAAQ,CAwvJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7vJO,qBAAQ,CA6vJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CA

AL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,O
AAO,G;IACX,C;;MAQiB,Q;MAFb,IAIwJO,qBAAQ,CAkwJf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;
MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cA
Ab,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAYiB,Q;MAHb,IAI1JO,qBAAQ,
CAk1Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,
G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UA
Ae,OAAO,C;QAcTb,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAYiB,Q;MAHb,IA
p2JO,qBAAQ,CAo2Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;Q
AAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,
CAAN,C;UAAe,OAAO,C;QAcTb,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB
,Q;MAFb,IAAn3JO,qBAAQ,CAm3Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,
CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAA
O,G;IACX,C;;MAQiB,Q;MAFb,IAx3JO,qBAAQ,CAw3Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MA
CG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;
MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA73JO,qBAAQ,CA63Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK
,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UA
Aa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAI4JO,qBAAQ,CAk4Jf,C;QAAe,OAAO,I;MAcTb,
UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,
CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAv4JO,qBAAQ,CAu4Jf,C;QAAe,OA
AO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,
IAAI,oBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,IA94JO,qBAAQ
,CA84Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO
,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UA
Ae,OAAO,C;QAcTb,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWiB,Q;MAHb,I
Av5JO,qBAAQ,CAu5Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;
QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE
,CAAN,C;UAAe,OAAO,C;QAcTb,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQi
B,Q;MAFb,IAt5JO,qBAAQ,CAs5Jf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,
CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IA
CX,C;gFAEA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA+JO,qBAAQ,CAm+Jf,C;UAAe,OAAO,I;QAcTb,c
AAc,UAAK,CAAL,C;QAcD,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CA
AL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;
QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA7+JO,qBAAQ,C
A6+Jf,C;UAAe,OAAO,I;QAcTb,cAAc,UAAK,CAAL,C;QAcD,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,C
AAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;Y
ACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;Q
AOiB,Q;QAHb,IAv/JO,qBAAQ,CAu/Jf,C;UAAe,OAAO,I;QAcTb,cAAc,UAAK,CAAL,C;QAcD,eAAe,SAAS,OA
AT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,I
AAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAk
BA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAjgKO,qBAAQ,CAigKf,C;UAAe,OAAO,I;QAcTb,cAAc,UAAK
,CAAL,C;QAcD,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OA
AO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA3gKO,qBAAQ,CA2gKf,C;U
AAe,OAAO,I;QAcTb,cAAc,UAAK,CAAL,C;QAcD,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U
ACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU
,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFAkBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QA
Hb,IArhKO,qBAAQ,CAqhKf,C;UAAe,OAAO,I;QAcTb,cAAc,UAAK,CAAL,C;QAcD,eAAe,SAAS,OAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA

AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFakBA,yB;M
AAA,8D;MAAA,sC;QAOiB,Q;QAHb,IA/hKO,qBAAQ,CA+hKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,
C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,
SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;M
ACX,C;KAhBA,C;kFakBA,yB;MAAA,8D;MAAA,sC;QAOiB,Q;QAHb,IAziKO,qBAAQ,CAYiKf,C;UAAe,OAA
O,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,OAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAA
Q,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV
,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;kFakBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAOiB,Q;Q
AHb,IANjKO,qBAAQ,CAmjKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;
QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2B
AAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;;MAwBiB,Q;
MAFb,IAroKO,qBAAQ,CAqoKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,C
AAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC
,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAIoKO,qBAAQ,CAoKf,C;QAAe,OAAO,
I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAA
I,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;
MAQiB,Q;MAFb,IA/oKO,qBAAQ,CA+oKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAA
b,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA
6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IApKO,qBAAQ,CAopKf,C;QA
Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;
QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,
G;IACX,C;;MAQiB,Q;MAFb,IAzpKO,qBAAQ,CAypKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MA
CG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,
CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA9pKO,qBAAQ,C
A8pKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UA
AK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;M
AE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IANqKO,qBAAQ,CAmqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK
,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,
EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IAxqK
O,qBAAQ,CAwqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QAC
I,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,M
AAM,C;;MAE9C,OAAO,G;IACX,C;;MAQiB,Q;MAFb,IA7qKO,qBAAQ,CA6qKf,C;QAAe,OAAO,I;MACtB,UA
AU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SA
AQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,OA5
vKO,qBAAQ,C;IA6vKnB,C;;MAQI,OA7vKO,qBAAQ,C;IA8vKnB,C;;MAQI,OA9vKO,qBAAQ,C;IA+vKnB,C;;
MAQI,OA/vKO,qBAAQ,C;IAgwKnB,C;;MAQI,OAhwKO,qBAAQ,C;IAiwKnB,C;;MAQI,OAjwKO,qBAAQ,C;I
AkwKnB,C;;MAQI,OAlwKO,qBAAQ,C;IAmwKnB,C;;MAQI,OAnwKO,qBAAQ,C;IAowKnB,C;;MAQI,OApwK
O,qBAAQ,C;IAqwKnB,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,U
AAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;
MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAA
wB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q
AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAA
O,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,
CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MAQoB,Q;M
AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;

;MACrD,OAAO,I;IACX,C;iFAEA,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,g
B;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO
,I;MACX,C;KARA,C;kFAUA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAr6KO,qBAAQ,CAq6Kf
,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;U
ACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;
MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IA16KO,qBAAQ,CA06Kf,C;UACI,MAAM,mCAA8B,+BA
A9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAA
uB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC
;QAOqB,Q;QAHjB,IA/6KO,qBAAQ,CA+6Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,C
AAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QA
EIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAp7KO,qB
AAQ,CAo7Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBA
Ac,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA
,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAz7KO,qBAAQ,CAy7Kf,C;UACI,MAAM,
mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAA
U,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAA
A,8D;MAAA,uC;QAOqB,Q;QAHjB,IA97KO,qBAAQ,CA87Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,k
BAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAA
L,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QA
HjB,IAN8KO,qBAAQ,CAm8Kf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD
,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;
MACX,C;KAXA,C;oFAaA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAOqB,Q;QAHjB,IAx8KO,qBAAQ,CAw8Kf,
C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;U
ACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;oFAaA,yB;
MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAOqB,Q;QAHjB,IA78KO,qBAAQ,CA68Kf,C;UACI,
MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cA
Ac,oBAAU,wBAAV,EAAuB,sBAkK,KAAL,EAAvB,E;;QAEIB,OAAO,W;MACX,C;KAXA,C;gGAaA,yB;MAA
A,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7hLO,qBAAQ,CA6hLf,C;UACI,MAAM,mCAA8B,+BAA9B,C
;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAA
jB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;
MAAA,uC;QAUqB,Q;QAHjB,IAriLO,qBAAQ,CAqiLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,
UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAA
K,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAU
qB,Q;QAHjB,IA7iLO,qBAAQ,CA6iLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;
QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B
,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArj
LO,qBAAQ,CAqjLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAj
B,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAA
O,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7jLO,qBAAQ,CA
6jLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,
yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;K
AdA,C;kGAgBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArkLO,qBAAQ,CAqkLf,C;UACI,MA
AM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,U
AAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,
yB;MAAA,4F;MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IA7kLO,qBAAQ,CA6kLf,C;UACI,MAAM,mCAA8B,+
BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,E
AAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;MACX,C;KAdA,C;kGAgBA,yB;MAAA,4F;
MAAA,8D;MAAA,uC;QAUqB,Q;QAHjB,IArlLO,qBAAQ,CAqlLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QAC

FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,S
AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,
MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA
,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,
cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OA
AJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;M
AAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;
UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OA
AO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,
Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAA
U,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,
EAAY,MAAZ,C;MACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,
gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;
YACI,KAAM,WAAI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;M
ACX,C;KAhBA,C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YA
AY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oB
AAV,CAAJ,C;YACI,KAAM,WAAI,oBAAJ,C;;;YAEN,MAAO,WAAI,oBAAJ,C;;;QAGf,OAAO,cAAK,KAAL,E
AAY,MAAZ,C;MACX,C;KAhBA,C;IY9zXA,iB;;MZk7XI,WY56XO,MAAK,KZ46XK,gBY56XL,EZi1XD,KA2F
kB,OY56XjB,C;MZ66XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9Fq
B,GA8FP,UAAK,CAAL,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAgGO,I;IA/FX,
C;;MA0GI,WY57XO,MAAK,KZ47XK,gBY57XL,EZ21XD,KAiGkB,OY57XjB,C;MZ67XZ,WAAW,iBAAa,IAA
b,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CAPGO,EAAnB,KA
oGqB,CAAM,CAAN,CAPGF,CAoGrB,C;;MApGT,OAsGO,I;IArGX,C;;MAGHI,WY58XO,MAAK,KZ48XK,gBY
58XL,EZq2XD,KAuGkB,OY58XjB,C;MZ68XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,
M;QACI,IAAK,WA1GqB,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;
MA1GT,OA4GO,I;IA3GX,C;;MAshI,WY59XO,MAAK,KZ49XK,gBY59XL,EZ+2XD,KA6GkB,OY59XjB,C;MZ
69XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAgHP,UAAK,
CAAL,CAhHO,EAAnB,KAgHqB,CAAM,CAAN,CAhHF,CAGhrB,C;;MAhHT,OAKHO,I;IAjHX,C;;MA4HI,WY5
+XO,MAAK,KZ4+XK,gBY5+XL,EZy3XD,KAmHkB,OY5+XjB,C;MZ6+XZ,WAAW,iBAAa,IAAb,C;MACX,aA
AU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,C
AAN,CAtHF,CAsHrB,C;;MAtHT,OAwHO,I;IAvHX,C;;MAkII,WY5/XO,MAAK,KZ4/XK,gBY5/XL,EZm4XD,K
AyHkB,OY5/XjB,C;MZ6/XZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA
5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;I
A7HX,C;;MAwII,WY5gYO,MAAK,KZ4gYK,gBY5gYL,EZ64XD,KA+HkB,OY5gYjB,C;MZ6gYZ,WAAW,iBA
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GaKIP,UAAK,CAAL,CAlIO,EAAnB,
KAlIqB,CAAM,CAAN,CAlIF,CAkIrB,C;;MAlIT,OAoIO,I;IANIX,C;;MA8II,WY5hYO,MAAK,KZ4hYK,gBY5h
YL,EZu5XD,KAqIkB,OY5hYjB,C;MZ6hYZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;Q
ACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAXIO,EAAnB,KAwIqB,CAAM,CAAN,CAXIF,CAwIrB,C;;MAxIT,
OA0IO,I;IAzIX,C;;MAoJI,WY5iYO,MAAK,KZ4iYK,gBY5iYL,EZi6XD,KA2IkB,OY5iYjB,C;MZ6iYZ,WAAW,i
BAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EA
AnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgJO,I;IA/IX,C;8EAEA,yB;MAAA,gE;MY16XA,iB;M
Z06XA,8C;QAQI,WY56XO,MAAK,KZ46XK,gBY56XL,EZ46XW,KAAM,OY56XjB,C;QZ66XZ,WAAW,eAAa,
IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MA
AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MY17XA,iB;MZ07XA
,8C;QAQI,WY57XO,MAAK,KZ47XK,gBY57XL,EZ47XW,KAAM,OY57XjB,C;QZ67XZ,WAAW,eAAa,IAAb,C
;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CA
AN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY18XA,iB;MZ08XA,8C;QA
QI,WY58XO,MAAK,KZ48XK,gBY58XL,EZ48XW,KAAM,OY58XjB,C;QZ68XZ,WAAW,eAAa,IAAb,C;QACX

,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;8EAgBA,yB;MAAA,gE;MY19XA,iB;MZ09XA,8C;QAQI,WY59XO,MAAK,KZ49XK,gBY59XL,EZ49XW,KAAM,OY59XjB,C;QZ69XZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY1+XA,iB;MZ0+XA,8C;QAQI,WY5+XO,MAAK,KZ4+XK,gBY5+XL,EZ4+XW,KAAM,OY5+XjB,C;QZ6+XZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY1gYA,iB;MZ0gYA,8C;QAQI,WY5gYO,MAAK,KZ4gYK,gBY5gYL,EZ4gYW,KAAM,OY5gYjB,C;QZ6gYZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MY1hYA,iB;MZ0hYA,8C;QAQI,WY5hYO,MAAK,KZ4hYK,gBY5hYL,EZ4hYW,KAAM,OY5hYjB,C;QZ6hYZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MY1iYA,iB;MZ0iYA,8C;QAQI,WY5iYO,MAAK,KZ4iYK,gBY5iYL,EZ4iYW,KAAM,OY5iYjB,C;QZ6iYZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA AV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAqHoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBYvpYJ,MAAK,KZupYwB,wBA5FzB,KA4FyB,EA AwB,EA AxB,CYvpYxB,EZupYqD,SYvpYrD,CZupYD,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAGGP,UAAK,UAAAL,EA AK,kBAAL,SAhGO,EAGGI,OA hGJ,CAGGrB,C;;MAhGT,OakGO,I;IAjGX,C;;MA+GoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBYzqYJ,MAAK,KZyqYwB,wBApGzB,KAOgyB,EA AwB,EA AxB,CYzqYxB,EZyqYqD,SYzqYrD,CZyqYD,C;MACX,QAAQ,C;MACQ,OAtGL,KAsGK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAAL,EA AK,kBAAL,SAxGO,EA wGI,OA xGJ,CAwGrB,C;;MAxGT,OA0GO,I;IAzGX,C;;MAuHoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBY3rYJ,MAAK,KZ2rYwB,wBA5GzB,KA4GyB,EA AwB,EA AxB,CY3rYxB,EZ2rYqD,SY3rYrD,CZ2rYD,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAGHP,UAAK,UAAAL,EA AK,kBAAL,SAhHO,EAGHI,OA hHJ,CAGHrB,C;;MAhHT,OakHO,I;IAjHX,C;;MA+HoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBY7sYJ,MAAK,KZ6sYwB,wBApHzB,KAOHyB,EA AwB,EA AxB,CY7sYxB,EZ6sYqD,SY7sYrD,CZ6sYD,C;MACX,QAAQ,C;MACQ,OAtHL,KAsHK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAAL,EA AK,kBAAL,SAxHO,EA wHI,OA xHJ,CAwHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAuIoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBYtYJ,MAAK,KZ+tYwB,wBA5HzB,KA4HyB,EA AwB,EA AxB,CYtYxB,EZ+tYqD,SYtYrD,CZ+tYD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAGIP,UAAK,UAAAL,EA AK,kBAAL,SAhIO,EAGII,OA hIJ,CAGIrB,C;;MAhIT,OakIO,I;IAjIX,C;;MA+IoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBYjvYJ,MAAK,KZivYwB,wBApIzB,KAOIyB,EA AwB,EA AxB,CYjvYxB,EZivYqD,SYjvYrD,CZivYD,C;MACX,QAAQ,C;MACQ,OAtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAAL,EA AK,kBAAL,SAxIO,EA wII,OA xIJ,CAwIrB,C;;MAxIT,OA0IO,I;IAzIX,C;;MAuJoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBYnwYJ,MAAK,KZmwYwB,wBA5IzB,KA4IyB,EA AwB,EA AxB,CYnwYxB,EZmwYqD,SYnwYrD,CZmwYD,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAGJP,UAAK,UAAAL,EA AK,kBAAL,SAhJO,EAGJI,OA hJJ,CAGJrB,C;;MAhJT,OakJO,I;IAjJX,C;;MA+JoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBYrxYJ,MAAK,KZqxYwB,wBApJzB,KAOJyB,EA AwB,EA AxB,CYrxYxB,EZqxYqD,SYrxYrD,CZqxYD,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,U

AAL,EA AK,kBAAL,SAxJO,EAwJI,OA xJJ,CAwJrB,C;;MAxJT,OA0JO,I;IAzJX,C;;MAuKoB,gB;MAHhB,gBAA
gB,gB;MACHb,WAAW,iBYvyYJ,MAAK,KZuyYwB,wBA5JzB,KA4JyB,EA AwB,EA AxB,CYvyYxB,EZuyYqD,
SYvyYrD,CZuyYD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAC
Z,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAAL,EA AK,kBAAL,UAhKO,EA
gKI,OAhKJ,CAGkRb,C;;MAhKT,OAKKO,I;IAjKX,C;+EAEA,yB;MAAA,kF;MAAA,gE;MYppYA,iB;MZopYA,8
C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,eYvpYJ,MAAK,KZupYwB,wBAAN,KAAM,EA Aw
B,EA AxB,CYvpYxB,EZupYqD,SYvpYrD,CZupYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;U
AAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EA AK,kBAAL,S
AAV,EA AqB,OA ArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MYtqY
A,iB;MZsqYA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,eYzqYJ,MAAK,KZyqYwB,wBAA
N,KAAM,EA AwB,EA AxB,CYzqYxB,EZyqYqD,SYzqYrD,CZyqYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OA
AgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL
,EA AK,kBAAL,SAAV,EA AqB,OA ArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;
MAAA,gE;MYxrYA,iB;MZwrYA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,eY3rYJ,MAAK,
KZ2rYwB,wBAAN,KAAM,EA AwB,EA AxB,CY3rYxB,EZ2rYqD,SY3rYrD,CZ2rYD,C;QACX,QAAQ,C;QACQ,
uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAA
U,UAAK,UAAAL,EA AK,kBAAL,SAAV,EA AqB,OA ArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAkBA
,yB;MAAA,kF;MAAA,gE;MY1sYA,iB;MZ0sYA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,e
Y7sYJ,MAAK,KZ6sYwB,wBAAN,KAAM,EA AwB,EA AxB,CY7sYxB,EZ6sYqD,SY7sYrD,CZ6sYD,C;QACX,Q
AAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAA
K,WAAI,UAAU,UAAK,UAAAL,EA AK,kBAAL,SAAV,EA AqB,OA ArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAh
BA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MY5tYA,iB;MZ4tYA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QA
ChB,WAAW,eY/tYJ,MAAK,KZ+tYwB,wBAAN,KAAM,EA AwB,EA AxB,CY/tYxB,EZ+tYqD,SY/tYrD,CZ+tYD
,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;
UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EA AK,kBAAL,SAAV,EA AqB,OA ArB,CAAJ,C;;QAET,OAAO,I;M
ACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MY9uYA,iB;MZ8uYA,8C;QAWoB,UAEY,M;QAL5B,gB
AAGB,gB;QACHb,WAAW,eYjvYJ,MAAK,KZivYwB,wBAAN,KAAM,EA AwB,EA AxB,CYjvYxB,EZivYqD,SY
jvYrD,CZivYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT
,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EA AK,kBAAL,SAAV,EA AqB,OA ArB,CAAJ,C;;QAE
T,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MYhwYA,iB;MZgwYA,8C;QAWoB,UAEY,
M;QAL5B,gBAAgB,gB;QACHb,WAAW,eYnwYJ,MAAK,KZmwYwB,wBAAN,KAAM,EA AwB,EA AxB,CYnw
YxB,EZmwYqD,SYnwYrD,CZmwYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA
CZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EA AK,kBAAL,SAAV,EA AqB
,OA ArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MY1xYA,iB;MZkxY
A,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,eYrxYJ,MAAK,KZqxYwB,wBAAN,KAAM,EA
AwB,EA AxB,CYrxYxB,EZqxYqD,SYrxYrD,CZqxYD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;
UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EA AK,kBAAL
,SAAV,EA AqB,OA ArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MAA
A,oC;MYpyYA,iB;MZoyYA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,eYvyYJ,MAAK,KZu
yYwB,wBAAN,KAAM,EA AwB,EA AxB,CYvyYxB,EZuyYqD,SYvyYrD,CZuyYD,C;QACX,QAAQ,C;QACQ,uB
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,s
BAAK,UAAAL,EA AK,kBAAL,UAAV,EA AqB,OA ArB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;;MA0GI,W
Yx4YO,MAAK,KZw4YK,gBYx4YL,EZuzYD,KAI fKb,OYx4YjB,C;MZY4YZ,WAAW,iBAaA,IAAb,C;MACX,a
AAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CAPFO,EAAnB,KAoFqB,CAAM,
CAAN,CAPFF,CAoFrB,C;;MAPFT,OAsFO,I;IARFX,C;;MAGGI,WYx5YO,MAAK,KZw5YK,gBYx5YL,EZi0YD,
KAuFkB,OYx5YjB,C;MZY5YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,
WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KA0FqB,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;
IA3FX,C;;MASGI,WYx6YO,MAAK,KZw6YK,gBYx6YL,EZ20YD,KA6FkB,OYx6YjB,C;MZY6YZ,WAAW,iBA

Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhGqB,GAgGP,UAAK,CAAL,CAhGO,EAAnB,KAgGqB,CAAM,CAAN,CAhGF,CAGGrB,C;;MAhGT,OAKGO,I;IAjGX,C;;MA4GI,WYx7YO,MAAK,KZw7YK,gBYx7YL,EZq1YD,KAmGkB,OYx7YjB,C;MZy7YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAKB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,CAAL,CAtGO,EAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MAtGT,OAwGO,I;IAvGX,C;;MAkHI,WYx8YO,MAAK,KZw8YK,gBYx8YL,EZ+1YD,KAYgkB,OYx8YjB,C;MZy8YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAnB,KA4GqB,CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;IA7GX,C;;MAwHI,WYx9YO,MAAK,KZw9YK,gBYx9YL,EZy2YD,KA+GkB,OYx9YjB,C;MZy9YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAIHqB,GAKHP,UAAK,CAAL,CAIHO,EAAnB,KAKHqB,CAAM,CAAN,CAIHF,CakHrB,C;;MAIHT,OAoHO,I;IANHX,C;;MA8HI,WYx+YO,MAAK,KZw+YK,gBYx+YL,EZm3YD,KaqHkB,OYx+YjB,C;MZy+YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxHqB,GAwHP,UAAK,CAAL,CAXHO,EAAnB,KAwHqB,CAAM,CAAN,CAXHF,CAwHrB,C;;MAxHT,OA0HO,I;IAzHX,C;;MAoII,WYx/YO,MAAK,KZw/YK,gBYx/YL,EZ63YD,KA2HkB,OYx/YjB,C;MZy/YZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgIO,I;IA/HX,C;+EAEA,yB;MAAA,gE;MYt4YA,iB;MZs4YA,8C;QAQI,WYx4YO,MAAK,KZw4YK,gBYx4YL,EZw4YW,KAAM,OYx4YjB,C;QZy4YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt5YA,iB;MZs5YA,8C;QAQI,WYx5YO,MAAK,KZw5YK,gBYx5YL,EZw5YW,KAAM,OYx5YjB,C;QZy5YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt6YA,iB;MZs6YA,8C;QAQI,WYx6YO,MAAK,KZw6YK,gBYx6YL,EZw6YW,KAAM,OYx6YjB,C;QZy6YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt7YA,iB;MZs7YA,8C;QAQI,WYx7YO,MAAK,KZw7YK,gBYx7YL,EZw7YW,KAAM,OYx7YjB,C;QZy7YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt8YA,iB;MZs8YA,8C;QAQI,WYx8YO,MAAK,KZw8YK,gBYx8YL,EZw8YW,KAAM,OYx8YjB,C;QZy8YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;+EAgBA,yB;MAAA,gE;MYt9YA,iB;MZs9YA,8C;QAQI,WYx9YO,MAAK,KZw9YK,gBYx9YL,EZw9YW,KAAM,OYx9YjB,C;QZy9YZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAdA,C;;MAwB8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAAIB,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAAIB,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OA AO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAAIB,C;UACI,IAAI,iBAAJ,C;

YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAA I,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MA CP,OAAO,M;IACX,C;;MAUyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E; MAAL,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAA O,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAA U,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iB AAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MA EX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,U AAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFh B,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IA AI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI ,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;;UACR ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAA O,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;Q AAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN, Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q ACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B, C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C; ;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAA O,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MA AI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I; MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA AhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS ,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ, WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MAC xC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAu B,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YA AyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cA AA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa ,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO, OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP, C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAU2D,yB;QAAA,YAA0B,I;MAAM,sB;QAA A,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;Q AAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;Q AAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,C AAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAA O,gBAAO,OAAQ,WAAf,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBA AO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUwD,yB;QAAA,YAA0B,I;MAA M,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;M AAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SA AhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QA CxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,C AAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC ,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAUyC,yB;QAAA,YA A0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,Y AA0B,K;MAAO,yB;QAAA,YAAoC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2 C,OAA3C,EAAoD,KAAPD,EAA2D,SAAS3D,EAA5E,SAATe,CAAIF,W;IAC5F,C;;MAUKC,yB;QAAA,YAA0B,I;

MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAUmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHn,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAUiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAsC,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAUkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAUmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHn,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAUoC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACIN,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAUqC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAUkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAI,F,W;IAC5F,C;;MAOoB,mB;QAAE,OAAK,qBAAL,eAAK,C;MAAP,C;IAAA,C;;Mal/ZmE,wC;IANvF,C;IAAA,wD;MAO2C,8B;IAAA,C;IAP3C,8E;;Mbu/ZL,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA7yOO,qBAAQ,CA6yOf,C;QAAe,OAAO,W;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,qBAAL,eAAK,C;MAAP,C;IAAA,C;;McvjamE,wC;IARvF,C;IAAA,wD;MAS2C,8B;IAAA,C;IAT3C,8E;;Md8jaI,IAv3OO,qBAAQ,CAu3Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IAz3OO,qBAAQ,CAy3Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA33OO,qBAAQ,CA23Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,wBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA73OO,qBAAQ,CA63Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IA/3OO,qBAAQ,CA+3Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,0BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IAj4OO,qBAAQ,CAi4Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,2BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IAN4OO,qBAAQ,CAm4Of,C;QAAe,OAAO,e;MACTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,4BAAL,eAAK,C;MAAP,C;IAAA,C;;MADhb,IAr4OO,qBAAQ,CAq4Of

,C;QAAe,OAAO,e;MAcTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB,mB;QAAE,OAAK,yBAAL,eAAK,C;MAAP,C ;IAAA,C;;MADhB,IAv4OO,qBAAQ,CAu4Of,C;QAAe,OAAO,e;MAcTb,kCAAgB,8BAAhB,C;IACJ,C;;MASoB, Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO, O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;; MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IA CjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB, M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAA M,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S AAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAg C,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,c AAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB, GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;Q AAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO, IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAh B,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,w CAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB ,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,CAAb,GA AgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,w BAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,UAAS,C AAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;M ACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW,U AAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACIB,YAAi B,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,O AAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MAFhB,UAAkB,G;MACI B,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,gBAAS,CAAT,I;;M AEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;MADhB,UAAe,C; MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q; MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IAC X,C;;MAQoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I ;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAC I,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QA AgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MACIB,wBA AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAe, C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q ;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;IA CX,C;;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP ,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA CI,cAAO,OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QA AgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBA AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;IACX,C;;Meh7aI,OAAO,sBAAL,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAL,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAL,CAAJ,C;IACX,C;;MAOI,OAAO,sBAAL,CAAJ,C;IACX,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAO,yBAAS, OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAQkC,qB;QAAE,MAAM,8BAA0B,iDAA8C,aA A9C,MAA1B,C;MAAR,C;IAAA,C;;MAF9B,IAAI,8BAAJ,C;QACI,OAAO,sBAAL,CAAJ,C;MACX,OAAO,6BA AgB,KAAhB,EAAuB,uBAAvB,C;IACX,C;;MAOI,OAAO,sBAAL,CAAJ,C;IACX,C;;MACqB,Q;MARjB,IAAI,8B AAJ,C;QACI,OAAsB,KAKJf,IAAS,CAAT,IAIJe,KAKJD,IAAS,gBAIJvB,SakJuB,CAA3B,GAIJI,SakJkC,aAIJnB, KAKJmB,CAAtC,GAIJ0B,YakJ4B,CAIJnC,KAKJmC,C;;MAjJ7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KA

Ab,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,W
AAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;sGAEA,yB;MAAA,
8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,
KAAb,C;MACjE,C;KANA,C;;MAoBqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAy,YAAL,SAAK,EAAU,KAAV,C;
MACHb,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,
C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;I
ACX,C;sGAEA,yB;MAAA,sD;MAAA,mC;QAKI,OAAy,UAAU,SAAK,EAAU,KAAV,C;MACHb,C;KANA,C;;M
AaW,sB;;QAqFS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IARFH,SAqFO,CAAU,OAAV,CA
AJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MatFP,yB;IACJ,C;;MAMSoB,Q;MADhB,WAAe,I;MA
CC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IA7Rc,SA6RV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;;
MA9Rf,OAIso,I;IAhSX,C;;MAOW,qB;;QAgSP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI
,cAAc,QAAS,W;UACvB,IAnSc,SAmSV,CAAU,OAAV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;;QAE5B,oBAA
O,I;;;MArSP,wB;IACJ,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAy,SAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,IAA
I,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;IAG5B,C;;MAOI,IAAI,m
BAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;IACX,C;mFAEA,yB;MAAA,iE;M
AAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YA
AwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;MACV,C;KAPA,C;;MAcQ,kBADE,SACF,Q;QACI,IAAI,
mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C
;UACI,OAAO,I;QACX,OAAO,QAAS,O;;IAG5B,C;;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL
,C;IACpC,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,
C;UAAwB,OAAO,O;;MACrD,OAAO,I;IACX,C;0FAEA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,I
AAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;MACjE,C;KANA,C;;MAYI,OAAW
,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,I;IACjE,C;;MAQiB,Q;MAFb,IAAI,8
BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;
QACT,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MAOI,OAAO,wBA
AQ,OAAR,C;IACX,C;;MAOiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UA
AU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MAOiB,Q;MADb,YAAY,C;MACC,2B
;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,
E;IACX,C;;MAQiB,Q;MAFb,gBAAgB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,I
AAI,UAAU,IAAV,CAAJ,C;UACI,YAAY,K;QACHb,qB;;MAEJ,OAAO,S;IACX,C;;MAMI,eAAe,SAAK,sBAAa,c
AAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAhB,CAAJ,C;UACI,OAAO,QAAS,Y;;;
MAGxB,OAAO,E;IACX,C;;MAQQ,kBADE,SACF,Q;QAAW,OAAy,QAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,I
AAI,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAA
S,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;IAGnB,C;;MAOI,IAAI,mBAAJ,C;QACI,MAAM,2BAAu
B,gBAAvB,C;MACV,OAAO,sBAAK,0BAAL,C;IACX,C;iFAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,u
C;QAOoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,I
AAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gC
AAuB,wDAAvB,C;QAEIB,OAAO,2E;MACX,C;KAhBA,C;IFAkBA,yB;MAAA,iE;MAAA,uC;QAKI,eAAe,SAA
K,sBAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C
;YAAwB,OAAO,O;;QAE5B,MAAM,gCAAuB,kDAAvB,C;MACV,C;KAXA,C;;MAoBiB,Q;MAHb,IAAI,8BAAJ,
C;QAAkB,OAAO,SAAK,mBAAy,OAAZ,C;MAC9B,gBAAgB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cA
Ab,C;QAAa,sB;QACT,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHb,qB;;MAEJ,OAAO,S;IACX,C;;MA
OI,OAAO,4BAAy,OAAZ,C;IACX,C;;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sB
AAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,OAAO,I;QACX,WA
AW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;IAGnB,C;;MAMI,OA
AW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;IACpC,C;;MAOoB,Q;MADhB,WAAe,I;MAC
C,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;;MAGf,OAA
O,I;IACX,C;;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,cAAc,QAAS,W;QAC

vB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;IACX,C;;MAOQ,kBADE,SACF,Q;QAA
W,OAAAY,UAAAL,SAAK,C;;QAEbB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAA
vB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAAb,C;UACI,MAAM,gCAAYB,uCAAzB,C;QACV,OAAO,M
;;IAGnB,C;;MAMiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;aACX,C;U
AAK,6BAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAYB,iCAAzB,C;;MAHIB,W;IAKJ,C;qFAEA,yB;MAAA,k
F;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAAY,K;QACI,2B;Q
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,
8BAAyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB
,wDAAvB,C;QAEIB,OAAO,6E;MACX,C;KAhBA,C;;MAuBQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,CAAZ
,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAE1C,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;Q
ACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAAb,C;UACI,OAAO,I;QACX,OAAO,M;;IAGnB,C;;MAMI,OAAW,
mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;IACvC,C;;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAAY,K
;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YA
AW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO
,M;IACX,C;;MAoBsC,UAGT,MAHS,EAarB,MAbqB,EAc1B,M;MR5hBR,IAAI,EQkgBI,KAAK,CRlgBT,CAAJ,C
;QACI,cQigBc,sD;QRhgBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MQigBV,IAAI,MAAK,CAAT,C;QAAAY,OAAO
,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OA
AO,W;QACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAAb,C;QACP,IAAI
,8BAAJ,C;UACI,IAAI,sCAAJ,C;YACOB,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ
,C;;YAEI,wCAAA,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEb,OAAO,I;;Q
AIX,OAAO,gB;;MAEX,YAAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,oDAAW,CAAf,C;
UAAkB,IAAK,WAAI,MAAJ,C;;MAE3B,OAAAY,qBAAL,IAAK,C;IACHB,C;;MR/hBI,IAAI,EQuiBI,KAAK,CRvi
BT,CAAJ,C;QACI,cQsiBc,sD;QRriBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MQsiBV,OAAO,kBAAGB,gBAAV,i
BAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;IACX,C;kGAEA,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAAI
,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QAAS,
WAAAnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;QAIInB,OAAO,W;MACX,C
;KAFa,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAA
a,cAAb,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C
;YACD,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAEbB,OAAO,I;MACX,C;KAhBA,C;oFAkBA,yB;MAAA,+D;
MAAA,uC;QAIW,kBAAS,gB;QAYEA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAZEU,SAy
EN,CAAU,OAAV,CAAJ,C;YAAwB,WAAAY,WAAI,OAAJ,C;;QAZeID,OA0EO,W;MAZEX,C;KALA,C;kGAOA,
yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QA81BV,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;
UAAa,sB;UAp1BT,IAVmC,SAU/B,EAo1BkB,cAp1BIB,EAo1BkB,sBAp1BIB,WAO1B2B,IAp1B3B,CAAJ,C;YA
A2C,sBAo1BZ,IAp1BY,C;;QAV/C,OAYO,W;MAXX,C;KAPA,C;sGASA,yB;MAAA,oD;QA21BiB,gB;QADb,Y
AAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAp1BT,IAAI,WAO1BkB,cAp1BIB,EAo1BkB,sBAp1BIB,W
AO1B2B,IAp1B3B,CAAJ,C;YAA2C,sBAo1BZ,IAp1BY,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;wGAYA,yB;M
AAA,+D;MAAA,sC;QAIW,kBAAMB,gB;QAOV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA
AAI,YAAJ,C;YAAkB,WAAAY,WAAI,OAAJ,C;;QAPpD,OAQO,W;MAPX,C;KALA,C;;MAWOB,Q;MAAA,2B;M
AAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAAY,WAAI,OAAJ,C;;MACpD,OAAO,
W;IACX,C;0FAEA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsBH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB
,C;UAAgB,yB;UAAM,IAAI,CAtBS,SAsBR,CAAU,OAAV,CAAL,C;YAAyB,WAAAY,WAAI,OAAJ,C;;QAtB3D,
OAuBO,W;MatBX,C;KALA,C;;MAWI,OAAO,6BAAgB,gBAAhB,C;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,
OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAAY,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,
C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;
UAAyB,WAAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,C;;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,
C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,
C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OZpnBe,W;;MYqnBtC,OAA6D,SAATD,SAAK,iBAAQ,OAAQ,MAAh
B,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;IACjE,C;;MASKB,Q;MAHd,WAAmB,wBAAR,OAA

Q,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAa,IAAb,C;MACG,y
B;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;IACX,C;;MAG
BiB,UACL,M;MRnsBR,IAAI,EQ0rBI,KAAK,CR1rBT,CAAJ,C;QACI,cQyrBc,sD;QRxrBd,MAAM,gCAAYB,OA
AQ,WAAjC,C;;MQyrBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,c
AAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mBAAP,C;;MAEvB,YAAY,C;
MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,qDAAW,CAAF,C;UA
CI,K;QACJ,IAAK,WAAI,IAAJ,C;;MAET,OAAy,qBAAL,IAAK,C;IACHB,C;;MAeqC,IAGhB,I;MR1tBjB,IAAI,E
QgtBI,KAAK,CRhtBT,CAAJ,C;QACI,cQ+sBc,sD;QR9sBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MQ+sBV,IAAI,
MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,I
AAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C
;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;;QAEI,sCAA
a,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAAJ,C;;MAEb,OAAO,I;IACX,C;
kGAEA,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,OAAO,W;QACX,eAAe,
+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAAhB,CAAL,C;YACI,QAA
S,O;YACT,mBAAMb,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAGB,CAApB,C;cAAuB,OAAO,W;YACI,kBA
A3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sBAAa,eAAb,C;YAFR,OJtsBD,W;;;QI4sBP,OAAO,iB;M
ACX,C;KArBA,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cA
Ab,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,
I;MACX,C;KAbA,C;;MAwBI,IAAI,wCAAsB,kBAAQ,CAAIC,C;QAAqC,OAAO,mB;MAC5C,WAAW,0B;MAC
N,UAAAL,IAAK,C;MACL,OAAO,I;IACX,C;oFAEA,yB;MAAA,oD;MN1tBA,sC;MAAA,uBAOe,yB;QArEf,8D;;U
AqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,
C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAA
X,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MK2yBA,sC;QAI,IAAI,iBAAO,CAAX,C;UAAc,iDNvtBH,iBMutBsB,
QNvtBtB,CMutBG,E;;MACIB,C;KALA,C;wGAOA,yB;MAAA,oD;MN9sBA,sC;MAAA,iCAOe,yB;QAxFf,8D;;U
AwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;
UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAA
X,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MKkzBA,sC;QAI,IAAI,iBAAO,CAAX,C;UAAc,iDN3sBH,2BM2sBgC,Q
N3sBhC,CM2sBG,E;;MACIB,C;KALA,C;;MAWI,sBAAS,cAAT,C;IACJ,C;;MASgB,Q;MAHZ,IAAI,oCAAJ,C;Q
ACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBCr0BsD,sBDq0BtD,uB;QAAmD
,mB;QAA3D,OAAoE,OJzwBjE,WIywBiE,C;;MAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OJ3wBO,W;II4wBX,C;
wFAEA,yB;MAAA,wD;MN3vBA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5
Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC
;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;
MK40BA,sC;QAI,OAAO,mDNxvBI,iBMwvBiB,QNxvBjB,CMwvBJ,E;MACX,C;KALA,C;4GAOA,yB;MAAA,
wD;MN/uBA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA
/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C
;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAc,CAAd,C;MAAA,C;MAD5C,kF;MKm1BA,sC;QAI,OAA
O,mDN5uBI,2BM4uB2B,QN5uB3B,CM4uBJ,E;MACX,C;KALA,C;;MAWI,OAAO,wBAAW,cAAX,C;IACX,C;;
MASE,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAAIC,s
BCt2BuD,sBDs2BvD,uB;QAA0C,iC;QAAID,OAAyE,OJ1yBrE,WI0yBqE,C;;MAErD,kBAAhB,0B;MAAwB,mC;
MAA/B,OJ5yBO,W;II6yBX,C;;MAQoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MA
AhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTB,OAAO,M;IACX,C;;
MAQoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB
,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTB,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAA
a,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,oC;QACZ,OAAO,cAAP,EAA
O,sBAAP,YAAkB,O;;MACTB,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAy,cAAZ,C;MACb,YA
AY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTB
,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OA

AgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;IACX,C;;MAQoB,UACL,M;MAHX,aAAa,eAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAcTb,OAAO,M;IACX,C;0FAEA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QASI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAYC,EAAC,EAAD,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA+DH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAhE8C,SAGe/B,CAAU,OAAV,C;UXrDNB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QWqZA,OAKEO,W;MAJEX,C;KAXA,C;+FAaA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QASI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAYC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAApB,C;QAUbL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aAxBoC,WAwbhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxBhB,OA0BO,W;MAzBX,C;KAXA,C;+FAaA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAQI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAYC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAApB,C;QAYbL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA1BoC,WA0BhC,CAAY,OAAZ,CAAJ,EA1BiD,cA0BvB,CAAe,OAAf,CAA1B,C;;QA1BhB,OA4BO,W;MA3BX,C;KAVA,C;;MAoBoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;IACX,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;IACX,C;;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAAV,C;QXrDNB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MWuDA,OAAO,W;IACX,C;;MAMIb,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAL,IAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMI,OA AO,0BAAa,eAAW,YAAY,mCAAwB,EAAxB,CAAZ,CAAX,CAAb,C;IACX,C;;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cAAW,8BAAJ,GAakB,sBAAL,CAAJ,CAAIB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBACa,uBAAL,SAAK,C;YAHV,K;;QAAP,W;;MAMJ,OA A4B,qBAAhB,gBAAL,SAAK,CAAgB,C;IAChC,C;;MAMI,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MAC hB,OAAO,0BAAa,gBAAb,C;IACX,C;;MAMI,OAAO,iBAAU,SAAV,C;IACX,C;;MASqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,iCAAa,qBAAiB,YAAY,cAAZ,CAAjB,CAAb,C;Y AHL,K;;QAAP,W;;MAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;IAC5C,C;sFAEA,yB;MAAA,+D;MAOA, gD;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAR6B,S AQIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAThB,OAwo,W;MAVX,C;KALA,C;0FAOA,y B;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,O AAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;uFAWA,yB;MAAA,wE;M AyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAYbD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ, UA1BiD,WA0BvC,CAAY,OAAZ,C;UXr4BP,U;UADP,YWu4Be,WXv4BH,WWu4BwB,GXv4BxB,C;UACL,IAA I,aAAJ,C;YACH,aWq4BuC,gB;YAA5B,WXp4BX,aWo4BgC,GXp4BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U Wi4BA,iB;UACA,IAAK,WAAL,OA AJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;uFAYA,yB;MAAA,wE;MA8 BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,U A/BiD,WA+BvC,CAAY,OAAZ,C;UXv5BP,U;UADP,YWu4Be,WXv4BH,WWu4BwB,GXv4BxB,C;UACL,IAAI, aAAJ,C;YACH,aWu5BuC,gB;YAA5B,WXt5BX,aWs5BgC,GXt5BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UWm 5BA,iB;UACA,IAAK,WajCyD,cAICrD,CAAe,OAAf,CAAJ,C;;QajCT,OAmCO,W;MAICX,C;KAXA,C;0FAaA, yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,O AAZ,C;UXr4BP,U;UADP,YWu4Be,WXv4BH,WWu4BwB,GXv4BxB,C;UACL,IAAI,aAAJ,C;YACH,aWq4BuC, gB;YAA5B,WXp4BX,aWo4BgC,GXp4BhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UWi4BA,iB;UACA,IAAK,WA AI,OA AJ,C;;QAET,OAAO,W;MACX,C;KafA,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;QAA hB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UXv5BP,U;UADP,YWu4Be,WXv4BH,WWu4BwB,GXv4BxB,C;UACL,IAAI,aAAJ,C;YACH,aWu5BuC,gB;YAA5B,WXt5BX,aWs5BgC,GXt5BhC,EAAS,MA

AT,C;YACA,e;;YAEA,c;;UWm5BA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;
KAhBA,C;4FAkBA,yB;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASqD,OAAA,oBA
AgB,W;MAAhB,C;MATrD,oE;QAU4C,gCAAY,OAAZ,C;MAAA,C;MAV5C,gF;MAAA,yC;QAQI,2D;MAIJ,C;K
AZA,C;8EAcA,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,mCAAwB,EAAxB,CAAb,C;QAqE
A,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAtEwC,SAsEpC,CAAU,IAAV,CAAJ,C;;QAtE
hB,OAUeO,W;MATEX,C;KANA,C;4FAQA,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,mCAAw
B,EAAxB,CAAb,C;QAqCP,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,Waj
C+C,SAiC3C,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjChB,OakCO,W;MAjCX,C;KARA,C;
0GAUA,yB;MAAA,+D;MAUA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAA
V,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MAjBnB,uC;QAOW,kBAaO,bgB;Q
AuQd,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA7PsB,U;UAAA,cAVQ,SAUR,EA6PT,c
A7PS,EA6PT,sBA7PS,WA6PA,IA7PA,W;YAA6C,6B;;;QAVhF,OAwo,W;MAVX,C;KARA,C;8GAUA,yB;MA
AA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C
,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MAPnB,oD;QAoQiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa
,cAAb,C;UAAa,sB;UA7PsB,U;UAAA,yBA6PT,cA7PS,EA6PT,sBA7PS,WA6PA,IA7PA,W;YAA6C,6B;;;QACHF,
OAAO,W;MACX,C;KATA,C;;MAMBiB,UACiB,M;MAF9B,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,s
B;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;IACX,C;4
FAEA,yB;MAAA,+D;MAQA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;
cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAbZ,uC;QAKW,kBAaA,gB;QA6NJ,Q;QAAA,2B;QAAh
B,OAAgB,cAAhB,C;UAAgB,yB;UArNK,U;UAAA,cARe,SAQf,CAqNQ,OArNR,W;YAAAsC,6B;;;QAR3D,OASO,
W;MARX,C;KANA,C;gGAQA,yB;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAA
U,OAAV,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MALZ,oD;QA0NoB,Q;QAAA,2B;QAAhB,O
AAgB,cAAhB,C;UAAgB,yB;UArNK,U;UAAA,wBAqNQ,OArNR,W;YAAAsC,6B;;;QAC3D,OAAO,W;MACX,C;
KAPA,C;;MAciB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;
MACHB,OAAO,W;IACX,C;;MAM4B,mB;QAAE,gC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAAiB,6BAAjB,C;IA
CX,C;;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;IAC/B,C;4FAEA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAS
c,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CA
AT,C;UACV,IAAI,GAAl,WAAI,GAAl,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;MACX,C;KAFa,
C;;MAuBI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAl,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQI,UAAe,
eAAL,SAAK,C;MACX,YAAJ,GAAl,EAAU,KAAV,C;MACJ,OAAO,G;IACX,C;;MAQiB,IAAn,I;MACH,kBAD
S,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAaA,sBAAb,C;MAFZ,W;IAIJ,C;;MAUI,UAAe,eAAL,SAAK,C;M
ACX,OAAJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,G;IACX,C;8EAEA,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QAD
hB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA
AI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;MACX,C;KATA,C;;MAiBI,IAAI,oCAAJ
,C;QAAwB,OAAO,CAAC,mB;MACHC,OAAO,oBAAW,U;IACtB,C;+EAEA,yB;MAAA,gD;MAAA,uC;QAOoB,
Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U
AAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;MACX,C;KATA,C;;MAiBoB,Q;MAFh
B,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM
,qB;;MACTb,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;mFAEA,yB;MAAA,gD;MAAA,uC;QAMoB,Q;QAFhB,
IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y
B;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qB;;;QAC9C,OAAO,K;MACX,C;KARA,C;;MAeoB,Q;MADhB,
kBAaKB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;
;MACpC,OAAO,W;IACX,C;;MAWoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAaKB,O;MACF,2B;MAAhB,OA
AgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;
MACpC,OAAO,W;IACX,C;;MAMI,kBAaKB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;Q
ACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAGtB,OAAO,W;IACX,
C;;MASI,kBAaKB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB
,C;UACI,YAAy,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAAtC,C;;MAGtB,O

AAO,W;IACX,C;;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IACI
B,C;;MASiB,UAAa,M;MAD1B,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EA
AO,sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;QAAYB,OAAO,I;
MACHC,UAAU,QAAS,O;MACnB,IAAQ,QA AJ,GA AI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAh
B,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV
,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;QAAYB,O
AAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QA AJ,GA AI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,
UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAA
M,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;
QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA
AI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,
QAAS,UAAa,C;QAAYB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,
UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,
UAAU,C;UACV,WAAW,C;;MAGnB,OAAO,O;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;
QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA
AI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C
;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ
,QA AJ,GA AI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAA
M,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;
IACX,C;;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACn
B,IAAQ,QA AJ,GA AI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QA
CjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,O
AAO,G;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,
O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAA
M,C;;MAEvB,OAAO,G;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;QAAYB,OAAO,I;MACH
C,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACj
B,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAGnB,O
AAO,O;IACX,C;;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAa,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,
O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,C
AAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAQI,IAAI,oCAAJ,C;QAAwB,OAAO,
mB;MAC/B,OAAO,CAAC,oBAAW,U;IACvB,C,iFAEA,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wC
AAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,O
AAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;MACX,C;KATA,C;kFAWA,yB;MAAA,oC;QAKmC,Q;QAA
A,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,OAAO,OAAP,C;;QAArC,gB;MACJ,C;KANA,C;oFAQA,y
B;MAAA,4F;MAAA,uC;QAII,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAa,C;UAAyB,MAAM,mCAA8B,
oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,Q
AAS,OAAhC,C;;QAEIB,OAAO,W;MACX,C;KAXA,C;kGAaA,yB;MAAA,4F;MAAA,uC;QAYgC,Q;QAL5B,eA
Ae,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAa,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAy,C;QA
CZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,WAAU,YAAV,EAAU,oBAAV,SAAM,B,W
AAnB,EAAgC,QAAS,OAAzC,C;;QAEIB,OAAO,W;MACX,C;KAfA,C;8FAiBA,yB;MAAA,4F;MAAA,uC;QAII,
eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAa,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,
QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;QAEIB,OA
AO,W;MACX,C;KAZA,C;4GAcA,yB;MAAA,4F;MAAA,uC;QAOI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,Q
AAS,cAAa,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;
UACI,YAAy,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAAtC,C;;QAEIB,OA
O,W;MACX,C;KAhBA,C;;MAuBoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QA
CZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,
OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAMoB,UAMT,M;M

ANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB
,MAAzB,C;;;MAId,OAAO,mE;IACX,C;;MAMoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;
QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;;MAId,OAAO,+D;IACX,C;;MAaI,O
AAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;IACX,C;;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IA
AtC,EAAwD,SAAXD,C;IACX,C;;MAMI,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,kBAAc,KAAc,C;MA
5nCb,Q;MAAA,OA6nCT,SA7nCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;QA6nCK,IAAI,CAAC
,SAAD,IAAY,OA7nCX,SA6nCW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;;UAAjD,mBAA8D,I;;QA7n
CvE,qB;UA6nCD,MA7nCqC,WAAI,SAAJ,C;;MA6nC1D,OAAqB,M;IACzB,C;;MAMI,IAAI,Qfi5HG,YAAQ,Cej
5Hf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,UAAT,QAAS,C;MANqCd,kBAAY,gB;MASBH,Q;MAA
A,OA8oCT,SA9oCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CA8oCF,qBA9oCa,OA8oCb,CA9o
CF,C;UAAyB,WAAI,SAAL,SAAK,C;MA8oC3D,OA7oCO,W;IA8oCX,C;;MAMI,YAAqB,gCAAT,QAAS,EAA
gC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MA7qCT,kBAAY,gB;MASBH,Q;M
AAA,OAwpCT,SAxpCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAwpCF,qBAxpCa,OAwpCb,
CAxpCF,C;UAAyB,WAAI,SAAL,SAAK,C;MAwpC3D,OAvpCO,W;IAwpCX,C;;MAMI,YAAqB,YAAT,QAAS
,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAvrCT,kBAAY,gB;MASBH,Q;MAAA,OAkq
CT,SAIqCS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAkqCF,qBAIqCa,OAkqCb,CAIqCF,C;UA
AyB,WAAI,SAAL,SAAK,C;MAkqC3D,OAjqCO,W;IAkqCX,C;8FAEA,yB;MAAA,8C;MAAA,qC;QAKI,OA
O,iBAAM,OAAN,C;MACX,C;KANA,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAA
Y,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAY,CAAJ,C;Y
ACI,KAAM,WAAI,SAAL,SAAK,C;;YAEN,MAAO,WAAI,SAAL,SAAK,C;;QAGf,OAAO,cAAK,KAAL,EAAZ,C;MA
CX,C;KAhBA,C;;MASBI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAC,OAAL,C;MACpC,aAAa,gB;MA
CN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,SAAL,SAAK,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iB
Aa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,SAAL,SAAK,C;MACP,OAAO,M;IA
CX,C;;MAMI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAC,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,
MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,
SAAK,KAAL,GAAY,QAAS,OAAR,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QA
AP,C;MACP,OAAO,M;IACX,C;;MAMI,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAC,QAAL,C;MACp
C,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IA
CX,C;;MAMI,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAAR,IAAb,C;QACb,MAAO,
gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;;QAEp,eAAa,iBAAa,SAAb,C;QACN,OA
AP,QAAP,QAAP,C;QACP,OAAO,Q;;IAEf,C;;MAMI,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MA
CA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAMI,aAAa,iBAAa,SAAK,KAAL,GAAY,EA
AZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;4FA
EA,yB;MAAA,4C;MAAA,qC;QAKI,OAAP,gBAAK,OAAL,C;MACX,C;KANA,C;8FAQA,yB;MAAA,4C;MAA
A,qC;QAKI,OAAP,gBAAK,OAAL,C;MACX,C;KANA,C;;MAwB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iB
AA0B,K;MACpF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SA
AK,K;QACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,GAakB,CAAI,IAAD,IAAwB,IAAxB,IAAnB,C;QACb,gBAA
Y,CAAZ,C;QACA,OAAP,UAAQ,QAaf,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IA
AI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;UZv2DID,WAAW,iBYw2Da,UZx2Db,C;UQRX,mBAAC,CA
Ad,YIq3DwB,UJh3DxB,Y;YRS6B,eYu2DS,sBJ/2D3B,OI+2DgC,GAak,OAAL,IAAL,CZv2DT,C;;UYu2DrB,MA
AO,WZt2DR,IYs2DQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oB
AAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;ME/9DA,OAAgB,qBAAhB,C;QAAgB
,gC;QFg+DL,mBEh+DqB,OFg+DrB,C;;MAEX,OAAO,Q;IACX,C;;MAoBkD,oB;QAAA,OAAY,C;MAAG,8B;QA
AA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SA
AK,K;QACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,GAakB,CAAI,IAAD,IAAwB,IAAxB,IAAb,C;QACb,eAAa,
kBAAc,SAAd,C;QACb,YAAy,C;QACZ,OAAO,QAQ,QAaf,C;UACI,QAAP,cAAK,KAAL,EAA2B,eAAAd,QA
AQ,IAAR,IAAc,EAAa,QAAb,CAA3B,C;UACP,IAAI,CAAC,cAAD,IAAmB,QAAP,GAAC,IAArC,C;YAA
2C,K;UAC3C,MAAO,WAAI,UAAU,QAAP,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;

MACgE,kBAA7E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAYC,cAAzC,EAAuE,IAAvE,C;MEvgEA ,OAAgB,qBAAhB,C;QAAGB,gC;QFwgEL,mBAAI,UEXgEiB,OFwgEjB,CAAJ,C;;MAEX,OAAO,Q;IACX,C;;MA uBoB,gB;MAHhB,gBAXW,KAWW,O;MACTb,WAAW,iBH54DJ,MAAK,KG44DkB,mCAAwB,EAAxB,CH54DI B,EG44D+C,SH54D/C,CG44DD,C;MACX,QAAQ,C;MACQ,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,I AAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhBqB,GAGBP,OAhBO,EAAhB,KAGBqB,CAAM,UAAH,EA AM,kBAAN,SAhBF,CAGBrB,C;;MAhBT,OAKBO,I;IAjBX,C;+EAEA,yB;MAAA,kF;MAAA,gE;MHZ4DA,iB;M Gy4DA,8C;QAWoB,UAEsB,M;QALiC,gBAAGB,KAAM,O;QACTb,WAAW,eH54DJ,MAAK,KG44DkB,mCAAw B,EAAxB,CH54DIB,EG44D+C,SH54D/C,CG44DD,C;QACX,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;U AAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OAAV,EAAmB,MAAM,UAAH ,EAAM,kBAAN,SAANB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAhBA,C;;MAoCI,YAAAY,oB;MACZ,aAZW,KAY Q,W;MACnB,WAAW,iBH54DJ,MAAK,KGy6DkB,mCAAwB,EAAxB,CHz6DIB,EGy6DqD,wBAbtD,KAsD,EA AwB,EAAxB,CHz6DrD,CGy6DD,C;MACX,OAAO,KAAM,UAAH,IAAmB,MAAO,UAAjC,C;QACI,IAAK,Waf qB,GAeP,KAAM,OAFc,EAeO,MAAO,OAFd,CAerB,C;;MAfT,OAIBo,I;IAhBX,C;+EAEA,yB;MAAA,kF;MAAA, gE;MHR6DA,iB;MGq6DA,8C;QAQI,YAAAY,oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eHz6DJ,MAAK,KGy6 DkB,mCAAwB,EAAxB,CHz6DIB,EGy6DqD,wBAAN,KAAM,EAAwB,EAAxB,CHz6DrD,CGy6DD,C;QACX,O AAO,KAAM,UAAH,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KAAM,OAAhB,EAAwB,MAAO,O AA/B,CAAJ,C;;QAET,OAAO,I;MACX,C;KafA,C;;MA0BW,sB;;QAaP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UA Ad,C;UAAyB,qBAAO,W;UAAP,uB;;QACzB,aZhiEoD,gB;QYiiEpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAA hB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAmBK,IAnBL,CAMBiB,C;UACP,UA AU,I;;QAEd,qBAAO,M;;MatBP,yB;IACJ,C;8FAEA,yB;MAAA,qD;MZ1hEA,+D;MY0hEA,uC;QAUI,eAAe,oB; QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QACChC,aZhiEoD,gB;QYiiEpD,cAAc,QAAS,O;QACvB,O AAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAAV,EAAmB,IAAnB,CAAJ,C ;UACP,UAAU,I;;QAEd,OAAO,M;MACX,C;KApBA,C;;MA8B6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAA uB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,Y AAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;Q AAGB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SA AS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IA Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IAC X,C;;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA ,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SA AxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAAPD,EAA2D,SAA3D,EAASe,SAATe,CAAiF,W;IAC5F,C;; MAOI,OAAO,S;IACX,C;;MAQoB,mB;QAAE,OAAA,eAAK,W;MAAP,C;IAAA,C;;MDhqEmE,wC;IARvF,C;IA AA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;MCwqEI,oCAAAGB,8BAAhB,C;IACJ,C;;MASoB,Q;MAFhB,UAAkB,G; MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;; MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAkB, G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT, I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UAAk B,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAA T,I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UA AkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,C AAT,I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAFhB,UA AkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAA S,CAAT,I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MASoB,Q;MAF hB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAA S,CAAT,I;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAQoB,Q;M ADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;; MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAA O,G;IACX,C;;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O

AAP,I;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAO,C;;MAEJ,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MGxtEI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAakC,UAAIC,C;IACX,C;;MAQI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;IACrD,C;;MAwGI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAakC,UAAIC,C;IACX,C;;MAQI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;IACrD,C;;MC9NI,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,OfyMiD,SezMIC,KfyM+C,IAAL,EezM1C,KfyMoD,MAAV,CezMjD,C;;MACX,aAAa,iBAAsB,cAAAtB,C;MACb,MAAO,WfuMqD,SevMjD,KfuMsD,IAAL,EevMjD,KfuM2D,MAAV,CevMrD,C;;QAEwB,kBAAhB,QAAS,O;QAApB,MAAO,WfqMiD,SAAK,eAAL,EAAU,iBAAV,CerMjD,C;;MACO,QAAT,QAAS,W;MACiB,OAAO,M;IACX,C;sFAEA,yB;MAAA,+D;MAOA,gD;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,Of6OoE,iBAAQ,W;Qe7O5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAR6B,SAQIB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAThB,OAWO,W;MAVX,C;KALA,C;0FAOA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,OAAA,Sf6OoE,QAAQ,W;Qe7O5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;8EAWA,yB;MAAA,gE;MAAA,uC;QAKW,kBAAM,eAAa,cAAb,C;QAYBA,Q;QAAA,OfwMuE,iBAAQ,W;QexM5F,OAAa,cAAb,C;UAAa,sB;UACT,WAA Y,WA1BiB,SA0Bb,CAAU,IAAV,CAAJ,C;;QA1BhB,OA2BO,W;MA1BX,C;KANA,C;4FAQA,yB;MAAA,+D;MAQA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAbZ,uC;QAKW,kBAAA,gB;QA4EJ,Q;QAAA,Of6IoE,iBAAQ,W;Qe7I5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAAAsC,6B;;;QAR3D,OASO,W;MARX,C;KANA,C;gGAQA,yB;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MALZ,oD;QAYeOB,Q;QAAA,Of6IoE,iBAAQ,W;Qe7I5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;YAAAsC,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;;MACiB,Q;MAAA,OAAA,SfwMuE,QAAQ,W;MexM5F,OAAa,cAAb,C;QAAa,sB;QACT,WAA Y,WAAL,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;IACX,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,Sf4LoE,QAAQ,W;Me5L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAQI,OAAO,CAAC,mB;IACZ,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,K;MACN,OAAA,SfwKoE,QAAQ,W;MexK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;IACX,C;;MAOI,OAAO,c;IACX,C;;MAQoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MACtB,YAAY,C;MACI,OAAA,SfsJoE,QAAQ,W;MetJ5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;;MAC9C,OAAO,K;IACX,C;;MAOoB,Q;MAAA,OAAA,Sf6IoE,QAAQ,W;Me7I5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C;;MAOmB,kBAAR,iB;MAAQ,gB;;QJ63Cf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,eIh4CqB,QJg4CN,CAAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,QAAS,O;UACjB,QIn4CiB,QJm4CT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,eAAO,O;;;MIz4CP,mB;IACJ,C;sFAEA,yB;MAAA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;MACnB,C;KANA,C;;MAYmB,kBAAR,iB;MAAQ,gB;;QJm8Cf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAP,iB;;QACzB,cAAc,QAAS,O;QACvB,eIt8CqB,QJs8CN,CAAS,OAAT,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,QAAS,O;UACjB,QIz8CiB,QJy8CT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,eAAO,O;;;MI/8CP,mB;IACJ,C;;MAMI,OAAe,UAAR,iBAAQ,EAAQ,UAAR,C;IACnB,C;;MAQI,OAAO,mB;IACX,C;;MASoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,Sf4FoE,QAAQ,W;Me5F5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;IACX,C;oFAEA,yB;MAAA,oC;QAKmC,Q;QAAA,OfmFqD,iBAAQ,W;QenF7E,OAAgB,cAAhB,C;UAAgB,yB;UAAM,OAAO,OAAP,C;;QAARc,gB;MACJ,C;KANA,C;;MAAI,OAAO,iB;IACX,C;;MAMI,OAAe,aAAR,iBAAQ,C;IACnB,C;;MIBpMI,OAAO,2BAAE,KAAf,C;IACX,C;;MAOI,OAAO,2BAAE,oBAAN,KAAAM,CAAf,C;

IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MU0CW,SVnCM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC5E,C;;MUKCW,SV3BM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MU0BW,SVnBM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MUKBW,SVXM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MUEW,SVKM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC5E,C;;MUNW,SVaM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MUdW,SVqBM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MUTBW,SV6BM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;IACX,C;;MU9CW,SVqDM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MUTDW,SV6DM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MU9EW,SVqFM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC5E,C;;MUTFW,SV6FM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MU9FW,SVqGM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC9E,C;;MAOI,OAAO,2BAAS,KAAM,WAAf,C;IACX,C;;MAOI,OAAO,2BAAS,KAAM,WAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;IACX,C;;MUTIW,SV6IM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;IAC7E,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MAOI,OAAO,2BA Ae,KAAf,C;IACX,C;;MASI,OAAO,sCA Ae,yBAAgB,SAAhB,EAAYB,EAzB,EAkC,EAAIC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oBAAH,EAAG,CAAZB,M;IAC3B,C;;MASI,OAAO,sCA Ae,yBAAqB,SAArB,EA AiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MASI,OAAO,sCA Ae,yBAAqB,SAArB,EA AiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;IAC3B,C;;MASI,OAAO,sCA Ae,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oBAAH,EAAG,CAAZB,M;IAC3B,C;;MASI,OAAO,sCA Ae,yBAAqB,SAArB,EA A8B,EAA9B,EAkC,EAAIC,C;IAC1B,C;;MASI,OAAO,sCA Ae,yBAAqB,SAArB,EA A8B,EAA9B,EAkC,EAAIC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAK,CAArB,EA A+B,EA A/B,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAK,CAArB,EA A+B,EA A/B,M;IAC3B,C;;MASI,OAAO,uCAAgB,yBAAqB,oBAAL,SAK,CAArB,EA A+B,EA A/B,M;IAC3B,C;;MASI,OAAO,sCA Ae,yBAAgB,SAAhB,EAAYB,EAzB,EAkC,EAAIC,C;IAC1B,C;;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oBAAH,EAAG,CAAZB,M;IAC3B,C;;MASI,OAAO,sCA Ae,yBAAqB,SAArB,EA AiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MASI,OAAO,sCA Ae,yBAAqB,SAArB,EA AiC,EAAjC,EAA0C,EAA1C,C;IAC1B,C;;MAMI,OAAO,sCA Ae,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;IAC1B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;IAC3B,C;;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;IAC3B,C;;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCA Ae,yBAAgB,eAAhB,EA AuB,cAAvB,EA AiC,SAK,KAAL,GAAY,CAAhB,GAAMB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;IAC1B,C;;MAMI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EA AuB,cAAvB,EA AiC,SAK,KAAL,cAAy,CAAhB,GAAMB,IAAnB,GAA8B,IAAD,IAA1D,C;IAC3B,C;;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EA AuB,cAAvB,EA AiC,SAK,KAAL,GAAY,CAAhB,GAAMB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;IAC3B,C;;MAGI,OAAmB,IAAR,8BAAgC,GAApC,GAAiE,OAAL,SAK,CAAjE,GAA+E,I;IAC1F,C;;MAGI,OAAW,mEAAJ,GAAMe,OAA L,SAK,SAAnE,GAAiF,I;IAC5F,C;;MAGI,OAAW,YAAQ,aAAA,sCA Ae,UAAf,EAA0B,sCA Ae,UAAzC,CAAR,YAAJ,GAAqE,OAAL,SAK,CAArE,GAAMF,I;IAC9F,C;;MAGI,OAAmB,UAAA,sCA Ae,UAAf,EAA2B,sCA Ae,UAA1C,CAAR,4BAAJ,GA AuE,mBAAL,SAK,EA AvE,GAAqF,I;IAC7G,C;;MAGI,OmBjegB,UnBieG,sCA Ae,U mBjelB,EnBie6B,sCA Ae,U mBje5C,CnBieL,4BAAJ,GAAqE,mBAAL,SAK,EA ArE,GAAMF,I;IAC9F,C;;MAGI,OAAW,iFAAJ,GAA4D,SAK,QAAjE,GAA8E,I;IACzF,C;;MAGI,OAAmB,UAAc,WAA d,EAAwC,UAAx C,CAAR,4BAAJ,GAAqE,YAAL,SAK,CAArE,GAAkF,I;IAC7F,C;;MAGI,OmB7egB,UnB6eiB,WmB7ejB,EnB6e0C,U

Y;MACHC,OAAO,S;IACX,C;;MAYW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KA
AzC,MAAzB,C;MAGvB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,
0BAAiB,KAAM,MAAvB,EAA8B,SAA9B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,
KAAM,aAAvB,EAAqC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,
C;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;IAOJ,C;;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WA
AL,SAAK,EAAy,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAz
B,C;MAEvB,gCAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAmC,
OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;IAKJ,C;;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,E
AAc,KAAc,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,
gBAAO,KAAM,MAAb,C;QAA4B,OAAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAmC,OAAN,KAAM,
a;;QAC3B,gB;MAHZ,W;IAKJ,C;;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAe,KAAf,C;;
MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAA
M,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAmC,OAAN,KAAM,a;;QAC3B,g
B;MAHZ,W;IAKJ,C;;MoBr/BI,OAAO,sBAAQ,OAAR,KAAoB,C;IAC/B,C;;MAQkC,qB;QAAE,MAAM,8BAA0B
,+CAA4C,aAA5C,MAA1B,C;MAAR,C;IAAA,C;;MAA9B,OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;IACX,
C;;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAy,C;MA
CZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,
OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;IACX,C;;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MA
CX,eAAe,oB;MACf,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YA
AT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;IACX,C;;MASW,sB;;QAuDS,Q;QAAA,2B;QAAhB
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvDH,SAuDO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;
QAC9C,qBAAO,I;;MAXDP,yB;IACJ,C;;MAKLoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;Q
AAgB,yB;QACZ,IA1Kc,SA0KV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MA3Kf,OA8KO,I;IA7KX,C;;MASI,e
AAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;IACp
B,C;iFAEA,yB;MAAA,iE;MAAA,uC;QAOb,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI
,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;MACV,C;KATA,C;;MAiBI,e
AAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;IACpB,C;;MAQoB,Q;MA
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACr
D,OAAO,I;IACX,C;;MASiB,Q;MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,gBAA
W,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;IACX,C;;MASiB,Q;MADb,YAAy,C;MACC,2B;
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,
E;IACX,C;;MAUiB,Q;MAFb,gBAAgB,E;MACHB,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,I
AAI,UAAU,IAAV,CAAJ,C;UACI,YAAy,K;QACHB,qB;;MAEJ,OAAO,S;IACX,C;;MASI,eAAe,oB;MACf,IAAI,
CAAC,QAAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,U
AAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;IACX,C;+EAEA,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA
,uC;QASoB,UAQT,M;QAVP,WAAe,I;QACf,YAAy,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,I
AAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gC
AAuB,sDAAvB,C;QAEIB,OAAO,2E;MACX,C;KAIBA,C;;MA4BiB,Q;MAFb,gBAAgB,E;MACHB,YAAy,C;MA
CC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAy,K;QACHB,qB;;MAE
J,OAAO,S;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,OAAO,I;MACX,WAAW,QAAS
,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;IACX,C;;MASoB,Q;MADhB,WA
Ae,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;
MAGf,OAAO,I;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB
,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,MAAM,gCAAyB,qCAAzB,C;MACV,OAAO,M;I
ACX,C;mFAEA,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAQoB,UASt,M;QAXP,aAAiB,I;Q
ACjB,YAAy,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IA
AI,KAJ,C;cAAW,MAAM,8BAAyB,mDAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAA
L,C;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,6E;MACX,C;KAIBA,C;;MA0BI,eAAe,oB;MACf,IAAI,

CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MACTB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;M
ACX,OAAO,M;IACX,C;;MAUoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACI,2B;MAAhB,OAAGB,cAAhB,C;
QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,
QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;IACX,C;;MAWW,Q;MdvTP,IAAI,
EcsTI,KAAK,CdtTT,CAAJ,C;QACI,ccqTc,sD;QdpTd,MAAM,gCAAYB,OAAQ,WAAjC,C;;McsTN,UAAK,CAA
L,C;QAAU,gB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAAmB,CAAnB,C;M
AHZ,W;IAKJ,C;;MAUI,OAAO,sBAaKB,SAAIB,EAAwB,SAAxB,C;IACX,C;;MAQI,OAAO,sBAaKB,SAAIB,E
AAwB,IAAxB,EAA8B,SAA9B,C;IACX,C;;MAWgF,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,
C;MAAF,C;IAAA,C;;MAAsC,OAAA,EAAG,M;IAAM,C;;MAA3H,OAAO,yBAAqB,sBAaKB,qBAAiB,SAAjB,C
AAIB,EAA0C,IAA1C,EAAGD,+BAAhD,CAArB,EAAYG,sBAAZG,C;IACX,C;oGAEA,yB;MAAA,oD;QA4oBiB,
gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAnoBT,IAAI,WAmoBkB,cAnoBIB,EAmoBkB,
sBAnoBIB,WAmoB2B,IAnoB3B,CAAJ,C;YAA2C,sBAmoBZ,IAnoBY,C;;QAE/C,OAAO,W;MACX,C;KAZA,C;s
GAcA,yB;MAAA,8C;MAAA,0C;MAAA,8B;;QAOKB,qB;UAAE,c;QAAF,C;MAAA,C;MAPIB,sC;QAOW,Q;QA
AP,OAAO,uCAAO,iCAAP,gC;MACX,C;KARA,C;;MAGBoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,
yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;IACX,C;;MAQI,OAAO,sBAaKB
,SAAIB,EAAwB,KAAxB,EAA+B,SAA/B,C;IACX,C;;MASuB,iB;IAAW,C;;MAAvB,Q;MAAP,OAAO,4CAAU,o
BAAV,kC;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAq
B,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAA
gB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;IACX,
C;;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,
WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;IACX,C;;MAWW,Q;Md1bP,IAAI,EcybI,KAAK,CdzbT,CAAJ,C;QA
CI,ccwbc,sD;Qdvbd,MAAM,gCAAYB,OAAQ,WAAjC,C;;McybN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC
,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAAmB,CAAnB,C;MAHZ,W;IAKJ,C;;MAUI,OAAO,sB
AAKB,SAAIB,EAAwB,SAAxB,C;IACX,C;;MAQW,8B;IAAA,C;;MAEC,iBAA6B,iBAAZ,gBAAy,C;MACIB,QA
AX,UAAW,C;MACX,OAAO,UAAW,W;IACtB,C;;;MALJ,0C;IAOJ,C;sFAEA,yB;MAAA,sD;MZhaA,sC;MAAA,
uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,S
A4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6
D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MWifA,sC;QAMI,OAAO,mDZ/ZI,iBY+ZiB,Q
Z/ZjB,CY+ZJ,E;MACX,C;KAPA,C;0GASA,yB;MAAA,sD;MZtZA,sC;MAAA,iCAOe,yB;QAxFf,8D;;UAwFe,uB;
YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;UA+EI,C;
QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,C
AAd,C;MAAA,C;MAD5C,kF;MW0fA,sC;QAMI,OAAO,mDZrZI,2BYqZ2B,QZrZ3B,CYqZJ,E;MACX,C;KAPA,
C;;MAeI,OAAO,wBAAW,cAAX,C;IACX,C;;MAQW,sC;MAAA,4C;IAAA,C;;MAEC,iBAAiC,iBAAhB,oBAAgB
,C;MACTB,WAAX,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;IACtB,C;;;MALJ,0D;IAOJ,C;wFAEA,yB
;MAAA,wE;MAAA,uC;QAWW,kBAAy,oB;QAUeH,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAC
Z,WAxEsC,SAwEvB,CAAU,OAAV,C;UjBpDnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QiBpBA,OA0
EO,W;MAzEX,C;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yC;QAWW,kBAAc,oB;QA0BL,Q;QAAA,2B;QAAhB,
OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA3B4B,WA2BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3
BhB,OA6BO,W;MA5BX,C;KAZA,C;6FAcA,yB;MAAA,wE;MAAA,yD;QAUW,kBAAc,oB;QA6BL,Q;QAAA,2
B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA9B4B,WA8BxB,CAAY,OAAZ,CAAJ,EA9ByC,cA8
Bf,CAAe,OAaf,CAA1B,C;;QA9BhB,OAgoC,W;MA/BX,C;KAXA,C;;MAuBoB,Q;MAAA,2B;MAAhB,OAAGB,
cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEHb,OAAO,W;IACX,C
;;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA
0B,eAAe,OAaf,CAA1B,C;;MAEHb,OAAO,W;IACX,C;;MAWoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QA
AgB,yB;QACZ,WAAe,UAAU,OAAV,C;QjBpDnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MiBsDA,OA
AO,W;IACX,C;;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEHb,
OAAO,W;IACX,C;;MAQI,OAAO,0BAAa,cAAb,C;IACX,C;;MAQI,OAA4B,qBAAhB,iBAAL,SAAK,CAAGB,C;I
AChC,C;;MAQI,OAAO,0BAAa,gBAAb,C;IACX,C;;MAUI,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;IAC5C,C

::MAQiD,OAAA,EAAG,W;IAAW,C;;MAA3D,OAAO,uBAAmB,SAAnB,EAAYB,SAAzB,EAAoC,cAApC,C;IAC X,C;yFAEA,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA AW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KAXA,C;qFAaA,yB; MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAA gB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UjBjeP,U;UADP,YiBmee,WjBneH,WiBmewB,GjBnexB,C;UA CL,IAAI,aAAJ,C;YACH,aiBieuC,gB;YAA5B,WjBheX,aiBgegC,GjBhehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;U iB6dA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,OAKCO,W;MAjCX,C;KAZA,C;qFAcA,yB;MAAA,wE;MAkCA ,+D;MAICA,yD;QAYW,kBAAU,oB;QAKCD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAnCi D,WAmCvC,CAAY,OAAZ,C;UjBrfP,U;UADP,YiBufe,WjBvfH,WiBufwB,GjBvfxB,C;UACL,IAAI,aAAJ,C;YAC H,aiBqfuC,gB;YAA5B,WjBpfX,aiBofgC,GjBpfc,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UiBifA,iB;UACA,IAAK, WArCyD,cAqCrD,CAAE,OAAf,CAAJ,C;;QArCT,OAuCO,W;MAICX,C;KAbA,C;yFAeA,yB;MAAA,+D;MAAA, sD;QAWoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAAY,OAAZ,C;UjBjeP,U;UA DP,YiBmee,WjBneH,WiBmewB,GjBnexB,C;UACL,IAAI,aAAJ,C;YACH,aiBieuC,gB;YAA5B,WjBheX,aiBgegC, GjBhehC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UiB6dA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;MAC X,C;KAjBA,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB ;UACZ,UAAU,YAAAY,OAAZ,C;UjBrfP,U;UADP,YiBufe,WjBvfH,WiBufwB,GjBvfxB,C;UACL,IAAI,aAAJ,C;Y ACH,aiBqfuC,gB;YAA5B,WjBpfX,aiBofgC,GjBpfc,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UiBifA,iB;UACA,IA AK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAlBA,C;0FAoBA,yB;MAAA,kC;MAAA,4C;;QA UW,sC;QAAA,8C;MAVX,C;MAAA,gE;QAWqD,OAAA,oBAAGB,W;MAAhB,C;MAXrD,oE;QAY4C,gCAAY,O AAZ,C;MAAA,C;MAZ5C,gF;MAAA,yC;QAUI,2D;MAIJ,C;KAdA,C;;MAuBI,OAAO,yBAAqB,SAArB,EAA2B, SAA3B,C;IACX,C;;MAWI,OAAO,gCAA4B,SAA5B,EAAkC,SAAIC,C;IACX,C;;MAWI,OAAoD,gBAA7C,gCA A4B,SAA5B,EAAkC,SAAIC,CAA6C,C;IACxD,C;4GAEA,yB;MAAA,sC;MAAA,6B;MAAA,iCASmB,yB;;UAA A,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C; MATnB,oD;QA+MiB,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAAb,C;UAAa,sB;UAtMsB,U;UAAA,yBAS MT,cAtMS,EAsMT,sBAAtMS,WAsMA,IAtMA,W;YAA6C,6B;;QACHf,OAAO,W;MACX,C;KAXA,C;;MAuBiB, UACiB,M;MAF9B,YAAAY,C;MACC,2B;MAAb,OAAa,cAAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,E AAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;IACX,C;;MASI,OAA6C,gBAAtC,yBAAqB,SAArB, EAA2B,SAA3B,CAAsC,C;IACjD,C;8FAEA,yB;MAAA,sC;MAAA,6B;MAAA,0BAOY,yB;;UAAA,0B;YAAA,Q; YAAA,8BAAU,OAAV,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAPZ,oD;QA6JoB,Q;QAAA,2 B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAtJK,U;UAAA,wBASjQ,OAtJR,W;YAAAsC,6B;;QAC3D,OAAO,W; MACX,C;KATA,C;;MAkBiB,Q;MAAA,2B;MAAb,OAAa,cAAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAA V,CAAJ,C;;MACHb,OAAO,W;IACX,C;;MAQI,OAAO,qBAAiB,SAAjB,C;IACX,C;;MAU6B,S;IAAG,C;;MAA5 B,OAAAY,aAAL,SAAK,EAAW,eAAX,C;IACHb,C;;MAWI,OAAO,qBAAiB,SAAjB,EAAuB,QAAvB,C;IACX,C;; MAWiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAAb,C;QAAa,sB;QAAM,GAAL,WAAI,IAAJ,C;;MACv B,OAAO,G;IACX,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU ,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;IACX,C;;MAUI,OAAO,oBAAW,U;IACtB,C;;MAUoB,Q; MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MA CrD,OAAO,K;IACX,C;;MASoB,Q;MADhB,YAAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM, qB;;MACtB,OAAO,K;IACX,C;;MASoB,Q;MADhB,YAAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB; QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;IACX,C;;MASoB,Q;MADhB,kBAAkB,O; MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,O AAO,W;IACX,C;;MAaoB,UAA8B,M;MAF9C,YAAAY,C;MACZ,kBAAkB,O;MACF,2B;MAAhB,OAAGB,cAAhB, C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAA O,W;IACX,C;;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;IAC1B,C ;;MAWiB,UAAa,M;MAD1B,YAAAY,C;MACC,2B;MAAb,OAAa,cAAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO, sBAAP,WAAgB,IAAhB,C;;IACvB,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;M AChC,UAAU,QAAS,O;MACnB,IAAQ,QAAl,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB, C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C

;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAA S,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAA M,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C; QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA AI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC, QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS, UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI, UAAU,C;UACV,WAAW,C;;MAGnB,OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C; QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA AI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C ;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,IAA Q,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IA AM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO, G;IACX,C;;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;M ACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O; QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEv B,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QA AS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,M AAM,C;;MAEvB,OAAO,G;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MA ChC,cAAc,QAAS,O;MACvB,eAAe,SAAS,OAAT,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QA CjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAGnB, OAAO,O;IACX,C;;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAA S,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb, CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;MAUI,OAAO,CAAC,oBAAW,U;IAC vB,C;;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAY,CAAJ,C;UAA wB,OAAO,K;;MACrD,OAAO,I;IACX,C;;MASE,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;MAFO,C;IAAA,C;; MAAX,OAAO,kBAAL,qBAAJ,C;IAIX,C;kFAEA,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,SAAK,W;QACpB,IAAI ,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAQB,QAAS,O;QAC9B,OAAO,QAA S,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;MACX,C;KAbA,C;gGAe A,yB;MAAA,4F;MAAA,uC;QAcgC,Q;QAL5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,M AAM,mCAA8B,kCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAQB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UAC I,cAAc,WAAU,YAAV,EAAU,oBAAV,SAAM,B,WAAAnB,EAAGC,QAAS,OAAzC,C;;QAEIB,OAAO,W;MACX,C; KAJBA,C;;MA0BoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS, OAAT,CAAP,I;;MAEJ,OAAO,G;IACX,C;;MASoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB, C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;IACX,C;;MAQe,qB;QAAE,e;UAAM,MAAM,gC AAYB,2BAAwB,mBAAXB,MAAZB,C;;QAAZ,S;MAAF,C;IAAA,C;;MAAX,OAAO,kBAAL,gCAAJ,C;IACX,C;; MAeI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;IACX,C;;MAoBI,OAAO,sBAAS,IAAT,EAAe,IAAf,E AAsC,IAAtC,EAAwD,SAAXD,C;IACX,C;;MAQW,4B;MAAA,sC;IAAA,C;;MAG0B,qB;QAAE,IAAI,CAAC,iBA AD,IAAY,WAAAM,eAAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;MAAhE,C;IAAA, C;;MADzB,kBAAC,KAAAd,C;MACA,OAakB,SAAX,eAAW,EAAO,kEAAP,CAA8E,W;IACpG,C;;MAJJ,kD;IA MJ,C;;MAYW,wC;MAAA,4B;IAAA,C;;MAG6B,qB;QAAE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAD5B,YAA qB,UAAAT,qBAAS,C;MACrB,OAakB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;IAChD,C;;MALJ,IAAI,QrBg2I G,YAAQ,CqBh2If,C;QAAwB,OAAO,S;MAC/B,qD;IAMJ,C;;MAWW,wC;MAAA,4B;IAAA,C;;MAMiC,qB;QA AE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAJhC,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;Q ACI,OAAO,eAAW,W;;QAEIB,OAakB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;IACpD,C;;MAPJ,qD;IASJ,C;; MAWW,wC;MAAA,4B;IAAA,C;;MAMiC,qB;QAAE,OAAM,aAAN,mB;MAAF,C;IAAA,C;;MAJhC,YAAqB,YA AT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAakB,YAAX,eAAW,EAAU,4

CAAV,CAA0B,W;IACpD,C;;;MAPJ,qD;IASJ,C;8FAEA,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN ,C;MACX,C;KARA,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAA a,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WA AI,OAAJ,C;;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAIBA,C; ;MA0BI,OAA6C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAx,EAAjB,EAAc,C;IACjD,C;;MAWI,OAAy,OA AL,SAAK,EAAC,OAAT,QAAS,CAAd,C;IACbB,C;;MAWI,OAA+C,UAAx,C,YAAW,SAAX,EAA0B,aAAT,QAAS,CAA1B,EAAwC,C;IACnD,C;;MAWI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;IACtC,C;4FA EA,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;MACX,C;KARA,C;;MA0B+C,oB;QAAA,OAAy, C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3 D,C;IACX,C;;MAoBkD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAI,SAAJ,C;IAC5E,C;;MAWoD,cAAM,EAAN, C;IAAS,C;;MAAZD,OAAO,oBAAGB,SAAhB,EAAcB,KAAtB,EAA6B,UAA7B,C;IACX,C;;MAYI,OAAO,oBAA gB,SAAhB,EAAcB,KAAtB,EAA6B,SA7B,C;IACX,C;;MAAiC,aAAK,CAAL,C;IAAO,C;;MAApC,OAAO,yBA AY,kBAAZ,C;IACX,C;;MAciC,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,uB;MAAA,C;IAAA,C;;MAAA,wC; MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAAA,wB;MAAA,kC;IAS7B,C;;;oCA RmB,sC;cACf,IAAI,CAAC,mBAAS,UAAAd,C;gBAAyB,M;;;gBAAzB,gB;;;mCACc,mBAAS,O;cACvB,gB;;;cA AA,KA AO,mBAAS,UAAhB,C;gBAAA,gB;;;gCACe,mBAAS,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,E AAmB,eAAnB,CAAN,O;kBAAA,qC;uBAAA,mB;cAAA,Q;;cACA,qBAAU,e;cAHd,gB;;;cAKJ,W;;;IAAA ,C;;MATA,OAAO,cAAc,0CAAd,C;IAUX,C;;MAY6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI, uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MA GtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q ACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B, C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,K AA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;IACX,C;;MAYw C,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;M AAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAM C,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAe,SAAtE,CAAiF,W;IAC5F,C;;MAMoB,mB; QAAE,OAAA,eAAK,W;MAAP,C;IAAA,C;;MR7nDmE,wC;IANvF,C;IAAA,0D;MAO2C,8B;IAAA,C;IAP3C,gF;; MQmoDI,oCAAGB,8BAAhB,C;IACJ,C;;MAOI,OAAO,S;IACX,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YAAi B,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAAW, UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB,YA AiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,OAA W,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MACIB, YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;MAEJ,O AAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB,G;MAC IB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT,I;;M AEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAWoB,Q;MAFhB,UAAkB, G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,gBAAS,CAAT, I;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;IACjD,C;;MAUoB,Q;MADhB,UAA e,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX,C;;MAUoB,Q; MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;IACX, C;;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,OAAP,I;;MA EJ,OAAO,G;IACX,C;;MAUoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,cAAO, OAAP,C;;MAEJ,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAG B,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB, cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;IACX,C;;MChzDI,aAAa,qBAAiB,YAAY,cAAZ,CAAj

B,C;MACb,kBAAC,KAAd,C;MPoqBgB,Q;MAAA,OOOnqBT,SPmqBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B; QAAU,oB;QOnqBK,IAAI,CAAC,SAAD,IAAY,OPmqBX,SONqBW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAi D,K;;;UAAjD,mBAA8D,I;QPmqBvE,qB;UOnqBD,MPmqBqC,WAAI,SAAJ,C;MOnqB1D,OAAqB,M;IACzB,C;; MAQI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;IACX,C;;MAQI,YAA qB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAI,QAAL,SAAK,C;MACHB,IA AI,yBAAJ,C;QACgB,kBAAY,sB;QPmoBZ,Q;QAAA,OOOnBL,SPmoBK,W;QAAhB,OAAgB,cAAhB,C;UAAgB, yB;UAAM,IAAI,COOnoBwB,qBPmoBb,OOOnoBa,CPmoB5B,C;YAAyB,WAAy,WAAI,OAAJ,C;;QOnoBvD,OPoo BG,W;;MOOnoBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;IACX,C;;MAQI,a AAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;IACX,C;gGAEA,yB;MAAA,8 C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;MACX,C;KARA,C;;MAGBI,aAAa,qBAAiB,YAAy,iBAAO,CAAP ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;IACX,C;;M ASI,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAy,QAAS,OAAR,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP, C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAQuD,UAAI,M;MAA1C,aAAa,qBAAiB, YAAy,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,GAAy,CAAZ,IAAvE,CA AjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;;MAS I,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAy,CAAZ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,S AAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;IACX,C;8FAEA,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAA K,OAAL,C;MACX,C;KARA,C;;MCxGI,OAAO,qBAAL,KAAL,C;IACX,C;gGAEA,yB;MAAA,uD;MAAA,gC;MA AA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAL,KAAL,CAAT,GAAsD,uBAAa,KAAb ,E;MACjE,C;KANA,C;gGAQA,yB;MAAA,+C;MAAA,mC;QAKI,OAAI,UAAI,SAAK,EAAU,KAAV,C;MACH B,C;KANA,C;0EAQA,yB;MA0CA,6C;MAAA,oC;MAAA,gC;MA1CA,uC;QAKW,sB;;UAyCS,Q;UAAA,0B;UA AhB,OAAgB,cAAhB,C;YAAgB,oC;YAAM,IAZCH,SAyCO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,u B;;;UAC9C,qBAAO,I;;QA1CP,yB;MACJ,C;KANA,C;kFAQA,yB;MA8GA,mD;MAAA,+C;MAAA,oC;MA9GA, uC;QAKW,qB;;UA6GO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc ,qBAAK,KAAL,C;YACd,IA/Gc,SA+GV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAA O,I;;QAJHP,wB;MACJ,C;KANA,C;;MAaI,ICqKgD,qBAAU,CDrK1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;M ACV,OAAO,qBAAK,CAAL,C;IACX,C;4EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QA KoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAA O,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;MACV,C;KAPA,C;;MAaI,OCmJgD,qBAAU,CDnJnD,GAAe,IAAf,G AAyB,qBAAK,CAAL,C;IACpC,C;wFAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0 B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OA AO,I;MACX,C;KANA,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAL,KAAL,CAAT,GAAsD,uBAAa,KAAb,E;MACjE,C;KANA,C;;MAYI,OAAW,SAAS, CAAT,IAAc,SAAS,0BAA3B,GAAsC,qBAAL,KAAL,CAAT,GAAsD,I;IACjE,C;0FAEA,yB;MAAA,mD;MAAA,o C;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,IAAI,UAAU,iCAAk,KA AL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;wFAYA,yB;MAAA,mD;MAAA,+C;M AAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAAd,OAAc,cAAAd,C;UAAc,uB;UACV, IAAI,UAAU,iCAAk,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;MACX,C;KAVA,C;;MAiBI,IC4F gD,qBAAU,CD5F1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,0BAAL,C;IACX,C;0EAEA, yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CA AQ,CAAb,W;QAAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAA J,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,6DAAvB,C;MACV,C;KAVA,C;;MAGBI,OCuEgD,qBAAU,CD vEnD,GAAe,IAAf,GAAyB,qBAAK,mBAAS,CAAT,IAAL,C;IACpC,C;sFAEA,yB;MAAA,mD;MAAA,+C;MAA A,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAAd,OAAc,cAAAd,C;UAAc,u B;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;M ACX,C;KATA,C;;MAeiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aAC X,C;UAAK,4BAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAyB,0CAAzB,C;;MAHIB,W;IAKJ,C;8EAEA,yB;M AAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;

QACpB,YAAY,K;QACI,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;MACX,C;KAhBA,C;;MASBI,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;IACzC,C;0FAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;MACX,C;KafA,C;;MhB7KI,IAAI,EgBoMI,KAAK,ChBpMT,CAAJ,C;QACI,cgBmMc,wD;QhBIMd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MgBmMV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;IACX,C;;MhBtMI,IAAI,EgB8MI,KAAK,ChB9MT,CAAJ,C;QACI,cgB6Mc,wD;QhB5Md,MAAM,gCAAyB,OAAQ,WAAjC,C;;MgB6MV,OEpM6E,oBFoM1D,eAAF,CAAE,EAAa,gBAAb,CEpM0D,C;IFqMjF,C;;MhBhNI,IAAI,EgBwNI,KAAK,ChBxNT,CAAJ,C;QACI,cgBuNc,wD;QhBtNd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MgBuNV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;IACX,C;;MhB1NI,IAAI,EgBkOI,KAAK,ChBIOT,CAAJ,C;QACI,cgBiOc,wD;QhBhOd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MgBiOV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;IACX,C;2FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAF,C;QACf,OAAO,E;MACX,C;KAVA,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OE5OoF,oBF4OnE,CE5OmE,EF4OhE,QAAQ,CAAR,IE5OgE,C;;QF6O5F,OAAO,E;MACX,C;KAVA,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,KAAZ,EAAmB,gBAAnB,C;QACf,OAAO,E;MACX,C;KAVA,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OE5OqE,oBFuQpD,KEvQoD,C;;QFwQ7E,OAAO,E;MACX,C;KAVA,C;8EAYA,yB;MAAA,yD;MAkEA,oC;MAIEA,uC;QAIW,kBAAS,oB;QAKEM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IApE6B,SAoEzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QApExC,OAsEO,W;MArEX,C;KALA,C;8EAOA,yB;MAAA,yD;MA2DA,oC;MA3DA,uC;QAIW,kBAAS,oB;QA2DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IA7D6B,SA6DzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QA7DxC,OA+DO,WA/DqC,W;MACHD,C;KALA,C;4FAOA,yB;MAAA,yD;MAkBA,gC;MAylBA,6C;MAAA,oC;MA3mBA,uC;QAMW,kBAAgB,oB;QA4mBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzIB/B,IAnBoC,SAmBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAnB/C,OAqBO,W;MApBX,C;KAPA,C;4FASA,yB;MAAA,yD;MASA,gC;MAylBA,6C;MAAA,oC;MAlmBA,uC;QAMW,kBAAgB,oB;QAmBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzIB/B,IAVoC,SAUhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAV/C,OAYO,WAZ4C,W;MACvD,C;KAPA,C;gGASA,yB;MAAA,gC;MAylBA,6C;MAAA,oC;MAzIB A,oD;QAgmBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAzIB/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;MACX,C;KAVA,C;oFAYA,yB;MAAA,yD;MAcA,6C;MAAA,oC;MAAA,gC;MAAd,uC;QAIW,kBAAY,oB;QAcH,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAdU,SACt,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAd3D,OAeO,W;MAdX,C;KALA,C;oFAOA,yB;MAAA,yD;MAOA,6C;MAAA,oC;MAAA,gC;MAPA,uC;QAIW,kBAAY,oB;QAOH,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAPU,SAOT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAP3D,OAQO,WARwC,W;MACnD,C;KALA,C;wFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAC3D,OAAO,W;MACX,C;KANA,C;kFAQA,yB;MAAA,oC;MAAA,oD;QAI0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QAExC,OAAO,W;MACX,C;KATA,C;;MAeI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,O

AAO,yBAAY,OAAZ,C;IACX,C;;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,uBAAU,OAA
V,C;IACX,C;;MASc,Q;MAHV,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QA
Ae,OAAO,E;MACTb,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,MAAO,gBA
AO,qBAAI,CAAJ,CAAP,C;;MAEX,OAAO,M;IACX,C;4EAEA,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;
QAAR,OAA8B,MAAtB,2DAAsB,EAAM,OAAN,CAAe,W;MACjD,C;KANA,C;;MhBhYI,IAAI,EgB8YI,KAAK,
ChB9YT,CAAJ,C;QACl,cgB6Yc,wD;QhB5Yd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgB6YV,OAAO,8BAAY,C
AAZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAjB,C;IACX,C;;MhBhZI,IAAI,EgBwZI,KAAK,ChBxZT,CAAJ,C;Q
ACl,cgBuZc,wD;QhBtZd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgBuZV,OE3Y4F,oBF2Y3E,CE3Y2E,EF2YtE,e
AAF,CAAE,EAAa,gBAAb,CE3YsE,C;IF4YhG,C;;MhB1ZI,IAAI,EgBkaI,KAAK,ChBlaT,CAAJ,C;QACl,cgBiac,
wD;QhBhad,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgBiaV,aAAa,gB;MACb,OAAO,8BAAY,SAAW,eAAF,CAA
E,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;IACX,C;;MhBraI,IAAI,EgB6aI,KAAK,ChB7aT,CAAJ,C;QACl,
cgB4ac,wD;QhB3ad,MAAM,gCAAYB,OAAQ,WAAjC,C;;MgB4aV,aAAa,gB;MACb,OEpa6E,oBFoa5D,SAAW,e
AAF,CAAE,EAAa,MAAb,CAAX,IEpa4D,C;IFqajF,C;2FAEA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAA
c,wBAAd,WAA+B,CAA/B,U;UACl,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACl,OAAO,8BAAY,
QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;;QAGf,OAAO,8BAAY,CAAZ,EAAe,gBAaf,C;MACX,C;KAZA,C;4F
AcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACl,IAAI,CAAC,UAAU
i,CAAK,KAAL,EAAV,CAAL,C;YACl,OE7bqE,oBF6bpD,QAAQ,CAAR,IE7boD,C;;;QFgc7E,OAAO,S;MACX,C
;KAZA,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACl,IAAI,CAAC,
UAAU,iCAAI,KAJ,EAAV,CAAL,C;YACl,OAAO,8BAAY,CAAZ,EAAe,KAaf,C;;QAEf,OAAO,8BAAY,CAA
Z,EAAe,gBAaf,C;MACX,C;KAXA,C;oFAaA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,C
AAd,wB;UACl,IAAI,CAAC,UAAU,iCAAI,KAJ,EAAV,CAAL,C;YACl,OErdof,oBFqdnE,CErdmE,EFqdhE,KE
rdgE,C;;QFud5F,OAAO,S;MACX,C;KAXA,C;;MAiBI,OAAO,qBAAc,SAAd,CAAoB,U;IAC/B,C;kFAEA,yB;MA
AA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CAAW,W;MAC7C,C;KANA,C;oFAQ
A,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAkEA,6C;MAAA,oC;MAAA,gC;MAIEA,uC;QASI,eAAmC,cAapB,Y
AAY,gBAAZ,CAAoB,EAAc,EAAd,C;QAC5B,kBAAY,mBAAoB,QAAPB,C;QA+DH,Q;QAAA,0B;QAAhB,OA
AgB,cAAhB,C;UAAgB,oC;UACZ,WAhE8C,SAGe/B,CAAU,oBAAV,C;UnB7BnB,wBAAI,IAAK,MAAT,EAAG
B,IAAK,OAAR,B,C;;QmBnCA,OAkEO,W;MAjEX,C;KAXA,C;wFAaA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA
yBA,6C;MAAA,oC;MAAA,gC;MAZBA,yC;QASI,eAAmC,cAapB,YAAY,gBAAZ,CAAoB,EAAc,EAAd,C;QAC
5B,kBAAc,mBAAuB,QAavB,C;QAuBL,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aA
xBuC,WAwBnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAxhB,OA0BO,W;MAZBX,C;KAXA,C;wFAaA,y
B;MAAA,0D;MAAA,yD;MAAA,uE;MA0BA,6C;MAAA,oC;MAAA,gC;MA1BA,yD;QAQI,eAAmC,cAapB,YA
AY,gBAAZ,CAAoB,EAAc,EAAd,C;QAC5B,kBAAc,mBAAoB,QAAPB,C;QAyBL,Q;QAAA,0B;QAAhB,OAAG
B,cAAhB,C;UAAgB,oC;UACZ,WAAY,aA1BoC,WA0BhC,CAAY,oBAAZ,CAAJ,EA1BiD,cA0BvB,CAAe,oBAA
f,CAA1B,C;;QA1BhB,OA4BO,W;MA3BX,C;KAVA,C;4FAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD
;QAQoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0
B,oBAA1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;Q
AQoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,
eAAe,oBAaf,CAA1B,C;;QAEhB,OAAO,W;MACX,C;KAZA,C;wFAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M
AAA,oD;QAOb,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAY,eAAE,UAAU,oBAAV,C;UnB7B
nB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAAR,B,C;;QmB+BA,OAAO,W;MACX,C;KAXA,C;;MAiBiB,Q;MAAA
4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAY,WAAI,iBAAJ,C;;MAEhB,OAAO,W;IACX,C;;MAMI,OAAO
2BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;IACX,C;;MAMIb,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UA
AK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;
MAAP,W;IAKJ,C;;MAMI,OAAO,2BAAa,iBAAGB,gBAAhB,CAAb,C;IACX,C;;MAQiB,IAAN,I;MAAA,QAAM,
gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCA
Aa,qBAAoB,YAAY,gBAAZ,CAAPB,CAAb,C;UAHL,K;;MAAP,W;IAKJ,C;gFAEA,yB;MAAA,+D;MAOA,6C;M
AAA,oC;MAAA,gD;MAAA,gC;MAPA,uC;QAIW,kBAAU,gB;QAOD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;
UAAgB,oC;UACZ,WAR6B,SAQIB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAOW,W

;MAVX,C;KALA,C;oFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;MACX,C;KATA,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAyBD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WAOB1C,CAAY,oBAAZ,C;UnB9bP,U;UADP,YmBgce,WnBhcH,WmBgcwB,GnBhcxB,C;UACL,IAAI,aAAJ,C;YACH,amB8buC,gB;YAA5B,WnB7bX,amB6bgC,GnB7bhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB0bA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;MA7BX,C;KAVA,C;gFAYA,yB;MAAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UnBhdP,U;UADP,YmBkde,WnBldH,WmBkdwB,GnBldxB,C;UACL,IAAI,aAAJ,C;YACH,amBgduC,gB;YAA5B,WnB/cX,amB+cgC,GnB/chC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB4cA,iB;UACA,IAAK,WajCyD,cAiCrD,CAAe,oBAAf,CAAJ,C;;QAJCT,OAmCO,W;MAICX,C;KAXA,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UnB9bP,U;UADP,YmBgce,WnBhcH,WmBgcwB,GnBhcxB,C;UACL,IAAI,aAAJ,C;YACH,amB8buC,gB;YAA5B,WnB7bX,amB6bgC,GnB7bhC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB0bA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;MACX,C;KafA,C;oFAiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UnBhdP,U;UADP,YmBkde,WnBldH,WmBkdwB,GnBldxB,C;UACL,IAAI,aAAJ,C;YACH,amBgduC,gB;YAA5B,WnB/cX,amB+cgC,GnB/chC,EAAS,MAAT,C;YACA,e;;;YAEA,c;;UmB4cA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;MACX,C;KAhBA,C;qFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;;QAQW,sC;QAAA,8C;MARX,C;MAAA,gE;QASwD,OAAGB,SAAhB,oBAAGB,C;MAAhB,C;MATxD,oE;QAU+C,gCAAY,oBAAZ,C;MAAA,C;MAV/C,gF;MAAA,yC;QAQI,2D;MAIJ,C;KAZA,C;wEAca,yB;MAAA,gE;MAqEA,6C;MAAA,oC;MAAA,gC;MArEA,uC;QAKW,kBAAM,eAAa,gBAAb,C;QAqEA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WatEmB,SAsEf,CAAU,iBAAV,CAAJ,C;;QAEhB,OAuEO,W;MAteX,C;KANA,C;sFAQA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAqCP,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WajC0B,SaiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OakCO,W;MAjCX,C;KARA,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MA0JnB,6C;MAAA,oC;MA3KA,uC;QAOW,kBAAoB,gB;QA2Kd,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,U;UAAA,cAVQ,SAUR,EaiKT,cAjKS,EaiKT,sBAjKS,WaiKA,iBAjKA,W;YAA6C,6B;;;QAVhF,OAwo,W;MAVX,C;KARA,C;uGAUA,yB;MAAA,gC;MAAA,sC;MAAA,6B;MAAA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAAU,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MA0JnB,6C;MAAA,oC;MAjKA,oD;QAwKiB,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAjKsB,U;UAAA,yBAiKT,cAjKS,EaiKT,sBAjKS,WaiKA,iBAjKA,W;YAA6C,6B;;;QACHF,OAAO,W;MACX,C;KATA,C;0FAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACHB,OAAO,W;MACX,C;KAXA,C;qFAaA,yB;MAAA,+D;MAQA,gC;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAqHZ,6C;MAAA,oC;MAIIA,uC;QAKW,kBAaA,gB;QAIiJ,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAzHK,U;UAAA,cARe,SAQf,CAyHQ,oBAzHR,W;YAAsC,6B;;;QAR3D,OASO,W;MARX,C;KANA,C;yFAQA,yB;MAAA,gC;MAAA,sC;MAAA,6B;MAAA,0BAKY,yB;;UAAA,0B;YAAa,Q;YAAA,8BAAU,OAAV,W;cAAsC,mC;;YAAU,W;UAA7D,C;QAAA,C;OAAA,C;MAqHZ,6C;MAAA,oC;MA1HA,oD;QA8HoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAzHK,U;UAAA,wBAyHQ,oBAzHR,W;YAAsC,6B;;;QAC3D,OAAO,W;MACX,C;KAPA,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;MACX,C;KARA,C;;MAc4B,mB;QAAE,iC;MAAF,C;IAAA,C;;MAAxB,OAAO,qBAaiB,6BAajB,C;IACX,C;wEAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACTd,OAAO,I;MACX,C;KARA,C;;MAgBI,OAAO,ECtnByC,qBAAU,CDs

nBnD,C;IACX,C;wEAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAA
gB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;MACX,C;
KARA,C;;MAeI,OAAO,gB;IACX,C;4EAEA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADh
B,YAAy,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB
;;QAC9C,OAAO,K;MACX,C;KAPA,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAKoB,Q;QA
DhB,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAA
vB,C;;QACpC,OAAO,W;MACX,C;KAPA,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,
UAA8B,M;QAF9C,YAAy,C;QACZ,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc
,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAhB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;MACX,C;KAXA,C;m
FAaA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAOoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,S
AAS,CAAhB,C;UACI,cAAc,UAAU,kCAAI,YAAJ,EAAI,oBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;
MACX,C;KAVA,C;iGAYA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAOI,YAAy,wB;QACZ,kBAAkB,O;QACIB,
OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;
;QAEJ,OAAO,W;MACX,C;KAdA,C;gFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAA
A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;MAC1B,C;KALA,C;8FAOA,yB;MAAA,
6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAA
a,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;MACvB,C;KARA,C;;MAgBiB,Q;MAFb,IC3tBgD
,qBAAU,CD2tB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QAC
I,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;IACX,C;4EAEA,
yB;MAAA,oC;MAAA,uD;MAAA,sC;QAOiB,Q;QAHb,ICxuBgD,qBAAU,CDwuB1D,C;UAAe,OAAO,I;QACtB,c
AAc,qBAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,qBAAK,
CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C
;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,IC1vBgD,qBAAU,CD0vB1D,C;QAAe,OAAO,I;M
ACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,
UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;IACX,C;;
MAQiB,Q;MAFb,ICvwBgD,qBAAU,CDuwB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;
MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEv
B,OAAO,G;IACX,C;4EAEA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAOiB,Q;QAHb,ICpxBgD,qBAAU,CDoxB1
D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,eAAe,SAAS,oBAAT,C;QACF,+B;QAAb,aAAU,CA
AV,iB;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA
CI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;MACX,C;KAhBA,C;;MAwBiB,Q;MAFb,ICtyBgD,qBAAU,C
DsyB1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,q
BAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;
;MAE9C,OAAO,G;IACX,C;;MAQI,OCrzBgD,qBAAU,C;IDSzB9D,C;0EAEA,yB;MAAA,6C;MAAA,oC;MAAA,
gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAA
J,C;YAAwB,OAAO,K;;QACrD,OAAO,I;MACX,C;KARA,C;6EUAU,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAA
A,oC;QAKmC,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAArC,gB;MAC
J,C;KANA,C;8EAQA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAOqB,Q;QAHjB,IC90BgD,
qBAAU,CD80B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAj
B,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;MACX,
C;KAXA,C;4FAaA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAUqB,Q;QAHjB,IC91BgD,qB
AAU,CD81B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,i
BAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAA
O,W;MACX,C;KAdA,C;uFAGBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAM0B,UAEU,
M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAAkB,sBA
AI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WA
AV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;MACX,C;KAXA,C;qGAaA,yB;MAAA,uD;MAAA,4F;MAAA,oC;M
AAA,gC;MAAA,uC;QAS0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA

9B,C;QACrB,kBAaKb,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KA
AV,EAAiB,iCAAI,KAJ,EAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;MACX,C;KafA,C;4EAiBA,y
B;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,
C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;MACX,C;KATA,C;wFAWA,yB;MAAA,6
C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAg
B,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;MACX,C;KATA,C;;MAsBI,OAAO,sBAAS,IAAT,EAAe,
IAAf,EAAc,IAAtC,C;IACX,C;;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAxD,C;IA
CX,C;;MAAmC,OAAA,EAAG,W;IAAW,C;;MAA7C,OAAO,6BAAgB,IAAhB,EAAcB,sBAAtB,C;IACX,C;;MAk
BI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SAAhE,C;IACX,C;oFAEA,yB;MAAA,yD;M
AAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B
;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;;
YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;MACX,C;KAhBA,C;oFAkBA,y
B;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aA
Aa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gB
AAO,OAAP,C;;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAM,WAAX,EAAuB,MAAO,WAA9
B,C;MACX,C;KAhBA,C;;MAmCkD,OAAA,EAAG,W;IAAW,C;;MADpB,oB;QAAA,OAAY,C;MAAG,8B;QAA
A,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,cAArB,EAAqC,eAArC,C;IACX,C;;MAoBgD,o
B;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAOhE,Q;MANrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MAC
A,eAAe,SAAK,O;MACpB,aAAa,iBAAa,CAAC,WAAW,IAAX,GAakB,CAAIB,IAAD,IAAwB,IAAxB,IAAb,C;
MACb,YAAY,C;MACZ,OAAO,QAAQ,QAAf,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,QAAV,C;U
AAsB,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAtF,qB;QACA,MAAO,WAAl,UAAU,8BAAy,KAAZ,EA
AmB,UAAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;IACX,C;;MAmB0D,OAAA,EAAG,W;IA
AW,C;;MADpB,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,OAAO,8BAAiB,IAAjB,EAAuB,IA
AvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;IACX,C;;MAuBoC,wB;QAAW,yBAAU,0CAAY,KAAZ,EAAkC,eAAAd
,QAAQ,YAAR,IAAc,EAAa,4BAAb,CAAIc,CAAV,C;MAAX,C;IAAA,C;;MAHoB,sB;QAAA,SAAY,C;MAAG,8
B;QAAA,iBAA0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,wBAAp
B,GAAiC,WAAQ,mBAAS,IAAT,GAAgB,CAAhB,IAAR,CAAIc,EAAkE,MAAIE,C;MACd,OAA4B,OAAb,aAA
R,OAAQ,CAAA,EAAI,qDAAJ,C;IACChC,C;;MAoBI,aXtqCO,MAAK,KWsqCY,gBXtqCZ,EW2pCD,KAW2B,OXt
qC1B,C;MWuqCZ,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAIB,M;QACI,IAAK,WAdqB,GA
cP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CacrB,C;;MAdT,OAgBO,I;IAfX,C;wEAEA
,yB;MAAA,gE;MAAA,oC;MXpqCA,iB;MWoqCA,8C;QAQI,aXtqCO,MAAK,KWsqCO,SAAK,OXtqCZ,EWsqCo
B,KAAAM,OXtqC1B,C;QWuqCZ,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAIB,M;UACI,IAAK,
WAAl,UAAU,iCAAK,CAAL,EAIV,EAAMB,6BAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;MACX,C;KAd
A,C;;MAyBW,sB;;QAaP,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;;
QACd,aAAa,iBAAa,IAAb,C;QACb,iBAAc,CAAd,UAAcB,IAAtB,U;UACI,MAAO,WajBkB,GaiBJ,iCAAK,KA
AL,EAjBI,EAiBS,iCAAK,QAAQ,CAAR,IAAL,EAjBT,CAiBIB,C;;QAEX,qBAAO,M;;MANBP,yB;IACJ,C;uFAE
A,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,
C;UAAc,OAAO,W;QACrB,aAAa,eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAcB,IAAtB,U;UACI,MAAO,WAAl,U
AAU,iCAAK,KAAL,EAIV,EAAMB,iCAAK,QAAQ,CAAR,IAAL,EAIV,CAAJ,C;;QAEX,OAAO,M;MACX,C;
KAjBA,C;;MAwBoB,mB;QAAE,OAAK,WAAL,eAAK,C;MAAP,C;IAAA,C;;MVR3CmE,wC;IANvF,C;IAAA,0D;
MAO2C,8B;IAAA,C;IAP3C,gF;;MU03CQ,wC;MAAA,S;QAAkB,OC9pC0B,qBAAU,C;;MD8pC1D,S;QAAiC,O
AAO,W;MACxC,oCAAgB,8BAAhB,C;IACJ,C;;MAOoB,mB;QAAE,OAAK,WAAL,eAAK,C;MAAP,C;IAAA,C;;
MTx3CmE,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;MS+3CQ,wC;MAAA,S;QAAkB,OCtqC0B,q
BAAU,C;;MDsqC1D,S;QAAiC,OAAO,e;MACxC,oCAAgB,8BAAhB,C;IACJ,C;;MG1kCe,
Q;MAAP,OAAO,uE;IACX,C;;MAiEI,OAAO,I;IACX,C;;IC7XJ,C;;MAEGC,sB;IAAA,C;;IAMhC
,C;;MAEGC,mC;IAAA,C;;IAMhC,C;;MAEGC,uB;IAAA,C;;IAMhC,C;;MAEGC,qB;IAAA,C;;IAMhC,C;;MAEG
C,sB;IAAA,C;;IAMhC,C;;MAEGC,uB;IAAA,C;;IAMhC,C;;MAEGC,wB;IAAA,C;;IAMhC,C;;MAEGC,yB;IAAA
,C;;MCiDiD,uB;MAAjB,gB;MAC5D,sBAA2B,IAAK,I;MACHC,iBAAmC,YAAO,CAAX,GAAC,SAAS,IAAvB,G

AAiC,SAAS,I;MACzE,cAAuB,cAAJ,GAAa,KAAM,IAAnB,GAAgC,mB;IAHjB,C;;MAKA,qB;IAAA,C;;MAG9B
,YAAy,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;;QA
GV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;IACjB,C;;;MAO0E,sB;MAAjB,gB;MACzD,sBAA2B,I;MA
C3B,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAAuB,cAAJ,GAAa,KAAb,GAAwB
,mB;IAHV,C;;MAKC,qB;IAAA,C;;MAG9B,YAAy,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,
C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K;IACX,C;;;MAO8E,uB;MAAI
B,gB;MAC5D,sBAA2B,I;MAC3B,iBAAmC,uBAAO,CAAX,GAAc,sBAAS,IAAT,MAAd,GAAiC,sBAAS,IAAT,
M;MACHe,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;IAHT,C;;MAKA,qB;IAAA,C;;MAG9B,YAAy,W;MACZ,I
AAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;;QAGV,8BAAQ,
SAAR,C;;MAEJ,OAAO,K;IACX,C;;;MCxBA,uC;MAhCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,uBAAzB
,C;MAGhC,aAGyB,K;MAEzB,YAG6F,OAArE,0BAA0B,KAAM,IAAhC,EAAyC,YAAa,IAAtD,EAA+D,IAA/D,
CAAqE,C;MAE7F,YAGuB,I;IAvBvB,C;;MAyBwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;IAAA,
C;;MAGH,OAAI,YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAgC,aAAQ,S;IAAxC,C;;MAGjC,iDAA6B,kBAAa,KA
AM,UAAnB,KAC7B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KAD/B,CAA7
B,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAk,UAAM,IAAX,UAAqB,SAAK,IAA1B,K
AAN,SAA2C,SAA3C,I;IAAxB,C;;MAE8B,OAAI,YAAO,CAAX,GAAc,oBAAE,UAAF,+BAAU,SAAV,eAAqB,S
AAnC,GAA8C,oBAAE,UAAF,qCAAqB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;IAA9C,C;;MAEIC,yC;IAAA,
C;;MAO+F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;IAAA,C;;;MAP/F,gD;QAAA,+B;;MAAA,yC;I
AAA,C;;MA5DA,sC;MAhCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,uBAAzB,C;MAGhC,aAGwB,K;MA
ExB,YAG4F,0BAArC,KAAqC,EAAf,YAAe,EAAN,IAAM,C;MAE5F,YAGuB,I;IAvBvB,C;;MAyBuC,kCAAuB,
UAAvB,EAA8B,SAA9B,EAAoC,SAApC,C;IAAA,C;;MAGF,OAAI,YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAgC
,aAAQ,S;IAAxC,C;;MAGjC,gDAA4B,kBAAa,KAAM,UAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KA
AM,KAAtC,IAA8C,cAAQ,KAAM,KADhC,CAA5B,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAA
M,MAAK,UAAAL,QAAa,SAAb,IAAN,SAA2B,SAA3B,I;IAAxB,C;;MAE8B,OAAI,YAAO,CAAX,GAAgB,UAAF
,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;IAA9C,C;;M
AEIC,wC;IAAA,C;;MAO4F,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;IAAA,C;;;MAP5F,+C;QAAA,8B;;
MAAA,wC;IAAA,C;;MA5DA,uC;MAhCI,IAAI,gBAAJ,C;QAAGB,MAAa,gCAAyB,uBAAzB,C;MAGjC,aAGyB,
K;MAEzB,YAG+F,4BAAvC,KAAuC,EAAhB,YAAgB,EAAN,IAAM,C;MAE/F,YAGwB,I;IAvBxB,C;;MAyBwC,
mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;IAAA,C;;MAGH,OAAI,uBAAO,CAAX,GAAc,2BAAQ,S
AAR,KAAAd,GAAgC,2BAAQ,SAAR,K;IAAhC,C;;MAGjC,iDAA6B,kBAAa,KAAM,UAAnB,KAC7B,mBAAS,K
AAM,MAAf,KAAwB,kBAAQ,KAAM,KAAAd,CAAxB,IAA8C,kBAAQ,KAAM,KAAAd,CADjB,CAA7B,C;IAAA,
C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cA
AU,6BAAU,EA AV,CAAV,CAApC,CAAN,MAAuE,cAAU,6BAAU,EA AV,CAAV,CAA vE,CAAiG,Q;IAAzH,C;;
MAE8B,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB
,cAA6B,SAAD,a;IAA1E,C;;MAEIC,yC;IAAA,C;;MAOgG,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;I
AAA,C;;;MAPhG,gD;QAAA,+B;;MAAA,yC;IAAA,C;;;MC9HkD,+BAAS,UAAT,UAAkB,wBAAS,iBAAT,M;I
AAIB,C;;MAKIB,oCAAQ,iBAAR,K;IAAA,C;;;M5BzhC,iC;MAjBsD,2BAAgB,KAAhB,EA AuB,YAAvB,EAAqC
,CAArC,C;IAApC,C;;MACe,8B;IAAA,C;;MACO,6B;IAAA,C;;MAEM,qBAAS,KAAT,IAAkB,SAAS,S;IAA3B,C
;;MAEZ,oBAAQ,S;IAAR,C;;MAG9B,2CAAuB,kBAAa,KAAM,UAAnB,KACvB,eAAS,KAAM,MAAf,IAAwB,c
AAQ,KAAM,KADf,CAAvB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAk,UAAM,IAAX,UAAq
B,SAAK,IAA1B,K;IAAxB,C;;MAE8B,2BAAE,UAAF,+BAAU,SAAV,C;IAAA,C;;MAEIC,mC;MACI,aAC8B,cA
AY,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;IAFIC,C;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,
C;;;MA0BA,gC;MAjBmD,0BAAe,KAAf,EAAsB,YAAtB,EAAoC,CAApC,C;IAAIC,C;;MACe,iB;IAAA,C;;MAC
O,gB;IAAA,C;;MAEM,qBAAS,KAAT,IAAkB,SAAS,S;IAA3B,C;;MAEX,oBAAQ,S;IAAR,C;;MAG9B,0CAAsB,
kBAAa,KAAM,UAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;IAAA,C;;MAIA,
OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,QAAa,SAAb,I;IAAxB,C;;MAE8B,OAAE,UAAF,qBAAU,S;IA
AV,C;;MAEIC,kC;MACI,aAC6B,aAAS,CAAT,EAAy,CAAZ,C;IAFjC,C;;;MAAA,yC;QAAA,wB;;MAAA,kC;IA
AA,C;;;MA0BA,iC;MAjBsD,2BAAgB,KAAhB,EA AuB,YAAvB,K;IAApC,C;;MACe,iB;IAAA,C;;MACO,gB;IA

AA,C;;MAEM,kCAAS,KAAT,UAAkB,sBAAS,SAAT,M;IAAIB,C;;MAEZ,kCAAQ,SAAR,K;IAAA,C;;MAG9B,2
CAAuB,kBAAa,KAAM,UAAuB,KACvB,mBAAS,KAAM,MAaf,KAAwB,kBAAQ,KAAM,KAAd,CADD,CAA
vB,C;IAAA,C;;MAIA,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,
cAAU,6BAAU,EA AV,CAAV,CAAPc,CAA8D,Q;IAAtF,C;;MAE8B,OAAE,UAAF,qBAAU,S;IAAV,C;;MAEIC,
mC;MACI,aAC8B,qB;IAFIC,C;;;MAAA,0C;QAAA,yB;;MAAA,mC;IAAA,C;;;M6B/DJ,oB;IAAA,C;;MAI8B,oB;
IAAA,C;;;MAJ9B,2B;QAAA,U;;MAAA,oB;IAAA,C;;MCEA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,0C;MAA
A,C;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE;MAEA,s
F;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;IAhCJ,C;;MAII,6B;MAAA,sC;IAAA,C;;MAEA,6B;MA
AA,iD;IAAA,C;;;MAEA,6B;MAAA,+C;IAAA,C;;;MAEA,6B;MAAA,yC;IAAA,C;;;MAEA,6B;MAAA,sC;IAAA,
C;;;MAEA,6B;MAAA,+C;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MAAA,4C;IAAA,C;;;MAEA,6
B;MAAA,yC;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MAAA,gD;IAAA,C;;;MAEA,6B;MAAA,qC;
IAAA,C;;;MAEA,6B;MAAA,2C;IAAA,C;;;MAEA,6B;MAAA,qC;IAAA,C;;;MAEA,6B;MAAA,0C;IAAA,C;;;MA
hCJ,+oB;IAAA,C;;;MAAA,a;aAAA,O;UAAA,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;UAAA,8C;
aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;aAAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C;aAAA,iB;
UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,W;UAAA,
+C;gBAAA,uE;IAAA,C;;;MAqCA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;MAAA,C;MAMI,0E;MAEA,0E;
MAEA,4E;IAVJ,C;;;MAMI,gC;MAAA,0C;IAAA,C;;;MAEA,gC;MAAA,0C;IAAA,C;;;MAEA,gC;MAAA,2C;IA
AA,C;;;MAVJ,sI;IAAA,C;;;MAAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;UAAA,gD;gBAAA,0E;;I
AAA,C;;;MAwB+B,oC;IAAD,C;;;MAQI,qB;QAAA,iD;MAAA,kB;IAAD,C;;;IAEjC,C;;;IAMA,C;;;IC/EA,C;;;IAQ
A,C;;;MCjBI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,GAAd,GAAuB,MAAM,CAAN,I;IACIC,C;;M
AGI,UAAU,SAAL,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc,GAAd,GAAuB,QAAM,CAAN,C;IACIC,C;;M
AII,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;IA
CX,C;;MAGI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WAAY,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,EAA2
B,CAA3B,C;IACX,C;;MAoBI,IAAI,OAAO,CAAX,C;QACI,OAAO,MAAM,iBAAiB,GAAjB,EAAsB,KAAtB,EA
A6B,IAA7B,CAAN,I;;YAEN,IAAI,OAAO,CAAX,C;QACD,OAAO,MAAM,iBAAiB,KAAjB,EAAsB,GAAxB,E
AA6B,CAAC,IAAD,IAA7B,CAAN,I;;QAGP,MAAA,gCAAYB,eAAzB,C;;IAErB,C;;MAoBI,IAAI,kBAAO,CAA
X,C;QACI,OAAO,aAAM,mBAAiB,GAAjB,EAAsB,KAAtB,EAAsB,IAA7B,CAAN,C;;YAEN,IAAI,kBAAO,CAA
X,C;QACD,OAAO,QAAM,mBAAiB,KAAjB,EAAsB,GAAxB,EAAsB,IAAD,aAA7B,CAAN,C;;QAGP,MAAA
,gCAAYB,eAAzB,C;;IAErB,C;;;MCnCI,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,yC;MAAA,C;MA
KI,sE;MAGA,0F;MAGA,gE;IAXJ,C;;MAKI,4B;MAAA,wC;IAAA,C;;MAGA,4B;MAAA,kD;IAAA,C;;MAGA,
4B;MAAA,qC;IAAA,C;;MAXJ,sI;IAAA,C;;MAAA,a;aAAA,U;UAAA,6C;aAAA,oB;UAAA,uD;aAAA,O;UAA
A,0C;gBAAA,mE;IAAA,C;;;MCmCA,uC;MATI,wB;MAIA,gB;IAL0B,C;;
MAU9B,yC;MACI,YAMmC,oBAAGB,IAAhB,EAAsB,IAAtB,C;IAPvC,C;;MAeY,8DAAqC,IAArC,C;IAAA,C;;M
AOA,uDAA8B,IAA9B,C;IAAA,C;;MAOA,wDAA+B,IAA/B,C;IAAA,C;;;MA7BZ,gD;QAAA,+B;;MAAA,yC;IA
AA,C;;MATI,oB;IAXR,C;;MAeQ,gB;IAfR,C;;MAAA,2BAWQ,8CAXR,EAeQ,kCAfR,C;IAAA,C;;MAAA,OAW
Q,4DAXR,IAeQ,sCAfR,O;IAAA,C;;MAAA,c;MAWQ,yD;MAIA,qD;MAfR,a;IAAA,C;;MAAA,4IAWQ,4CAXR,I
AeQ,oCAfR,I;IAAA,C;;;MC7CA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,mC;MAAA,C;MAYI,4D;MAKA,8C
;MAKA,gD;IAtBJ,C;;MAYI,sB;MAAA,mC;IAAA,C;;MAKA,sB;MAAA,4B;IAAA,C;;MAKA,sB;MAAA,6B;I
AAA,C;;MAtBJ,mG;IAAA,C;;MAAA,a;aAAA,W;UAAA,wC;aAAA,I;UAAA,iC;aAAA,K;UAAA,kC;gBAAA,6
D;;IAAA,C;;MCAA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,qC;MAAA,C;MAYI,0D;MAKA,gE;MAKA,8D;M
AKA,4D;IA3BJ,C;;MAYI,wB;MAAA,kC;IAAA,C;;MAKA,wB;MAAA,qC;IAAA,C;;MAKA,wB;MAAA,oC;IA
AA,C;;MAKA,wB;MAAA,mC;IAAA,C;;MA3BJ,qJ;IAAA,C;;MAAA,a;aAAA,Q;UAAA,uC;aAAA,W;UAAA,0
C;aAAA,U;UAAA,yC;aAAA,S;UAAA,wC;gBAAA,+D;;IAAA,C;;;M9BQI,OAAO,cAAa,SAAb,C;IACX,C;oFAE
A,yB;MAAA,gD;MAAA,4B;QAKI,OAAc,OAA/B,SAA+B,C;MAC1C,C;KANA,C;oFAQA,yB;MAAA,gD;MAA
A,4B;QAKI,OAAuC,OAAhC,SAAGC,C;MAC3C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAqC,
OAA9B,SAAsB,C;MACzC,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAc,OAA/B,SAA+B,C;MA
C1C,C;KANA,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAGC,C;MAC3C,C;KANA,C;oFA
QA,yB;MAAA,gD;MAAA,4B;QAKI,OAAwC,OAAjC,SAAiC,C;MAC5C,C;KANA,C;oFAQA,yB;MAAA,gD;M

AAA,4B;QAKI,OAAyC,OAAIC,SAAkC,C;MAC7C,C;KANA,C;;MAYW,8B;MAAS,uB;IAAT,C;;MAC4B,OAA
A,gBAAY,O;IAAZ,C;;MACG,OAAA,gBRwrL/B,YAAQ,C;IQxrLuB,C;;MACc,OAAy,WAAZ,gBAAY,EAAS,O
AAT,C;IAAZ,C;;MACX,oCAAY,KAAZ,E;IAAA,C;;MACM,OAAy,UAAZ,gBAAY,EAAQ,OAAR,C;IAAZ,C;;
MACI,OAAy,cAAZ,gBAAY,EAAY,OAAZ,C;IAAZ,C;;MANnD,0C;IAQJ,C;;MA+TI,OAAy,SAAY,Q;IAC5B,C
;;MASI,OAAy,SAAY,Q;IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MAQW,
WAAS,W;MAAT,YAA2B,SAAY,Q;M+BrP9C,eAAiB,I;M/BqPjB,O+BpPO,K;I/BqPX,C;;MASI,OAAy,SAAY,Q;
IAC5B,C;;MASI,OAAy,SAAY,Q;IAC5B,C;;MAQW,WAAS,c;MAAT,YAA8B,SAAY,Q;M+BIRjD,eAAiB,I;M/B
kRjB,O+BjRO,K;I/BkRX,C;;MAQW,WAAS,W;MAAT,YAA2B,SAAY,Q;M+B3R9C,eAAiB,I;M/B2RjB,O+B1R
O,K;I/B2RX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAf,C;IACX,C;;MAYI,OAAO,SAAS,SAAT,
EAAe,eAAW,OAAx,CAAf,C;IACX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,eAAS,OAAT,CAAf,C;IACX,C;;MAY
W,WAAS,W;MAAT,YAAsB,gBAAgB,SAAhB,EAAsB,OAAtB,K;M+B/U7B,eAAiB,I;M/B+UjB,O+B9UO,K;I/B
+UX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,iBAAW,OAAx,CAAf,C;IACX,C;;MAYI,OAAO,SAAS,SAAT,EAAe,
iBAAY,OAAZ,CAAf,C;IACX,C;;MAYW,WAAS,c;MAAT,YAAyB,gBAAgB,SAAhB,EAAsB,OAAtB,EAA+B,K
AA/B,C;M+BtXhC,eAAiB,I;M/BsXjB,O+BrXO,K;I/BsXX,C;;MAYW,WAAS,W;MAAT,YAAsB,SAAS,SAAT,E
AAe,iBAAU,OAAV,CAAf,C;M+BnY7B,eAAiB,I;M/BmYjB,O+BIYO,K;I/BmYX,C;;MAaI,OAAO,gBAAgB,SA
AhB,EAAsB,OAAtB,EAA+B,IAA/B,C;IACX,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,
C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB
,OAAjB,C;IAC5B,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MAMW,WAAS,W;MAA
T,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;M+Bxb9C,eAAiB,I;M/BwbjB,O+BvbO,K;I/BwbX,C;;MAOI,
OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;IAC5B,C;;MAOI,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,
C;IAC5B,C;;MAMW,WAAS,c;MAAT,YAA8B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;M+B/cjD,eAAiB,I;M/B+
cjB,O+B9cO,K;I/B+cX,C;;MAMW,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;M+Btd9C
,eAAiB,I;M/BsdjB,O+BrdO,K;I/BsdX,C;;MAOI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;IAC5B,C;iFAEA
,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,eAAY,OAAZ,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAw
IA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBAaA,OAAb,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;M
AxIA,qC;QAKI,OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;Q
AKI,OAwIO,gCaxIK,kBAaA,OAAb,EAwIL,C;MAvIX,C;KANA,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,O
AwIO,gCaxIK,kBAAc,OAAd,EAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,g
CaxIK,sBAaE,OAaf,CAwIL,C;MAvIX,C;KANA,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,
mBAAY,OAAZ,CAwIL,C;MAvIX,C;KANA,C;;MAaI,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;IACX,C;;MA
MI,OAAO,mBAAwB,SAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAA
iE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,SAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EA
AsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,
KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,oBAAoB,SAAPB,EA
A0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB
,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QA
AS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAMI,OAAO,oBAAoB,SAAPB,
EAA0B,QAA1B,C;IACX,C;;MAMI,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CA
AxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;IACX,C;;MAOI,OAAy,SAAY,QAAO,QAAP,C;IAC5B,C;iFAEA
,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MA
AA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MAAA,iD;
MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA,
sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA,sC;QA
KI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OA
AO,qBAAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB
AAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB
AAqB,SAArB,EAA2B,QAA3B,C;MACX,C;KANA,C;;MAaI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;IAC5B,C;;M

AemC,OAAA,CAAE,iBAAU,CAAV,C;IAAa,C;;MAD9C,IAAI,mBAAO,CAAX,C;QAYFY,eAxFH,WAwFG,C;;I
AvFhB,C;;MA+C6B,OAAE,iBAAF,CAAE,EAAU,CAAV,C;IAAa,C;;MADxC,IAAI,mBAAO,CAAX,C;QASY,eA
RH,aAQG,C;;IAPHB,C;;MAOI,SAAY,MAAK,UAAAL,C;IACHB,C;;MAOI,SAAY,MAAK,UAAAL,C;IACHB,C;;MA
OI,SAAY,MAAK,UAAAL,C;IACHB,C;;MAOI,SAAY,MAAK,UAAAL,C;IACHB,C;;MAOI,SAAY,MAAK,UAAAL,C;
IACHB,C;;MAOI,SAAY,MAAK,UAAAL,C;IACHB,C;;MAOI,SAAY,MAAK,UAAAL,C;IACHB,C;;MAOI,SAAY,M
AAK,UAAAL,C;IACHB,C;;MAOa,uB;QAAU,OAAA,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MAArB,C;IAAA,C
;;MADT,IAAI,mBAAO,CAAX,C;QA/DY,eAgEH,2BAhEG,C;;IAiEhB,C;;MAMI,OAAO,EAAS,MAAM,MAAK,
SAAL,C;IAC1B,C;;MAMI,OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMI,OAAO,EAAS,MAAM,MA
AK,SAAL,C;IAC1B,C;;MAMI,OAAO,mB;IACX,C;;MAMI,OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;M
AMI,OAAO,EAAS,MAAM,MAAK,SAAL,C;IAC1B,C;;MAMI,OAAO,mB;IACX,C;;MAM6B,oB;QAAO,qCAA
K,CAAL,E;MAAP,C;IAAA,C;;MAAzB,OAAO,iBAAy,gBAAZ,EAakB,8BAAIB,C;IACX,C;;MgCziCI,eAAe,CA
AC,iBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB
,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAC,sBAAK,YAAL,
CAAd,C;QACA,sBAAK,YAAL,EAAqB,GAAR,B,C;QACA,mC;;IAER,C;;M5BPI,OAAW,oBAAK,CAAL,MAAJ,
GAAY,CAAZ,GAAM,B,C;IAC9B,C;kFAEA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EA
AiB,CAAjB,C;MACHB,C;KAPA,C;kFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EA
iB,CAAjB,C;MACHB,C;KAPA,C;kFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EA
AAP,C;MACHB,C;KAPA,C;;MAeI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;IAC9B,C;kFAEA,y
B;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EAAP,C;MACHB,C;KAPA,C;kFASA,yB;M
AAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAJ,EAAO,CAAP,C;MACHB,C;KAPA,C;;MAcI,OAAO,QA
AM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,CAAT,C;IACX,C;kFAEA,yB;MAAA,iB;MAAA,0B;QAMI,OAA
O,MAAK,KAAM,CAAN,EAiB,CAAjB,EAA4B,CAA5B,C;MACHB,C;KAPA,C;mFASA,yB;MAAA,iB;MAAA,
0B;QAMI,OAAO,MAAK,KAAM,CAAN,EAiB,CAAjB,EAA4B,CAA5B,C;MACHB,C;KAPA,C;mFASA,yB;M
AAA,iB;MAAA,0B;QAMI,OAAO,MAAK,KAAM,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MACHB,C;KAPA,C;;MA
eW,UAAe,CA9DX,iBA8Dc,CA9Dd,MAAJ,GA8De,CA9Df,GA8DkB,C;MAAzB,OAAa,CA9DF,iBAAK,GAAL,
MAAJ,GA8DM,CA9DN,GAAM,B,G;IA+D9B,C;mFAEA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAK,KAAM,
CAAJ,EAAO,CAAP,EAAU,CAAV,C;MACHB,C;KAPA,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MA
AK,KAAM,CAAN,EAiB,CAAjB,EAA4B,CAA5B,C;MACHB,C;KAPA,C;;MAeI,OAAW,oBAAK,CAAL,MAAJ,GA
AY,CAAZ,GAAM,B,C;IAC9B,C;kFAEA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EAiB,C
AAjB,C;MACHB,C;KAPA,C;kFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EAiB,CA
AjB,C;MACHB,C;KAPA,C;kFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAN,EAiB,CA
AjB,C;MACHB,C;KAPA,C;;MAeI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;IAC9B,C;kFAEA,yB;MA
AA,iB;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAJ,EAAO,CAAP,C;MACHB,C;KAPA,C;kFASA,yB;MAAA,i
B;MAAA,uB;QAMI,OAAO,MAAK,KAAM,CAAJ,EAAO,CAAP,C;MACHB,C;KAPA,C;;MAcI,OAAO,QAAM,CA
AN,EAAS,QAAM,CAAN,EAAS,CAAT,CAAT,C;IACX,C;kFAEA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MA
AK,KAAM,CAAN,EAiB,CAAjB,EAA4B,CAA5B,C;MACHB,C;KAPA,C;mFASA,yB;MAAA,iB;MAAA,0B;Q
AMI,OAAO,MAAK,KAAM,CAAN,EAiB,CAAjB,EAA4B,CAA5B,C;MACHB,C;KAPA,C;mFASA,yB;MAAA,i
B;MAAA,0B;QAMI,OAAO,MAAK,KAAM,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MACHB,C;KAPA,C;;MAeW,U
AAe,CA9DX,iBA8Dc,CA9Dd,MAAJ,GA8De,CA9Df,GA8DkB,C;MAAzB,OAAa,CA9DF,iBAAK,GAAL,MAAJ,
GA8DM,CA9DN,GAAM,B,G;IA+D9B,C;mFAEA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAK,KAAM,CAAJ,E
AAO,CAAP,EAAU,CAAV,C;MACHB,C;KAPA,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAK,KA
AI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;MACHB,C;KAPA,C;;M6B5P+C,OAAA,SAAY,Y;IAAZ,C;;MAGH,OAA
A,SAAY,S;IAAZ,C;;MAGY,OAAA,SAAY,QAAO,MAAP,C;IAAZ,C;;MAGa,OAAA,SAAY,QAAO,IAAP,EAAa,
KAAb,C;IAAZ,C;;MAGb,OAAA,SAAY,QAAO,IAAP,C;IAAZ,C;;MAG4B,OAAA,SAAY,QAAO,IAAP,EAAa,K
AAb,EAAoB,KAApB,C;IAAZ,C;;MAGxC,OAAA,SAAY,S;IAAZ,C;;MAGG,OAAA,SAAY,Y;IAAZ,C;;MAGY,
OAAA,SAAY,WAAU,MAAV,C;IAAZ,C;;MAGX,OAAA,SAAY,a;IAAZ,C;;;gF/BvBhD,yB;MAAA,kC;MAAA,o
C;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MAAA,6B;
QAAsG,+C;MAAA,C;KAAAtG,C;;MgCF+B,oB;QAAA,OAA0B,E;MAA1B,gB;IAAD,C;;IAE9B,C;;IAIA,C;;IAI

A,C;;;MAKkC,oB;QAAA,OAA0B,E;MAA1B,gB;IAAD,C;;;IAEjC,C;;;MAscwB,gB;IAAD,C;;;MAiCG,sB;IAAD,C;;;IAEzB,C;;;MAGe6B,kB;IAAD,C;;;IC5J5B,C;;;MAQyC,gB;IAAD,C;;;IAExC,C;;;IAMA,C;;;IAOA,C;;;IAIA,C;;;MJ3BQ,8B;MACl,aAAY,C;IADhB,C;;;MAE6B,oBAAQ,gBAAI,O;IAAZ,C;;;MACuB,Q;MAA1B,IAAI,aAAQ,gBAAI,OAAhB,C;QAAA,OAAsB,iBAAI,iBAAJ,EAAl,yBAAJ,O;;;QAAkB,MAAM,2BAAyB,UAAF,WAAvB,C;IAA9C,C;;;MAL9B,IAD8D,IAC9D,S;QACl,UAA0B,K;QAF0B,2C;;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,KAArB,C;eAClB,W;YAVwD,OAuzC,kBAAkB,KAAIB,C;eACf,Y;YAXwD,OAwxC,mBAAMB,KAAAnB,C;eAChB,W;YAZwD,OAYzC,kBAAkB,KAAIB,C;eACf,U;YAbwD,OAa1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OAzcC,kBAAkB,KAAIB,C;eACf,Y;YafwD,OAexC,mBAAMB,KAAAnB,C;eAChB,a;YAhBwD,OAgbvC,oBAAoB,KAApB,C;kBACT,MAAM,6BAAAsB,2DAA+C,IAA/C,CAAtB,C;;;IAjB0C,C;;;MAqBH,kC;MAAS,0B;MAC9D,aAAY,C;IADyC,C;;;MAE5B,oBAAQ,kBAAM,O;IAAd,C;;;MACkC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHwB,oD;IAAA,C;;;MAON,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;;MAC+B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHqB,iD;IAAA,C;;;MAOE,kC;MAAS,wB;MAC1D,aAAY,C;IADqC,C;;;MAExB,oBAAQ,kBAAM,O;IAAd,C;;;MACgC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHsB,kD;IAAA,C;;;MAOF,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;;MAC+B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHqB,iD;IAAA,C;;;MAOF,kC;MAAS,sB;MACTd,aAAY,C;IADiC,C;;;MAEpB,oBAAQ,kBAAM,O;IAAd,C;;;MAC8B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHoB,gD;IAAA,C;;;MAOI,kC;MAAS,wB;MAC1D,aAAY,C;IADqC,C;;;MAExB,oBAAQ,kBAAM,O;IAAd,C;;;MACgC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHsB,kD;IAAA,C;;;MAOE,kC;MAAS,yB;MAC5D,aAAY,C;IADuC,C;;;MAE1B,oBAAQ,kBAAM,O;IAAd,C;;;MACiC,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHuB,mD;IAAA,C;;;MAOJ,kC;MAAS,uB;MACxD,aAAY,C;IADmC,C;;;MAEtB,oBAAQ,kBAAM,O;IAAd,C;;;MAC+B,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;IAAID,C;;;MAHqB,iD;IAAA,C;;;MAOnB,wB;IAAD,C;;;MAGe,MAAM,mC;IAAN,C;;;MAI1C,IAAI,qBAAJ,C;QACl,OAAO,Cd1CiF,Wc0CrE,Ud1CqE,Ec0CzD,Qd1CyD,C;;;Qc4CxF,OAAS,CAAY,qBAAsB,UAAtB,EAAC,QAAIC,C;;;IAE7B,C;;;MAII,IAAI,KAAY,kBAAhB,C;QACl,KAAY,mBAAkB,QAAIB,EAA4C,sCAAhB,QAAgB,EAA5C,C;;;QAEH,QAAT,SAA+C,CAAIB,IAAjC,KAAiC,EAakB,O;;;IAEvD,C;;;MAKwB,Q;MADpB,gBAAgB,IAAhB,KAAgB,E;MACl,IAAI,OKjGkB,OLiGT,OAAT,EAAqB,WAArB,CAAJ,C;QACHB,OAAI,aAAJ,GAAMB,KAAM,WAAzB,GAAYC,I;;;QAEzC,c;;;MAHJ,wB;MAKA,kBAAkB,K;MACIB,iBAAiB,W;MACjB,OAAO,S;IACX,C;;;MAGyB,U;IAAD,C;;;MAEhB,OAAO,mCAAsB,WAAK,KAAM,E;IAC5C,C;;;MAGI,OAAO,M;IACX,C;;;MAGI,OAAUc,oBAAnB,UAA5B,IAAe,EAAa,CAAmB,C;IAC3C,C;;;MAGI,OAAR,IAAI,EAAW,GAAN,K;IACL,C;;;MAII,OAAO,M;IACX,C;;;MAKA,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACl,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACl,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;;UAE1B,MAAM,CAAN,IAAW,G;;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;IAC3B,C;;;MAQW,WAAO,S;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACl,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACl,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;;UAE1B,MAAM,CAAN,IAAW,G;;;MAYnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;IAU3B,C;;;MAaI,WAAqB,S;MACrB,IAAI,qBAAmB,CAAY,OAAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAkCM,IAICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UACl,UAGCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACl,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;;YAE1B,MAAM,CAAN,IAAW,G;;;QA4Bf,OAzBG,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;;QA2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;UAA5B,eAAQ,QAAoB,OAAPB,IAAQ,CAAH,GAAG,CAAY,OAAPB,oCAAR,K;QAEJ,aAAa,IAAjB,CAAC,YAAgB,CAAH,IAAG,C;QMzFjB,IN0FyB,CM1FhB,OALL,KAAkB,SAAtB,C;UN0F4B,MMzFxB,UNyFqB,CMzFF,O;;;QN0FnB,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B,

YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,a
AAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;;QAGzB,OAAO,M;;;IAEf,C;;;MAGgC,WAAS,c;MAAT,YAAhC,EA
AE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWrd,eAAiB,I;MAXW,OAYrB,K;IAZqB,C;;;MAGH,WAAS,W;MAA
T,YAAaB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OA
SIB,K;IATkB,C;;;MAGA,WAAS,W;MAAT,YAA7B,EAAE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;
MALQ,OAMIB,K;IANkB,C;;;MAKzB,eAAiB,I;MACjB,OAAO,K;IACX,C;;;MO5MiD,OAAW,QAAx,8BAAW,E
AAQ,YAAR,C;IAAX,C;qFAEjD,yB;MAAA,gC;MAAA,4B;QACoD,OAA8C,UAAIG,MAAoD,cAA0B,SAA1B,C
AAgC,cAAc,YAAW,CAAX,E;MAA9C,C;KADpD,C;qFAGA,yB;MAAA,gC;MAAA,4B;QACoD,OAA8C,UAAI
G,MAAoD,cAA0B,SAA1B,CAAgC,cAAc,YAAW,CAAX,E;MAA9C,C;KADpD,C;;;MAMoD,QAAQ,cAAA,sCA
AK,mBAAL,EAAyB,sCAAK,mBAA9B,CAAR,6B;IAAA,C;;;MAKD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,sC
AAK,kBAA7B,CAAR,6B;IAAA,C;;;M9BZkB,uC6BAtB,E;I7BAsB,C;gGAErE,yB;MAAA,kD;MAAA,4B;QACsE,
mBAAy,SAAZ,C;MAAA,C;KADtE,C;;;MAMI,OAAsB,UAAy,QAAvB,KAAmC,SAA9C,GACe,UAAy,UAD3B,
GAGI,gBAAGB,UAAhB,C;IACR,C;;;MAII,Y6BhB2C,E;M7BiB3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAA
hB,C;QACU,KAAy,MAAK,QAAS,OAAc,C;MACtB,OAAO,K;IACX,C;;;MAUc,Q;MANV,IAAI,KAAM,OAAO,
GAAa,UAAW,KAA5B,C;QACI,OAAO,gBAAGB,UAAhB,C;;;MAEX,eAAe,UAAW,W;MAC1B,YAAy,C;MACZ,
OAAO,QAAS,UAAhB,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;;MAE9B,IAAI,QAAQ,KAAM,
OAAIB,C;QACI,MAAM,KAAI,IAAe,I;MAEnB,OAAO,K;IACX,C;;;MAS6C,sBAAy,OAAZ,E;IAAA,C;;;MAKF,
oBAAU,OAAV,E;IAAA,C;;;MAMY,oBAAU,IAAV,E;IAAA,C;;;MASIC,Q;MAAA,iC;MAAjB,iBAAc,CAAd,yB;Q
ACI,sBAAK,KAAL,EAAc,KAAd,C;;;IAER,C;;;MASI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,KAAK,IA
AI,CAAJ,IAAL,C;QACR,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QAC
A,sBAAK,CAAL,EAAU,IAAV,C;;;IAER,C;;;MAEoC,OAA4C,Y+BoN5B,MAAW,O/BpNN,aAAf,GAA0B,U+BoN
L,C/BpNiB,C;IAA5C,C;;;MAMoC,kBAAhB,0B;MAAwB,oB;MAAxB,OL7B7C,W;IK6B6C,C;;;MAMPd,gBAAGB
,SAAhB,EAAc,cAAtB,C;IACJ,C;;;MAMI,gBAAGB,SAAhB,EAAc,UAAtB,C;IACJ,C;;;MAGI,IAAI,IAAK,KAA
L,IAAa,CAAJB,C;QAAoB,M;MAEpB,YAAy,YAAy,IAAZ,C;MAEN,KAAy,MAAGB,UAAy,QAAQ,MAAK,U
AAL,CAApC,C;MAEIB,aAAU,CAAV,MAAKB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,
CAAV,C;;;IAER,C;;;MAGI,OAAO,gBAAGB,IAAIB,O;IACX,C;;;MAIgF,gB;IAAA,C;kGAEHf,yB;MAAA,4D;MA
AA,4B;QAC8E,OAAK,aAAL,SAAK,C;MAAL,C;KAD9E,C;;;MAMI,OAAI,SAAJ,GAEL,SASF,GAIL,SR0QoB,Q;I
Q9QxB,C;;;MgCtIyE,6B;IAA1B,C;;;MAK3C,eAAe,e;MACf,OAAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,
OAAI,EAAMB,OAAhB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I;;;MAGf,OAAO,K;IACX,C;;;MAIoB,Q;MADhB
,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,
I;MAEjC,OAAO,Q;IACX,C;;;MAEKg,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;;MAAtC,Q;MAAD,OA
A6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;;MACuC,qB;QAAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;
MAAtC,Q;MAAD,OAA6B,YAA5B,iEAA4B,EAAU,oDAAV,C;IAA7B,C;;;MAGvD,eAAe,IAAK,W;MACpB,OA
AO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,QAAS,S;IAEjB,C;;;MAEyB,OAAA,IAAK,U;IAAL,C;;;MC7BwD,o
C;MACjF,gBAA8B,C;IADkB,C;;;MAQ5C,iBAAI,SAAJ,EAAU,OAAV,C;MACA,OAAO,I;IACX,C;;;MAKc,UACF
,M;MAHR,aAAa,K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,u
BAAJ,WAAc,CAAd,C;QACA,UAAU,I;MAEd,OAAO,O;IACX,C;;;MAGI,yBAAy,CAAZ,EAAe,SAAf,C;IACJ,C
;;;MAE4E,qB;QAAE,OAAM,gBAAN,mB;MAAF,C;IAAA,C;;;MAAV,yBAAU,8CAAV,C;IAAA,C;;;MACU,qB;Q
AAE,QAAO,gBAAP,mB;MAAF,C;IAAA,C;;;MAAV,yBAAU,8CAAV,C;IAAA,C;;;MAGb,iD;IAAA,C;;;MAED,0B
AAQ,OAAR,KAAoB,C;IAApB,C;;;MAG/B,Q;MAAA,4B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,G
AAc,OAAc,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;;MAGI,iBAAc,qBAAd,WAA+B,CAA/B,U;QAC
I,IAAI,wBAAI,KAAJ,GAAC,OAAc,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;IACX,C;;;MAE6D,iCAAA,CAAb,
C;IAAA,C;;;MACU,sDAAiB,KAAjB,C;IAAA,C;;;MAGK,uCAAQ,IAAR,EAAC,SAAd,EAAyB,OAAzB,C;IAAA,C
;;;MAMxE,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;MtCuDX,iBAAc,CAAd,UAAaB,KAAtB,U;QsCt
DiB,e;QACA,iB;IAEjB,C;;;MAQI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAA
O,K;MAE9B,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;IACxB,C;;;MAK+B,OAAA,oCAAa,yBAAGB,IAA
hB,C;IAAb,C;;;MAG/B,oB;MACI,eACsB,C;MACtB,cAIqB,E;IAPzB,C;;;MASsC,sBAAQ,gB;IAAR,C;;;MAIvB,Q;
MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBA

AI,WAAJ,C;IACX,C;;M1CxBJ,IAAI,E0C2BU,gBAAQ,E1C3BIB,CAAJ,C;QACI,c0C0BwB,sE;Q1CzBxB,MAAM,6BAAsB,OAAQ,WAA9B,C;;M0C2BF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;IACX,C;;MAGJ,oB;MAGmD,wD;MAG3C,oCAAA,4BAAmB,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;IAJe,C;;MAOM,sBAAQ,C;IAAR,C;;MAEN,mB;IAAA,C;;MAG5B,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;IACX,C;;MAEoC,sBAAQ,CAAR,I;IAAA,C;;MAGhC,wBAAI,YAAJ,EAAW,OAAx,C;MACA,mC;MACA,cAAO,E;IACX,C;;M1C9DJ,IAAI,E0CiEU,gBAAQ,E1CjEIB,C AAJ,C;QACI,c0CgEwB,4E;Q1C/DxB,MAAM,6BAAsB,OAAQ,WAA9B,C;;M0CgEF,wBAAyB,WAAzB,EAAiC,OAAjC,C;IACJ,C;;MAG2G,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAA,2BAAkB,gBAAlB,EAA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;IALG,C;;MASHb,oCAAA,4BAAmB,KAAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAy,KAAZ,IAAJ,EAAuB,OAAvB,C;MACL,mC;IACJ,C;;MAGI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;IACX,C;;MAGI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAy,KAAZ,IAAJ,EAAuB,OAAvB,C;IACb,C;;MAE+B,mB;IAAA,C;;MCRlGd,sB;MA4BnF,uBAAoC,I;MA2CpC,yBAA6C,I;IAvEK,C;;MAKZ,wB;MAGlC,gBAAqB,K;IAHY,C;;MAAC,yB;IAAA,C;;MAKJ,oB;IAAA,C;;MAG1B,eAAe,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;IACX,C;;MAE+B,iEAAc,IAAd,C;IAAA,C;;MACG,iEAAc,IAAd,C;IAAA,C;;MACU,+DAAY,IAAZ,EAAkB,KAAIB,C;IAAA,C;;MAd5C,wE;MAAsC,2CAAK,KAA M,IAAX,EAAgB,KAAM,MAAtB,C;MAAtC,Y;IAAA,C;;MAMBA,YAAQ,Q;IACZ,C;;MAMoB,sD;MAAS,6B;IA AT,C;;MACoC,MAAM,qCAA8B,8BAA9B,C;IAAN,C;;MAEpC,4BAAwB,Q;IAC5B,C;;MAEsD,sDAAY,OAAZ,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,I;IAArB,C;;MACD,0BAAc,S;IAAd,C;;MAJ5B,oBAAoB,oCAAQ,W;MAC5B,6G;IAKJ,C;;MAGI,IAAI,+CAAY,OAAZ,CAA J,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,OAAO,I;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,4BAAwB,K;IA AxB,C;;MA1BvC,IAAI,4BAAJ,C;QACI,6F;;MA4BJ,OAAO,mC;IACX,C;;MAKqB,Q;MAAA,OAAA,I9C0M2 D,QAAQ,W;M8C1MxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9C+HsD,U;Q8C/HjD,Y9C4IiD,Y;Q8C3IxD,iBA AI,GA AJ,EAAS,KAAT,C;;IAER,C;;MAMsB,sD;MAAS,oC;IAAT,C;;MACkC,MAAM,qCAA8B,gCAA9B,C;IAA N,C;;MACjB,4BAAwB,Q;IAAxB,C;;MAE+B,wDAAc,OAAd,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0 BAAC,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,M;IAArB,C;;MACD,0BAAc,S;IAAd,C;;MAJ5B,oBAAoB,oCA AQ,W;MAC5B,+G;IAKJ,C;;MAE+B,OAAA,4BAAwB,K;IAAxB,C;;MAI3B,IAAI,SAAS,KAAb,C;QAAoB,OAA O,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAAO,oCAAA,uBAAc,IAAd,EAAoB,KAApB,C;IACxB, C;;MAE+B,OAAA,oCAAA,yBAAgB,IAAhB,C;IAAb,C;;MAzBvC,IAAI,8BAAJ,C;QACI,iG;;MA2BJ,OAAO,qC; IACX,C;;MAGA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAY,IAAK,O;QACjB,QAAQ,KAA M,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MAGf,OA AO,I;IACX,C;;MC7HgF,oC;IAAjC,C;;MAQ3C,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C; QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAgB,KAAhB,C;IACvB,C;;MAK+B,OAAA,mCA AY,2BAAkB,IAAIB,C;IAAZ,C;;MCb0D,8B;MAA1C,4B;IAArB,C;;IAoBF,C;;IAGoB,C;;MAEd,OAAA,oBAAM, O;IAAN,C;;MACG,Q;MAAA,oCAAM,0BAAW,KAAx,CAAN,4D;IAAA,C;;MAG9B,IAAa,I;MADpB,0BAAW, KAAx,C;MACoB,gBAAb,qBAAM,KAAAN,C;MAAqB,qC;MAA5B,OAAO,CAAA,OzCgCjB,SyChCI,2D;IACX,C; ;MAGU,oBAAy,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;IACX,C;;MAGU,oBAAy,QAAO,mCAAoB,KAA pB,CAAP,EAAmC,CAAnC,EAAc,OAAtC,C;MACIB,qC;IACJ,C;;MAGI,IAAI,QAAS,UAAb,C;QAAwB,OAAO ,K;MAE/B,uBAAA,oB5C4vBoB,QQzyB0C,YoC6CrD,QpC7CqD,CRyyB1C,C;M4C3vBpB,qC;MACA,OAAO,I;I ACX,C;;MAGI,mCAAoB,KAApB,C;MAEA,IAAI,UAAAS,SAAb,C;QAAMB,OAAO,oBAAO,QAAP,C;MAC1B,IA AAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,K AEF,O;QAAK,uBpCzDqD,YoCyD7C,QpCzD6C,CRyyB1C,Q4ChvB6B,oB5CgvB7B,C;;Q4C/uBR,uBAAQ,oB5C kiBA,O4CliBkB,C5CkiBIB,E4CliBqB,K5CkiBrB,C4CliBwC,QpC1DE,YoC0DK,QpC1DL,CoC0DF,EAAc,oB5C kiB9E,O4CliBgG,K5CkiBhG,E4CliBuG,S5CkiBvG,C4CliBwC,C;;MAG5D,qC;MACA,OAAO,I;IACX,C;;MAGI, 0BAAW,KAAx,C;MACA,qC;MACA,OAAW,UAAAS,qBAAb,GACG,oBAAy,MADf,GAGG,oBAAy,QAAO,KAA P,EAAc,CAAd,CAAIB,CAAmC,CAAnC,C;IACR,C;;MAGkB,Q;MAAA,2B;MAAd,mD;QACI,IAAI,4BAAM,K AAN,GAAGB,OAABH,CAAJ,C;UACU,oBAAy,QAAO,KAAP,EAAc,CAAd,C;UACIB,qC;UACA,OAAO,I;;MA

Gf,OAAO,K;IACX,C;;MAGI,qC;MACM,oBAAY,QAAO,SAAP,EAakB,UAAU,SAAV,IAAIB,C;IACtB,C;;MAG I,uBP9FuC,E;MO+FvC,qC;IACJ,C;;MAG+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C;IAAN,C;;MAEI,OAAM,Y AAN,oBAAM,EAAQ,OAAR,C;IAAN,C;;MAEZB,qBAAC,oBAAD,C;IAAA,C;;MACY,OAAA,EAAS,MAAM,MA AK,oBAAL,C;IAAf,C;;MAIIC,oCAAA,kCAAYB,SAAZB,C;MADoB,Y;IAAA,C;;MAKjC,oCAAA,mCAA0B,SA A1B,C;MAD6B,Y;IAAA,C;;MA3G9C,mD;MAG8B,sBPPa,EOOb,C;MAH9B,Y;IAAA,C;;MAU0B,+B;QAAA,kBA AuB,C;MALjD,mD;MAKsD,sBPdX,EOcW,C;MALtD,Y;IAAA,C;;MAOA,mD;MAGqD,sBpChBa,YoCgBR,QpC hBQ,CoCgBb,C;MAHrD,Y;IAAA,C;;MCRA,2C;IAAA,C;;MAC+D,sBAAU,MAAV,C;IAAA,C;;MAEd,Q;MAA A,wEAAqB,C;IAArB,C;;MAHjD,kD;QAAA,iC;;MAAA,2C;IAAA,C;;MCuBA,iC;MAKA,8B;MA8CA,0BAAM E,I;;MA1EnE,oB;MAA+B,6B;IAA/B,C;;MAE6D,MAAM,qCAA8B,iCAA9B,C;IAAN,C;;MAErD,WAAa,Q;IACj B,C;;MAEuE,yCAAc,OAAd,C;IAAA,C;;MAEC,OAAA,iCAAY,W;IAAZ,C;;MAGpE,IAAI,oBAAS,OAAT,CAAJ ,C;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,WAAa,K;IA Ab,C;;MA+C/B,0BAAY,Q;IAEhB,C;;MAEmD,OAAA,0BAAY,gBAAS,GAAT,C;IAAZ,C;;MAEgB,gBAAZ,0B; MAAY,c;;QvC2xCnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAp,e;;QACrB,2B;QAAhB,O AAgB,cAAhB,C;UAAgB,yB;UAAM,IuC3xCmD,uBAAS,gBvC2xC9C,OuC3xCwD,MAAV,QvC2xC5D,C;YAAw B,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MuC5xCgD,iB;IAAA,C;;MAK/C,IAAI,+BAAJ,C;QACI,0BAAW,qB;;M AEF,OAAO,sC;IACX,C;;MAE6E,iC;IAAA,C;;MAEIC,OAAA,0BAAY,WAAI,GAAJ,C;IAAZ,C;;MAEC,OAAA,0 BAAY,aAAI,GAAJ,EAAS,KAAT,C;IAAZ,C;;MAEP,OAAA,0BAAY,cAAO,GAAP,C;IAAZ,C;;MAEH,OAAA,0 BAAY,K;IAAZ,C;;MA7DtC,iD;MAAuD,8B;MArC3D,mB;MAcCQ,8BAAMB,W;MACnB,2BAAGB,WAA,Y,S;M AFhC,Y;IAAA,C;;MAKA,iD;MAGuB,aAAK,kEAL,Q;MAHvB,Y;IAAA,C;;MAcyC,0B;QAAA,aAAoB,G;MAT 7D,iD;MASqE,qB;M/ClCrE,IAAI,E+CoCQ,mBAAMB,C/CpC3B,CAAJ,C;QACI,c+CmCgC,+C;Q/ClChC,MAAM, gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,E+CqCQ,cAAc,C/CrCtB,CAAJ,C;QACI,gB+CoC2B,yC;Q/CnC3B,MA AM,gCAAYB,SAAQ,WAAjC,C;;M+CuBV,Y;IAAA,C;;MAeA,iD;MAA2C,eAAK,eAAL,EAASB,GAAtB,Q;MAA 3C,Y;IAAA,C;;MAGA,iD;MAG8C,qB;MAC1C,KAAC,gBAAO,QAAP,C;MAJT,Y;IAAA,C;;MA0C0E,gBAAnE, aAAmB,gEAAmB,C;MAA2E,wB;MAAlF,O3C7CO,S;I2C8CX,C;;MCzGI,yB;;MA2CI,UAAU,kBAAI,aAAI,OAA J,EAAa,IAAb,C;MACd,OAAO,W;IACX,C;;MAGI,kBAAI,Q;IACR,C;;MAM6D,OAAA,kBAAI,mBAAY,OA AZ,C;IAAJ,C;;MAEpB,OAAA,kBAAI,U;IAAJ,C;;MAEY,OAAA,kBAAI,KAAC,W;IAAT,C;;MAEH,OAAA,kBAAI, cAAO,OAAP,CAAJ,Q;IAAA,C;;MAEZ,OAAA,kBAAI,K;IAAJ,C;;MA7DtC,iD;MAGoB,8B;MAVxB,mB;MAW Q,sBAAM,gB;MAJV,Y;IAAA,C;;MAOA,iD;MAG2C,8B;MAjB/C,mB;MAkBQ,sBAAM,eAAGB,QAAS,KAazB, C;MACN,qBAAO,QAAP,C;MALJ,Y;IAAA,C;;MAiByC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE, mB;MAGCQ,sBAAM,eAAGB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;IAAA,C;;MAaA,iD;MAA2C,eAAK,eAAL,EA AsB,GAAtB,Q;MAA3C,Y;IAAA,C;;MAEA,iD;MAM0C,8B;MA3C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;IAAA,C;; MAwCmC,gBAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O5CbO,S;I4CxC,C;;MC/DyC,kC;MAErC,oBAaKc,k B;MACIC,sBAAYB,C;IAHW,C;;MAAC,8B;IAAA,C;;MAGrC,0B;IAAA,C;MAAA,0B;IAAA,C;;MAII,eAAe,aAA S,qBAAY,GAAZ,C;MACxB,mBAAMB,6BAASB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAA uB,mCAAY,GAAZ,EAAiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,K AAM,IAAb,EAakB,GAAlB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,IAAuB,C AAQ,KAAR,EAAe,mCAAY,GAAZ,EAAiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;UAIX,YAAuC,Y;U ACvC,cAAkB,wBAAN,KAAM,EAAiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;; UAEX,KAAY,MAAK,mCAAY,GAAZ,EAAiB,KAAjB,CAAL,C;;MAG1B,6B;MAEA,OAAO,I;IACX,C;;MAIuB ,Q;MADnB,eAAe,aAAS,qBAAY,GAAZ,C;MACL,oCAASB,QAAtB,C;MAAA,iB;QAAMC,OAAO,I;;MAA7D,m BAAMB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAlB, CAAb,C;UC3DR,OD4D2B,iBC5DrB,CD4DiC,QC5DjC,C;UD6DM,6B;UACA,OAAO,KAAM,M;;UAEb,OAAO, I;;QAGX,YAAuC,Y;QACvC,8BAAC,KAAd,iB;UACI,cAAY,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GA AP,EAAQ,OAAM,IAAIB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAC,CAAlB,C;cACU,KAAN,UAA2B,C;cCxE/ C,OD0EmC,iBC1E7B,CD0EyC,QC1EzC,C;;cD6EoB,KAAY,QAAO,KAAP,EAAC,CAAd,C;;YAEtB,6B;YAEA, OAAO,OAAM,M;;MAIzB,OAAO,I;IACX,C;;MAGI,oBAAa,kB;MACb,YAAO,C;IACX,C;;MAEyC,uBAAS,GA AT,S;IAAA,C;;MAEV,Q;MAAA,+BAAS,GAAT,8B;IAAA,C;;MAGR,Q;MAAA,oCAASB,aAAS,qBAAY,GAAZ, CAA/B,C;MAAA,iB;QAAoD,OAAO,I;;MAA9E,mBAAMB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,I

AAI,aAAS,gBAAO,KAAM,IAAb,EAaKB,GAAIB,CAAb,C;UACI,OAAO,K;;;UAEP,OAAO,I;;;QAGX,YAAuC,
Y;QACvC,OAAa,wBAAN,KAAM,EAAiB,GAAjB,C;;IAErB,C;;MAGI,sB;;QxDq5BY,Q;QAAhB,iD;UAAgB,cA
AhB,e;UAAsB,IwDr5BK,aAAS,gBxDq5BA,OwDr5Ba,IAAb,MxDq5Bd,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9
C,qBAAO,I;;;MwDt5BH,yB;IAAA,C;;MAIO,wD;MACH,aAAY,E;MAEZ,YAAuB,MAAa,MAAK,qCAAL,C;MA
CpC,gBAAe,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MACHb,iBAAqC,I;IATIC,C;;MAYC,IAAI,
6BAAwB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAc,SAaIB,C;UACI,OAAO,C;;MAGf,IAAI,y
DAAa,SAAK,OAAiB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAy,C;QACZ
,OAAO,C;;;QAEP,oBAAe,I;QACf,OAAO,C;;IAEf,C;;MAGI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAA
O,eAAS,C;IACpB,C;;MAIoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ
,yBAAqD,cAArD,C;;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;IACX,C;;
MjDIDR,liDqDyB,cjDrDrB,QA AJ,C;QACI,cAfUE,0B;QAgBvE,MAAM,6BAAsB,OAAQ,WAA9B,C;;MiDoDE,6
BAAyB,cAAO,6BAAy,IAAnB,C;MACzB,iBAAy,I;MAEZ,uC;IACJ,C;;MArDJ,2D;IAuDj,C;;MAGI,mBAAMb,
kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAgC,IAAhC,GAA0C,Y;IACrD,C;;;;MEtKI,aAAR,MAA
M,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;MDbpB,OCcmB,MDdb,CCcqB,KDdrB,C;MCeF,OAAO
,M;IACX,C;;MCPmC,kC;MAEnC,oBAAkC,kB;MACiC,sBAAyB,C;IAHS,C;;MAAC,8B;IAAA,C;;MAGnC,0B;I
AAA,C;MAAA,0B;IAAA,C;;MAYI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB
,S;IAC/B,C;;MAGI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAy,kBAAW,GAAX,C;MACZ,OAAW,UAAU,
SAArB,GAAgC,KAAhC,GAA2D,I;IAC/D,C;;MpDPA,IAAI,EoDWQ,uBpDXR,CAAJ,C;QACI,cAda,qB;QAEb,M
AAM,gCAAYB,OAAQ,WAAjC,C;;MoDUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,I
AAI,aAAa,SAAJB,C;QACI,6B;QAEA,OAAO,I;;;QAGP,OAAO,Q;;IAEf,C;;MAGI,IAAI,0BAAJ,C;QAAoB,OAA
O,I;MAC3B,YAAy,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QFrDJ,OEsdub,iBftDjB,CEsd6B,GftD7B,
C;QEuDE,6B;QAEA,OAAO,K;;;QAGP,OAAO,I;;IAEf,C;;MAII,oBAAa,kB;MACb,YAAO,C;IACX,C;;MAIW,oD
;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;IAH5B,C;;M
AK+B,OAAA,eAAS,U;IAAT,C;;MAMX,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,O
AAO,iD;IACX,C;;MAIkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MpDUF,uB;MAcrD,IAdkE,KAc9D,QA AJ,C;
QACI,cAfUE,0B;QAgBvE,MAAM,6BAAsB,OAAQ,WAA9B,C;;;QAEN,sBAIB8D,K;;MoDV/B,oBAAO,sFAAP,C
;IAC3B,C;;;MAjBJ,yD;IAmBJ,C;;MAESD,8B;MAAA,oD;IAAA,C;;MActB,uB;IAAA,C;;MACE,6CAAuB,gBAA
vB,C;IAAA,C;;MAEU,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;IAAvB,C;;MAET,OAAA,mCAAY,uBAA
c,IAAd,C;IAAZ,C;;MACG,OAAA,mCAAY,uBAAc,IAAd,C;IAAZ,C;;MACU,OAAA,mCAAY,qBAAy,IAAZ,EA
AkB,KAAIB,C;IAAZ,C;;MARM,iE;IAAA,C;;;MCNtD,sBAOsC,I;MA6CtC,yB;;MArHmD,0CAAqC,GAArC,EA
A0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oBAAuC,I;IAFb,C;;;MAK9B,oB;MAA+B,6B;IAA/B,C;;MAEI,oB;M
ACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;IARf,C;;MAAq,OAAO,gBAAS,I;IACpB,C;;MAIL,IAAI,CAAC,
cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;MAAf,cjDkDS,SiDIDo
B,KAAO,iCjDkDzC,GAAqB,SAArB,GAA+B,I;MiDjD1B,OAAO,O;IACX,C;;MrDgCR,IAAI,EqD7Bc,eAAQ,IrD
6BtB,CAAJ,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;;MqD5BS,oCAAP,0BAAO,C;MACP,g
CAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;IACX,C;;MAGqD,MAAM,qCAA8B,iCAA9B,C;IAAN,C;;MAErD,
WAAmB,Q;IACvB,C;;MAEuE,yCAAc,OAAc,C;IAAA,C;;MAEC,qD;IAAA,C;;MAGpE,IAAI,oBAAS,OAAT,CA
AJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;;MAEX,OAAO,K;IACX,C;;MAE+B,OAAA,WAA
mB,K;IAAnB,C;;MrDEnC,IAAI,EqDgBM,0BAAQ,IAAR,IAAgB,0BAAQ,IrDhB9B,CAAJ,C;QACI,cAdW,e;QAE
X,MAAM,6BAAsB,OAAQ,WAA9B,C;;MqDgBN,YAAy,mB;MACZ,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QAC
P,yBAAO,S;QACP,yBAAO,S;;;QAGK,YAAa,KAAM,a;QrDZc,uB;QAcR,D,IAdkE,KAc9D,QA AJ,C;UACI,gBAfu
E,0B;UAgBvE,MAAM,6BAAsB,SAAQ,WAA9B,C;;;UAEN,sBAIB8D,K;;QqDY1D,+B;QAEA,yBAAO,K;QACP,
yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;;IAErB,C;;MAMI,IAAI,SAAK,aAAL,KAAc,SAaIB,C;QAEI,sBAA
O,I;;;QAEP,IAAI,wBAAS,SAAb,C;UAEl,sBAAO,sB;;QAEX,qDAAc,sB;QACd,qDAAc,sB;;MAEIB,yBAAO,I;M
ACP,yBAAO,I;IACX,C;;MA6CI,kBAAI,Q;MACJ,sBAAO,I;IACX,C;;MAQmD,OAAA,kBAAI,mBAAy,GAAZ,C
;IAAJ,C;;MAGIB,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;;MAA5C,WAA6B,I;;QAEzB,IAAI,OAAA,IAAK,M
AAL,EAAC,KAAc,CAAJ,C;UACI,OAAO,I;;QAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAAS,mBAAT,C;MA
CT,OAAO,K;IACX,C;;MAG2E,uC;IAAA,C;;MAExB,Q;MAAJ,QAAL,OAAJ,kBAAL,WAAI,GA AJ,CAAJ,6B;IA

AA,C;;MAG3C,UAAU,kBAAI,WAAI,GA AJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,6BAAW,GAAX,EA Ag
B,KAAhB,C;QACf,kBAAI,aAAI,GA AJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OAAO,I;;QAEP,OAA
O,GA AI,gBAAS,KAAT,C;;IAEnB,C;;MAGI,YAAY,kBAAI,cAAO,GAAP,C;MACHb,IAAI,SAAS,IAAb,C;QAC
U,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;;MAEjB,OAAO,I;IACX,C;;MAEsC,OAAA,kBAAI,K;IAAJ,C;;M
ArFtC,uD;MAGuB,qB;MAnJ3B,yB;MAoJQ,sBAAM,gB;MAJV,Y;IAAA,C;;MAOA,uD;MAAoD,qB;MAvJxD,yB
;MAyJc,Q;MAAN,sBAAM,+D;MAFV,Y;IAAA,C;;MAcyC,OB;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,eA
AN,EAAuB,UAAvB,Q;MArKzE,yB;MASkQ,sBAAM,gB;MAVV,Y;IAAA,C;;MAaA,uD;MAA2C,qBAAK,eAAL
,EAAsB,GAAtB,Q;MAA3C,Y;IAAA,C;;MAEA,uD;MAG2C,qB;MA9K/C,yB;MA+KQ,sBAAM,gB;MACN,KAA
K,gBAAO,QAAP,C;MALT,Y;IAAA,C;;MAMeOD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,OjD/KO,S
;IiDgLX,C;;;MCzOI,uD;MAAmD,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;IAAA,C;;MAEA,uD;MAGuB,eAAM,o
BAAN,Q;MAZ3B,yB;MASI,Y;IAAA,C;;MAKA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,Q
AAP,C;MAJJ,Y;IAAA,C;;MAGByC,OB;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,qBAAsB,eAAtB,EAAuC,
UAAvC,CAAN,Q;MA9BzE,yB;MAqBI,Y;IAAA,C;;MAWA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA
3C,Y;IAAA,C;;MAa+C,gBAAXC,mBAAC,qBAAd,C;MAAgD,6B;MAAvD,OldmBO,S;IkDlBX,C;;;MJ/CI,OAA
G,GAAG,CAAC,QAAD,C;IACV,C;;MKI0E,c;IAAA,C;;ICR1E,C;;MAEQ,mBAAM,IAAN,C;IACJ,C;;MAGI,mB
AAM,OAAN,C;MACA,c;IACJ,C;;IAIkB,C;;;MAKmC,qB;MAA7B,gC;IAAD,C;;MACa,OAAA,iBAaA,OA6DJ,O
A7DiB,OA6DjB,CA7DI,C;IAAb,C;;;MAKJ,qB;IAFpC,C;;MAIQ,OAAQ,KAAL,OA AJ,C;IACZ,C;;MAGI,OAAQ,
KAAL,OA AJ,C;IACZ,C;;MAGI,OAAQ,KAAL,EAAJ,C;IACZ,C;;MAKiC,qB;MACjC,cAAa,E;IAHjB,C;;MAMQ,
eAoCyC,OApCxB,OAoCwB,C;IANC7C,C;;MAGI,cAAS,E;IACb,C;;MAKwC,yB;IAF5C,C;;MAIQ,QA wByC,OA
xB1B,OA wB0B,C;MAvBzC,QAAU,eAAF,CAAE,EAA Y,EAAZ,C;MACV,IAAI,KAAK,CAAT,C;QACI,4BAAU,
CtChB0E,WsCgB9D,CtChB8D,EsCgB3D,CtChB2D,C;QsCiBpF,Y;QACA,IAAI,CtCrBiE,WsCqBrD,IAAI,CAAJ,I
tCrBqD,C;;MsCuBzE,4BAAU,C;IACd,C;;MAGI,OAAQ,KAAL,WAAJ,C;MACR,cAAS,E;IACb,C;;;MAW6C,cA
Aa,KAAb,C;IAAA,C;;MAI7C,MAAO,U;IACX,C;;MAIL,MAAO,iBAAQ,OAAR,C;IACX,C;;MAIL,MAAO,eAAM
,OAAN,C;IACX,C;;MC3FsC,8C;MACiC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;
MACtC,qBAAYC,I;MAEzC,yBAAGD,yBAAMB,Q;MAEiC,gB;MAAjC,cAAiC,2CAAQ,yCAAR,gDAAwD,IAAx
D,6BAAiE,I;IATjE,C;;MAOjC,6B;IAAA,C;;MAKI,gBAAS,K;MACT,wB;IACJ,C;;MAGI,eAAQ,qB;MACR,mBA
AiB,S;MACjB,wB;IACJ,C;IC0EJ,8B;;MDvEQ,iBAA8B,yB;MC6EzB,Q;;QAHl,aD1EoD,e;QC2EpD,IAAI,WAA
W,mBAAF,C;UAEuC,CAAIc,kEAAkC,eAAO,MAAP,C;;;QAEzC,gC;UACE,UAAW,6BAAoB,CAApB,C;;UAPf
,O;;IDxEA,C;;;MAQe,OB;IAAD,C;;MAKd,OB;MAUA,gBAA2B,a;IAX/B,C;;MASgB,OAAA,eAAS,Q;IAAT,C;;
MAMJ,sBAAW,SAAX,C;QACI,gBAAS,K;WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,cAAO,KA
AP,C;;QAGT,MAAM,6BAAsB,iBAAtB,C;;IAGiB,C;;MAIQ,sBAAW,SAAX,C;QACI,gBAAS,SAAK,SAAL,C;
WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,6BAAoB,SAApB,C;;QAGT,MAAM,6BAAsB,iBAAt
B,C;;IAGiB,C;;MAQW,Q;MAJP,IAAI,kBAAW,SAAf,C;QACI,gBAAS,mB;;MAEb,aAAa,IAAK,S;MAEd,eAAW,
OAA X,C;QACI,OB;WAEJ,gC;QACI,MAAM,MAAO,U;;QAGb,a;;MARR,W;IAWJ,C;;MAvDA,0D;MACyD,6BA
AK,QAAL,EAAe,SAAf,C;MADzD,Y;IAAA,C;;MErCM,OAAK,SAAL,CAAiB,UAAjB,EAA6B,KAA7B,C;IAAA,
C;;MAQA,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;IAAA,C;;MAMc,OAAK,SAAL,C
AAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,CAA6C,O;IAA7C,C;;MAKA,OAAK,SAAL,CAAiB,UAAjB,EAA
6B,IAA7B,CAAmC,O;IAAnC,C;;MAUxB,wC;IAAA,C;;;MAAA,+C;QAAA,8B;;MAAA,wC;IAAA,C;;MC2Fl,a
AAa,IAAb,MAAa,E;MACb,KAAK,MAAL,C;MACA,OAAO,M;IACX,C;;MC3HyG,kBAApB,wBAAC,IAAd,C;M
AA0B,IzD4D3G,a;MyD5DiF,OzD6D1E,W;IyD7D0E,C;;MAQvC,kBAA1B,cAAhB,sCAAGB,EAAc,IAAd,EAAoB
,IAApB,C;MAAiC,sBzDiE3C,WyDjE2C,C;MAAjD,OzDkEO,W;IyDIEP,C;;MCZ8C,8B;MAAA,OCIN,aDJwB,yB
AAa,QAAb,mCCiXB,C9C6pBgC,sB;I6CjqB1B,C;;MrEyrGvC,kBAA Y,gB;MA8EH,Q;MAAhB,wBqE/vGqB,UrE+
vGrB,gB;QAAGB,cqE/vGK,UrE+vGrB,M;QAASB,IAAI,CqE/vGkB,oBrE+vGP,OqE/vGO,CrE+vGtB,C;UAAyB,
WAAY,WAAI,OA AJ,C;;MqE/vG3D,qBrEgwGO,W;MqE/vGP,IIEqJwD,CkErJpD,cIEqJqD,UkErJzD,C;Q7CwGuC
,U;Q6CvGnC,qB7CuGyD,OAAtB,+B6CvGd,mB7CuGc,uBAAsB,CAAO,W;Q+C3GpD,kBAAhB,sB;QFMQ,0C;Q
ACA,IAAI,E7C8MoC,0BAAU,C6C9M9C,CAAJ,C;UACI,2BAAO,GAAP,C;;QAEW,sCAAa,GAAb,C;QALnB,sB
1DsDG,W4D3D8B,W;QFYjC,OAAO,I;;MAGX,OAAO,K;IACX,C;;MAQmB,c;;QrEmwSC,Q;QA AhB,wBqEnwSI
,UrEmwSJ,gB;UAAgB,cqEnwSZ,UrEmwSJ,M;UAAAsB,IqEnwSD,oBrEmwSe,OqEnwSf,CrEmwSC,C;YAAwB,aA

AO,I;YAAP,e;;;QAC9C,aAAO,K;;;MqEpwSP,e;QACI,kBAA6B,MAAX,UAAW,C;Q7CkFM,U;Q6CjFb,a7CiFmC
,OAAtB,+B6CjFvB,mB7CiFuB,uBAAsB,CAAO,W;Q6CjFX,kBC5BjB,aD4BD,MC5BC,C9CwsC6C,uBAAzB,CA
AyB,C;QTjmB9E,kBAAS,gB;QAYEA,U;QAAA,+B;QAAhB,OAAgB,gBAAhB,C;UAAgB,6B;UAAM,IsDppB4C,
4BtDopB9B,SsDppB8B,CtDopB5C,C;YAAwB,WAAy,WAAI,SAAJ,C;;QsDppBtD,sBAAMF,etDqpBhF,WsDrpB
gF,EAAa,GAAb,C;QACnF,OAAO,I;;MAGX,OAAO,K;IACX,C;;MGjCY,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,
IAAK,mB;IAA/C,C;;MAOA,8BAAY,IAAK,a;IAAjB,C;;MCdwD,gCAAqB,OAArB,C;IAAA,C;;MAEjC,wB;IAA
D,C;;MAE1B,eAAQ,CAAR,C;IACJ,C;;MAEyC,iCAAuB,cAAvB,M;IAAA,C;;MCCO,8B;MAAS,uB;IAAT,C;;M
ACjB,OAAA,gBAAY,O;IAAZ,C;;MAG3B,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,qBAAN,C;QA
D8B,OACX,gBAAY,MAAK,KAAL,C;;;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAMC,qBAANc,MAA1B,
C;IAFgB,C;;;MAHc,4C;IAAA,C;;MCJhD,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;IAER,C;;MAQI,sBAAY,s
CAAgB,gBAAe,IAAf,CAA5B,C;MACA,OAAO,S;IACX,C;;MCb8C,gB;IAAA,C;;MAMwB,OAAK,S;IAAL,C;;M
AQG,gB;IAAA,C;;MAmB5D,UAPF,M;MAFP,QAAC,S;MAGV,cAAK,UAAU,U;QACI,mBAAK,UAAU,G;WACJ,
IAAA,MAAa,YAAW,CAAX,CAAb,C;QAC6B,8BAAzB,CAAYB,C;;;QAGN,UAAIB,uDAaK,Y;MAP3B,a;IASJ,
C;;MCRcI,MAAM,yBAaQb,OAArB,C;IACV,C;;MAII,MAAM,uBAAMb,cAAAnB,C;IACV,C;;MAII,MAAM,6BA
AsB,OAAtB,C;IACV,C;;MAII,MAAM,4CAAqC,uBAaQb,YAArB,8BAArC,C;IACV,C;;MCH4G,Q;MAAA,+BA
AS,I;sCAAIB,O,2DAAA,O;;;IAApE,C;;;MAC3B,iD;;gCAA4B,I;8BAAM,I;MACd,0BAAY,MAAK,KAAL,E
AAW,IAAX,EAAiB,IAAjB,C;MADhC,Y;IAAA,C;;MAIA,iD;;gCAA4C,O;8BAAS,I;MACjC,0BAAY,MAAK,KA
AL,EAAW,OAAx,EAAoB,IAApB,C;MADhC,Y;IAAA,C;;MAIA,iD;;uCAA6C,S,oBAAW,K,2BAAA,K,IAAX,S;
8BAAW,K;MACpC,0BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADhC,Y;IAAA,C;;MAM4G,Q;
MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;IAApE,C;;;MAC/B,mD;;gCAA4B,I;8BAAM,I;MACV,4BAAY,M
AAK,KAAL,EAAW,IAAX,EAAiB,IAAjB,C;MADpC,Y;IAAA,C;;MAIA,mD;;gCAA4C,O;8BAAS,I;MAC7B,4B
AAY,MAAK,KAAL,EAAW,OAAx,EAAoB,IAApB,C;MADpC,Y;IAAA,C;;MAIA,mD;;uCAA6C,S,oBAAW,K,2
BAAA,K,IAAX,S;8BAAW,K;MACHc,4BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADpC,Y;IAA
A,C;;MAKgG,qBAAU,OAAV,EAAmB,KAAAnB,C;;IAA1D,C;;MACtC,0D;MAAuB,6BAAK,IAAL,EAAW,IAAX
,C;MAAvB,Y;IAAA,C;;MACA,0D;MAAuC,6BAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,0D;MA
AwC,6BAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGwG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA
1D,C;;MAC9C,kE;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,kE;MAAuC,qCAAK,O
AAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,kE;MAAwC,qCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IA
AA,C;;MAGqG,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MAC3C,+D;MAAuB,kCAAK,IAAL,EAAW,IA
AX,C;MAAvB,Y;IAAA,C;;MACA,+D;MAAuC,kCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,+D;
MAAwC,kCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;8BAGuG,O;;IAAxD,C;;MAC/C,mE;MAAuB,s
CAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAG+G,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MACrD,yE;MAA
uB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,yE;MAAuC,4CAAK,OAAL,EAAc,IAAd,C;MA
AvC,Y;IAAA,C;;MACA,yE;MAAwC,4CAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAG6G,4BAAiB,
OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MACnD,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C
;;MACA,uE;MAAuC,0CAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,uE;MAAwC,0CAAK,SAAL,E
AAgB,KAAhB,C;MAAxC,Y;IAAA,C;;sCAI2G,O;;IAAhE,C;;MAC3C,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;
IAAA,C;;8BAIkG,O;;IAAxD,C;;MAC1C,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;IAAA,C;;8BAGgG,O;;IAAxD
,C;;MACxC,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAG+F,mBAAM,OAAAN,EAAe,KAAf,C;;IAA3
D,C;;MACpC,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;IAAA,C;;MACA,wD;MAAgC,2BAAK,OAAL,EAAc,IA
Ad,C;MAAhC,Y;IAAA,C;;MACA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EAAyB,sDAAzB,
C;MAApC,Y;IAAA,C;;8BAGoG,O;;IAAxD,C;;MAC5C,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;IAAA,C;;MAI
4G,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;MACiD,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAv
B,Y;IAAA,C;;MACA,sE;MAAuC,yCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;IAAA,C;;MACA,sE;MAAwC,yCA
AK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MAGoH,4BAAiB,OAAjB,EAA0B,KAA1B,C;;IAA1D,C;;M
AC1D,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;IAAA,C;;MACA,8E;MAAuC,iDAAK,OAAL,EAA
c,IAAd,C;MAAvC,Y;IAAA,C;;MACA,8E;MAAwC,iDAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;IAAA,C;;MCP
EO,kB3EmBiD,oB;M2EO9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,C

AAN,C;QACV,kBAaKb,sBAAY,GAAZ,C;QA+eID,U;QA9EnE,W3EwFJ,a2ExFgB,G3EwFhB,E4E3JoB,CDmEk
C,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CA8EhD,GCjJrC,CDiJqC,GAA6B,UA9EjC,WA8EiC,6DCjJnD,IAA
M,CAAN,I5E2JpB,C;;M4E3JA,ODqEO,W;ICrEP,C;;MCKf0C,OAAI,kBAaK,CAAL,MAAJ,GAAY,CAAZ,GA
AmB,C;IAAnB,C;;MAOA,OAAI,kBAaK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;IAAnB,C;;MrC1FA,cAAvC,C
;IAAuC,C;;MsC4CpB,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IA
AC,0BAAD,EAAO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;IACX,C;;MAQgB,Q;MADZ,WAA0B,MA
Aa,MAAK,KAAL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAy,gBAaE,GAaf,CA
AtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;MAGpB,OAAO,S;IACX,C;;MrC9D+C,S;IAAA,C;;MAGC
a,0BAaE,WAAf,C;IAAA,C;;MAM4B,0BAaE,WAAf,C;IAAA,C;;MAOhB,0BAaE,WAAf,C;IAAA,C;;MAOV,Q;
MAH1D,aAAkB,GAAl,O;MACtB,aAAkB,GAAl,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,Q
AAQ,MAAjC,C;QAAY,C,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAl,oBAAJ,O;;MACtD,OAAO,G;IACX,C;;MASuC,Q;
MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAaKb,SAAtB,C;QazB
sB,MA0BIB,UA1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAc,C;QACI,gBAAGb,O;
QACHB,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;MAE9C,OAAO,M;IACX,C;
;MAOoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAaL,OA
AL,KAaKb,SAAtB,C;QAbqB,MAcJb,UAdU,KAcS,O;;MABvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGb,c
AAhB,C;QAAGb,yB;QAAY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;IACX,C;;MAIoB,UAA
gB,M;MADhC,YAAy,U;MACI,4B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QAAY,IAAI,cAAJ,EAAl,sBAAJ,YA
Ae,O;;MAC3C,OAAO,G;IACX,C;;MAGI,IAAI,IAAK,OAAL,KAaKb,SAAtB,C;QACI,YAAc,IAAK,O;;IAE3B,C
;qEErFA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAPID,C;qEASA,yB;MA
AA,iB;MAAA,oB;QAOKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAPID,C;qEASA,yB;MAAA,iB;MAAA,oB
;QAOKD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAPID,C;uEASA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,
MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAA
K,CAAL,C;MAAX,C;KATnD,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;M
AAX,C;KATnD,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAKb+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;
MAAX,C;KAIB/D,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;K
AVnD,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KATnD,C;uEA
WA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAVnD,C;yEAYA,yB;MAA
A,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,o
B;QAYoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAZpD,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OA
AA,MAAW,OAAM,CAAN,C;MAAX,C;KAbpD,C;yEAeA,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OA
AM,CAAN,EAAS,CAAT,C;MAAX,C;KAT/D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,M
AAK,CAAL,C;MAAX,C;KARnD,C;qEAUA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;
MAAX,C;KAVID,C;yEAYA,yB;MAAA,iB;MAAA,oB;QacoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAd
pD,C;;MA8BI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QAAGC,OAAO,wCAAO,I;MAC9C,OAAO,IAAW,K
AAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;IAC1C,C;mEAEA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,M
AAW,KAAI,CAAJ,C;MAAX,C;KAXjD,C;yEAaA,yB;MAAA,iB;MAAA,oB;QAooD,OAAA,MAAW,OAAM,CA
AN,C;MAAX,C;KAPpD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAomD,OAAA,MAAW,MAAK,CAAL,C;MAAX,
C;KAPnD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAhBnD,
C;uEAKbA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAVnD,C;yEAYA,y
B;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAVpD,C;+EAYA,yB;MAAA,iB;
MAAA,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;MAAX,C;KAVvD,C;;MAoBI,IAAI,IAAI,GAAJ,KAAW,G
AAf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;;MAEtB,YAZBgD,MAAW,OAYBzC,CAzByC,C;MA0B3D,OA
AW,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MAAW,MAcB,CAtCa,C;IAuC9D,C;qEAEA,yB;MAA
A,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;MAAX,C;KAVID,C;uEAYA,yB;MAAA,iB;MAAA,oB;
QAWmD,OAAA,MAAW,MAAK,CAAL,C;MAAX,C;KAXnD,C;wEAcA,yB;MAAA,iB;MAAA,uB;QAO6D,OA
AA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OA
AA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;KAP7D,C;qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,

MAAW,KAAL,SAAJ,EAAU,CAAV,C;MAAX,C;KAbzD,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOsD,OAAA,MAAW,KAAL,SAAJ,EAAU,CAAV,C;MAAX,C;KAPtD,C;IGAmBsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAL,SAAJ,C;MAAX,C;KAAR,C;+EAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;MAAX,C;KAAR,C;;MASzC,kBAaKB,MAAA,eAAc,SAAd,C;MAC/B,iBAaIB,MAAA,eAAc,IAAd,C;MAC9B,OAAW,gBAaE,UAAAnB,GAA+B,SAA/B,GAAyC,CAAC,S;IACrD,C;iFAEA,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAC,IAAd,C;MAAL,C;KAL9D,C;;MAmBI,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAEW,S;WACpD,kBAAQ,wCAAO,UAAf,C;QAHyC,OAGb,YAAy,SAAL,SAAK,C;;QAHc,OAI5B,OAAAL,SAAK,CAAL,GAAGB,S;IAJiB,C;;MAYzC,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADwC,OACY,S;WACpD,kBAAQ,GAAR,C;QAFwC,OAEzB,wCAAO,U;;QACP,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,CAAd,GAAqB,EAAXC,E;QAHgB,OoC9Z6B,MAAA,gBAaE,IAAf,C;;IpC8Z1C,C;;MAWxC,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAE3B,CAAC,wCAAO,U;;QACR,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAzC,E;QAHkB,OoCxa2B,MAAA,gBAaE,IAAf,C;;IpCwaxC,C;;MAiB1C,IAAK,QAAL,SAAK,CAAL,IAAmB,QAAL,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAAM,SAAN,C;QAFuD,OAEzC,E;WACd,SAAK,SAAL,C;QAHuD,OAGrC,OAAAL,SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;IAJ0B,C;;MAoBvD,uB;QAAW,MAAM,gCAAyB,yBAaZB,C;WACjB,gBAAO,UAAp,C;QAFyC,OAEjB,U;WACxB,gBAAO,WAAp,C;QAHyC,OAGjB,W;;QAHiB,OAIW,YAA5C,IAAW,OAAM,SAAN,CAAiC,C;;IAJX,C;;MAmBzC,uB;QAAW,MAAM,gCAAyB,yBAaZB,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAI5,uBAA5C,IAAW,OAAM,SAAN,CAAiC,C;;IAJT,C;uEAY/C,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAPhD,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAPhD,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;2EAWA,yB;MAAA,iB;MAAA,uB;QAKB4D,OAAA,MAA6C,OAA1B,CAA0B,EA AZ,CAAY,C;MAA7C,C;KAIB5D,C;yEAoBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAVjD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KATjD,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAVjD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZID,C;2EAca,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAZID,C;2EAca,yB;MAAA,iB;MAAA,oB;QAaKd,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAbID,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EA AZ,CAAY,C;MAA7C,C;KAT5D,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KARjD,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAVhD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAcKD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAdID,C;uEAgaB,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EA AZ,IAAY,C;MAAnC,C;KAd7D,C;qEAgaB,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAX/C,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAPID,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAPjD,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAhBjD,C;yEAKBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAVjD,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;MAA/B,C;KAVID,C;iFAYA,yB;MAshBA,iB;MAshBA,oB;QAUqD,OAthBE,MAAW,OAshBF,CAthBE,C;MAshBb,C;KAVrD,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,C;MAApB,C;KARID,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;MAA7B,C;KAVhD,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;MAA9B,C;KAXjD,C;wEAeA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAL,CAAJ,EAAO,CAAP,C;MAAX,C;KAPID,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAL,CAAJ,EAAO,CAAP,C;MAAX,C;KAPID,C;sEAYA,yB;MAAA,iB;MAAA,+B;QAasD,OAAA,MAA8C,KAA1B,SAA0B,EA AZ,CAAY,C;MAA9C,C;KAbtD,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8C,KAA1B,SAA0B,EA AZ,CAAY,C;MAA9C,C;K

APpD,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,KAAZ,SAAY,C;MAAhC,C;KAAR,C;gFA
aT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;MAAjC,C;KAAR,C;gFAE3C,yB;MAAA,6
C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;MAA1C,C;KAP9D,C;iFASA,yB;MAAA,6C;MA
AA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;MAA1C,C;KAL5D,C;oFAQA,yB;MAAA,iD;MAAA,4B
;QAYmD,OAAW,WAAx,SAAW,C;MAAX,C;KAZnD,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YA
AX,SAAW,C;MAAX,C;KAZrD,C;;MA2BqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAI,B,GAA0B,
C;IAA1B,C;wEAeRc,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;
KALpD,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;MAAX,C;K
ALpD,C;mGAIbGd,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;MAAA,C;KAAR,C;;MAU5C,gBAAO,CA
AP,C;QADoC,OACxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;IAH4B,C;;MAiBD,OA
AI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAM,B,C;IAAnB,C;;MAOgB,OAAI,kBAaK,CAAL,MAAJ,GAAY,CAA
Z,GAAM,B,C;IAAnB,C;;MAOA,OAAI,kBAaK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;IAAnB,C;mGAYL,yB;
MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;MAAA,C;KAAR,C;;MAU9C,2BAAO,CAAP,C;QADqC,OACzB,
E;WACZ,2BAAO,CAAP,C;QAFqC,OAExB,C;;QAFyB,OAG7B,C;IAH6B,C;;MqC5kCO,c3DoBoB,uB2DpBpB,E
AAiB,MAAjB,C;IAAA,C;;MAMN,Q;MAAA,yDAaKb,kBAaKb,SAaIB,C;IAaIB,C;;MAOU,Q;MAAA,yCAaA,
KAAb,oBAaUB,kBAaKb,SAaIB,C;IAAvB,C;;MAOR,Q;MAAA,0DAaMB,kBAaKb,SAaIB,C;IAAnB,C;;MAO
U,Q;MAAA,0CAAc,KAAd,oBAaWB,kBAaKb,SAaIB,C;IAAxB,C;;MAMd,Q;MAAA,wDAaIB,kBAaKb,SAaI
B,C;IAAjB,C;;MAOU,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKb,SAaIB,C;IAAtB,C;;MAMR,Q;MAAA,yDA
AkB,kBAaKb,SAaIB,C;IAaIB,C;;MAOU,Q;MAAA,yCAaA,KAAb,oBAaUB,kBAaKb,SAaIB,C;IAAvB,C;;MA
MqC,kBAA1C,CAA0,S;MACID,IAAO,QzEgBD,WyEhBC,CAAH,IAAc,CAAM,kBAaPb,KzEgBE,WyEhB6B,K
AAM,GAAN,IAAkB,kBAaJd,CAAJ,C;QACI,4B;MAFsC,OzEkBnC,W;IyElBmC,C;6EAK9C,yB;MAAA,6C;MA
AA,4B;QAKmD,0B;MAAA,C;KALnD,C;;MAWgG,kBAA1C,CAA0,S;MAAR,OACjD,EAAK,QzEwBgB,WyEx
BhB,CAAH,IAAc,CAAM,kBAaPb,KzEwBmB,WyExBY,KAAM,GAAN,IAAkB,kBAaJd,CAAF,CzEwBO,GAA
qB,WAArB,GAA+B,I;IyEzBW,C;yFAIrD,yB;MAAA,yD;MAAA,4B;QAK0D,gC;MAAA,C;KAL1D,C;iFAOA,yB
;MAAA,6C;MAAA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;MAAb,C;KAP7D,C;iFASA,yB;MAAA,6C
;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;MAAb,C;KAP9D,C;;MAesD,OAAA,SAAY,UAAS,W
AAW,KAAx,CAAT,C;IAAZ,C;;MAQD,OAAA,SAAY,UAAS,WAAW,KAAx,CAAT,C;IAAZ,C;;MAEf,QAAM,
S3DpGwB,c2DoG9B,C;aACIC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBADS,OAe1B,K;;IAF0B,C;;MAUIC,IA
AI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR,kCAAzB,C;;MAEV,OAAO,K;I
ACX,C;;MAE2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,E;WACrC,YAAQ,EAAR,IA
Ae,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,GAAvB,C;QAA
8B,cAAO,EAAP,GAAa,EAAb,I;QACtB,S;MzEpDD,a;MyEgDgD,OAK/C,WAAJ,GAAiB,EAajB,GAAYB,E;IAL
0B,C;;MAOH,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,C;IAAN,C;;MD/IZ,qBAAQ,S;IAAR,C;;MAMD,qBA
AQ,S;IAAR,C;;MAKM,qBAAQ,wCAA0,kBAaf,IAAoC,cAAQ,wCAA0,kB;IAAnD,C;;MAKD,qBAAQ,uCAAM
,kBAAd,IAAmC,cAAQ,uCAAM,kB;IAAjD,C;;MAKD,QAAC,qBAAD,IAAiB,CAAC,kB;IAaIB,C;;MAKD,QAA
C,uBAAD,IAAiB,CAAC,kB;IAaIB,C;;MAwB2B,OAAA,MAAa,gBAaE,IAAf,C;IAAb,C;;MA8BH,OAAA,MAAa
,eAAc,IAAd,C;IAAb,C;;MErDIE,OAAO,SAa8B,MAAK,WAAI,C;IACzC,C;;MAMI,OAAO,SAa8B,MAAK,WAA
AL,EAaKb,UAAIB,C;IACzC,C;8EjEvCA,yB;MAAA,6C;MAAA,kC;QAGI,OAAgB,QAAX,SAAW,EAaA,IAAb,
C;MAAhB,C;KAHJ,C;;MkEmBY,Q1CdkC,O0CcnB,SAAf,C;aACJ,Q;UADI,OACQ,M;aACZ,Q;UAFI,OAeQ,M;a
ACZ,S;UAHI,OAGS,O;gBAHT,OAIL,MAAa,gBAaE,SAAf,CAAqB,Y;;IAJtC,C;;MAWC,Q;MAAD,OAAwB,CA
AvB,iEAAuB,Q;IAAxB,C;;MAMA,iBAAU,SAAV,C;IAAA,C;;MCjCR,8B;IADuC,C;;MACvC,4B;IAAA,C;;M5E
WgC,MAAM,yB;I4ER1B,C;;M5EQoB,MAAM,yB;I4EN1B,C;;M5EMoB,MAAM,yB;I4EJ1B,C;;M5EIoB,MAAM
,yB;I4EF1B,C;;M5EEoB,MAAM,yB;I4EA1B,C;;M5EAoB,MAAM,yB;I4EE1B,C;;M5EFoB,MAAM,yB;I4EI1B,C
;;M5EJoB,MAAM,yB;I4EM1B,C;;M5ENoB,MAAM,yB;I4EQ1B,C;;M5ERoB,MAAM,yB;I4EU1B,C;;M5EVoB,
MAAM,yB;I4EY1B,C;;M5EZoB,MAAM,yB;I4Ec1B,C;;M5EdoB,MAAM,yB;I4EgB1B,C;;M5EhBoB,MAAM,yB;
I4EkB1B,C;;M5EIBoB,MAAM,yB;I4EoB1B,C;;M5EpBoB,MAAM,yB;I4EsB1B,C;;MAGR,OAAO,oCAA0B,oBA
AU,KAAM,OAAhB,C;IACrC,C;;MAG+B,gB;MAAA,8FAA0B,C;IAA1B,C;;MAI3B,OAAO,oBAAQ,eAAR,C;IA
CX,C;;MAG2D,sBAAc,MAAd,C;MAcL,Q;MAAtD,4BAAMC,CAAM,B,OAAZ,MAAY,WAAAnB,kC;IADC,C;;M

ACpC,gC;IAAA,C;;MAGI,OAAO,MAAA,QAAO,KAAP,EAAC,WAAAd,C;IACxB,C;;;MAOA,sBAAC,MAAd,C;M
AFA,wC;MACA,8C;IAHuC,C;;MAMnC,IAAI,0CAAJ,C;QAAsC,OAAO,K;MAC7C,OAAa,uCAAQ,KAAP,CAA
N,IAAuB,+BAAmB,KAAM,kBAaZB,C;IAClC,C;;MAEyC,6B;IAAA,C;;MAGrC,OAAO,0BAAmB,KAAnB,C;IA
CX,C;;;MAGJ,iC;MAAOc,sBAAOB,MAApB,C;MACHc,4BAAkC,S;IADtC,C;;MACl,gC;IAAA,C;;MAEgD,Y;IA
AA,C;;MAGpC,MAAM,qCAA8B,6CAA9B,C;IAAN,C;;MAEgC,iBAAU,I;IAAV,C;;MAEb,Q;IAAA,C;;;MAVnC
,wC;QAAA,uB;;MAAA,iC;IAAA,C;;MC1EA,gC;MAEl,gBACe,wBAAOB,MAApB,EAA6D,KAA7D,EAAoE,gC
AApE,C;MAEf,mBACkB,wBAAOB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,oBACmB,+B;MAEn
B,oBACmB,wBAAOB,OAApB,EAAkE,SAAlE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAOB,MAApB,EAA8D
,MAA9D,EAASe,iCAAtE,C;MAEhB,kBACiB,wBAAOB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,g
BACe,wBAAOB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAOB,MAApB,EAA+D,OAA
/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAOB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,kBA
CiB,wBAAOB,KAAPB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAOB,MAApB,EAAgE,QAAh
E,EAA0E,mCAA1E,C;MAElB,sBACqB,wBAAOB,KAAPB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,yBACw
B,wBAAOB,KAAPB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAOB,WAApB,EAAwE,WAAxE,
EAAqF,sCAArF,C;MAErB,sBACqB,wBAAOB,SAAPB,EAASe,WAAIE,EAAmF,sCAAnF,C;MAErB,uBACsB,w
BAAOB,UAApB,EAAwE,YAAxE,EAAfE,uCAAtF,C;MAEtB,qBACoB,wBAAOB,UAApB,EAASe,UAAIE,EAAk
F,qCAAI,F,C;MAEpB,sBACqB,wBAAOB,KAAPB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,uBACsB,wBAAO
B,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAAOB,YAApB,EAA2E,aAA3E,EAA0F,wC
AA1F,C;IA5D3B,C;;MAkE6C,qB;QAAE,O5C/DD,O4C+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,IAAYB
,a;MAA1D,C;IAAA,C;;MAFd,Q;MAAhB,U;MAAA,KAAGB,OAAhB,eAAgB,CAAI,KAAJ,CAAhB,U;QAAA,a;;
QACH,aAAa,wBAAOB,QAAPB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEg,eAAhB,UAAqC,M;QAHIC,SAIH,
M;;MAJJ,a;IAMJ,C;;MANEqF,6B;IAAU,C;;MAGD,0B;IAAa,C;;MAMT,8B;IAAc,C;;MAGxB,6B;IAAW,C;;MAG
R,6B;IAAY,C;;MAGIB,6B;IAAU,C;;MAGJ,6B;IAAY,C;;MAGT,6B;IAAa,C;;MAGd,yB;IAAe,C;;MAGd,6B;IAA
a,C;;MAGL,mC;IAAGB,C;;MAGP,gC;IAAmB,C;;MAGtB,6B;IAAGB,C;;MAGIB,6B;IAAGB,C;;MAGZ,8B;IAAiB
,C;;MAGvB,4B;IAAe,C;;MAGjB,6B;IAAGB,C;;MAGN,8B;IAAiB,C;;MAGd,+B;IAAkB,C;;;MA5DzI,uC;QAAA,
sB;;MAAA,gC;IAAA,C;;;MCEkE,yBAAkB,MAAIB,C;IAAA,C;;MAIxD,IAAN,I;MAAA,Q7CH0C,O6CG3B,CA
Af,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAy,OAAI,CAAxB,CAAwB,GAApB,CAAoB,
MAAGB,CAAPB,GAAuB,8BAAiB,SAAXC,GAASD,8BAAiB,Y;UAAAnF,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;U
AA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAAsC,OAAjB,8B
AAiB,kB:eACtC,0B;YAAmC,OAAjB,8BAAiB,e:eACnC,0B;YAAmC,OAAjB,8BAAiB,e:eACnC,2B;YAAoC,OA
AjB,8BAAiB,gB:eACpC,yB;YAAkC,OAAjB,8BAAiB,c:eACIC,0B;YAAmC,OAAjB,8BAAiB,e:eACnC,2B;YAA
oC,OAAjB,8BAAiB,gB:eACpC,4B;YAAqC,OAAjB,8BAAiB,iB:eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,
W;;YAE9B,kBAAkB,MAAA,gBAAE,CAAF,CAAKB,Y;YAE7C,oBAAGB,MAAhB,C;CAAI,D,OAAjB,8BAAiB,S;i
BACjD,oBAAGB,KAAhB,C;cAAGD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,yBAAkB,OAAIB,C;;;UAXBx
B,K;;MAAA,W;IAAA,C;;MAqCO,Q;MAJP,IAAI,WAAW,MAAF,C;QAA6B,OAAO,8BAAiB,Y;;MAErD,eAAsB,
MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAJ,C;UACI,aAAa,qBAAiB,MAAJB,C;UACb,o
BAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4BAAiB,MAAJB,C;;MATJ,W;IAWJ,C;;MCtDA,e;MAGq
C,kB;MAHrC,iB;MAAA,uB;IAGoC,C;;MAHPC,qC;MAAA,C;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;IA
NJ,C;;MAII,wB;MAAA,uC;IAAA,C;;;MAEA,wB;MAAA,qC;IAAA,C;;;MANJ,mF;IAAA,C;;;MAAA,a;AAA,a;
UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;IAAA,C;;MAmBoC,kB;IAAD,C;;MAAC,iB;IALpC,C;;MAAA,sB
AKoC,qCALpC,C;IAAA,C;;MAAA,OAKoC,iDALpC,M;IAAA,C;;MAAA,c;MAKoC,sD;MALpC,a;IAAA,C;;MA
AA,2IAKoC,sCALpC,G;IAAA,C;;MAoII,6B;MAhHA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;M3EmpC/C,k
BAAM,iBAaA,wB2ElpC0B,O3EkpC1B,EAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,O2EvtCuC,O3EutCvC,W;
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAc,I2ExtCuC,M3EwtCrD,C;;M2ExtChB,uBAAoC,WAAO,O
AAP,EAAyC,e3EytCtE,W2EztCsE,EAAyB,EAAzB,CAAzB,GAAwD,GAAxE,C;IAbd,C;;MAiBJ,MAAd,oBAAC,
C;MACd,YAAy,oBAAC,MAAK,KAAM,WAAx,C;MAC1B,OAAO,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAA
qC,oBAAC,UAAAd,KAA2B,KAAM,O;IACjF,C;;MAIkB,MAAd,oBAAC,C;MACd,OAAO,oBAAC,MAAK,KAAM,
WAAx,C;IACzB,C;;MAQ4C,0B;QAAA,aCIBI,C;MDkBiC,OAAC,SAAd,oBAAC,EAAS,KAAM,WAAf,EAA2B,U

AA3B,C;IAAd,C;;MAM5D,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;MAAF,C;IAAA,C;;MAAwC,OAAA,KAAM,O;IAAO,C;;MAD3B,0B;QAAA,aCIBI,C;MDmB/C,0BAAiB,6CAAjB,EAA8C,sBAA9C,C;IAAA,C;;MAQA,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;QACI,OAAO,kBAAK,KAAL,C;;QAEP,OAAKe,CAA3D,UAMM,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAY,EAaE,qBAAQ,EAA R,EAA3B,MAAN,EAaKd,YAAID,CAA2D,eAAK,KAAL,C;IAC1E,C;;MAO8E,OAAA,KAAM,WjE5Ba,SiE4BY, oBjE5BZ,EiE4B2B,WjE5B3B,C;IiE4BnB,C;uGAE9E,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI,YAAY,kBAA K,KAAL,C;QACZ,IAAI,aAAJ,C;UAAmB,OAAO,KAAM,W;QAEhC,gBAAgB,C;QACbB,aAAa,KAAM,O;QACn B,SAAS,mBAAC,MAAd,C;;UAEL,iBAaIB,oB;UACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,UAAW,MA AM,MAA1C,C;UACH,EAAG,gBAAO,UAAU,UAAV,CAAP,C;UACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,C AAhC,I;UACZ,QAAQ,UAAW,O;;QACd,oBAAY,MAAZ,IAAsB,aAAtB,C;QAET,IAAI,YAAY,MAAhB,C;UACI, EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,MAAZB,C;;QAGP,OAAO,EAAG,W;MACd,C;KAZBA,C;;MAiCmC ,gBAAR,Y;M3EikCpB,kBAAM,iBAaA,mCAAwB,EAAXB,CAAB,C;MAqEA,Q;MAAA,2B;MAAb,OAAa,cAAb, C;QAAa,sB;QACT,WAAY,WAAc,I2EvoCc,M3EuoC5B,C;;M2EvoCZ,uBAAgD,e3EwoC7C,W2ExoC6C,EAAYB, EAAzB,C;MACHd,OAAO,KAAM,WjEhEgF,SiEgEvD,WAAO,YAAP,EAAGB,gBAAhB,CjEhEuD,EiEgEpB,WjE hEoB,C;IiEiEjG,C;;MAQ6C,qB;QAAA,QC3ED,C;MDiF1B,Q;MnF7GIB,IAAI,EmFwGQ,SAAS,CnFxGjB,CAAJ, C;QACI,cmFuGsB,8C;QnFtGtB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MI8DH,S+EyCW,qBAAQ,KAAR,C;MAAd ,cAAuC,UAAS,CAAb,GAAgB,EAaHb,GAA2B,OAAH,EAAG,EAaK,QAAQ,CAAR,IAAL,C;MAC9D,avFnDgD ,gB;MuFoDhD,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,MAAO,WAAU,mBAAN,KAAM, EAAY,SAAZ,EAaUB,KAAM,MAAM,MAANc,CAA0C,WAApD,C;QACP,YAAY,KAAM,MAAM,aAAZ,GAA2 B,CAA3B,I;;MAEHb,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAaUB,KAAM,OAA7B,CAAqC,WAA/C, C;MACP,OAAO,M;IACX,C;;MAGyC,OAAA,oBAAC,W;IAAd,C;;MAEzC,+B;MAUI,uBAA4B,WAAO,wBAAP, EAakC,GAAIC,C;MAC5B,2BAAGC,WAAO,KAAP,EAaIB,GAAjB,C;IAXpC,C;;MAE4D,oBAAM,oBAAO,OA AP,CAAN,C;IAAA,C;;MAGJ,OAAA,OjE/FyC,SiE+FnB,oBjE/FmB,EiE+FJ,MjE/Fl,C;IiE+FzC,C;;MAGW,OAA A,OjEIG8B,SiEkGR,wBjEIGQ,EiEkGW,MjEIGX,C;IiEkG9B,C;;;MARnE,sC;QAAA,qB;;MAAA,+B;IAAA,C;;; MAvHA,+C;MACkE,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;IAAA,C;;MAGA,+C;MAC6C,k BAAC,OAAL,EAAC,UAAd,C;MAD7C,Y;IAAA,C;;MAS18D,iBAAM,OAAN,EAaE,MAAM,MAAN,CAAF,C;IA AA,C;;MAKRb,iBAAM,OAAN,EAaE,UAAf,C;IAAA,C;;MAWIC,kC;MAAA,kC;MAAA,kC;MAAA,kC;MACH,u BAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;IAZvC,C;;MACH,2B;IAAA,C;;MAEY,qBAAA,kBE7I8C,CF6IxC,CE7Iw C,CF6I9C,C;IAAA,C;;MAEZ,4B;IAAA,C;;MAY2B,kC;MAAS,uB;IAAT,C;;MACoB,OAAA,kBAAM,O;IAAN,C; ;MACQ,Q;MAAA,eAAA,kBE7JG,CF6JG,KE7JH,CF6JH,mBAAgB,E;IAAhB,C;;MAH/C,IAAI,2BAAJ,C;QACI, yH;;MAKJ,OAAO,kC;IACX,C;;MAEGC,OAAc,SAAd,kBAAC,EAAS,kBAAT,EAaOB,kBAAM,UAAV,GAAqB,k BAAM,MAAN,GAAc,CAAd,IAArB,GAA0C,kBAAM,aAAN,GAAqB,CAArB,IAA1D,C;IAAd,C;;MApBQ,kC;M AA+B,6B;IAA/B,C;;MACT,OAAA,kBAAM,O;IAAN,C;;MAC2C,qB;QAAE,yBAAK,EAAL,C;MAAF,C;IAAA,C ;MAAZB,OAAqB,OAAb,aAAR,mBAAQ,CAaA,EAaI,iEAAJ,CAaIB,W;IAAtC,C;;MACL,Q;MAAA,eAAA,kBE IJU,CFkJJ,KEIJI,CFkJV,YAAoB,oBAApB,O;IAAA,C;;;MABpD,sBAaIB,I;MACjB,YAAY,eAAK,KAAL,C;MA CZ,IAAI,aAAJ,C;QAAMB,OAAO,I;MAC1B,YAAY,aAAA,KAAM,MAAN,EAaA,sBAAY,CAAZ,IAAb,C;MAEZ ,iE;IA2BJ,C;;MEvLI,sBAAY,C;IACbB,C;;MAiBkE,iBAAY,KAAZ,C;IAAA,C;;MAMJ,gB;IAAA,C;;MCjD1D,qB AAwC,Q;IADK,C;;MAI1B,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;;MAApC,eAAe,I;MACf, qBAAC,I;MACd,OAAO,QAAS,W;IACpB,C;;MpECA,OAAJ,MAAW,aAA0B,OAAM,IAAN,EAAY,KAAZ,C;IA CrC,C;;MAOW,cAAa,cAAN,KAAM,EAAY,MAAZ,EAaOB,SAAS,MAAT,IAApB,C;MAApB,ORJ,MAAW,aA A0B,OAAM,IAAN,EAAY,OAAC,C;IASrC,C;;MAIwD,OAAA,SAAY,c;IAAZ,C;;MAGA,OAAA,SAAY,c;IAAZ, C;;MAG4B,OAAA,SAAY,SAAQ,GAAR,EAaA,SAAB,C;IAAZ,C;;MAGI,OAAA,SAAY,aAAY,GAAZ,EAaIB,S AAjB,C;IAAZ,C;;MAGP,OAAA,SAAY,YAAW,CAAX,EAAC,QAAd,C;IAAZ,C;;MAGjB,OAAA,SAAY,UAAS, CAAT,C;IAAZ,C;;MAGK,OAAA,SAAY,WAAU,UAAV,C;IAAZ,C;;MAGe,OAAA,SAAY,WAAU,UAAV,EAAs B,QAAtB,C;IAAZ,C;;MAG7B,OAAA,SAAY,QAAO,GAAP,C;IAAZ,C;;MAGS,OAAA,SAAY,OAAM,KAAN,C; IAAZ,C;;MAOf,uB;IAAA,C;;MAGwC,OAAA,SAAY,SAAQ,OAAR,EAaIB,WAAjB,C;IAAZ,C;;MqEvDR,OrEw Be,kBqExBE,oBAAH,EAAG,CrEwBF,EqExBc,SrEwBd,C;IqExBf,C;;MAGI,OrEwBe,sBqExBM,oBAAH,EAAG, CrEwBN,EqExBkB,SrEwBIB,C;IqExBf,C;;MAKxC,0B;QAAA,aAAsB,K;MAC/D,IAAI,CAAC,UAAL,C;QACI,O

AAO,C;;MC72BjC,iBAAY,KAAZ,C;IAAA,C;;MASV,iBAAY,KAAZ,C;IAAA,C;;MAgCS,iBAAY,KAAZ,C;IAA
A,C;;MAgBN,iBAAY,KAAZ,C;IAAA,C;;MCzR1D,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;
QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MAER,EAAE,
MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAC
IB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAgBiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAA
gB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,
WAAqB,K;MACvL,QAAQ,E;MAER,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAA
F,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB
,OAAO,C;IACX,C;;MAkDiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;
MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBA
A8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;Q
AAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;M
AAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qB
AA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,o
B;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MA
AO,wB;QAAA,WAAqB,K;MACnvB,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,
EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;M
ACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,
IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MA
CxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iB
AAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB
,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAA
E,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;M
AgDoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,U
AAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8
B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,
K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAA
A,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;
QAAA,WAAqB,K;MAC7IB,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EA
AE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAA
wB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB
,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBA
AF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;M
ACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IA
CX,C;;MAkCiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QA
AA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,
uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;
MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,U
AAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8
B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,
K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAA
A,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;
QAAA,WAAqB,K;MAC70B,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAA
E,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MA
Cf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,
O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,Q
AAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB
;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAA

E,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBiC,oB;QAAA,OAAGB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MA EhB,OAAO,C;IACX,C;;MA+CoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAGB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,g C;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAA A,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,u B;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MAER,EAA E,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M ;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,Q AAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB ;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAA E,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IA AsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,E AAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;; MAgBuC,oB;QAAA,OAAGB,E;MAAI,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAA oB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MAER,EAAE,MAAF,IAA Y,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YA AF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MCIPsF,iBAAY,IAAZ,C;IAAA,C;;M AuEF,iBAAY,IAAZ,C;IAAA,C;;MAkCsC,UAA,Y,KA AZ,IAAqB,M;IAAQ,C;;MA0C7D,iBAAY,IAAZ,C;IAAA,C ;MAY,UAA,Y,IAAZ,IAA0B,K;IAAO,C;;MAudnC,iBAAY,KA AZ,C;IAAA,C;;MAkBA,iBAAY,KA AZ,C;IAAA ,C;;MAiBF,iBAAY,KA AZ,C;IAAA,C;;MAuBM,iBAAY,KA AZ,C;IAAA,C;;MAgCjE,qB;QAAA,QAAiD,I;MAA M,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK,QAAQ,E;MAER,E AA E,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB, Q;MAEhB,OAAO,C;IACX,C;;MAgJ4F,iBAAY,KA AZ,C;IAAA,C;;MACsB,iBAAY,IAAZ,C;IAAA,C;;MAgIpB,i BAAY,KA AZ,C;IAAA,C;;MACwB,UAA,Y,KA AZ,IAAqB,M;IAAQ,C;;MAgNhH,6B;QAAA,gBAA8B,I;MAAM, uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAA E,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q; MAEhB,OAAO,C;IACX,C;;MAmDuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;M AEF,OAAO,C;IACX,C;;MAoBmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEb, OAAO,C;IACX,C;;MA sMmC,oB;QAAA,OAAGB,I;MAAM,wB;QAAA,WAmqE4B,S;;MANqEwB,kB;QAAA,KA Ac,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA ,QAAiB,I;MAAM,oB;QAAA,OAAGB,I;MACnP,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IA AgB,Q;MACHB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,E AA E,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAu DsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MAEf,OAAO,C;IACX,C;;MAGC0G,iBAAY ,KA AZ,C;IAAA,C;;MA0B1E,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;M AAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAk B,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAA A,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MA AO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA

4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;Q
AAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO
,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtXB,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,
EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;M
ACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IA
Ae,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,
kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,
IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MA
C1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,
MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAC
IB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAqDoC,qB;QAAA,QAAC,I;MAAM,uB;QAAA,UAAoB
,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;
MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;I
ACX,C;;MAoBsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QA
AA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEh
B,OAAO,C;IACX,C;;MAgB0C,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K
,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;
MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MASeiC,uB;QAAA,
UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,SAAe,C;MAAG,qB;QAAA,QAAC,C;MAAG,qB;QA
AA,QAAC,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,
QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,E
AAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;
MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UA
AoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MAER,EAAE,SAAF,IAA
e,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,U
AAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiLuF,iBAAY,KAAZ,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C
;;MAUE,iBAAY,KAAZ,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C;;MAaT,iBAAY,KAAZ,C;IAAA,C;;MACE,i
BAAY,IAAZ,C;IAAA,C;;MA2CjD,gC;QAAA,mBA8kD8C,M;;MA9kDe,gC;QAAA,mBAuIDT,S;;MAvIDyE,oC;
QAAA,uBA8IDjE,S;;MA9ID6I,2B;QAAA,cAAoB,I;MAAM,4B;QAAA,eAAqB,I;MAAM,6B;QAAA,gBAqmDxN
,K;;MApmDvE,QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,s
BAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAq
B,a;MAErB,OAAO,C;IACX,C;;MAiCmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cA
AuB,E;MAAI,sB;QAAA,SAAoC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAA
A,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACnQ,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAA
F,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,
EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C
;;MA4BkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MAER,EAAE,iBAAF,IAAuB,e;MAEvB,OAAO,C;IACX,C;
;MAoDiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UA
AoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MAER,EAAE,UAAF,IAA
gB,Q;MACHB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,
YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA4FgC,oB;QAAA,OA83C6C,S;;
MA93CL,2B;QAAA,cC9zEe,M;;MD+zEnF,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB
,W;MAEnB,OAAO,C;IACX,C;;MAkDoF,iBAAY,GAAZ,C;IAAA,C;;MACY,UAAAY,GAAZ,IAAmB,K;IAAO,C;;
MA8CvF,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,
MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;Q
AAA,WAAqB,K;MACvO,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHB,EA
AE,UAAF,IAAgB,Q;MACHB,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IA

Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAuF4B,uB;
QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtG,QAAQ,E;MAER,EAAE,
SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAi
BkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,
K;MACjI,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;
MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MASuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;M
AER,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAY0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,
K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;M
ACZ,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MA2DkF,iBAAY,KAAZ,C;IAAA,C;;MAUS,iBAAY,KAA
Z,C;IAAA,C;;MACE,iBAAY,IAAZ,C;IAAA,C;;MAoCtD,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,I;MA
AM,6B;QAAA,gBAA0B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,I;MAAM,qC;QAAA,wBA
AkC,I;MAAM,+B;QAAA,kBAAkC,I;MACtQ,QAAQ,E;MAER,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IA
AkB,U;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,iB;MACzB,
EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MAEvB,OAAO,C;IACX,C;;MAGfQc,wB;QAAA,W
AAqB,K;MACtD,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAwByC,mB;QAAA,M
AAe,I;MACpD,QAAQ,E;MAER,EAAE,IAAF,IAAU,G;MAEV,OAAO,C;IACX,C;;MAwHI,QAAQ,E;MAER,EA
AE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAesF,iBAAY,KAAZ,C;IAAA,C;;MACW,iBAAY,aAAZ,C;IAAA
,C;;MAiMT,iBAAY,KAAZ,C;IAAA,C;;MAyCzD,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAA
A,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MAER,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAA
S,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MAET,OAAO,C;IACX,C;;MA0C8B,iB;QAAA,
IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MACtG,QAAQ,E;
MAER,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,
IAAc,M;MAEd,OAAO,C;IACX,C;;MAkWF,iBAAY,KAAZ,C;IAAA,C;;MAkHxD,wB;QAAA,WAuW+C,M;;MA
tW3E,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAYkC,oB;QAAA,OAAgB,I;MAA
M,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WaqVE,M;;MApV3E,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ
,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiC0C,qB;QAAA,QAAiB
,E;MAAI,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,
WAAqB,K;MACpK,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,I
AAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAiCwC,qB
;QAAA,QA0QyD,Q;;MA1QK,sB;QAAA,SA0QL,Q;;MA1QoE,wB;QAAA,WaiQtF,M;;MAhQ3E,QAAQ,E;MAE
R,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,
C;;MAYiC,mB;QAAA,MA+P0C,Q;;MA/PJ,0B;QAAA,aAAsB,I;MACzF,QAAQ,E;MAER,EAAE,KAAF,IAAW,G
;MACX,EAAE,YAAF,IAAkB,U;MAEIB,OAAO,C;IACX,C;;MAY2C,uB;QAAA,UA40gC,Q;;MA5OU,qB;QAA
A,QA40V,Q;;MA30vE,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MAEb,OAAO,C;IA
CX,C;;MAiDmF,OAAU,S;IAAV,C;;MACI,OAAC,a;IAAd,C;;MACH,OAAW,U;IAAX,C;;MAML,OAAG,E;IAAH
,C;;MACA,OAAQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MAMR,OAAW,U;IAAX,C;;MACF,OAAS,Q;IAAT,C;
;MACC,OAAU,S;IAAV,C;;MAME,OAAY,W;IAAZ,C;;MACD,OAAW,U;IAAX,C;;MACI,OAAC,c;IAAf,C;;MA
CJ,OAAW,U;IAAX,C;;MACA,OAAW,U;IAAX,C;;MAMF,OAAS,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACF,
OAAM,K;IAAN,C;;MACK,OAAW,U;IAAX,C;;MAMC,OAAU,S;IAAV,C;;MACA,OAAU,S;IAAV,C;;MAMU,O
AAM,K;IAAN,C;;MACG,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMhB,OAAO,M;IAAP,C;;MACC,OA
AQ,O;IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMC,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACA,OAAQ
,O;IAAR,C;;MAME,OAAQ,O;IAAR,C;;MACF,OAAM,K;IAAN,C;;MACC,OAAO,M;IAAP,C;;MACC,OAAQ,O;
IAAR,C;;MACC,OAAS,Q;IAAT,C;;MAMG,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAA
T,C;;MACI,OAAa,Y;IAAb,C;;MACC,OAAC,a;IAAd,C;;MACL,OAAS,Q;IAAT,C;;MAMT,OAAM,K;IAAN,C;;M
ACA,OAAM,K;IAAN,C;;MACI,OAAU,S;IAAV,C;;MAMC,OAAO,M;IAAP,C;;MACE,OAAS,Q;IAAT,C;;MAM
J,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MAMD,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MACJ,OA
AU,S;IAAV,C;;MAMK,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MAMZ,OAAY,W;IAAZ,C;;MACN,OAA
M,K;IAAN,C;;MACG,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMN,OAAO,M;IAAP,C;;MACO,OAAc,a

;IAAd,C;;MAMJ,OAAU,S;IAAV,C;;MACD,OAAQ,Q;IAAT,C;;MAMM,OAAO,M;IAAP,C;;MACE,OAAQ,Q;IAAT,C;;MAMF,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MACD,OAAQ,Q;IAAT,C;;MAMa,OAAQ,O;IAAR,C;;MACC,OAAQ,Q;IAAT,C;;MACH,OAAQ,Q;IAAR,C;;MACI,OAAU,S;IAAV,C;;MAMvB,OAAQ,Q;IAAT,C;;MACA,OAAQ,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MACA,OAAU,S;IAAV,C;;ME94H3B,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAuFuF,iBAAY,KAAZ,C;IAAA,C;;MACe,UAAQ,KAAZ,IAAqB,O;IAAS,C;;MAGBxC,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAQ,KAAZ,IAAqB,O;IAAS,C;;MAGB5C,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAQ,KAAZ,IAAqB,O;IAAS,C;;MAGG/C,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAQ,KAAZ,IAAqB,O;IAAS,C;;MAMnNc,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAQ,KAAZ,IAAqB,O;IAAS,C;;MAMHpD,iBAAY,KAAZ,C;IAAA,C;;MACc,UAAQ,KAAZ,IAAqB,O;IAAS,C;;MD/exG,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAmB,I;MAAM,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,8B;QAAA,iBAA0B,I;MAAM,oB;QAAA,OAAqB,I;MAAM,2B;QAAA,cAAmC,I;MAAM,qB;QAAA,QAAuB,I;MAAM,wB;QAAA,WAA6B,I;MAAM,yB;QAAA,YAAqB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,wB;QAAA,WAAe,I;MACrW,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MAEd,OAAO,C;IACX,C;;MA0C+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,I;MAChG,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAMmE,OAAQ,E;IAAH,C;;MACA,OAAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACC,OAAQ,O;IAAR,C;;MACD,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MAMc,OAAQ,E;IAAH,C;;MACG,OAAW,U;IAAX,C;;MACH,OAAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACC,OAAQ,O;IAAR,C;;MACG,OAAW,U;IAAX,C;;MACH,OAAQ,O;IAAR,C;;MACC,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACA,OAAQ,O;IAAR,C;;MACO,OAAgB,e;IAAhB,C;;MACD,OAAe,c;IAAf,C;;MACP,OAAQ,O;IAAR,C;;MACC,OAAQ,O;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMV,OAAW,U;IAAX,C;;MACG,OAAc,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MACH,OAAO,M;IAAP,C;;MAMc,OAAO,M;IAAP,C;;MACO,OAAc,a;IAAd,C;;MACJ,OAAU,S;IAAV,C;;MAMZ,OAAU,S;IAAV,C;;MACC,OAAW,U;IAAX,C;;MACF,OAAQ,O;IAAT,C;;MACE,OAAW,U;IAAX,C;;MACG,OAAc,a;IAAd,C;;MACG,OAAiB,gB;IAAjB,C;;MAMF,OAAQ,Q;IAAT,C;;MACD,OAAQ,O;IAAR,C;;MACC,OAAQ,Q;IAAT,C;;MAMP,OAAQ,O;IAAR,C;;MACD,OAAO,M;IAAP,C;;MACG,OAAU,S;IAAV,C;;MACF,OAAQ,O;IAAR,C;;MACC,OAAQ,Q;IAAT,C;;MACQ,OAAiB,gB;IAAjB,C;;ME1N5C,oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAiBkC,4B;QAAA,eAAqB,I;MAAM,oB;QAAA,OAAgB,E;MACzE,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASKf,iBAAY,KAAZ,C;IAAA,C;;MC+B5C,mB;QAAA,MAwGuD,M;;MAxGG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAmB,I;MAAM,yB;QAAA,YAAqB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAc,E;MACjf,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAesE,oB;QAAA,OAAgB,I;MACIF,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MASyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MAER,EAAE,KAAF,IAAW,G;MAEX,OAAO,C;IACX,C;;MAoBqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAEHb,OAAO,C;I

ACX,C;;MAM2F,OAAU,S;IAAV,C;;MACD,OAAS,Q;IAAT,C;;MACC,OAAU,S;IAAV,C;;MAML,OAAO,M;IA
AP,C;;MACD,OAAM,K;IAAN,C;;MACA,OAAM,K;IAAN,C;;MC9H/C,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,
OLo0HgB,S;;MKn0HzE,QAAQ,E;MAER,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MAEZ,OAAO,C;I
ACX,C;;MAGcGd,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,I;MAAM,2B;QAAA,cAAuB,I;MAAM,sB;QA
AA,SAA2C,I;MAAM,qB;QAAA,QAA6B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,
wB;QAAA,WAAqB,K;MACtR,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EA
AE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;
MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MA0CqC,mC;QAA
A,sBAAGC,K;MAAO,oB;QAAA,OAuSD,Q;;MatSvE,QAAQ,E;MAER,EAAE,qBAAF,IAA2B,mB;MAC3B,EAA
E,MAAF,IAAY,I;MAEZ,OAAO,C;IACX,C;;MAAsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,
wB;QAAA,WAAqB,K;MACChH,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,E
AAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAoBI,QAAQ,E;MAER,EAAE,QAAF,IAAc,M;MACd,EAA
E,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAyBoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MA
AO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MAER,
EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IA
Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAkB2D,sB;
QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;M
AC/J,QAAQ,E;MAER,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,E
AAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAEhB,OAAO,C;IACX,C;;MAe4D,sB;QAAA,SAAkB,I;
MAAM,uB;QAAA,UAA0B,I;MAC1G,QAAQ,E;MAER,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;
MACd,EAAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAGc6C,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,
I;MAAM,2B;QAAA,cAAuB,I;MAAM,sB;QAAA,SAAmD,I;MAAM,qB;QAAA,QAA6B,I;MAAM,uB;QAAA,UA
AoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3R,QAAQ,E;MAER,EAAE,MAAF,IA
AY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAA
E,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;
MAEhB,OAAO,C;IACX,C;;MA+BoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B;QAAA,aAA
uB,K;MAAO,yB;QAAA,YAAqB,I;MACnJ,QAAQ,E;MAER,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,cAAF,IAAo
B,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MAEjB,OAAO,C;IACX,C;;MAkBSc,oB;Q
AAA,OAAgB,I;MAAM,uB;QAAA,UAAoB,I;MAAM,wB;QAAA,WAAsB,I;MAAM,uB;QAAA,UAA8B,I;MAC5
I,QAAQ,E;MAER,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,E
AAE,SAAF,IAAe,O;MAEf,OAAO,C;IACX,C;;MAuBsF,OAAa,Y;IAAb,C;;MACD,OAA Y,W;IAAZ,C;;MACC,O
AAa,Y;IAAb,C;;MACD,OAA Y,W;IAAZ,C;;MACA,OAA Y,W;IAAZ,C;;MAMIB,OAA Y,W;IAAZ,C;;MACA,OA
AY,W;IAAZ,C;;MACH,OAAS,Q;IAAT,C;;MACF,OAAO,M;IAAP,C;;MAMI,OAAS,Q;IAAT,C;;MACA,OAAS,
Q;IAAT,C;;MACM,OAAe,c;IAAf,C;;MACT,OAAM,K;IAAN,C;;MCtX3B,gC;QAAA,mBAA6B,K;MAAO,sB;Q
AAA,SA Ae,C;MAAG,qB;QAAA,QA Ac,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,w
B;QAAA,WAAqB,K;MACrL,QAAQ,E;MAER,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd
,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAg
B,Q;MAEhB,OAAO,C;IACX,C;;MAMiG,OAAG,E;IAAH,C;;MACM,OAAc,a;IAAd,C;;MACP,OAAO,M;IAAP,C
;;MACI,OAAW,U;IAAX,C;;MACJ,OAAO,M;IAAP,C;;MACA,OAAO,M;IAAP,C;;MC3GIE,qB;QAAA,8C;MAA
A,kB;IAAD,C;;MACzB,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,4C;MAAA,C;MAKI,0E;MAEA,sE;IAPJ,C;;M
AKI,+B;MAAA,0C;IAAA,C;;MAEA,+B;MAAA,wC;IAAA,C;;MAPJ,yF;IAAA,C;;MAAA,a;AAAA,S;UAAA,+
C;AAAA,O;UAAA,6C;gBAAA,8D;;IAAA,C;;MAWA,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,6C;MAAA,C;M
AEI,oF;MACA,4E;MACA,4E;IAJJ,C;;MAEI,gC;MAAA,+C;IAAA,C;;MACA,gC;MAAA,2C;IAAA,C;;MACA,
gC;MAAA,2C;IAAA,C;;MAJJ,4I;IAAA,C;;MAAA,a;AAAA,a;UAAA,oD;AAAA,S;UAAA,gD;AAAA,S;UAAA,g
D;gBAAA,+D;;IAAA,C;;MAqBA,8B;IAD4B,C;;MAQ5B,8B;IADqC,C;;ICrDO,C;;MAIiB,c;;Q5Fu2C7C,Q;QA
DhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAp,e;;QACrB,sB;QA AhB,OA AgB,cAAhB,C;UAAgB,2B;U
AAM,I4Fv2C6C,O5Fu2C/B,S4Fv2C+B,U5Fu2C7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M4FxCsD,
iB;IAAA,C;;MAGhD,c;;Q5F+0CG,Q;QADhB,IAAI,c4F90CA,Q5F80CA,iB4F90CA,Q5F80CsB,UAA1B,C;UAAq

C,aAAO,I;UAAP,e;;QACrB,O4F/0CZ,Q5F+0CY,W;QAaHb,OAAGb,cAAhB,C;UAAGb,yB;UAAM,IAAI,C4F/0C
P,oB5F+0CkB,O4F/0CIB,C5F+0CG,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;;M4Fh1CH,iB;IAAA,C;;MA
E8B,qBAAQ,C;IAAR,C;;MAE6B,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GAA6C,SAAH,EAAG,C;
MADc,C;IAAA,C;;MAA7B,4BAaA,IAAb,EAAMb,GAAnB,EAAwB,GAAXb,kBAA6B,wCAA7B,C;IAAA,C;;M
AOU,uBAAgB,IAAhB,C;IAAA,C;;MAMgB,yBAAgB,IAAhB,EAASB,KAAiB,C;IAAA,C;;MC5BhE,e;MAAA,iB
;MAAA,uB;IAAA,C;;MAAA,+B;MAAA,C;MACI,4C;MACA,kD;MACA,0C;MACA,8C;IAJJ,C;;MACI,kB;MAA
A,2B;IAAA,C;;MACA,kB;MAAA,8B;IAAA,C;;MACA,kB;MAAA,0B;IAAA,C;;MACA,kB;MAAA,4B;IAAA,
C;;MAJJ,sH;IAAA,C;;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA,
iC;gBAAA,6D;;IAAA,C;;MAYI,mD;MACA,2BAA4B,I;IANhC,C;;MAUqB,IAAN,I;MrGUX,IAAI,EqGXQ,mDr
GWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;MqGZC,QAAM,oBAAN,M;aACH,M;
UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UAHL,K;;MAAP,W;IAKJ,C;;MAMW,Q;MAHP,IAA
I,CAAC,cAAL,C;QAAGB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;IACX,C;;MAGI,iD;MACA,kB;MACA,OA
AO,kD;IACX,C;;MAkBI,2BAAY,K;MACZ,gD;IACJ,C;;MAMI,+C;IACJ,C;;MCmCA,oC;MAPfGe,6B;IAA1B,C;
;MAIC,0C;IAAA,C;;MAEiB,uB;;Q9FmQ3C,Q;QADb,YAAY,C;QACC,sB;QAAb,OAAa,cAAb,C;UAAa,sB;UAC
T,I8FpQmE,O9FoQrD,I8FpQqD,U9FoQnE,C;YACI,sBAAO,K;YAAP,wB;;UACJ,qB;;QAEJ,sBAAO,E;;;M8Fxi
D,0B;IAAA,C;;MAEI,sB;;Q9F2R5D,eAAoB,0BAaA,SAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,I8F7RsE,O
9F6RxD,QAAS,W8F7R+C,U9F6RtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;;QAGR,qBAAO,E;;;M8FjSqD,yB;I
AAA,C;;MAEb,+CAAiB,CAAJB,C;IAAA,C;;MAEU,+CAAiB,KAAjB,C;IAAA,C;;MAEK,gCAAQ,IAAR,EAAC,
SAAd,EAAYB,OAAzB,C;IAAA,C;;MAE8C,uB;MAA/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,g
BAAIB,EAA6B,OAA7B,EAASc,WAAK,KAA3C,C;MACA,eAAa,UAAU,gBAAV,I;IALO,C;;MASpB,+DAAkB,
KAAIB,EAAYB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;IACX,C;;MAE+B,mB;IAAA,C;;M
AS/B,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAC
,IAAd,EAAoB,KAApB,C;IACX,C;;MAK+B,oEAAgB,IAAhB,C;IAAA,C;;MAE/B,oB;MACI,eACsB,C;IAF1B,C;;
MAIsC,sBAAQ,gB;IAAR,C;;MAInB,gB;MADX,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACX,iE;MAAX,O
AAO,+B;IACX,C;;MAGJ,oB;MAGwD,iD;MAGhD,gEAAmB,KAAAnB,EAA0B,WAAkB,KAA5C,C;MACA,eAA
a,K;IAJoB,C;;MAOC,sBAAQ,C;IAAR,C;;MAEN,mB;IAAA,C;;MAG5B,IAAI,CAAC,kBAAL,C;QAAoB,MAAM
,6B;MAC1B,OAAO,yBAAI,mCAAJ,EAAL,YAAJ,E;IACX,C;;MAEoC,sBAAQ,CAAR,I;IAAA,C;;MAGxC,sC;IA
AA,C;;MAEQ,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,KAAAT,gBAAuB,IAAj
D,C;;IAEd,C;;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAZB,C;QACI,MAAM,8BAA0B,YAAS,KAAAT,gBAAu
B,IAAjD,C;;IAEd,C;;MAGI,IAAI,YAAY,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,SAAb,
mBAAkC,OAAIC,gBAAkD,IAA5E,C;;MAEV,IAAI,YAAY,OAAhB,C;QACI,MAAM,gCAAYB,gBAAa,SAAb,oB
AAmC,OAA5D,C;;IAEd,C;;MAIc,UACsB,M;MAFhC,iBA Ae,C;MACL,mB;MAAV,OAAU,cAAV,C;QAAU,mB;
QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAIC,K;;MAEf,OAAO,U;IACX,C;;MAMiB,Q;MAHb,IAAI,CA
AE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAM,W;MACb,mB;MAAb,OAAa,c
AAb,C;QAAa,sB;QACT,gBAAgB,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,
I;IACX,C;;MAzCJ,6C;QAAA,4B;;MAAA,sC;IAAA,C;;MCoCA,mC;MAzCA,uBAC6B,I;MAMc7B,yBACsC,I;I
ArHE,C;;MAGpC,OAAO,6BAAC,GAAd,S;IACX,C;;MAEwE,gBAAR,Y;MAAQ,c;;Q/F61CxD,Q;QADhB,IAAI,w
CAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAaHb,OAAGb,cAAhB,C;UAAGb,yB;UAAM,I+F7
1CwD,O/F61C1C,O+F71C6C,MAAH,Q/F61CxD,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;M+F91CyD,i
B;IAAA,C;;MAI5D,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MACHb,YAAY,KAAM,M;M1G
iIO,Q;M0GhIzB,e1GgI4C,CAAnB,mDAAMB,Y0GhIzB,G1GgIyB,C;M0G9H5C,IAAI,eAAS,QAAT,CAAJ,C;QA
CI,OAAO,K;;MAIP,6B;MAAA,W;Q1G0IqB,U;Q0G1ID,U1G0IoB,CAAnB,uDAAMb,oB0G1IP,G1G0IO,C;;M0G
1I5C,W;QACI,OAAO,K;;MAGX,OAAO,I;IACX,C;;MASI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,
0BAAJ,C;QAAYB,OAAO,K;MACHC,IAAI,cAAQ,KAAM,KAAIB,C;QAAwB,OAAO,K;MAEV,gBAAd,KAAM,
Q;MAAQ,c;;Q/FwyCT,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,2B;QAaHb,O
AAgB,cAAhB,C;UAAGb,yB;UAAM,IAAI,C+FxyCK,2B/FwyCM,O+FxyCN,C/FwyCT,C;YAAyB,aAAO,K;YAA
P,e;;;QAC/C,aAAO,I;;M+FzyCH,iB;IACJ,C;;MAEwC,Q;MAAA,4CAAc,GAAd,8B;IAAA,C;;MAQT,OAAQ,SA
AR,YAAQ,C;IAAR,C;;MAEG,qBAAQ,C;IAAR,C;;MACH,OAAA,YAAQ,K;IAAR,C;;MAWX,wC;MAAS,sB;IA

AT,C;;MACkD,+CAAY,OAAZ,C;IAAA,C;;MAI3C,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,I;IAArB,C;;MAH7B,oBAAoB,6BAAQ,W;MAC5B,+F;IAIJ,C;;MAE+B,OAAA,qBAAiB,K;IAAjB,C;;MAZvC,IAAI,4BAAJ,C;QACI,+E;;MAcJ,OAAO,mC;IACX,C;;MAMmE,qB;QAAE,2CAAS,EAAT,C;MAAF,C;IAAA,C;;MAArC,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAMb,GAAAb,EAAbW,GAAxB,kBAA6B,iCAA7B,C;IAAR,C;;MAEqB,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;IAA5B,C;;MAEf,OAAI,MAAM,IAAV,GAAgB,YAAhB,GAAoC,SAAF,CAAE,C;IAApC,C;;MAWIB,wC;MAAS,6B;IAAT,C;;MACgE,iDAAc,OAAAd,C;IAAA,C;;MAI3D,kD;IAAA,C;;MAC+B,OAAA,0BAAc,U;IAAd,C;;MACT,OAAA,0BAAc,OAAO,M;IAArB,C;;MAH7B,oBAAoB,6BAAQ,W;MAC5B,iG;IAIJ,C;;MAE+B,OAAA,qBAAiB,K;IAAjB,C;;MAZvC,IAAI,8BAAJ,C;QACI,mF;;MAcJ,OAAO,qC;IACX,C;;MAK0D,gBAAR,Y;MAAQ,sB;;Q/FwF9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I+FxFsD,O/FwFxC,O+FxF2C,IAAH,M/FwFtD,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;M+FzF+C,yB;IAAA,C;;MAEtD,qC;IAAA,C;;MAEqE,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAMb,CAApB,KAA4B,oBAAjC,CAAiC,8DAAqB,CAAjD,C;IAAV,C;;MACG,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;IAAV,C;;MAErD,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,KAAAsB,OAAA,CAAE,MAAF,EAAW,KAAM,MAAjB,C;IACjC,C;;MAPJ,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MC7GA,mC;MAIB+D,6B;IAA1B,C;;MAQjC,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAAsB,OAAO,K;MAC7B,OAAO,sDAAU,IAAV,EAAGB,KAAhB,C;IACX,C;;MAK+B,qEAAkB,IAAiB,C;IAAA,C;;MAE/B,qC;IAAA,C;;MAGwB,Q;MADhB,iBA Ae,C;MACC,mB;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAApC,K;;MAEJ,OAAO,U;IACX,C;;MAGI,IAAI,CAAE,KAAF,KAAU,KAAM,KAAPB,C;QAA0B,OAAO,K;MACjC,OAAO,CAAE,qBAAY,KAAZ,C;IACb,C;;MAZJ,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MCdgB,Q;MhH0nXA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,OgH5nXiB,OhH4nXjC,I;;MgH5nXJ,aAAa,iBhH8nXN,GgH9nXM,C;MACb,wBAAGB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QACW,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;IACX,C;;MAWiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;MACZ,YAAY,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAA,WAAA,SAAb,M;QACI,KAAM,WAAL,IAAK,MAAT,C;QACN,KAAM,WAAL,IAAK,OAAT,C;;MAEV,OAAO,UAAAS,KAAT,C;IACX,C;;M7GzBA,6B;IAAA,C;;MACsC,Y;IAAA,C;;MACI,Y;IAAA,C;;MACN,Q;IAAA,C;;MACI,S;IAAA,C;;MACL,MAAM,6B;IAAN,C;;MACI,MAAM,6B;IAAN,C;;MANvC,oC;QAAA,mB;;MAAA,6B;IAAA,C;;MASA,yB;MACI,+C;IADJ,C;;MAGgD,qCAAoB,KAAM,U;IAA1B,C;;MACb,Q;IAAA,C;;MACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MACiB,Y;IAAA,C;;MACgB,OAAA,QAAS,U;IAAT,C;;MAE3B,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;IAAN,C;;MACM,S;IAAA,C;;MACI,S;IAAA,C;;MAEL,kC;IAAA,C;;MACQ,kC;IAAA,C;;MAEjD,IAAI,UAAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAAnC,C;MACtB,OAAO,2B;IACX,C;;MAGI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;IACV,C;;MAEiC,8B;IAAA,C;;MA5BrC,gC;QAAA,e;;MAAA,yB;IAAA,C;;MA+B8D,6BAAkB,SAAiB,EAAoC,KAAPC,C;IAAA,C;;MAE3B,oB;MAA0B,0B;IAA3B,C;;MACC,OAAA,WAAO,O;IAAP,C;;MACG,OAAA,WH0pL3B,YAAQ,C;IG1pLmB,C;;MACW,OAAO,SAAP,WAAO,EAAS,OAAT,C;IAAP,C;;MACyB,c;;QYuyCtD,Q;QADhB,IAAI,cZtyCyD,QYsyCzD,iBZtyCyD,QYsyCnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,OZvyC6C,QYuyC7C,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CZvyCkD,oBYuyCvC,OZvyCuC,CYuyCtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MZxyCsD,iB;IAAA,C;;MACtB,OAAO,qBAAP,WAAO,C;IAAP,C;;MAEQ,gBAAP,W;MAAA,OAAwB,cAAxB,GasFpC,SbtFoC,GawFpC,SR0QoB,Q;ILIWgB,C;;MAON,8B;IAAA,C;;MAMe,OAAI,QAAS,OAAT,GAAgB,CAAPB,GAAgC,OAAT,QAAS,CAAhC,GAA8C,W;IAA9C,C;mFAErD,yB;MAAA,qD;MAAA,mB;QAK0C,kB;MAAA,C;KAL1C,C;+FAOA,yB;MAAAA,+D;MAAA,mB;QAMwD,uB;MAAA,C;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;MAAA,C;KANpD,C;;MAaI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QAAlB,EAAwC,IAAxC,CAAV,C;IAAzC,C;;MAOA,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QAAlB,EAAwC,IAAxC,CAAV,C;IAAzC,C;;MAMuD,OAAI,eAAJ,GAAqB,OAAO,OAAP,CAArB,GAA0C,W;IAA1C,C;;MAMQ,OAAS,cAAT,QAAS,C;IAAT,C;gFAEnE,yB;MASA,gE;MATA,6B;QAiBI,WAAW,eAVuE,IAUvE,C;QQRX,iBAAc,CAAd,URFkF,IQEIf,U;URS6B,eAX2D,IAWvD,CQRtB,KRQsB,CAAJ,C;;QAXyC,OAYD,I;MAZ+D,C;KAP1E,C;8FASA,yB;MAAA,gE;MAAA,6B;QAQI,WAAW,eAAa,IAAb,C;QQRX,iBAAc,CAAd,URSO,IQTP,U;URS6B,eAAI,KQRtB,KRQsB,CAAJ,C;;QAC7B,OAAO,I;MACX,C;KAXA,C;;MAkBY,u

BAAG,iBAAO,CAAP,IAAH,C;IAAA,C;;MAQA,OAAA,SAAK,KAAL,GAAY,CAAZ,I;IAAA,C;;MAOgD,QAA
C,mB;IAAD,C;sFAE5D,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;MAAR,C;KALhE,C;sFAOA,yB;MAAA,q
D;MAAA,4B;QAKoD,uCAAQ,W;MAAR,C;KALpD,C;;MAeoH,OAAA,SAAK,qBAAY,QAAZ,C;IAAL,C;;MAEI
E,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAAK,CAAL,CAAP,C;gBA
FyC,OAGtC,S;;IAHsC,C;;MAsBgB,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EA
AiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C
;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAA
sB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UAC
D,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAiB8E,y
B;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAE
A,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,
KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAGB,OAAhB,C;QAErB,IAAI,
MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;
;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;kGAEA,yB;MAAA,8D;MAAA,4D;;QA
sBqC,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;QAAF,C;MAAA,C;MAtBrC,+D;QAKBI,yB;U
AAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,-BAaA,SAAb,EAawB,OAAxB,EAAiC,oCAAjC,C;MAAA,C;
KAtBJ,C;;MA4CoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EA
A4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,
GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,M
AAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;
UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;IACX,C;;MAQQ,gBAAY,OAAZ,C;QAAuB,MA
AM,gCAAyB,gBAaA,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,MAAM,8BAA0B,
gBAaA,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAakB,MAAM,8BAA0B,cAAW,OAAx,gCAA2C,IAA3C,O
AA1B,C;IAEHc,C;;;wF4E3TA,yB;M3E6BA,wE;M2E7BA,uC;QAKBW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAA
K,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAakB,sBAAY,GAAZ,C;U
ACIB,W3EwFJ,a2ExFgB,G3EwFhB,E2ErHyC,SA6BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uB
AAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C3EwFvB,C;;Q2ErHA,OA+BO,W;MA9BX,C;KAnBA,C;;MA4Cc
,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAak
B,sBAAY,GAAZ,C;QACIB,W3EwFJ,a2ExFgB,G3EwFhB,E2ExFuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5
B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C3EwFvB,C;;M2EtFA,OAAO,W;IACX,C;iFAEA,y
B;MAAA,gB;MAAA,8B;M3EvBA,wE;M2EuBA,6D;QAICW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAAK,0B;QAA
f,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAakB,sBAAY,GAAZ,C;UA6BwE,U;U
A5B1F,W3EwFJ,a2ExFgB,G3EwFhB,E2E5DkC,UA5BD,GA4BC,EA5BoB,uBAAuB,CAAC,WAAy,mBAAY,G
AAZ,CA4BzC,GAAW,qBA5B3B,GA4B2B,EA5BT,CA4BS,CAAX,GAA6C,UA5BxD,WA4BwD,6DAA5D,EA5B
iB,CA4BjB,C3E4DIC,C;;Q2E7DA,OAZBO,W;MAyBP,C;KAtBJ,C;kFAyBA,yB;MAAA,gB;MAAA,8B;MAAA,0
E;QAJcC,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2
DQ,WA3DU,WAAy,GAAZ,C;UA2DuF,U;UAAjG,W3E8BZ,a2ExFgB,G3EwFhB,E2E9BiD,UA1DhB,GA0DgB,
EA1DK,uBAAuB,CA0DjE,WA1D8E,mBAAY,GAAZ,CA0D1B,GAAW,qBA1D1C,GA0D0C,EA1DxB,CA0DwB,
CAAX,GAA6C,UA1DvE,WA0DuE,6DAA5D,EA1DE,CA0DF,C3E8BjD,C;;Q2E/BA,OACY,W;MADZ,C;KA3BJ,
C;iFA+BA,yB;MAAA,gB;MAAA,8B;M3E/EA,wE;M2E+EA,qD;QA1FW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OA
AK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAakB,sBAAY,GAAZ,C;
UA+EiD,U;UA9EnE,W3EwFJ,a2ExFgB,G3EwFhB,E2EVgC,UA9EsB,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,
CA8EhD,kBAA6B,UA9EjC,WA8EiC,6DAAvC,EA9EmB,CA8EnB,C3EUhC,C;;Q2EXA,OA3EO,W;MA2EP,C;K
AhBJ,C;oFAMBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAnFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UA
AU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAuGQ,WAvgU,WAAy,GAAZ,C;UAuGgE,U;UAA1E,W3Ed
Z,a2ExFgB,G3EwFhB,E2Ec+C,UAtGO,uBAAuB,CAsGjE,WAtG8E,mBAAY,GAAZ,CAsGjC,kBAA6B,UAtGhD,
WAsGgD,6DAAvC,EAtGI,CAsGj,C3Ed/C,C;;Q2EaA,OACY,W;MADZ,C;KArBJ,C;qFAyBA,yB;MAAA,gB;MA
AA,8B;M3E3HA,wE;M2E2HA,uC;QAtIW,kB3EmBiD,oB;Q2EO9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;

UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UACC,oB;UA6Hc,U;UAAjC,IA
7HkD,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CA6HtF,C;YADA,mBA5H+C,C;;YA4H/C,mBACKB,UA7HW,
GA6HX,EAAe,UA7HC,WA6HD,6DAaf,EA7H6B,CA6H7B,C;;UA7H1B,W3EwFJ,a2ExFgB,G3EwFhB,mB;;Q2E
mCA,OAZHO,W;MAyHP,C;KAIBJ,C;sFAuBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAnIc,Q;QAAA,OAAK,0B
;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAuJQ,WAvJU,WAAY,GAAZ,C;
UACC,oB;UAwJc,U;UAAjC,IAXJkD,uBAAuB,CAsJjE,WAtJ8E,mBAAY,GAAZ,CawJf,C;YADA,mBAvJ+C,C;
;YAuJ/C,mBACKB,UAXJW,GAwJX,EAAe,UAXJC,WAwJD,6DAaf,EAxJ6B,CAwJ7B,C;;UAFV,W3E9DZ,a2Ex
FgB,G3EwFhB,mB;;Q2E8DA,OAAy,W;MAAZ,C;KAtBJ,C;;MANIc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,
C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAyKG,WAZKe,WAAY,GAAZ,C;QAUgG,E,U;QAK/E,
W3EhFP,a2ExFgB,G3EwFhB,E2EgFmC,CAXKmB,uBAAuB,CAwKtE,WAXKmF,mBAAY,GAAZ,CAsGjC,GAK
ErC,CAIEqC,GAA6B,UAtGhD,WASgGD,6DAkEnD,IAAM,CAAN,I3EhFnC,C;;M2EgFA,OAAO,W;IAAP,C;;Mk
C3OkC,kB;MAAuB,kB;IAAxB,C;;MAAC,iB;IANtC,C;;MAM6D,iB;IAN7D,C;;MAAA,wBAMsC,qCANtC,EAM
6D,qCAN7D,C;IAAA,C;;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;IAAA,C;;MAAA,c;MAMsC,sD;MAAu
B,sD;MAN7D,a;IAAA,C;;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;IAAA,C;wFpGEA,yB;MAAA,kC;MAAA
,4C;;QAMuF,wC;MANvF,C;MAAA,wD;QAO2C,8B;MAAA,C;MAP3C,8E;MAAA,2B;QAMuF,2C;MAAA,C;KA
NvF,C;;MAcuC,wC;IAAD,C;;MACmB,4BAAiB,wBAAJB,C;IAAA,C;;MAQG,OAAI,oCAAJ,GAA2B,SAAK,KA
AhC,GAA0C,I;IAA1C,C;;MAMc,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;IAA1C,C;;MAGrB,wBAAO,
CAAP,IAAY,mC;IAAZ,C;;MAK7C,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAEQ,yCAAwB,
MAAO,KAAP,GAAc,CAAT,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAA
gD,S;;QALpE,OAOY,sB;IAPZ,C;;MAaI,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAE8B,
mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QAFrE,OAGY,sB;IAHZ,C;;MAagB,Q;MADhB,aAAa,gB;M
ACG,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACL,OAAP,MAAO,EAAO,OAAP,C;;MAEX,OAAO,M;IAC
X,C;;MAyIb,Q;MAHb,mBAAmB,mCAAwB,EAAXB,C;MACnB,YAAY,iBAAa,YAAb,C;MACZ,YAAY,iBAAa,
YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,W
AI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;IACX,C;;MI3EqE,gB;IAAA,C;;MAOD,4BAAiB,SAAJB,C;I
AAA,C;;MAOhE,OAAgB,mBAAhB,C;QAAGB,8B;QAAM,UAAU,OAAV,C;;IAC1B,C;;MAKuC,0B;MACnC,eA
AoB,C;IADc,C;;MAEM,OAAA,eAAS,U;IAAT,C;;MACkB,Q;MAAb,yBAAa,mBAAb,EAAa,2BAAb,SAASB,eA
AS,OAA/B,C;IAAA,C;;sFiG3BjD,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUIC,Q;QAA7B,OAA6B,
wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KAVJ,C;wFAYA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QA
WiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KAXJ,C;wFAaA,yB;MAAA,4E;MAAA,gB;MA
AA,8B;MAAA,+C;QAKiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;MAA7B,C;KALJ,C;;MAeI,SAAK,a
AAI,QAAS,aAAb,EAAmB,KAAmB,C;IACT,C;;MCjCI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAARb,C;
MAET,4B;M/GiOI,Q;MALX,YAAY,oB+G5Na,G/G4Nb,C;MACZ,IAAI,iBAAiB,CAAC,4B+G7NG,G/G6NH,CA
AtB,C;Q+G7NgC,MAAM,2BAAuB,wCAAvB,C;;Q/GiOIC,2BAAO,sE;;M+GjOX,+B;IACJ,C;;MAYQ,kBADE,S
ACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADIC,OAEY,uBAAmB,SAAnB,EAAYB,YAAzB,
C;IAFZ,C;;MAGBI,kBADE,SACF,yB;QADJ,OACyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA
0B,SAAI1B,EAAGC,YAAhC,C;IAFZ,C;;MAGBuC,wB;MAAoC,0B;IAArC,C;;MAAC,yB;IAAA,C;;MACK,O
AAI,OAAJ,QAAI,EAAO,KAAP,C;IAAJ,C;;MACb,OAAI,SAAJ,QAAI,C;IAAJ,C;;MACG,OAAA,QAAI,W;IAAJ,
C;;MACH,OAAA,QAAI,K;IAAJ,C;;MACG,OAAA,QAAI,U;IAAJ,C;;MACU,OAAA,QAAI,mBAAY,GAAZ,C;I
AAJ,C;;MACoB,OAAA,QAAI,qBAAc,KAAc,C;IAAJ,C;;MACjC,OAAA,QAAI,WAAI,GAAJ,C;IAAJ,C;;MACG,
OAAA,QAAI,K;IAAJ,C;;MACS,OAAA,QAAI,O;IAAJ,C;;MACQ,OAAA,QAAI,Q;IAAJ,C;;MAEA,gBAAJ,Q;M
AAI,4B;M/GyKxC,Q;MALX,YAAY,oB+GpKyD,G/GoKzD,C;MACZ,IAAI,iBAAiB,CAAC,4B+GrK+C,G/GqK/C
,CAAtB,C;QACI,2B+GtKwE,mB;;Q/GyKxE,2BAAO,sE;;M+GzKoC,+B;IAAA,C;;MAGL,wB;MAA2C,0B;IAA
5C,C;;MAAC,yB;IAAA,C;;MACE,OAAI,OAAJ,QAAI,EAAO,KAAP,C;IAAJ,C;;MACb,OAAI,SAAJ,QAAI,C;IA
AJ,C;;MACG,OAAA,QAAI,W;IAAJ,C;;MACH,OAAA,QAAI,K;IAAJ,C;;MACG,OAAA,QAAI,U;IAAJ,C;;MAC
U,OAAA,QAAI,mBAAY,GAAZ,C;IAAJ,C;;MACoB,OAAA,QAAI,qBAAc,KAAc,C;IAAJ,C;;MACjC,OAAA,Q
AAI,WAAI,GAAJ,C;IAAJ,C;;MACU,OAAA,QAAI,K;IAAJ,C;;MACS,OAAA,QAAI,O;IAAJ,C;;MACsB,OAAA,Q
AAI,Q;IAAJ,C;;MAE/B,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;IAAJ,C;;MACP,OAAA,QAAI,cAAO,GAAP,

C;IAAJ,C;;MACS,QAAl,gBAAO,IAAP,C;IAAJ,C;;MACpB,QAAl,Q;IAAJ,C;;MAE4B,gBAAJ,Q;MAAI,4B;M/G
oJxC,Q;MALX,YAAy,oB+G/IyD,G/G+IzD,C;;MACZ,IAAI,iBAAiB,CAAC,4B+GhJ+C,G/GgJ/C,CAAtB,C;QACI
,2B+GjJwE,mB;;;Q/GoJxE,2BAAO,sE;;M+GpJoC,+B;IAAA,C;;M/G1FnD,wB;MACI,8C;IADJ,C;;MAGgD,oCA
AsB,KAAM,U;IAA5B,C;;MACb,Q;IAAA,C;;MACG,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MAEa,
Y;IAAA,C;;MACO,Y;IAAA,C;;MACd,W;IAAA,C;;MACoB,6B;IAAA,C;;MACvB,6B;IAAA,C;;MACY,8B;IAA
A,C;;MAEhB,6B;IAAA,C;;MAjBrC,+B;QAAA,c;;MAAA,wB;IAAA,C;;MA0BuE,Q;MAA7B,OAA6B,uE;IAA7
B,C;;MAeT,OAAI,KAAM,OAAAN,GAAa,CAAJB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAy,KAAM,OAAI
B,CAAd,CAAN,CAA1B,GAA6E,U;IAA7E,C;kFAEJ,yB;MAAA,oD;MAAA,mB;QAO8C,iB;MAAA,C;KAP9C,C;
8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;MAAA,C;KAR5D,C;;MAbBiD,gBAA7C,qBAAoB,YAAy,KAA
M,OAAIB,CAApB,C;MAAqD,wB;MAArD,OTO,S;IPSP,C;wFAEJ,yB;MAAA,4D;MAAA,mB;QAKsD,qB;MA
AA,C;KALtD,C;;MAa8G,gBAAvC,eAAc,YAAy,KAAM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OOxB5D,S;IPw
B4D,C;4FAEvE,yB;MAAA,wE;MAAA,mB;QAK8D,2B;MAAA,C;KAL9D,C;;MAiB+E,OAAAM,QAAN,KAAM,E
AAM,qBAAc,YAAy,KAAM,OAAIB,CAAd,CAAN,C;IAAN,C;;MAS3E,IAAI,eAAe,CAAnB,C;QACI,OAAO,eA
Ae,CAAf,I;;MAEX,IAAI,eAAe,UAAAnB,C;QACI,OAAO,gBAAe,eAAe,CAAf,IAAf,K;;MAEX,OAAO,U;IACX,C;
;;MAM+D,QAAC,mB;IAAD,C;sFAE/D,yB;MAAA,oD;MAAA,4B;QAI2D,uCAAQ,U;MAAR,C;KAJ3D,C;yFAM
A,yB;MAuBA,kC;MAAA,8B;MAvBA,iC;QA8BiC,Q;QAx2E,OAwBxD,CAAnB,wDAAmB,oBAxB0E,GAwBp
E,C;MAxBwD,C;KAN5G,C;+EAQA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,w
DAAmB,YAAI,GAJ,C;MAAhD,C;KALJ,C;;MAYI,sBAAI,GAJ,EAAS,KAAT,C;IACJ,C;4FAEA,yB;MAAA,k
C;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,oBAAY,GAZ,C;MAAhD,C;KAPI,C;;
MAGbG,OAAA,SAK,qBAAc,KAAd,C;IAAL,C;kFAGtG,yB;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;QAA
7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;MAAvD,C;KATJ,C;;MAbBoE,oB;IAAA,C;;MAaA,sB;IAAA,C;kF
AEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAAL,EAU,eAAV,C;MAAA,C;KAJhE,C;;MAYiF,Q;MAAA,
mCAAI,GAJ,oBAAY,c;IAAZ,C;uGAGjF,yB;MAAA,gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAAy,oBAA
I,GAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAZ,CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;MAEf,C;K
ARA,C;;MAoBkD,uCAAqB,GAARb,C;IAAA,C;;MAUvC,Q;MADP,YAAy,oBAAI,GAJ,C;MACL,IAAI,aAAJ,
C;QACH,aAAa,c;QACb,sBAAI,GAJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;IAOJ,C;;MAQwF,OAAA,i
BAAQ,W;IAAR,C;;MAQwB,OAAA,iBAAQ,W;IAAR,C;4FAEH,yB;MAAA,oD;QWquBoB,Q;QAAA,OXhuBT,
iBWguBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UXhuBa,WWiuBb,aAAgB,OXjuBe,IWiuB/B,EXjuBsC,SWi
uBZ,CAAe,OAAf,CAA1B,C;;QXjuBhB,OAA6B,W;MACjC,C;KANA,C;wFAQA,yB;MAAA,oD;QW6tBoB,Q;Q
AAA,OXrtBT,iBWqtBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UXrtBa,WWstBb,aXtB0B,SWstBT,CAAY,
OAAZ,CAAJ,EAAY,C;OXttBC,MWstB1C,C;;QXttBhB,OAA6B,W;MACjC,C;KATA,C;;MAeyB,Q;MAArB,wBA
AqB,KAARb,gB;QAAqB,aAAA,KAARb,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAJ,EAAS,KAAT,
C;;IAER,C;;MAMyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;Q
ACP,sBAAI,GAJ,EAAS,KAAT,C;;IAER,C;;MAMyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QA
AhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAJ,EAAS,KAAT,C;;IAER,C;wFAEA,yB;MAAA,0D;MAAA,uE
;MAAA,uC;QASW,kBAAY,mBAAoB,YAAy,cAAZ,CAApB,C;QW8qBH,Q;QAAA,OXhuBT,iBWguBS,W;QAA
hB,OAAgB,cAAhB,C;UAAgB,yB;UXhuBa,WWiuBb,aAAgB,OXjuBe,IWiuB/B,EX/qB2C,SW+qBjB,CAAe,OAA
f,CAA1B,C;;QX/qBhB,OAlD6B,W;MAmDjC,C;KAVA,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,
kBAAU,mBAAoB,YAAy,cAAZ,CAApB,C;QW+pBD,Q;QAAA,OXrtBT,iBWqtBS,W;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;UXrtBa,WWstBb,aXhqByC,SWgqBrC,CAAY,OAAZ,CAAJ,EAAY,C;OXttBC,MWstB1C,C;;QXhq
BhB,OAtD6B,W;MAuDjC,C;KAbA,C;0FAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OA
AA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAc,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,M
AAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QAGf,OAAO,M;MACX,C;KAdA,C;8FAgBA,yB;MAAA,w
E;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAc,C;UAAc,uB;
UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QA
Gf,OAAO,M;MACX,C;KAdA,C;;MAwBoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;Q
AAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;M
AGpB,OAAO,W;IACX,C;qFAEA,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAFa,Q;QAAA,OA3HoE,iBA

AQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAd/B,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAA
I,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,OAVO,W;MAWX,C;KARA,C;;MAiBoB,Q;MAAA,OAAA,S
ApJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,W
AAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;MAGpB,OAAO,W;IACX,C;2FAEA,yB;MAAA,wE;MAAA
,uC;QAOW,kBAAY,oB;QAFH,Q;QAAA,OApJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAA
I,CackC,SAdjC,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,
OAVO,W;MAWX,C;KARA,C;;MAiBqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAA
K,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIb,GAA+B,oBAAW,OAAhD,C;YAA
L,K;kBACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAHL,K;;QAAP,W;;MAMJ,OAAoC,oBAA7B,
mBAAM,oBAAN,CAA6B,C;IACx,C,C;;MAMwB,SAApB,WAAoB,Y;MAApB,kB;IAAA,C;;MAOyD,QAAM,gB
AAN,C;aAcZd,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGj
D,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;IAHiD,C;;MAUrC,OAAPB,WAAoB,Y;MAApB,kB;IAA
A,C;;MAOwD,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;IAA7B,C;;MAMpC,SAApB,WAAoB,Y;MAApB,k
B;IAAA,C;;MAQiD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,OYIX8B,uB;gBZkX9B,OAG
zC,uB;;IAHyC,C;;MAyc,4BAAc,SAAd,C;IAAA,C;;MAO/D,WAAoB,0B;MAApB,kB;IAAA,C;;MASA,Q;MAAA
,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kBAAPB,qBAAC,SAAd,C;QAA4B,wBAAS,U
AAT,EAAqB,WAArB,C;QAAjE,OOhdO,W;;MPgdP,W;IAAA,C;;MASA,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA
,OAA0B,MAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SAAd,C;QAA4B,4B;QAAAnE,OOzdO,W;;MPyDP,W;IAAA,
C;;MASA,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,QAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SAAd,C;
QAA4B,0B;QAAAnE,OOleO,W;;MPkeP,W;IAAA,C;;MASoB,kBAAPB,qBAAC,SAAd,C;MAA4B,4B;MAA5B,OA
A4C,oBO3erC,WP2eqC,C;IAA5C,C;;MASoB,kBAAPB,qBAAC,SAAd,C;MAA4B,+B;MAA5B,OOpfO,W;IPofP,C
;;MAQA,sBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;IACJ,C;4FAEA,yB;MAAA,gD;MAAA,mC;QAKI,kBAA
O,KAAP,C;MACJ,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;4
FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;MACJ,C;KANA,C;;MAaI,yBAAO,GAAP,C;IACJ,C;;
MASwB,kBAAf,aAAL,SAAK,C;MASCL,6B;MatCA,OAA+C,oBOtiBxC,WPSiBwC,C;IAA/C,C;;MAUoB,kBAAf
,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBOhjBzC,WPgjByC,C;IAAhD,C;;MAUoB,kBAAf
,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBO1jBzC,WP0jByC,C;IAAhD,C;;MAUoB,kBAA
f,aAAL,SAAK,C;MAMCK,YAAL,gBAAK,O;MANCV,OAAgD,oBOPkBzC,WPokByC,C;IAAhD,C;;MAQA,uBA
AO,GAAP,C;IACJ,C;8FAEA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAP,EAAU,IAAV,C;MACd,C;
KAPA,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAP,EAAU,IAAV,C;MACd,C;KAPA,C;8FA
SA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAP,EAAU,IAAV,C;MACd,C;KAPA,C;;MAWsD,QAAM
,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;IAH0C,C;oFgH7qBtD,yB;MAA
A,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;MAA3D,C;KAVJ,C;
wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAP,C;M
AA3D,C;KATJ,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,o
BAAU,QAAP,C;MAA3D,C;KATJ,C;;MAiB6D,kCAAS,KAAT,C;IAAA,C;;MAOzD,SAAK,WAAL,OAAP,C;IAC
T,C;4FAEA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;MACT,C;KANA,C;4FAQA,yB;MA
AA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;MACT,C;KANA,C;4FAQA,yB;MAAA,gD;MAAA,sC;
QAKS,OAAL,SAAK,EAAO,QAAP,C;MACT,C;KANA,C;;MAaI,SAAK,cAAO,OAAP,C;IACJ,C;8FAEA,yB;MA
AA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAP,C;MACT,C;KANA,C;8FAQA,yB;MAAA,sD;MAAA,sC;
QAKS,UAAL,SAAK,EAAU,QAAP,C;MACT,C;KANA,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SA
K,EAAU,QAAP,C;MACT,C;KANA,C;;MAYU,IAIe,I;MAHjB,kBADE,QACf,c;QAAiB,OAAO,yBAAO,QAAP,
C;;QAEpB,aAAsB,K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,IAAJ,CAAJ,C;YAAe,SA
S,I;;QAC5B,OAAO,M;;IAGnB,C;;MAOiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QAC
T,IAAI,oBAAI,IAAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;IACX,C;;MAMI,OAAO,yBAAgB,OAAT,QA
S,CAAhB,C;IACX,C;;MAKkF,gCAAc,SAAd,EAAyB,IAAzB,C;IAAA,C;;MAKA,gCAAc,SAAd,EAAyB,KAzB,
C;IAAA,C;;MAG9E,iBAAa,KAAb,C;MzGjGgB,kByGkGX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kB
AAV,6BAAJ,C;UACI,oB;UACA,WAAS,I;;MAGrB,OAAO,Q;IACX,C;;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C

;IAAA,C;;MAKA,kCAAc,SAAd,EAAyB,KAAzB,C;IAAA,C;;MAI9D,UAGS,MAHT,EAcY,MAdZ,EAc6B,M;M AfzC,IAAI,uCAAJ,C;QACI,OAAoC,cAA5B,sEAA4B,EAAc,SAAd,EAAyB,uBAAzB,C;MAExC,iBAAsB,C;MA CD,mC;MAArB,qBAAkB,CAAIB,mC;QACI,cAAc,sBAAK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA 1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAaIB,C;UACI,sBAAK,UAAAL,EAAmB,OAAAnB,C;QAEJ,+B;;MAEJ,IAAI,aA Aa,cAAjB,C;QACwB,mC;QAAiB,mB;QAArC,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEP,OAAO,K;;IA Ef,C;;MAMW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAnLG,Q;MAmL7B,OAnL2D,CAA9B,sEAA8B,oB AAU,UAAV,C;IAoL/D,C;;MAMI,UAAmB,YAAT,QAAS,C;MACnB,OjHIDwD,CiHkDjD,GjHIDkD,UiHkDID,IA AoB,4BAAU,GAAV,C;IAC/B,C;;MAMI,OpH0jLO,EoH1jLA,QpHk/KA,YAAQ,CAwER,CoH1jLA,IAAyB,4BAA mB,UAAT,QAAS,CAAnB,C;IACpC,C;;MAMW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MA9LG,Q;MA8L7 B,OAA9L2D,CAA9B,sEAA8B,oBAAU,UAAV,C;IA+L/D,C;;MAMI,IpH4iLO,EoH5iLH,QpHo+KG,YAAQ,CAwE R,CoH5iLP,C;QACI,OAAO,4BAAmB,UAAT,QAAS,CAAnB,C;;QAEP,OAAO,wB;IACf,C;;MAMI,UAAmB,YA AT,QAAS,C;MACnB,IjHIFwD,CiHkFpD,GjHIFqD,UiHkFzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEP,OAAO, wB;IACf,C;;MAGI,ajHzFwD,CAAC,mB;MiH0FzD,iB;MACA,OAAO,M;IACX,C;;MCxPgF,uB;MAAjC,0B;IAA D,C;;MACX,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KAApB,CAAT,C;IAAA,C;;MAGgC,8B;MAA xC,0B;IAAD,C;;MACM,OAAA,eAAS,K;IAAT,C;;MACG,mCAAS,0BAAoB,KAApB,CAAT,C;IAAA,C;;MAEX, eAAS,Q;IAAT,C;;MACgB,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;IAAT,C;;MAEO,OAAA,eAAS,aA AI,0BAAoB,KAApB,CAAJ,EAAgC,OAAhC,C;IAAT,C;;MAE1C,eAAS,aAAI,2BAAqB,KAArB,CAAJ,EAAiC,O AAjC,C;IACb,C;;MAIgB,Q;MAAA,iC;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAA2B,6BAAy,KAAZ,I;;QAAu B,MAAM,8BAA0B,mBAAGB,KAAhB,2BAA0C,gBAAG,0BAAH,CAA1C,OAA1B,C;IAAxD,C;;MAGgB,Q;MA AA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,KAAP,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KA AjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;IAA9C,C;;MAQ2C,gCAAqB,SAArB,C;IAAA,C;;MAQc,wBAA a,SAAb,C;IAAA,C;;;sFvGtC7D,yB;MAAA,kC;MAAA,0C;;QAQuF,wC;MARvF,C;MAAA,wD;QAS2C,8B;MAA A,C;MAT3C,8E;MAAA,2B;QAQuF,2C;MAAA,C;KARvF,C;;MAiBgE,mB;QAAE,sB;MAAF,C;IAAA,C;;MATu B,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C,gF;;MAiBuD,OAAkB,2CAAT,+BAAS,E;IAAIB,C;;MAO M,OAAI,Qd+qLtD,YAAQ,Cc/qL0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;IAAtD,C;;MAKf,kC;IAAA,C;;M AE9C,6B;IAAA,C;;MACiD,kC;IAAA,C;;MACjB,kC;IAAA,C;;MACA,kC;IAAA,C;;;MAHhC,oC;QAAA,mB;;M AAA,6B;IAAA,C;;MAWwE,OAAA,EAAG,W;IAAW,C;;MAAxB,4BAAQ,cAAR,C;IAAA,C;;MAQU,OAAA,EA AG,W;IAAW,C;;MAAxB,4BAAQ,gBAAR,C;IAAA,C;;MAMxB,S;IAAG,C;;MAFzB,Q;MADZ,IAAI,8CAAJ,C;Q ACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEhD,OAAO,uBAAmB,SAAnB,EAAyB,gBAAzB,EAAiC, QAAjC,C;IACX,C;;MAYiB,Q;MAFb,YAAy,gB;MACZ,YAAy,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB; QACT,KAAM,WAAl,IAAK,MAAT,C;QACN,KAAM,WAAl,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;I ACX,C;;MAWI,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;IAH+B,C;;MAMQ,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,a AAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR ,iBAAY,C;IACHB,C;;MAWW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI, MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;IACX,C;;MAGI,IAAI,mBAAa ,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;IACxB,C;;MAjCmC,yD;IAAA,C;;MA2C/B,0B;MAAmC,gC;IAA /C,C;;MAC2C,0D;MACnC,gBA Ae,oCAAS,W;IADW,C;;MAG/B,OAAO,6CAAY,aAAS,OAArB,C;IACX,C;;MAG I,OAAO,aAAS,U;IACpB,C;;MARmC,4D;IAAA,C;;MAYnC,OAAO,uBAA4B,eAA5B,EAAcC,kBAAtC,EAAmD, QAAAnD,C;IACX,C;;MASQ,0B;MAAmC,gC;IAA/C,C;;MAC2C,wE;MACnC,gBA Ae,2CAAS,W;MACxB,aAAY, C;IAFuB,C;;MAIZ,Q;MAAnB,OAAO,qDAAY,iBAAZ,EAAy,yBAAZ,SAAQb,aAAS,OAA9B,C;IACX,C;;MAGI, OAAO,aAAS,U;IACpB,C;;MATmC,mE;IAAA,C;;MAkB/B,0B;IAAZ,C;;MAEQ,gBA Ae,gCAAS,W;MACxB,aA AY,C;IAFqC,C;;MAIZB,Q;MAApB,OAAO,kBAAa,iBAAb,EAAa,yBAAb,SAASb,aAAS,OAA/B,C;IACX,C;;MA GI,OAAO,aAAS,U;IACpB,C;;MATiD,wD;IAAA,C;;MAoBrD,4B;MACA,4B;MACA,4B;IAHJ,C;;MAK2C,gD; MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;IAFS,C;;MAI/B,OAAO,sCAAU,cAAU,OAApB,EAA 4B,cAAU,OAAtC,C;IACX,C;;MAGI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;IAC5C,C;;MATmC,uD;IAAA,C;; MAEvC,0B;MACA,gC;MACA,0B;IAHJ,C;;MAK2C,sD;MACnC,gBA Ae,kCAAS,W;MACxB,oBAAiC,I;IAFE,C;; MAK/B,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCA Ae,O;IAC1B,C;;MAGI,OAAO,2B;IACX,

C;;MAGQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAA S,UAAAd,C;UACI,OAAO,K;;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,I AAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OAAO,I;;;MAInB,OAAO,I;IACX,C;;;MA/BmC,0D;IAAA,C;;; ;MAGDvC,0B;MACA,8B;MACA,0B;MPrPA,IAAI,EOyPQ,qBAAc,CPzPtB,CAAJ,C;QACI,cOwP2B,+CAA4C,iB; QPvPvE,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,EO0PQ,mBAAy,CP1PpB,CAAJ,C;QACI,gBOyPyB, 6CAA0C,e;QPXpNE,MAAM,gCAAYB,SAAQ,WAAjC,C;;MAFV,IAAI,EO2PQ,mBAAy,iBP3PpB,CAAJ,C;QACI ,gBO0PkC,0DAAuD,eAAvD,WAAmE,iB;QPzPrG,MAAM,gCAAYB,SAAQ,WAAjC,C;;IOgPe,C;;MAYM,yBAA W,iBAAX,I;IAAA,C;;MAEU,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAy,eAAZ,EAAsB,oBAAa,CA Ab,IAAtB,EAAsC,eAAtC,C;IAArC,C;;MACA,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAy,eAAZ,EA AsB,iBAAtB,EAakC,oBAAa,CAAb,IAAI,C;IAA1B,C;;MAEf,wC;MAEtB,gBAAe,2BAAS,W;MACxB,gBAAe, C;IAHO,C;;MAOIB,OAAO,gBAAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;IAER,C;;MAG I,a;MACA,OAAQ,gBAAW,gCAAZ,IAAyB,aAAS,U;IAC7C,C;;MAGI,a;MACA,IAAI,iBAAy,gCAAhB,C;QACI, MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;IACpB,C;;;MAxBsB,mD;IAAA,C;;;MAiC1B,0B;MACA,oB;MPr SA,IAAI,EOySQ,gBAAS,CPzSjB,CAAJ,C;QACI,cOwSsB,yCAAsC,YAAtC,M;QPvStB,MAAM,gCAAYB,OAAQ ,WAAjC,C;;IOiSgB,C;;MASE,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAy,eAAZ,EAAsB,CAAtB,EA AyB,YAAzB,C;IAArC,C;;MACA,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAAvB,C ;IAA1B,C;;MAGrC,YAAW,yB;MACX,gBAAe,4BAAS,W;IAFW,C;;MAK/B,IAAI,cAAQ,CAAZ,C;QACI,MAA M,6B;MACV,6B;MACA,OAAO,aAAS,O;IACpB,C;;MAGI,OAAO,YAAO,CAAP,IAAY,aAAS,U;IACHC,C;;;MA bmC,oD;IAAA,C;;;MAuBvC,0B;MACA,4B;IAFJ,C;;MAI2C,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E; MACrB,gBAAmB,I;IAHgB,C;;MAM/B,IAAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IA AV,CAAJ,C;UACI,iBAAy,C;UACZ,gBAAW,I;UACX,M;;;MAGR,iBAAy,C;IACHB,C;;MAQiB,Q;MALb,IAAI, mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;MAGb,gBAAW,I ;MACX,iBAAy,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C; IACxB,C;;;MAnCmC,yD;IAAA,C;;;MA4CvC,0B;MACA,oB;MPTXA,IAAI,EOyXQ,gBAAS,CPzXjB,CAAJ,C;QA CI,cOwXsB,yCAAsC,YAAtC,M;QPvXtB,MAAM,gCAAYB,OAAQ,WAAjC,C;;IOkXgB,C;;MAQe,wBAAa,eAAb ,EAAuB,eAAQ,CAAR,IAAvB,C;IAAA,C;;MACA,uBAAy,eAAZ,EAAsB,YAAtB,EAA6B,eAAQ,CAAR,IAA7B, C;IAAA,C;;MAGrC,gBAAe,4BAAS,W;MACxB,YAAW,yB;IAFWB,C;;MAM/B,OAAO,YAAO,CAAP,IAAY,aA AS,UAA5B,C;QACI,aAAS,O;QACT,6B;;IAER,C;;MAGI,a;MACA,OAAO,aAAS,O;IACpB,C;;MAGI,a;MACA,O AAO,aAAS,U;IACpB,C;;;MApBmC,oD;IAAA,C;;;MA8BvC,0B;MACA,4B;IAFJ,C;;MAK2C,oD;MACnC,gBAAe ,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;IAHgB,C;;MAM/B,OAAO,aAAS,UAAhB,C;QACI,WAAW,a AAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAy,C;UACZ,M;;;MAGR,iBA AY,C;IACHB,C;;MAQqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa ,gF;QACb,gBAAW,I;QACX,iBAAy,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;IACpB,C;;MAGI,IAAI,mBAA a,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;IACtC,C;;;MAnCmC,yD;IAAA,C;;;MAuCL,s B;MAAiC,gC;IAAI,C;;MACM,4BAAiB,aAAO,WAAxB,EAAoC,kBAAPC,C;IAAA,C;;MAGgE,2B;MAAtE,sB; MAAiC,gC;MACIE,kBAAuB,c;IADS,C;;MAI5B,OAAO,aAAO,UAAAd,C;QACI,WAAW,aAAO,O;QACIB,UAAU, mBAAy,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;;MAIR,W;IACJ, C;;;MAIqC,wC;MAAuC,kC;IAAxC,C;;MACG,oD;MACnC,gBAAmB,I;MACnB,iBAAqB,E;IAFc,C;;MAK/B,gB AAe,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,4BAAb,C;MACvD,iBAAgB,qBAAJ,GAAsB,CAAtB,GA A6B,C;IAC7C,C;;MAQiB,Q;MALb,IAAI,iBAAy,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MA AM,6B;MACV,aAAa,8D;MAEb,iBAAy,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,iBAAy,CAAhB,C;QACI,iB; MACJ,OAAO,mBAAa,C;IACxB,C;;;MAzBmC,yD;IAAA,C;;;MAwCvC,OAAW,iDAAJ,GAAwC,SAAxC,GAak D,4BAAwB,SAAxB,C;IAC7D,C;;MAc2C,qB;QAAE,6B;MAAF,C;IAAA,C;;MAAvC,OAA2D,cAAPD,sBAAkB, YAAIB,EAAgC,qCAAhC,CAAoD,C;IAC/D,C;;MAoB0B,mB;QAAE,mB;MAAF,C;IAAA,C;;MAHtB,OAAI,YAA J,GACI,2BADJ,GAGI,sBAAkB,+BAAIB,EAA4B,YAA5B,C;IAHJ,C;;MAMBA,6BAAkB,YAAIB,EAAgC,YAAh C,C;IAAA,C;;MTplBJ,wB;MACI,8C;IADJ,C;;MAGgD,oCAAmB,KAAAM,U;IAAzB,C;;MACb,Q;IAAA,C;;MAC G,W;IAAA,C;;MAEH,Q;IAAA,C;;MACG,W;IAAA,C;;MACiB,Y;IAAA,C;;MACgB,OAAA,QAAS,U;IAAT,C;;M AEtB,kC;IAAA,C;;MAEZ,6B;IAAA,C;;;MAdrC,+B;QAAA,c;;;MAAA,wB;IAAA,C;;MASBoC,6B;IAAA,C;;MAQ

e,OAAI,QAAS,OAAT,GAAGB,CAApB,GAAGC,MAAT,QAAS,CAAhC,GAA6C,U;IAA7C,C;iFAEnD,yB;MAAA ,mD;MAAA,mB;QAKwC,iB;MAAA,C;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAOsD,2B;MAAA,C;KAP tD,C;;MAAiE,OAAS,aAAT,QAAS,EAAa,qBAAC,YAAY,QAAS,OAARb,CAAd,CAAb,C;IAAT,C;uFAEjE,yB;MA AA,2D;MAAA,mB;QAGgD,qB;MAAA,C;KAHhD,C;;MAM2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAAS, OAARb,CAAR,CAAb,C;IAAT,C;2FAE3D,yB;MAAA,uE;MAAA,mB;QAGwD,2B;MAAA,C;KAHxD,C;;MASm E,OAAS,aAAT,QAAS,EAAa,qBAAC,YAAY,QAAS,OAARb,CAAd,CAAb,C;IAAT,C;sFAEnE,yB;MAAA,mD;M AAA,4B;QAEkD,uCAAQ,U;MAAR,C;KAFID,C;;MAIgD,QAAM,cAAN,C;AC5C,C;UAD4C,OACvC,U;aACL, C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,OAGpC,S;;IAHoC,C;;MERd5C,IAAI,E+GxBI,OAAO,C AAP,IAAY,OAAO,C/GwBvB,CAAJ,C;QACI,c+GxBI,aAAJ,GACI,yEADJ,GAGI,8C;Q/GsBJ,MAAM,gCAAYB,O AAQ,WAAjC,C;;I+GpBd,C;;MAIoB,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAmC,YAAnC,EAAyC,s BAAzC,EAAyD,mBAAzD,C;MAAF,C;IAAA,C;;MxGDmE,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3C, gF;;MwGQI,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,oCAAGb,6EAAhB,C;IACJ,C;;MAIkC,yD;uBAAA,6K;Y AAA,S;iBAAA,Q;iBAAA,uB;MAAA,C;IAAA,C;;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;M AAA,gD;MAAA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4 B;MAAA,kC;IAkC9B,C;;+BAjCc,0BAAO,uBAAP,I;cACV,IAAI,kBAAO,CAAX,C;oCACiB,iBAAa,uBAAb, C;kCACF,C;gBACD,6C;gBAAV,iB;;;sCAaa,eAAc,uBAAd,C;gBACH,+C;gBAAV,gB;;;cAAA,KAAU,2BAAV ,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAJ,C;cACP,IAAI,mBAAO,SAAX,C;gBACI,gB;gCAAA,iC AAU,8BAAJ,GAaiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;oBAAA,qC;yBAAA,mB;gBAAA,Q;;gBAD J,gB;;;cAEI,mBAAO,qBAAy,uBAAZ,C;cAFx,gB;;cAFJ,gB;;cAOA,IAAI,iCAAJ,C;gBACI,gB;;gBADJ,iB;;; cACI,IAAO,mBAAO,KAAAd,IAAQb,uBAARb,C;gBAAA,gB;;;cACI,gB;8BAAA,iCAAU,8BAAJ,GAaiB,mBAAj B,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,qC;uBAAA,mB;cAAA,Q;cACA,mBAAO,qBAAy,uBAAZ,C;cA FX,gB;;;cAIA,InH+G4C,CmH/GxC,mBnH+GyC,UmH/G7C,C;gBAAyB,gB;gCAAA,iCAAM,mBAAN,O;oBAAA ,qC;yBAAA,mB;gBAAA,Q;;gBAAzB,iB;;;cA9BR,W;;cAyBI,iB;;cAxBJ,iB;;cAGI,KAAU,yBAAV,C;gBAAA,i B;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,CAAR,I;gBAAW,iB;;;gBAA3B,iB;;;cACA,iB AAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAA A,qC;yBAAA,mB;gBAAA,Q;;gBADJ,iB;;;cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,u BAAV,C;cAC9C,kBAAO,c;cAHX,iB;;cAHJ,iB;;cASA,InHgIgD,CmHhI5C,iBnHgI6C,UmHhIjD,C;gBACI,IAAI, qCAAKB,iBAAO,KAAP,KAAe,uBAARc,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,qC;2BAAA,mB;kB AAA,Q;;kBAA3C,iB;;;gBADJ,iB;;;cAbJ,W;;cAaI,iB;;cAZJ,iB;;cAgCJ,W;;;IAAA,C;;MAnCA,IAAI,C AAC,QAAS,UAAAd,C;QAAyB,OAAO,2B;MACHc,OAAO,cAAuB,0EAAvB,C;IAmCX,C;;MAEiE,uB;MAA7B,k B;MACHc,mBAA6B,C;MAC7B,eAAyB,C;IAFM,C;;MAK3B,+DAaKB,SAaIB,EAA6B,OAA7B,EAAc,WAAK, KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;IACjB,C;;MAGI,+DAaKB,KAAIB,EAAyB,YAAzB ,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;IACX,C;;MAE+B,mB;IAAA,C;;MASc,uB;MAARb,wB;M/ GrDxB,IAAI,E+GuDQ,iBAAy,C/GvDpB,CAAJ,C;QACI,c+GsDyB,2DAAwD,a;Q/GrDjF,MAAM,gCAAYB,OAA Q,WAAjC,C;;M+GwDV,gBAAqB,gBAAmB,aAnB,O;MACrB,oBAA8B,C;MAE9B,sBAAyB,C;IARF,C;;MAQv B,0B;IAAA,C;MAAA,0B;IAAA,C;;MAMW,Q;MAFP,+DAaKB,KAAIB,EAAyB,SAAZB,C;MAEA,OAAO,sBAy FmC,CAzF5B,iBAyF6B,GAzFV,KAyFU,IAAD,IAAa,aZfHd,4D;IACX,C;;MAEe,qBAAQ,a;IAAR,C;;MAEwB,s C;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;IAFe,C;;MASnB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W ;;QAGA,mBAAQ,sCAAO,YAAP,4DAAR,C;QACA,eA0EkC,CA1E1B,YA0E2B,GA1Eb,CA0Ea,IAAD,IAAa,6B; QAzE/C,mC;;IAER,C;;MABmC,kD;IAAA,C;;MAMb0B,UAQ1C,MAR0C,EAe1C,MAf0C,EAqBtD,M;MATBP,a ACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,GAakC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAlC,GAAyD,kD;MA E7D,WAAW,IAAK,K;MAEhB,WAAW,C;MACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,aAA5B, C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO,I AAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAO,GAAC,IA AK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;IACX,C;;MAGI,OAAO,qBAAQ,gBAA a,SAAb,OAAR,C;IACX,C;;MAMI,IAAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;;MAGV,cA6B0C,CA7BnC,i BA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,aA7BvD,IAAmC,O;MACnC,6B;IACJ,C;;M/GjIA,IAAI,E+GuIQ,KAAK, C/GvIb,CAAJ,C;QACI,c+GsIkB,wC;Q/GrIIB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,E+GwIQ,KAAK,

S/GxIb,CAAJ,C;QACI,gB+GuIqB,wEAA8D,S;Q/GtInF,MAAM,gCAAYB,SAAQ,WAAjC,C;;M+GwIN,IAAI,IAA
I,CAAR,C;QACI,YAAAY,iB;QACZ,UAGbS,C,CAhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IAAa,a;QAdnD,IAAI,QA
AQ,GAAZ,C;UACW,YAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAakB,aAAIB,C;UACA,YAAP,aAAO,EAAK,I
AAL,EAAW,CAAX,EAAC,GAAd,C;;UAEA,YAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAakB,GAAlB,C;;QA
GX,oBAAa,G;QACb,wBAAQ,CAAR,I;;IAER,C;;MAI8C,QAAC,YAAO,CAAP,IAAD,IAAa,a;IAAb,C;;MAGJ,yB
;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACzE,eAAY,SAAZ,QAA4B,OAA5B,Q;QACI,UAAK,GAAL,I
AAY,O;;IAEpB,C;;M/GnKA,IAAI,EEjBI,SAAU,OAAV,GAaiB,CFiBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,
gCAAYB,OAAQ,WAAjC,C;;MEIBV,OAAO,oBAAoB,CAApB,EAAuB,CAAvB,EAA0B,SAA1B,C;IACX,C;;MA
Ge,Q;MAAX,wBAAW,SAAX,gB;QAAW,SAAA,SAAX,M;QACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,
CAAH,C;QACT,WAAW,cAAc,EAAd,EAakB,EAAlB,C;QACX,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,
OAAO,C;IACX,C;sGAEA,yB;MAAA,8D;MAAA,iC;QASI,OAAO,cAAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CA
AT,CAA3B,C;MACX,C;KAVA,C;;MAqBI,OAAO,UAAW,SAAQ,SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,C
AArB,C;IACtB,C;;MAuBY,Q;MALR,IAAI,MAAM,CAAV,C;QAAa,OAAO,C;MACpB,IAAI,SAAJ,C;QAae,OA
AO,E;MACtB,IAAI,SAAJ,C;QAae,OAAO,C;MAGtB,OAA8B,iBAAtB,mDAAsB,EAAU,CAAV,C;IACIC,C;;MA
YsB,uB;QAAU,2BAAoB,CAApB,EAAuB,CAAvB,EAA0B,iBAA1B,C;MAAV,C;IAAA,C;;MC7EgF,4C;IAAtG,C
;IAAA,6D;MAC4C,+BAAW,CAAX,EAAC,CAAd,C;IAAA,C;IAD5C,kF;;MHsBI,IAAI,EEsDI,SAAU,OAAV,GA
AiB,CFtDrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;MEqDV,oCAAkB,2BAAIB,C;I
ACJ,C;0FAGA,yB;MAAA,sC;MAAA,uBAOe,yB;QArEf,8D;;UAqEe,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAA
c,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;UA4DI,C;QAAA,C;OAAA,C;MCxFf,kC;MAAA
,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MDiFA,2
B;QAOI,oCAAW,0BAAX,C;MAAA,C;KAPJ,C;0FASA,yB;;QAQe,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;U
AAIC,OA1Dd,UAAW,SAAQ,SA0DW,CA1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;QA0DP,C;MAAA,C;
MCIGf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;M
AD5C,kF;MD0FA,uC;QAQI,oCAAW,sCAAX,C;MAAA,C;KARJ,C;4GAUA,yB;MAAA,sC;MAAA,iCAOe,yB;Q
AxFf,8D;;UAwFe,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,
CAA3B,C;UA+EI,C;QAAA,C;OAAA,C;MC3Gf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BA
AW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MDoGA,2B;QAOI,oCAAW,oCAAX,C;MAAA,C;KAPJ,C;8G
ASA,yB;;QAUE,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAA
R,EAAqB,SA+EC,CA/ED,CAArB,C;QA+EP,C;MAAA,C;MCvHf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,
6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MD6GA,uC;QAUI,oCAAW,gDAAX,C;MAA
A,C;KAVJ,C;kFAYA,yB;MAAA,sC;MAAA,oBAQe,yB;QA9Gf,8D;;UA8Ge,uB;YACP,sBAAsB,WAAy,SAAQ,
CAAR,EAAW,CAAX,C;YACIC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,
OAvGG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,C;;YAsGH,W;UADO,C;QAAA,C
;OAAA,C;MCjlf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MA
AA,C;MAD5C,kF;MDyHA,sC;QAQI,oCAAW,kCAAX,C;MAAA,C;KARJ,C;oFAaA,yB;;QAQe,uB;UACP,sBAA
sB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAA
qB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAxGG,UAAW,SAAQ,SAwGyC,CaxGzC,CAAR,EAAqB,SAwG+B,
CAxG/B,CAArB,C;;UAuGd,W;QADO,C;MAAA,C;MC9If,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QA
C4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MDsIA,kD;QAQI,oCAAW,8CAAX,C;MAAA,C;KA
RJ,C;sGAaA,yB;MAAA,sC;MAAA,8BAQe,yB;QAxIf,8D;;UAwIe,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,E
AAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAjIG
,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIoC,CAjIpC,CAA3B,C;;YAgIH,W;UADO,C;QAAA,C;OAAA,C;MC3J
f,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,
kF;MDmJA,sC;QAQI,oCAAW,4CAAX,C;MAAA,C;KARJ,C;wGAaA,yB;;QAQe,uB;UACP,sBAAsB,qBAAsB,S
AAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,
kB;YAAtB,eAAkC,gB;YAAjF,OAIIG,UAAW,SAAQ,SAkIyC,CAIIZC,CAAR,EAAqB,SAkI+B,CAII/B,CAArB,C;
;UaiId,W;QADO,C;MAAA,C;MCxKf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAA
X,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MDgKA,kD;QAQI,oCAAW,wDAAX,C;MAAA,C;KARJ,C;kGAcA,yB;;

QAOe,uB;UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,mBAAW,CAAX,EAAC,CAAd,C;QAFx,C;MAAA,C;MCRlf,kC;MAAA,oC;;QAAsG,4C;MAAtG,C;MAAA,6D;QAC4C,+BAAW,CAAX,EAAC,CAAd,C;MAAA,C;MAD5C,kF;MD8KA,wC;QAOI,oCAAW,4CAAX,C;MAAA,C;KAPJ,C;;MAmBe,uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,CAAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MAFnD,C;IAAA,C;;MAAX,oCAAW,kCAAX,C;IAAA,C;;MAYc,uB;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MAFhD,C;IAAA,C;;MAAd,oCAAc,4CAAd,C;IAAA,C;;MAaW,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MALhB,C;IAAA,C;;MAAX,oCAAW,6BAAX,C;IAAA,C;4FASJ,yB;MAAA,4D;MAAA,wD;MAAA,mB;QAOqE,kBAAW,cAAX,C;MAAA,C;KAPrE,C;;MAgBe,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,C;aACb,c;UAHJ,OAGiB,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;MALhB,C;IAAA,C;;MAAX,oCAAW,4BAAX,C;IAAA,C;0FASJ,yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV,C;MAAA,C;KAPpE,C;;MAc4F,Q;MAA7B,OAA6B,4F;IAA7B,C;;MAO6B,Q;MAA7B,OAA6B,4F;IAA7B,C;;MAOA,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D,SAE3D,wC;QAFqD,OAE4F;WACvD,WAH2D,SAG3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,C;IAJ6C,C;;MAQRb,4B;IAAD,C;;MACS,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;IAAX,C;;MAER,sB;IAAA,C;;MAGpC,sC;IAAA,C;;MACwE,OAAE,iBAAF,CAA,EAAU,CAAV,C;IAAF,C;;MAEtB,2C;IAAA,C;;MAHID,6C;QAAA,4B;;MAAA,sC;IAAA,C;;MAMA,sC;IAAA,C;;MACwE,OAAE,iBAAF,CAA,EAAU,CAAV,C;IAAF,C;;MAEtB,2C;IAAA,C;;MAHID,6C;QAAA,4B;;MAAA,sC;IAAA,C;;M8G3SI,yC;;MAAA,2C;IAAA,C;;MAAA,kD;QAAA,iC;;MAAA,2C;IAAA,C;;MCoBY,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAy,mCAAhB,C;QADA,OACuC,O;;QAEnC,kBAAkB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAGD,WAAhD,C;;IAGhB,C;;MAZJ,OAAI,YAAy,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;IADZ,C;;MAGc0B,Q;MAAtB,OAAI,IAAK,IAAL,KAAa,GAAjB,GAAsB,0EAAtB,GAAqC,I;IAArC,C;;MAGA,iBAAU,OAAV,EAAmB,IAAnB,C;IAAA,C;;MAGA,OAAI,IAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,I;IAAjD,C;;MczD0C,wB;IAAD,C;;MAAC,yB;IAAA,C;;MAEtD,qC;IAAA,C;;MAK6D,W;IAAA,C;;MACmB,c;IAAA,C;;MACJ,c;IAAA,C;;MACV,W;IAAA,C;;MACxB,Q;IAAA,C;;MACG,8B;IAAA,C;;MAV7C,4C;QAAA,2B;;MAAA,qC;IAAA,C;;MAiB+B,gB;MAA4B,sB;IAA7B,C;;MAIIB,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAl,QAAJ,aAAY,GAZ,W;UAAwB,W;;QACxB,WAAW,GAAl,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAL,C;;IAGnB,C;;MAGI,iBAAU,SAAK,cAAK,OAAE,EAAC,SAAd,CAAF,EAAyC,YAAzC,C;IAAA,C;;UAKO,I;MAFP,6BAAQ,GAAR,U;QAAoB,OAAO,S;;MAC3B,cAAc,SAAK,kBAAS,GAAT,C;MAEf,gBAAY,SAAZ,C;QAoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,mB;;QAC7B,2BAAgB,OAAhB,EAAyB,YAAzB,C;MAHZ,W;IAKJ,C;;MAGI,OAAI,yCAAJ,GAA6B,SAAK,SAAL,GAAC,CAAd,IAA7B,GAAD,C;IAAID,C;;MAGA,+BAAl,OAAQ,IAAZ,GAAoB,OAApB,C;IAAA,C;;MAUwB,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAl,QAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAl,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;IAGnB,C;;MAGI,gBAAS,KAAT,KAakB,yCAA4B,KAAM,SAAN,KAAGB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,CAA9E,C;IAAA,C;;MAE2B,OAAK,SAAL,SAAK,CAAL,GAA0B,SAAR,YAAQ,CAA1B,I;IAAA,C;;MAIvB,OAAI,GjGgJoC,YAAU,CiGhJID,GAAmB,OAAQ,WAA3B,GAA2C,MAAM,IAAN,YAAa,OAAb,C;IAC/C,C;;MAFA,aAAM,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEL,G;IAFJ,C;;ICvDR,C;;MzDJl,oCAAYB,QAAzB,EAAmC,UAAAnC,CAA+C,cAAO,kBAAP,C;IACnD,C;;MAYI,sCAAYB,UAAzB,CAAQ,cAAO,kBAAP,C;IACzC,C;;MAewB,4BAAiB,oCAAYB,QAAzB,EAAmC,UAAAnC,CAAjB,EAAiE,mBAAjE,C;IAAA,C;;MAcA,4BAAiB,sCAAYB,UAAzB,CAAjB,EAAuD,mBAAvD,C;IAAA,C;;MAYpB,OAAyB,gCAAzB,qB;IAAA,C;2FAVJ,yB;MAAA,0F;;QAU6B,oB;UACrB,WAAW,sBAAiB,CAAjB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,Y;QAHgB,C;MAAA,C;MAV7B,wC;2BAU6B,gC;QAAzB,yD;MAAA,C;KAVJ,C;kHA4BI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;MACV,C;KAFa,C;4IAMJ,yB;MAAA,yF;MAAA,gE;MAAA,8B;MAAA,qB;MAAA,oC;QAMa,Q;;UAHL,aAAa,O;UACb,IAAI,WAAW,mBAAf,C;YAEuC,CAAIC,KE

AAkC,eAAO,MAAP,C;;;UAEzC,gC;YACE,UAAW,6BAAoB,CAApB,C;;;YAPf,O;;MASJ,C;KAXA,C;;M0DIF2
G,mB;QAAE,qBAAc,qBAAd,C;MAAF,C;IAAA,C;;M7GFpB,wC;IARvF,C;IAAA,0D;MAS2C,8B;IAAA,C;IAT3
C,gF;;M6GUkG,oCAAS,mCAAT,C;IAAA,C;;MAU9F,eAAe,6B;MACf,oBAAkC,yBAAd,aAAc,EAAoC,QAAPC,
EAA2D,QAA3D,C;MACIC,OAAO,Q;IACX,C;;IAA4C,C;;MAwBpC,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M
;MACID,OAAO,sBAAS,QAAS,WAAIB,e;IACX,C;;MASqD,6BAAS,QAAS,WAAIB,e;IAAA,C;;;MAYd,0B;
MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;IAJxC,C;;MAOQ,OAAO,IAAP,
C;QACI,QAAM,YAAN,C;eACI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAA
O,I;;cAEP,sBA Ae,I;;YALvB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,
yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;QACX,gBAAW,I;QACX,IAAK,cAAO,kBAAP,C;;IAEb,C;;MAGU,IASe
.I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAA
e,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;IAEtB,C;
;MAGI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;IAC/D,C;;MAE4C,QAAM,YAAN,C;aACx
C,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAAoC,Y
AA1D,C;;IAHgC,C;;MAUR,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;MAF4B,C;IAAA,C;;MAFhC,mBAAy,K;
MACZ,eAAQ,C;MACR,OAAgC,0CAAhC,qB;IAIJ,C;;MAMoC,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;MAF
4B,C;IAAA,C;;MAHhC,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,M;MACzB,sBA Ae,Q;MACf,eAAQ,C;MACR,OA
AgC,6CAAhC,qB;IAIJ,C;;MAII,eAAQ,C;IACZ,C;;MAGI,MAAM,S;IACV,C;;MAGY,0C;IAAA,C;;MCRJZ,OAA
sC,wCAAtC,c;IAAA,C;8GARBJ,yB;;QAqB0C,uB;UAAU,qBAAM,IAAK,OAAX,C;QAAV,C;MAAA,C;MArB1C,
wC;QAqBl,mBAAsC,wCAAtC,6B;QAAA,yD;MAAA,C;KArBJ,C;;MAGCI,MAAM,6BAAoB,sEAApB,C;IAAN,
C;2HATJ,yB;MAAA,2D;MAAA,sC;QASI,MAAM,6BAAoB,sEAApB,C;MAAN,C;KATJ,C;mHAWA,yB;MAAA,
2D;MAAA,4B;QAMI,MAAM,6BAAoB,4CAApB,C;MAAN,C;KANJ,C;6ECvCA,yB;MAAA,0B;MAAA,mC;QA
GsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;MAAjC,C;KAHtD,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,
OAAgC,OAA1B,SAAL,GAAuB,KAAS,C;MAAhC,C;KAHrD,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OA
AiC,OAA3B,SAAL,GAAuB,KAAS,C;MAAjC,C;KAHtD,C;6EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,
OAAp,CAAR,SAAe,C;MAArB,C;KAHrC,C;+EAMA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,
GAAuB,KAAS,C;MAAjC,C;KAHzD,C;6EAKA,yB;MAAA,4B;MAAA,mC;QAGwD,OAAgC,QAA1B,SAAL,G
AAsB,KAAS,C;MAAhC,C;KAHxD,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAA
uB,KAAS,C;MAAjC,C;KAHzD,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,CAAR,SAAe,C;M
AArB,C;KAHvC,C;;ICpCA,C;;;IAOA,C;;;IAOA,C;;;IAOA,C;;;IAQA,C;;;IAOA,C;;;IAOA,C;;;IAOA,C;;;MAGCI,u
B;QAAA,UAA sB,E;MACTB,qB;QAAA,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MAC
A,sB;MACA,kB;MACA,8B;MACA,0B;IALmC,C;;MAQvC,e;MAAA,iB;MAAA,uB;IAAA,C;;MAAA,kD;MAA
A,C;MAKI,wG;MACA,wG;MACA,8F;IAPJ,C;;MAKI,qC;MAAA,yD;IAAA,C;;MACA,qC;MAAA,yD;IAAA,C;;
;MACA,qC;MAAA,oD;IAAA,C;;MAPJ,6K;IAAA,C;;MAAA,a;AAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAA
A,a;UAAA,yD;gBAAA,6E;IAAA,C;;IAUA,C;;;MCzF4D,oB;QAAA,2C;aAAxD,mG;IAAA,C;;MAGJ,e;MAA
A,iB;MAAA,uB;IAAA,C;;MAAA,wC;MAAA,C;MAGI,4E;MACA,8E;MACA,4E;MACA,ke;IANJ,C;;MAGI,2B;
MAAA,2C;IAAA,C;;MACA,2B;MAAA,4C;IAAA,C;;MACA,2B;MAAA,2C;IAAA,C;;MACA,2B;MAAA,sC;IA
AA,C;;MANJ,+K;IAAA,C;;MAAA,a;AAA,c;UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAA
A,2C;gBAAA,6E;IAAA,C;;IAYoE,C;;;MCRbPE,yB;IAAA,C;;MAWiE,uB;IAAA,C;2HAE7D,yB;MA
AA,+D;MAAA,kC;MAAA,0F;MAAA,6F;;QAUI,wC;QAAS,6C;MAVb,C;MAAA,2G;QAWqF,sBAAS,QAAT,EA
AmB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;MAAA,C;KAVJ,
C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;;QAcI,wC;QAAS,6C;MAdB,C;MAAA,0G;QAe+F,6B
AAS,QAAT,EAAMB,QAAnB,EAA6B,QAA7B,C;MAAA,C;MAf/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;MA
AA,C;KADJ,C;;;MA3BJ,gC;QAAA,e;;MAAA,yB;IAAA,C;;MAiDI,eAAwB,I;IADK,C;;MAIIB,Q;MAAA,mB;M
AAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,aAArB,uCAAtB,C;;MAAtB,OAAO,I;IACX,C;;MAGI,eAAa,K;IA
CjB,C;;;MCRDA,uBAAoB,Y;IADmB,C;;MASsD,W;IAAA,C;;IAML,C;;MAGpF,OAAO,oB;IACX,C;;MAGI,e
AAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,KAAjC,CAAL,C;QACI,M;;MAEJ,u
BAAa,K;MACb,yBAAy,QAAZ,EAA sB,QAAtB,EAAGC,KAHhC,C;IACJ,C;;;MCPb2C,qCAAiB,UAAjB,EAAw
B,KAAxB,KAAkC,8BAAiB,KAAjB,EAAwB,iBAAxB,C;IAAIC,C;;MACT,QAAC,8BAAiB,UAAjB,EAAwB,iBA

AxB,C;IAAD,C;;;MAYIC,4B;MACA,0C;IAFiD,C;;MACjD,2B;IAAA,C;;MACA,kC;IAAA,C;;MAII,OAAO,0CA
AgC,kBAaA,KAAM,UAAAnB,KAC/B,mBAAS,KAAM,MAAf,KAAwB,0BAAGB,KAAM,aAAtB,CADO,CAAhC,
C;IAEX,C;;MAGI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAW,SAAN,UAAM,CAAX,QAAqC,SAAb,iBAaA,CA
ArC,I;IACIC,C;;MAEKc,OAAE,UAAF,qBAAU,iB;IAAV,C;;;MAYIC,gBAAqB,K;MACrB,uBAA4B,Y;IALD,C;;
MAMQ,oB;IAAA,C;;MACO,2B;IAAA,C;;MAEqB,YAAK,C;IAAL,C;;MAEf,gBAAS,aAAT,IAAmB,SAAS,oB;I
AA5B,C;;MACd,SAAE,iBAAU,oBAAZ,C;IAAA,C;;MAG9B,OAAO,4CAA+B,kBAaA,KAAM,UAAAnB,KAC9B,
kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,C;IAEX,C;;MAGI,OAAW,cAAJ,GAAe,EAA
f,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;IACIC,C;;MAEKc,OAAE,aAAF,qBAA
W,oB;IAAX,C;;MAUuC,2BAAgB,SAAhB,EAA5B,IAAtB,C;IAAA,C;;MASQ,6BAAkB,SAAIb,EAAwB,IAAxB,
C;IAAA,C;;MAIjF,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAYb,iCAA8B,IAA9B,MAAZB,C;IAC3B,C;;MCx
8D,OAAK,oBAAL,SAAK,CAAL,GAakB,K;IAAIb,C;;MAY1B,0B;QAAA,aAAsB,K;MACtD,IAAI,cAAQ,KAA
Z,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAAO,K;MAExB,IrFhB8F,UAAIG,MAAoD,cqFg
B5C,SrFhB4C,CAAgC,cAAc,YAAW,CAAX,EqFgB1F,KrFhB0F,UAAIG,MAAoD,cqFgBtB,KrFhBsB,CAAgC,cA
Ac,YAAW,CAAX,EqFgB9F,C;QAA+C,OAAO,I;MACtD,IrFpB8F,UAAIG,MAAoD,cqFoB5C,SrFpB4C,CAAgC,
cAAc,YAAW,CAAX,EqFoB1F,KrFpB0F,UAAIG,MAAoD,cqFoBtB,KrFpBsB,CAAgC,cAAc,YAAW,CAAX,EqF
oB9F,C;QAA+C,OAAO,I;MACtD,OAAO,K;IACX,C;;MAKyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cA
AzB,CAAR,6B;IAAA,C;;MCdZ,4B;QAAA,eAAuB,G;MACHd,wCAAsB,EAAtB,EAA0B,YAA1B,C;IAAA,C;I7H
AJ,+B;IQ+rCA,iCAOmB,yB;;QAAA,iC;UAAoB,Q;UAAA,8BAAU,KAAV,EAAiB,OAAjB,W;YAA6C,mC;;UAA
U,a;QAA3E,C;MAAA,C;KAAA,C;;MqH/rCqB,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;M7HGnF,IAAI
,CiBkN+C,CAAC,Q4GpN5C,Y5GoN4C,CjBlNpD,C;QACI,c6HHiC,wC;Q7HijC,MAAM,gCAAYb,OAAQ,WAAj
C,C;;M6HHV,cAAY,gB;MAEC,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAA
T,wBAAiD,kBAakB,SAAIb,C;MA0E9D,gBAAGb,gBA1ET,OA0ES,C;MrHumCT,kBAAoB,gB;MAuQd,gB;MA
Db,YAAy,C;MACC,OqHx7CN,OrHw7CM,W;MAAb,OAAa,cAAb,C;QAAA,sB;QA7PsB,U;QAAA,eA6PT,cA7P
S,EA6PT,sBA7PS,S;QqH5mC3B,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QrH42CjB,IqH52CiB,C
;UAC5C,a;;UAEA,4B;UA9E+B,uB;;Y7G2EzB,kC;YAAA,uBR42CqB,IQ52CrB,C;YAAA,qB;YAAA,oB;YAAA,o
B;YAAAd,gE;cACI,I6G5EkD,CAAI,aAAH,U7G4ErC,YR22CiB,IQ32CjB,YAAK,OAAL,E6G5EqC,CAAG,C7G4Et
D,C;gBACI,sBAAO,O;gBAAP,wB;;;YAGR,sBAAO,E;;;U6GhFH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I
;;gBACjC,IAAK,arHm7CsB,IqHn7CtB,gBAAyB,uBAAzB,CAAL,C;YAJJ,2BrHu7C+B,IU96C0C,W2GLI,0BAAu
C,mBAAvC,I3GKJ,C;;;Y2GTzE,2BAKY,I;;UAyER,iEzHhBD,yByHgBC,4BrHy2C2B,I;;QA7PA,8B;UAA6C,6B;;
;MqH3rChF,OAIfK,SrH2mCE,WqH3mCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;IAzET,C;;M
AiByC,gCAAc,EAAd,C;IAAA,C;;MAKT,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;MrHijBL,kBAAS,g
B;MAyEA,U;MAAA,SqHxnBM,OrHwnBN,W;MAAhB,OAAGb,gBAAhB,C;QAAGb,2B;QAAM,ISzc6B,CAAC,
QTychB,OSzcgB,CTyc9B,C;UAAwB,WAAY,WAAL,OAAJ,C;;MqHtnBrD,kBrHunBE,W;MAkgBA,oBAAM,iBA
Aa,qCAAwB,EAAXB,CAAb,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAA,wB;QACT,aAAY,WsHtwC
pB,YtHswCkC,IsHtwCIC,CtHswCoB,C;;MqHjsChB,sBAAsB,CAGjB,crH+rCE,aqH/rCF,CAHiB,mBAGR,C;MAE
D,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAakB,SAAIb,C
;MAmC9D,gBAAGb,gBAnCT,OAmCS,C;MrHumCT,oBAAoB,gB;MAuQd,kB;MADb,YAAy,C;MACC,SqHj5C
N,OrHi5CM,W;MAAb,OAAa,gBAAb,C;QAAA,0B;QA7PsB,U;QAAA,eA6PT,cA7PS,EA6PT,sBA7PS,S;QqH5mC
3B,kB;QrH4mC2B,cqH/mC3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QrH42CjB,MqH52CiB,CrH+mCjB,Gq
H9mC3B,IrH8mC2B,GqH5mC3B,oBAxCmG,QrHi5CxE,MqHj5CwE,kBAwCnG,YzHhBD,yByHgBC,4BrHy2C2
B,MA7PA,U;UAA6C,+B;;;MqHppChF,OA0CK,SrH2mCE,aqH3mCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IA
A1C,CACA,W;IA1CT,C;;MASa,qB;QAEG,IAAG,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,c
AAO,OAAAnB,C;YAHZ,OAGyC,c;;YAHZC,OAIoB,E;;UAJpB,OAoY,iBAAS,E;MARpB,C;IAAA,C;;MAFmB,sB;
QAAA,SAAIb,M;MAC7C,OAyK,eAXA,OADL,uBACK,EAAI,4BAAJ,CAWA,EAAa,IAAb,C;IAZL,C;;MAcoC,
uB;;Q7GctB,gC;QAAA,+B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,I6Gf+C,CAAI,aAAH,U7GeI,iCA
AK,KAAL,E6GfkC,CAAG,C7GenD,C;YACI,sBAAO,K;YAAP,wB;;;QAGR,sBAAO,E;;;MZIBA,4B;MyHD6B,O
AA8C,OAAM,EAAY,GAAC,gBAAd,GAA0B,E;IAApE,C;;MAGE,W;IAAK,C;;MACnC,uB;QAakB,wBAAS,I;M
AA3B,C;IAAA,C;;MADR,IAAA,M5GgIgD,YAAU,C4GhI1D,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;IAFo

C,C;mBAKhD,yB;MzHdA,6B;MAAA,sC;MImnCA,+D;MAUA,iCAOmB,yB;;UAAA,iC;YAAoB,Q;YAAA,8BAA
U,KAAV,EAAiB,OAAjB,W;cAA6C,mC;;YAAU,W;UAA3E,C;QAAA,C;OAAA,C;MqHtnCnB,sF;QAKI,gBAAg
B,0B;QrHumCT,kBAAoB,gB;QAUqd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA7PsB,
U;UAAA,eA6PT,cA7PS,EA6PT,sBA7PS,S;UqH5mC3B,kB;UrH4mC2B,cqH/mC3B,CAAC,YAAS,CAAT,IAAc,q
BAAf,KAA4C,QrH42CjB,IqH52CiB,CrH+mCjB,GqH9mC3B,IrH8mC2B,GqH5mC3B,sCrHy2C2B,IqHz2C3B,az
HhBD,yByHgBC,4BrHy2C2B,IA7PA,U;YAA6C,6B;;;QqHhnChF,OAMK,SrH2mCE,WqH3mCF,EAAO,mBAAC,
kBAAd,CAAP,EAA0C,IAA1C,CACA,W;MACT,C;KAdA,C;qF7D/FA,yB;MAAA,yD;MAAA,gC;QAMoB,gBAA
hB,oB;QAAsB,a5D0DtB,W;Q4D1DA,O5D2DO,S4D3D8B,W;MAArC,C;KANJ,C;uFAQA,yB;MAAA,iE;MAAA,
0C;QAO4B,gBAAXB,mBAAC,QAAc,C;QAA8B,a5DiD9B,W;Q4DjDA,O5DkDO,S4DiDsC,W;MAA7C,C;KAPJ,C
;;MAAiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C;
;MAMiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,C
;;MAMiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;IACX,
C;;MAKQ,sB;QAAqB,yBAAO,UAAU,OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAA
mB,yBAAO,kBAAP,C;;QACX,yBAAe,SAAR,OAAQ,CAAF,C;IAEHb,C;;MjE1C0C,iCAAqB,EAArB,C;IAAA,C;;
MAUvB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,
MAAM,sCAAK,UAAx,IAAwB,MAAM,sCAAK,UAAvC,C;QAakD,OAAO,I;MACzD,OAAW,OAAJ,GAAL,C;I
ACf,C;;MAO4C,kCAAsB,EAAtB,C;IAAA,C;;MAUzB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QA
A2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,MAAM,uCAAM,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;QAA
oD,OAAO,I;MAC3D,OAAW,QAAJ,GAAL,C;IACf,C;;MAOwC,gCAAoB,EAAPB,C;IAAA,C;;MA0CIB,Q;MAhCI
B,WAAW,KAAx,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c
;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UA
AiB,OAAO,I;QAEExB,QAAQ,C;QAER,IAAI,cAAa,EAajB,C;UACI,aAAa,I;UACb,QAAQ,W;;cACL,IAAI,cAAa,
EAajB,C;UACH,aAAa,K;UACb,QAAQ,W;;;UAER,OAAO,I;;;QAEExB,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W
;;MAIZ,qBAAqB,QAAQ,KAAR,I;MACrB,aAAa,C;MACK,gBAAS,CAAT,I;MAAIB,aAAU,KAAV,iB;QACI,YA
AY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,
SAAS,cAAb,C;UAA6B,OAAO,I;QAEpC,6BAAU,KAAV,C;QAEA,IAAI,UAAS,QAAQ,KAAR,IAAT,CAAJ,C;U
AA4B,OAAO,I;QAEnc,kBAAU,KAAV,I;;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,GAA4B,CAAC,MAAD,I;IAC
vC,C;;MAO0C,iCAAqB,EAArB,C;IAAA,C;;MA0CpB,Q;MAhCIB,WAAW,KAAx,C;MAEA,aAAa,SAAK,O;MA
CIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;M
ACHB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAEExB,QAAQ,C;QAER,IAAI,cA
Aa,EAajB,C;UACI,aAAa,I;UACb,gC;;cACG,IAAI,cAAa,EAajB,C;UACH,aAAa,K;UACb,6B;;;UAEA,OAAO,I;;
;QAEExB,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,qBAAqB,8BAAQ,KAAR,E;MACrB,e;MACKB,gBAAS,CAA
T,I;MAAIB,aAAU,KAAV,iB;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ,
CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,uBAAS,cAAT,KAAJ,C;UAA6B,OAAO,I;QAEpC,6CAAU,KAAV,E;QAE
A,IAAI,uBAAS,8BAAQ,KAAR,EAAT,KAAJ,C;UAA4B,OAAO,I;QAEnc,6CAAU,KAAV,E;;MAGJ,OAAW,UA
AJ,GAAGB,MAAhB,GAA6B,MAAD,a;IACvC,C;uEkBnKA,yB;MAAA,oC;MAAA,uC;QAIL,iBAAiB,C;QACjB,e
AAe,mBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAArB,C;UACI,YAAGB,CAAC,UAAL,GAaiB,U
AAjB,GAAiC,Q;UAC7C,YAAY,UAAU,iCAAk,KAAL,EAav,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAA
C,KAAL,C;cACI,aAAa,I;;cAEb,0BAAC,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;
QAIz,OAAO,8BAAY,UAAZ,EAawB,WAAW,CAAX,IAAxB,C;MACX,C;KA1BA,C;yEA4BA,yB;MAAA,8B;M
A5BA,oC;MA4BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAAiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iB
AAiB,K;QAEjB,OAAO,cAAc,QAArB,C;UACI,YAAGB,CAAC,UAAL,GAaiB,UAAjB,GAAiC,Q;UAC7C,YAsB
wB,SAtBZ,CAAU,mCAAk,KAAL,EAav,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aA
Aa,I;;cAEb,0BAAC,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;QAWZ,OAPO,gCA
AY,UAAZ,EAawB,WAAW,CAAX,IAAxB,CAOGC,W;MAAvC,C;KAJJ,C;iFAMA,yB;MAAA,mD;MAAA,oC;M
AAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA
,kB;QAAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAav,C;YACI,OAAO,8BAAY,KAAZ,EAAMb
,gBAAnB,C;QAEf,OAAO,E;MACX,C;KATA,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QA

IK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UA Ad,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EA AmB,kBAAnB,C;cAAP,qB;;UAER,mBAAO,E;;;QAOP,OAA4C,2B;MAA5C,C;KAJJ,C;6EAMA,yB;MAAA,mD; MAAA,+C;MAAA,oC;MAAA,uC;QAikB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc, cAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;MACX,C;KATA,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;M AAA,oC;MAWA,uC;QAik,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,C AAQ,CAAb,W;UAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EAAV,C AAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;cAAP,mB;;;UAER,iBAAO,E;;;QAOP,OAA0 C,yB;MAA1C,C;KAJJ,C;;MA1DI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,c AAc,QAArB,C;QACI,YAAgB,CAAC,UAAU,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCAAK,K AAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAU,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CA Ad,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAkDiD,OA9CtD,8BAAY,UAAZ,EAAw B,WAAW,CAAX,IAAxB,C;IA8CsD,C;;MAvC5D,Q;MAAsB,kBAAtB,2D;MA5BD,iBAAiB,C;MACjB,eAAe,qB AAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAU,GAAiB,UAAjB,G AAiC,Q;QAC7C,YAkEoD,4BA1E9B,mCAAK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAAC,UAAU,C;UACI,IAAI,C AAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CA AZ,I;;;MAuDqC,OAnD1C,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOgC,W;IA4CU,C;;MAKiB,oB;;Q A3C/C,gC;QAAA,+B;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCAAK,KAA L,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EAAMB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA uC2D,uB;IAAA,C;;MAhCjE,Q;MAAsB,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,uBAAL,WAAK,C;QAAL,qB ;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,m BAAO,gCAAY,KAAZ,EAAMB,kBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA4C+C,OArCV,2B;IAqCu,C;;M AKU,kB;;QApCID,Q;QAAA,OAAa,WAAR,wBAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CA mCkE,4BAAnCvD,iCAAK,KAAL,EAmCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf, C;YAAP,mB;;;QAER,iBAAO,E;;;MAGCyD,qB;IAAA,C;;MAZB/D,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U ;QAAA,SAAa,WAAR,cAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD, 4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YA AP,mB;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;IA8BU,C;;MA5FpD,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT, I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAU,GAAiB,UAAjB,GAAiC,Q;QA C7C,Y6GzBR,uB7GyB8B,iCAAK,KAAL,E6GzB9B,E;Q7G2BQ,IAAI,CAAC,UAAU,C;UACI,IAAI,CAAC,KAA L,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MA gF+B,OA5EpC,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;IA4EoC,C;yEAE/C,yB;MAAA,8B;MAAA,qC; MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;MAA9B,C;KAJ1C,C;;MASoD,oB;;QA1E7B,g C;QAAA,+B;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,C6GtDZ,uB7GsDuB,iCAAK,KAAL,E6Gt DvB,E7GsDQ,C;YACI,mBAAO,8BAAY,KAAZ,EAAMB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MASyC,u B;IAAA,C;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAtB,2DAAsB,CAAY, W;MAAnC,C;KAJ/C,C;;MASKD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,wBAAQ,CAAb,W;QAAd,OAAc,cAAd,C ;UAAc,uB;UACV,IAAI,C6GvEZ,uB7GuEuB,iCAAK,KAAL,E6GvEvB,E7GuEQ,C;YACI,iBAAO,8BAAY,CAAZ ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGEuC,qB;IAAA,C;+EAEID,yB;MAAA,8B;MA AA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;MAAjC,C;KAJ7C,C;;MAe8C,uB;QAA A,UAAgB,E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MA CV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEh B,SAAS,mBAAc,MAAd,C;MACK,gBAAS,SAAK,OAAI,MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAp ,C;MACP,EAAG,gBAAO,SAAP,C;MACH,OAAO,E;IACX,C;;MAUwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD ,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,EAAiB,OAAjB,CAA0B,W;IAAjD,C;;MAWwC,uB;QAAA,UAAgB,E; MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UA AU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mBA

Ac,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAI,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;IACX,C;;MAUsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAO,MAAP,EAAe,OAaf,CAAwB,W;IAA/C,C;yFAEJ,yB;MAAA,4B;QASI,OAAO,qBAAgB,SAAK,OAAAL,KAAe,C;MAC1C,C;KAVA,C;;MAGBoD,4BAAU,C;IAAV,C;;MAMG,0BAAS,C;IAAT,C;mFAMvD,yB;MAAA,2C;MAAA,4B;QAIuD,QAAC,kB;MAAD,C;KAJvD,C;yFAMA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAqB,QAAL,SAAK,C;MACHC,C;KAVA,C;;MAe4D,kC;MAAS,uB;MACjE,eAAoB,C;IADoC,C;;MAGb,gB;MAAA,iE;MAAJ,4C;IAAA,C;;MAEE,sBAAQ,yB;IAAR,C;;MALe,4C;IAAA,C;;MAUd,uCAAQ,E;IAAR,C;;MAMIC,uBAAG,mBAAS,CAAT,IAAH,C;IAAA,C;;MAMA,OAAA,SAAK,OAAAL,GAAC,CAAd,I;IAAA,C;;MAMW,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAGB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAGB,C;IAC/B,C;;MAKuD,OCzPyC,oBDyP/B,KAAM,MCzPyB,EDyPIB,KAAAM,aAN,GAAqB,CAArB,ICzPkB,C;IDyPzC,C;;MAKc,qCAAY,KAAM,MAAIB,EAAyB,KAAM,aAN,GAAqB,CAArB,IAAZB,C;IAAA,C;;MAWM,2BAAy,KAAZ,EAAmB,GAAnB,C;IAAA,C;;MASjB,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAy,UAAZ,EAAwB,QAAxB,CAAKC,W;IAAIC,C;;MAK/B,OAAA,8BAAy,KAAM,MAAIB,EAAyB,KAAM,aAN,GAAqB,CAArB,IAAZB,CAAID,W;IAAJD,C;;MAMV,qC;QAAA,wBAAgC,S;MAC/E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GC/R4F,oBD+R/B,CC/R+B,ED+R5B,KC/R4B,C;IDgShG,C;;MAMqD,qC;QAAA,wBAAgC,S;MACjF,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GCxS4F,oBDwS/B,CCxS+B,EDwS5B,KCxS4B,C;IDyShG,C;;MAMkD,qC;QAAA,wBAAgC,S;MAC9E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GCjT4F,oBDiT/B,QAAQ,CAAR,ICjT+B,EDiTpB,gBCjToB,C;IDkThG,C;;MAMoD,qC;QAAA,wBAAgC,S;MACHF,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GC1T4F,oBD0T/B,QAAQ,SAAU,OAAIB,IC1T+B,ED0TL,gBC1TK,C;ID2ThG,C;;MAMuD,qC;QAAA,wBAAgC,S;MACnF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GCnU4F,oBDmU/B,CCnU+B,EDmU5B,KCnU4B,C;IDoUhG,C;;MAMyD,qC;QAAA,wBAAgC,S;MACrF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GC5U4F,oBD4U/B,CC5U+B,ED4U5B,KC5U4B,C;ID6UhG,C;;MAMsD,qC;QAAA,wBAAgC,S;MACIF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GCv4F,oBDqV/B,QAAQ,CAAR,ICrV+B,EDqVpB,gBCrVoB,C;IDsvHg,C;;MAMwD,qC;QAAA,wBAAgC,S;MACpF,YAAy,0BAAy,SAAZ,C;MACZ,OAAW,UAAZ,EAApB,GAAwB,qBAAxB,GC9V4F,oBD8V/B,QAAQ,SAAU,OAAIB,IC9V+B,ED8VL,gBC9VK,C;ID+VhG,C;;MASI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAAIB,C;MACV,SAAS,sB;MACT,EAAG,gBAAO,SAAP,EAAa,CAAb,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,gBAAvB,C;MACH,OAAO,E;IACX,C;yFAEA,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAAmC,WAAnc,CAAGD,W;MAAvE,C;KAPJ,C;;MAGBI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAN,GAAqB,CAArB,IAA1B,EAAkD,WAAID,C;IAAA,C;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAAPB,CAAiC,W;MAAxD,C;KAPJ,C;;MAkBI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAAIB,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,mBAAL,SAAK,EAAy,CAAZ,EAAe,gBAAf,C;MAEHb,SAAS,mBAAC,oBAAU,QAAV,GAAqB,UAArB,KAAd,C;MACT,EAAG,gBAAO,SAAP,EAAa,CAAb,EAAgB,UAAhB,C;MACH,EAAG,gBAAO,SAAP,EAAa,QAAb,EAAuB,gBAAvB,C;MACH,OAAO,E;IACX,C;uFAEA,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAy,UAAZ,EAAwB,QAAxB,CAAKC,W;MAAZD,C;KATJ,C;;MAGBqE,8BAAy,KAAM,MAAIB,EAAyB,KAAM,aAN,GAAqB,CAArB,IAAZB,C;IAAA,C;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAy,KAAZ,CAAmB,W;MAA1C,C;KAPJ,C;;MAcI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAy,MAAO,OAAAnB,EAA2B,gBAA3B,C;;MAEX,OAAO,8BAAy,CAAZ,EAAe,gBAAf,C;IACX,C;;MAOI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OChdyE,oBDgdxD,MAAO,OChdiD,C;;MDkd7E,OAAO,S;IACX,C;;MAOI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAy,CAAZ,EAAe,mBAAS,MAAO,OA AhB,IAAf,C;;MAEX,OAAO,8BAAy,CAAZ,EAAe,gBAAf,C;IACX,C;;MAOI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OCnewF,oBDmevE,CCneuE,EDmepE,mBAAS,MAAO,OA AhB,ICneoE,C;;MDqe5F,OAAO,S;IACX,C;;MAQI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OA AvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAy,MAAO,OA AnB,EAA2B,mBAAS,MAAO,OA AhB,IAA3B,C;;M

AEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;IACX,C;;MAQI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OA
AvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OC3fwF,oBD2fvE
,MAAO,OC3fgE,ED2fxD,mBAAS,MAAO,OAaHb,IC3fwD,C;;MD6f5F,OAAO,S;IACX,C;;MAOmF,oCAAKB,S
AAIB,EAA6B,SAA7B,C;IAAA,C;;MAOZ,sCAAKB,SAAIB,EAA6B,SAA7B,C;IAAA,C;;MAMD,qC;QAAA,wBA
AgC,S;MACIG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;
QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,
W;IACJ,C;;MAMwE,qC;QAAA,wBAAgC,S;MACpG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,E
AAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB,EAqKyC,CARkzC,EAqK4C,KArK5C,
EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;IACJ,C;;MAMqE,qC;QAAA,wBAAgC,S;MACjG,YAAy,sBAAQ,
SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,CAAR,I;QAAb,eA
AwB,gB;QA9K1E,U;QA8KM,OA9KgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EA8K4D,WA9K5D,CA
AgD,W;;MA8KvE,W;IACJ,C;;MAMuE,qC;QAAA,wBAAgC,S;MACnG,YAAy,sBAAQ,SAAR,C;MACL,Q;MA
AA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAvLz
F,U;QAUlM,OAvLgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAuL2E,WAvL3E,CAAgD,W;;MAuLvE,
W;IACJ,C;;MAM2E,qC;QAAA,wBAAgC,S;MACvG,YAAy,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EA
Ab,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAhMzF,U;QAgMM,OA
hMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAgM2E,WAhM3E,CAAgD,W;;MAGMvE,W;IACJ,C;;MA
MyE,qC;QAAA,wBAAgC,S;MACrG,YAAy,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,O
AAiB,qB;;QAA2B,iBAaA,QAAQ,CAAR,I;QAAb,eAAwB,gB;QAzM1E,U;QAYMM,OAzMgB,aAAtB,+DAAsB,E
AAa,UAAb,EAAYB,QAAzB,EAyM4D,WazM5D,CAAgD,W;;MAyMvE,W;IACJ,C;;MAM0E,qC;QAAA,wBAAg
C,S;MACtG,YAAy,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAINvB,U;Q
AkNM,OAInGb,aAAtB,+DAAsB,EAkNyC,CAInzC,EAkN4C,KAIN5C,EAkNmD,WAlNnD,CAAgD,W;;MAkNv
E,W;IACJ,C;;MAM4E,qC;QAAA,wBAAgC,S;MACxG,YAAy,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,
EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OA3NgB,aAAtB,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N
5C,EA2NmD,WA3NnD,CAAgD,W;;MA2NvE,W;IACJ,C;;MAcoF,OAAA,KAAM,iBAAQ,SAAR,EAAc,WAAd,
C;IAAN,C;+EAepF,yB;MkEtjBI,iE;MAAA,wC;MIesjB,8C;QAOU,yB;;UkEvjBF,YIEujBJ,KkEvjBgB,clEujBF,S
kEvjBE,C;UACZ,IAAI,aAAJ,C;YAAmB,wBIEsjBT,SkEtjBsB,W;YAAb,0B;;UAEnB,gBAAGB,C;UACHb,alEmjB
U,SkEnjBS,O;UACnB,SAAS,mBAAC,MAAd,C;;Yael,iBAaiB,oB;YACjB,EAAG,gBIE+iBG,SkE/iBH,EAAc,S
AAd,EAAYB,UAAW,MAAM,MAA1C,C;YACH,EAAG,gBIE8iBS,SkE9iBF,CAAU,UAAV,CAAP,C;YACH,YA
AY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAY,MAAZ,IAAsB,aAAtB,C
;UAET,IAAI,YAAy,MAAhB,C;YACI,EAAG,gBIEwiBG,SkExiBH,EAAc,SAAd,EAAYB,MAAZB,C;;UAGP,wB
AAO,EAAG,W;;QIEqiBd,4B;MAAA,C;KAPJ,C;;MAeyF,OAAA,KAAM,sBAaA,SAAb,EAAMb,WAAAnB,C;IAA
N,C;;MAOnB,OAAA,KAAM,iBAAQ,SAAR,C;IAAN,C;;MAOIE,IAAK,cAAc,CAAf,IAAsB,aAAa,CAAnC,IAA0
C,cAAa,SAAK,OAAL,GAAc,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,MAAf,IAAd,CAArF,C;Q
ACI,OAAO,K;;MAGX,iBAAC,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aAAa,KAAb,IAA
L,CAAYB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMc,UAAnc,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO
,I;IACX,C;;MAK+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAc,CAAd,IAA2B,SAAR,qBAAK,CA
AL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;IAA3B,C;;MAKyC,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OAAL,
GAAc,CAAd,IAAmC,SAAhB,qBAAK,0BAAL,CAAgB,EAAO,IAAP,EAAa,UAAb,C;IAAnC,C;;MAKqD,0B;QA
AA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAaf,IAAiC,0BAArC,C;QACI,OAAy,WAAL,SAAK,EAAW,
MAAX,C;;QAEZ,OAAO,6BAakB,CAAIb,EAAqB,MAArB,EAA6B,CAA7B,EAAGC,MAAO,OAAvC,EAA+C,U
AA/C,C;IACf,C;;MAK0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BAaf,IAAiC,0BAArC,C;QA
CI,OAAy,aAAL,SAAK,EAAW,MAAX,EAAMb,UAAAnB,C;;QAEZ,OAAO,6BAakB,UAAIB,EAA8B,MAA9B,E
AAsC,CAAtC,EAAYC,MAAO,OAaHd,EAAwD,UAAxD,C;IACf,C;;MAKuD,0B;QAAA,aAAsB,K;MACzE,IAAI
,CAAC,UAAD,IAAe,6BAaf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6BA
AkB,mBAAS,MAAO,OAaHb,IAAIB,EAA0C,MAA1C,EAakD,CAAIb,EAAqD,MAAO,OAA5D,EAAoE,UAAp
E,C;IACf,C;;MAY8D,0B;QAAA,aAAsB,K;MAChF,qBzhkBO,MAAK,KYgkBe,SAAK,OzhkBPB,EYgkB4B,KA
AM,OzhkBIC,C;MYkkBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAAK,CAAL,CAAQ,EAAO,iB

AAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAM,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAM,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;;MAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAf,CAAkB,W;IAC7B,C;;MAS8D,0B;QAAA,aAAsB,K;MAChF,iBAAiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBZtIBo,MAAK,KYsIbE,UZtIbF,EYsIb2B,WZtIb3B,C;MYwIbZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAZB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAAyB,EAAO,iBAAM,cAAc,CAAd,GAakB,CAAIB,IAAN,CAAP,EAAGD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAM,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAM,cAAc,CAAd,GAakB,CAAIB,IAAnB,CAAZD,C;QACI,a;;MAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC,W;IACnD,C;;MAaqD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAkC,6BAATC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OChwBwF,kBqExBE,oBtEwxBrE,IsExxBqE,CrEwBF,EDgwB7D,UChwB6D,C;;MDmwBnE,uBAAX,UAAW,EAAC,CAAd,C;MAAkB,mC;MAA3C,gD;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;UxBolRE,U;UAAhB,4BwBplRQ,KxBolRR,kB;YAAgB,cAAhB,UwBplRQ,KxBolRR,S;YAAsB,IwBplRC,SAAH,UxBolRgB,oBwBplRhB,CAAG,0BxBolRD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;QwBrlRH,e;UACI,OAAO,K;;MAEf,OAAO,E;IACX,C;;MAWYD,0B;QAAA,aAAkB,0B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OCpxB4F,sBqExBM,oBtE4yBzE,IsE5yByE,CrEwBN,EDoxB7D,UCpxB6D,C;;MDwxBhG,iBAAYB,eAAX,UAAW,EAAa,0BAAb,CAAzB,WAAwD,CAAxD,U;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;UxB4jRE,Q;UAAhB,wBwB5jRQ,KxB4jRR,gB;YAAgB,cAAhB,UwB5jRQ,KxB4jRR,O;YAAsB,IwB5jRC,SAAH,UxB4jRgB,oBwB5jRhB,CAAG,0BxB4jRD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;QwB7jRH,e;UACI,OAAO,K;;MAGf,OAAO,E;IACX,C;;MAG2G,oB;QAAA,OAAGB,K;MAOrG,UAKA,M;MAXIB,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAAsC,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,0BAAb,CAAX,EAAMD,gBAAT,QAAS,EAAC,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAc,cAAc,C;UAAc,uB;UACV,IAAU,cAAN,KAAAM,EAAC,CAAd,EAaiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,EAA4C,UAA5C,CAAV,C;YACI,OAAO,K;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAakB,CAAIB,EAaqB,SAAR,B,EA2B,OAA3B,EAakC,KAAM,OAAxC,EAAGD,UAAhD,CAAV,C;YACI,OAAO,O;;MAGnB,OAAO,E;IACX,C;;MAYsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAGB,CAAnC,C;QACI,aAAqB,UAAAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAGB,UAAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAYB,UAAAS,MAAT,C;;MAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,0BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;QACkB,yB;QAAd,OAAc,cAAc,C;UAAc,yB;UACmB,sB;;YTnoBrB,U;YAAA,SSmoBa,OTnoBb,W;YAAhB,OAAGB,gBAAhB,C;cAAGB,2B;cAAM,ISmoBgC,cTnoBIB,OSmoBkB,EAAC,CAAd,sBTnoBIB,OSmoBmD,OAAjC,aTnoBhC,C;gBAAwB,qBAAO,O;gBAAP,uB;;YAC9C,qBAAO,I;;USkoBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACmB,wB;;YTzoBrB,U;YAAA,SSyoBa,OTzoBb,W;YAAhB,OAAGB,gBAAhB,C;cAAGB,6B;cAAM,ISyoBgC,kBTzoBIB,SSyoBkB,EAakB,CAAIB,sBTzoBIB,SSyoBuD,OAArC,aTzoBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;USwoBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,YAAS,gBAAT,C;;MAInB,OAAO,I;IACX,C;;MAC+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4BAAU,OAAV,EAAM,UAAnB,EAA+B,UAA/B,EAakD,KAAID,C;IAAA,C;;MAC+D,0B;QAAA,aAAkB,0B;MAAW,0B;QAAA,aAAsB,K;MACIH,4BAAU,OAAV,EAAM,UAAnB,EAA+B,UAA/B,EAakD,IAAID,C;IAAA,C;;MAa4D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CAAU,OAAV,EAAM,UAAnB,EAA+B,UAA/B,EAakD,IAAID,mDAaKE,E;IAAIE,C;;MAWwC,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GCx5B4F,kBqExBE,oBtEm7B5E,IsEn7B4E,CrEwBF,ED25BpE,UC35BoE,C;ID45BhG,C;;MASgD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,Gct6B4F,kBDy6B1E,MCz6B0E,EDy6B1E,UCz6BkE,C;ID06BhG,C;;MAUGD,0B;QAAA,aAAkB,0B;MAAW,0B;QAA

A,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BA Ae,mBAAY,IAAZ,CAAf,EAakC,UAAIC,EAA8C,UAA9
C,CADJ,GCI7BgG,sBqExBM,oBtE68BhF,IsE78BgF,CrEwBN,EDq7BpE,UCr7BoE,C;IDs7BpG,C;;MAUoD,0B;Q
AAA,aAAkB,0B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAGB,U
AAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAakD,IAAID,CADJ,GcJ8BgG,sBDo8B1E,MCp8B0E,EDo8B1E,UCp8
BkE,C;IDq8BpG,C;;MAQ+D,0B;QAAA,aAAsB,K;MACJF,OAAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B
,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAakB,gBAAlB,EAA0B,UAA1B,KAAYC,C;IAH7C,C;;MA
akD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B,UAA3B,KAA0C,C;IAA1C,C;;MAMsE,OAAA,KAAM
,yBAAgB,SAAhB,C;IAAN,C;;MAOtE,oB;MACA,8B;MACA,oB;MACA,kC;IAJiC,C;;MAOa,gE;MAC1C,iBAAq
B,E;MACrB,yBAAwC,WAAx,yCAAW,EAAS,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,
gBAA0B,I;MAC1B,eAAmB,C;IALuB,C;;MAQtC,IAAI,uBAAkB,CAAtB,C;QACI,iBAAy,C;QACZ,gBAAW,I;;
QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,yCAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAA
yB,gBAAN,yCAAM,CAAzB,C;UACX,uBAAkB,E;;;UAElB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,I
AAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB,gBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;;;YAEIB,IAAK,QA
AiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;YACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR
,I;YAcPb,uBAAkB,0BAAwB,WAAU,CAAd,GAAiB,CAAJB,GAAwB,CAA5C,K;;;QAG1B,iBAAy,C;;IAEpB,C;
;MAOiB,Q;MAJb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAJB,C;QACI,MAAM,6B;MACV,aA
Aa,mE;MAEb,gBAAW,I;MACX,iBAAy,E;MACZ,OAAO,M;IACX,C;;MAGI,IAAI,mBAAa,EAAjB,C;QACI,iB;
MACJ,OAAO,mBAAa,C;IACxB,C;;MA/C0C,+D;IAAA,C;;MAGeU,wC;Qbj/BjD,Sak/BH,sBAAW,kBAAX,EA
AuB,UAAvB,EAGd,kBAAhD,C;QAAA,OAAsE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;MADp
C,C;IAAA,C;;MAHM,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MjB9iC7H,
IAAI,EiB+iCI,SAAS,CjB/iCb,CAAJ,C;QACI,ciB8iCkB,oD;QjB7iCIB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiB+
iCV,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;IAGX,C;;MAqB4D,wC;QA
AgB,Q;QAAA,oCAAU,sBAAV,EAA0B,UAA1B,EAAMd,kBAANd,EAAsE,KAAtE,aAAoF,GAAG,UAAH,EAA
e,WAAO,OAAtB,CAApF,O;MAAhB,C;IAAA,C;;MAJc,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAA
O,qB;QAAA,QAAa,C;MjBrkCrI,IAAI,EiBskCI,SAAS,CjBtkCb,CAAJ,C;QACI,ciBqkCb,oD;QjBpkCIB,MAAM,
gCAAyB,OAAQ,WAAjC,C;;MiBqkCV,qBAAGC,OAAX,UAAW,C;MAEHc,OAAO,4BAAwB,SAAXB,EAA8B,U
AA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;IAEX,C;;MAiB8E,qB;QAAE,yCAAU,EAAY,C;MAAF,C;IAAA,C;;M
ADX,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAsE,OAAtE,+BAakB,UAAIB,UAA2C,UAA
3C,EAA+D,KAA/D,CAAsE,EAAI,iCAAJ,C;IAAtE,C;;MAaqD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;
MAC/F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,gBAAgB,WAAW,CAAX,C;QACHB,IAAI,EAAC,SA16B
uC,YAAU,CA06BID,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;;MAI2E,kBAA
b,cAAE,+BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MT6CtE,kBAAM,iBAAa,qCAAwB,EAA
xB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WSnHgF,uBTmHIE,ISnHkE,
CTmHhF,C;;MSnHhB,OToHO,W;ISnHX,C;;MAU8E,qB;QAAE,yCAAU,EAAY,C;MAAF,C;IAAA,C;;MADb,0B;
QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAsE,OAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EAA+
D,KAA/D,CAAsE,EAAI,mCAAJ,C;IAAtE,C;;MASmD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7F
,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAApB,EAAG
C,UAAhC,EAA4C,KAA5C,C;;MAG+E,kBAAb,cAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAA
sE,C;MTToBtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,s
B;QACT,WAAy,WS1FgF,uBT0FIE,IS1FkE,CT0FhF,C;;MS1FhB,OT2FO,W;IS1FX,C;;MjB3oCI,IAAI,EiBspCI,S
AAS,CjBtpCb,CAAJ,C;QACI,ciBqpCb,oD;QjBppCIB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiBspCV,oBAAoB,
C;MACpB,gBAAgB,sBAAQ,SAAR,EAAMb,aAAnB,EAakC,UAAIC,C;MACHB,IAAI,cAAa,EAAb,IAAMb,UA
AS,CAAhC,C;QACI,OAAO,OAAO,SAAK,WAAZ,C;;MAGX,gBAAgB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,
GAAqB,eAAN,KAAM,EAAa,EAAb,CAArB,GAA2C,EAA7D,C;;QAET,MAAO,WAj4B6E,8BAi4B/D,aAj4B+D,
EAi4BhD,SAj4BgD,CAAkC,Wai4B/G,C;QACP,gBAAgB,YAAy,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,K
AAP,MAAE,QAAQ,CAAR,IAAf,CAAJB,C;UAA2C,K;QAC3C,YAAy,sBAAQ,SAAR,EAAMb,aAAnB,EAakC,
UAAIC,C;;MACP,sBAAa,EAAb,C;MAET,MAAO,Wax4BiF,8BAw4BnE,aAx4BmE,EAw4BpD,gBAx4BoD,CA
AkC,Waw4BnH,C;MACP,OAAO,M;IACX,C;;MASmD,qB;QAAA,QAAa,C;MAAMb,OAAA,KAAM,eAAM,SA

1.50.1 Available under license :

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
Licenses for included components:

org.ow2.asm:asm

org.ow2.asm:asm-analysis

org.ow2.asm:asm-commons

org.ow2.asm:asm-tree

org.ow2.asm:asm-util

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

rzwitserloot/com.zwitsersloot.cmdreader

Copyright 2010 Reinier Zwitsersloot.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

rzwitserloot/lombok.patcher

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.51 metrics-core 3.2.5

1.51.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*

* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/Striped64.java?revision=1.8&view=markup>

*/

Found in path(s):

* /opt/cola/permits/1130187397_1612482190.99/0/metrics-core-3-2-5-sources-1-

jar/com/codahale/metrics/Striped64.java

No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*

* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/LongAdder.java?revision=1.14&view=markup>

*/

Found in path(s):

* /opt/cola/permits/1130187397_1612482190.99/0/metrics-core-3-2-5-sources-1-

jar/com/codahale/metrics/LongAdder.java

No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*

* <http://gee.cs.oswego.edu/cgi->

bin/viewcvs.cgi/jsr166/src/main/java/util/concurrent/ThreadLocalRandom.java?view=markup

*/

Found in path(s):

* /opt/cola/permits/1130187397_1612482190.99/0/metrics-core-3-2-5-sources-1-jar/com/codahale/metrics/ThreadLocalRandom.java

1.52 apache-ant 1.10.12

1.52.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

/*

* Apache License
* Version 2.0, January 2004
* <http://www.apache.org/licenses/>

/*

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

/*

* 1. Definitions.

/*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

/*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

/*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.

/*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.

/*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation

* source, and configuration files.

*
 * "Object" form shall mean any form resulting from mechanical
 * transformation or translation of a Source form, including but
 * not limited to compiled object code, generated documentation,
 * and conversions to other media types.

*
 * "Work" shall mean the work of authorship, whether in Source or
 * Object form, made available under the License, as indicated by a
 * copyright notice that is included in or attached to the work
 * (an example is provided in the Appendix below).

*
 * "Derivative Works" shall mean any work, whether in Source or Object
 * form, that is based on (or derived from) the Work and for which the
 * editorial revisions, annotations, elaborations, or other modifications
 * represent, as a whole, an original work of authorship. For the purposes
 * of this License, Derivative Works shall not include works that remain
 * separable from, or merely link (or bind by name) to the interfaces of,
 * the Work and Derivative Works thereof.

*
 * "Contribution" shall mean any work of authorship, including
 * the original version of the Work and any modifications or additions
 * to that Work or Derivative Works thereof, that is intentionally
 * submitted to Licensor for inclusion in the Work by the copyright owner
 * or by an individual or Legal Entity authorized to submit on behalf of
 * the copyright owner. For the purposes of this definition, "submitted"
 * means any form of electronic, verbal, or written communication sent
 * to the Licensor or its representatives, including but not limited to
 * communication on electronic mailing lists, source code control systems,
 * and issue tracking systems that are managed by, or on behalf of, the
 * Licensor for the purpose of discussing and improving the Work, but
 * excluding communication that is conspicuously marked or otherwise
 * designated in writing by the copyright owner as "Not a Contribution."

*
 * "Contributor" shall mean Licensor and any individual or Legal Entity
 * on behalf of whom a Contribution has been received by Licensor and
 * subsequently incorporated within the Work.

*
 * 2. Grant of Copyright License. Subject to the terms and conditions of
 * this License, each Contributor hereby grants to You a perpetual,
 * worldwide, non-exclusive, no-charge, royalty-free, irrevocable
 * copyright license to reproduce, prepare Derivative Works of,
 * publicly display, publicly perform, sublicense, and distribute the
 * Work and such Derivative Works in Source or Object form.

*
 * 3. Grant of Patent License. Subject to the terms and conditions of
 * this License, each Contributor hereby grants to You a perpetual,
 * worldwide, non-exclusive, no-charge, royalty-free, irrevocable

* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and

* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and

* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and

* (d) If the Work includes a "NOTICE" text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that such additional attribution notices cannot be construed
* as modifying the License.

* You may add Your own copyright statement to Your modifications and

* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.

*
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.

*
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.

*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

*
* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,

- * defend, and hold each Contributor harmless for any liability
- * incurred by, or claims asserted against, such Contributor by reason
- * of your accepting any such warranty or additional liability.

*

* END OF TERMS AND CONDITIONS

*

* APPENDIX: How to apply the Apache License to your work.

*

- * To apply the Apache License to your work, attach the following
- * boilerplate notice, with the fields enclosed by brackets "[]"
- * replaced with your own identifying information. (Don't include
- * the brackets!) The text should be enclosed in the appropriate
- * comment syntax for the file format. We also recommend that a
- * file or class name and description of purpose be included on the
- * same "printed page" as the copyright notice for easier
- * identification within third-party archives.

*

* Copyright [yyyy] [name of copyright owner]

*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any

purpose.

David Megginson, david@megginson.com

2000-05-05

1.53 pact-jvm-pact-broker 3.5.25

1.53.1 Available under license :

Apache-2.0

1.54 apache-commons-text 1.10.0

1.54.1 Available under license :

Apache Commons Text

Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.55 jacoco 0.8.7

1.55.1 Available under license :

Found license 'Eclipse Public License 1.0' in 'This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at'

Found license 'Eclipse Public License 1.0' in 'under the terms and conditions of the Eclipse Public License Version 2.0'

1.56 jakarta-mail 1.5.0-b01

1.56.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on

the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives

a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE

PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.57 jaxen 1.1.6

1.57.1 Available under license :

/*

\$Id: LICENSE.txt 1128 2006-02-05 21:49:04Z elharo \$

Copyright 2003-2006 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

1.58 qdox 1.12.1

1.58.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1017018468_1656719180.3045647/0/qdox-1-12-1-jar/META-INF/maven/com.thoughtworks.qdox/qdox/pom.xml

1.59 logback-access-module 1.2.11

1.59.1 Available under license :

No license file was found, but licenses were detected in source scan.

Logback: the reliable, generic, fast and flexible logging framework.

Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

See <http://logback.qos.ch/license.html> for the applicable licensing

conditions.

This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender

#

It is intended for IBM DB2 databases.

#

WARNING WARNING WARNING WARNING

=====

This SQL script has not been tested on an actual DB2

instance. It may contain errors or even invalid SQL

statements.

```
DROP TABLE access_event_header;
```

```
DROP TABLE access_event;
```

```
CREATE TABLE access_event
```

```
(
```

```
  timestmp      BIGINT NOT NULL,
```

```
  requestURI    VARCHAR(254),
```

```
  requestURL    VARCHAR(254),
```

```
  remoteHost    VARCHAR(254),
```

```
  remoteUser    VARCHAR(254),
```

```
  remoteAddr    VARCHAR(254),
```

```
  protocol      VARCHAR(254),
```

```
  method        VARCHAR(254),
```

```
  serverName    VARCHAR(254),
```

```
  postContent   VARCHAR(254),
```

```
  event_id      INTEGER GENERATED ALWAYS AS IDENTITY (START WITH 1)
```

```
);
```

```
CREATE TABLE access_event_header
```

```
(
```

```
  event_id      INTEGER NOT NULL,
```

```
  header_key    VARCHAR(254) NOT NULL,
```

```
  header_value  VARCHAR(1024),
```

```
  PRIMARY KEY(event_id, header_key),
```

```
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
```

```
);
```

Found in path(s):

* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-jar/ch/qos/logback/access/db/script/db2.sql

No license file was found, but licenses were detected in source scan.

Logback: the reliable, generic, fast and flexible logging framework.

Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

See <http://logback.qos.ch/license.html> for the applicable licensing

conditions.

This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender

#

It is intended for HSQL databases.

DROP TABLE access_event_header IF EXISTS;

DROP TABLE access_event IF EXISTS;

```
CREATE TABLE access_event (  
  timestmp BIGINT NOT NULL,  
  requestURI VARCHAR(254),  
  requestURL VARCHAR(254),  
  remoteHost VARCHAR(254),  
  remoteUser VARCHAR(254),  
  remoteAddr VARCHAR(254),  
  protocol VARCHAR(254),  
  method VARCHAR(254),  
  serverName VARCHAR(254),  
  postContent VARCHAR(254),  
  event_id BIGINT NOT NULL IDENTITY);
```

```
CREATE TABLE access_event_header (  
  event_id BIGINT NOT NULL,  
  header_key VARCHAR(254) NOT NULL,  
  header_value LONGVARCHAR,  
  PRIMARY KEY(event_id, header_key),  
  FOREIGN KEY (event_id) REFERENCES access_event(event_id));
```

Found in path(s):

* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-jar/ch/qos/logback/access/db/script/hsqldb.sql

No license file was found, but licenses were detected in source scan.

Logback: the reliable, generic, fast and flexible logging framework.

Copyright (C) 1999-2010, QOS.ch. All rights reserved.

```
#
# See http://logback.qos.ch/license.html for the applicable licensing
# conditions.

# This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender.
#
# It is intended for MySQL databases. It has been tested on MySQL 5.5.31 with
# INNODB tables.
```

```
BEGIN;
DROP TABLE IF EXISTS access_event_header;
DROP TABLE IF EXISTS access_event;
COMMIT;

BEGIN;
CREATE TABLE access_event
(
  timestmp      BIGINT NOT NULL,
  requestURI    VARCHAR(254),
  requestURL    VARCHAR(254),
  remoteHost    VARCHAR(254),
  remoteUser    VARCHAR(254),
  remoteAddr    VARCHAR(254),
  protocol      VARCHAR(254),
  method        VARCHAR(254),
  serverName    VARCHAR(254),
  postContent   VARCHAR(254),
  event_id      BIGINT NOT NULL AUTO_INCREMENT PRIMARY KEY
);
COMMIT;
```

```
BEGIN;
CREATE TABLE access_event_header
(
  event_id      BIGINT NOT NULL,
  header_key    VARCHAR(254) NOT NULL,
  header_value  VARCHAR(1024),
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);
COMMIT;
```

Found in path(s):

```
* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-
jar/ch/qos/logback/access/db/script/mysql.sql
```

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
--
-- See http://logback.qos.ch/license.html for the applicable licensing
-- conditions.

-- This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender
--
-- It is intended for Oracle databases.
```

```
CREATE SEQUENCE access_event_id_seq MINVALUE 1 START WITH 1;
```

```
CREATE TABLE access_event
(
  timestmp      NUMBER(20) NOT NULL,
  requestURI    VARCHAR(254),
  requestURL    VARCHAR(254),
  remoteHost    VARCHAR(254),
  remoteUser    VARCHAR(254),
  remoteAddr    VARCHAR(254),
  protocol      VARCHAR(254),
  method        VARCHAR(254),
  serverName    VARCHAR(254),
  postContent   VARCHAR(254),
  event_id      NUMBER(20) PRIMARY KEY
);
```

```
-- the / suffix may or may not be needed depending on your SQL Client
-- Some SQL Clients, e.g. Squirrel SQL has trouble with the following
-- trigger creation command, while SQLPlus (the basic SQL Client which
-- ships with Oracle) has no trouble at all.
```

```
CREATE TRIGGER access_event_id_seq_trig
BEFORE INSERT ON access_event
FOR EACH ROW
BEGIN
  SELECT access_event_id_seq.NEXTVAL
  INTO   :NEW.event_id
  FROM   DUAL;
END access_event_id_seq_trig;
/
```

```
CREATE TABLE access_event_header
(
  event_id      NUMBER(20) NOT NULL,
  header_key    VARCHAR2(254) NOT NULL,
```

```
header_value  VARCHAR2(1024),
PRIMARY KEY(event_id, header_key),
FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);
```

Found in path(s):

```
* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-
jar/ch/qos/logback/access/db/script/oracle.sql
```

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
```

```
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
--
```

```
-- See http://logback.qos.ch/license.html for the applicable licensing
```

```
-- conditions.
```

```
-- This SQL script creates the required tables by ch.qos.logback.access.db.DBAppender
```

```
--
```

```
DROP TABLE access_event_header
```

```
DROP TABLE access_event
```

```
CREATE TABLE access_event
```

```
(
  timestmp      BIGINT NOT NULL,
  requestURI    VARCHAR(254),
  requestURL    VARCHAR(254),
  remoteHost    VARCHAR(254),
  remoteUser    VARCHAR(254),
  remoteAddr    VARCHAR(254),
  protocol      VARCHAR(254),
  method        VARCHAR(254),
  serverName    VARCHAR(254),
  postContent   VARCHAR(254),
  event_id      INT NOT NULL identity,
  PRIMARY KEY(event_id)
)
```

```
CREATE TABLE access_event_header
```

```
(
  event_id      INT NOT NULL,
  header_key    VARCHAR(254) NOT NULL,
  header_value  VARCHAR(1024),
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
)
```

Found in path(s):

* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-jar/ch/qos/logback/access/db/script/msSQLServer.sql

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: logback-access module

Bundle-License: <http://www.eclipse.org/legal/epl-v10.html>, <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Bundle-SymbolicName: ch.qos.logback.access

Bundle-ManifestVersion: 2

Bundle-RequiredExecutionEnvironment: JavaSE-1.6

Bundle-DocURL: <http://www.qos.ch>

Bundle-Vendor: QOS.ch

Import-Package: javax.servlet;version="2.5";resolution:=optional,javax.servlet.http;version="2.5";resolution:=optional,javax.management;resolution:=optional,org.apache.catalina;version="8.5.9";resolution:=optional,org.apache.catalina.connector;version="8.5.9";resolution:=optional,org.apache.catalina.valves;version="8.5.9";resolution:=optional,org.eclipse.jetty.http;version="8.2.0.v20160908";resolution:=optional,org.eclipse.jetty.server;version="8.2.0.v20160908";resolution:=optional,org.eclipse.jetty.util.component;version="8.2.0.v20160908";resolution:=optional,ch.qos.logback.access;version="[1.2,2)",ch.qos.logback.access.boolex;version="[1.2,2)",ch.qos.logback.access.joran;version="[1.2,2)",ch.qos.logback.access.joran.action;version="[1.2,2)",ch.qos.logback.access.net;version="[1.2,2)",ch.qos.logback.access.pattern;version="[1.2,2)",ch.qos.logback.access.servlet;version="[1.2,2)",ch.qos.logback.access.sift;version="[1.2,2)",ch.qos.logback.access.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",ch.qos.logback.core.boolex;version="[1.2,2)",ch.qos.logback.core.filter;version="[1.2,2)",ch.qos.logback.core.helpers;version="[1.2,2)",ch.qos.logback.core.html;version="[1.2,2)",ch.qos.logback.core.joran;version="[1.2,2)",ch.qos.logback.core.joran.action;version="[1.2,2)",ch.qos.logback.core.joran.conditional;version="[1.2,2)",ch.qos.logback.core.joran.event;version="[1.2,2)",ch.qos.logback.core.joran.spi;version="[1.2,2)",ch.qos.logback.core.net;version="[1.2,2)",ch.qos.logback.core.net.server;version="[1.2,2)",ch.qos.logback.core.net.ssl;version="[1.2,2)",ch.qos.logback.core.pattern;version="[1.2,2)",ch.qos.logback.core.pattern.color;version="[1.2,2)",ch.qos.logback.core.pattern.parser;version="[1.2,2)",ch.qos.logback.core.sift;version="[1.2,2)",ch.qos.logback.core.spi;version="[1.2,2)",ch.qos.logback.core.status;version="[1.2,2)",ch.qos.logback.core.util;version="[1.2,2)",org.apache.coyote;resolution:=optional,org.xml.sax,ch.qos.logback.core.rolling;version="[1.2,2)",ch.qos.logback.core.rolling.helper;version="[1.2,2)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-5.1.1.202006162103

Originally-Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: ch.qos.logback.access;version="1.2.11";uses:="ch.qos.logback.access.spi,ch.qos.logback.core.pattern,ch.qos.logback.core.sta

tus,javax.servlet.http",ch.qos.logback.access.boolex;version="1.2.11"
;uses:="ch.qos.logback.access.spi,ch.qos.logback.core.boolex",ch.qos.
logback.access.db.script;version="1.2.11",ch.qos.logback.access.filte
r;version="1.2.11";uses:="ch.qos.logback.core.filter,ch.qos.logback.c
ore.spi",ch.qos.logback.access.html;version="1.2.11";uses:="ch.qos.lo
gback.access.spi,ch.qos.logback.core.html",ch.qos.logback.access.jett
y;version="1.2.11";uses:="ch.qos.logback.access.spi,ch.qos.logback.co
re,ch.qos.logback.core.filter,ch.qos.logback.core.spi,org.eclipse.jet
ty.server,org.eclipse.jetty.util.component",ch.qos.logback.access.jor
an;version="1.2.11";uses:="ch.qos.logback.access.spi,ch.qos.logback.c
ore.joran,ch.qos.logback.core.joran.spi",ch.qos.logback.access.joran.
action;version="1.2.11";uses:="ch.qos.logback.core.joran.action,ch.qo
s.logback.core.joran.spi,org.xml.sax",ch.qos.logback.access.net;versi
on="1.2.11";uses:="ch.qos.logback.access,ch.qos.logback.access.spi,ch
.qos.logback.core,ch.qos.logback.core.boolex,ch.qos.logback.core.help
ers,ch.qos.logback.core.net,ch.qos.logback.core.pattern,ch.qos.logbac
k.core.spi",ch.qos.logback.access.net.server;version="1.2.11";uses:=""
ch.qos.logback.access.spi,ch.qos.logback.core.net.server,ch.qos.logba
ck.core.spi",ch.qos.logback.access.pattern;version="1.2.11";uses:="ch
.qos.logback.access.spi,ch.qos.logback.core,ch.qos.logback.core.patte
rn,ch.qos.logback.core.spi,ch.qos.logback.core.status",ch.qos.logback
.access.servlet;version="1.2.11";uses:="javax.servlet,javax.servlet.h
ttp",ch.qos.logback.access.sift;version="1.2.11";uses:="ch.qos.logbac
k.access.spi,ch.qos.logback.core,ch.qos.logback.core.joran.action,ch.
qos.logback.core.joran.event,ch.qos.logback.core.joran.spi,ch.qos.log
back.core.sift,org.xml.sax",ch.qos.logback.access.spi;version="1.2.11
";uses:="ch.qos.logback.core,ch.qos.logback.core.filter,ch.qos.logbac
k.core.spi,javax.servlet.http",ch.qos.logback.access.tomcat;version=""
1.2.11";uses:="ch.qos.logback.access.spi,ch.qos.logback.core,ch.qos.l
ogback.core.filter,ch.qos.logback.core.spi,ch.qos.logback.core.status
.javax.servlet,org.apache.catalina,org.apache.catalina.connector,org.
apache.catalina.valves"

Bundle-Name: Logback Access Module

Bundle-Version: 1.2.11

Build-Jdk-Spec: 1.8

Created-By: Apache Maven Bundle Plugin 5.1.4

Found in path(s):

* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

Logback: the reliable, generic, fast and flexible logging framework.

Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

See <http://logback.qos.ch/license.html> for the applicable licensing

conditions.

This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender

```

#
# It is intended for PostgreSQL databases.

DROP TABLE access_event_exception;
DROP SEQUENCE access_event_id_seq;
DROP TABLE access_event;

CREATE SEQUENCE access_event_id_seq MINVALUE 1 START 1;

CREATE TABLE access_event
(
  timestmp      BIGINT NOT NULL,
  requestURI    VARCHAR(254),
  requestURL    VARCHAR(254),
  remoteHost    VARCHAR(254),
  remoteUser    VARCHAR(254),
  remoteAddr    VARCHAR(254),
  protocol      VARCHAR(254),
  method        VARCHAR(254),
  serverName    VARCHAR(254),
  postContent   VARCHAR(254),
  event_id      BIGINT DEFAULT nextval('access_event_id_seq') PRIMARY KEY
);

CREATE TABLE access_event_header
(
  event_id      BIGINT NOT NULL,
  header_key    VARCHAR(254) NOT NULL,
  header_value  VARCHAR(1024),
  PRIMARY KEY(event_id, header_key),
  FOREIGN KEY (event_id) REFERENCES access_event(event_id)
);

```

Found in path(s):

```

* /opt/cola/permits/1337070156_1654208172.7145326/0/logback-access-1-2-11-
jar/ch/qos/logback/access/db/script/postgresql.sql

```

1.60 argparse 0.8.1

1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2011 Tatsuhiro Tsujikawa
*
* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation

```

* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentType.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentParser.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/CJKTextWidthCounter.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/HelpArgumentAction.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/PrefixPattern.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/TextWidthCounter.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/UnrecognizedArgumentException.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/annotation/Arg.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentParserException.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreConstArgumentAction.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentAction.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/Arguments.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentGroup.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Subparsers.java

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/ReflectHelper.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/UnrecognizedCommandException.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreArgumentAction.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Namespace.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/choice/CollectionArgumentChoice.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/ArgumentParsers.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentParserImpl.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreFalseArgumentAction.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/AppendConstArgumentAction.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentGroupImpl.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Argument.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentChoice.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/FeatureControl.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/choice/RangeArgumentChoice.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/SubparsersImpl.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/SubparserImpl.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Subparser.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/StringArgumentType.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/AppendArgumentAction.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/ASCIITextWidthCounter.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/FileVerification.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/TextHelper.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumArgumentType.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreTrueArgumentAction.java

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/ConstructorArgumentType.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ParseState.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentImpl.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/VersionArgumentAction.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Andrew January

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumStringArgumentType.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumNameArgumentType.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumStringArgumentType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Tatsuhiro Tsujikawa

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation

* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/BooleanArgumentType.java
* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/MetavarInference.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/FileArgumentType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Adam Parkin

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/HelpScreenException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Tatsuhiro Tsujikawa

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/CountArgumentAction.java

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/ReflectArgumentType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 Tatsuhiro Tsujikawa

*

* Permission is hereby granted, free of charge, to any person

* obtaining a copy of this software and associated documentation

* files (the "Software"), to deal in the Software without

* restriction, including without limitation the rights to use, copy,

* modify, merge, publish, distribute, sublicense, and/or sell copies

* of the Software, and to permit persons to whom the Software is

* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be

* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS

* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN

* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/MutuallyExclusiveGroup.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more

* contributor license agreements. See the NOTICE file distributed with

* this work for additional information regarding copyright ownership.

* The ASF licenses this file to You under the Apache License, Version 2.0

* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1274701436_1645235201.06/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/TerminalWidth.java

1.61 dropwizard-jersey-support 2.0.29

1.61.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.62 javabeans-activation-framework-api 1.2.2

1.62.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[subs="normal"]

....

Specification: {doctitle}

Version: {revnumber}

ifeval::["{revremark}" != ""]

Status: {revremark}

endif::[]

ifeval::["{revremark}" == ""]

Status: Final Release

endif::[]

Release: {revdate}

....

Copyright (c) 2019 Eclipse Foundation.

=== Eclipse Foundation Specification License

By using and/or copying this document, or the Eclipse Foundation document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the Eclipse Foundation document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby

granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

- * link or URL to the original Eclipse Foundation document.
- * All existing copyright notices, or if one does not exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (c) [\$date-of-document] Eclipse Foundation, Inc. <<url to this license>>"

Inclusion of the full text of this NOTICE must be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of Eclipse Foundation documents is granted pursuant to this license, except anyone may prepare and distribute derivative works and portions of this document in software that implements the specification, in supporting materials accompanying such software, and in documentation of such software, PROVIDED that all such works include the notice below. HOWEVER, the publication of derivative works of this document for use as a technical specification is expressly prohibited.

The notice is:

"Copyright (c) 2018 Eclipse Foundation. This software or document includes material copied from or derived from [title and URI of the Eclipse Foundation specification document]."

==== Disclaimers

THIS DOCUMENT IS PROVIDED "AS IS," AND THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of the copyright holders or the Eclipse Foundation may NOT be used in advertising or publicity pertaining to

this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jaf>

Third-party Content

This project leverages the following third party content.

JUnit (4.12)

* License: Eclipse Public License

1.63 google-guava v30.0

1.63.1 Available under license :

Doug Lea

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.64 kotlin-logging 1.4.4

1.64.1 Available under license :

Apache-2.0

1.65 jersey-ext-bean-validation 2.35

1.65.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

- * License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://angularjs.org>
- * Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- * License: all the source code provided by AOP Alliance is Public Domain.
- * Project: <http://aopalliance.sourceforge.net>
- * Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- * License: Apache License, 2.0
- * Project: <http://beanvalidation.org/1.1/>
- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>
- * Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities

with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term

"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access

to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If you do not wish to do so, delete this exception statement

from your version.

Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

1.66 jakarta-ws-rs-api 2.1.6

1.66.1 Available under license :

Notices for the Jakarta RESTful Web Services Project

This content is produced and maintained by the ****Jakarta RESTful Web Services**** project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

Trademarks

Jakarta RESTful Web Services is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jaxrs-api>

Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

* License: Apache-2.0 AND W3C

JUnit (4.11)

* License: Common Public License 1.0

Mockito (2.16.0)

* Project: <http://site.mockito.org>

* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that

results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby

assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to

pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's

rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part

thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.67 scala-java8-compat_2.12 0.8.0

1.67.1 Available under license :

Copyright <YEAR> <COPYRIGHT HOLDER>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN

1.68 netty-codec-smtp 4.1.78.Final

1.68.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SntpRequests.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SntpContent.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SntpRequest.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SntpRequestEncoder.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/LastSntpContent.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultSntpContent.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SntpResponseDecoder.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultLastSntpContent.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultSntpResponse.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/DefaultSntpRequest.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SntpCommand.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
```

```
jar/io/netty/handler/codec/smtp/package-info.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtResponse.java
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-
jar/io/netty/handler/codec/smtp/SmtUtils.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

```
Found in path(s):
* /opt/cola/permits/1355678733_1656718627.1143997/0/netty-codec-smtp-4-1-78-final-sources-1-jar/META-
INF/maven/io.netty/netty-codec-smtp/pom.xml
```

1.69 jcl-1-2-implemented-over-slf4j 1.7.36

1.69.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<name>Apache License, Version 2.0</name>
```

```
Found in path(s):
* /opt/cola/permits/1343419808_1655258676.3036547/0/jcl-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/jcl-
over-slf4j/pom.xml
```

1.70 jakarta-activation 1.1

1.70.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may

create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH

LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48C.F.R.2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48C.F.R.12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

1.71 dropwizard-configuration-support 2.0.29

1.71.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.72 junit-jupiter-junit-jupiter-engine 5.8.2

1.72.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:

* **i)** changes to the Program, and

* **j)** additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of ****a)**** distributing or ****b)**** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

****a)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

****b)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

****c)**** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

****d)**** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

****e)**** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

****3.1**** If a Contributor Distributes the Program in any form, then:

* ****a)**** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* ****b)**** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

* ****i)**** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

* ****ii)**** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

* ****iii)**** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

* ****iv)**** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

****3.2**** When the Program is Distributed as Source Code:

* ****a)**** it must be made available under this Agreement, or if the Program ****i)**** is combined with other material in a separate file or files made available under a Secondary License, and ****ii)**** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

* ****b)**** a copy of this Agreement must be included with each copy of the Program.

****3.3**** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: ****a)**** promptly notify the Commercial Contributor in writing of such claim, and ****b)**** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the

right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

1.73 jackson-jaxrs 2.14.1

1.73.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.74 j2objc-annotations 1.3

1.74.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-jar/com/google/j2objc/annotations/LoopTranslation.java
```

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/ObjectiveCName.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2012 Google Inc. All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/Weak.java
```

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/AutoreleasePool.java
```

```
* /opt/cola/permits/1131003150_1612875443.99/0/j2objc-annotations-1-3-sources-3-
jar/com/google/j2objc/annotations/WeakOuter.java
```

1.75 byte-buddy-agent 1.9.7

1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2014 - 2019 Rafael Winterhalter
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/Attacher.java
- * /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/VirtualMachine.java
- * /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/Installer.java
- * /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/package-info.java
- * /opt/cola/permits/1290493727_1647560228.0/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/ByteBuddyAgent.java

1.76 metrics-health-checks 4.1.31

1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.health

Build-Jdk-Spec: 1.8

Bundle-Description: An addition to Metrics which provides the ability to run application-specific health checks, allowing you to check your application's health in production.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Health Checks

Bundle-SymbolicName: io.dropwizard.metrics.healthchecks

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.health;uses="com.codahale.metrics";version="4.1.31",com.codahale.metrics.health.jvm;uses="com.codahale.metrics.health,com.codahale.metrics.jvm";version="4.1.31",com.codahale.metrics.health.annotation;version="4.1.31"

Implementation-Title: Metrics Health Checks

Implementation-Version: 4.1.31

Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics;version="[4.1,5)",com.codahale.metrics.health,com.codahale.metrics.health.annotation,com.codahale.metrics.jvm;version="[4.1,5)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337070162_1654119235.6978068/0/metrics-healthchecks-4-1-31-1-jar/META-INF/MANIFEST.MF

1.77 google-gson 2.9.0

1.77.1 Available under license :

Google Gson

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2008-2011 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.78 feign-core 8.15.1

1.78.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 Netflix, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codecs/Encoder.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codecs/Decoder.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Param.java
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/QueryParam.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/InvocationHandlerFactory.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/SynchronousMethodHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/RequestTemplate.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/auth/BasicAuthRequestInterceptor.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codec/EncodingException.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Feign.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Request.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codec/ErrorDecoder.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/RetryableException.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Target.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/FeignException.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Contract.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Logger.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Retryer.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/ReflectiveFeign.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/RequestInterceptor.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Util.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Response.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/auth/Base64.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Client.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/MethodMetadata.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codec/DecodeException.java
- * /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/codec/StringDecoder.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2008 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274700536_1645234140.34/0/feign-core-8-15-1-sources-jar/feign/Types.java
```

1.79 slf4j-api-module 1.7.36

1.79.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
```

* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*

*/

Found in path(s):

* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/FormattingTuple.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/MarkerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/impl/StaticLoggerBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/impl/StaticMarkerBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/MDC.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/MessageFormatter.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/Marker.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/BasicMarker.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/ILoggerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/impl/StaticMDCBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/NamedLoggerBase.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/Util.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/LoggerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/spi/LocationAwareLogger.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/SubstituteLogger.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/Logger.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/NOPLogger.java

* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/IMarkerFactory.java
* /opt/cola/permits/1331474007_1653510300.1759446/0/slf4j-api-1-7-36-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java

1.80 hibernate-validator 6.1.6.Final

1.80.1 Available under license :

Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Adam Stawicki

Ahmed Al Hafoudh

Alaa Nassef

Andrey Derevyanko

Andrey Rodionov

Asutosh Pandya

Benson Margulies

Brent Douglas

Carlos Vara

Carlo de Wolf

Chris Beckey

Christian Ivan

Dag Hovland

Damir Alibegovic

Dario Seidl

Davide D'Alto

Davide Marchignoli

Denis Tiago

Doug Lea

Emmanuel Bernard

Efthymis Sarbanis

Federico

Federico Mancini

Gavin King

George Gastaldi

Gerhard Petracek

Guillaume Husta

Guillaume Smet

Gunnar Morling

Hardy Ferentschik

Henno Vermeulen

Hillmer Chona

Jan-Willem Willebrands

Jason T. Greene

Jesper Preuss

Jiri Bilek

Julien Furgerot
Julien May
Juraci Krohling
Justin Nauman
Kathryn Killebrew
Kazuki Shimizu
Kevin Pollet
Khalid Alqinyah
Lee KyoungIl
Leonardo Loch Zanivan
Lucas Pouzac
Lukas Niemeier
Mark Hobson
Marko Bekhta
Matthias Kurz
Mert Caliskan
Michal Fotyga
Nicola Ferraro
Nicolas Franois
Paolo Perrotta
Pete Muir
Rob Dickinson
Sanne Grinovero
Sebastian Bayerl
Shahram Goodarzi
Shane Bryzak
Shelly McGowan
Sjaak Derksen
Steve Ebersole
Strong Liu
Tadhg Pearson
Takashi Aoe
Tomaz Cerar
Tommy Johansen
Victor Rezende dos Santos
Willi Schnborn
Xavier Sosnovsky
Yanming Zhou
Yoann Rodire

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.81 osgi-resource-locator-bundle 1.0.3

1.81.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
 * https://www.gnu.org/software/classpath/license.html.
 *
 * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
 */
```

Found in path(s):

```
* /opt/cola/permits/1340031775_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-
jar/org/glassfish/hk2/osgiresourcelocator/ServiceLoader.java
* /opt/cola/permits/1340031775_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-
jar/org/glassfish/hk2/osgiresourcelocator/ResourceFinder.java
* /opt/cola/permits/1340031775_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-
jar/org/glassfish/hk2/osgiresourcelocator/Activator.java
* /opt/cola/permits/1340031775_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-
jar/org/glassfish/hk2/osgiresourcelocator/ServiceLoaderImpl.java
* /opt/cola/permits/1340031775_1654680102.675777/0/osgi-resource-locator-1-0-3-sources-2-
jar/org/glassfish/hk2/osgiresourcelocator/ResourceFinderImpl.java
```

1.82 commons-logging 1.1.3

1.82.1 Available under license :

Apache Commons Logging (for Apache Directory Studio)
Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.83 jul-to-slf4j-bridge 1.7.36

1.83.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
*/opt/cola/permits/1337069837_1654208675.2587817/0/jul-to-slf4j-1-7-36-sources-
jar/org/slf4j/bridge/SLF4JBridgeHandler.java
```

1.84 dropwizard-validation-support 2.0.29

1.84.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/
```

Found in path(s):

```
* /opt/cola/permits/1343907443_1655332601.1413095/0/dropwizard-validation-2-0-29-sources-
jar/io/dropwizard/validation/InterpolationHelper.java
```

1.85 jackson-module-afterburner 2.14.1

1.85.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

```
## Licensing
```

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

```
## Credits
```

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.86 dropwizard-jackson-support 2.0.29

1.86.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.87 jcommander-library 1.78

1.87.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

- * Copyright (C) 2010 the original author or authors.
- * See the notice.md file distributed with this work for additional
information regarding copyright ownership.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/JCommander.java
- * /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/UnixStyleUsageFormatter.java
- * /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/DefaultUsageFormatter.java
- * /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/IUsageFormatter.java

No license file was found, but licenses were detected in source scan.

/**

- * Copyright (C) 2011 the original author or authors.
- * See the notice.md file distributed with this work for additional
information regarding copyright ownership.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/IPParameterValidator2.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/IPParameterValidator.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/validators/NoValidator.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/validators/NoValueValidator.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/validators/PositiveInteger.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2010 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/converters/URLConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/converters/NoConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-jar/com/beust/jcommander/IDefaultProvider.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-

jar/com/beust/jcommander/internal/Maps.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/MissingCommandException.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/CharArrayConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/FileConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/ISO8601DateConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/DoubleConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/ParameterException.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/IntegerConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/BigDecimalConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/BooleanConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/FloatConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/ResourceBundle.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/Parameters.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/IStringConverterFactory.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/internal/Lists.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/internal/Sets.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/PathConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/Parameter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/LongConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/internal/DefaultConverterFactory.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/BaseConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/ParameterDescription.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/IStringConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-

jar/com/beust/jcommander/converters/InetAddressConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/StringConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/converters/URICConverter.java
* /opt/cola/permits/1183866048_1648141986.88/0/jcommander-1-78-sources-
jar/com/beust/jcommander/ParametersDelegate.java

1.88 joda-time 2.10.14

1.88.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<https://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.89 jackson-annotations 2.14.1

1.89.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.90 error_prone_annotations 2.0.2

1.90.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 Google Inc. All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-  
jar/com/google/errorprone/annotations/concurrent/LockMethod.java  
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-  
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java  
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-  
jar/com/google/errorprone/annotations/NoAllocation.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 Google Inc. All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-  
jar/com/google/errorprone/annotations/IncompatibleModifiers.java  
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-
```

jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/ForOverride.java
* /opt/cola/permits/1290493585_1647560234.34/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/RequiredModifiers.java

1.91 apache-commons-lang 2.6

1.91.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Lang

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.92 dropwizard 2.0.29

1.92.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.93 javabeans-activation-framework-api 1.2.0

1.93.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or

(2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute

or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or

Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any

distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without

limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to

make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major

components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software

Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.94 picocli 4.6.1

1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
Copyright 2017 Remko Popma
```

```
Licensed under the Apache License, Version 2.0 (the "License");
```

```
you may not use this file except in compliance with the License.
```

```
You may obtain a copy of the License at
```

```
http://www.apache.org/licenses/LICENSE-2.0
```

```
Unless required by applicable law or agreed to in writing, software
```

```
distributed under the License is distributed on an "AS IS" BASIS,
```

```
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
See the License for the specific language governing permissions and
```

```
limitations under the License.
```

```
*/
```

```
/**
```

```
* Called when either the command, option or positional parameter that has this preprocessor configured was  
* recognized by the picocli parser.
```

```
* <p>Implementors are free to modify one or more of the specified command line arguments before they are  
* processed by the picocli parser (or by the option's { @link IParameterConsumer parameter consumer}, if one  
is specified).
```

```
* </p><p>
```

```
* Implementors may optionally <em>consume</em> one or more of the specified command line arguments:
```

```
* a return value of { @code true } signals that the preprocessor consumed the parameter:
```

```
* picocli should skip further processing of this option or positional parameter,
```

```
* and the preprocessor implementation takes responsibility for assigning the
```

```
* option or positional parameter a value. A return value of { @code false } means that picocli should
```

```
* process the stack as usual for this option or positional parameter, and picocli is responsible for
```

```
* assigning this option or positional parameter a value.
```

```
* </p><p>
```

```
* For a command, returning { @code true } signals that the preprocessor takes responsibility for parsing all
```

```
* options and positional parameters for this command, and takes responsibility for validating constraints like
```

```
* whether all required options and positional parameters were specified.
```

```
* A return value of { @code false } means that picocli should
```

```
* process the stack as usual for this command, and picocli is responsible for validation.
```

```
* Command preprocessors can signal back to the picocli parser when they detect that the user requested version
```

```
* information or usage help by putting a value of { @code true } in the specified
```

```
* { @code info } map for keys { @code versionHelpRequested } or { @code usageHelpRequested }, respectively.
```

```
* </p><p>
```

```
* If the user input is invalid, implementations should throw a { @link ParameterException }
```

```
* with a message to display to the user.
```

```
* </p>
```

```
* @param args the remaining command line arguments that follow the matched argument
```

```
* (the matched argument is not on the stack anymore)
```

```
* @param commandSpec the command or subcommand that was matched (if the specified { @code argSpec } is
```

```

*      {@code null}), or the command that the matched option or positional parameter belongs to
* @param argSpec the option or positional parameter for which to pre-process command line arguments
*      (may be {@code null} when this method is called for a subcommand that was matched)
* @param info a map containing additional information on the current parser state,
*      including whether the option parameter was attached to the option name with
*      a `=` separator, whether quotes have already been stripped off the option, etc.
*      Implementations may modify this map to communicate back to the picocli parser.
*      Supported values:
*      <table>
*      <tr>
*      <th>key</th><th>valid values</th><th>type</th>
*      </tr>
*      <tr>
*      <td>separator</td><td>" (empty string): attached without separator, ' ' (space): not attached, (any
other string): option name was attached to option param with specified separator</td>
*      <td>java.lang.String</td>
*      </tr>
*      <tr>
*      <td>negated</td>
*      <td>{@code true}: the option or positional parameter is a {@linkplain Option#negatable()
negated} option/parameter, {@code false}: the option or positional parameter is not a negated
option/parameter</td>
*      <td>java.lang.Boolean</td>
*      </tr>
*      <tr>
*      <td>unquoted</td>
*      <td>{@code true}: quotes surrounding the value have already been stripped off, {@code false}:
quotes surrounding the value have not yet been stripped off</td>
*      <td>java.lang.Boolean</td>
*      </tr>
*      <tr>
*      <td>versionHelpRequested</td>
*      <td>{@code true}: version help was requested, {@code false}: version help was not
requested</td>
*      <td>java.lang.Boolean</td>
*      </tr>
*      <tr>
*      <td>usageHelpRequested</td>
*      <td>{@code true}: usage help was requested, {@code false}: usage help was not requested</td>
*      <td>java.lang.Boolean</td>
*      </tr>
*      </table>
* @returns true if the preprocessor consumed the parameter
*      and picocli should skip further processing of the stack for this option or positional parameter;
*      false if picocli should continue processing the stack for this option or positional parameter
* @throws ParameterException if the user input is invalid
*/

```

Found in path(s):

* /opt/cola/permits/1178487930_1625660844.82/0/picocli-4-6-1-sources-1-jar/picocli/CommandLine.java

No license file was found, but licenses were detected in source scan.

/*

Copyright 2017 Remko Popma

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1178487930_1625660844.82/0/picocli-4-6-1-sources-1-jar/picocli/AutoComplete.java

1.95 jline-java-console-input-library 2.14.6

1.95.1 Available under license :

Copyright (c) 2002-2016, the original author or authors.

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.96 jvm-integration-for-metrics 4.1.31

1.96.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1515178493049

Build-Jdk: 1.8.0_151

Built-By: artem

Bundle-Description: An Apache HttpClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Apache HttpClient

Bundle-SymbolicName: io.dropwizard.metrics.httpclient

Bundle-Version: 4.0.2

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.httpclient;uses:="com.codahale.metrics,org.apache.http,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.protocol";version="4.0.2"

Implementation-Title: Metrics Integration for Apache HttpClient

Implementation-URL: <http://metrics.dropwizard.io/metrics-httpclient>

Implementation-Vendor-Id: io.dropwizard.metrics

Implementation-Version: 4.0.2

Import-Package: com.codahale.metrics;version="[4.0,5)",org.apache.http,org.apache.http.client,org.apache.http.client.methods,org.apache.http.client.utils,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.conn.ssl,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.pool,org.apache.http.protocol

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-3.3.0.201609221906

Found in path(s):

* /opt/cola/permits/1343907431_1655257384.7181604/0/metrics-httpclient-4-0-2-jar/META-INF/MANIFEST.MF

1.97 jetbrains-kotlin-kotlin-stdlib-jdk7 1.2.71

1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2010-2017 JetBrains s.r.o.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1343907329_1655332393.33486/0/kotlin-stdlib-jdk7-1-2-71-sources-jar/kotlin/AutoCloseable.kt

* /opt/cola/permits/1343907329_1655332393.33486/0/kotlin-stdlib-jdk7-1-2-71-sources-jar/kotlin/internal/jdk7/JDK7PlatformImplementations.kt

1.98 metrics-integration-with-jmx 4.1.31

1.98.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.logback

Build-Jdk-Spec: 1.8

Bundle-Description: An instrumented appender for Logback.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Logback

Bundle-SymbolicName: io.dropwizard.metrics.logback

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"
Implementation-Title: Metrics Integration for Logback
Implementation-Version: 4.1.31
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337069951_1654206102.3804739/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

1.99 jna 5.9.0

1.99.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007-2012 Timothy Wall, All Rights Reserved
 *
 * The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0. (starting with JNA version 4.0.0).
 *
 * You can freely decide which license you want to apply to
 * the project.
 *
 * You may obtain a copy of the LGPL License at:
 *
 * http://www.gnu.org/licenses/licenses.html
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "LGPL2.1".
 *
 * You may obtain a copy of the Apache License at:
 *
 * http://www.apache.org/licenses/
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "AL2.0".
 */
```

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Version.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Union.java

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2009 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/LastErrorException.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2007 Wayne Meissner, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
```

*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ToNativeConverter.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2011 Timothy Wall, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackThreadInitializer.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Timothy Wall, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
*

- * You may obtain a copy of the LGPL License at:
- *
- * <http://www.gnu.org/licenses/licenses.html>
- *
- * A copy is also included in the downloadable source code package
- * containing JNA, in file "LGPL2.1".
- *
- * You may obtain a copy of the Apache License at:
- *
- * <http://www.apache.org/licenses/>
- *
- * A copy is also included in the downloadable source code package
- * containing JNA, in file "AL2.0".
- */

Found in path(s):

- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeMappedConverter.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/TypeMapper.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/WString.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/ByteByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/ShortByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/LongByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/W32APIFunctionMapper.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/TypeConverter.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/PointerByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/W32APITypeMapper.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/ByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/NativeLongByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/StdCallFunctionMapper.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackParameterContext.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/IntByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/FloatByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/StructureReadContext.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/FunctionResultContext.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/StdCall.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/DoubleByReference.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/StdCallLibrary.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/FromNativeContext.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/FunctionMapper.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/PointerType.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Callback.java
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/AltCallingConvention.java

No license file was found, but licenses were detected in source scan.

```
/*
 * The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0. (starting with JNA version 4.0.0).
 *
 * You can freely decide which license you want to apply to
 * the project.
 *
 * You may obtain a copy of the LGPL License at:
 *
 * http://www.gnu.org/licenses/licenses.html
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "LGPL2.1".
 *
 * You may obtain a copy of the Apache License at:
 *
 * http://www.apache.org/licenses/
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "AL2.0".
 */
```

Found in path(s):

```
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Memory.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Function.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeString.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/W32APIOptions.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Pointer.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Platform.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/InvocationMapper.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackResultContext.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/WeakMemoryHolder.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/JNIEnv.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Library.java
* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/VarArgsChecker.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2017 Matthias Bläsing. All Rights Reserved
 *
 * The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0. (starting with JNA version 4.0.0).
 *
 * You can freely decide which license you want to apply to
 * the project.
```

*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ELFAnalyser.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2018 Matthias Bläsing
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Klass.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/StringArray.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved

* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/NativeLibrary.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2015 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Native.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/DLLCallback.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/CallbackReference.java

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/Structure.java

No license file was found, but licenses were detected in source scan.

Type mapping behavior may be customized by providing a { @link com.sun.jna.TypeMapper} for the { @link com.sun.jna.Library#OPTION_TYPE_MAPPER} option when initializing a library interface. See { @link com.sun.jna.win32.W32APITypeMapper} for an example which provides custom conversion of boolean and String types. You are free to use whatever types are convenient in your defined interfaces, but all custom types must provide a mapping to one of the basic or derived types listed above.

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/overview.html

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2019 Matthias Bläsing, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/internal/ReflectionUtils.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2007 Timothy Wall, All Rights Reserved

The contents of this file is dual
licensed under 2
alternative Open Source/Free licenses: LGPL 2.1 or later and
Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to
the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package
containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0".

Found in path(s):

- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/internal/package.html
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/win32/package.html
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/ptr/package.html
- * /opt/cola/permits/1290493685_1647560226.74/0/jna-5-9-0-sources-jar/com/sun/jna/package.html

1.100 apache-commons-lang 3.4

1.100.1 Available under license :

Apache Commons Lang
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.101 java-architecture-for-xml-binding 2.3.1

1.101.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer

and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no

warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.102 jackson-dataformats-binary 2.14.1

1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-SymbolicName: com.fasterxml.jackson.dataformat.jackson-dataformat-cbor

Implementation-Vendor-Id: com.fasterxml.jackson.dataformat

Specification-Title: Jackson dataformat: CBOR

Bundle-DocURL: <https://github.com/FasterXML/jackson-dataformats-binary>

Import-Package: com.fasterxml.jackson.core;version="[2.14,3)",com.fasterxml.jackson.core.base;version="[2.14,3)",com.fasterxml.jackson.core.format;version="[2.14,3)",com.fasterxml.jackson.core.io;version="[2.14,3)",com.fasterxml.jackson.core.json;version="[2.14,3)",com.fasterxml.jackson.core.sym;version="[2.14,3)",com.fasterxml.jackson.core.util;version="[2.14,3)",com.fasterxml.jackson.databind;version="[2.14,3)",com.fasterxml.jackson.databind.cfg;version="[2.14,3)",com.fasterxml.jackson.dataformat.cbor;version="[2.14,3)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Export-Package: com.fasterxml.jackson.dataformat.cbor;version="2.14.1";uses="com.fasterxml.jackson.core,com.fasterxml.jackson.core.base,com.fasterxml.jackson.core.format,com.fasterxml.jackson.core.io,com.fasterxml.jackson.core.json,com.fasterxml.jackson.core.sym,com.fasterxml.jackson.core.util",com.fasterxml.jackson.dataformat.cbor.databind;version="2.14.1";uses="com.fasterxml.jackson.core,com.fasterxml.jackson.databind,com.fasterxml.jackson.databind.cfg,com.fasterxml.jackson.dataformat.cbor"

Bundle-Name: Jackson dataformat: CBOR

Multi-Release: true

Build-Jdk-Spec: 1.8

Bundle-Description: Support for reading and writing Concise Binary Object Representation([CBOR](<https://www.rfc-editor.org/info/rfc7049>)) encoded data using Jackson abstractions (streaming API, data binding, tree model)

Implementation-Title: Jackson dataformat: CBOR

Implementation-Version: 2.14.1

Bundle-ManifestVersion: 2

Specification-Vendor: FasterXML

Bundle-Vendor: FasterXML

Tool: Bnd-6.3.1.202206071316

Implementation-Vendor: FasterXML

Bundle-Version: 2.14.1

X-Compile-Target-JDK: 1.8

X-Compile-Source-JDK: 1.8

Created-By: Apache Maven Bundle Plugin 5.1.8

Specification-Version: 2.14.1

Found in path(s):

* /opt/cola/permits/1498798604_1670358373.3245044/0/jackson-dataformat-cbor-2-14-1-jar/META-INF/MANIFEST.MF

1.103 netty-transport-native-unix-common

4.1.78.Final

1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/SegmentedDatagramPacket.java

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramPacket.java

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainDatagramChannel.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2022 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/IntegerUnixChannelOption.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/RawUnixChannelOption.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/GenericUnixChannelOption.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/IovArray.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/UnixChannelOption.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/package-info.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/Unix.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_filedescriptor.c
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainSocketChannel.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_errors.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainSocketReadMode.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_socket.c
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_errors.c
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/UnixChannel.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/NativeInetAddress.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/FileDescriptor.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/Errors.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_socket.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DatagramSocketAddress.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/ServerDomainSocketChannel.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/Socket.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_filedescriptor.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainSocketAddress.java

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/DomainSocketChannelConfig.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix.h

* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix.c

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_jni.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/UnixChannelUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/Limits.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/PeerCredentials.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_util.h
```

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_limits.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_util.c
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_limits.c
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/PreferredDirectByteBufferAllocator.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/io/netty/channel/unix/Buffer.java
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_buffer.h
* /opt/cola/permits/1355678727_1656718623.9901483/0/netty-transport-native-unix-common-4-1-78-final-sources-2-jar/netty_unix_buffer.c
```

1.104 apache-groovy 3.0.11

1.104.1 Available under license :

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies

of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.
See licenses/antlr4-license.txt for details.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:
licenses/jaxb-license.txt

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:
licenses/jsp-api-license.txt

JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:
licenses/normalize-stylesheet-license.txt

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:
licenses/servlet-api-license.txt

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

This convenience zip embeds Groovy's src and doc zips. See also src/LICENSE and doc/LICENSE files for additional license information.
Apache Commons Lang
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)
`javax.servlet.jsp-api` License (for groovy-servlet module)

This product bundles the `javax.servlet.jsp-api` jar in binary form
which is available under the CDDL 1.1 license:
`licenses/jsp-api-license.txt`
`javax.servlet.jsp-api` License (for groovy-servlet module)

This product bundles the `javax.servlet-api` jar in binary form
which is available under the CDDL 1.0 license:
`licenses/servlet-api-license.txt`
ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicense derivatives under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under `antlr/actions/python/` is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under `lib/python/` is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b)

Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For

purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not

remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to

cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH

PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such

responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Asciidoc License

This product uses the style.css from asciidoctor.org within
documentation. The file is available under the MIT License.
For details, see licenses/asciidoc-style-license.txt.

JQuery License

The following file is used within documentation:

`src/spec/assets/css/jquery-2.1.1.min.js`

This file is made available under the following MIT license:
licenses/jquery-js-license.txt

JSR223 License

The following classes within this product:

`org.codehaus.groovy.jsr223.GroovyCompiledScript`
`org.codehaus.groovy.jsr223.GroovyScriptEngineFactory`
`org.codehaus.groovy.jsr223.GroovyScriptEngineImpl`

were derived from reference implementation files developed by Sun in
collaboration with the Groovy community. The reference implementation
has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has

deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the

requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall,

upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or

trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is

granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or

liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version

of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice

from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights

clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)
Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template <http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2009 Brent Fulgham
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see [licenses/jline2-license.txt](#).

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:
licenses/jaxb-license.txt

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary
form which is available under the CDDL 1.1 license
and for which the following copyright notice applies
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar (junit.org)
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars (junit.org)
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary
form which is available under the CDDL 1.0 license
and for which the following copyright notice applies
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set

<http://www.famfamfam.com/lab/icons/silk/>

Licensed under the Creative Commons Attribution Licence v2.5

<http://creativecommons.org/licenses/by/2.5/>

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.

See `licenses/antlr4-license.txt` for details.

BSD License

Copyright (c) 2000-2015 www.hamcrest.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

The Java source files in `src/main/java/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/` are from <https://github.com/ben-manes/concurrentlinkedhashmap> and the following notice applies:
Copyright 2010-2012 Google Inc. All Rights Reserved.

This product bundles icons from the famfamfam.com silk icons set
<http://www.famfamfam.com/lab/icons/silk/>
Licensed under the Creative Commons Attribution Licence v2.5
<http://creativecommons.org/licenses/by/2.5/>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Asciidoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.

JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:

licenses/jquery-js-license.txt

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

ASM License

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003-2006, Joe Walnes

Copyright (c) 2006-2009, 2011 XStream Committers

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:

licenses/jquery-js-license.txt

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= Contributors

The Groovy team would like to thank the contributors of this documentation (in alphabetical order of last/surname):

- * <https://github.com/mojavelinux>[Dan Allen]
- * <https://github.com/and-dmitry>[Dmitry Andreychuk]
- * <http://hamletdarcy.blogspot.fr/>[Hamlet D'Arcy]
- * <https://github.com/anshbansal>[Aseem Bansal]
- * <https://github.com/bura>[Andrey Bloschetsov]
- * <https://github.com/JBrownVisualSpection>[J Brown]
- * <https://github.com/jeffbrown>[Jeff Scott Brown]
- * <http://twitter.com/CedricChampeau>[Cdric Champeau]
- * <https://github.com/tobia>[Tobia Conforto]
- * <https://github.com/ddimitrov>[Dimitar Dimitrov]
- * <http://twitter.com/werdnagreb>[Andrew Eisenberg]
- * <https://github.com/erdi>[Marcin Erdmann]
- * <https://github.com/christoph-frick>[Christoph Frick]
- * <http://twitter.com/marioggar>[Mario Garca]
- * <https://github.com/davidmichaelkarr>[David Michael Karr]
- * http://twitter.com/paulk_asert[Paul King]
- * <http://twitter.com/glaforge>[Guillaume Laforge]
- * <http://twitter.com/pledbrook>[Peter Ledbrook]
- * <http://grantmcconnaughey.github.io/>[Grant McConnaughey]
- * <https://github.com/eric-milles>[Eric Milles]
- * <https://github.com/dnahodil>[David Nahodil]
- * <https://github.com/jnorthr>[James Northrop]
- * <https://github.com/marcpa00>[Marc Paquette]
- * <https://github.com/michaelss>[Michael Schuenck]
- * <https://github.com/PascalSchumacher>[Pascal Schumacher]

* <https://github.com/shils>[Shil Sinha]
* <https://github.com/stavytskyi>[Maksym Stavytskyi]
* <https://twitter.com/asteingr>[Andr Steingre]
* https://twitter.com/daniel_sun[Daniel Sun]
* <https://github.com/EPadronU>[Edinson Padrn Urdaneta]
* <https://github.com/keeganwitt>[Keegan Witt]

Copyright (c) 2002-2012, the original author or authors.

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/styleSheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This directory contains generated LICENSE files and snippets used to generate those files. See the assemble.gradle file (updateLicenses task) for details on how this is done.

Snippets have predefined suffix values in their name to determine which files they go into.

LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR get snippets containing SRC, DOC and JARJAR respectively.

LICENSE-BINZIP gets JARJAR and BINZIP snippets.

In addition, LICENSE files are generated for these subprojects:

groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.
See licenses/antlr4-license.txt for details.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:

licenses/jaxb-license.txt

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:
licenses/jsp-api-license.txt

JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>) developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>) Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license and for which the following copyright notice applies
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar (junit.org) which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars (junit.org) which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts

OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary
form which is available under the CDDL 1.0 license
and for which the following copyright notice applies
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set
<http://www.famfamfam.com/lab/icons/silk/>
Licensed under the Creative Commons Attribution Licence v2.5
<http://creativecommons.org/licenses/by/2.5/>

This convenience zip embeds Groovy's src and doc zips.
See also src/NOTICE and doc/NOTICE files for additional notice information.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript  
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory  
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.
ANTLR 4 License

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= License

This work is licensed under the <http://www.apache.org/licenses/LICENSE-2.0>[Apache License, Version 2.0].
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such

Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and

consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's

rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see [licenses/jsr166y-license.txt](#).

ANTLR 2 License

Antlr2 is released in the public domain.

See [licenses/antlr2-license.txt](#) for details.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.
See licenses/antlr4-license.txt for details.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.
Apache Groovy
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product bundles icons from the famfamfam.com silk icons set
<http://www.famfamfam.com/lab/icons/silk/>
Licensed under the Creative Commons Attribution Licence v2.5

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform,

Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
- ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
- iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms

of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

- 1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License means this document.
- 1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity,

whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and

that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN

ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R.

12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

For Covered Software in this distribution, this License shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache Groovy
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache Groovy
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the AsciiDoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/styleSheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.

Copyright (c) 2006, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Sun Microsystems, Inc. nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.105 archaius-core 0.7.1

1.105.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/WatchedUpdateResult.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/AbstractDynamicPropertyListener.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicStringListProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicBooleanProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/samples/SampleApplicationWithDefaultConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/sources/JDBCConfigurationSource.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/PolledConfigurationSource.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ExpandedConfigurationListenerAdapter.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/PollResult.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/WatchedConfigurationSource.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/PollListener.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/PropertyListener.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/MissingConfigurationSourceException.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicPropertyFactory.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/AggregatedConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicSetProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/jmx/ConfigMBean.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/validation/PropertyChangeValidator.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicDoubleProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/validation/ValidationException.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicStringMapProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/util/HttpVerbUriRegexPropertyValue.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ConcurrentCompositeConfiguration.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ConfigurationManager.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/sources/URLConfigurationSource.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/PropertyWrapper.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ConfigurationWithPollingSource.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DefaultContextualPredicate.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicContextualProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/AbstractPollingScheduler.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/FixedDelayPollingScheduler.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/StringDerivedProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicLongProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicPropertyUpdater.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicConfiguration.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ChainedDynamicProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicListProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicMapProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ClasspathPropertiesConfiguration.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/util/ConfigurationUtils.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/samples/SampleApplication.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/WatchedUpdateListener.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicURLConfiguration.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/jmx/BaseConfigMBean.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicStringProperty.java

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicFloatProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicIntProperty.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/SimpleDeploymentContext.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DeploymentContext.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ConfigurationBackedDynamicPropertySupportImpl.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicWatchedConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/jmx/ConfigJMXManager.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/WebApplicationProperties.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ConfigurationBasedDeploymentContext.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/ConcurrentMapConfiguration.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicPropertySupport.java
* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DerivedStringProperty.java

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# http://www.apache.org/licenses/LICENSE-2.0  
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/sampleapp.properties

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- *
- */

Found in path(s):

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/Property.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 Netflix, Inc.

*

* Copyright 2013 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1343907377_1655169478.939914/0/archaius-core-0-7-1-sources-1-jar/com/netflix/config/DynamicStringSetProperty.java

1.106 unfiltered-netty-server 0.9.1

1.106.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.107 spotbugs-annotations 4.1.1

1.107.1 Available under license :

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public'

1.108 zt-process 1.3

1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007 Timothy Wall, All Rights Reserved
*
* This library is free software; you can redistribute it and/or
* modify it under the terms of the GNU Lesser General Public
* License as published by the Free Software Foundation; either
* version 2.1 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* Lesser General Public License for more details.
*/
```

Found in path(s):

```
* /opt/cola/permits/1343907395_1655169445.1266608/0/zt-process-1-3-sources-2-
jar/org/zeroturnaround/process/win/W32API.java
```

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition

files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given

copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays

copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy. For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE

LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in
the library `Frob' (a library for tweaking knobs) written
by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007 Timothy Wall, All Rights Reserved
```

```
*
```

```
* This library is free software; you can redistribute it and/or  
* modify it under the terms of the GNU Lesser General Public  
* License as published by the Free Software Foundation; either  
* version 2.1 of the License, or (at your option) any later version.
```

```
*
```

```
* This library is distributed in the hope that it will be useful,  
* but WITHOUT ANY WARRANTY; without even the implied warranty of  
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
* Lesser General Public License for more details.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1343907395_1655169445.1266608/0/zt-process-1-3-sources-2-  
jar/org/zeroturnaround/process/win/W32Errors.java
```

1.109 objenesis 2.6

1.109.1 Available under license :

```
// -----  
// NOTICE file corresponding to the section 4d of The Apache License,  
// Version 2.0, in this case for Objenesis  
// -----
```

Objenesis

Copyright 2006-2017 Joe Walnes, Henri Tremblay, Leonardo Mesquita

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.110 apache-commons-collections 4.1

1.110.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Collections

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.111 jackson-datatype-joda 2.14.1

1.111.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.112 checker-qual 3.1.0

1.112.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.113 jetbrains-kotlin-kotlin-stdlib-jdk8 1.2.71

1.113.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2017 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1343907313_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-
jar/kotlin/collections/Collections.kt
* /opt/cola/permits/1343907313_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-
jar/kotlin/internal/jdk8/JDK8PlatformImplementations.kt
* /opt/cola/permits/1343907313_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-
jar/kotlin/text/RegexExtensions.kt
* /opt/cola/permits/1343907313_1655332498.241981/0/kotlin-stdlib-jdk8-1-2-71-sources-
jar/kotlin/streams/Streams.kt
```

1.114 java-concurrency-in-practice-book-annotations 1.0

1.114.1 Available under license :

Creative Commons Legal Code

Attribution 2.5

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS LICENSE DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE INFORMATION PROVIDED, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM ITS USE.

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable

laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative

Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

Creative Commons is not a party to this License, and makes no warranty whatsoever in connection with the Work. Creative Commons will not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection to this license. Notwithstanding the foregoing two (2) sentences, if Creative Commons has expressly identified itself as the Licensor hereunder, it shall have all rights and obligations of Licensor.

Except for the limited purpose of indicating to the public that the Work is licensed under the CCPL, neither party will use the trademark "Creative Commons" or any related trademark or logo of Creative Commons without the prior written consent of Creative Commons. Any permitted use will be in compliance with Creative Commons' then-current trademark usage guidelines, as may be published on its website or otherwise made available upon request from time to time.

Creative Commons may be contacted at <https://creativecommons.org/>.

/*

- * Copyright (c) 2005 Brian Goetz and Tim Peierls
- * Released under the Creative Commons Attribution License
- * (<http://creativecommons.org/licenses/by/2.5>)
- * Official home: <http://www.jcip.net>
- *
- * Any republication or derived work distributed in source code form
- * must include this copyright and license notice.
- */

1.115 generex 1.0.1

1.115.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2014 y.mifrah
- *
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at

- *
* <http://www.apache.org/licenses/LICENSE-2.0>
*
- * Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

- * /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Node.java
- * /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Generex.java
- * /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/util/Iterable.java
- * /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/Main.java
- * /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/GenerexIterator.java
- * /opt/cola/permits/1274699858_1645233601.99/0/generex-1-0-1-sources-jar/com/mifmif/common/regex/util/Iterator.java

1.116 metrics---dropwizard 4.0.2

1.116.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1515178493049

Build-Jdk: 1.8.0_151

Built-By: artem

Bundle-Description: An Apache HttpClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Apache HttpClient

Bundle-SymbolicName: io.dropwizard.metrics.httpclient

Bundle-Version: 4.0.2

Created-By: Apache Maven Bundle Plugin

Export-Package: com.codahale.metrics.httpclient;uses:="com.codahale.metrics,org.apache.http,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.protocol";version="4.0.2"

Implementation-Title: Metrics Integration for Apache HttpClient

Implementation-URL: <http://metrics.dropwizard.io/metrics-httpclient>

Implementation-Vendor-Id: io.dropwizard.metrics
Implementation-Version: 4.0.2
Import-Package: com.codahale.metrics;version="[4.0,5)",org.apache.http,org.apache.http.client,org.apache.http.client.methods,org.apache.http.client.utils,org.apache.http.config,org.apache.http.conn,org.apache.http.conn.routing,org.apache.http.conn.socket,org.apache.http.conn.ssl,org.apache.http.impl.client,org.apache.http.impl.conn,org.apache.http.pool,org.apache.http.protocol
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-3.3.0.201609221906

Found in path(s):

* /opt/cola/permits/1274705448_1655257418.1485806/0/metrics-httpclient-4-0-2-jar/META-INF/MANIFEST.MF

1.117 dropwizard-jetty-support 2.0.29

1.117.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.118 java-classmate 1.1.0

1.118.1 Available under license :

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

* Brian Langel

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

1.119 junit-platform-junit-platform-commons

1.8.2

1.119.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and

* **b)** in the case of each subsequent Contributor:

* **i)** changes to the Program, and

* **ii)** additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer

of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

****a)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

****b)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

****c)**** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

****d)**** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

****e)**** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

****3.1)**** If a Contributor Distributes the Program in any form, then:

****a)**** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

****b)**** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

****i)**** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied,

including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

* **ii)*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

* **iii)*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

* **iv)*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)*** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

* **b)*** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION,

ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are

created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

1.120 jackson-integration-for-metrics 4.1.31

1.120.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.logback

Build-Jdk-Spec: 1.8

Bundle-Description: An instrumented appender for Logback.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Logback

Bundle-SymbolicName: io.dropwizard.metrics.logback

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"

Implementation-Title: Metrics Integration for Logback

Implementation-Version: 4.1.31

Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337070396_1654214338.9270978/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

1.121 jackson-databind 2.14.1

1.121.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.122 rfc3986-uri 0.8

1.122.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 dmfs GmbH

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/FluentParameterList.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Query.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/Normalized.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Resolved.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/adapters/MultiParameter.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametertypes/BasicParameterType.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Removing.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/validation/CharSets.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/Text.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/valuetypes/BooleanValueType.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/utils/FormPercentEncodingOutputStream.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Fluent.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/Encoded.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/encoding/XWwwFormUrlEncoded.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/authorities/StructuredAuthority.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/parametersets/Appending.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/parameters/ValueType.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/fragments/SimpleFragment.java
- * /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-

jar/org/dmfs/rfc3986/uris/RelativeUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/Resolved.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/StructuredPath.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/valuetypes/TextValueType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/queries/SimpleQuery.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/encoding/IdempotentEncoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/UriEncoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/encoding/Precoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/adapters/XwfueParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/OpaqueUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Authority.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/adapters/TextParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/LazyUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/utils/Parsed.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/EmptyUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/authorities/OptionalLazyAuthority.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/authorities/EncodedAuthority.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Path.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/LazyPath.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Scheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/paths/Text.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/encoding/FormEncoded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/EncodedPath.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/parametersets/EmptyParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/parametersets/Replacing.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/schemes/Schemes.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/validation/BitMapCharSet.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-

jar/org/dmfs/rfc3986/parameters/ParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/authorities/OptionalLazyUserInfo.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/encoding/FormPreceded.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/parameters/UrlEncodedParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/EmptyPath.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/validation/Validated.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/ParameterType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/Extended.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/fragments/OptionalLazyFragment.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/Parameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/schemes/StringScheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/encoding/utils/PercentEncodingOutputStream.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/valuetypes/IntegerValueType.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Fragment.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/utils/Split.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/validation/CharSet.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/parametersets/BasicParameterList.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/StructuredUri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/queries/OptionalLazyQuery.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/schemes/OptionalLazyScheme.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/uris/Normalized.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/Uri.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/paths/Normalized.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-
jar/org/dmfs/rfc3986/parameters/adapters/OptionalParameter.java
* /opt/cola/permits/1162862871_1620923716.86/0/rfc3986-uri-0-8-sources-1-jar/org/dmfs/rfc3986/uris/Text.java

1.123 dropwizard-metrics-support 2.0.29

1.123.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.124 throttling-appender 1.1.9

1.124.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License 2.0</name>
<url><http://www.apache.org/licenses/LICENSE-2.0.html></url>

Found in path(s):

* /opt/cola/permits/1343907294_1655245931.774105/0/logback-throttling-appender-1-1-9-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml

1.125 metrics-integration-for-apache-httpasyncclient 3.2.5

1.125.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1505464763109
Build-Jdk: 1.8.0_131
Built-By: artem
Bundle-Description: An Apache HttpAsyncClient wrapper providing Metrics instrumentation of connection pools, request durations and rates, and other useful information.
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2
Bundle-Name: Metrics Integration for Apache HttpAsyncClient
Bundle-SymbolicName: io.dropwizard.metrics.httpasyncclient
Bundle-Version: 3.2.5
Created-By: Apache Maven Bundle Plugin
Export-Package: com.codahale.metrics.httpasyncclient;uses:="org.apache.h
ttp.nio.conn,org.apache.http.config,com.codahale.metrics,org.apache.htt
p.nio.reactor,org.apache.http.pool,org.apache.http.conn,org.apache.http
.impl.nio.conn,org.apache.http.impl.nio.client,org.apache.http.nio.prot
ocol,org.apache.http.concurrent,org.apache.http.protocol,org.apache.htt
p,com.codahale.metrics.httpclient";version="3.2.5"
Implementation-Title: Metrics Integration for Apache HttpAsyncClient
Implementation-Vendor-Id: io.dropwizard.metrics
Implementation-Version: 3.2.5
Import-Package: com.codahale.metrics;version="[3.2,4)",com.codahale.metr
ics.httpclient;version="[3.2,4)",org.apache.http,org.apache.http.concur
rent,org.apache.http.config,org.apache.http.conn,org.apache.http.impl.n
io.client,org.apache.http.impl.nio.conn,org.apache.http.nio.conn,org.ap
ache.http.nio.protocol,org.apache.http.nio.reactor,org.apache.http.pool
,org.apache.http.protocol
Tool: Bnd-1.50.0

Found in path(s):

* /opt/cola/permits/1274704149_1655257274.9345021/0/metrics-httpasyncclient-3-2-5-jar/META-INF/MANIFEST.MF

1.126 jackson-datatype-jdk8 2.14.1

1.126.1 Available under license :

Apache-2.0

1.127 hk2-api-module 2.6.1

1.127.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities

with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term

"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access

to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement

from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fightersfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.128 jersey-ext-metainf-services 2.35

1.128.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

- * Project: <http://angularjs.org>
- * Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- * License: all the source code provided by AOP Alliance is Public Domain.
- * Project: <http://aopalliance.sourceforge.net>
- * Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- * License: Apache License, 2.0
- * Project: <http://beanvalidation.org/1.1/>
- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>
- * Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- * Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in

accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program,

the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient

receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source

code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH

YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
'show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than 'show w' and 'show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program 'Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If you do not wish to do so, delete this exception statement
from your version.

1.129 jackson-jaxrs-base 2.14.1

1.129.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.130 aop-alliance 1.0

1.130.1 Available under license :

all the source code provided by AOP Alliance is Public Domain.

1.131 bean-validation-api 2.0.1

1.131.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2013 Cognifide Limited

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.132 asm-commons 9.1

1.132.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-DocURL: <http://asm.ow2.org>

Bundle-License: BSD-3-Clause;link=<https://asm.ow2.io/LICENSE.txt>

Bundle-ManifestVersion: 2

Bundle-Name: org.objectweb.asm.commons

Bundle-RequiredExecutionEnvironment: J2SE-1.5

Bundle-SymbolicName: org.objectweb.asm.commons

Bundle-Version: 9.1.0

Export-Package: org.objectweb.asm.commons;version="9.1";uses:="org.obj
ectweb.asm,org.objectweb.asm.signature,org.objectweb.asm.tree"
Implementation-Title: Usefull class adapters based on ASM, a very smal
l and fast Java bytecode manipulation framework
Implementation-Version: 9.1
Import-Package: org.objectweb.asm;version="[9.1,10)",org.objectweb.asm
.signature;version="[9.1,10)",org.objectweb.asm.tree;version="[9.1,10
)"
Module-Requires: org.objectweb.asm;transitive=true,org.objectweb.asm.t
ree;transitive=true,org.objectweb.asm.tree.analysis;transitive=true

Found in path(s):

* /opt/cola/permits/1183889887_1627494130.56/0/asm-commons-9-1-jar/META-INF/MANIFEST.MF

1.133 expression-language 3.0.0

1.133.1 Available under license :

Copyright (c) 2004-2015 Fabien Potencier

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.134 asm-analysis 8.0.1

1.134.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:
```

```
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Frame.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Analyzer.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-
jar/org/objectweb/asm/tree/analysis/Value.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

```
/**
```

```
* Constructs a new { @link BasicInterpreter} for the latest ASM API version. <i>Subclasses must
* not use this constructor</i>. Instead, they must use the { @link #BasicInterpreter(int)}
* version.
```

*/

Found in path(s):

* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java

No license file was found, but licenses were detected in source scan.

// All rights reserved.

// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:

// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.

// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.

// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

/**

* Constructs a new { @link SourceInterpreter} for the latest ASM API version. <i>Subclasses must

* not use this constructor</i>. Instead, they must use the { @link #SourceInterpreter(int)}

* version.

*/

Found in path(s):

* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1104664774_1604644122.5/0/asm-analysis-8-0-1-sources-1-jar/org/objectweb/asm/tree/analysis/package.html

1.135 servicelocator-default-implementation

2.6.1

1.135.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other

combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special,

incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any

related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the

Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the

limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
```

James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.136 archunit 0.22.0

1.136.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Built-By: Gradle 6.8.3

Built-Date: 2021-10-29

Specification-Title: ArchUnit - Module 'archunit'
Specification-Version: 0.22.0
Specification-Vendor: TNG Technology Consulting GmbH
Implementation-Title: com.tngtech.archunit
Implementation-Version: 0.22.0
Implementation-Vendor: TNG Technology Consulting GmbH
Issue-Tracker: <https://github.com/TNG/ArchUnit/issues>
Documentation-URL: <https://github.com/TNG/ArchUnit>
Copyright: 2021 TNG Technology Consulting GmbH
License: The Apache Software License, Version 2.0
Automatic-Module-Name: com.tngtech.archunit

Found in path(s):

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014-2021 TNG Technology Consulting GmbH

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/CodeUnitsThatInternal.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/SliceIdentifier.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenFields.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasModifiers.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/MethodsShould.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/ArchRuleDefinition.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/PackageMatchers.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/core/domain/InstanceofCheck.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/DescribedPredicate.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/DomainPlugin.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/JavaAccessPackagePredicate.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaWildcardType.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/ForwardingList.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/Locations.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/JavaAccessCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/ReferencedClassObject.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/DescribedIterable.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/metrics/ArchitectureMetrics.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/ForwardingCollection.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/extension/ExtensionLoadingException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/EventsDescription.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/HasDescription.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaClassTransitiveDependencies.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/RawInstanceofCheck.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/properties/HasName.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/metrics/VisibilityMetrics.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/AnnotationPropertiesFormatter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/InitialConfiguration.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/Slices.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/DomainBuilders.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/Location.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/base/Predicate.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/ClassesShouldInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/properties/HasUpperBounds.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/metrics/LakosMetrics.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaAnnotation.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/TarjanGraph.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/ComponentIdentifier.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/SliceCycleArchCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/AbstractMembersShouldInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/MembersShouldConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaClass.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/GenericMemberTypeProcessor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/ClassFileImporter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/properties/HasOwner.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenCodeUnits.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/ConstructorsShouldInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/RawReferencedClassObject.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/ArchPredicates.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/ClassGraphCreator.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaCodeUnit.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/FailureDisplayFormat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/Formatters.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/ContainAnyCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/core/importer/UrlSource.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/FailureDisplayFormatInitializationFailedException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/FailureMessages.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/ClassAccessesCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/AbstractClassesTransformer.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/extension/ArchUnitExtension.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/Java14DomainPlugin.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenClasses.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/LocationResolver.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/ContainsOnlyCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/MayResolveTypesViaReflection.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/GivenFieldsInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaClassMembers.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/ParsedDependency.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/ClassesShould.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/DependencyCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/CodeUnitsThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/ImportOptions.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/freeze/StoreInitializationFailedException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenClassesConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/AllDependenciesCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/ComponentName.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/syntax/SlicesShould.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/OnlyBeAccessedSpecification.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/library/dependencies/syntax/GivenSlices.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaMethod.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/freeze/ViolationStore.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/MethodsShouldConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/AbstractGivenObjects.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/resolvers/ClassResolverFromClasspath.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/PlantUmlComponents.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/ClassFileImportRecord.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/Guava.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/SliceAssignment.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/ClassesThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/ArchConfiguration.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/syntax/GivenSlicesConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/Source.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/FailureReport.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/PlantUmlDiagram.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/GivenClassesInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/properties/HasType.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/PredicateAggregator.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenObjects.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/properties/HasSourceCodeLocation.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/AbstractGivenCodeUnitsInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/PlantUmlParseException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/metrics/MetricsComponentDependencyGraph.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/ClassOnlyAccessesCondition.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaModifier.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/ViolationStoreFactory.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/ProxyRules.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/NormalizedUri.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasAnnotations.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/EvaluationResult.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasTypeParameters.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasDescriptor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/CanOverrideDescription.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/StoreReadException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/PlantUmlComponent.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/extension/ArchUnitExtensionLoader.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/Optional.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/JavaCodeUnitSignatureImporter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/JavaFieldTypeSignatureImporter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenMembersConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/GivenMethodsInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/ObjectsShouldInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/Priority.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaEnumConstant.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/MethodsShouldInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/CanBeEvaluated.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/JavaClassProcessor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/ArchUnitException.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/FieldsThatInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/MembersThatInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/FieldsShould.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/Stereotype.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasReturnType.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/PrimitiveGraph.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/JavaClassDiagramAssociation.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/SourceDescriptor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/ImportContext.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenConstructors.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/AnnotationProxy.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/SignatureTypeParameterProcessor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/MethodsThatInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/FreezingArchRule.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/Transformers.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/Supplier.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/AbstractCodeUnitsShouldInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/ForwardingSet.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/ResolvesTypesViaReflection.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/ReverseDependencies.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasParameterTypes.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/AllAccessesCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/ClassFileProcessor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/ImportedClasses.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/ClassLoaders.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/ViolationLineMatcherFactory.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/ImportOption.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenMethods.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenConstructorsConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/NeverCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/ReflectionUtils.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/GeneralCodingRules.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaConstructorCall.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/extension/ArchUnitExtensions.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/Graph.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/ClassesThatInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/StoreUpdateFailedException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaMember.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaGenericArrayType.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/JohnsonComponent.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaTypeVariable.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/metrics/ComponentDependencyMetrics.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/DomainObjectCreationContext.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/FieldsShouldConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/CodeUnitsShould.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaParameter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/ViolationLineMatcherInitializationFailedException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaAccess.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/SignatureTypeArgumentProcessor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/IllegalDiagramException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/PublicAPI.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/MembersShould.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaStaticInitializer.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/Alias.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/FieldsShouldInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenClass.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaClasses.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/ClassFileLocation.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/AnyAttributeMatchesCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/OnlyBeAccessedSpecificationInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/PlantUmlComponentDependency.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/ClassAccessesFieldCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/GivenObjectsInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/freeze/ViolationLineMatcher.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/CanBeAnnotated.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/JohnsonCycleFinder.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/CodeUnitsShouldConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/SliceDependency.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/SliceRule.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/JavaClassSignatureImporter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/GivenCodeUnitsConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/FieldsThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-

jar/com/tngtech/archunit/library/Architectures.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenFieldsConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/Function.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/TarjanComponentFinder.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/ConditionEvents.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/resolvers/ClassResolver.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/ViolationHandler.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/NormalizedResourceName.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/metrics/MetricsComponents.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenMembers.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/PluginLoader.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/Edge.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/ClassesTransformer.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/plantuml/PlantUmlArchCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/base/ChainableFunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/CompositeArchRule.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/Internal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/SlicesRuleDefinition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaFieldAccess.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/library/dependencies/CycleConfiguration.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/conditions/FieldAccessCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/importer/JavaClassDescriptorImporter.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/MembersDeclaredInClassesThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/core/domain/JavaConstructor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-
jar/com/tngtech/archunit/lang/syntax/elements/GivenMethodsConjunction.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/MembersThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaCall.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/FailureDisplayFormatFactory.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/AbstractGivenMembersInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/properties/HasThrowsClause.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/MethodsThat.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/AccessTarget.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaMethodCall.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/base/PackageMatcher.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaField.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/PlantUmlParser.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/AccessRecord.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/AnyDependencyCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/elements/ClassesShouldConjunction.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/RawAccessRecord.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/SourceCodeLocation.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/GivenConstructorsInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaAnnotationParameterVisitorAcceptor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaClassDependencies.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/ImportPlugin.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaPackage.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaClassDescriptor.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/resolvers/SelectedClassResolverFromClasspath.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/ArchCondition.java

* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/Path.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/PlantUmlPatterns.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/PrimitiveDataTypes.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/SyntaxPredicates.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/ThrowsClause.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/DependencyRules.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/Slice.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/metrics/MetricsComponent.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/plantuml/ComponentIntersectionException.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaParameterizedType.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/JavaType.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/syntax/GivenClassInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/Dependency.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/GivenSlicesInternal.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/domain/ThrowsDeclaration.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/ConditionEvent.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/Cycle.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/AllAttributesMatchCondition.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/SimpleConditionEvent.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/core/importer/ClassFileSource.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/conditions/ArchConditions.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/library/dependencies/syntax/GivenNamedSlices.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/extension/EvaluatedRule.java
* /opt/cola/permits/1290493552_1647560221.4/0/archunit-0-22-0-sources-jar/com/tngtech/archunit/lang/ArchRule.java

1.137 aws-sdk-for-java 1.11.30

1.137.1 Available under license :

Apache License

Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

“License” shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

“Licensor” shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

“Legal Entity” shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, “control” means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

“You” (or “Your”) shall mean an individual or Legal Entity exercising permissions granted by this License.

“Source” form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Object” form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

“Work” shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

“Derivative Works” shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

“Contribution” shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, “submitted” means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as “Not a Contribution.”

“Contributor” shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been

received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a “NOTICE” text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR

PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.138 netty/transport/classes/kqueue

4.1.78.Final

1.138.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2021 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1355678769_1656719353.582928/0/netty-transport-classes-kqueue-4-1-78-final-jar/META-INF/maven/io.netty/netty-transport-classes-kqueue/pom.xml
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Classes/KQueue

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.classes.kqueue

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-classes-kqueue

Implementation-Version: 4.1.78.Final

Built-By: chris

Bnd-LastModified: 1655246951875

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.channel.kqueue;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.channel.unix,io.netty.util.concurrent";version="4.1.78"

Bundle-Name: Netty/Transport/Classes/KQueue

Bundle-Version: 4.1.78.Final

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0_312

Implementation-URL: <https://netty.io/netty-transport-classes-kqueue/>

Found in path(s):

* /opt/cola/permits/1355678769_1656719353.582928/0/netty-transport-classes-kqueue-4-1-78-final-jar/META-INF/MANIFEST.MF

1.139 hk2-implementation-utilities 2.6.1

1.139.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License

(if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add

their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing

version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to

make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major

components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked

independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.140 findbugs-jsr305 2.0.3

1.140.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005 Brian Goetz  
* Released under the Creative Commons Attribution License  
* (http://creativecommons.org/licenses/by/2.5)  
* Official home: http://www.jcip.net  
*/
```

Found in path(s):

```
* /opt/cola/permits/1010092543_1648836069.89/0/jsr305-2-0-3-jar/javax/annotation/concurrent/Immutable.java  
* /opt/cola/permits/1010092543_1648836069.89/0/jsr305-2-0-3-jar/javax/annotation/concurrent/GuardedBy.java  
* /opt/cola/permits/1010092543_1648836069.89/0/jsr305-2-0-3-jar/javax/annotation/concurrent/NotThreadSafe.java
```

1.141 javassist rel_3_25_0_ga

1.141.1 Available under license :

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in '<CENTER>MOZILLA PUBLIC LICENSE
Version portions thereof) with or without Modifications, and/or as part of a Larger future version of this License released under Section 6.1, and You must ("Netscape") may publish revised and/or new versions of the License from published under a particular version of the License, You may always continue Covered Code under the terms of any subsequent version of the License and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape

To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.143 guava-listenablefuture-only 9999.0- empty-to-avoid-conflict-with-guava

1.143.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This library is free software; you can redistribute it and/or
// modify it under the terms of the GNU Lesser General Public // License as published by the Free Software
Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in
the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of //
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public
License for more details. // You should have received a copy of the GNU Lesser General Public * This grammar is
in the PUBLIC DOMAIN'

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change

free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License").

Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies,

or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU

FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

//

// checkstyle: Checks Java source code for adherence to a set of rules.

// Copyright (C) 2001-2020 the original author or authors.

//

// This library is free software; you can redistribute it and/or

// modify it under the terms of the GNU Lesser General Public

// License as published by the Free Software Foundation; either

// version 2.1 of the License, or (at your option) any later version.

//

// This library is distributed in the hope that it will be useful,

// but WITHOUT ANY WARRANTY; without even the implied warranty of

// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

// Lesser General Public License for more details.

//

// You should have received a copy of the GNU Lesser General Public

// License along with this library; if not, write to the Free Software

// Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

//

1.144 javax-ws-rs-api 2.0.1

1.144.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

Version 1.0

*

1. Definitions.

o

1.1. *Contributor* means each individual or entity that creates or contributes to the creation of Modifications.

o

1.2. *Contributor Version* means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

o

1.3. *Covered Software* means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

o

1.4. "Executable" means the Covered Software in any form other than Source Code.

o

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

o

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

o

1.7. "License" means this document.

o

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

o

1.9. "Modifications" means the Source Code and Executable form of any of the following:

+

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed or otherwise made available under the terms of this License.

o

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

*

2. License Grants.

o

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

*

3. Distribution Obligations.

o

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

o

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

*

4. Versions of the License.

o

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it

clear that the license contains terms which differ from this License.

*

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

*

6. TERMINATION.

o

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

*

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR

MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

*

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

*

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

*

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.145 asm-tree 9.1

1.145.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bundle-DocURL: http://asm.ow2.org
Bundle-License: BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt
Bundle-ManifestVersion: 2
Bundle-Name: org.objectweb.asm.tree
Bundle-RequiredExecutionEnvironment: J2SE-1.5
Bundle-SymbolicName: org.objectweb.asm.tree
Bundle-Version: 9.1.0
Export-Package: org.objectweb.asm.tree;version="9.1";uses:="org.objectweb.asm"
Implementation-Title: Tree API of ASM, a very small and fast Java byte code manipulation framework
Implementation-Version: 9.1
Import-Package: org.objectweb.asm;version="[9.1,10)"
Module-Requires: org.objectweb.asm;transitive=true

Found in path(s):

* /opt/cola/permits/1183890441_1627493647.83/0/asm-tree-9-1-jar/META-INF/MANIFEST.MF

1.146 jetty-toolchain 1.0.4

1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

* /opt/cola/permits/1293852964_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/Group.java
* /opt/cola/permits/1293852964_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUIDServer.java
* /opt/cola/permits/1293852964_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUID.java
* /opt/cola/permits/1293852964_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/Passwd.java
* /opt/cola/permits/1293852964_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/RLimit.java
* /opt/cola/permits/1293852964_1649804864.87/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUIDListener.java

1.147 metrics-jetty 4.1.31

1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.jetty9

Build-Jdk-Spec: 1.8

Bundle-Description: A set of extensions for Jetty 9.3 and higher which provide instrumentation of thread pools, connector metrics, and application latency and utilization.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Jetty 9.3 and higher

Bundle-SymbolicName: io.dropwizard.metrics.jetty9

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.jetty9;uses:="com.codahale.metrics,javax.servlet,javax.servlet.http,org.eclipse.jetty.io,org.eclipse.jetty.server,org.eclipse.jetty.server.handler,org.eclipse.jetty.util.annotation,org.eclipse.jetty.util.component,org.eclipse.jetty.util.thread";version="4.1.31"

Implementation-Title: Metrics Integration for Jetty 9.3 and higher

Implementation-Version: 4.1.31

Import-Package: javax.servlet;version="[2.5.0,4.0.0)",javax.servlet.http;version="[2.5.0,4.0.0)",com.codahale.metrics;version="[4.1,5)",org.eclipse.jetty.http;version="[9.4,10)",org.eclipse.jetty.io;version="[9.4,10)",org.eclipse.jetty.server;version="[9.4,10)",org.eclipse.jetty.server.handler;version="[9.4,10)",org.eclipse.jetty.util.annotation;version="[9.4,10)",org.eclipse.jetty.util.component;version="[9.4,10)",org.eclipse.jetty.util.thread;version="[9.4,10)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337069560_1654119423.5832577/0/metrics-jetty9-4-1-31-1-jar/META-INF/MANIFEST.MF

1.148 json-path 0.6.9

1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2011-2017 GatlingCorp (<http://gatling.io>)

*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/ComparisonOperators.scala
- * /opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/AST.scala
- * /opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/Parser.scala
- * /opt/cola/permits/1274701418_1650417730.37/0/jsonpath-2-11-0-6-9-sources-jar/io/gatling/jsonpath/JsonPath.scala

1.149 jmes-path-query-library 1.0

1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

- * /opt/cola/permits/1104444110_1648835916.55/0/jmespath-java-1-0-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

1.150 kotson 2.5.0

1.150.1 Available under license :

MIT

1.151 jackson-xc 2.14.1

1.151.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.152 jersey-container-servlet-core 2.35

1.152.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such

availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

* Project: <http://getbootstrap.com>

* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0

* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

* License: Apache License, 2.0

* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program

or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT

PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the

author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and

conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.153 netty-codec-redis 4.1.78.Final

1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
*/opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/META-INF/maven/io.netty/netty-codec-redis/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
```

*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/InlineCommandRedisMessage.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/AbstractStringRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisMessageType.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisConstants.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisDecoder.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/ArrayHeaderRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/package-info.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisArrayAggregator.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisBulkStringAggregator.java

* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisEncoder.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisCodecUtil.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/FixedRedisMessagePool.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisCodecException.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/BulkStringRedisContent.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/DefaultLastBulkStringRedisContent.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/ArrayRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/BulkStringHeaderRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/RedisMessagePool.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/ErrorRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/IntegerRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/LastBulkStringRedisContent.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/SimpleStringRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/FullBulkStringRedisMessage.java
* /opt/cola/permits/1355678745_1656718630.1739259/0/netty-codec-redis-4-1-78-final-sources-1-jar/io/netty/handler/codec/redis/DefaultBulkStringRedisContent.java

1.154 prometheus-java-simpleclient-common

0.15.0

1.154.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1341561718_1654802874.19552/0/simpleclient-common-0-15-0-sources-jar/META-INF/maven/io.prometheus/simpleclient_common/pom.xml

1.155 guava-retrying 2.0.0

1.156 apache-httpcomponents-asyncclient

4.1.4

1.156.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This project contains annotations derived from JCIP-ANNOTATIONS Copyright (c) 2005 Brian Goetz and Tim Peierls.

See <http://www.jcip.net> and the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.5>)

Apache HttpComponents AsyncClient
Copyright 2010-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.157 javaparser-core 3.24.2

1.158 apache-httpcomponents-core 4.4.5

1.158.1 Available under license :

Apache HttpCore
Copyright 2005-2016 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This project contains annotations derived from JCIP-ANNOTATIONS
Copyright (c) 2005 Brian Goetz and Tim Peierls. See <http://www.jcip.net>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

This project contains annotations in the package org.apache.http.annotation which are derived from JCIP-ANNOTATIONS

Copyright (c) 2005 Brian Goetz and Tim Peierls.

See <http://www.jcip.net> and the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.5>)

Full text: <http://creativecommons.org/licenses/by/2.5/legalcode>

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR

OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;

to create and reproduce Derivative Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually

or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE,

NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

1.159 reflections 0.9.12

1.159.1 Available under license :

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE

Version 2, December 2004

Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>

Everyone is permitted to copy and distribute verbatim or modified copies of this license document, and changing it is allowed as long as the name is changed.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. You just DO WHAT THE FUCK YOU WANT TO.

1.160 jakarta-annotations-api 1.3.5

1.160.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial

product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's

rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to

look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided

that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new

versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

[subs="normal"]

....

Specification: {doctitle}

Version: {revnumber}

ifeval::["{revremark}" != ""]

Status: {revremark}

endif::[]

ifeval::["{revremark}" == ""]

Status: Final Release

endif::[]

Release: {revdate}

....

Copyright (c) 2019 Eclipse Foundation.

=== Eclipse Foundation Specification License

By using and/or copying this document, or the Eclipse Foundation document from which this statement is linked, you (the licensee) agree

that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the Eclipse Foundation document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

- * link or URL to the original Eclipse Foundation document.
- * All existing copyright notices, or if one does not exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (c) [\$date-of-document]
Eclipse Foundation, Inc. <<url to this license>>"

Inclusion of the full text of this NOTICE must be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of Eclipse Foundation documents is granted pursuant to this license, except anyone may prepare and distribute derivative works and portions of this document in software that implements the specification, in supporting materials accompanying such software, and in documentation of such software, PROVIDED that all such works include the notice below. HOWEVER, the publication of derivative works of this document for use as a technical specification is expressly prohibited.

The notice is:

"Copyright (c) 2018 Eclipse Foundation. This software or document includes material copied from or derived from [title and URI of the Eclipse Foundation specification document]."

==== Disclaimers

THIS DOCUMENT IS PROVIDED "AS IS," AND THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

THE COPYRIGHT HOLDERS AND THE ECLIPSE FOUNDATION WILL NOT BE LIABLE

FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of the copyright holders or the Eclipse Foundation may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/common-annotations-api>

Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.161 unfiltered-util 0.9.1

1.161.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.162 jackson-module-parameter-names

2.14.1

1.162.1 Available under license :

Apache-2.0

1.163 dropwizard-logging-support 2.0.29

1.163.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.164 findbugs-jsr305 3.0.2

1.164.1 Available under license :

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

1. "Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

2. "Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

3. "Licensor" means the individual or entity that offers the Work under the terms of this License.

4. "Original Author" means the individual or entity who created the Work.

5. "Work" means the copyrightable work of authorship offered under the terms of this License.

6. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

1. to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;
2. to create and reproduce Derivative Works;
3. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
4. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.
- 5.

For the avoidance of doubt, where the work is a musical composition:

1. Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

2. Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

6. Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

1. You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

2. If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the

medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

1. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

2. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

1. Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

2. Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

3. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

4. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

5. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

1.165 jersey-inject-hk2 2.35

1.165.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

- * License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://angularjs.org>
- * Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- * License: all the source code provided by AOP Alliance is Public Domain.
- * Project: <http://aopalliance.sourceforge.net>
- * Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- * License: Apache License, 2.0
- * Project: <http://beanvalidation.org/1.1/>
- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>
- * Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content

Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License,

Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was

received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and

to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is

to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or

based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.166 simpleclient-servlet 0.15.0

1.166.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1343907467_1655169509.6449938/0/simpleclient-servlet-0-15-0-sources-1-jar/META-INF/maven/io.prometheus/simpleclient_servlet/pom.xml

1.167 apache-groovy 3.0.11

1.167.1 Available under license :

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.
See licenses/antlr4-license.txt for details.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:
licenses/jaxb-license.txt

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:

licenses/jsp-api-license.txt

JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:

licenses/servlet-api-license.txt

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see licenses/xstream-license.txt.

This convenience zip embeds Groovy's src and doc zips.
See also src/LICENSE and doc/LICENSE files for additional license information.
Apache Commons Lang
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:
licenses/jsp-api-license.txt
javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:
licenses/servlet-api-license.txt
ANTLR 2 License

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your

programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

In countries where the Public Domain status of the work may not be valid, the author grants a copyright licence to the general public to deal in the work without restriction and permission to sublicense derivatives under the terms of any (OSI approved) Open Source licence.

The Python parser generator code under antlr/actions/python/ is covered by the 3-clause BSD licence (this part is included in the binary JAR files); the run-time part under lib/python/ is covered by the GNU GPL, version 3 or later (this part is not included in the binary JAR files). See [1] for the full details.

<https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=750643#80%22>

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of

Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of

Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

JQuery License

The following file is used within documentation:

`src/spec/assets/css/jquery-2.1.1.min.js`

This file is made available under the following MIT license:

`licenses/jquery-js-license.txt`

JSR223 License

The following classes within this product:

`org.codehaus.groovy.jsr223.GroovyCompiledScript`
`org.codehaus.groovy.jsr223.GroovyScriptEngineFactory`
`org.codehaus.groovy.jsr223.GroovyScriptEngineImpl`

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: `licenses/jsr223-license.txt`

normalize.css License

The `stylesheet.css` file (originally `normalize.css`) is used by the `groovydoc` and `docgenerator` components for `groovy-jdk/gapi` documentation.

It is made available under a MIT License:

`licenses/normalize-stylesheet-license.txt`

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this

License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF

INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation.

It is made available under a MIT License:

licenses/normalize-stylesheet-license.txt

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR

NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be

construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: licenses/jsr223-license.txt

Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template
<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2009 Brent Fulgham
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see [licenses/jline2-license.txt](#).

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:
[licenses/activation-license.txt](#)

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:
[licenses/jaxb-license.txt](#)

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary
form which is available under the CDDL 1.1 license

and for which the following copyright notice applies
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar (junit.org)
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars (junit.org)
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.
Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply
(C) Copyright 2005 Intel Corporation
(C) Copyright 2005-2006 Intel Corporation
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary
form which is available under the CDDL 1.0 license
and for which the following copyright notice applies
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set
<http://www.famfamfam.com/lab/icons/silk/>
Licensed under the Creative Commons Attribution Licence v2.5
<http://creativecommons.org/licenses/by/2.5/>
ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.
See licenses/antlr4-license.txt for details.
BSD License

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

The Java source files in `src/main/java/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/` are from <https://github.com/ben-manes/concurrentlinkedhashmap> and the following notice applies: Copyright 2010-2012 Google Inc. All Rights Reserved.

This product bundles icons from the famfamfam.com silk icons set
<http://www.famfamfam.com/lab/icons/silk/>
Licensed under the Creative Commons Attribution Licence v2.5
<http://creativecommons.org/licenses/by/2.5/>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

AsciiDoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License. For details, see licenses/asciidoc-style-license.txt.

JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:
licenses/jquery-js-license.txt

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:
licenses/normalize-stylesheet-license.txt
ASM License

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2003-2006, Joe Walnes

Copyright (c) 2006-2009, 2011 XStream Committers

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JQuery License

The following file is used within documentation:

src/spec/assets/css/jquery-2.1.1.min.js

This file is made available under the following MIT license:

licenses/jquery-js-license.txt

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= Contributors

The Groovy team would like to thank the contributors of this documentation (in alphabetical order of last/surname):

- * <https://github.com/mojavelinux>[Dan Allen]
- * <https://github.com/and-dmitry>[Dmitry Andreychuk]
- * <http://hamletdarcy.blogspot.fr/>[Hamlet D'Arcy]
- * <https://github.com/anshbansal>[Aseem Bansal]
- * <https://github.com/bura>[Andrey Bloschetsov]
- * <https://github.com/JBrownVisualSpection>[J Brown]
- * <https://github.com/jeffbrown>[Jeff Scott Brown]
- * <http://twitter.com/CedricChampeau>[Cdric Champeau]
- * <https://github.com/tobia>[Tobia Conforto]
- * <https://github.com/ddimitrov>[Dimitar Dimitrov]
- * <http://twitter.com/werdnagreb>[Andrew Eisenberg]
- * <https://github.com/erdi>[Marcin Erdmann]
- * <https://github.com/christoph-frick>[Christoph Frick]
- * <http://twitter.com/marioggar>[Mario Garca]
- * <https://github.com/davidmichaelkarr>[David Michael Karr]
- * http://twitter.com/paulk_asert[Paul King]
- * <http://twitter.com/glaforge>[Guillaume Laforge]
- * <http://twitter.com/pledbrook>[Peter Ledbrook]
- * <http://grantmcconnaughey.github.io/>[Grant McConnaughey]
- * <https://github.com/eric-milles>[Eric Milles]
- * <https://github.com/dnahodil>[David Nahodil]
- * <https://github.com/jnorthr>[James Northrop]
- * <https://github.com/marcpa00>[Marc Paquette]
- * <https://github.com/michaelss>[Michael Schuenck]
- * <https://github.com/PascalSchumacher>[Pascal Schumacher]
- * <https://github.com/shils>[Shil Sinha]
- * <https://github.com/stavytskyi>[Maksym Stavytskyi]
- * <https://twitter.com/asteingr>[Andr Steingre]
- * https://twitter.com/daniel_sun[Daniel Sun]
- * <https://github.com/EPadronU>[Edinson Padrn Urdaneta]
- * <https://github.com/keeganwitt>[Keegan Witt]

Copyright (c) 2002-2012, the original author or authors.

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This directory contains generated LICENSE files and snippets used to generate those files. See the assemble.gradle file (updateLicenses task) for details on how this is done. Snippets have predefined suffix values in their name to determine which files they go into. LICENSE (the one for source), LICENSE-DOC and LICENSE-JARJAR get snippets containing SRC, DOC and JARJAR respectively. LICENSE-BINZIP gets JARJAR and BINZIP snippets. In addition, LICENSE files are generated for these subprojects: groovy-docgenerator, groovy-groovydoc, groovy-groovysh, groovy-jsr223

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.

See licenses/antlr4-license.txt for details.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

JAXB License (for optional groovy-jaxb extensions)

This product bundles several JAXB related jars in binary form.

The "javax.activation" jar is available under the CDDL 1.0 license:
licenses/activation-license.txt

The jaxb-api, jaxb-core and jaxb-impl jars use the CDDL 1.1 license:
licenses/jaxb-license.txt

JLine2 License (optional dependency used with groovysh)

This product bundles the JLine2 jar, which is available under a BSD License. For details, see licenses/jline2-license.txt.

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet.jsp-api jar in binary form which is available under the CDDL 1.1 license:
licenses/jsp-api-license.txt

JSR166y License (optionally used by the optional GParas dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in

the public domain. For details, see [licenses/jsr166y-license.txt](#).

JSR223 License

The following classes within this product:

```
org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl
```

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see [licenses/junit4-license.txt](#).

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see [licenses/junit5-license.txt](#).

normalize.css License

The stylesheet.css file (originally normalize.css) is used by the groovydoc and docgenerator components for groovy-jdk/gapi documentation. It is made available under a MIT License:
[licenses/normalize-stylesheet-license.txt](#)

javax.servlet.jsp-api License (for groovy-servlet module)

This product bundles the javax.servlet-api jar in binary form which is available under the CDDL 1.0 license:
[licenses/servlet-api-license.txt](#)

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a

"3-clause BSD" license. For details, see licenses/xstream-license.txt.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product bundles the javax.servlet.jsp-api jar in binary
form which is available under the CDDL 1.1 license
and for which the following copyright notice applies
Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved.

This product bundles the JUnit4 jar (junit.org)
which is available under the terms of the Eclipse Public License v1.0

This product bundles several of the JUnit5 jars (junit.org)
which are available under the terms of the Eclipse Public License v2.0

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.
Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply
(C) Copyright 2005 Intel Corporation
(C) Copyright 2005-2006 Intel Corporation
(C) Copyright 2006 Intel Corporation

This product bundles the javax.servlet-api jar in binary
form which is available under the CDDL 1.0 license
and for which the following copyright notice applies
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

This product bundles icons from the famfamfam.com silk icons set
<http://www.famfamfam.com/lab/icons/silk/>
Licensed under the Creative Commons Attribution Licence v2.5
<http://creativecommons.org/licenses/by/2.5/>

This convenience zip embeds Groovy's src and doc zips.
See also src/NOTICE and doc/NOTICE files for additional notice information.

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JSR223 License

The following classes within this product:

org.codehaus.groovy.jsr223.GroovyCompiledScript
org.codehaus.groovy.jsr223.GroovyScriptEngineFactory
org.codehaus.groovy.jsr223.GroovyScriptEngineImpl

were derived from reference implementation files developed by Sun in collaboration with the Groovy community. The reference implementation has a BSD-style license. Details can be found in: [licenses/jsr223-license.txt](#)
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

XStream License (optional dependency when serializing AST as XML)

This product bundles the XStream jar, which is available under a "3-clause BSD" license. For details, see [licenses/xstream-license.txt](#).

ANTLR 4 License

[The "BSD 3-clause license"]

Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

////////////////////////////////////

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

////////////////////////////////////

= License

This work is licensed under the <http://www.apache.org/licenses/LICENSE-2.0> [Apache License, Version 2.0].
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution

'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to

secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of

operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under

which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

JSR166y License (optionally used by the optional GPar dependency)

This product bundles the jsr166y jar (containing works from the JSR-166 EG, Doug Lea, and Jason T. Greene) made available in the public domain. For details, see licenses/jsr166y-license.txt.

ANTLR 2 License

Antlr2 is released in the public domain.

See licenses/antlr2-license.txt for details.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ANTLR 2 License

Antlr2 is released in the public domain.
See licenses/antlr2-license.txt for details.

ANTLR 4 License

Antlr4 is released under a BSD 3-clause license.
See licenses/antlr4-license.txt for details.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.
Apache Groovy
Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product bundles icons from the famfamfam.com silk icons set
<http://www.famfamfam.com/lab/icons/silk/>
Licensed under the Creative Commons Attribution Licence v2.5
<http://creativecommons.org/licenses/by/2.5/>
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

- a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
- b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
 - i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or

offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was

received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired,

any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following: A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications; B. Any new file that contains any part of the Original Software or previous Modification; or C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for

code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You

believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices. You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms. You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions. You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works. You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions. You may always continue to use, distribute or

otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY. COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with

Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS. The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export

control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS. As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

For Covered Software in this distribution, this License shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product includes/uses ANTLR2 (<http://www.antlr2.org/>)
developed by Terence Parr 1989-2006

This product includes/uses ANTLR4 (<https://github.com/antlr/antlr4>)
Copyright (c) 2012-2017 The ANTLR Project. All rights reserved.

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache Groovy

Copyright 2003-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

This product embeds the OpenBeans jar within its grooid jar artifacts
OpenBeans includes/uses files from Apache Harmony and the following notice applies
Copyright 2006, 2010 The Apache Software Foundation.

Portions of Apache Harmony were originally developed by Intel Corporation and are
licensed to the Apache Software Foundation under the "Software Grant and Corporate
Contribution License Agreement" and for which the following copyright notices apply

(C) Copyright 2005 Intel Corporation

(C) Copyright 2005-2006 Intel Corporation

(C) Copyright 2006 Intel Corporation

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

org/codehaus/groovy/tools/stylesheet.css

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (C) 2012-2015 Dan Allen, Ryan Waldron and the AsciiDoctor Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Hamcrest License (needed when using optional JUnit dependency)

This product bundles the Hamcrest jar, which is available under a BSD license. For details, see licenses/hamcrest-license.txt.

NORMALIZE.CSS LICENSE

The following file is used with documentation:

`org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css`

Copyright (c) Nicolas Gallagher and Jonathan Neal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JUnit Licenses (optional dependencies when using Groovy for testing)

This product bundles the JUnit 4 jar, which is available under the Eclipse Public License v1.0. For details, see licenses/junit4-license.txt.

This product bundles several JUnit 5 jars, which are available under the Eclipse Public License v2.0. For details, see licenses/junit5-license.txt.

ASM License

ASM uses a 3-clause BSD license. For details, see licenses/asm-license.txt.

Asciidoc License

This product uses the style.css from asciidoctor.org within documentation. The file is available under the MIT License.

For details, see licenses/asciidoc-style-license.txt.

Copyright (c) 2006, Sun Microsystems, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Sun Microsystems, Inc. nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.168 dropwizard-utility-classes 2.0.29

1.168.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.169 json-java 20160212

1.169.1 Available under license :

=====

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.170 pact-jvm-model 3.5.25

1.170.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.171 rxjava 1.1.2

1.171.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2010 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
* Originally from https://code.google.com/p/guava-
```

libraries/source/browse/guava/src/com/google/common/annotations/Beta.java

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/annotations/Beta.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscUnboundedAtomicArrayQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpscUnboundedAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpmcArrayQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/SpmcArrayQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not

* use this file except in compliance with the License. You may obtain a copy of

* the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipUntil.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMapPair.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithTime.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorBufferWithSize.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDelayWithSelector.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeTimed.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDistinctUntilChanged.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/schedulers/NewThreadWorker.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoAfterTerminate.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxThreadFactory.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorPublish.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureLatest.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipTimed.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeTimerOnce.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorEagerConcatMap.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorWindowWithSize.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorWindowWithObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeDelaySubscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorBufferWithSingleObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDebounceWithTime.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeRefCount.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorWindowWithObservableFactory.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/PlatformDependent.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/SynchronizedQueue.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSampleWithObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxJavaPluginUtils.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorMulticast.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorBufferWithTime.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/schedulers/ScheduledAction.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/FrontPadding.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSampleWithTime.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeTimerPeriodically.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSwitch.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDistinct.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorWithLatestFrom.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/util/atomic/SpseLinkedListArrayQueue.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorRetryWithPredicate.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/ExecutorScheduler.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDebounceWithSelector.java
No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/TrampolineScheduler.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/observables/BlockingObservable.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDoOnUnsubscribe.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/subscriptions/CompositeSubscription.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDoOnSubscribe.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDoOnRequest.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeSingle.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSkipLast.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorToMultimap.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/subjects/SubjectSubscriptionManager.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSkipLastTimed.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSwitchIfEmpty.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/CachedThreadScheduler.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action2.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorNext.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/Schedulers.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeRange.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeFromIterable.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/TimeInterval.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaObservableExecutionHook.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorToObservableSortedList.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeUntil.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/OnErrorFailedException.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorUnsubscribeOn.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/schedulers/EventLoopsScheduler.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Producer.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/package-info.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CachedObservable.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMaterialize.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkip.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaErrorHandler.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorCast.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipWhile.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/BackpressureDrainManager.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorObserveOn.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/PublishSubject.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action9.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/MissingBackpressureException.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/Exceptions.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/Stamped.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func3.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Functions.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorMostRecent.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/SerialSubscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMerge.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action1.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeFromArray.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Observer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/OnCompletedFailedException.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeUntilPredicate.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDematerialize.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/AsyncSubject.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorAll.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/SerializedSubject.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/ActionN.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func4.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMap.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMapNotification.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimestamp.java

- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeTimeout.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeAutoConnect.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeToObservableFuture.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/SerializedSubscriber.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/SerializedObserver.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeoutBase.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/ConnectableObservable.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeLastTimed.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/TestObserver.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/Subject.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorAny.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorReplay.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/LinkedList.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeGroupJoin.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action3.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/NotificationLite.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDelay.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func9.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorIgnoreElements.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/Subscriptions.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/SafeSubscriber.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Scheduler.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorZip.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func8.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/CompositeException.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/TestScheduler.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action4.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/schedulers/GenericScheduledExecutorService.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func1.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/TestSubject.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/package-info.java
- * /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/Observers.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action8.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/ImmediateScheduler.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action6.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/UnicastSubject.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/TestSubscriber.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/ReplaySubject.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subjects/BehaviorSubject.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func2.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action5.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BufferUntilSubscriber.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorScan.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaPlugins.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeAmb.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDefer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/BooleanSubscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoOnEach.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/GroupedObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeoutWithSelector.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action0.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeLast.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorAsObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorFilter.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Function.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/SubscriptionList.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaObservableExecutionHookDefault.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeRedo.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/subscriptions/MultipleAssignmentSubscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/schedulers/SleepingAction.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Subscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observers/Subscribers.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeJoin.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/FuncN.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTake.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSequenceEqual.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/SyncOnSubscribe.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/TakeLastQueueProducer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSingle.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeUsing.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSerialize.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorZipIterable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/exceptions/UnsubscribeFailedException.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorTimeInterval.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxRingBuffer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func7.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Notification.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorOnBackpressureBuffer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Subscriber.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func6.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorGroupBy.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/OnErrorThrowable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/IndexedRingBuffer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/BlockingOperatorToFuture.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorElementAt.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorToMap.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/subscriptions/RefCountSubscription.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Action7.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeConcat.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorToObservableList.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/BlockingOperatorToIterator.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ScalarSynchronousObservable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func5.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeout.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Completable.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMerge.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSubscribeOn.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeWhile.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Func0.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureDrop.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorThrottleFirst.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorLatest.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/exceptions/OnErrorNotImplementedException.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpscLinkedQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/SpscLinkedQueue.java
No license file was found, but licenses were detected in source scan.

/**

* Copyright 2016 Netflix, Inc.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaSingleExecutionHook.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/BackpressureOverflow.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/LinkedQueueNode.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/LinkedQueueNode.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*
*/

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/MpmcArrayQueue.java
*/
```

Found in path(s):

```
*/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/MpmcArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright 2015 Netflix, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
*/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/singles/BlockingSingle.java
```

```
*/opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/BlockingUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/Pow2.java
No license file was found, but licenses were detected in source scan.

/**

* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaSingleExecutionHookDefault.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

* the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/UtilityFunctions.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Observable.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/SynchronizedSubscription.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java>

*/

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java  
No license file was found, but licenses were detected in source scan.
```

```
/*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE  
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
*/
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java  
No license file was found, but licenses were detected in source scan.
```

```
/**  
* Copyright 2015 Netflix, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
* use this file except in compliance with the License. You may obtain a copy of  
* the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-  
jar/rx/internal/operators/BackpressureUtils.java  
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
```

jar/rx/internal/producers/QueuedValueProducer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/producers/ProducerObserverArbiter.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/producers/ProducerArbiter.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/producers/QueuedProducer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/producers/SingleProducer.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-
jar/rx/internal/producers/SingleDelayedProducer.java
No license file was found, but licenses were detected in source scan.

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/package.html
No license file was found, but licenses were detected in source scan.

====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (<http://netflix.github.io/RxJava/javadoc/>) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/README.md

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ExceptionsUtils.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeConcatMap.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribePublishMulticast.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools->

core/src/main/java/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpSCAtomicArrayQueue.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpSCExactAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/**

* This plugin class provides 2 ways to customize {@link Scheduler} functionality

* 1. You may redefine entire schedulers, if you so choose. To do so, override

* the 3 methods that return Scheduler (io(), computation(), newThread()).

* 2. You may wrap/decorate an {@link Action0}, before it is handed off to a Scheduler. The system-

* supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,

* Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to

* modify Scheduler functionality without redefining Schedulers wholesale.

*

* Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.

* <p>

* See {@link RxJavaPlugins} or the RxJava GitHub Wiki for information on configuring plugins:

* https://github.com/ReactiveX/RxJava/wiki/Plugins.

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaSchedulersHook.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/QueueProgressIndicators.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p/>
* <http://www.apache.org/licenses/LICENSE-2.0>
* <p/>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ScalarSynchronousSingle.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
*/

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/functions/Actions.java

No license file was found, but licenses were detected in source scan.

This package contains code that relies on `sun.misc.Unsafe`. Before using it you MUST assert `UnsafeAccess.isUnsafeAvailable() == true`

Much of the code in this package comes from or is inspired by the JCTools project:

<https://github.com/JCTools/JCTools>

JCTools has now published artifacts (<https://github.com/JCTools/JCTools/issues/17>) so RxJava could add JCTools as a "shadow" dependency (<https://github.com/ReactiveX/RxJava/issues/1735>).

RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is <https://github.com/JCTools/JCTools/blob/master/LICENSE>

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/README.md
No license file was found, but licenses were detected in source scan.

/**

* Copyright 2015 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/observables/AsyncOnSubscribe.java
* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/SingleSubscriber.java

No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCUnboundedArrayQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/SpSCUnboundedArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/BaseLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See
* the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/Single.java

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeCombineLatest.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCArrayQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/SpSCArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Inspired from <https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java>

libraries/source/browse/guava/src/com/google/common/annotations/Beta.java

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/annotations/Experimental.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This mechanism for getting UNSAFE originally from:

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/UnsafeAccess.java>

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/UnsafeAccess.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpscLinkedQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/MpscLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MessagePassingQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/MessagePassingQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Modified from <http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html>
*/

Found in path(s):

* /opt/cola/permits/1274704083_1645234944.44/0/rxjava-1-1-2-sources-jar/rx/internal/util/ObjectPool.java

1.172 apache-httpcomponents-core 4.4.14

1.172.1 Available under license :

Apache HttpComponents Core

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.173 apache-http-client 4.5.13

1.173.1 Available under license :

Apache HttpComponents Client

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and

all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its

Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the

Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such

Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
```

```
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
```

* Contributor, or anyone who distributes Covered Software as *
 * permitted above, be liable to You for any direct, indirect, *
 * special, incidental, or consequential damages of any character *
 * including, without limitation, damages for lost profits, loss of *
 * goodwill, work stoppage, computer failure or malfunction, or any *
 * and all other commercial damages or losses, even if such party *
 * shall have been informed of the possibility of such damages. This *
 * limitation of liability shall not apply to liability for death or *
 * personal injury resulting from such party's negligence to the *
 * extent applicable law prohibits such limitation. Some *
 * jurisdictions do not allow the exclusion or limitation of *
 * incidental or consequential damages, so this exclusion and *
 * limitation may not apply to You. *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.174 javax-annotation-api 1.3.2

1.174.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on

the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives

a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE

PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.175 pact-jvm-consumer-java8_2.12 3.5.25

1.175.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.176 netty/transport/classes/epoll

4.1.78.Final

1.176.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Classes/Epoll

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.classes.epoll

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-classes-epoll

Implementation-Version: 4.1.78.Final

Built-By: root

Bnd-LastModified: 1655245401253

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version

="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"
Tool: Bnd-2.4.1.201501161923
Implementation-Vendor: The Netty Project
Export-Package: io.netty.channel.epoll;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.channel.unix,io.netty.util,io.netty.util.concurrent";version="4.1.78"
Bundle-Name: Netty/Transport/Classes/Epoll
Bundle-Version: 4.1.78.Final
Created-By: Apache Maven Bundle Plugin
Build-Jdk: 1.8.0_332
Implementation-URL: <https://netty.io/netty-transport-classes-epoll/>

Found in path(s):

* /opt/cola/permits/1355678763_1656719393.3217473/0/netty-transport-classes-epoll-4-1-78-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2021 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1355678763_1656719393.3217473/0/netty-transport-classes-epoll-4-1-78-final-jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml

1.177 logback-core 1.2.11

1.177.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Logback: the reliable, generic, fast and flexible logging framework.

* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
* or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/

Found in path(s):

* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/spi/ContextAwareImpl.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/ConsoleAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/spi/InterpretationContext.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/color/BoldBlueCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/ConverterUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/FileNamePattern.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/status/InfoStatus.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/action/ParamAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/SyslogAppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/event/stax/EndEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/encoder/EchoEncoder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/rolling/helper/ArchiveRemover.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/net/ssl/ConfigurableSSLServerSocketFactory.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/joran/node/ComponentNode.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/util/LocationUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/subst/Parser.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-jar/ch/qos/logback/core/pattern/PatternLayoutBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/pattern/parser/FormattingNode.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/TimestampAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/encoder/NonClosableInputStream.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/subst/Tokenizer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ServerSocketListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/AutoFlushingObjectWriter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/AbstractEventEvaluatorAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/EndEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/AppenderAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfigurable.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/FormattingConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/SyslogConstants.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/SSLServerSocketAppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLContextFactoryBean.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfigurableServerSocket.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/AbstractDiscriminator.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/AppenderAttachable.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/AbstractComponentTracker.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/PropertyContainer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/SiftingJoranConfiguratorBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/html/CssBuilder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/EnvUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/PeriodicityType.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ServerRunner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/net/server/RemoteReceiverClient.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/BasicStatusManager.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/SyslogOutputStream.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/SimpleKeywordNode.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/IfAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/AppenderFactory.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/RedCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/CharSequenceToRegexMapper.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/AppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/SizeBasedTriggeringPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/encoder/LayoutWrappingEncoder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ClientVisitor.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/Loader.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/PropertyDefinerBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/ReplacingCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/ANSIConstants.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/helpers/ThrowableToStringArray.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/CharSequenceState.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/DelayStrategy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/TrustManagerFactoryFactoryBean.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/Node.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/InPlayListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfiguration.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/StatusUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/recovery/ResilientSyslogOutputStream.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/DynamicClassLoadingException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/PropertySetterException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/SMTPAppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ObjectWriterFactory.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/AppenderAttachableImpl.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ServerListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/DefaultTimeBasedFileNamingAndTriggeringPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/layout/EchoLayout.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/DateTokenConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/HttpStatus.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/recovery/ResilientOutputStreamBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/FileUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/ComponentTracker.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLConfigurableSocket.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/util/IEscapeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/FilterReply.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/ElementPath.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/IADDataForComplexProperty.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/LoginAuthenticator.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/FixedDelay.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/Appender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/StatusListenerAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/LayoutBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/net/AbstractSocketAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/SizeAndTimeBasedFNATP.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/html/NOThrowableRenderer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/DatePatternToRegexUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/SocketConnector.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/Compiler.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/PatternLayoutEncoderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/ActionConst.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/DefaultSocketConnector.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/Parser.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/hook/ShutdownHookBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/util/ConfigurationWatchListUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/util/RegularEscapeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/util/PropertySetter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/FileFilterUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/StatusBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/StatusManager.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/FilterAttachable.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/Discriminator.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/WarnStatus.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/hook/ShutdownHook.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/AbstractServerSocketAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/FormatInfo.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/CyclicBufferTracker.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/util/Duration.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/HostClassAndPropertyDouble.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/MagentaCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/ShutdownHookAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/SystemInfo.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/KeyStoreFactoryBean.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/NopStatusListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/TimeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/EventPlayer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/AbstractSSLSocketAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/GreenCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/boolex/JaninoEventEvaluatorBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/LiteralConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/RemoteReceiverStreamClient.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/WhiteCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ObjectWriter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/MonoTypedConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/FilterAttachableImpl.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/CompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/RollingCalendar.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/DefaultDiscriminator.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/SiftingAppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/DefaultInvocationGate.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/FileSize.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/pattern/color/BoldYellowCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/ContextBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/SimpleRuleStore.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/property/FileExistsPropertyDefiner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/NewRuleAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/NoAutoStartUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/LifeCycleManager.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/subst/Node.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/encoder/ByteArrayUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/ScanException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/OnPrintStreamStatusListenerBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/SizeAndTimeBasedArchiveRemover.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/TriggeringPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/stax/BodyEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/boolex/Matcher.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/CyanCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/IdentityCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BoldWhiteCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/QueueFactory.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/SpacePadder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/DefinePropertyAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/JoranException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/DynamicConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/Interpreter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/pattern/parser/OptionTokenizer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/filter/Filter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/StatusListenerConfigHelper.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/LogbackException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/filter/EvaluatorFilter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/html/IThrowableRenderer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/JNDIUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/BodyEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/GrayCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/PostCompileProcessor.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/CoreConstants.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/StringCollectionUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/OutputStreamAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/ConfigurableSSLSocketFactory.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/ConsoleTarget.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/Context.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/RollingFileAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/TimeBasedArchiveRemover.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/util/StringToObjectConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/StatusListenerAsList.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/filter/AbstractMatcherFilter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/SaxEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLParametersConfiguration.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/ContextPropertyAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/spi/LogbackLock.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/RolloverFailure.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/ContextUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/boolex/EventEvaluator.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/TokenConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/html/HTMLLayoutBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BlueCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/ForegroundCompositeConverterBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/recovery/RecoveryCoordinator.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/PropertyEvalScriptBuilder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/recovery/ResilientFileOutputStream.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/Condition.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/UnsynchronizedAppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/FixedWindowRollingPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/TriggeringPolicyBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/util/AsIsEscapeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/PropertyDefiner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/stax/StaxEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BoldGreenCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/read/ListAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/RollingPolicyBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/encoder/Encoder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BlackCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/stax/StaxEventRecorder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/status/Status.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/XMLUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/PropertyWrapperForScripts.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/ImplicitAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/AbstractAppenderFactoryUsingJoran.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/OnErrorConsoleStatusListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/OptionHelper.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/ConversionRuleAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/helpers/CyclicBuffer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/GenericConfigurator.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/stax/StartEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSL.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicyBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/ContextAware.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/ActionUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLComponent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/subst/Token.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/CachingDateFormatter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/IncludeAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/ExecutorServiceUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/RemoteReceiverServerListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/NOPAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/DefaultNestedComponentRegistry.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/hook/DelayingShutdownHook.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/RemoteReceiverServerRunner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/AppenderRefAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SSLNestedComponentRegistryRules.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/StartEvent.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/read/CyclicBufferAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/RollingPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/CompressionMode.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/IntegerTokenConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/ContextAwareBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/LifeCycle.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/FileStoreUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/CloseUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/helpers/Transform.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/ThenAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/StatusPrinter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/boolex/EvaluationException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/StatusListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/util/AlmostAsIsEscapeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/FileAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/JoranConfiguratorBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/KeyManagerFactoryFactoryBean.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/Compressor.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/ssl/SecureRandomFactoryBean.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/joran/spi/ActionException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/YellowCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/TimeBasedRollingPolicy.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/sift/AppenderTracker.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BoldRedCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/PreSerializationTransformer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/ElementSelector.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/AsyncAppenderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/NestedBasicPropertyIA.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/IADDataForBasicProperty.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/Action.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/rolling/helper/RenameUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/NestedComplexPropertyIA.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/spi/DeferredProcessingAware.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/event/SaxEventRecorder.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/IncompatibleClassException.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/util/RestrictedEscapeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/encoder/EncoderBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/NoAutoStart.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/Token.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/boolex/EventEvaluatorBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/AggregationType.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/ThenOrElseActionBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/OnConsoleStatusListener.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-

jar/ch/qos/logback/core/pattern/Converter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/TokenStream.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/util/ContentTypeUtil.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/Layout.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BoldCyanCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/conditional/ElseAction.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/ConcurrentServerRunner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/ConfigurationWatchList.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/parser/CompositeNode.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/helpers/NOPAppender.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/DefaultClass.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/property/ResourceExistsPropertyDefiner.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/status/ViewStatusMessagesServletBase.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/subst/NodeToStringTransformer.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/net/server/Client.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/pattern/color/BoldMagentaCompositeConverter.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/spi/RuleStore.java
* /opt/cola/permits/1337069885_1654119262.0130525/0/logback-core-1-2-11-sources-3-
jar/ch/qos/logback/core/joran/action/PropertyAction.java

1.178 javax.inject:javax.inject 1

1.178.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The JSR-330 Expert Group

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Provider.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Named.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Qualifier.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Inject.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/package-info.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Scope.java
* /opt/cola/permits/1299411403_1650627395.55/0/javax-inject-1-sources-jar/javax/inject/Singleton.java

1.179 automation 1.11-8

1.179.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* dk.brics.automaton
*
* Copyright (c) 2001-2011 Anders Moeller
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/BasicAutomata.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/TransitionComparator.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/DatatypesAutomatonProvider.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/Automaton.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/Datatypes.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/SpecialOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/BasicOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/StatePair.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/MinimizationOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/State.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/ShuffleOperations.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/RunAutomaton.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/RegExp.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/AutomatonProvider.java
* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-jar/dk/brics/automaton/Transition.java

No license file was found, but licenses were detected in source scan.

/*

* dk.brics.automaton - AutomatonMatcher

*

* Copyright (c) 2008-2011 John Gibson

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

Found in path(s):

* /opt/cola/permits/1162863214_1620924489.9/0/automaton-1-11-8-sources-6-
 jar/dk/brics/automaton/AutomatonMatcher.java

1.180 hamcrest 1.3

1.180.1 Available under license :

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0//EN">
<HTML>
<HEAD>
<TITLE>Common Public License - v 1.0</TITLE>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</HEAD>

<BODY BGCOLOR="#FFFFFF" VLINK="#800000">

<P ALIGN="CENTER"><B>Common Public License - v 1.0</B>
<P><B></B><FONT SIZE="3"></FONT>
<P><FONT SIZE="3"></FONT><FONT SIZE="2">THE ACCOMPANYING PROGRAM IS PROVIDED
UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE,
REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE
OF THIS AGREEMENT.</FONT>
<P><FONT SIZE="2"></FONT>
<P><FONT SIZE="2"><B>1. DEFINITIONS</B></FONT>
<P><FONT SIZE="2">"Contribution" means:</FONT>

<UL><FONT SIZE="2">a) in the case of the initial Contributor, the initial code and documentation distributed
under this Agreement, and<BR CLEAR="LEFT">
b) in the case of each subsequent Contributor:</FONT></UL>
```

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

<P>

<P>"Contributor" means any person or entity that distributes the Program.

<P>

<P>"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

<P>

<P>"Program" means the Contributions distributed in accordance with this Agreement.

<P>

<P>"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

<P>

<P>2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

<P>3. REQUIREMENTS

<P>A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs

licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

- When the Program is made available in source code form:
 - it must be made available under this Agreement; and
 - a copy of this Agreement must be included with each copy of the Program.

~~Contributors may not remove or alter any copyright notices contained within the Program.~~

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS

PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program

(including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

<P>

<P>This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

<P>

<P>

</BODY>

</HTML>

BSD License

Copyright (c) 2000-2006, www.hamcrest.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY

WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2000-2003, jMock.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">

<head>
<meta http-equiv="Content-Type" content="text/html;charset=utf-8" />
<title>EasyMock License</title>
<link rel="stylesheet" href="easymock.css" />
</head>

<body><div class="bodywidth">

<h2>
EasyMock 2 License (MIT License)
</h2>
```

Copyright (c) 2001-2006 OFFIS, Tammo Freese.

<p>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

</p>

<p>

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

</p>

<p>

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</p>

</div>

</body>

</html>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.181 pact-jvm-consumer_2.12 3.5.25

1.181.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.182 dmfs/optional 0.3

1.182.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 dmfs GmbH
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/NullSafe.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Absent.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Present.java
* /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/Optional.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 dmfs GmbH
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *

```

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- * /

Found in path(s):

- * /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/First.java
- * /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/iter/OptIter.java
- * /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/decorators/Mapped.java
- * /opt/cola/permits/1162865425_1649200933.51/0/optional-0-3-sources-jar/org/dmfs/optional/iter/OptIter.java

1.183 jansi 1.16

1.183.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix

below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute

must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by

brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.184 google-guice 4.0

1.184.1 Available under license :

Struts 2 Core
Copyright 2000-2010 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

/**

* Copyright (C) 2006 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Apache Commons Lang
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).
FreeMarker 1.x was released under the LGPL license. Later, by community
consensus, we have switched over to a BSD-style license. As of FreeMarker
2.2pre1, the original author, Benjamin Geer, has relinquished the copyright in
behalf of Visigoth Software Society. The current copyright holder is the
Visigoth Software Society.

Copyright (c) 2003 The Visigoth Software Society. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
2. The end-user documentation included with the redistribution, if any, must
include the following acknowledgement:
"This product includes software developed by the
Visigoth Software Society (<http://www.visigoths.org/>)."
Alternately, this acknowledgement may appear in the software itself, if and
wherever such third-party acknowledgements normally appear.
3. Neither the name "FreeMarker", "Visigoth", nor any of the names of the
project contributors may be used to endorse or promote products derived
from this software without prior written permission. For written
permission, please contact visigoths@visigoths.org.
4. Products derived from this software may not be called "FreeMarker" or
"Visigoth" nor may "FreeMarker" or "Visigoth" appear in their names
without prior written permission of the Visigoth Software Society.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
VISIGOTH SOFTWARE SOCIETY OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY
OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Visigoth Software Society. For more information on the Visigoth Software Society, please see <http://www.visigoths.org/>

XWork: Core

Copyright 2000-2010 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact dom4j-info@metastuff.com.
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS

“AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000,2002,2003 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Jakarta Commons IO

Copyright 2001-2007 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

Specification: JSR-000220 Enterprise JavaBeans v.3.0 ("Specification")

Version: 3.0

Status: Final Release

Release: 8 May 2006

Copyright 2006 SUN MICROSYSTEMS, INC.

4150 Network Circle, Santa Clara, California 95054, U.S.A

All rights reserved.

LIMITED LICENSE GRANTS

1. License for Evaluation Purposes. Sun hereby grants you a fully-paid, non-exclusive, non-transferable, worldwide, limited license (without the right to sublicense), under Sun's applicable intellectual property rights to view, download, use and reproduce the Specification only for the purpose of internal evaluation. This includes (i) developing applications intended to run on an implementation of the Specification, provided that such applications do not themselves implement any portion(s) of the Specification, and (ii) discussing the Specification with any third party; and (iii) excerpting brief portions of the Specification in oral or written communications which discuss the Specification provided that such excerpts do not in the aggregate constitute a significant portion of the Specification.
2. License for the Distribution of Compliant Implementations. Sun also grants you a perpetual, nonexclusive, non-transferable, worldwide, fully paid-up, royalty free, limited license (without the right to sublicense) under any applicable copyrights or, subject to the provisions of subsection 4 below, patent rights it may have covering the Specification to create and/or distribute an Independent Implementation of the Specification that: (a) fully implements the Specification including all its required interfaces and functionality; (b) does not modify, subset, superset or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented; and (c) passes the Technology Compatibility Kit (including satisfying the requirements of the applicable TCK Users Guide) for such Specification ("Compliant Implementation"). In addition, the foregoing license is expressly conditioned on your not acting outside its scope. No license is granted hereunder for any other purpose (including, for example, modifying the Specification, other than to the extent of your fair use rights, or distributing the Specification to third parties). Also, no right, title, or interest in or to any trademarks, service marks, or trade names of Sun or Sun's licensors is granted hereunder. Java, and Java-related logos, marks and names are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.
3. Pass-through Conditions. You need not include limitations (a)-(c) from the previous paragraph or any other particular "pass through" requirements in any license You grant concerning the use of your Independent Implementation or products derived from it. However, except with respect to Independent Implementations (and products derived from them) that satisfy limitations (a)-(c) from the previous paragraph, You may neither: (a) grant or otherwise pass through to your licensees any licenses under Sun's applicable intellectual property rights; nor (b) authorize your licensees to make any claims concerning their implementations compliance with the Specification in question.
4. Reciprocity Concerning Patent Licenses.
 - a. With respect to any patent claims covered by the license granted under subparagraph 2 above that would be infringed by all technically feasible implementations of the Specification, such license is conditioned upon your offering on fair, reasonable and non-discriminatory terms, to any party seeking it from You, a perpetual, non-exclusive, non-transferable, worldwide license under Your patent rights which are or would be infringed by all technically feasible implementations of the Specification to develop, distribute and use a Compliant Implementation.
 - b. With respect to any patent claims owned by Sun and covered by the license granted under subparagraph 2, whether or not their infringement can be avoided in a technically feasible manner when implementing the Specification, such license shall terminate with respect to such claims if You initiate a claim against Sun that it has, in the course of performing its responsibilities as the Specification Lead, induced any other entity to infringe Your patent rights.

c Also with respect to any patent claims owned by Sun and covered by the license granted under subparagraph 2 above, where the infringement of such claims can be avoided in a technically feasible manner when implementing the Specification such license, with respect to such claims, shall terminate if You initiate a claim against Sun that its making, having made, using, offering to sell, selling or importing a Compliant Implementation infringes Your patent rights.

5. Definitions. For the purposes of this Agreement: "Independent Implementation" shall mean an implementation of the Specification that neither derives from any of Sun's source code or binary code materials nor, except with an appropriate and separate license from Sun, includes any of Sun's source code or binary code materials; "Licensor Name Space" shall mean the public class or interface declarations whose names begin with "java", "javax", "com.sun" or their equivalents in any subsequent naming convention adopted by Sun through the Java Community Process, or any recognized successors or replacements thereof; and "Technology Compatibility Kit" or "TCK" shall mean the test suite and accompanying TCK Users Guide provided by Sun which corresponds to the Specification and that was available either (i) from Sun 120 days before the first release of Your Independent Implementation that allows its use for commercial purposes, or (ii) more recently than 120 days from such release but against which You elect to test Your implementation of the Specification.

This Agreement will terminate immediately without notice from Sun if you breach the Agreement or act outside the scope of the licenses granted above.

DISCLAIMER OF WARRANTIES

THE SPECIFICATION IS PROVIDED "AS IS". SUN MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT (INCLUDING AS A CONSEQUENCE OF ANY PRACTICE OR IMPLEMENTATION OF THE SPECIFICATION), OR THAT THE CONTENTS OF THE SPECIFICATION ARE SUITABLE FOR ANY PURPOSE. This document does not represent any commitment to release or implement any portion of the Specification in any product. In addition, the Specification could include technical inaccuracies or typographical errors.

LIMITATION OF LIABILITY

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUE, PROFITS OR DATA, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF OR RELATED IN ANY WAY TO YOUR HAVING, IMPLEMENTING OR OTHERWISE USING THE SPECIFICATION, EVEN IF SUN AND/OR ITS LICENSORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You will indemnify, hold harmless, and defend Sun and its licensors from any claims arising or resulting from: (i) your use of the Specification; (ii) the use or distribution of your Java application, applet and/or implementation; and/or (iii) any claims that later versions or releases of any Specification furnished to you are incompatible with the Specification provided to you under this license.

RESTRICTED RIGHTS LEGEND

U.S. Government: If this Specification is being acquired by or on behalf of the U.S. Government or by a U.S. Government prime contractor or subcontractor (at any tier), then the Government's rights in the Software and accompanying documentation shall be only as set forth in this license; this is in accordance with 48 C.F.R. 227.7201 through 227.7202-4 (for Department of Defense (DoD) acquisitions) and with 48 C.F.R. 2.101 and 12.212 (for non-DoD acquisitions).

REPORT

If you provide Sun with any comments or suggestions concerning the Specification ("Feedback"), you

hereby: (i) agree that such Feedback is provided on a non-proprietary and non-confidential basis, and (ii) grant Sun a perpetual, non-exclusive, worldwide, fully paid-up, irrevocable license, with the right to sublicense through multiple levels of sublicensees, to incorporate, disclose, and use without limitation the Feedback for any purpose.

GENERAL TERMS

Any action related to this Agreement will be governed by California law and controlling U.S. federal law. The U.N. Convention for the International Sale of Goods and the choice of law rules of any jurisdiction will not apply.

The Specification is subject to U.S. export control laws and may be subject to export or import regulations in other countries. Licensee agrees to comply strictly with all such laws and regulations and acknowledges that it has the responsibility to obtain such licenses to export, re-export or import as may be required after delivery to Licensee.

This Agreement is the parties entire agreement relating to its subject matter. It supersedes all prior or contemporaneous oral or written communications, proposals, conditions, representations and warranties and prevails over any conflicting or additional terms of any quote, order, acknowledgment, or other communication between the parties relating to its subject matter during the term of this Agreement. No modification to this Agreement will be binding, unless in writing and signed by an authorized representative of each party.

Rev. April, 2006

Sun/Final/Full

Apache Struts

Copyright 2000-2007 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).
domTT (<http://www.mojavelinux.com/projects/domtooltip/>).

The binary distributions includes the following third party software:

FreeMarker (<http://freemarker.org/>).
OGNL (<http://www.opensymphony.com/ognl/>).
XWork (<http://www.opensymphony.com/xwork/>).

```
=====
== NOTICE file corresponding to the section 4 d of           ==
== the Apache License, Version 2.0,                          ==
== in this case for the Apache Ant distribution.              ==
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :
- the W3C consortium (<http://www.w3c.org>) ,
- the SAX project (<http://www.saxproject.org>)

Please read the different LICENSE files present in the root directory of
this distribution.

```
/* =====
* The OpenSymphony Software License, Version 1.1
```

*
 * (this license is derived and fully compatible with the Apache Software
 * License - see <http://www.apache.org/LICENSE.txt>)
 *
 * Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This product includes software developed by the
 * OpenSymphony Group (<http://www.opensymphony.com/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "OpenSymphony" and "The OpenSymphony Group"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact license@opensymphony.com .
 *
 * 5. Products derived from this software may not be called "OpenSymphony"
 * or "XWork", nor may "OpenSymphony" or "XWork" appear in their
 * name, without prior written permission of the OpenSymphony Group.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * =====
 */

Apache Felix Main
Copyright 2010 The Apache Software Foundation

I. Included Software

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).
Licensed under the Apache License 2.0.

This product includes software developed at
The OSGi Alliance (<http://www.osgi.org/>).
Copyright (c) OSGi Alliance (2000, 2009).
Licensed under the Apache License 2.0.

II. Used Software

This product uses software developed at
The OSGi Alliance (<http://www.osgi.org/>).
Copyright (c) OSGi Alliance (2000, 2009).
Licensed under the Apache License 2.0.

This product uses software developed at
The Codehaus (<http://www.codehaus.org>)
Licensed under the Apache License 2.0.

III. License Summary

- Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons FileUpload

Copyright 2002-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

/*

* Apache License

* Version 2.0, January 2004

* <http://www.apache.org/licenses/>

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

* 1. Definitions.

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).

* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.

* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally

* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.
*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*

* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and
*

- *
* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and
*
- *
* (d) If the Work includes a "NOTICE" text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that such additional attribution notices cannot be construed
* as modifying the License.
*
- *
* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*
- *
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*
- *
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*
- *
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

*
* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

*
* END OF TERMS AND CONDITIONS

*
* APPENDIX: How to apply the Apache License to your work.

*
* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.

*
* Copyright [yyyy] [name of copyright owner]

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.

*/
 /* =====

* The Apache Software License, Version 1.1

*
 * Copyright (c) 2000-2002 The Apache Software Foundation. All rights
 * reserved.

*
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:

*
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.

*
 * THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/
/* =====

* The OpenSymphony Software License, Version 1.1

*
* (this license is derived and fully compatible with the Apache Software
* License - see <http://www.apache.org/LICENSE.txt>)

*
* Copyright (c) 2001-2004 The OpenSymphony Group. All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
- * 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This product includes software developed by the
* OpenSymphony Group (<http://www.opensymphony.com/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
- * 4. The names "OpenSymphony" and "The OpenSymphony Group"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact license@opensymphony.com .
*
- * 5. Products derived from this software may not be called "OpenSymphony"
* or "OGNL", nor may "OpenSymphony" or "OGNL" appear in their
* name, without prior written permission of the OpenSymphony Group.

*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*/

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.185 junit-5-bill-of-materials 5.8.2

1.185.1 Available under license :

```
import java.io.File
import java.net.URI
```

```
data class License(val name: String, val url: URI, val headerFile: File)
    Apache License
```

```
=====
```

```
_Version 2.0, January 2004_
_&lt;<https://www.apache.org/licenses/>&gt;_
```

```
### Terms and Conditions for use, reproduction, and distribution
```

```
#### 1. Definitions
```

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensors shall mean the copyright owner or entity authorized by the copyright

owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- * **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and
- * **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and
- * **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- * **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work,

provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

- * **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- * **b)** in the case of each subsequent Contributor:
 - * **i)** changes to the Program, and
 - * **j)** additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of ****a)**** distributing or ****b)**** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

****a)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

****b)**** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

****c)**** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

****d)**** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

****e)**** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

****3.1)**** If a Contributor Distributes the Program in any form, then:

* ****a)**** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* ****b)**** the Contributor may Distribute the Program under a license different than this Agreement, provided that

such license:

* **i)*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

* **ii)*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

* **iii)*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

* **iv)*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)*** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

* **b)*** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY

APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All

rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License

=====

Version 2.0, January 2004

<<<https://www.apache.org/licenses/>>>>

Terms and Conditions for use, reproduction, and distribution

1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or

translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was

submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- * **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and
- * **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and
- * **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- * **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets `[]` replaced with your own

identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same printed page as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

[[contributors]]

== Contributors

Browse the {junit5-repo}/graphs/contributors[current list of contributors] directly on GitHub.

1.186 iterators 1.5

1.186.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017 dmfs GmbH  
*  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
*
```

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Utils/SlimSet.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/FilteredIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/SerialIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/UnquotedSplit.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Filter.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/decorators/Flattened.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/NoneOf.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/SerializableIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/decorators/Reverse.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Repeatable.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Distinct.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/NonNull.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/decorators/Flattened.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Function.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/Skip.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/decorators/Serialized.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/CachingIterable.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/AbstractBaseIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/AbstractFilteredIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/DistinctIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/CsvIterable.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/EmptyIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/SingletonIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/Distinct.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/CsvIterator.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/decorators/Mapped.java
- * /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/decorators/Fluent.java

* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/decorators/Filtered.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/filters/AnyOf.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/decorators/Mapped.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/decorators/Filtered.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/ArrayIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/Split.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/FluentIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/AbstractConvertedIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/Split.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/SerialIteratorIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/ConvertedIterator.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterators/UnquotedSplit.java
* /opt/cola/permits/1162864298_1620923965.62/0/iterators-1-5-sources-1-jar/org/dmfs/iterables/ArrayIterable.java

1.187 dom4j-flexible-xml-framework-for-java

2.1.3

1.187.1 Available under license :

Copyright 2001-2016 (C) MetaStuff, Ltd. and DOM4J contributors. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact dom4j-info@metastuff.com.
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written

permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.

5. Due credit should be given to the DOM4J Project - <https://dom4j.github.io/>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.188 dropwizard-lifecycle-support 2.0.29

1.188.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.189 ant-antlr 1.10.12

1.189.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark

Graphics Corp that has been kindly donated to the Apache Software Foundation.

/*

* Apache License
* Version 2.0, January 2004
* <http://www.apache.org/licenses/>
*

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*

* 1. Definitions.
*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.
*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*

* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,

* the Work and Derivative Works thereof.

*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.
*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*

- * (a) You must give any other recipients of the Work or
- * Derivative Works a copy of this License; and
- *
- * (b) You must cause any modified files to carry prominent notices
- * stating that You changed the files; and
- *
- * (c) You must retain, in the Source form of any Derivative Works
- * that You distribute, all copyright, patent, trademark, and
- * attribution notices from the Source form of the Work,
- * excluding those notices that do not pertain to any part of
- * the Derivative Works; and
- *
- * (d) If the Work includes a "NOTICE" text file as part of its
- * distribution, then any Derivative Works that You distribute must
- * include a readable copy of the attribution notices contained
- * within such NOTICE file, excluding those notices that do not
- * pertain to any part of the Derivative Works, in at least one
- * of the following places: within a NOTICE text file distributed
- * as part of the Derivative Works; within the Source form or
- * documentation, if provided along with the Derivative Works; or,
- * within a display generated by the Derivative Works, if and
- * wherever such third-party notices normally appear. The contents
- * of the NOTICE file are for informational purposes only and
- * do not modify the License. You may add Your own attribution
- * notices within Derivative Works that You distribute, alongside
- * or as an addendum to the NOTICE text from the Work, provided
- * that such additional attribution notices cannot be construed
- * as modifying the License.
- *
- * You may add Your own copyright statement to Your modifications and
- * may provide additional or different license terms and conditions
- * for use, reproduction, or distribution of Your modifications, or
- * for any such Derivative Works as a whole, provided Your use,
- * reproduction, and distribution of the Work otherwise complies with
- * the conditions stated in this License.
- *
- * 5. Submission of Contributions. Unless You explicitly state otherwise,
- * any Contribution intentionally submitted for inclusion in the Work
- * by You to the Licensor shall be under the terms and conditions of
- * this License, without any additional terms or conditions.
- * Notwithstanding the above, nothing herein shall supersede or modify
- * the terms of any separate license agreement you may have executed
- * with Licensor regarding such Contributions.
- *
- * 6. Trademarks. This License does not grant permission to use the trade
- * names, trademarks, service marks, or product names of the Licensor,
- * except as required for reasonable and customary use in describing the
- * origin of the Work and reproducing the content of the NOTICE file.

*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.
*

* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.
*

* END OF TERMS AND CONDITIONS
*

* APPENDIX: How to apply the Apache License to your work.
*

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*

* Copyright [yyyy] [name of copyright owner]

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or

publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please see our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.190 jackson-datatype-guava 2.14.1

1.190.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the
Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.191 asm 8.0.1

1.191.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/CurrentFrame.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Label.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Type.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/FieldVisitor.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/ByteVector.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/RecordComponentVisitor.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/AnnotationVisitor.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Handler.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Constants.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/signature/SignatureReader.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/SymbolTable.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/signature/SignatureWriter.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/AnnotationWriter.java  
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-  
jar/org/objectweb/asm/Handle.java
```

* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Attribute.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/FieldWriter.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/TypePath.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/MethodVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/MethodWriter.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ClassVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Edge.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/MethodTooLargeException.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ConstantDynamic.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ClassTooLargeException.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/RecordComponentWriter.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Opcodes.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ClassReader.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ModuleWriter.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Context.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/TypeReference.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ModuleVisitor.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Symbol.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/Frame.java
* /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/0/asm-8-0-1-sources-1-jar/org/objectweb/asm/ClassWriter.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- * /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/asm-8-0-1-sources-1-
- jar/org/objectweb/asm/signature/package.html
- * /opt/ws_local/PERMITS_SQL/1093933321_1601047939.19/asm-8-0-1-sources-1-
- jar/org/objectweb/asm/package.html

1.192 metrics-integration-for-logback 4.1.31

1.192.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics.logback
Build-Jdk-Spec: 1.8
Bundle-Description: An instrumented appender for Logback.
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>
Bundle-ManifestVersion: 2
Bundle-Name: Metrics Integration for Logback
Bundle-SymbolicName: io.dropwizard.metrics.logback
Bundle-Version: 4.1.31
Created-By: Apache Maven Bundle Plugin 5.1.4
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi,ch.qos.logback.core,com.codahale.metrics";version="4.1.31"
Implementation-Title: Metrics Integration for Logback

Implementation-Version: 4.1.31
Import-Package: ch.qos.logback.classic;version="[1.2,2)",ch.qos.logback.classic.spi;version="[1.2,2)",ch.qos.logback.core;version="[1.2,2)",com.codahale.metrics;version="[4.1,5)"
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1337069338_1654206079.885904/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

1.193 jackson-datatype-jsr310 2.14.1

1.193.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.194 asm-commons 8.0.1

1.194.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.  
/**  
 * Constructs a new { @link GeneratorAdapter}. <i>Subclasses must not use this constructor</i>.  
 * Instead, they must use the { @link #GeneratorAdapter(int, MethodVisitor, int, String, String)}  
 * version.  
 *  
 * @param methodVisitor the method visitor to which this adapter delegates calls.  
 * @param access the method's access flags (see { @link Opcodes}).  
 * @param name the method's name.
```

* @param descriptor the method's descriptor (see { @link Type }).
* @throws IllegalStateException if a subclass calls this constructor.
*/

Found in path(s):

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/ModuleTargetAttribute.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/Remapper.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/AnnotationRemapper.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/RecordComponentRemapper.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/SignatureRemapper.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/Method.java

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ModuleRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/MethodRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ClassRemapper.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/ModuleHashesAttribute.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/FieldRemapper.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new { @link LocalVariablesSorter}. <i>Subclasses must not use this constructor</i>.
 * Instead, they must use the { @link #LocalVariablesSorter(int, int, String, MethodVisitor)}
 * version.
 *
 * @param access access flags of the adapted method.
 * @param descriptor the method's descriptor (see { @link Type}).
 * @param methodVisitor the method visitor to which this adapter delegates calls.
 * @throws IllegalStateException if a subclass calls this constructor.
 */
```

Found in path(s):

```
* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-
jar/org/objectweb/asm/commons/LocalVariablesSorter.java
```

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/package.html

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
/**
 * Constructs a new {@link SerialVersionUIDAdder}. <i>Subclasses must not use this
 * constructor</i>. Instead, they must use the {@link #SerialVersionUIDAdder(int, ClassVisitor)}
 * version.
 *
 * @param classVisitor a {@link ClassVisitor} to which this visitor will delegate calls.
 * @throws IllegalStateException If a subclass calls this constructor.
 */
```

Found in path(s):

* /opt/cola/permits/1104664946_1604644137.35/0/asm-commons-8-0-1-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java

1.195 dropwizard-servlet-support 2.0.29

1.195.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.196 apache-commons-lang 3.12.0

1.196.1 Available under license :

Apache Commons Lang
Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.197 jakarta-expression-language-3.0-implementation 3.0.4

1.197.1 Available under license :

Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

* Project home: <https://projects.eclipse.org/projects/ee4j.el>

Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/el-ri>

Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available

in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF

TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of

this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code

means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who

receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the

two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.198 pact-jvm-consumer-junit 3.5.25

1.198.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.199 hamcrest 2.1

1.199.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.200 feign-jackson 8.15.1

1.200.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274699864_1645233690.16/0/feign-jackson-8-15-1-sources-
jar/feign/jackson/JacksonDecoder.java
* /opt/cola/permits/1274699864_1645233690.16/0/feign-jackson-8-15-1-sources-
jar/feign/jackson/JacksonEncoder.java
```

1.201 snake-yaml 1.33

1.201.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
```

Found in path(s):

```
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/META-
INF/maven/org.yaml/snakeyaml/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2008 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this except
```

* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java
No license file was found, but licenses were detected in source scan.

```
// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
 * A Base64 encoder/decoder.
 *
 * <p>
 * This class is used to encode and decode data in Base64 format as described in RFC 1521.
 *
 * <p>
 * Project home page: <a href="http://www.source-code.biz/base64coder/java/">www.
 * source-code.biz/base64coder/java</a><br>
 * Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland<br>
 * Multi-licensed: EPL / LGPL / GPL / AL / BSD.
 */
```

Found in path(s):

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-
jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java
No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2008, SnakeYAML
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/FieldProperty.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/TagToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/Production.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/MappingEndEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/LoaderOptions.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/reader/ReaderException.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/CommentToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/comments/CommentLine.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/Property.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/CommentEvent.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/resolver/Resolver.java
* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/Serializer.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/ScalarToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/BeanAccess.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/ArrayUtils.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/DumperOptions.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/reader/UnicodeReader.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/AliasEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/composer/Composer.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/DocumentStartEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/ImplicitTuple.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/KeyToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/StreamEndEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/MappingStartEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/ScalarNode.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/ScannerException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/Represent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/SerializerException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/DocumentEndEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/Mark.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/Constructor.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/AnchorToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/Event.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/DirectiveToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/Yaml.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/CollectionNode.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/YAMLException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/MappingNode.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/BaseConstructor.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/Token.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/TypeDescription.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/SafeRepresenter.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/EmitterException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockEndToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/Parser.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/Scanner.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/StreamStartEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/ParserImpl.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/CollectionEndEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/NodeEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/ValueToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/comments/CommentType.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/Node.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/ScalarEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/Tag.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/Constant.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/Construct.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/parser/ParserException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/TagTuple.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/Emitable.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/Emitter.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/MethodProperty.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/constructor/ConstructorException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/reader/StreamReader.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/AliasToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/SequenceNode.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/NodeId.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/PropertyUtils.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/MissingProperty.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/introspector/GenericProperty.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/UriEncoder.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/util/EnumUtils.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/representer/Representer.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/composer/ComposerException.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/AnchorNode.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/emitter/EmitterState.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/nodes/NodeTuple.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/scanner/SimpleKey.java

* /opt/cola/permits/1446188159_1666171012.444366/0/snakeyaml-1-33-sources-1-jar/org/yaml/snakeyaml/error/MarkedYAMLEException.java

1.202 nuprocess 2.0.5

1.202.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/LibJava10.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/HexDumpElf.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Ben Hamilton, Brett Wooldridge
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/internal/LibJava8.java
```

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

```
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/META-
INF/maven/com.zaxxer/nuprocess/pom.xml
```

No license file was found, but licenses were detected in source scan.

// This is free and unencumbered software released into the public domain.

// software to the public domain. We make this dedication for the benefit

Found in path(s):

```
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/windows/WindowsCreateProcessEscape.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Ben Hamilton
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/codec/NuCharsetDecoderHandler.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/internal/ReferenceCountedFileDescriptor.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/codec/NuCharsetEncoderHandler.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/codec/NuCharsetEncoder.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/codec/NuAbstractCharsetHandler.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/codec/NuCharsetDecoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Ben Hamilton

*

* Originally from JNA com.sun.jna.platform.win32 package (Apache
* License, Version 2.0)

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-
jar/com/zaxxer/nuprocess/windows/NuWinNT.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Brett Wooldridge

*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/EpollEvent.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuAbstractProcessHandler.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/LinProcessFactory.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/LibC.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/WinProcessFactory.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/IEventProcessor.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/LibKevent.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/OsxProcess.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcessBuilder.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/LibEpoll.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/BasePosixProcess.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcessHandler.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/internal/BaseEventProcessor.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/WindowsProcess.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/ProcessKqueue.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/ProcessCompletions.java
- * /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/ProcessEpoll.java

* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/linux/LinuxProcess.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcess.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/NuProcessFactory.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/osx/OsxProcessFactory.java
* /opt/cola/permits/1445875790_1666140744.6246557/0/nuprocess-2-0-5-sources-jar/com/zaxxer/nuprocess/windows/NuKernel32.java

1.203 jetty-java-based-http-1-x-http-2-servlet-websocket-server 9.4.48.v20220622

1.203.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement

negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware)

infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Tomcat
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache Standard Taglib Specification API
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache Standard Taglib Implementation
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the

terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License

is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new

free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the

Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface

definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a

pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Copyright 2007 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and in other countries.

Unpublished - rights reserved under the Copyright Laws of the United States.

U.S. Government Rights - Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

Use is subject to license terms.

This distribution may include materials developed by third parties.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and in other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Java, Jini, Netra, Solaris, Sun Ray, Sun Java System Application Server, Java API for XML-based RPC, Java APIs for XML Web Services, Java Architecture for XML Binding, Java Authorization Contract for Containers, Java EE, Java Message Queue, Java Persistence API, Java Servlet, JavaMail, Enterprise JavaBeans, JavaServer Pages, JavaServer Faces, JDBC and Java API for XML Registries are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

This product is covered and controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

Copyright 2007 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. détient les droits de propriété intellectuelle relatifs à la technologie incorporée dans le produit qui est décrit dans ce document. En particulier, et ce sans limitation, ces droits de propriété intellectuelle peuvent inclure un ou plus des brevets américains listés à l'adresse <http://www.sun.com/patents> et un ou les brevets supplémentaires ou les applications de brevet en attente aux États-Unis et dans les autres pays.

Non publié - droits réservés selon la législation des États-Unis sur le droit d'auteur.

L'utilisation est soumise aux termes de la Licence.

Cette distribution peut comprendre des composants développés par des tierces parties.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux États-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, Java, Jini, Netra, Solaris, Sun Ray, Sun Java System Application Server, Java API for XML-based RPC, Java APIs for XML Web Services, Java Architecture for XML Binding, Java Authorization Contract for Containers, Java EE, Java Message Queue, Java Persistence API, Java Servlet, JavaMail, Enterprise JavaBeans, JavaServer Pages, JavaServer Faces, JDBC et Java API for XML Registries sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux États-Unis et dans d'autres pays.

Ce produit est soumis à la législation américaine en matière de contrôle des exportations et peut être soumis à la réglementation en vigueur dans d'autres pays dans le domaine des exportations et importations. Les utilisations, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers les pays sous embargo américain, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exhaustive, la liste de personnes qui font l'objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

Java Authentication SPI for Containers

Copyright 2003-2009 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of

the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However,

you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A

PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212

and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this

License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF

INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term

"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable

form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL,

SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

DO NOT TRANSLATE OR LOCALIZE.

%% The following software may be included in this product: Java Pack200-ant-task
Use of any of this software is governed by the terms of the license below:

SUN PUBLIC LICENSE Version 1.0

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used

to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1 The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters.

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface ("API") and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial

Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Sun Microsystems, Inc. ("Sun") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Sun. No one other than Sun has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must: (a) rename Your license so that the phrases "Sun," "Sun Public License," or "SPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Sun Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such

Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A -Sun Public License Notice.

The contents of this file are subject to the Sun Public License Version 1.0 (the "License"); you may not use this file except in compliance with the License. A copy of the License is available at <http://www.sun.com/>

The Original Code is _____. The Initial Developer of the Original Code is _____. Portions created by _____ are Copyright (C)_____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the "[] License"), in which case the provisions of [] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [] License and not to allow others to use your version of this file under the SPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [] License. If you do not delete the provisions above, a recipient may use your version of this file under either the SPL or the [] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

%% The following software may be included in this product: Java DB (Derby)
Use of any of this software is governed by the terms of the license below:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: Base64
Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: JSTL 1.1.0-D13
Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: BCEL 5.1. Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

- *
- * Copyright (c) 2001 The Apache Software Foundation. All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
- *
- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- *
- * 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
- * "This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *

* 4. The names "Apache" and "Apache Software Foundation" and
 * "Apache BCEL" must not be used to endorse or promote products
 * derived from this software without prior written permission. For
 * written permission, please contact apache@apache.org.
 *

* 5. Products derived from this software may not be called "Apache",
 * "Apache BCEL", nor may "Apache" appear in their name, without
 * prior written permission of the Apache Software Foundation.
 *

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====

*
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

%% The following software may be included in this product: REGEXP 1.2. Use of any of this software is governed by the terms of the license below:

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: sfx4j. Use of any of this software is governed by the terms of the license below:

Copyright (c) 2003, Kohsuke Kawaguchi
All rights reserved.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided
that the following conditions are met:

- * Redistributions of source code must retain
the above copyright notice, this list of
conditions and the following disclaimer.
- * Redistributions in binary form must reproduce
the above copyright notice, this list of
conditions and the following disclaimer in
the documentation and/or other materials
provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT
HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: Stax API. Use of any of this software is governed by
the terms of the license below:

Streaming API for XML (JSR-173) Specification
Reference Implementation
License Agreement

READ THE TERMS OF THIS (THE "AGREEMENT") CAREFULLY BEFORE VIEWING OR USING THE
SOFTWARE LICENS
ED HEREUNDER. BY VIEWING OR USING THE SOFTWARE, YOU AGREE TO THE TERMS OF THIS
AGREEMENT. IF
YOU ARE ACCESSING THE SOFTWARE ELECTRONICALLY, INDICATE YOUR ACCEPTANCE OF
THESE
TERMS BY SELE
CTING THE "ACCEPT" BUTTON AT THE END OF THIS AGREEMENT. IF YOU DO NOT AGREE TO
ALL THESE TERMS

, PROMPTLY RETURN THE UNUSED SOFTWARE TO ORIGINAL CONTRIBUTOR, DEFINED HEREIN.

1.0 DEFINITIONS.

1.1. "BEA" means BEA Systems, Inc., the licensor of the Original Code.

1.2. "Contributor" means BEA and each entity that creates or contributes to the creation of Modifications.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Executable" means Covered Code in any form other than Source Code.

1.5. "FCS" means first commercial shipment of a product.

1.6. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

(a) Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

(b) Any new file that contains any part of the Original Code or previous Modifications.

1.7. "Original Code" means Source Code of computer software code Reference Implementation.

1.8. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent for which the grantor has the right to grant a license.

1.9. "Reference Implementation" means the prototype or "proof of concept" implementation of the Specification developed and made available for license by or on behalf of BEA.

1.10. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation,

interface definition

files, scripts used to control compilation and installation of an Executable, or source code

fferential comparisons against either the Original Code or another well known, available Code of the Contributor's choice.

1.11. "Specification" means the written specification for the Streaming API for XML , Java technology developed pursuant to the Java Community Process.

1.12. "Technology Compatibility Kit" or "TCK" means the documentation, testing tools and test suites associated with the Specification as may be revised by BEA from time to time, that is provided so that an implementer of the Specification may determine if its implementation is compliant with the Specification.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this Agreement or a future version of this Agreement issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2.0 SOURCE CODE LICENSE.

2.1. Copyright Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Covered Code of such Contributor, if any, and such derivative works, in Source Code and Executable form.

2.2. Patent Grant. Subject to the terms of this Agreement, each Contributor hereby grants You a non-exclusive, worldwide, royalty-free patent license under the Patent Claims to make, use, sell, offer to sell, import and otherwise transfer the Covered Code prepared

and provided by such Contributor, if any, in Source Code and Executable form. This patent license shall apply to the Covered Code if, at the time a Modification is added by the Contributor, such addition of the Modification causes such combination to be covered by the Patent Claims. The patent license shall not apply to any other combinations which include the Modification.

2.3. Conditions to Grants. You understand that although each Contributor grants the licenses to the Covered Code prepared by it, no assurances are provided by any Contributor that the Covered Code does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to You for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, You hereby assume sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow You to distribute Covered Code, it is Your responsibility to acquire that license before distributing such code.

2.4. Contributors' Representation. Each Contributor represents that to its knowledge it has sufficient copyright rights in the Covered Code it provides, if any, to grant the copyright license set forth in this Agreement.

3.0 DISTRIBUTION RESTRICTIONS.

3.1. Application of Agreement.

The Modifications which You create or to which You contribute are governed by the terms of this Agreement, including without limitation Section 2.0. The Source Code version of Covered Code may be distributed only under the terms of this Agreement or a future version of this Agreement released under Section 6.1, and You must include a copy of this Agreement with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this Agreement or the

recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.3.

3.2. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by BEA and including the name of BEA in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

%% The following software may be included in this product: RelaxNGCC. Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2003 Daisuke Okajima and Kohsuke Kawaguchi.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by Daisuke Okajima and Kohsuke Kawaguchi (<http://relaxngcc.sf.net/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact the copyright holders.

5. Products derived from this software may not be called "RELAXNGCC", nor may "RELAXNGCC" appear in their name, without prior written permission of the copyright holders.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: RelaxNG Object Model/Parser. Use of any of this software is governed by the terms of the license below:

The MIT License
Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

%% The following software may be included in this product: ASM. Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: zlib. Use of any of this software is governed by the terms of the license below:

License

```
/* zlib.h -- interface of the 'zlib' general purpose compression library
   version 1.2.1, November 17th, 2003
```

Copyright (C) 1995-2003 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly jloup@gzip.org
Mark Adler madler@alumni.caltech.edu

*/

Copyright 2004 by the Open Source Initiative
Technical questions about the website go to Steve M.: webmaster at
opensource.org / Policy questions about open source go to the Board of Directors.

The contents of this website are licensed under the Open Software License 2.0 or
Academic Free License 2.0

OSI is a registered non-profit with 501(c)(3) status. Contact our Board for
further donation information.

%% The following software may be included in this product: Sun Multi-Schema Validator v. relaxngDatatype.jar .
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2001, Thai Open Source Software Center Ltd, Sun Microsystems.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.

Neither the names of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: XML Security: XML Dsig & XML Encryption. Use of any of this software is governed by the terms of the license below:

The Apache Software License, v2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: Tomcat. Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: ANT. Use of any of this software is governed by the terms of the license below:

*

* =====

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% Portions of this product were developed using ANTLR. ANTLR 1989-2000 developed by jGuru.com, <http://www.ANTLR.org> and <http://www.jGuru.com>.

ANTLR 1989-2000 Developed by jGuru.com (MageLang Institute), <http://www.ANTLR.org> and <http://www.jGuru.com>

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

%% The following software may be included in this product: schema2beans, dbschema from the Netbeans Project, <http://www.netbeans.org>. Use of any of this software is governed by the terms of the license below:

SUN PUBLIC LICENSE Version 1.0

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof and corresponding documentation released with the source code.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated documentation, interface definition files, scripts used

to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1 The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters.

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface ("API") and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial

Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Sun Microsystems, Inc. ("Sun") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Sun. No one other than Sun has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must: (a) rename Your license so that the phrases "Sun," "Sun Public License," or "SPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Sun Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such

Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Exhibit A -Sun Public License Notice.

The contents of this file are subject to the Sun Public License Version 1.0 (the "License"); you may not use this file except in compliance with the License. A copy of the License is available at <http://www.sun.com/>

The Original Code is _____. The Initial Developer of the Original Code is _____. Portions created by _____ are Copyright (C) _____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the "[] License?"), in which case the provisions of [] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [] License and not to allow others to use your version of this file under the SPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [] License. If you do not delete the provisions above, a recipient may use your version of this file under either the SPL or the [] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

@@ JAXB

%% The following software may be included in this product: iso-relax.jar v2002/07/07. Use of any of this software is governed by the terms of the license below:

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

%% The following software may be included in this product: relaxNGDatatype.jar. Use of any of this software is governed by the terms of the license below:

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

%% The following software may be included in this product: Resolver. Use of any of this software is governed by the terms of the license below:

xml-commons/LICENSE.txt \$Id: 3RD-PARTY-LICENSE.txt,v 1.1 2008/08/12 04:07:34 david_williams Exp \$
See README.txt for additional licensing information.

/* =====

- * The Apache Software License, Version 1.1
- *
- * Copyright (c) 2001-2002 The Apache Software Foundation. All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
- *
- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- *
- * 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
 - * "This product includes software developed by the
 - * Apache Software Foundation (<http://www.apache.org/>)."
 - * Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*
* 5. Products derived from this software may not be called "Apache",
* nor may "Apache" appear in their name, without prior written
* permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.

%% The following software may be included in this product: Jakarta Commons. Use of any of this software is governed by the terms of the license below:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: Apache XML Security. Use of any of this software is governed by the terms of the license below:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. All advertising materials mentioning features or use of this software must display the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine project (<http://java.apache.org/>).

The names "Apache JServ", "Apache JServ Servlet Engine" and "Java Apache Project" must not be used to endorse or promote products derived from this software without prior written permission. Products derived from this software may not be called "Apache JServ" nor may "Apache" nor "Apache JServ" appear in their names without prior written permission of the Java Apache Project. Redistribution of any form whatsoever must retain the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine project (<http://java.apache.org/>).

THIS SOFTWARE IS PROVIDED BY THE JAVA APACHE PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JAVA APACHE PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

@@ XML Web Services Security

%% The following software may be included in this product: Apache XML Security. Use of any of this software is governed by the terms of the license below:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. All advertising materials mentioning features or use of this software must display the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine project (<http://java.apache.org/>).

The names "Apache JServ", "Apache JServ Servlet Engine" and "Java Apache Project" must not be used to endorse or promote products derived from this software without prior written permission. Products derived from this software may not be called "Apache JServ" nor may "Apache" nor "Apache JServ" appear in their names without prior written permission of the Java Apache Project. Redistribution of any form whatsoever must retain the following acknowledgment: This product includes software developed by the Java Apache Project for use in the Apache JServ servlet engine project (<http://java.apache.org/>).

THIS SOFTWARE IS PROVIDED BY THE JAVA APACHE PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JAVA APACHE PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: Apache Commons Logging, Apache Commons Digester, Apache Commons Bean Utils, Apache Commons Collections.. Use of any of this software is governed by the terms of the license below:

/*

* =====

*
*

* The Apache Software License, Version 1.1

*
*

* Copyright (c) 2001-2003 The Apache Software Foundation. All rights reserved.

*
*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*
*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*
*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*
*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.

*
*

* 4. The names "Apache", "The Jakarta Project", "Commons", and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*
*

* 5. Products derived from this software may not be called "Apache" nor may "Apache" appear in their name without prior written permission of the Apache Software Foundation.

*
*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*

*/

*Woodstock 4.0

%% The following software may be included in this product: Dojo

Use of any of this software is governed by the terms of the license below:

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

- * to reproduce the Original Work in copies;
- * to prepare derivative works ("Derivative Works") based upon the Original Work;
- * to distribute copies of the Original Work and Derivative Works to the public;
- * to perform the Original Work publicly; and
- * to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or

a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous. This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner.

Previous Approved Versions: AFL 2.0, AFL 1.2, AFL 1.1
Plain Text Version

Copyright ? 2005 by the Open Source Initiative
Technical questions about the website go to Steve M.: webmaster at
opensource.org / Policy questions about open source go to the Board of Directors.

The contents of this website are licensed under the Open Software License 2.1 or
Academic Free License 2.1

OSI is a registered non-profit with 501(c)(3) status. Donating to OSI is one way
to show your support.

%% The following software may be included in this product: JSON
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

%% The following software may be included in this product: Shale, Velocity
Use of any of this software is governed by the terms of the license below:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works

thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and

2. You must cause any modified files to carry prominent notices stating that You changed the files; and

3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the

Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any

direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

%% The following software may be included in this product: Prototype
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2005-2007 Sam Stephenson

2

3 Permission is hereby granted, free of charge, to any person obtaining a copy
4 of this software and associated documentation files (the "Software"), to deal
5 in the Software without restriction, including without limitation the rights
6 to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
7 copies of the Software, and to permit persons to whom the Software is
8 furnished to do so, subject to the following conditions:

9

10 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
11 IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
12 FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
13 AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
14 LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
15 OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
16 SOFTWARE.

*Update Center 1.0

%% The following software may be included in this product: JDIC, Swing Layout extensions. Use of any of this software is governed by the terms of the license below:

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else

and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- * a) The modified work must itself be a software library.
- * b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- * c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- * d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License.

Also, you must do one of these things:

* a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

* b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

* c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

* d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

* e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in

an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

* a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

* b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain

entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.
Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software

Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in
the library `Frob' (a library for tweaking knobs) written
by James Random Hacker.

signature of Ty Coon, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

*Shoal

%% The following software may be included in this product: JXTA
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2001-2004 Sun Microsystems, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by Sun Microsystems, Inc. for JXTA(TM) technology." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "Sun", "Sun Microsystems, Inc.", "JXTA" and "Project JXTA" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact Project JXTA at <http://www.jxta.org>.
5. Products derived from this software may not be called "JXTA", nor may "JXTA" appear in their name, without prior written permission of Sun.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL SUN MICROSYSTEMS OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JXTA is a registered trademark of Sun Microsystems, Inc. in the United States and other countries.

*JBI

%% The following software may be included in this product: XML Beans, commons-httpclient.jar, resolver.jar, commons-codec, commons-logging

Use of any of this software is governed by the terms of the license below:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit)

alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and

2. You must cause any modified files to carry prominent notices stating that You changed the files; and

3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names,

trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

%% The following software may be included in this product: wsdl4j.jar
Use of any of this software is governed by the terms of the license below:

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
 - b) a copy of this Agreement must be included with each copy of the Program.
- Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense. For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are

such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue

and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

=====
Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- * org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- * org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- * javax.servlet:javax.servlet-api
- * javax.annotation:javax.annotation-api
- * javax.transaction:javax.transaction-api
- * javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- * java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp
org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.204 scala 2.12.5

1.204.1 Available under license :

Scala includes the Sizzle library:

Copyright (c) 2010 The Dojo Foundation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Scala includes the Tools Tooltip library:

Copyright (c) 2009 Tero Piirainen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Scala is licensed under the [BSD 3-Clause License](<http://opensource.org/licenses/BSD-3-Clause>).

Scala License

Copyright (c) 2002-2018 EPFL

Copyright (c) 2011-2018 Lightbend, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Other Licenses

This software includes projects with the following licenses, which are also included in the `licenses/` directory:

[Apache License](<http://www.apache.org/licenses/LICENSE-2.0.html>)

This license is used by the following third-party libraries:

- * jansi

[BSD License](<http://www.opensource.org/licenses/bsd-license.php>)

This license is used by the following third-party libraries:

- * jline

[BSD 3-Clause License](<http://opensource.org/licenses/BSD-3-Clause>)

This license is used by the following third-party libraries:

- * asm

[MIT License](<http://www.opensource.org/licenses/MIT>)

This license is used by the following third-party libraries:

- * jquery

* sizzle

* tools tooltip

Scala includes the JLine library:

Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(c) 2012-2014 GitHub

When using the GitHub logos, be sure to follow the GitHub logo guidelines (<https://github.com/logos>)

Font License: SIL OFL 1.1 (<http://scripts.sil.org/OFL>)

Applies to all font files

Code License: MIT (<http://choosealicense.com/licenses/mit/>)

Applies to all other files

Copyright (c) 2006, Ivan Sagalaev

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of highlight.js nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Scala includes the JLine library, which includes the Jansi library.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Scala includes the jQuery library:

Copyright (c) 2010 John Resig

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Scala includes the ASM library.

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

not-a-legal-formal-parameter-tuple.scala:2: error: not a legal formal parameter.

Note: Tuples cannot be directly destructured in method or function parameters.

```
    Either create a single parameter accepting the Tuple2,  
    or consider a pattern matching anonymous function: ` { case (a, b) => ... }  
val x: ((Int, Int) => Int) = (((a, b)) => a)  
      ^
```

not-a-legal-formal-parameter-tuple.scala:3: error: not a legal formal parameter.

Note: Tuples cannot be directly destructured in method or function parameters.

```
    Either create a single parameter accepting the Tuple2,  
    or consider a pattern matching anonymous function: ` { case (param1, param2) => ... }  
val y: ((Int, Int, Int) => Int) = (((a, !!)) => a)  
      ^
```

not-a-legal-formal-parameter-tuple.scala:4: error: not a legal formal parameter.

Note: Tuples cannot be directly destructured in method or function parameters.

```
    Either create a single parameter accepting the Tuple3,  
    or consider a pattern matching anonymous function: ` { case (param1, ..., param3) => ... }  
val z: ((Int, Int, Int) => Int) = (((a, NotAPatternVariableName, c)) => a)  
      ^
```

three errors found

This software includes projects with other licenses -- see `doc/LICENSE.md`.

Copyright (c) 2002-2018 EPFL

Copyright (c) 2011-2018 Lightbend, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(The MIT License)

Copyright (c) 2013 Greg Allen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.205 asm-util 8.0.1

1.205.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* ASM: a very small and fast Java bytecode manipulation framework Copyright (c) 2000-2011 INRIA,  
* France Telecom All rights reserved.
```

```
*
```

```
* <p>Redistribution and use in source and binary forms, with or without modification, are permitted  
* provided that the following conditions are met: 1. Redistributions of source code must retain the  
* above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions  
* in binary form must reproduce the above copyright notice, this list of conditions and the  
* following disclaimer in the documentation and/or other materials provided with the distribution.  
* 3. Neither the name of the copyright holders nor the names of its contributors may be used to  
* endorse or promote products derived from this software without specific prior written permission.
```

```
*
```

```
* <p>THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR  
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND  
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR  
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,  
OR CONSEQUENTIAL  
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
SERVICES; LOSS OF USE,  
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY,  
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY  
* WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-  
jar/org/objectweb/asm/util/TextifierSupport.java
```

```
* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-  
jar/org/objectweb/asm/util/ASMifierSupport.java
```

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
```

```
// Redistribution and use in source and binary forms, with or without
```

```
// modification, are permitted provided that the following conditions
```

```
// are met:
```

// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

Found in path(s):

- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TraceFieldVisitor.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/ASMifier.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/CheckMethodAdapter.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/Printer.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TraceClassVisitor.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TraceModuleVisitor.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TraceMethodVisitor.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/Textifier.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/CheckClassAdapter.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/CheckModuleAdapter.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/CheckFieldAdapter.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/TraceRecordComponentVisitor.java
- * /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/CheckRecordComponentAdapter.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1290493595_1647560258.38/0/asm-util-8-0-1-sources-jar/org/objectweb/asm/util/package.html

1.206 java-diff-utils 1.3.0

1.206.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1131003422_1649015566.9/0/diffutils-1-3-0-jar/META-INF/maven/com.googlecode.java-diff-utils/diffutils/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Archiver-Version: Plexus Archiver

Built-By: smitterm

Created-By: Apache Maven Bundle Plugin

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bnd-LastModified: 1362404972142

Export-Package: difflib;uses:="difflib.myers";version="1.3.0",difflib.myers;uses:="difflib;version="1.3.0"

Bundle-Version: 1.3.0

Bundle-Description: The DiffUtils library for computing diffs, applying patches, generating side-by-side view in Java.

Bundle-Name: java-diff-utils
Build-Jdk: 1.5.0_22
Bundle-ManifestVersion: 2
Bundle-SymbolicName: com.googlecode.java-diff-utils.diffutils
Tool: Bnd-1.50.0

Found in path(s):

* /opt/cola/permits/1131003422_1649015566.9/0/diffutils-1-3-0-jar/META-INF/MANIFEST.MF

1.207 netty/resolver/dns/classes/macos

4.1.78.Final

1.207.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2021 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ https://www.apache.org/licenses/LICENSE-2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->
```

Found in path(s):

* /opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-jar/META-INF/maven/io.netty/netty-resolver-dns-classes-macos/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2019 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-jar/io/netty/resolver/dns/macos/MacOSDnsServerAddressStreamProvider.java
* /opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-jar/io/netty/resolver/dns/macos/DnsResolver.java
* /opt/cola/permits/1355678799_1656718628.6192284/0/netty-resolver-dns-classes-macos-4-1-78-final-sources-1-jar/io/netty/resolver/dns/macos/package-info.java

1.208 jackson-core 2.14.1

1.208.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.209 junit-jupiter-junit-jupiter-api 5.8.2

1.209.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:

* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and

* **b)** in the case of each subsequent Contributor:

* **i)** changes to the Program, and

* **ii)** additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

* **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

* **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

* **iii)*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
* **iv)*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)*** it must be made available under this Agreement, or if the Program *(i)* is combined with other material in a separate file or files made available under a Secondary License, and *(ii)* the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)*** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable

laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

1.210 jersey-core-server 2.35

1.210.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

- * License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://angularjs.org>
- * Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- * License: all the source code provided by AOP Alliance is Public Domain.
- * Project: <http://aopalliance.sourceforge.net>
- * Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- * License: Apache License, 2.0
- * Project: <http://beanvalidation.org/1.1/>
- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>
- * Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Notice for Jersey Core Server module
- This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

* License: Apache License, 2.0

* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

* License: Modified BSD (<http://asm.objectweb.org/license.html>)

* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

* License: W3C License

* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION

OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no

Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent,

trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the

appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation

is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control

compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from

distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an

executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.211 asm 9.1

1.211.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-

jar/org/objectweb/asm/signature/package.html

* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/package.html

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/TypePath.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Frame.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-  
jar/org/objectweb/asm/RecordComponentWriter.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-  
jar/org/objectweb/asm/AnnotationVisitor.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ModuleVisitor.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ModuleWriter.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/CurrentFrame.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/AnnotationWriter.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ConstantDynamic.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassWriter.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-  
jar/org/objectweb/asm/signature/SignatureVisitor.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Attribute.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Opcodes.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Handle.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-  
jar/org/objectweb/asm/MethodTooLargeException.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-  
jar/org/objectweb/asm/signature/SignatureReader.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/TypeReference.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Context.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Label.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Type.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-  
jar/org/objectweb/asm/signature/SignatureWriter.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/FieldVisitor.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Handler.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/SymbolTable.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassReader.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Edge.java  
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
```

```
jar/org/objectweb/asm/RecordComponentVisitor.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Constants.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/Symbol.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/MethodWriter.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-
jar/org/objectweb/asm/ClassTooLargeException.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1150153141_1627681655.27/0/asm-9-1-sources-1-jar/org/objectweb/asm/ClassVisitor.java
```

1.212 slf4j-simple-binding 1.8.0-beta4

1.212.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2012 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1274699031_1650660989.66/0/slf4j-simple-1-8-0-beta4-sources-1-
jar/org/slf4j/simple/SimpleLogger.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):

* /opt/cola/permits/1274699031_1650660989.66/0/slf4j-simple-1-8-0-beta4-sources-1-
jar/org/slf4j/simple/SimpleLoggerFactory.java

1.213 pact-jvm-provider-junit_2.12 3.5.25

1.213.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

1.214 apache-commons-i-o 2.8.0

1.214.1 Available under license :

Apache Commons IO

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.215 spotbugs 4.1.1

1.215.1 Available under license :

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public // This library is free software; you can redistribute it and/or // modify it under the terms of the GNU Lesser General Public // License as published by the Free Software Foundation; either // version 2.1 of the License, or (at your option) any later version. // This library is distributed in the hope that it will be useful, // but WITHOUT ANY WARRANTY; without even the implied warranty of // MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU // Lesser General Public License for more details.'

Found license 'GNU Lesser General Public License' in 'This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public // permission is granted to use this javascript provided that the below code is not altered'

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public'

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public // adjust elseFinishPos to be inclusive (for source line attribution)'

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details. * You should have received a copy of the GNU Lesser General Public'

1.216 guava-internalfuturefailureaccess-and-internalfutures 1.0.1

1.216.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

* /opt/cola/permits/1130987386_1612872111.26/0/failureaccess-1-0-1-sources-

jar/com/google/common/util/concurrent/internal/InternalFutureFailureAccess.java
* /opt/cola/permits/1130987386_1612872111.26/0/failureaccess-1-0-1-sources-
jar/com/google/common/util/concurrent/internal/InternalFutures.java

1.217 prometheus-java-simpleclient-dropwizard 0.15.0

1.217.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1343907287_1655246815.1750922/0/simpleclient-dropwizard-0-15-0-jar/META-INF/maven/io.prometheus/simpleclient_dropwizard/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644098880357

Build-Jdk: 11.0.13

Built-By: fabian

Bundle-Description: Collector of data from Dropwizard metrics library.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Prometheus Java Simpleclient Dropwizard

Bundle-SymbolicName: io.prometheus.simpleclient_dropwizard

Bundle-Version: 0.15.0

Created-By: Apache Maven Bundle Plugin

Export-Package: io.prometheus.client.dropwizard.samplebuilder;uses:="io.prometheus.client";version="0.15.0",io.prometheus.client.dropwizard;uses:="com.codahale.metrics,io.prometheus.client,io.prometheus.client.dropwizard.samplebuilder";version="0.15.0"

Import-Package: com.codahale.metrics;version="[4.2,5)",io.prometheus.client;version="[0.15,1)"

Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

* /opt/cola/permits/1343907287_1655246815.1750922/0/simpleclient-dropwizard-0-15-0-jar/META-INF/MANIFEST.MF

1.218 jersey-container-servlet 2.35

1.218.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

* Project: <http://getbootstrap.com>

* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0

* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

* License: Apache License, 2.0

* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

* License: Apache License, 2.0

* Project: <http://www.javassist.org/>

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

* License: Apache License, 2.0

* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

* License: jquery.org/license

* Project: jquery.org

* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &
<http://www.gnu.org/licenses/gpl.html>)

* Project: <http://www.pasella.it/projects/jquery/barcode>

* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

* License: CC0

* No copyright

* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which

are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall

apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s)},

version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other

recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.219 byte-buddy byte-buddy-1.9.7

1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 - 2019 Rafael Winterhalter

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1290493577_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/package-info.java
* /opt/cola/permits/1290493577_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/ByteBuddyAgent.java
* /opt/cola/permits/1290493577_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/VirtualMachine.java
* /opt/cola/permits/1290493577_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/Installer.java
* /opt/cola/permits/1290493577_1655334222.6922812/0/byte-buddy-agent-1-9-7-sources-jar/net/bytebuddy/agent/Attacher.java

1.220 dropwizard-request-logging-support

2.0.29

1.220.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.221 apache-httpmime 4.5.5

1.221.1 Available under license :

Apache HttpClient Mime
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.222 opentest4j-opentest4j 1.2.0

1.222.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.